MATH 651: PROBLEM SET 2 SOLUTIONS ARE IN CLASS ON FRI. SEP. 28.

- 1. (10 points)
 - (a) Show that the topology of radially open sets in \mathbb{R}^2 is not first countable.
 - (b) Show that the product of two first countable spaces is first countable.
 - (c) Show that any subspace of a first countable space is first countable (that is being first countable is a hereditary property).
- 2. (5 points) Show that any second countable space is separable.
- 3. (10 points) Let (X, d) be a separable metric space. Let A be a nonempty subset of X. Show that (A, d) is separable.
- 4. (10 points) Consider the space of continuous functions on the real line, $C(\mathbb{R}, \mathbb{R})$, endowed with the metric

(1)
$$d(f,g) := \max_{n} \frac{1}{2^{n}} \frac{\max_{x \in [-n,n]} |f(x) - g(x)|}{1 + \max_{x \in [-n,n]} |f(x) - g(x)|}.$$

Show that $(C(\mathbb{R},\mathbb{R}),d)$ is separable. [You can use that $C([-n,n],\mathbb{R})$ is separable with respect to d_{∞} metric.]

5. (10 points) In \mathbb{R}^N , a *polygonal path* is a continuous path $\gamma:[a,b]\to\mathbb{R}^N$ for which there exists a partition $a=x_0< x_1< \cdots < x_n=b$ with the property that $\gamma:[x_{i-1},x_i]\to\mathbb{R}^N$ is affine for all $i=1,\ldots,n$, that is,

$$\gamma(t) = c_i + td_i \quad \text{for } t \in [x_{i-1}, x_i],$$

for some $c_i, d_i \in \mathbb{R}^N$.

Let $O \subset \mathbb{R}^N$ be open and connected and let $x_0 \in O$.

(i) Prove that the set

 $U := \{x \in O : \text{ there exists a polygonal path with endpoints } x \text{ and } x_0 \text{ and range contained in } O\}$

is open and nonempty.

(ii) Prove that the set

 $V := \{x \in O : \text{ there does not exist a polygonal path with endpoints } x \text{ and } x_0 \text{ and range contained in } O\}$

is open.

- 6. (5 points) Let Y_i with $i \in I$ be a family of connected subsets of X, such that $\bigcap_{i \in I} Y_i \neq \emptyset$. Show that $Y = \bigcup_{i \in I} Y_i$ is connected.
- 7. (10 points) Prove that the graph of the function $f:[0,1] \to \mathbb{R}$ defined by

$$f(x) = \begin{cases} \sin\left(\frac{1}{x}\right) & \text{if } x \in (0, 1] \\ 1 & \text{if } x = 0. \end{cases}$$

is connected, but not pathwise connected.