Milly
INTERNATIONAL CO., LTD

天然植粹 NATURAL / 以人為本 HUMANISM / 創新研發 INNOVATION



皇之薑黃EX

保肝 · 利膽 · 護胃

脂肪肝人數　3年成長近2成



罹患脂肪肝的比例
隨年齡上升

- 40歲以上
→超過60%
- 70歲以上
→超過75%

資料來源:衛福部健保署

脂肪肝恐成新國病




2022/07/24


今天共篩檢3205人，其中有2654人檢出異常，異常率達82.8%，值得注意的是，有1833位受檢民眾檢出「脂肪肝」，比率高達57.2%，另有82人疑似肝癌或性質不明肝腫瘤，6人肝硬化，而脂肪肝是肝癌的重要危險因子，民眾不可掉以輕心！

富貴病的結果-脂肪肝

台灣約每3個人就有1個人有脂肪肝，
然而80%脂肪肝患者是沒有臨床症狀。
過去醫界多認為脂肪肝無大礙，但近年發現，
脂肪肝會演變成脂肪肝炎、肝硬化甚至肝癌



脂肪肝的3大高危指標










大吃大喝
高油高醣(糖)

缺乏運動

長期壓力大





全方位
護肝消炎配方

胡椒鹼

強化吸收率

L-精胺酸

強力代謝


薑黃素

保肝利膽護胃





養肝護命 最強素材





- ✓天然秋薑黃與左旋精氨酸，精萃濃度
- ✓能夠降低肝功能指數，減緩肝發炎症狀
- ✓強化解毒作用，使體內毒物或氧化物質被中和達到保肝效果
- ✓促進肝細胞的再生能力，保護未受損之肝細胞

NATIONAL CANCER INSTITUTE

美國國家癌症研究院NCI
已將薑黃素被列為**癌症化學預防試劑**

註：癌症化學預防試劑：源自於流行病學的研究，發現在日常飲食中有某些成分能夠預防癌症的發生

薑黃素提升肝解毒作用




備註：GSH：在細胞內進行**清除自由基**以及**解毒**的作用。

出處: Toxicology, 267: 140-146. (2010)

薑黃素的強效代謝脂肪肝





對照組　0.1%薑黃素　0.5%薑黃素

出處: J. NUTRITION, 100: 1307-1316

薑黃素對於胃的保護作用

Pharmacogn Rev. 2013 Jan-Jun; 7(13): 42–46. PMCID: PMC3731878
doi: 10.4103/0973-7847.112843

Turmeric (curcumin) remedies gastroprotective action

Santosh Kumar Yadav, Ajit Kumar Sah,[1] Rajesh Kumar Jha,[1] Phoolgen Sah,[1] and Dev Kumar Shah[2]

Author information ▶ Article notes ▶ Copyright and License information ▶

薑黃素可以降低發炎性疾病，如癌症和潰瘍的風險

Abstract

Go to:

The purpose of this review is to summarize the pertinent literature published in the present era regarding the antiulcerogenic property of curcumin against the pathological changes in response to ulcer effectors (*Helicobacter pylori* infection, chronic ingestion of non-steroidal anti-inflammatory drugs, and exogenous substances). The gastrointestinal problems caused by different etiologies was observed to be associated with the alterations of various physiologic parameters such as reactive oxygen species, nitric oxide synthase, lipid peroxidation, and secretion of excessive gastric acid. Gastrointestinal ulcer results probably due to imbalance between the aggressive and the defensive factors. In 80% of the cases, gastric ulcer is caused primarily due to the use of non-steroidal anti-inflammatory category of drug, 10% by *H. pylori*, and about 8-10% by the intake of very spicy and fast food. Although a number of antiulcer drugs and cytoprotectants are available, all these drugs have side effects and limitations. In the recent years a widespread search has been launched to identify new antiulcer drugs from synthetic and natural resources. An Indian dietary derivative (curcumin), a yellow pigment found in the rhizome of Curcuma *longa*, has been widely used for the treatment of several diseases. Epidemiologically, it was suggested that curcumin might reduce the risk of inflammatory disorders, such as cancer and ulcer. These biological effects are attributed to its anti-inflammatory and antioxidant activities. It can, therefore, be reported from the literature that curcumin PRevents gastrointestinal-induced ulcer and can be recommended as a novel drug for ulcer treatment.

Keywords: Curcumin, gastroprotective, *Helicobacter pylori*, non-steroidal anti-inflammatory drugs, oxidative stress

薑黃素能抗幽門螺旋桿菌感染並修復被傷害的胃黏膜

Antimicrob Agents Chemother. 2009 Apr;53(4):1592-7. doi: 10.1128/AAC.01242-08. Epub 2009 Feb 9.

Antimicrobial activity of curcumin against Helicobacter pylori isolates from India and during infections in mice.

De R[1], Kundu P, Swarnakar S, Ramamurthy T, Chowdhury A, Nair GB, Mukhopadhyay AK.

Author information

Abstract

Treatment failure is a major cause of concern for the Helicobacter pylori-related gastroduodenal diseases like gastritis, peptic ulcer, and gastric cancer. Curcumin, diferuloylmethane from turmeric, has recently been shown to arrest H. pylori growth. The antibacterial activity of curcumin against 65 clinical isolates of H. pylori in vitro and during protection against H. pylori infection in vivo was examined. The MIC of curcumin ranges from 5 microg/ml to 50 microg/ml, showing its effectiveness in inhibiting H. pylori growth in vitro irrespective of the genetic makeup of the strains. The nucleotide sequences of the aroE genes, encoding shikimate dehydrogenase, against which curcumin seems to act as a noncompetitive inhibitor, from H. pylori strains presenting differential curcumin MICs showed that curcumin-mediated growth inhibition of Indian H. pylori strains may not be always dependent on the shikimate pathway. The antimicrobial effect of curcumin in H. pylori-infected C57BL/6 mice and its efficacy in reducing the gastric damage due to infection were examined histologically. Curcumin showed immense therapeutic potential against H. pylori infection as it was highly effective in eradication of H. pylori from infected mice as well as in restoration of H. pylori-induced gastric damage. This study provides novel insights into the therapeutic effect of curcumin against H. pylori infection, suggesting its potential as an alternative therapy, and opens the way for further studies on identification of novel antimicrobial targets of curcumin.

PMID: 19204190 PMCID: PMC2663130 DOI: 10.1128/AAC.01242-08

超級薑黃素-護胃最有效

薑黃素護胃3大功效：消炎止痛、抗幽門桿菌、增加胃黏液

跟我這樣做　護胃最有效

薑黃3大功效：抗炎、抗幽門桿菌、修護胃黏膜

類 型	適用狀況	食用方式
保養期	·慢性胃炎 ·胃酸過多 ·胃 脹 氣 ·消化不良	每日1包 早上飯後食用
急用期	·胃痛發作時 ·胃食道逆流 ·胃潰瘍	每日1~2次，每次1包 立即嚼碎食用

正確用藥小提醒：★若服用制酸劑者，建議兩者間隔12小時，效果更佳！

薑黃粉 ≠ 薑黃素

超級薑黃素-強效抗氧化

香料變保健品 薑黃素可抗氧化、防腫瘤

優活健康網 2016/03/11 17:25(5天前)



（優活健康網記者陳思綺／綜合報導）近年來民眾越來越注重養生，而薑黃的風潮盛行，據媒體報導薑黃能夠預防失智、保健腸胃且抗氧化，因此

同的。



超級薑黃素-護肝有一套






》肝纖維化治療新契機　薑黃素有效果

臺大醫院

肝臟疾病一直是國人重要的疾病，然而在肝纖維化病程中以薑黃素（curcumin）治療將可
的肝細胞大量壞死所引起發炎反應，反而讓受傷的肝細胞走向對組織傷害較輕微的細胞凋
纖維化過程的奧秘，並尋求治療延緩病程的方法乃是醫學界重要的課題。



受損的肝細胞在薑黃素處理下，進行細胞凋亡
延緩肝發炎反應繼而減緩肝纖維化病程。

術學系邱智賢
走向細胞凋亡
，提供肝纖維
養生化學期刊


超級薑黃素-減脂好安全


薑黃素的「減肥密碼」：將壞脂肪變好脂肪
更新時間： 2016-02-18 02:20 AM [紐約時間]



薑黃素
抗氧化、抗發炎
減少體重及脂肪增加


健康730
惟孕婦應慎食有關食品!
薑黃素可抗炎抗癌
更可以減低脂肪囤積?

超級薑黃素-幫助消化功能



領先業界超高濃度薑黃素95%



製品規格書

クルクミン C3 コンプレックス®

Curcumin C3 Complex® 80 mesh FJ

起源原料：	秋ウコン（*Curcuma longa*）根茎
外観：	オレンジ～黄色の粉末*
識別：	HPLC 法
乾燥減量：	2.0%以下
強熱残分：	1.0%以下
タップかさ比重：	0.50g/ml～0.90g/ml
ルースかさ比重：	0.30g/ml～0.50g/ml
篩がけ（80 メッシュ）：	95.0%以上
HPLC 法分析	
総クルクミノイド含量：	95.0%以上（乾燥状態にて）
-ビスデメトキシクルクミン：	2.5%～6.5%
-デメトキシクルクミン：	15.0%～25.0%
-クルクミン：	70.0%～80.0%
微生物	
一般生菌数：	3000 個以下/g
カビ・酵母：	100 個以下/g
大腸菌：	陰性
サルモネラ菌：	陰性
緑膿菌：	陰性
黄色ブドウ球菌：	陰性
大腸菌群：	陰性

（*ハーブ由来製品のため、通常の、平均の間以上、色のバリエーションに多少の違いが見られる場合があります。）

HPLC分析法
薑黃萃取物（Curcuminoids）
總含量：95.0%以上（乾燥狀態）

1.去二甲氧基薑黃素
（Bisdemethoxycurcumin）
：2.5%～6.5%

2.去甲氧基薑黃素
（Demethoxycurcumin）
：15.0%～25.0%

3.薑黃素（Curcumin）
：70.0%～80.0%

薑黃 你是要吃有效還是要吃到飽



4顆*30包

=



170mg薑黃素/粒 * 120粒 = 20400mg


60g薑黃粉/罐 * 2%(薑黃素濃度) * 17罐 (60g/瓶) =20400mg

※以薑黃中最珍貴也是最具保健功效的成分-**薑黃素**做換算

胡椒鹼 基本介紹與作用機制

- 胡椒鹼(Piperine)是生物鹼(Alkaloids)的一種，而使黑胡椒具有抗發炎(Antiinflammatory)及護肝(Hepatoprotective)的功效。
- 在傳統醫學上黑胡椒被用來治療胃腸道症狀，包括胃腸脹氣、消化不良、火燒心、反胃、消化性潰瘍、腹痛、腸胃痙攣、腹瀉、便祕等。
- 有助於增加腸胃道血液供應量，活化消化道機能，提供更多養分與氧氣強化黏膜細胞。
- 藉由「產熱作用(Thermogenesis)」「抑制營養素排出(Efflux Mechanisms)」「酵素調節(Metabolizing Enzymes」增加 營養吸收能力與生物利用率(bioavailability)。





胡椒鹼(化學式)

加強營養素利用率的最佳增強劑!

專利胡椒鹼 BioPerine®


- 從黑胡椒獲得的專利標準化萃取物，含有95%以上的胡椒鹼
- 是經臨床驗證的營養素生物利用率增強劑
- 擁有多個美國專利和國際專利
- 通過美國食品藥物管理局(FDA)之安全食品添加劑認證(GRAS)

7大 功能專利 & 製成專利


US5,536,506-使用胡椒鹼提高營養化合物的生物利用度
US5,744,161-使用胡椒鹼作為生物利用度增強劑
US5,972,382-使用胡椒鹼作為生物利用度增強劑
EP0,810,868-使用胡椒鹼作為胃腸道吸收的促進劑
JP3,953,513 -使用胡椒鹼作為生物利用度增強劑
CA2,247,467-使用胡椒鹼作為生物利用度增強劑
US6,054,585-作為營養用途高純度胡椒鹼的製備方法


FDA GRAS GENERALLY RECOGNIZED AS SAFE

若薑黃素與胡椒鹼攝取比為「100:1」則可提高薑黃利用效率達20倍!



左旋精胺酸減低肝發炎作用







出處:Journal of Surgical Research 155, 244–253 (2009)

產品特色

1 精粹濃度，薑黃素含量高達 170mg/錠

2 添加專利胡椒鹼，提高吸收率 2000%

3 添加L-精胺酸，全方位護肝解毒配方

4 產品3大功效- 保肝、利膽、護胃

保肝-抑制肝發炎、促進肝解毒、清除肝脂肪

利膽-降膽固醇、促消化

護胃-消炎止痛、抗幽門桿菌、增加胃黏液

Milly INTERNATIONAL CO., LTD

薑黃素的7大保健功效

功　效	對 應 症	說　明
保　肝	疲勞、解酒、脂肪肝	● 抑制肝臟發炎，有助肝臟排毒。 ● 促進解酒酵素分泌，分解酒精代謝物-乙醛，故也可解宿醉。 ● 提升肝臟機能，促進肝臟的脂肪代謝能力，預防脂肪肝。
利　膽	消化不良	● 促進膽汁分泌，促進脂肪分解，提升消化機能。
顧　胃	胃炎、胃潰瘍	● 抗發炎舒緩疼痛 ● 促進胃部黏液蛋白再生，使受傷的胃黏膜快速再生 ● 具殺菌、抗菌功效，可抑制幽門桿菌。

薑黃素的7大保健功效

功 效	對 應 症	說 明
增代謝、抗氧化	美容 美體 抗失智	● 抑制酪胺酸酶活性，可降低黑色素形成，減少色斑。 ● 提高身體代謝率，消耗更多熱量。 ● 清除腦中β-類澱粉蛋白，抑制其沉澱損害腦細胞。
抗發炎	各類炎症	● 包括口瘡、關節炎、咽喉痛、過敏性發炎等。
抗 癌	癌症輔療	● 薑黃素可誘導癌細胞自噬作用與凋亡、抑制癌細胞生長與形成、抑制癌細胞血管生長作用。
活血行氣	水腫、氣滯、月經失調	中國藥典記載，薑黃具有破血行氣、*通經止痛、活血化瘀之效，可改善因血瘀氣滯、循環不良所引起的症狀。 *若經血量過多，則不建議在生理期間食用。

主　成　分

- 濃縮秋薑黃萃取
- 黑胡椒萃取
- 精胺酸

產 品 規 格

- 錠狀鋁包，4粒/包
- 30包/盒
- 薑黃素680mg/包

攝 取 建 議

- 1~2包/天，建議「餐後」食用。
- 13歲以上可食用。
- 孕期、哺乳期不建議食用。



適 用 族 群

- 應酬喝酒族
- 長期熬夜族
- 慢性疲勞者
- 氣色不佳者
- 慢性胃炎
- 消化不良者
- 生活不規律者
- 注重美容者
- 追求代謝好
- 認真運動族

Milly
INTERNATIONAL CO., LTD
米蕾國際事業有限公司

THANKS

感謝您的聆聽