作业 | 暂时保存 | 提交

第一章自测题

题量: 30 满分: 100 作答时间: 09-22 13:16 至 10-08 13:17

一. 单选题（共30题，100分）

1. (单选题)
Frequency of failure and network recovery time after a failure are measures of the _____ of a network.

A Performance

B Reliability

C Security

D Feasibility

2. (单选题) An unauthorized user is a network _____ issue.

A Performance

B Reliability

C Security

D All the above

3. (单选题) Which topology requires a central controller or hub?

A Mesh

B Star

C Bus

D Ring

4. (单选题) A _____ connection provides a dedicated link between two devices.

A point-to-point

B multipoint

C primary

D secondary

5. (单选题) "In a _____ connection, more than two devices can share a single link."

一. 单选题（100分）
1 2 3
6 7 8
11 12 13
16 17 18
21 22 23
26 27 28

B multipoint

C primary

D secondary

6. (单选题) This was the first network.

A CSNET

B NSFNET

C ANSNET

D ARPANET

7. (单选题) _____ is the protocol suite for the current Internet.

A TCP/IP

B NCP

C UNIX

D ACM

8. (单选题) "_____ refers to the structure or format of the data, meaning the order in which they are presented."

A Semantics

B Syntax

C Timing

D All of the above

9. (单选题) "_____ defines how a particular pattern to be interpreted, and what action is to be taken based on that interpretation."

A Semantics

B Syntax

C Timing

D None of the above

10. (单选题) _____ refers to two characteristics: when data should be sent and how fast it can be sent.

A Semantics

B Syntax

一. 单选题（100分）

1 2 3

6 7 8

11 12 13

16 17 18

21 22 23

26 27 28

D none of the above

11. (单选题) "A _____ is a data communication system within a building, plant, or campus, or between nearby buildings."

A MAN

B LAN

C WAN

D none of the above

12. (单选题) "A _____ is a data communication system spanning states, countries, or the whole world."

A MAN

B LAN

C WAN

D none of the above

13. (单选题) _____ is a collection of many separate networks.

A A WAN

B An internet

C a LAN

D None of the above

14. (单选题) A _____ is a set of rules that governs data communication.

A forum

B protocol

C standard

D none of the above

15. (单选题) _____ is an idea or concept that is a precursor to an Internet standard.

A RCF

B RFC

C ID

一. 单选题（100分）

1 2 3

6 7 8

11 12 13

16 17 18

21 22 23

26 27 28

作业 | 暂时保存 | 提交

16. (单选题) The _____ layer changes bits into electromagnetic signals.

A Physical

B Data link

C Transport

D None of the above

17. (单选题) Which of the following is an application layer service?

A Remote log-in

B File transfer and access

C Mail service

D All the above

18. (单选题) Why was the OSI model developed?

A Manufacturers disliked the TCP/IP protocol suite.

B The rate of data transfer was increasing exponentially

C Standards were needed to allow any two systems to communicate

D None of the above

19. (单选题) The OSI model consists of _____ layers.

A three

B five

C seven

D eight

20. (单选题) "In the OSI model, as a data packet moves from the lower to the upper layers, headers are _____."

A added

B removed

C rearranged

D modified

一. 单选题（100分）

1 2 3
6 7 8
11 12 13
16 17 18
21 22 23
26 27 28

A physical

B transport

C session

D presentation

22. (单选题) "In the OSI model, what is the main function of the transport layer?"

A node-to-node delivery

B process-to-process message delivery

C synchronization

D updating and maintenance of routing tables

23. (单选题) "In the OSI model, encryption and decryption are functions of the _____ layer."

A transport

B session

C presentation

D application

24. (单选题) The Internetworking Protocol (IP) is a _____ protocol.

A reliable

B connection-oriented

C both a and b

D none of the above

25. (单选题) The seven-layer ____ model provides guidelines for the development of universally compatible networking protocols.

A OSI

B ISO

C IEEE

D none of the above

26. (单选题) The _____ layer is responsible for delivering data units from one station to the next without errors.

A transport

一. 单选题（100分）

1 2 3

6 7 8

11 12 13

16 17 18

21 22 23

26 27 28

作业 暂时保存 提交

C data link

D physical

27. (单选题) The _____ layer is responsible for the source-to-destination delivery of a packet across multiple network links.

A transport

B network

C data link

D physical

28. (单选题) "The _____ layer establishes, maintains, and synchronizes the interactions between communicating devices."

A transport

B network

C session

D physical

29. (单选题) The _____ layer ensures interoperability between communicating devices through transformation of data into a mutually agreed upon format.

A transport

B network

C data link

D presentation

30. (单选题) "The TCP/IP _____ layer is equivalent to the combined session, presentation, and application layers of the OSI model."

A application

B network

C data link

D physical

一. 单选题（100分）

1 2 3
6 7 8
11 12 13
16 17 18
21 22 23
26 27 28