

山东众智化工科技有限公司

SHANDONG ZHONGZHI CHEMICAL TECHNOLOGY CO.,LTD

BINHAI ECONOMIC DEVELOPMENT AREA, CHANGYI CITY, SHANDONG PROVINCE, CHINA
TEL: +86 17685880260 | WEB: www.silicatechem.com | E-mail: info@silicatechem.com

MATERIAL SAFETY DATA SHEET

Sodium Metasilicate Anhydrous · CAS No. 6834-92-0

Section 1 IDENTIFICATION GHS P

Product identifier: Sodium metasilicate anhydrous. Other means of identification: Disodium metasilicate anhydrous.

Recommended use of the chemical and restrictions on use: This material can be used to produce detergent, textile treatment compositions, paper deinking agent, etc.

Supplier's details: SHANDONG ZHONGZHI CHEMICAL TECHNOLOGY CO.,LTD BINHAI ECONOMIC DEVELOPMENT AREA, CHANGYI CITY, SHANDONG PROVINCE, CHINA

Emergency phone number: +86 17685880260

Section 2 HAZARDS IDENTIFICATION C

Classification of the substance or mixture: Skin corrosion/irritation Category 1C Serious eye damage/eye irritation Category 1 Specific target organ toxicity, single exposure; Respiratory tract irritation Category 3

GHS Label elements, including precautionary statements:

Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statement(s):

Prevention: Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. Specific treatment (see under for further information). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification: /

Section 3 COMPOSITION/INFORMATION ON INGREDIENTS C

Chemical Name CAS No. Concentration% Sodium metasilicate anhydrous 6834-92-0 99.93%

Section 4 FIRST AID MEASURES D

Description of necessary first aid measures

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If

ingestion: Rinse mouth with water. Do not induce vomit. Consult a physician.

Most important symptoms/effects, acute and delayed: /

Indication of immediate medical attention and special treatment needed, if necessary: /

Section 5 FIREFIGHTING MEASURES S

uitable extinguishing media: /

Special hazards arising from the chemical: This material is non-flammable.

Special protective actions for fire-fighters: Wear self-contained breathing apparatus for firefighting if necessary. Use water spray to cool unopened containers. In case of fire in the surroundings, use appropriate extinguishing media.

Section 6 ACCIDENTAL RELEASE MEASURES P

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental precautions: Do not enter into spillage area. Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up: Contain spillage and collect in a clean container according to local regulations.

Section 7 HANDLING AND STORAGE P

Precautions for safe handling: Wear protective gloves/eye protection/face protection/protective clothing. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition -No smoking.

Conditions for safe storage, including any incompatibilities: Store in cool place. Protect from sunlight. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from flammable materials and oxidizers.

Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION C

Control parameters: /

Appropriate engineering controls: Local exhaust ventilation or a process enclosure ventilation system may be required. Individual protection measures

Eye/face protection: Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin protection: Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. rubber. Impervious clothing,

Respiratory protection: Selection of the class and type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Thermal hazards: /

Section 9 PHYSICAL AND CHEMICAL PROPERTIES A

Appearance (physical state, colour etc) White solid granule. Odour / Odour Threshold / pH / Melting point/freezing point 1089°C. Initial boiling point and boiling range / Flash point / Evaporation rate / Flammability (solid, gas) / Upper/lower flammability or explosive / limits / Vapour pressure / Vapour density / Relative density Soluble in water. Solubility(ies) / Partition coefficient: n-octanol/water / Auto-ignition temperature / Decomposition temperature / Viscosity MATERIAL SAFETY DATA SHEET

Section 10 STABILITY AND REACTIVITY R

Stability: / Chemical stability: The material is stable in normal temperature. Possibility of hazardous reactions: The solution in water is a strong base. It reacts violently with acid and is corrosive to aluminium and zinc. This produces flammable/explosive gas. Reacts with halogens. This generates fire hazard. Conditions to avoid: Spark, high temperature and static electricity. Incompatible materials: Strong oxidizers, acids and flammable materials. Hazardous decomposition products: /

Section 11 TOXICOLOGICAL INFORMATION I

information on the likely routes of exposure: Inhaled, swallowed, skin, eyes. Symptoms related to the physical, chemical and toxicological characteristics: / Acute health effects: Accidental ingestion of the material may be corrosive and cause cough and throat pain. Oral intake is corrosive to the mouth and cause bellyache, nausea, vomit and other symptoms. This material may cause skin and eyes burn. Chronic health effects: / Numerical measures of toxicity (such as acute toxicity estimates): LD50 (Dermal, rat): >5000 mg/kg

Section 12 ECOLOGICAL INFORMATION T

toxicity: / Persistence and degradability: / Bioaccumulative potential: / Mobility in soil: / Other adverse effects: /

Section 13 DISPOSAL CONSIDERATIONS D

disposal methods: Burial in a land-fill specifically licensed to accept chemical. Reuse of broken container is forbidden.

Section 14 TRANSPORT INFORMATION UN

number: 3253. UN proper shipping name: DISODIUM TRIOXOSILICATE. Transport hazard class(es): 8. Packing group, if applicable: III. Environmental hazards: / Special precautions for user: /

Section 15 REGULATORY INFORMATION R

regulations: This safety data sheet is in compliance with the following national standards: GB 16483-2008, GB 13690-2009, GB 18218-2009, GB 15258-2009, GB 6944-2012, GB 190-2009, GB 191-2009, GB 12268-2012, GA 57-1993, GB/T 15098-2008, GBZ 2.1-2007, GBZ 2.2-2007 as well as the following national regulations: Dangerous Goods Transport Administrative Regulation [Published by the Ministry of Railways, 2008], Dangerous Chemicals Safety Administrative Regulation [Published by the State Council, 2011].

Section 16 OTHER INFORMATION R

References UN Recommendations on the Transport of Dangerous Goods Model Regulations UN Globally Harmonized System of Classification and Labelling of Chemicals Form Date 18-Mar-2026 Note 1: When products contain two or more hazardous substances, Safety Data Sheets should be prepared based on the risk of the mixture. Note 2: Manufacturer / supplier should ensure the correctness of the information contained in the safety data sheets, and updated in a timely manner. Note 3: As a result of product features without the existence of certain information or no data available (such as boiling point does not exist for the solid) in the table with "/" logo.

本文件由 silicatechem.com 重新排版生成，技术与安全内容源自生产厂家原始 MSDS，未作任何实质性修改。

Re-typeset by silicatechem.com. All technical and safety content originates from the manufacturer's original MSDS and remains substantively unaltered.