



Site Prestashop.QATestLab
Test Plan
Version 1.0

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

Revision history

Date	Version	Description	Author
14.12.2020	1.0	Creating	Bosaia Liubov

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

Table of Contents

1. Introduction.....	4
1.1 Purpose.....	4
1.2 Source data.....	4
1.3 Scope.....	4
2. Conditions for testing.....	5
3. Testing strategy.....	5
3.1 Testing types.....	6
3.1.1 Functional testing.....	6
3.1.2 Cross-browser testing.....	9
3.1.3 Regression testing and verification of fixed defects.....	9
3.1.4 Testing the design.....	9
4. Testing schedule.....	10
5. Final results.....	10
5.1 Resume.....	10

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

1. Introduction

1.1 Purpose

The purpose of this test plan is to describe the testing process of Prestashop.QATestLab site (full URL <http://prestashop.qatestlab.com.ua/>). The document allows to get an idea of the planned work on project testing.

1.2 Source data

Prestashop.QATestLab – a site in the format of an online store of clothes, shoes and bags, that allows the user to get acquainted with the range of goods, a make purchases, and use feedback.

1.3 Scope

The purpose of testing the Prestashop.QATestLab site is to check the correct operation of all its functions on different versions of browsers with typical use cases. A fraction of the time (20%) will be used to test atypical/potentially error-prone usage scenarios.

The result of the testing process will be the following materials:

- report of the testing team regarding the general state, giving the developers and managers of this product a picture of the site's correct operation in various browsers;
- report of the results of testing the current coverage, typical use cases/browsers;
- documented bugs in the bug tracker of the customer

Testing will be done manually, by the ad-hoc testing method from the perspective of the end user of the site.

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

2. Conditions for testing

The website should satisfy the user's need for activities related to the search and viewing of goods, the choice of goods to buy, awareness of discounts, making a purchase, using the feedback function.

3. Testing strategy

The following test plan is formal, as understanding the current state of the project is needed to build a detailed plan. As a result of the first run of functional tests, changes and improvements will be made to the test plan. The first run of the functional tests will give a clear idea of the level of stability of the system and the set of tests that will be performed in each configuration will be clearly defined.

This approach will give an opportunity to get a detailed report on the product being tested and to focus maximum attention on narrow places.

The customer will be provided with daily reports on the progress of testing, defects found, suggestions for improving the work of the product and its design. All detected defects will be reported to the customer's tracker as separate tickets for subsequent correction.

In the process of testing the Prestashop.QATestLab site ad-hoc testing will be applied due to the lack of strict specification, as well as due to limited resources for the formalization of tests.

Five stages of the testing process are planned:

- the first stage is to analyze the technical requirements, develop a test plan, and run the functional tests partially;
- second stage will be devoted to a detailed run of the functional tests with the detection and description of defects;
- at the third stage, cross-browser compatibility testing will be performed with a description of the defects found;
- the fourth stage is to check the bugs fixed by the developers and conduct regression testing;
- the fifth stage is to test the product design with a description of the defects found.

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

Thus, maximum detailing of the testing depth is achieved, which, in turn, allows to determine the spent resources more accurately, as well as allows project developers to correct defects at the earliest stages.

OS, approved for testing:

- Windows 10

Browsers, approved for testing:

- Google Chrome 87.0.4280.88
- Microsoft Edge 87.0.664.55
- Firefox 83.0

The security testing and the stress testing are not conducted due to lack of testing time.

3.1 Testing types

3.1.1 Functional testing

Objective:

Identify functional errors, inconsistencies with the requirements and expectations of the user through the implementation of standard as well as non-trivial test scenarios.

Process description:

Registration / Authorization

- User registration
- User authorization
- Anonymous user

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

Profile

- Adding an address
- View order history
- Displaying receipts received after order cancellation
- Adding an additional addresses
- Personal information editing
- Change in the password
- Adding the Wishlist
- Deleting the Wishlist
- User logout from personal account

Search

- Search by keyword

Basket

- Adding a product
- The presence of an informational message about adding a product
- Change in the quantity of goods
- Displaying total amount
- Displaying discount

Order of goods

- Displaying unit price
- Displaying unit price of a discounted product
- Change in the quantity of goods
- Color selection
- Size selection
- Adding to the Wishlist

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

Photo galleries

- Sharing of photos in the social networks, reposting, printing
- Scrolling the photos
- Displaying the thumbnails
- Zoom function

Comments

- Adding a comment
- Checking for validity

Checkout

- Choosing a shipping address
- Choosing a shipping option
- Choosing a payment method
- The presence of an informational message about successful ordering
- Return in steps at checkout

Feedback form

- Attaching an attachment to a message
- Sending a message
- Receiving a response

Banners

- Flipping images
- Transition to the relevant pages

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

3.1.2 Cross-browser testing

Objective:

Check the correct operation and design of the project in various browsers.

Browsers

- Google Chrome 87.0.4280.88
- Microsoft Edge 87.0.664.55
- Firefox 83.0

3.1.3 Regression testing and verification of fixed defects

Objective:

Checking the changes made on the site in order to make sure that the new version does not contain errors in the already tested parts of the site.

In the course of regression testing, the following types of tests will be conducted:

- Verification Tests
- Version testing
- Testing related functionality

3.1.4 Testing the design

Objective:

Verification of product design compliance with specifications

Process description:

- Registration form
- Letter to the user
- Personal account
- Site pages

Site Prestashop.QATestLab	Version: 1.0
Test Plan	Date: 14.12.20

4. Testing schedule

Task	Workload	Start date	Expiration date
Making a test plan	12 hours	14.12.20	20.12.20
Test execution			
Test Analysis			
Summarizing			

5. Final results

5.1 Resume

The final result of the testing should be the complete summary consequence of testing process with the described defects and recommendations for the improvement of the product from the perspective of the end user.