




Become QA Auto

PROMETHEUS


Модульний фреймворк

Бутенко Сергій






Типова структура






Файли конфігурації






Модулі






Тести







Фреймворк





The banner features a dark purple background with a glowing blue and purple globe. Overlaid on the globe are several glowing pink and purple lines that represent global connections or data flow. In the bottom right corner, there is a small, stylized illustration of a person wearing a white hard hat and a purple shirt, looking towards the globe.

 Product ▾ Team Enterprise Explore ▾ Marketplace Pricing ▾

Search GitHub  [Sign in](#) [Sign up](#)

Where the world builds software

Millions of developers and companies build, ship, and maintain their software on GitHub—the largest and most advanced development platform in the world.

[Sign up for GitHub](#)



Підготовка проєкта




```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ ~ cd repos/LnD/Become\ QA\ Auto
→ Become QA Auto
```




Підготовка проєкта



```
MINGW64:/c/Users/sergii.butenko/furry-waddle
sergii.butenko@KBP1-LHP-A00394 MINGW64 ~/furry-waddle (main)
$ |
```



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ ~ cd repos/LnD/Become\ QA\ Auto
→ Become QA Auto
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto mkdir config
→ Become QA Auto ls
config
→ Become QA Auto touch config/config.py
→ Become QA Auto ls config
config.py
→ Become QA Auto
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto mkdir modules
→ Become QA Auto mkdir modules/common
→ Become QA Auto mkdir modules/ui
→ Become QA Auto mkdir modules/ui/page_objects
→ Become QA Auto mkdir modules/api
→ Become QA Auto mkdir modules/api/clients
→ Become QA Auto
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto touch modules/common/__init__.py
→ Become QA Auto touch modules/ui/page_objects/__init__.py
→ Become QA Auto touch modules/api/clients/__init__.py
→ Become QA Auto
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto mkdir tests
→ Become QA Auto mkdir tests/ui
→ Become QA Auto mkdir tests/api
→ Become QA Auto touch tests/ui/test_ui.py
→ Become QA Auto touch tests/api/test_api.py
→ Become QA Auto
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto git:(master) X git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    config/
    modules/
    tests/

nothing added to commit but untracked files present (use "git add" to track)
→ Become QA Auto git:(master) X
```



Підготовка проєкта



```
sbutenko@kbp1-lhp-a00394:~/repos/LnD/Become QA Auto
→ Become QA Auto git:(master) X git add .
→ Become QA Auto git:(master) X git commit -m "Formed structure"
[master (root-commit) 3fa24a6] Formed structure
6 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 config/config.py
create mode 100644 modules/api/clients/__init__.py
create mode 100644 modules/common/__init__.py
create mode 100644 modules/ui/page_objects/__init__.py
create mode 100644 tests/ui/test_api.py
create mode 100644 tests/ui/test_ui.py
→ Become QA Auto git:(master) git push
```



Підсумки



Основні складові фреймворка:

- Файли конфігурації
- Модулі
- Тести



Загальні модулі - це такі, які виконують загальні дії, наприклад записують дані у текстовий файл. Тобто вони не є написаними спеціально для вашого продукту.



Проєктні модулі - це такі, які створені виключно для тестування вашого продукту.