

Dashboard API

Swagger / OpenAPI Printable Reference

Version	1.0
Base URL	http://localhost:3001
Swagger UI	http://localhost:3001/api/docs
OpenAPI JSON	http://localhost:3001/api/docs-json
Authentication	Bearer JWT (access-token)
Documented operations	18

Generated from the running NestJS service. Request schemas, validation constraints, security requirements, and response codes reflect the exported OpenAPI contract.

API overview

Authentication, user management, company management, and dashboard aggregation APIs.

Method	Path	Tag	Summary
POST	/api/auth/signup	Auth	Register a new user account
GET	/api/users	Users	List users with pagination, role filter, and name search
POST	/api/users	Users	Create a user and profile
DELETE	/api/users	Users	Delete multiple users
GET	/api/users/{id}	Users	Get one user
PATCH	/api/users/{id}	Users	Update a user and profile
DELETE	/api/users/{id}	Users	Delete one user
POST	/api/auth/login	Auth	Log in with email and password
GET	/api/auth/me	Auth	Get the authenticated user
GET	/api/companies	Companies	List companies with pagination, level filter, and name search
POST	/api/companies	Companies	Create a company and relationship
GET	/api/companies/{code}	Companies	Get one company
PATCH	/api/companies/{code}	Companies	Update a company and relationship
DELETE	/api/companies/{code}	Companies	Delete one company
GET	/api/dashboard	Dashboard	Get dashboard cards, level distribution, and founded-year trend
GET	/api/dashboard/barchart/options	Dashboard	Get available bar-chart filters and numeric ranges
POST	/api/dashboard/barchart	Dashboard	Group companies by a dimension using combined filters
POST	/api/dashboard/bubblechart	Dashboard	Get a filtered company hierarchy for the zoomable bubble chart

1. POST /api/auth/signup

Register a new user account

Tag	Auth
Security	Public

Request body (application/json)

```
{
  "$ref": "#/components/schemas/SignUpDto"
}
```

Responses

Status	Description
201	User registered successfully
400	Empty fields, invalid format, or passwords do not match
409	Email is already registered

2. GET /api/users

List users with pagination, role filter, and name search

Tag	Users
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
page	query	No	
pageSize	query	No	
role	query	No	string Comma-separated roles
search	query	No	string Case-insensitive name search

Responses

Status	Description
200	
400	Invalid pagination, role, or search query
401	Missing, invalid, or expired JWT

3. POST /api/users

Create a user and profile

Tag	Users
Security	Bearer JWT

Request body (application/json)

```
{
  "$ref": "#/components/schemas/CreateUserDto"
}
```

Responses

Status	Description
201	
400	Empty or invalid user fields
401	Missing, invalid, or expired JWT
409	Email already registered

4. DELETE /api/users

Delete multiple users

Tag	Users
Security	Bearer JWT

Request body (application/json)

```
{
  "$ref": "#/components/schemas/DeleteUsersDto"
}
```

Responses

Status	Description
200	
400	IDs must be a non-empty array of unique positive integers
401	Missing, invalid, or expired JWT

5. GET /api/users/{id}

Get one user

Tag	Users
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
id	path	Yes	number Positive integer user ID

Responses

Status	Description
200	
400	ID is not an integer
401	Missing, invalid, or expired JWT
404	User not found

6. PATCH /api/users/{id}

Update a user and profile

Tag	Users
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
id	path	Yes	number Positive integer user ID

Request body (application/json)

```
{
  "$ref": "#/components/schemas/UpdateUserDto"
}
```

Responses

Status	Description
200	
400	Invalid ID or update fields
401	Missing, invalid, or expired JWT
404	User not found
409	Email already registered

7. DELETE /api/users/{id}

Delete one user

Tag	Users
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
id	path	Yes	number Positive integer user ID

Responses

Status	Description
200	
400	ID is not an integer
401	Missing, invalid, or expired JWT
404	User not found

8. POST /api/auth/login

Log in with email and password

Validates credentials and returns a JWT access token for authenticated API calls.

Tag	Auth
Security	Public

Request body (application/json)

```
{
  "$ref": "#/components/schemas/LoginDto"
}
```

Responses

Status	Description
200	Credentials accepted
400	Empty, malformed email, or invalid password length
401	Email does not exist or password is incorrect

9. GET /api/auth/me

Get the authenticated user

Tag	Auth
Security	Bearer JWT

Responses

Status	Description
200	Authenticated JWT payload
401	Missing, invalid, or expired JWT

10. GET /api/companies

List companies with pagination, level filter, and name search

Tag	Companies
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
page	query	No	
pageSize	query	No	
level	query	No	string Comma-separated levels from 1 to 4
search	query	No	string Case-insensitive company name search

Responses

Status	Description
200	
400	Invalid pagination, level, or search query
401	Missing, invalid, or expired JWT

11. POST /api/companies

Create a company and relationship

Tag	Companies
Security	Bearer JWT

Request body (application/json)

```
{
  "$ref": "#/components/schemas/CreateCompanyDto"
}
```

Responses

Status	Description
201	
400	Empty or invalid company fields
401	Missing, invalid, or expired JWT
409	Company code already exists

12. GET /api/companies/{code}

Get one company

Tag	Companies
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
code	path	Yes	string Company code

Responses

Status	Description
200	
401	Missing, invalid, or expired JWT
404	Company not found

13. PATCH /api/companies/{code}

Update a company and relationship

Tag	Companies
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
code	path	Yes	string Company code

Request body (application/json)

```
{
  "$ref": "#/components/schemas/UpdateCompanyDto"
}
```

Responses

Status	Description
200	
400	Invalid update fields
401	Missing, invalid, or expired JWT
404	Company not found

14. DELETE /api/companies/{code}

Delete one company

Tag	Companies
Security	Bearer JWT

Parameters

Name	In	Required	Type / description
code	path	Yes	string Company code

Responses

Status	Description
200	
401	Missing, invalid, or expired JWT
404	Company not found

15. GET /api/dashboard

Get dashboard cards, level distribution, and founded-year trend

Tag	Dashboard
Security	Bearer JWT

Responses

Status	Description
200	
401	Missing, invalid, or expired JWT

16. GET /api/dashboard/barchart/options

Get available bar-chart filters and numeric ranges

Tag	Dashboard
Security	Bearer JWT

Responses

Status	Description
200	
401	Missing, invalid, or expired JWT

17. POST /api/dashboard/barchart

Group companies by a dimension using combined filters

Tag	Dashboard
Security	Bearer JWT

Request body (application/json)

```
{
  "$ref": "#/components/schemas/BarChartQueryDto"
}
```

Responses

Status	Description
200	
400	Invalid dimension, filter values, or reversed range
401	Missing, invalid, or expired JWT

18. POST /api/dashboard/bubblechart

Get a filtered company hierarchy for the zoomable bubble chart

Tag	Dashboard
Security	Bearer JWT

Request body (application/json)

```
{
  "$ref": "#/components/schemas/BubbleChartQueryDto"
}
```

Responses

Status	Description
200	
400	Invalid filter values or reversed range
401	Missing, invalid, or expired JWT

Testing companion

The Postman collection covers all 18 operations with 90 requests and 450 automated assertions. It checks status codes, invalid and empty inputs, response JSON contracts, authentication, CRUD cleanup, and response-time thresholds.

Files: `postman/api.postman_collection.json` · `postman/local.postman_environment.json` · `postman/reports/newman-report.html`