

Scenario

You are hired as a contractor to help a university migrate an existing student system to a new platform using C++ language. Since the application already exists, its requirements exist as well, and they are outlined in the next section. You are responsible for implementing the part of the system based on these requirements. A list of data is provided as part of these requirements. This part of the system is responsible for reading and manipulating the provided data.

You must write a program containing two classes (i.e., `Student` and `Roster`). The program will maintain a current roster of students within a given course. Student data for the program include student ID, first name, last name, email address, age, an array of the number of days to complete each course, and degree program. This information can be found in the "studentData Table" below. The program will read a list of five students and use function calls to manipulate data (see part F4 in the requirements below). While parsing the list of data, the program should create student objects. The entire student list will be stored in one array of students called `classRosterArray`. Specific data-related output will be directed to the console.

studentData Table

Student ID	First Name	Last Name	Email	Age	Days in Course	Degree Program
A1	John	Smith	John1989@gmail.com	20	30, 35, 40	SECURITY
A2	Suzan	Erickson	Erickson_1990@gmail.com	19	50, 30, 40	NETWORK
A3	Jack	Napoli	The_lawyer99yahoo.com	19	20, 40, 33	SOFTWARE
A4	Erin	Black	Erin.black@comcast.net	22	50, 58, 40	SECURITY
A5	Your first name	Your last name	Your valid email address	Your age	Number of days to complete 3 courses	SOFTWARE

The data should be input as follows:

```
const string studentData[] =
```

```
{ "A1, John, Smith, John1989@gmail.com, 20, 30, 35, 40, SECURITY",
  "A2, Suzan, Erickson, Erickson_1990@gmail.com, 19, 50, 30, 40, NETWORK",
  "A3, Jack, Napoli, The_lawyer99yahoo.com, 19, 20, 40, 33, SOFTWARE",
  "A4, Erin, Black, Erin.black@comcast.net, 22, 50, 58, 40, SECURITY",
  "A5, [firstname], [lastname], [emailaddress], [age],
  [numberofdaystocomplete3courses], SOFTWARE"
```

You may not include third-party libraries. Your submission should include one zip file with all the necessary code files to compile, support, and run your application. You must also provide evidence of the program's required functionality by taking a screen capture of the console run, saved as an image file.

Requirements

- A. Modify the "studentData Table" to include your personal information as the last item.
- B. Create a C++ project in your integrated development environment (IDE) with the following files:
 - degree.h
 - student.h and student.cpp
 - roster.h and roster.cpp
 - main.cpp

Note: There must be a total of six source code files.

- C. Define an enumerated data type *DegreeProgram* for the degree programs containing the data type values *SECURITY*, *NETWORK*, and *SOFTWARE*.

Note: This information should be included in the degree.h file.

- D. For the `Student` class, do the following:
 1. Create the class `Student` in the files `student.h` and `student.cpp`, which includes *each* of the following variables:
 - student ID
 - first name
 - last name
 - email address
 - age
 - array of number of days to complete each course
 - degree program
 2. Create *each* of the following functions in the `Student` class:
 - a. an accessor (i.e., getter) for each instance variable from part D1
 - b. a mutator (i.e., setter) for each instance variable from part D1

- c. All external access and changes to any instance variables of the `Student` class must be done using accessor and mutator functions.
- d. constructor using *all* of the input parameters provided in the table
- e. `print()` to print specific student data

E. Create a `Roster` class (`roster.cpp`) by doing the following:

1. Create an array of pointers, `classRosterArray`, to hold the data provided in the “studentData Table.”
2. Create a student object for *each* student in the data table and populate `classRosterArray`.
 - a. Parse *each* set of data identified in the “studentData Table.”
 - b. Add *each* student object to `classRosterArray`.
3. Define the following functions:
 - a. `public void add(string studentID, string firstName, string lastName, string emailAddress, int age, int daysInCourse1, int daysInCourse2, int daysInCourse3, DegreeProgram degreeProgram)` that sets the instance variables from part D1 and updates the roster.
 - b. `public void remove(string studentID)` that removes students from the roster by student ID. If the student ID does not exist, the function prints an error message indicating that the student was not found.
 - c. `public void printAll()` that prints a complete tab-separated list of student data in the provided format: A1 [tab] First Name: John [tab] Last Name: Smith [tab] Age: 20 [tab]daysInCourse: {35, 40, 55} Degree Program: Security. The `printAll()` function should loop through *all* the students in `classRosterArray` and call the `print()` function for *each* student.
 - d. `public void printAverageDaysInCourse(string studentID)` that correctly prints a student’s average number of days in the three courses. The student is identified by the `studentID` parameter.
 - e. `public void printInvalidEmails()` that verifies student email addresses and displays all invalid email addresses to the user.

Note: A valid email should include an at sign ('@') and period('.') and should not include a space(' ').

- f. `public void printByDegreeProgram(DegreeProgram degreeProgram)` that prints out student information for a degree program specified by an enumerated type.

F. Demonstrate the program’s required functionality by adding a `main()` function in `main.cpp`, which will contain the required function calls to achieve the following results:

1. Print out to the screen, via your application, the course title, the programming language used, your WGU student ID, and your name.
2. Create an instance of the `Roster` class called `classRoster`.
3. Add *each* student to `classRoster`.
4. Convert the following pseudo code to complete the rest of the `main()` function:


```
classRoster.printAll();
```

```
classRoster.printInvalidEmails();

//loop through classRosterArray and for each element:
classRoster.printAverageDaysInCourse(/*current_object's student id*/);
```

Note: For the `current_object`'s student id, *use an accessor (i.e., getter) for the* `classRosterArray` *to access the* student id.

```
classRoster.printByDegreeProgram(SOFTWARE);
classRoster.remove("A3");
classRoster.printAll();
classRoster.remove("A3");
//expected: the above line should print a message saying such a student
with this ID was not found.
```

5. Implement the destructor to release the memory that was allocated dynamically in `Roster`.

G. Demonstrate professional communication in the content and presentation of your submission.