

Find Similar Library Tracks

POST `https://rest-api.cyanite.ai/v1/private-alpha/library-tracks/:id/similar`

Get a list of Tracks from your Library that represent the most similar set of tracks in your Library to the Track specified by the {id} path parameter.

The tracks will be ranked in the response from Most Similar to Least Similar.

Request

PATH PARAMETERS

id Library Track Id

REQUIRED

Possible values: Value must match regular expression `^libtr_`

The unique identifier of a track in your Cyanite Library. Every track has its own id that no other track has.

Example: `libtr_01KFGMPCN97HQYHQR6`

QUERY PARAMETERS

limit integer

Possible values: `>= 1` and `<= 50`

The maximum number of tracks to return per page. Must be between 1 and 50.

Default value: `20`

Example: `20`

APPLICATION/JSON

Body

Example (auto)

BODY REQUIRED

metadataFilter object

A metadata filter to set qualifications for candidate results.

property name* any

A metadata filter to set qualifications for candidate results.

Example: `{"BpmV2.tag":{"$gte":120}}`

Responses

200 401 403 422 429

A list of Library Tracks

APPLICATION/JSON

Schema Example (auto)

SCHEMA

items object[] REQUIRED

The list of Library Tracks in this page of results.

Array [

track object REQUIRED

score Score REQUIRED

A number between 0 and 1 representing the quality of the search result

Possible values: >= 0 and <= 1

]

pageInfo object REQUIRED

Pagination information for navigating through results.

nextCursor object

A cursor to retrieve the next page of results. If null, there are no more results to retrieve.

anyOf

string null

string

previousCursor object

The cursor that was used to retrieve this page of results. Can be used to re-fetch the current page.

anyOf

string

null

string

AUTHORIZATION: X-API-KEY

CURL

JAVASCRIPT

PYTHON

PHP

CURL

```
1 curl -L 'https://rest-api.cyanite.ai/v1/private-alpha/library-tracks/:id/similar' \  
2 -H 'Content-Type: application/json' \  
3 -H 'Accept: application/json' \  
4 -H 'x-api-key: <x-api-key>' \  
5 -d '{  
6   "metadataFilter": {  
7     "BpmV2.tag": {  
8       "$gte": 120  
9     }  
10  }  
11  }'
```

REQUEST

COLLAPSE ALL

Base URL

https://rest-api.cyanite.ai/v1

Auth

ApiKeyAuth

ApiKeyAuth

Parameters

id — path **REQUIRED**

The unique identifier of a track in your Cyanite Library. Every track has

[+ Show optional parameters](#)

Body **REQUIRED**

```
{
  "metadataFilter": {
    "BpmV2.tag": {
      "$gte": 120
    }
  }
}
```