

# Cucumber Report

Jun 17, 2024, 12:04:20 PM

Start : Jun 17, 12:01:59.340 PM

End : Jun 17, 12:04:19.372 PM

Duration : 2 m 20.032 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 5  
SKIPPED - 0

PASSED - 0  
FAILED - 5  
SKIPPED - 0


PASSED - 1  
FAILED - 1  
SKIPPED - 55




| Feature  |              | Scenario |   |   |   | Step |   |   |    |
|--|--------------|----------|---|---|---|------|---|---|----|
| Name   | Duration     | T        | P | F | S | T    | P | F | S  |
| <u>Checking Table List in Evolution Casino</u>   | 2 m 19.274 s | 1        | 0 | 1 | 0 | 22   | 1 | 1 | 20 |
| <u>Checking Table List in Evolution Casino</u>   | 0.285 s      | 1        | 0 | 1 | 0 | 10   | 0 | 0 | 10 |
| <u>Checking Table List in Pragmatic Casino</u>   | 0.141 s      | 1        | 0 | 1 | 0 | 14   | 0 | 0 | 14 |
| <u>Checking Table List in Sexy Gaming Casino</u> | 0.105 s      | 1        | 0 | 1 | 0 | 10   | 0 | 0 | 10 |
| <u>Send Email</u>                                | 0.123 s      | 1        | 0 | 1 | 0 | 1    | 0 | 0 | 1  |

| # | Feature Name                                     | Scenario Name                            |
|---|--|--|
| 1 | <u>Checking Table List in Evolution Casino</u>   | <u>Checking all games of Evolution</u>   |
| 2 |  | <u>Checking all games of Evolution</u>   |
| 3 | <u>Checking Table List in Pragmatic Casino</u>   | <u>Checking all games of Pragmatic</u>   |
| 4 | <u>Checking Table List in Sexy Gaming Casino</u> | <u>Checking all games of Sexy Gaming</u> |
| 5 | <u>Send Email</u>                                | <u>Send Email</u>                        |

| <b>TAG</b>  | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b> | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @trials     | 4               | 0        | 4        | 0        | 4              | 0        | 4        | 0        |
| @Priority   | 5               | 0        | 5        | 0        | 5              | 0        | 5        | 0        |
| @AllBet     | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Priority1  | 4               | 0        | 4        | 0        | 4              | 0        | 4        | 0        |
| @Evolution  | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Pragmatic  | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @SexyGaming | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Priority2  | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name                                     | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration     |
|---|--|----------|----------|----------|----------|--------------|
| 1 | <u>Checking Table List in Evolution Casino</u>   | 1        | 0        | 1        | 0        | 2 m 19.274 s |
| 2 | <u>Checking Table List in Evolution Casino</u>   | 1        | 0        | 1        | 0        | 0.285 s      |
| 3 | <u>Checking Table List in Pragmatic Casino</u>   | 1        | 0        | 1        | 0        | 0.141 s      |
| 4 | <u>Checking Table List in Sexy Gaming Casino</u> | 1        | 0        | 1        | 0        | 0.105 s      |
| 5 | <u>Send Email</u>                                | 1        | 0        | 1        | 0        | 0.123 s      |





| # | Feature Name                                     | Scenario Name                            | T  | P | F | S  | Duration     |
|---|--|--|----|---|---|----|--------------|
| 1 | <u>Checking Table List in Evolution Casino</u>   | <u>Checking all games of Evolution</u>   | 22 | 1 | 1 | 20 | 2 m 19.268 s |
| 2 |  | <u>Checking all games of Evolution</u>   | 10 | 0 | 0 | 10 | 0.285 s      |
| 3 | <u>Checking Table List in Pragmatic Casino</u>   | <u>Checking all games of Pragmatic</u>   | 14 | 0 | 0 | 14 | 0.141 s      |
| 4 | <u>Checking Table List in Sexy Gaming Casino</u> | <u>Checking all games of Sexy Gaming</u> | 10 | 0 | 0 | 10 | 0.104 s      |
| 5 | <u>Send Email</u>                                | <u>Send Email</u>                        | 1  | 0 | 0 | 1  | 0.123 s      |

## Checking Table List in Evolution Casino

|  |                                |  |   |  |   |
|--|--------------------------------|--|---|--|---|
| <b>FAILED</b>                          | <b>DURATION - 2 m 19.274 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 22<br>Pass - 1<br>Fail - 1<br>Skip - 20 |  |
| / 12:01:59.340 PM // 12:04:18.614 PM / |                                |  |   |  |   |
|  |                                |  |   |  |   |

## Checking all games of Evolution

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 2 m 19.268 s</div> |  |  | <div>Steps</div> <div>Total - 22</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 20</div> |  |
| / 12:01:59.346 PM // 12:04:18.614 PM /               |  |  |   |   |
| Checking Table List in Evolution Casino              |  |  |   |   |
| @trials @Priority @AllBet @Priority1                 |  |  |   |   |



| # | Step / Hook Details  | Status | Duration     |
|---|--|--------|--------------|
| 1 | And Login Account  | PASSED | 1 m 29.235 s |
| 2 | When I Join "All Bet" Casino<br><br>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button data-v-48abdf3="" data-v-223f496f="" class="button secondary xsmall playBtn">...</button> is not clickable at point (340, 645). Other element would receive the click: <div data-v-61f8f7c1="" class="category_grid">...</div> (Session info: chrome=125.0.6422.142) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: engine: GoogleChromeDriver Command: [6a81afcd2c78aae21541a9aeb7d79843, clickElement {id=f.5C51FBB3E6CFF6373290E96EBBDAAB69.d.98418E4AE02E8B990582B67D4B2E4D07.e.296}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712..., userDataDir: C:\Users\kar.par\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57940}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57940/devtoo..., se:cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[GoogleChromeDriver: chrome on windows (6a81afcd2c78aae21541a9aeb7d79843)] -> xpath: //div[@id='MoreLiveCasino']/p[@class='game_name']/[normalize-space()='Allbet']/ancestor::div[contains(@class, 'game_icon')]/button<br>Session ID: 6a81afcd2c78aae21541a9aeb7d79843<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | FAILED | 7.400 s      |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at Utilities.Listeners.Events.click(Events.java:21) at Modules.Steps.General.clickThirdParty(General.java:318) at Modules.Steps.General.iJoinCasino(General.java:115) at ?.I Join "All Bet" Casino(file:///C:/Users/kar.par/Documents/GitHub/Desktop/ThirdPartyAutomation/src/test/resources/Features/ Priority1/AllBet.feature:6) * Not displayable characters are replaced by '?'. </pre> |         |          |
|    | <p>AFTER_STEP - Modules.Steps.Hooks.isFailed(io.cucumber.java.Scenario)</p> <pre> java.lang.ClassCastException: class engine.Driver cannot be cast to class org.openqa.selenium.TakesScreenshot (engine.Driver and org. openqa.selenium.TakesScreenshot are in unnamed module of loader 'app') at Modules.Steps.Hooks.isFailed(Hooks.java:27) </pre>  | FAILED  | 0.000 s  |
| 3  | When Try to get All "Baccarat" Tables of AllBet   | SKIPPED | 0.001 s  |
| 4  | Then Verify "Baccarat" of Provider AllBet   | SKIPPED | 0.001 s  |
| 5  | When Try to get All "Dragon Tiger" Tables of AllBet   | SKIPPED | 0.000 s  |
| 6  | Then Verify "Dragon Tiger" of Provider AllBet   | SKIPPED | 0.000 s  |
| 7  | When Try to get All "SicBo" Tables of AllBet  | SKIPPED | 0.000 s  |
| 8  | Then Verify "SicBo" of Provider AllBet  | SKIPPED | 0.000 s  |
| 9  | When Try to get All "Roulette" Tables of AllBet   | SKIPPED | 0.000 s  |
| 10 | Then Verify "Roulette" of Provider AllBet   | SKIPPED | 0.001 s  |
| 11 | When Try to get All "Bull Bull" Tables of AllBet  | SKIPPED | 0.000 s  |
| 12 | Then Verify "Bull Bull" of Provider AllBet  | SKIPPED | 0.000 s  |
| 13 | When Try to get All "HiLo" Tables of AllBet   | SKIPPED | 0.000 s  |
| 14 | Then Verify "HiLo" of Provider AllBet   | SKIPPED | 0.000 s  |
| 15 | When Try to get All "Classic PokDeng" Tables of AllBet  | SKIPPED | 0.001 s  |
| 16 | Then Verify "Classic PokDeng" of Provider AllBet  | SKIPPED | 0.000 s  |
| 17 | When Try to get All "Casino War" Tables of AllBet   | SKIPPED | 0.000 s  |
| 18 | Then Verify "Casino War" of Provider AllBet   | SKIPPED | 0.000 s  |
| 19 | When Try to get All "Two Sides PokDeng" Tables of AllBet  | SKIPPED | 0.000 s  |





| #  | Step / Hook Details                                    | Status  | Duration |
|----|--|---------|----------|
| 20 | Then Verify "Two Sides PokDeng" of Provider AllBet     | SKIPPED | 0.001 s  |
| 21 | When Try to get All "Fish Prawn Crab" Tables of AllBet | SKIPPED | 0.000 s  |
| 22 | Then Verify "Fish Prawn Crab" of Provider AllBet       | SKIPPED | 0.000 s  |

## Checking Table List in Evolution Casino

|  |                    |           |   |            |   |
|--|--------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | DURATION - 0.285 s | Scenarios |   | Steps      |   |
| / 12:04:18.645 PM // 12:04:18.930 PM / |                    | Total - 1 |  | Total - 10 |  |
|  |                    | Pass - 0  |   | Pass - 0   |   |
|  |                    | Fail - 1  |   | Fail - 0   |   |
|  |                    | Skip - 0  |   | Skip - 10  |   |

## Checking all games of Evolution



|   |                    |  |            |   |
|---|--------------------|--|------------|---|
| <b>FAILED</b>                           | DURATION - 0.285 s |  | Steps      |  |
| / 12:04:18.645 PM // 12:04:18.930 PM /  |                    |  | Total - 10 |   |
| Checking Table List in Evolution Casino |                    |  | Pass - 0   |   |
| @trials @Priority @Evolution @Priority1 |                    |  | Fail - 0   |   |
|   |                    |  | Skip - 10  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - Modules.Steps.Hooks.before()<br><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SC-008', ip: '172.25.2.6'<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73)<br>at engine.GoogleChromeDriver.<init>(GoogleChromeDriver.java:19)<br>at engine.Driver.start(Driver.java:19) | FAILED | 0.266 s  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>at Modules.Steps.Hooks.before(Hooks.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: Driver</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:248)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73)</p> <p>at engine.GoogleChromeDriver.&lt;init&gt;(GoogleChromeDriver.java:19)</p> <p>at engine.Driver.start(Driver.java:19)</p> <p>at Modules.Steps.Hooks.before(Hooks.java:20)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:89)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)<br>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)<br>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)<br>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)<br>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)<br>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) |         |          |
| 1  | And Login Account  | SKIPPED | 0.001 s  |
| 2  | When I Join "Evolution" Casino   | SKIPPED | 0.000 s  |
| 3  | When Try to get All "Baccarat & Sic Bo" Tables of Evolution  | SKIPPED | 0.000 s  |
| 4  | Then Verify "Baccarat & Sic Bo" of Provider Evolution  | SKIPPED | 0.000 s  |
| 5  | When Try to get All "Roulette" Tables of Evolution   | SKIPPED | 0.000 s  |
| 6  | Then Verify "Roulette" of Provider Evolution   | SKIPPED | 0.004 s  |
| 7  | When Try to get All "Poker" Tables of Evolution  | SKIPPED | 0.001 s  |
| 8  | Then Verify "Poker" of Provider Evolution  | SKIPPED | 0.000 s  |
| 9  | When Try to get All "Game Shows" Tables of Evolution   | SKIPPED | 0.001 s  |
| 10 | Then Verify "Game Shows" of Provider Evolution   | SKIPPED | 0.000 s  |

## Checking Table List in Pragmatic Casino

|  |                           |  |   |  |   |
|--|---------------------------|--|---|--|---|
| <b>FAILED</b>                          | <b>DURATION - 0.141 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 14<br>Pass - 0<br>Fail - 0<br>Skip - 14 |  |
| / 12:04:18.973 PM // 12:04:19.114 PM / |                           |  |   |  |   |

### Checking all games of Pragmatic

|   |                    |  |            |   |
|---|--------------------|--|------------|---|
| FAILED                                  | DURATION - 0.141 s |  | Steps      |  |
| / 12:04:18.973 PM // 12:04:19.114 PM /  |                    |  | Total - 14 |   |
| Checking Table List in Pragmatic Casino |                    |  | Pass - 0   |   |
| @trials @Priority @Priority1 @Pragmatic |                    |  | Fail - 0   |   |
|   |                    |  | Skip - 14  |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>BEFORE - Modules.Steps.Hooks.before()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SC-008', ip: '172.25.2.6' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: engine: GoogleChromeDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73)</p> <p>at engine.GoogleChromeDriver.&lt;init&gt;(GoogleChromeDriver.java:19)</p> <p>at engine.Driver.start(Driver.java:19)</p> <p>at Modules.Steps.Hooks.before(Hooks.java:20)</p> <p>Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:450)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366)</p> | FAILED | 0.122 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73)<br>at engine.GoogleChromeDriver.<init>(GoogleChromeDriver.java:19)<br>at engine.Driver.start(Driver.java:19)<br>at Modules.Steps.Hooks.before(Hooks.java:20)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)<br>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)<br>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:89)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) |        |          |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.net.SocketException: Connection reset at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:401) at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:434) at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1178) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:841) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) </pre> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)<br>at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)<br>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782)<br>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965)<br>at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253)<br>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1467)<br>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1412)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)<br>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1412) |         |          |
| 1  | And Login Account  | SKIPPED | 0.000 s  |
| 2  | When I Join "Pragmatic" Casino   | SKIPPED | 0.000 s  |
| 3  | When Try to get All "Baccarat" Tables of Pragmatic   | SKIPPED | 0.000 s  |
| 4  | Then Verify "Baccarat" of Provider Pragmatic   | SKIPPED | 0.000 s  |
| 5  | When Try to get All "Roulette" Tables of Pragmatic   | SKIPPED | 0.000 s  |
| 6  | Then Verify "Roulette" of Provider Pragmatic   | SKIPPED | 0.000 s  |
| 7  | When Try to get All "Game Shows" Tables of Pragmatic   | SKIPPED | 0.000 s  |
| 8  | Then Verify "Game Shows" of Provider Pragmatic   | SKIPPED | 0.000 s  |
| 9  | When Try to get All "Sic Bo" Tables of Pragmatic   | SKIPPED | 0.000 s  |
| 10 | Then Verify "Sic Bo" of Provider Pragmatic   | SKIPPED | 0.001 s  |
| 11 | When Try to get All "Dragon Tiger" Tables of Pragmatic   | SKIPPED | 0.000 s  |
| 12 | Then Verify "Dragon Tiger" of Provider Pragmatic   | SKIPPED | 0.000 s  |
| 13 | When Try to get All "Andar Bahar" Tables of Pragmatic  | SKIPPED | 0.000 s  |
| 14 | Then Verify "Andar Bahar" of Provider Pragmatic  | SKIPPED | 0.000 s  |

### Checking Table List in Sexy Gaming Casino

|  |                    |           |   |            |   |
|--|--------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | DURATION - 0.105 s | Scenarios |   | Steps      |   |
| / 12:04:19.134 PM // 12:04:19.239 PM / |                    | Total - 1 |  | Total - 10 |  |
|  |                    | Pass - 0  |   | Pass - 0   |   |
|  |                    | Fail - 1  |   | Fail - 0   |   |
|  |                    | Skip - 0  |   | Skip - 10  |   |

### Checking all games of Sexy Gaming

|   |                    |  |   |   |
|---|--------------------|--|---|---|
| FAILED                                    | DURATION - 0.104 s |  | <div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 10</div> |  |
| / 12:04:19.135 PM // 12:04:19.239 PM /    |                    |  |   |   |
| Checking Table List in Sexy Gaming Casino |                    |  |   |   |
| @SexyGaming @trials @Priority @Priority1  |                    |  |   |   |



| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
|   | <b>BEFORE - Modules.Steps.Hooks.before()</b><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SC-008', ip: '172.25.2.6'<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73)<br>at engine.GoogleChromeDriver.<init>(GoogleChromeDriver.java:19)<br>at engine.Driver.start(Driver.java:19)<br>at Modules.Steps.Hooks.before(Hooks.java:20)<br>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: Driver<br>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:248)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73)<br>at engine.GoogleChromeDriver.<init>(GoogleChromeDriver.java:19)<br>at engine.Driver.start(Driver.java:19)<br>at Modules.Steps.Hooks.before(Hooks.java:20)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | <b>FAILED</b> | 0.092 s  |





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)<br>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)<br>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:89)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)<br>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)<br>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)<br>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)<br>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) |         |          |
| 1  | And Login Account  | SKIPPED | 0.000 s  |
| 2  | When I Join "Sexy" Casino  | SKIPPED | 0.000 s  |
| 3  | When Try to get All "Baccarat" Tables of Sexy Gaming   | SKIPPED | 0.000 s  |
| 4  | Then Verify "Baccarat" of Provider Sexy Gaming   | SKIPPED | 0.000 s  |
| 5  | When Try to get All "Dragon Tiger" Tables of Sexy Gaming   | SKIPPED | 0.000 s  |
| 6  | Then Verify "Dragon Tiger" of Provider Sexy Gaming   | SKIPPED | 0.000 s  |
| 7  | When Try to get All "Dice" Tables of Sexy Gaming   | SKIPPED | 0.000 s  |
| 8  | Then Verify "Dice" of Provider Sexy Gaming   | SKIPPED | 0.000 s  |
| 9  | When Try to get All "Roulette" Tables of Sexy Gaming   | SKIPPED | 0.000 s  |
| 10 | Then Verify "Roulette" of Provider Sexy Gaming   | SKIPPED | 0.000 s  |

## Send Email

|  |                    |           |  |           |  |
|--|--------------------|-----------|--|-----------|--|
| <b>FAILED</b>                          | DURATION - 0.123 s | Scenarios |  | Steps     |  |
| / 12:04:19.249 PM // 12:04:19.372 PM / |                    | Total - 1 |  | Total - 1 |  |
|  |                    | Pass - 0  |  | Pass - 0  |  |
|  |                    | Fail - 1  |  | Fail - 0  |  |
|  |                    | Skip - 0  |  | Skip - 1  |  |

## Send Email

|  |                    |  |           |   |
|--|--------------------|--|-----------|---|
| FAILED                                 | DURATION - 0.123 s |  | Steps     |  |
| / 12:04:19.249 PM // 12:04:19.372 PM / |                    |  | Total - 1 |   |
| Send Email                             |                    |  | Pass - 0  |   |
| @Priority @Priority2                   |                    |  | Fail - 0  |   |
|  |                    |  | Skip - 1  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>BEFORE - Modules.Steps.Hooks.before()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SC-008', ip: '172.25.2.6'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:625)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73)</p> <p>at engine.GoogleChromeDriver.&lt;init&gt;(GoogleChromeDriver.java:19)</p> <p>at engine.Driver.start(Driver.java:19)</p> <p>at Modules.Steps.Hooks.before(Hooks.java:20)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: driver.version: Driver</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:248)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</p> <p>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73)</p> <p>at engine.GoogleChromeDriver.&lt;init&gt;(GoogleChromeDriver.java:19)</p> <p>at engine.Driver.start(Driver.java:19)</p> <p>at Modules.Steps.Hooks.before(Hooks.java:20)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:89)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> | FAILED | 0.117 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)<br>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)<br>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)<br>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)<br>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)<br>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)<br>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) |         |          |
| 1 | Then Send Email   | SKIPPED | 0.000 s  |