Comparison of Versions of Kinship Links

Joe Rodger's BG Team

December 9, 2012

```
## Warning:  NaNs produced
## Error:  The column 'R' should exist in the linksPair file, but does not.
## Error:  The column 'R' should exist in the linksPair file, but does not.
```

Outcome: HeightZGenderYob;
RelationshipPath: Gen1Housemates [ID:1]; **Newer Links Version**: 52; **Older Links Version**: 51;

```
Newer Links: After chaning 'R' to 'RFull'
Older Links: Uses Gen1 geocode differences
R Groups specifically excluded: { 0, 0.375, 0.75 }
Drop pair if housemates are not confirmed in the same generation: FALSE
```

```
## Error:  object 'dsDirtyNewer' not found
```

1 Ace - Comparison of R Variants

(See the final table for an explanation of the different R variants.)

R Variant	a^2_{new}	c^2_{new}	e^2_{new}	N_{new}	a^2_{old}	c^2_{old}	e^2_{old}	N_{old}
R								
RExplicit								
RImplicit2004								

Table 1: Comparison of R Variants (by rows) and of Links Versions (left vs right side).

2 Subgroups – R

```
## Error:  subscript out of bounds
```

3 Explanation of R Variants

Variant	Explanation
R	We recommend researchers typical use this version.
R_{Pass1}	Supposed to be fooled only by errors in the subject's/mother's knowledge
$RImplicit$	Uses only implicit items
$RImplicit_{Pass1}$	Uses only implicit items & supposed to be fooled only by knowledge errors
$RImplicit_{Mother}$	Uses only mother's implicit items (exists only for Gen2)
$RImplicit_{Subject}$	Uses only subject's implicit items
$RImplicit_{2004}$	The state of the links in 2004. Rodgers & Rowe for Gen1; Rodgers, Johnson & Bard for Gen2
$RExplicit$	Uses only explicit items
$RExplicit_{Pass1}$	Uses only explicit items & supposed to be fooled only by knowledge errors