# Scan Report

November 28, 2018

**Summary**

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "Immediate scan of IP 198.51.100.100". The scan started at Tue Nov 27 23:24:00 2018 UTC and ended at Tue Nov 27 23:30:46 2018 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

## Contents

**1 Result Overview** **2**

**2 Results per Host** **2**

2.1 198.51.100.100 . . . 2

2.1.1 High 80/tcp . . . 2

2.1.2 High 5432/tcp . . . 40

2.1.3 High 1099/tcp . . . 43

2.1.4 High general/tcp . . . 44

2.1.5 Medium 80/tcp . . . 45

2.1.6 Medium 5432/tcp . . . 90

2.1.7 Medium general/tcp . . . 102

2.1.8 Low 80/tcp . . . 109

2.1.9 Low general/tcp . . . 112

2.1.10 Log 80/tcp . . . 114

2.1.11 Log 5432/tcp . . . 121

2.1.12 Log 1099/tcp . . . 128

2.1.13 Log general/tcp . . . 128

2.1.14 Log general/CPE-T . . . 130

2.1.15 Log 3306/tcp . . . 130

2.1.16 Log 23/tcp . . . 132

2.1.17 Log 21/tcp . . . 132

# 1 Result Overview

| Host | High | Medium | Low | Log | False Positive |
|---|---|---|---|---|---|
| 198.51.100.100 | 40 | 60 | 5 | 33 | 0 |
| Total: 1 | 40 | 60 | 5 | 33 | 0 |

Vendor security updates are not trusted.
Overrides are on. When a result has an override, this report uses the threat of the override.
Notes are included in the report.
This report might not show details of all issues that were found.
It only lists hosts that produced issues.
Issues with the threat level "Debug" are not shown.
Issues with the threat level "False Positive" are not shown.

This report contains all 138 results selected by the filtering described above. Before filtering there were 197 results.

# 2 Results per Host

## 2.1 198.51.100.100

| | |
|---|---|
| Host scan start | Tue Nov 27 23:24:07 2018 UTC |
| Host scan end | Tue Nov 27 23:30:46 2018 UTC |

| Service (Port) | Threat Level |
|---|---|
| 80/tcp | High |
| 5432/tcp | High |
| 1099/tcp | High |
| general/tcp | High |
| 80/tcp | Medium |
| 5432/tcp | Medium |
| general/tcp | Medium |
| 80/tcp | Low |
| general/tcp | Low |
| 80/tcp | Log |
| 5432/tcp | Log |
| 1099/tcp | Log |
| general/tcp | Log |
| general/CPE-T | Log |
| 3306/tcp | Log |
| 23/tcp | Log |
| 21/tcp | Log |

### 2.1.1 High 80/tcp

High (CVSS: 10.0)
NVT: PHP End Of Life Detection (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
The PHP version on the remote host has reached the end of life and should not be used anymore.

**Vulnerability Detection Result**
```
The "PHP" version on the remote host has reached the end of life.
CPE:                cpe:/a:php:php:5.3.1
Installed version: 5.3.1
EOL version:        5.3
EOL date:           2014-08-14
```

**Impact**
An end of life version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

**Solution**
**Solution type:** VendorFix
Update the PHP version on the remote host to a still supported version.

**Vulnerability Insight**
Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases.
After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports.
Once the three years of support are completed, the branch reaches its end of life and is no longer supported.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is unsupported.
Details:`PHP End Of Life Detection (Windows)`
OID:1.3.6.1.4.1.25623.1.0.105888
Version used: `$Revision: 6494 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

. . . continues on next page . . .

. . . continued from previous page . . .

**References**

```
Other:
  URL:https://secure.php.net/supported-versions.php
   URL:https://secure.php.net/eol.php
```

High (CVSS: 10.0)
NVT: Apache Web Server End Of Life Detection (Windows)

**Product detection result**

```
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)
```

**Summary**

The Apache Web Server version on the remote host has reached the end of life and should not be used anymore.

**Vulnerability Detection Result**

```
The "Apache Web Server" version on the remote host has reached the end of life.
CPE:               cpe:/a:apache:http_server:2.2.14
Installed version: 2.2.14
EOL version:       2.2
EOL date:          2017-12-31
```

**Impact**

An end of life version of Apache Web Server is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

**Solution**

**Solution type:** VendorFix

Update the Apache Web Server version on the remote host to a still supported version.

**Vulnerability Detection Method**

Get the installed version with the help of the detect NVT and check if the version is unsupported.

Details:`Apache Web Server End Of Life Detection (Windows)`

OID:1.3.6.1.4.1.25623.1.0.108135

Version used: `$Revision: 7217 $`

**Product Detection Result**

Product: `cpe:/a:apache:http_server:2.2.14`

Method: `Apache Web Server Version Detection`

OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**

. . . continues on next page . . .

. . . continued from previous page . . .

```
Other:
  URL:https://archive.apache.org/dist/httpd/Announcement1.3.html
   URL:https://archive.apache.org/dist/httpd/Announcement2.0.html
   URL:https://www.apache.org/dist/httpd/Announcement2.2.html
   URL:https://en.wikipedia.org/wiki/Apache_HTTP_Server#Versions
```

High (CVSS: 10.0)
NVT: OpenSSL End of Life Detection (Windows)

**Product detection result**

`cpe:/a:openssl:openssl:0.9.8l`
`Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)`

**Summary**

The OpenSSL version on the remote host has reached the end of life and should not be used anymore.

**Vulnerability Detection Result**

```
The "OpenSSL" version on the remote host has reached the end of life.
CPE:                cpe:/a:openssl:openssl:0.9.8l
Installed version:  0.9.8l
EOL version:        0.9.8
EOL date:           2014-12-23
```

**Impact**

An end of life version of OpenSSL is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

**Solution**

**Solution type:** VendorFix
Update the OpenSSL version on the remote host to a still supported version.

**Vulnerability Detection Method**

Get the installed version with the help of the detection NVT and check if the version is unsupported.
Details:`OpenSSL End of Life Detection (Windows)`
OID:1.3.6.1.4.1.25623.1.0.113027
Version used: `$Revision: 7543 $`

**Product Detection Result**

Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**

. . . continues on next page . . .

. . . continued from previous page . . .

```
Other:
  URL:https://www.openssl.org/policies/releasestrat.html
```

High (CVSS: 10.0)
NVT: PHP Multiple Vulnerabilities - Sep11 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is running PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.7
```

**Impact**
Successful exploitation allows remote attackers to execute arbitrary code, obtain sensitive information or cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.3.7 or later. For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version prior to 5.3.7 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PHP Multiple Vulnerabilities - Sep11 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.802330
Version used: `$Revision: 7550 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
`CVE: CVE-2011-2483, CVE-2011-1657, CVE-2011-3182, CVE-2011-3267, CVE-2011-3268`

. . . continues on next page . . .

. . . continued from previous page . . .

```
BID:49241, 49252
Other:
  URL:http://secunia.com/advisories/44874/
   URL:http://www.php.net/archive/2011.php#id2011-08-18-1
```

High (CVSS: 10.0)
NVT: PHP '_php_stream_scandir()' Buffer Overflow Vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is running PHP and is prone to buffer overflow vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.15/5.4.5
```

**Impact**

Successful exploitation could allow attackers to execute arbitrary code and failed attempts will likely result in denial-of-service conditions. Impact Level: System/Application

**Solution**

**Solution type:** VendorFix

Upgrade to PHP 5.4.5 or 5.3.15 or later For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**

PHP version before 5.3.15 and 5.4.x before 5.4.5

**Vulnerability Insight**

**Vulnerability Detection Method**

Details:`PHP '_php_stream_scandir()' Buffer Overflow Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803317
Version used: `$Revision: 7548 $`

**Product Detection Result**

Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

. . . continues on next page . . .

. . . continued from previous page . . .

```
CVE: CVE-2012-2688
BID:54638
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://en.securitylab.ru/nvd/427456.php
   URL:http://secunia.com/advisories/cve_reference/CVE-2012-2688
```

High (CVSS: 10.0)
NVT: PHP 'phar_fix_filepath' Function Stack Buffer Overflow Vulnerability - Mar16 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to stack buffer overflow vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.4.43
```

**Impact**

Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.4.43, or 5.5.27, or 5.6.11 or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions before 5.4.43, 5.5.x before 5.5.27, and 5.6.x before 5.6.11 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'phar_fix_filepath' Function Stack Buffer Overflow Vulnerability - Mar16 (W.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.807092
Version used: `$Revision: 7545 $`

**Product Detection Result**

. . . continues on next page . . .

. . . continued from previous page . . .

Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2015-5590, CVE-2015-8838, CVE-2015-5589
BID:75970, 88763, 75974
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:https://bugs.php.net/bug.php?id=69923
```

High (CVSS: 10.0)
NVT: PHP Denial of Service And Unspecified Vulnerabilities - 01 - Jul16 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to denial of service and unspecified Vulnerabilities

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.5.32
```

**Impact**

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.5.32, or 5.6.18, or 7.0.3, or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions prior to 5.5.32, 5.6.x before 5.6.18, and 7.x before 7.0.3 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP Denial of Service And Unspecified Vulnerabilities - 01 - Jul16 (Windows)

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.808606
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2016-4342, CVE-2016-2554
BID:89154, 83353
Other:
  URL:http://www.php.net/ChangeLog-7.php
   URL:http://www.openwall.com/lists/oss-security/2016/04/28/2
```

High (CVSS: 10.0)
NVT: PHP 'type confusion' Denial of Service Vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.6.7
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.7 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.7 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**

. . . continues on next page . . .

. . . continued from previous page . . .

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'type confusion' Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808672
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-4601
BID:75246
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 10.0)
NVT: PHP Multiple Vulnerabilities - 05 - Aug16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.4.42
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.42, or 5.5.26, or 5.6.10, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.4.42, 5.5.x before 5.5.26, and 5.6.x before 5.6.10 on Windows

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 05 - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808674
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-4644, CVE-2015-4643, CVE-2015-4598, CVE-2015-4642
BID:75291, 75292, 75244, 75290
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 10.0)
NVT: PHP 'com_print_typeinfo()' Remote Code Execution Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to remote code execution vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     N/A
```

**Impact**
Successful exploitation could allow remote attackers to execute arbitrary code in the context of a webserver. Failed attempts will likely result in denial of service conditions.
Impact Level: System/Application

**Solution**
**Solution type:** WillNotFix
No solution or patch was made available for at least one year since disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

. . . continues on next page . . .

. . . continued from previous page . . .

**Affected Software/OS**
PHP Version 5.4.3 and prior on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:PHP 'com_print_typeinfo()' Remote Code Execution Vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.902836
Version used: $Revision: 7549 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2012-2376
BID:53621
Other:
URL:http://www.securityfocus.com/bid/53621
URL:http://www.exploit-db.com/exploits/18861
URL:http://isc.sans.edu/diary.html?storyid=13255
URL:https://bugzilla.redhat.com/show_bug.cgi?id=823464
URL:http://openwall.com/lists/oss-security/2012/05/20/2
URL:http://packetstormsecurity.org/files/112851/php54-exec.txt

High (CVSS: 7.8)
NVT: PHP Denial of Service Vulnerability Jul17 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.6.31

**Impact**
Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.31, 7.0.17, 7.1.3 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.31, 7.x before 7.0.17, and 7.1.x before 7.1.3

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP Denial of Service Vulnerability Jul17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.811486
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2017-11142
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

High (CVSS: 7.8)
NVT: Apache httpd Web Server Range Header Denial of Service Vulnerability

**Summary**
This host is running Apache httpd web server and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will let the remote unauthenticated attackers to cause a denial of service.
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

m=131420013520206
w=2

**Affected Software/OS**
Apache 1.3.x, 2.0.x through 2.0.64 and 2.2.x through 2.2.19

**Vulnerability Insight**
The flaw is caused the way Apache httpd web server handles certain requests with multiple overlapping ranges, which causes significant memory and CPU usage on the server leading to application crash and system can become unstable.

**Vulnerability Detection Method**
Details:`Apache httpd Web Server Range Header Denial of Service Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.901203
Version used: `$Revision: 5839 $`

**References**
```
CVE: CVE-2011-3192
BID:49303
Other:
  URL:http://www.exploit-db.com/exploits/17696
   URL:http://packetstormsecurity.org/files/view/104441
   URL:http://marc.info/?l=apache-httpd-dev&m=131420013520206&w=2
```

High (CVSS: 7.5)
NVT: PHP Multiple Denial of Service Vulnerabilities - 02 - Jan17 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.30
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (memory consumption or application crash).
Impact Level: Application

**Solution**

. . . continues on next page . . .

. . . continued from previous page . . .

**Solution type:** VendorFix
Upgrade to PHP version 5.6.30, 7.0.15 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.30 and 7.0.x before 7.0.15

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP Multiple Denial of Service Vulnerabilities - 02 - Jan17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.108055
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-10159, CVE-2016-10160
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - Mar13 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is running PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.23/5.4.13
```

**Impact**
Successful exploitation allows attackers to read arbitrary files and write wsdl files within the context of the affected application.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP 5.4.13 or 5.3.23, which will be available soon. For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version before 5.3.23 and 5.4.x before 5.4.13

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version of PHP with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - Mar13 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803337
Version used: `$Revision: 7552 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2013-1635, CVE-2013-1643
BID:58224
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://bugs.php.net/bug.php?id=64360
   URL:http://cxsecurity.com/cveshow/CVE-2013-1635
   URL:http://cxsecurity.com/cveshow/CVE-2013-1643
   URL:http://bugs.gentoo.org/show_bug.cgi?id=459904
```

High (CVSS: 7.5)
NVT: PHP 'phar/tar.c' Heap Buffer Overflow Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is running PHP and is prone to heap buffer overflow vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Result**
`Installed version: 5.3.1`
`Fixed version: 5.3.14/5.4.4`

**Impact**
Successful exploitation could allow attackers to execute arbitrary code or cause a denial-of-service condition via specially crafted TAR file. Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP 5.4.4 or 5.3.14 or later For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version before 5.3.14 and 5.4.x before 5.4.4

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PHP 'phar/tar.c' Heap Buffer Overflow Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803342
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2012-2386
BID:47545
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://en.securitylab.ru/nvd/426726.php
   URL:http://secunia.com/advisories/cve_reference/CVE-2012-2386
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 01 - Mar16 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
`Installed version: 5.3.1`
`Fixed version:  5.4.44`

**Impact**
Successfully exploiting this issue allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.44 or 5.5.28 or 5.6.12 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.4.44, 5.5.x before 5.5.28, and 5.6.x before 5.6.12 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 01 - Mar16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.807088
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-6831, CVE-2015-6832, CVE-2015-6833
BID:76737, 76739, 76735
Other:
  URL:https://bugs.php.net/bug.php?id=70068
   URL:http://www.openwall.com/lists/oss-security/2015/08/19/3
```

High (CVSS: 7.5)
NVT: PHP 'serialize_function_call' Function Type Confusion Vulnerability - Mar16 (Windows)

**Product detection result**

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to remote code execution vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.4.45

**Impact**
Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.45, or 5.5.29, or 5.6.13 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP 'serialize_function_call' Function Type Confusion Vulnerability - Mar16 (Wi.
↪..
OID:1.3.6.1.4.1.25623.1.0.807091
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2015-6836
BID:76644
Other:
URL:http://www.php.net/ChangeLog-5.php
URL:https://bugs.php.net/bug.php?id=70388

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 01 - Apr16 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.33
```

**Impact**
Successfully exploiting this issue allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.33 or 5.6.19 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.5.33, and 5.6.x before 5.6.19 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 01 - Apr16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.807806
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-3142, CVE-2016-3141
Other:
  URL:https://bugs.php.net/bug.php?id=71587
   URL:https://bugs.php.net/bug.php?id=71498
   URL:https://secure.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 01 - Jul16 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.34
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.34, or 5.6.20, or 7.0.5, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.34, 5.6.x before 5.6.20, and 7.x before 7.0.5 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 01 - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808198
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-4070, CVE-2016-4071, CVE-2016-4072, CVE-2016-4073, CVE-2015-8865
BID:85800, 85801, 85802, 85991, 85993
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

URL:http://www.php.net/ChangeLog-7.php

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 03 - Jul16 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.5.35

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.35, or 5.6.21, or 7.0.6, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.35, 5.6.x before 5.6.21, and 7.x before 7.0.6 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP Multiple Vulnerabilities - 03 - Jul16 (Windows)
OID:1.3.6.1.4.1.25623.1.0.808602
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

. . . continues on next page . . .

. . . continued from previous page . . .

```
CVE: CVE-2016-4537, CVE-2016-4538, CVE-2016-4539, CVE-2016-4540, CVE-2016-4541,
↪CVE-2016-4542, CVE-2016-4543, CVE-2016-4544
BID:89844, 90172, 90173, 90174
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 04 - Jul16 (Windows)

**Product detection result**

`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**

This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.4.44
```

**Impact**

Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.4.44, or 5.5.28, or 5.6.12, or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions prior to 5.4.44, 5.5.x before 5.5.28, and 5.6.x before 5.6.12 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 04 - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808605
Version used: `$Revision: 7545 $`

**Product Detection Result**

. . . continues on next page . . .

. . . continued from previous page . . .

Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2015-8867, CVE-2015-8876, CVE-2015-8873, CVE-2015-8835
BID:87481, 90867, 84426, 90712
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP Directory Traversal Vulnerability - Jul16 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to Directory traversal vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.4.45
```

**Impact**

Successfully exploiting this issue allow remote attackers to read arbitrary empty directories, also to cause a denial of service.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.4.45, or 5.5.29, or 5.6.13, or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions prior to 5.4.45, 5.5.x before 5.5.29, and 5.6.x before 5.6.13 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Directory Traversal Vulnerability - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808616

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2014-9767, CVE-2015-6834, CVE-2015-6835, CVE-2015-6837, CVE-2015-6838
BID:76652, 76649, 76733, 76734, 76738
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.openwall.com/lists/oss-security/2016/03/16/20
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 05 - Jul16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.38
```

**Impact**
Successfully exploiting this issue may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.38, or 5.6.24, or 7.0.9, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.5.38, 5.6.x before 5.6.24, and 7.x before 7.0.9 on Windows

**Vulnerability Insight**

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 05 - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808633
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-6288, CVE-2016-6289, CVE-2016-6290, CVE-2016-6291, CVE-2016-6292,
↪CVE-2016-6294, CVE-2016-6295, CVE-2016-6296, CVE-2016-6297
BID:92111, 92074, 92097, 92073, 92078, 92115, 92094, 92095, 92099
Other:
  URL:http://php.net/ChangeLog-5.php
   URL:http://php.net/ChangeLog-7.php
   URL:http://openwall.com/lists/oss-security/2016/07/24/2
```

High (CVSS: 7.5)
NVT: PHP Arbitrary Code Execution Vulnerability - Aug16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to arbitrary code execution vulnerability

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.27
```

**Impact**
Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.27, or 5.6.11, or later. For updates refer to http://www.php.net

**Affected Software/OS**

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions prior to 5.5.27 and 5.6.x before 5.6.11 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Arbitrary Code Execution Vulnerability - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808670
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-4116
BID:75127
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 01 - Aug16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.37
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.
Impact Level: Application

**Solution**
**Solution type:** VendorFix

. . . continues on next page . . .

. . . continued from previous page . . .

Upgrade to PHP version 5.5.37, or 5.6.23, or 7.0.8, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.37, 5.6.x before 5.6.23, and 7.x before 7.0.8 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 01 - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808787
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-5773, CVE-2016-5772, CVE-2016-5769, CVE-2016-5768, CVE-2016-5766,
↪CVE-2016-5767
BID:91397, 91398, 91399, 91396, 91395
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 02 - Aug16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.37
```

**Impact**

. . . continues on next page . . .

. . . continued from previous page . . .

Successfully exploiting this issue allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.37, or 5.6.23, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.37 and 5.6.x before 5.6.23 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 02 - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808789
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-5771, CVE-2016-5770
BID:91401, 91403
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 03 - Aug16 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
`Installed version: 5.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Fixed version: 5.5.36

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.36, or 5.6.22, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.36 and 5.6.x before 5.6.22 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP Multiple Vulnerabilities - 03 - Aug16 (Windows)
OID:1.3.6.1.4.1.25623.1.0.808791
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2016-5096 , CVE-2016-5094, CVE-2016-5095
BID:90861, 90857, 92144
Other:
URL:http://www.php.net/ChangeLog-5.php

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 04 - Aug16 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Result**
`Installed version: 5.3.1`
`Fixed version:  5.5.36`

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.36, or 5.6.22, or 7.0.7, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.36, 5.6.x before 5.6.22, and 7.x before 7.0.7 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 04 - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808793
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2013-7456, CVE-2016-5093
BID:90946, 90859
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 03 - Sep16 (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.26
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.26, or 7.0.11, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.26 and 7.x before 7.0.11 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 03 - Sep16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809316
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-7412, CVE-2016-7413, CVE-2016-7414, CVE-2016-7416, CVE-2016-7417,
↪CVE-2016-7418
BID:93005, 93006, 93004, 93022, 93008, 93007, 93011
Other:
  URL:http://www.php.net/ChangeLog-7.php
   URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP Multiple Vulnerabilities - 02 - Sep16 (Windows)

. . . continues on next page . . .

. . . continued from previous page . . .

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.25
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.25, or 7.0.10, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.25 and 7.x before 7.0.10 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - 02 - Sep16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809318
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-7124, CVE-2016-7125, CVE-2016-7126, CVE-2016-7127, CVE-2016-7128,
↪CVE-2016-7129, CVE-2016-7130, CVE-2016-7131, CVE-2016-7132
BID:92756, 92552, 92755, 92757, 92564, 92758
Other:
  URL:http://www.php.net/ChangeLog-7.php
   URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP 'var_unserializer' Denial of Service Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.26
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.26, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.26 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'var_unserializer' Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809322
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-7411
BID:93009
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

High (CVSS: 7.5)
NVT: PHP 'libgd' Denial of Service Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.27/7.0.12
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Update to PHP version 5.6.27 or 7.0.12. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions 5.x through 5.6.26 and 7.0.x through 7.0.11 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'libgd' Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809337
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-7568
BID:93184
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

. . . continues on next page . . .

. . . continued from previous page . . .

URL:http://seclists.org/oss-sec/2016/q3/639
URL:https://bugs.php.net/bug.php?id=73003

High (CVSS: 7.5)
NVT: Apache HTTP Server Multiple Vulnerabilities June17 (Windows)

**Product detection result**
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)

**Summary**
This host is running Apache HTTP Server and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
Installed version: 2.2.14
Fixed version: 2.2.33

**Impact**
Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to Apache HTTP Server 2.2.33 or 2.4.26 or later. For updates refer to https://httpd.apache.org

**Affected Software/OS**
Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:Apache HTTP Server Multiple Vulnerabilities June17 (Windows)
OID:1.3.6.1.4.1.25623.1.0.811213
Version used: $Revision: 7543 $

**Product Detection Result**
Product: cpe:/a:apache:http_server:2.2.14

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `Apache Web Server Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**

```
CVE: CVE-2017-7679, CVE-2017-3169, CVE-2017-3167
BID:99135, 99134
Other:
  URL:http://seclists.org/oss-sec/2017/q2/509
   URL:http://httpd.apache.org/security/vulnerabilities_24.html
   URL:http://httpd.apache.org/security/vulnerabilities_22.html
```

High (CVSS: 7.5)
NVT: PHP 'socket_connect()' Buffer Overflow Vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to stack buffer overflow vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.7
```

**Impact**

Successful exploitation could allow remote attackers to execute arbitrary code or to cause denial of service condition.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to version 5.3.7 or later, For updates refer to http://php.net/downloads.php

**Affected Software/OS**

PHP Version 5.3.5 and prior on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**

Details:`PHP 'socket_connect()' Buffer Overflow Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.902436
Version used: `$Revision: 7550 $`

. . . continues on next page . . .

. . . continued from previous page . . .

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2011-1938
BID:47950
Other:
URL:http://seclists.org/fulldisclosure/2011/May/472
URL:http://packetstormsecurity.org/files/view/101665/cve20111938.txt
URL:http://www.bugsearch.net/en/11873/php-535-socketconnect-buffer-overflow-v
↪ulnerability-cve-2011-1938.html?ref=3

High (CVSS: 7.1)
NVT: PHP Denial of Service Vulnerability - 01 - Jul16 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.5.28

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.28, or 5.6.12, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.28 and 5.6.x before 5.6.12 on Windows

**Vulnerability Insight**

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Denial of Service Vulnerability - 01 - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808612
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-8878
BID:90837
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

[ return to 198.51.100.100 ]

### 2.1.2 High 5432/tcp

High (CVSS: 10.0)
NVT: PostgreSQL End Of Life Detection (Windows)

**Product detection result**
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

**Summary**
The PostgreSQL version on the remote host has reached the end of life and should not be used anymore.

**Vulnerability Detection Result**
```
The "PostgreSQL" version on the remote host has reached the end of life.
CPE:               cpe:/a:postgresql:postgresql:8.3.1
Installed version: 8.3.1
EOL version:       8.3
EOL date:          2013-02-01
```

**Impact**
An end of life version of PostgreSQL is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

. . . continues on next page . . .

. . . continued from previous page . . .

**Solution**
**Solution type:** VendorFix
Update the PostgreSQL version on the remote host to a still supported version.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is unsupported.
Details:`PostgreSQL End Of Life Detection (Windows)`
OID:1.3.6.1.4.1.25623.1.0.108185
Version used: `$Revision: 6494 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**
```
Other:
  URL:https://www.postgresql.org/support/versioning/
```

High (CVSS: 9.0)
NVT: PostgreSQL weak password

**Product detection result**
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

**Summary**
It was possible to login into the remote PostgreSQL as user postgres using weak credentials.

**Vulnerability Detection Result**
`It was possible to login as user postgres with password "postgres".`

**Solution**
**Solution type:** Mitigation
Change the password as soon as possible.

**Vulnerability Detection Method**
Details:`PostgreSQL weak password`
OID:1.3.6.1.4.1.25623.1.0.103552
Version used: `$Revision: 8889 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

High (CVSS: 9.0)
NVT: PostgreSQL Multiple Vulnerabilities - Mar15 (Windows)

**Product detection result**
`cpe:/a:postgresql:postgresql:8.3.1`
`Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)`

**Summary**
This host is running PostgreSQL and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 8.3.1
Fixed version:     9.1.20
```

**Impact**
Successful exploitation will allow a remote attacker to escalate privileges and to cause denial of service conditions.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to version 9.1.20 or 9.2.15 or 9.3.11 or 9.4.6 or 9.5.1 or higher, For updates refer to http://www.postgresql.org/download

**Affected Software/OS**
PostgreSQL version before 9.1.20, 9.2.x before 9.2.15, 9.3.x before 9.3.11, 9.4.x before 9.4.6, and 9.5.x before 9.5.1 on windows.

**Vulnerability Insight**
Multiple flaws are due to the postgreSQL incorrectly handle certain regular expressions and certain configuration settings (GUCS) for users of PL/Java.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PostgreSQL Multiple Vulnerabilities - Mar15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.807085
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

. . . continues on next page . . .

. . . continued from previous page . . .

**References**
CVE: CVE-2016-0773, CVE-2016-0766
BID:83184
Other:
URL:http://www.ubuntu.com/usn/USN-2894-1
URL:http://www.postgresql.org/about/news/1644

[ return to 198.51.100.100 ]

### 2.1.3 High 1099/tcp

High (CVSS: 10.0)
NVT: Java RMI Server Insecure Default Configuration Remote Code Execution Vulnerability

**Summary**
Multiple Java products that implement the RMI Server contain a vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary code on a targeted system with elevated privileges.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Solution**
**Solution type:** Workaround
Disable class-loading.

**Vulnerability Insight**
The vulnerability exists because of an incorrect default configuration of the Remote Method Invocation (RMI) Server in the affected software. An unauthenticated, remote attacker could exploit the vulnerability by transmitting crafted packets to the affected software. When the packets are processed, the attacker could execute arbitrary code on the system with elevated privileges.

**Vulnerability Detection Method**
Check if the target tries to load a Java class via a remote HTTP URL.
Details:Java RMI Server Insecure Default Configuration Remote Code Execution Vulnerabil.
↪..
OID:1.3.6.1.4.1.25623.1.0.140051
Version used: $Revision: 4422 $

**References**
Other:
URL:https://tools.cisco.com/security/center/viewAlert.x?alertId=23665

[ return to 198.51.100.100 ]

### 2.1.4 High general/tcp

High (CVSS: 7.5)
NVT: OpenSSL Multiple Denial of Service Vulnerabilities -01 Nov15 (Windows)

**Product detection result**
`cpe:/a:openssl:openssl:0.9.8l`
`Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)`

**Summary**
This host is running OpenSSL and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
`Installed version: 0.9.8l`
`Fixed version:  0.9.8za`

**Impact**
Successful exploitation will allow an remote attackers to cause a denial of service or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 0.9.8za or 1.0.0m or 1.0.1h or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL versions before 0.9.8za, 1.0.0 before 1.0.0m, and 1.0.1 before 1.0.1h on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL Multiple Denial of Service Vulnerabilities -01 Nov15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.806730
Version used: `$Revision: 7546 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**
`CVE: CVE-2015-0292, CVE-2014-8176`
`BID:73228, 75159`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Other:
  URL:http://www.ubuntu.com/usn/USN-2537-1
   URL:https://www.openssl.org/news/secadv/20150319.txt
   URL:https://www.openssl.org/news/secadv/20150319.txt
```

[ return to 198.51.100.100 ]

### 2.1.5 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: PHP 'magic_quotes_gpc' Directive Security Bypass Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to security bypass vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.10
```

**Impact**
Successful exploitation could allow remote attackers to gain sensitive information via a crafted request.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP Version 5.3.10 or later, For updates refer to http://php.net/downloads.php

**Affected Software/OS**
PHP Version 5.3.9 and prior on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PHP 'magic_quotes_gpc' Directive Security Bypass Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.802591
Version used: `$Revision: 7549 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2012-0831
BID:51954
Other:
  URL:http://www.securityfocus.com/bid/51954/info
   URL:http://svn.php.net/viewvc?view=revision&revision=323016
```

Medium (CVSS: 6.8)
NVT: PHP XML Handling Heap Buffer Overflow Vulnerability - Jul13 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is running PHP and is prone to heap based buffer overflow vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.27
```

**Impact**

Successful exploitation will allow attackers to cause a heap-based buffer overflow, resulting in a denial of service or potentially allowing the execution of arbitrary code.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.3.27 or later, For updates refer to http://php.net/

**Affected Software/OS**

PHP version prior to 5.3.27

**Vulnerability Insight**

The flaw is triggered as user-supplied input is not properly validated when handling malformed XML input.

**Vulnerability Detection Method**

Get the installed version of PHP with the help of detect NVT and check it is vulnerable or not.
Details:PHP XML Handling Heap Buffer Overflow Vulnerability - Jul13 (Windows)
OID:1.3.6.1.4.1.25623.1.0.803729

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2013-4113
BID:61128
Other:
  URL:http://php.net/ChangeLog-5.php
   URL:https://bugs.php.net/bug.php?id=65236
   URL:http://seclists.org/oss-sec/2013/q3/88
   URL:http://seclists.org/bugtraq/2013/Jul/106
```

Medium (CVSS: 6.8)
NVT: PHP Sessions Subsystem Session Fixation Vulnerability - Aug13 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is running PHP and is prone to session fixation vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.2
```

**Impact**
Successful exploitation will allow attackers to hijack web sessions by specifying a session ID.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.2 or later, For updates refer to http://php.net

**Affected Software/OS**
PHP version prior to 5.5.2 on Windows.

**Vulnerability Insight**
PHP contains an unspecified flaw in the Sessions subsystem.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Method**
Get the installed version of PHP with the help of detect NVT and check it is vulnerable or not.
Details:`PHP Sessions Subsystem Session Fixation Vulnerability - Aug13 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803737
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2011-4718
Other:
  URL:http://secunia.com/advisories/54562
   URL:http://cxsecurity.com/cveshow/CVE-2011-4718
   URL:http://git.php.net/?p=php-src.git;a=commit;h=169b78eb79b0e080b67f9798708e
↪b3771c6d0b2f
   URL:http://git.php.net/?p=php-src.git;a=commit;h=25e8fcc88fa20dc9d4c471844710
↪03f436927cde
```

Medium (CVSS: 6.8)
NVT: PHP Multiple Denial of Service Vulnerabilities - 01 - Dec15 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
```
Installed Version: 5.3.1
Fixed Version:     5.5.30
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP 5.5.30 or 5.6.14 or later. For updates refer to http://www.php.net

**Affected Software/OS**

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions before 5.5.30 and 5.6.x before 5.6.14

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Multiple Denial of Service Vulnerabilities - 01 - Dec15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.806648
Version used: `$Revision: 7546 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-7804, CVE-2015-7803
BID:76959
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:https://bugs.php.net/bug.php?id=70433
   URL:http://www.openwall.com/lists/oss-security/2015/10/05/8
```

Medium (CVSS: 6.8)
NVT: PHP Denial of Service And Unspecified Vulnerabilities - 02 - Jul16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to denial of service and unspecified Vulnerabilities

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.18
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.
Impact Level: Application

**Solution**

. . . continues on next page . . .

. . . continued from previous page . . .

**Solution type:** VendorFix
Upgrade to PHP version 5.6.18, or 7.0.3, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.18 and 7.x before 7.0.3 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Denial of Service And Unspecified Vulnerabilities - 02 - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808608
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-4343
BID:89179
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.openwall.com/lists/oss-security/2016/04/28/2
```

Medium (CVSS: 6.8)
NVT: PHP XML Entity Expansion And XML External Entity Vulnerabilities (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to XML entity expansion and XML external entity vulnerabilities

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.5.22
```

**Impact**
Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.22, or 5.6.6, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.5.22 and 5.6.x before 5.6.6 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP XML Entity Expansion And XML External Entity Vulnerabilities (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808614
Version used: `$Revision: 7585 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-8866
BID:87470
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

Medium (CVSS: 6.8)
NVT: PHP 'PHP-FPM' Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     NoneAvailable
Installation
path / port:       80/tcp
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Impact**
Successfully exploitation will allow an attackers to consume 100volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.
Impact Level: Application

**Solution**
**Solution type:** NoneAvailable
No solution or patch is available as of 20th Feb, 2018. Information regarding this issue will be updated once solution details are available. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions 5.x to 5.4.43 and 7.x to 7.2.2 on Windows.

**Vulnerability Insight**
The flaw exist due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'PHP-FPM' Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.812519
Version used: `$Revision: 9180 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-9253
Other:
  URL:https://bugs.php.net/bug.php?id=70185
   URL:https://bugs.php.net/bug.php?id=75968
   URL:https://www.futureweb.at/security/CVE-2015-9253
   URL:https://vuldb.com//?id.113566
```

Medium (CVSS: 6.4)
NVT: PHP EXIF Header Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.4.0 beta 4
```

**Impact**
Successful exploitation allows remote attackers to execute arbitrary code, obtain sensitive information or cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.0 beta 4 or later. For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version 5.4.0 beta 2 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PHP EXIF Header Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.802349
Version used: `$Revision: 7550 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2011-4566
Other:
  URL:https://bugs.php.net/bug.php?id=60150
   URL:http://olex.openlogic.com/wazi/2011/php-5-4-0-medium/
   URL:https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2011-4566
```

Medium (CVSS: 6.4)
NVT: PHP Out of Bounds Read Memory Corruption Vulnerability - 01 - Mar16 (Windows)

**Product detection result**

. . . continues on next page . . .

. . . continued from previous page . . .

cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to out-of-bounds read memory corruption vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.5.31

**Impact**
Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.31, or 5.6.17 or 7.0.2 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP Out of Bounds Read Memory Corruption Vulnerability - 01 - Mar16 (Windows)
OID:1.3.6.1.4.1.25623.1.0.807089
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2016-1903
BID:79916
Other:
URL:https://bugs.php.net/bug.php?id=70976
URL:http://www.openwall.com/lists/oss-security/2016/01/14/8

Medium (CVSS: 6.4)
NVT: PHP 'make_http_soap_request' Information Disclosure Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to denial of service or information disclosure vulnerabilities

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.4.44
```

**Impact**
Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.44, or 5.5.28, or 5.6.12, or 7.0.4, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.4.44, 5.5.x before 5.5.28, 5.6.x before 5.6.12, and 7.x before 7.0.4 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'make_http_soap_request' Information Disclosure Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808667
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-3185
Other:
```

. . . continues on next page . . .

. . . continued from previous page . . .

URL:http://www.php.net/ChangeLog-5.php
URL:http://www.php.net/ChangeLog-7.php

Medium (CVSS: 6.4)
NVT: PHP Denial of Service Vulnerability - 02 - Aug16 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.5.31

**Impact**
Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.5.31, or 5.6.17, or 7.0.2, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.5.31, 5.6.x before 5.6.17, and 7.x before 7.0.2 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PHP Denial of Service Vulnerability - 02 - Aug16 (Windows)
OID:1.3.6.1.4.1.25623.1.0.809138
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

. . . continues on next page . . .

. . . continued from previous page . . .

**References**
CVE: CVE-2016-5114
BID:81808
Other:
URL:http://www.php.net/ChangeLog-5.php

Medium (CVSS: 6.4)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities (Windows)

**Product detection result**
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)

**Summary**
This host is running Apache HTTP Server and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
Installed version: 2.2.14
Fixed version: 2.2.34

**Impact**
Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to Apache HTTP Server 2.2.34 or 2.4.27 or later. For updates refer to https://httpd.apache.org

**Affected Software/OS**
Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities (Windows)
OID:1.3.6.1.4.1.25623.1.0.811236
Version used: $Revision: 7543 $

**Product Detection Result**
Product: cpe:/a:apache:http_server:2.2.14

. . . continues on next page . . .

. . . continued from previous page . . .

Method: `Apache Web Server Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**

```
CVE: CVE-2017-9788
BID:99569
Other:
  URL:http://www.securitytracker.com/id/1038906
   URL:http://httpd.apache.org/security/vulnerabilities_22.html
   URL:http://httpd.apache.org/security/vulnerabilities_24.html
```

Medium (CVSS: 6.4)
NVT: PHP 'phar_parse_pharfile' Function Denial of Service Vulnerability - (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.6.30
```

**Impact**

Successfully exploiting this issue allow remote attackers to supply malicious archive files to crash the PHP interpreter or potentially disclose information.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.6.30 or 7.0.15, or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions before 5.6.30, 7.x before 7.0.15

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'phar_parse_pharfile' Function Denial of Service Vulnerability - (Windows)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.811483
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2017-11147
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

Medium (CVSS: 6.4)
NVT: PHP SAPI_POST_HANDLER_FUNC() Security Bypass Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is running PHP and is prone to security bypass vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.7
```

**Impact**
Successful exploitation could allow remote attackers to delete files from the root directory, which may aid in further attacks.
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.3.7 or later. For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version prior to 5.3.7

**Vulnerability Insight**

**Vulnerability Detection Method**

. . . continues on next page . . .

. . . continued from previous page . . .

Details:PHP SAPI_POST_HANDLER_FUNC() Security Bypass Vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.902606
Version used: $Revision: 7550 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2011-2202
BID:48259
Other:
URL:http://secunia.com/advisories/44874
URL:http://securitytracker.com/id?1025659
URL:http://xforce.iss.net/xforce/xfdb/67999
URL:http://svn.php.net/viewvc?view=revision&revision=312103

Medium (CVSS: 5.8)
NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled

**Summary**
Debugging functions are enabled on the remote web server.
The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.

**Vulnerability Detection Result**
The web server has the following HTTP methods enabled: TRACE

**Impact**
An attacker may use this flaw to trick your legitimate web users to give him their credentials.

**Solution**
**Solution type:** Mitigation
Disable the TRACE and TRACK methods in your web server configuration.
Please see the manual of your web server or the references for more information.

**Affected Software/OS**
Web servers with enabled TRACE and/or TRACK methods.

**Vulnerability Insight**
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Method**
Details:HTTP Debugging Methods (TRACE/TRACK) Enabled
OID:1.3.6.1.4.1.25623.1.0.11213
Version used: $Revision: 8888 $

**References**
CVE: CVE-2003-1567, CVE-2004-2320, CVE-2004-2763, CVE-2005-3398, CVE-2010-0386
BID:9506, 9561, 11604, 15222, 33374, 37995
Other:
URL:http://www.kb.cert.org/vuls/id/288308
URL:http://www.kb.cert.org/vuls/id/867593
URL:http://httpd.apache.org/docs/current/de/mod/core.html#traceenable
URL:https://www.owasp.org/index.php/Cross_Site_Tracing

Medium (CVSS: 5.8)
NVT: PHP Multiple Vulnerabilities - 01 - Mar13 (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is running PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.4.0

**Impact**

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP 5.4.0 or later For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version before 5.4.0

**Vulnerability Insight**
Flaw due to insufficient validation of file-upload implementation in rfc1867.c and it does not handle invalid '[' characters in name values.

**Vulnerability Detection Method**
Get the installed version of PHP with the help of detect NVT and check the version is vulnerable or not.

. . . continues on next page . . .

. . . continued from previous page . . .

Details:PHP Multiple Vulnerabilities - 01 - Mar13 (Windows)
OID:1.3.6.1.4.1.25623.1.0.803341
Version used: $Revision: 7552 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2012-1172
BID:53403
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://cxsecurity.com/cveshow/CVE-2012-1172
   URL:http://secunia.com/advisories/cve_reference/CVE-2012-1172
```

Medium (CVSS: 5.4)
NVT: PHP Stack Buffer Overflow Vulnerability Mar18 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
The host is installed with php and is prone to stack buffer overflow vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.6.34
Installation
path / port:       80/tcp
```

**Impact**
Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to version 7.2.3, 7.0.28, 5.6.34, 7.1.15 or later. For updates refer to http://www.php.net.

**Affected Software/OS**

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions 7.2.x prior to 7.2.3, PHP versions 7.0.x prior to 7.0.28, PHP versions 5.0.x prior to 5.6.34 and PHP versions 7.1.x prior to 7.1.15 on Windows.

**Vulnerability Insight**
The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP Stack Buffer Overflow Vulnerability Mar18 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.812820
Version used: `$Revision: 9098 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2018-7584
BID:103204
Other:
  URL:http://php.net/ChangeLog-7.php
   URL:https://bugs.php.net/bug.php?id=75981
```

Medium (CVSS: 5.1)
NVT: PHP Man-in-the-Middle Attack Vulnerability - Jul16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to Man-in-the-middle attack vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.24/7.0.9
```

**Impact**
Successfully exploiting this issue may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Update to PHP version 5.6.24 or 7.0.19. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Man-in-the-Middle Attack Vulnerability - Jul16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808627
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-5385, CVE-2016-6128
BID:91821, 91509
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
   URL:http://www.kb.cert.org/vuls/id/797896
   URL:https://bugs.php.net/bug.php?id=72573
   URL:https://bugs.php.net/bug.php?id=72494
```

Medium (CVSS: 5.1)
NVT: Apache HTTP Server Man-in-the-Middle attack Vulnerability - July16 (Windows)

**Product detection result**
`cpe:/a:apache:http_server:2.2.14`
`Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004`
`↪98)`

**Summary**
This host is installed with Apache HTTP Server and is prone to man-in-the-middle attack vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Result**
`Installed version: 2.2.14`
`Fixed version:  2.4.24`

**Impact**
Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to version 2.4.24, or 2.2.32, or newer. For updates refer http://www.apache.org

**Affected Software/OS**
Apache HTTP Server through 2.4.23 on Windows —- NOTE: Apache HTTP Server 2.2.32 is not vulnerable —-

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`Apache HTTP Server Man-in-the-Middle attack Vulnerability - July16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808631
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:apache:http_server:2.2.14`
Method: `Apache Web Server Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**
```
CVE: CVE-2016-5387
BID:91816
Other:
  URL:https://www.apache.org/security/asf-httpoxy-response.txt
```

Medium (CVSS: 5.1)
NVT: PHP 'php_parserr' Heap Based Buffer Overflow Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PHP and is prone to heap-based buffer overflow vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.29
```

**Impact**
Successfully exploiting this issue allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code on the affected system.
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Update to PHP version 5.6.0 or 5.5.14 or 5.4.30 or 5.3.29 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions 5.6.x before 5.6.0, 5.5.x before 5.5.14, 5.4.x before 5.4.30, 5.3.x before 5.3.29 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'php_parserr' Heap Based Buffer Overflow Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809742
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2014-4049
BID:68007
Other:
  URL:http://php.net/ChangeLog-5.php
   URL:http://www.openwall.com/lists/oss-security/2014/06/13/4
```

Medium (CVSS: 5.0)
NVT: PHP Multiple Denial of Service Vulnerabilities - 01 - Jan17 (Windows)

. . . continues on next page . . .

. . . continued from previous page . . .

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.30
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (buffer over-read or application crash).
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.30, 7.0.15, 7.1.1 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.30, 7.0.x before 7.0.15, and 7.1.x before 7.1.1.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP Multiple Denial of Service Vulnerabilities - 01 - Jan17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.108053
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-10161, CVE-2016-10158
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

Medium (CVSS: 5.0)
NVT: PHP Web Form Hash Collision Denial of Service Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to remote denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.9
```

**Impact**
Successful exploitation could allow remote attackers to cause a denial of service via a specially crafted form sent in a HTTP POST request.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade PHP to 5.3.9 or later, For updates refer to http://php.net/downloads.php

**Affected Software/OS**
PHP Version 5.3.8 and prior.

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PHP Web Form Hash Collision Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.802408
Version used: `$Revision: 7549 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2011-4885, CVE-2012-0788, CVE-2012-0789
BID:51193, 51952, 52043
Other:
  URL:http://secunia.com/advisories/47404
   URL:http://www.kb.cert.org/vuls/id/903934
   URL:https://bugs.php.net/bug.php?id=53502
```

. . . continues on next page . . .

. . . continued from previous page . . .

URL:https://bugs.php.net/bug.php?id=55776
URL:http://xforce.iss.net/xforce/xfdb/72021
URL:http://www.exploit-db.com/exploits/18305/
URL:http://www.exploit-db.com/exploits/18296/
URL:http://www.ocert.org/advisories/ocert-2011-003.html
URL:http://svn.php.net/viewvc?view=revision&revision=321040

Medium (CVSS: 5.0)
NVT: Apache HTTP Server mod_proxy_ajp Process Timeout DoS Vulnerability (Windows)

**Product detection result**
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)

**Summary**
The host is running Apache HTTP Server and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation could allow remote attackers to cause a denial of service condition via an expensive request. Impact Level: Application

**Solution**
**Solution type:** VendorFix
Apply patch or upgrade Apache HTTP Server 2.2.22 or later, For updates refer to http://svn.apache.org/viewvc?view=revision
revision=1227298
*** NOTE: Ignore this warning, if above mentioned patch is manually applied. *****

**Affected Software/OS**
Apache HTTP Server version 2.2.12 through 2.2.21

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:Apache HTTP Server mod_proxy_ajp Process Timeout DoS Vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.802683
Version used: $Revision: 7549 $

**Product Detection Result**
Product: cpe:/a:apache:http_server:2.2.14

. . . continues on next page . . .

. . . continued from previous page . . .

Method: Apache Web Server Version Detection
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**

```
CVE: CVE-2012-4557
BID:56753
Other:
  URL:https://bugzilla.redhat.com/show_bug.cgi?id=871685
   URL:http://httpd.apache.org/security/vulnerabilities_22.html#2.2.22
   URL:http://svn.apache.org/viewvc?view=revision&revision=1227298
```

Medium (CVSS: 5.0)
NVT: PHP 'open_basedir' Secuirity Bypass Vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is running PHP and is prone to security bypass vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.15
```

**Impact**

Successful exploitation could allow attackers to bypass certain security restrictions. Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP 5.3.15 or later For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**

PHP version before 5.3.15

**Vulnerability Insight**

**Vulnerability Detection Method**

Details:PHP 'open_basedir' Secuirity Bypass Vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.803318
Version used: $Revision: 7548 $

. . . continues on next page . . .

. . . continued from previous page . . .

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2012-3365
BID:54612
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://en.securitylab.ru/nvd/427459.php
   URL:http://secunia.com/advisories/cve_reference/CVE-2012-3365
```

Medium (CVSS: 5.0)
NVT: PHP Multiple Vulnerabilities - Jun13 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is running PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.26/5.4.16
```

**Impact**
Successful exploitation allows attackers to execute arbitrary code or cause denial of service condition via crafted arguments.
Impact Level:System/ Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP 5.4.16 or 5.3.26 or later, For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**
PHP version before 5.3.26 and 5.4.x before 5.4.16

**Vulnerability Insight**

**Vulnerability Detection Method**

. . . continues on next page . . .

. . . continued from previous page . . .

Details:PHP Multiple Vulnerabilities - Jun13 (Windows)
OID:1.3.6.1.4.1.25623.1.0.803678
Version used: $Revision: 7548 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2013-4635, CVE-2013-2110
BID:60731, 60411
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://bugs.php.net/bug.php?id=64895
   URL:http://bugs.php.net/bug.php?id=64879
   URL:http://www.security-database.com/detail.php?alert=CVE-2013-4635
   URL:http://www.security-database.com/detail.php?alert=CVE-2013-2110
```

Medium (CVSS: 5.0)
NVT: PHP 'gdImageScaleTwoPass()' Multiple Denial of Service Vulnerabilities (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is installed with PHP and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.6.12

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service (application crash or memory consuption).
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.12 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions prior to 5.6.12 on Windows

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP 'gdImageScaleTwoPass()' Multiple Denial of Service Vulnerabilities (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808610
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-8877, CVE-2015-8879, CVE-2015-8874
BID:90866, 90842, 90714
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

Medium (CVSS: 5.0)
NVT: PHP Fileinfo Component Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.0
```

**Impact**
Successfully exploiting this issue allow remote attackers to cause a denial of service.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.0 For updates refer to http://www.php.net

**Affected Software/OS**

. . . continues on next page . . .

. . . continued from previous page . . .

PHP versions prior to 5.6.0 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Fileinfo Component Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808668
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2014-0236
BID:90957
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

Medium (CVSS: 5.0)
NVT: OpenSSL Death Alert Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)
```

**Summary**
This host is running OpenSSL and is prone to a denial of service vulnerability.

**Vulnerability Detection Result**
```
Installed version: 0.9.8l
Fixed version:     1.1.0b or 1.0.2j
```

**Impact**
Successful exploitation will allow a remote attacker to conduct a denial of service condition.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL version 1.0.2j or 1.1.0b or later. For updates refer to https://www.openssl.org

. . . continues on next page . . .

. . . continued from previous page . . .

**Affected Software/OS**
OpenSSL versions 1.1.0, 1.0.2 through 1.0.2h, all 1.0.1 and all 0.9.8 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL Death Alert Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809768
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**
```
CVE: CVE-2016-8610
BID:93841
Other:
  URL:http://seclists.org/oss-sec/2016/q4/224
   URL:https://git.openssl.org/gitweb/?p=openssl.git;a=commit;h=af58be768ebb690f
↪78530f796e92b8ae5c9a4401
   URL:https://securingtomorrow.mcafee.com/mcafee-labs/ssl-death-alert-cve-2016-
↪8610-can-cause-denial-of-service-to-openssl-servers
```

Medium (CVSS: 5.0)
NVT: PHP Multiple Vulnerabilities - Jul17 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.31
```

**Impact**
Successfully exploiting this issue allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.31, 7.0.21, 7.1.7, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.31, 7.x before 7.0.21, and 7.1.x before 7.1.7

**Vulnerability Insight**
Multiple flaws are due to

- The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP Multiple Vulnerabilities - Jul17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.811481
Version used: `$Revision: 7571 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2017-11145, CVE-2017-11144, CVE-2017-11146, CVE-2017-11628, CVE-2017-78
↪90
BID:99492, 99550, 99605, 99612, 99489
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

Medium (CVSS: 5.0)
NVT: PHP 'WDDX Deserialization' Denial of Service Vulnerability - (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**

. . . continues on next page . . .

. . . continued from previous page . . .

This host is installed with PHP and is prone to denial of service vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.6.31
```

**Impact**

Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.6.31 or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions before 5.6.31.

**Vulnerability Insight**

The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.

**Vulnerability Detection Method**

Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'WDDX Deserialization' Denial of Service Vulnerability - (Windows)`
OID:1.3.6.1.4.1.25623.1.0.811485
Version used: `$Revision: 7543 $`

**Product Detection Result**

Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2017-11143
Other:
  URL:http://www.php.net/ChangeLog-5.php
```

Medium (CVSS: 5.0)
NVT: PHP 'URL checks' Security Bypass Vulnerability Jul17 (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PHP and is prone to security bypass vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.28
```

**Impact**
Successfully exploiting this issue allow an attacker to bypass hostname-specific URL checks.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.28, 7.0.13, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.28, 7.x before 7.0.13

**Vulnerability Insight**
The flaw exists due to incorrect handling of various URI components in the URL parser.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'URL checks' Security Bypass Vulnerability Jul17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.811488
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2016-10397
Other:
  URL:http://www.php.net/ChangeLog-5.php
   URL:http://www.php.net/ChangeLog-7.php
```

Medium (CVSS: 5.0)
NVT: OpenSSL 'OOB read' Security Bypass Vulnerability (Windows)

**Product detection result**

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)
```

**Summary**
This host is running OpenSSL and is prone to 'OOB read' security bypass vulnerability.

**Vulnerability Detection Result**

```
Installed version: 0.9.8l
Fixed version:     1.1.0g-dev or 1.0.2m-dev
```

**Impact**
Successfully exploiting this issue will allow attackers to bypass security restrictions and perform unauthorized actions, this may aid in launching further attacks.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL version 1.1.0g-dev or 1.0.2m-dev or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL 1.1.0x prior to 1.1.0g-dev, 1.0.2x prior to 1.0.2m-dev, all 1.0.1x, all 0.9.8x and all 1.0.0x versions on Windows

**Vulnerability Insight**
The flaw exists as OpenSSL could do a one-byte buffer overread if an X.509 certificate has a malformed IPAddressFamily extension.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL 'OOB read' Security Bypass Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.811719
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**

```
CVE: CVE-2017-3735
BID:100515
Other:
  URL:https://www.openssl.org/news/secadv/20170828.txt
   URL:https://www.openssl.org/news/vulnerabilities.html#y2017
```

Medium (CVSS: 5.0)
NVT: PHP 'timelib_meridian' Heap Based Buffer Overflow Vulnerability (Windows)

**Product detection result**
`cpe:/a:php:php:5.3.1`
`Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

**Summary**
This host is installed with PHP and is prone to heap buffer overflow vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.32
Installation
path / port:       80/tcp
```

**Impact**
Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.32, 7.0.25, 7.1.11, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.32, 7.x before 7.0.25, and 7.1.x before 7.1.11

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'timelib_meridian' Heap Based Buffer Overflow Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.812072
Version used: `$Revision: 8360 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
`CVE: CVE-2017-16642`
`BID:101745`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Other:
  URL:http://php.net/ChangeLog-5.php
   URL:http://php.net/ChangeLog-7.php
   URL:https://bugs.php.net/bug.php?id=75055
```

Medium (CVSS: 5.0)
NVT: PHP 'stream_get_meta_data' Privilege Escalation Vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone to privilege escalation vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.5.32
Installation
path / port:       80/tcp
```

**Impact**

Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity,and availability.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP version 5.5.32, 7.0.3, or 5.6.18 or later. For updates refer to http://www.php.net

**Affected Software/OS**

PHP versions before 5.5.32, 7.0.x before 7.0.3, and 5.6.x before 5.6.18 on Windows.

**Vulnerability Insight**

**Vulnerability Detection Method**

Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:`PHP 'stream_get_meta_data' Privilege Escalation Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.812513
Version used: `$Revision: 9094 $`

**Product Detection Result**

Product: `cpe:/a:php:php:5.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**

```
CVE: CVE-2016-10712
Other:
  URL:https://vuldb.com/?id.113055
   URL:https://bugs.php.net/bug.php?id=71323
   URL:https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926
↪a92c231819cd5
```

Medium (CVSS: 4.6)
NVT: Apache HTTP Server Scoreboard Security Bypass Vulnerability (Windows)

**Product detection result**

```
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)
```

**Summary**

The host is running Apache HTTP Server and is prone to security bypass vulnerability.

**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**

Successful exploitation will allow remote attacker to bypass certain security restrictions. Other attacks are also possible.

**Solution**

**Solution type:** VendorFix
Upgrade to Apache HTTP Server 2.2.22 or later, For updates refer to http://svn.apache.org

**Affected Software/OS**

Apache HTTP Server version before 2.2.22 on windows.

**Vulnerability Insight**

The flaw is due to an error in 'inscoreboard.c', certain type field within a scoreboard shared memory segment leading to an invalid call to the free function.

**Vulnerability Detection Method**

Get the installed version Apache HTTP Server with the help of detect NVT and check it is vulnerable or not.
Details:Apache HTTP Server Scoreboard Security Bypass Vulnerability (Windows)

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.803744
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:apache:http_server:2.2.14`
Method: `Apache Web Server Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**

```
CVE: CVE-2012-0031
BID:51407
Other:
  URL:http://svn.apache.org/viewvc?view=revision&revision=1230065
   URL:http://www.halfdog.net/Security/2011/ApacheScoreboardInvalidFreeOnShutdow
↪n
```

Medium (CVSS: 4.3)
NVT: Apache Web Server ETag Header Information Disclosure Weakness

**Summary**
A weakness has been discovered in Apache web servers that are configured to use the FileETag directive.

**Vulnerability Detection Result**

```
Information that was gathered:
Inode: 43558
Size: 63
```

**Impact**
Exploitation of this issue may provide an attacker with information that may be used to launch further attacks against a target network.

**Solution**
OpenBSD has released a patch that addresses this issue. Inode numbers returned from the server are now encoded using a private hash to avoid the release of sensitive information.
Novell has released TID10090670 to advise users to apply the available workaround of disabling the directive in the configuration file for Apache releases on NetWare. Please see the attached Technical Information Document for further details.

**Vulnerability Detection Method**
Due to the way in which Apache generates ETag response headers, it may be possible for an attacker to obtain sensitive information regarding server files. Specifically, ETag header fields returned to a client contain the file's inode number.
Details:`Apache Web Server ETag Header Information Disclosure Weakness`
OID:1.3.6.1.4.1.25623.1.0.103122

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: `$Revision: 6700 $`

**References**

```
CVE: CVE-2003-1418
BID:6939
Other:
  URL:https://www.securityfocus.com/bid/6939
   URL:http://httpd.apache.org/docs/mod/core.html#fileetag
   URL:http://www.openbsd.org/errata32.html
   URL:http://support.novell.com/docs/Tids/Solutions/10090670.html
```

Medium (CVSS: 4.3)
NVT: PHP 'main/SAPI.c' HTTP Header Injection Vulnerability

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is running PHP and is prone to HTTP header injection vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.11/5.4.1 RC1
```

**Impact**

Successful exploitation could allows remote attackers to insert arbitrary headers, conduct cross-site request-forgery, cross-site scripting, HTML-injection, and other attacks.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP 5.4.1 RC1 or later For updates refer to http://www.php.net/downloads.php

**Affected Software/OS**

PHP version prior to 5.3.11, PHP version 5.4.x through 5.4.0RC2 on Windows

**Vulnerability Insight**

The sapi$_{h}eader_{o}pfunctioninmain/SAPI.cinPHPdoesnotproperlydetermineapointerduringchecksfor$

**Vulnerability Detection Method**

Details:`PHP 'main/SAPI.c' HTTP Header Injection Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.802966
Version used: `$Revision: 7549 $`

. . . continues on next page . . .

. . . continued from previous page . . .

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2012-4388, CVE-2011-1398
BID:55527, 55297
Other:
URL:http://openwall.com/lists/oss-security/2012/09/02/1
URL:http://openwall.com/lists/oss-security/2012/09/07/3
URL:http://article.gmane.org/gmane.comp.php.devel/70584
URL:http://openwall.com/lists/oss-security/2012/09/05/15
URL:http://security-tracker.debian.org/tracker/CVE-2012-4388

Medium (CVSS: 4.3)
NVT: PHP SSL Certificate Validation Security Bypass Vulnerability (Windows)

**Product detection result**
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)

**Summary**
This host is running PHP and is prone to security bypass vulnerability.

**Vulnerability Detection Result**
Installed version: 5.3.1
Fixed version: 5.4.18/5.5.2

**Impact**
Successful exploitation will allow remote attackers to spoof the server via a MitM (Man-in-the-Middle) attack and disclose potentially sensitive information.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.18 or 5.5.2 or later, For updates refer to http://php.net

**Affected Software/OS**
PHP versions before 5.4.18 and 5.5.x before 5.5.2 on Windows.

**Vulnerability Insight**

. . . continues on next page . . .

. . . continued from previous page . . .

The flaw is due to the SSL module not properly handling NULL bytes inside 'subjectAltNames' general names in the server SSL certificate.

**Vulnerability Detection Method**
Get the installed version of PHP with the help of detect NVT and check it is vulnerable or not.
Details:`PHP SSL Certificate Validation Security Bypass Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803739
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2013-4248
BID:61776
Other:
  URL:http://secunia.com/advisories/54480
   URL:http://www.php.net/ChangeLog-5.php
   URL:http://git.php.net/?p=php-src.git;a=commit;h=2874696a5a8d46639d261571f915
↪c493cd875897
```

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_dav_svn' Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:apache:http_server:2.2.14
Detected by Apache Web Server Version Detection (OID: 1.3.6.1.4.1.25623.1.0.9004
↪98)
```

**Summary**
The host is running Apache HTTP Server and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**

**Solution**
**Solution type:** VendorFix
Upgrade to Apache HTTP Server 2.2.25 or later, For updates refer to http://svn.apache.org

. . . continues on next page . . .

. . . continued from previous page . . .

**Affected Software/OS**
Apache HTTP Server version before 2.2.25 on windows.

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version Apache HTTP Server with the help of detect NVT and check it is vulnerable or not.
Details:`Apache HTTP Server 'mod_dav_svn' Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803743
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:apache:http_server:2.2.14`
Method: `Apache Web Server Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.900498)

**References**
```
CVE: CVE-2013-1896
BID:61129
Other:
  URL:http://www.apache.org/dist/httpd/Announcement2.2.html
   URL:http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c
↪?view=log
```

Medium (CVSS: 4.3)
NVT: PHP Cross-Site Scripting Vulnerability - Aug16 (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to cross-site scripting (XSS) vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.4.38
```

**Impact**
Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging 'the header function.
Impact Level: Application

. . . continues on next page . . .

. . . continued from previous page . . .

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.4.38, or 5.5.22, or 5.6.6, or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.4.38, 5.5.x before 5.5.22, and 5.6.x before 5.6.6 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Cross-Site Scripting Vulnerability - Aug16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.808799
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
```
CVE: CVE-2015-8935
BID:92356
Other:
  URL:https://bugs.php.net/bug.php?id=68978
```

Medium (CVSS: 4.3)
NVT: PHP 'PHAR' Error Page Reflected XSS And DoS Vulnerabilities (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to cross site scripting and denial of service vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.6.33
Installation
```

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

**Impact**
Successfully exploiting this issue allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Upgrade to PHP version 5.6.33, 7.0.27, 7.1.13 or 7.2.1 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions before 5.6.33, 7.0.x before 7.0.27, 7.1.x before 7.1.13, and 7.2.x before 7.2.1

**Vulnerability Insight**
Multiple flaws are due to,
- An input validation error on the PHAR 404 error page via the URI of a request for a .phar file.

**Vulnerability Detection Method**
Get the installed version with the help of the detect NVT and check if the version is vulnerable or not.
Details:PHP 'PHAR' Error Page Reflected XSS And DoS Vulnerabilities (Windows)
OID:1.3.6.1.4.1.25623.1.0.812732
Version used: $Revision: 8731 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2018-5712, CVE-2018-5711
Other:
URL:http://php.net/ChangeLog-5.php
URL:http://php.net/ChangeLog-7.php
URL:https://bugs.php.net/bug.php?id=74782
URL:https://bugs.php.net/bug.php?id=75571

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability

**Summary**

. . . continues on next page . . .

. . . continued from previous page . . .

This host is running Apache HTTP Server and is prone to cookie information disclosure vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will allow attackers to obtain sensitive information that may aid in further attacks.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to Apache HTTP Server version 2.2.22 or later, For updates refer to http://httpd.apache.org/

**Affected Software/OS**
Apache HTTP Server versions 2.2.0 through 2.2.21

**Vulnerability Insight**
The flaw is due to an error within the default error response for status code 400 when no custom ErrorDocument is configured, which can be exploited to expose 'httpOnly' cookies.

**Vulnerability Detection Method**
Details:`Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902830
Version used: `$Revision: 6720 $`

**References**
```
CVE: CVE-2012-0053
BID:51706
Other:
  URL:http://secunia.com/advisories/47779
   URL:http://www.exploit-db.com/exploits/18442
   URL:http://rhn.redhat.com/errata/RHSA-2012-0128.html
   URL:http://httpd.apache.org/security/vulnerabilities_22.html
   URL:http://svn.apache.org/viewvc?view=revision&revision=1235454
   URL:http://lists.opensuse.org/opensuse-security-announce/2012-02/msg00026.htm
↪l
```

[ return to 198.51.100.100 ]

### 2.1.6 Medium 5432/tcp

Medium (CVSS: 6.8)
NVT: SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability

**Summary**
OpenSSL is prone to security-bypass vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successfully exploiting this issue may allow attackers to obtain sensitive information by conducting a man-in-the-middle attack. This may lead to other attacks.

**Solution**
**Solution type:** VendorFix
Updates are available.

**Affected Software/OS**
OpenSSL before 0.9.8za, 1.0.0 before 1.0.0m and 1.0.1 before 1.0.1h

**Vulnerability Insight**
OpenSSL does not properly restrict processing of ChangeCipherSpec messages, which allows man-in-the-middle attackers to trigger use of a zero-length master key in certain OpenSSL-to-OpenSSL communications, and consequently hijack sessions or obtain sensitive information, via a crafted TLS handshake, aka the 'CCS Injection' vulnerability.

**Vulnerability Detection Method**
Send two SSL ChangeCipherSpec request and check the response.
Details:`SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.105042
Version used: `$Revision: 7578 $`

**References**
```
CVE: CVE-2014-0224
BID:67899
Other:
  URL:http://www.securityfocus.com/bid/67899
   URL:http://openssl.org/
```

Medium (CVSS: 6.8)
NVT: PostgreSQL Denial of Service Vulnerability (Windows)

**Product detection result**
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is installed with PostgreSQL and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will allow remote attackers to crash the server via a specially crafted SQL query. Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PostgreSQL 8.3.23, 8.4.16, 9.0.12, 9.1.8, 9.2.3 or later, For updates refer to http://www.postgresql.org/download/

**Affected Software/OS**
PostgreSQL version 9.2.x before 9.2.3, 9.1.x before 9.1.8, 9.0.x before 9.0.12, 8.4.x before 8.4.16, and 8.3.x before 8.3.23

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PostgreSQL Denial of Service Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803442
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**
```
CVE: CVE-2013-0255
BID:57844
Other:
  URL:http://securitytracker.com/id?1028092
   URL:http://xforce.iss.net/xforce/xfdb/81917
   URL:http://www.postgresql.org/support/security
```

Medium (CVSS: 6.5)
NVT: PostgreSQL Code Injection and Denial of Service Vulnerabilities (Windows)

**Product detection result**
`cpe:/a:postgresql:postgresql:8.3.1`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)

**Summary**
This host is running PostgreSQL and is prone to code injection and denial of service vulnerabilities.

**Vulnerability Detection Result**
Installed version: 8.3.1
Fixed version: 9.1.23

**Impact**
Successful exploitation will allow a remote attacker to inject code and cause the server to crash.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to version 9.1.23 or 9.2.18 or 9.3.14 or 9.4.9 or 9.5.4 or higher, For updates refer to http://www.postgresql.org/download

**Affected Software/OS**
PostgreSQL version before 9.1.23, 9.2.x before 9.2.18, 9.3.x before 9.3.14, 9.4.x before 9.4.9, and 9.5.x before 9.5.4 on windows.

**Vulnerability Insight**
Multiple flaws are due to - An error in certain nested CASE expressions. - Improper sanitization of input passed to database and role names.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:PostgreSQL Code Injection and Denial of Service Vulnerabilities (Windows)
OID:1.3.6.1.4.1.25623.1.0.808664
Version used: $Revision: 7545 $

**Product Detection Result**
Product: cpe:/a:postgresql:postgresql:8.3.1
Method: PostgreSQL Detection
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**
CVE: CVE-2016-5423, CVE-2016-5424
BID:92433, 92435
Other:
URL:https://www.postgresql.org/about/news/1688/

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired

**Summary**
The remote server's SSL/TLS certificate has already expired.

**Vulnerability Detection Result**
```
The certificate of the remote service expired on 2010-04-16 14:07:45.
Certificate details:
subject ...: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
subject alternative names (SAN):
None
issued by .: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
serial ....: 00FAF93A4C7FB6B9CC
valid from : 2010-03-17 14:07:45 UTC
valid until: 2010-04-16 14:07:45 UTC
fingerprint (SHA-1): ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256): E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7AF1E32DEE436
↪DE813CC
```

**Solution**
**Solution type:** Mitigation
Replace the SSL/TLS certificate by a new one.

**Vulnerability Insight**
This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.

**Vulnerability Detection Method**
Details:`SSL/TLS: Certificate Expired`
OID:1.3.6.1.4.1.25623.1.0.103955
Version used: `$Revision: 7248 $`

Medium (CVSS: 5.0)
NVT: PostgreSQL Multiple Information Disclosure Vulnerabilities - May17 (Windows)

**Product detection result**
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is running PostgreSQL and is prone to multiple information disclosure vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 8.3.1
Fixed version:     9.2.21
```

**Impact**
Successful exploitation will allow an unprivileged attacker to steal some information.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PostgreSQL version 9.2.21 or 9.3.17 or 9.4.12 or 9.5.7 or 9.6.3 or later. For updates refer to http://www.postgresql.org/download

**Affected Software/OS**
PostgreSQL version before 9.2.21, 9.3.x before 9.3.17, 9.4.x before 9.4.12, 9.5.x before 9.5.7, and 9.6.x before 9.6.3 on Windows.

**Vulnerability Insight**
Multiple flaws are due to,

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PostgreSQL Multiple Information Disclosure Vulnerabilities - May17 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.810991
Version used: `$Revision: 7543 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**
```
CVE: CVE-2017-7484, CVE-2017-7486
Other:
  URL:https://www.postgresql.org/about/news/1746
```

Medium (CVSS: 4.9)
NVT: PostgreSQL 'xml_parse()' And 'xslt_process()' Multiple Vulnerabilities (Windows)

**Product detection result**

. . . continues on next page . . .

. . . continued from previous page . . .

```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

**Summary**
This host is installed with PostgreSQL and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will allow attacker to modify data, obtain sensitive information or trigger outbound traffic to arbitrary external hosts. Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to PostgreSQL 8.3.20, 8.4.13, 9.0.9 or 9.1.5 or later, For updates refer to http://www.postgresql.org/download/

**Affected Software/OS**
PostgreSQL versions 8.3 before 8.3.20, 8.4 before 8.4.13, 9.0 before 9.0.9, and 9.1 before 9.1.5 on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Details:`PostgreSQL 'xml_parse()' And 'xslt_process()' Multiple Vulnerabilities (Windows)`
OID:1.3.6.1.4.1.25623.1.0.803219
Version used: `$Revision: 7548 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**

```
CVE: CVE-2012-3488, CVE-2012-3489
BID:55072, 55074
Other:
  URL:http://secunia.com/advisories/50218
   URL:http://securitytracker.com/id?1027408
   URL:http://www.postgresql.org/about/news/1407
   URL:http://www.postgresql.org/support/security
```

Medium (CVSS: 4.3)
NVT: SSL/TLS: Report Weak Cipher Suites

**Summary**
This routine reports all Weak SSL/TLS cipher suites accepted by a service.
NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication.

**Vulnerability Detection Result**
`'Weak' cipher suites accepted by this service via the SSLv3 protocol:`
`TLS_RSA_WITH_RC4_128_SHA`
`'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:`
`TLS_RSA_WITH_RC4_128_SHA`

**Solution**
**Solution type:** Mitigation
The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore.
Please see the references for more resources supporting you with this task.

**Vulnerability Insight**
These rules are applied for the evaluation of the cryptographic strength:
- RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808).
- Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000).
- 1024 bit RSA authentication is considered to be insecure and therefore as weak.
- Any cipher considered to be secure for only the next 10 years is considered as medium
- Any other cipher is considered as strong

**Vulnerability Detection Method**
Details:`SSL/TLS: Report Weak Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.103440
Version used: `$Revision: 5525 $`

**References**
`CVE: CVE-2013-2566, CVE-2015-2808, CVE-2015-4000`
`Other:`
`URL:https://www.bsi.bund.de/SharedDocs/Warnmeldungen/DE/CB/warnmeldung_cb-k16-`
`↪1465_update_6.html`
`URL:https://bettercrypto.org/`
`URL:https://mozilla.github.io/server-side-tls/ssl-config-generator/`

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection

**Summary**
. . . continues on next page . . .

. . . continued from previous page . . .

It was possible to detect the usage of the deprecated SSLv2 and/or SSLv3 protocol on this system.

**Vulnerability Detection Result**

```
In addition to TLSv1.0+ the service is also providing the deprecated SSLv3 proto
↪col and supports one or more ciphers. Those supported ciphers can be found in
↪the 'SSL/TLS: Report Weak and Supported Ciphers' (OID: 1.3.6.1.4.1.25623.1.0.8
↪02067) NVT.
```

**Impact**

An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.

**Solution**

**Solution type:** Mitigation

It is recommended to disable the deprecated SSLv2 and/or SSLv3 protocols in favor of the TLSv1+ protocols. Please see the references for more information.

**Affected Software/OS**

All services providing an encrypted communication using the SSLv2 and/or SSLv3 protocols.

**Vulnerability Insight**

The SSLv2 and SSLv3 protocols containing known cryptographic flaws like:
- Padding Oracle On Downgraded Legacy Encryption (POODLE, CVE-2014-3566)
- Decrypting RSA with Obsolete and Weakened eNcryption (DROWN, CVE-2016-0800)

**Vulnerability Detection Method**

Check the used protocols of the services provided by this system.
Details:`SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection`
OID:1.3.6.1.4.1.25623.1.0.111012
Version used: `$Revision: 5547 $`

**References**

```
CVE: CVE-2016-0800, CVE-2014-3566
Other:
  URL:https://www.enisa.europa.eu/activities/identity-and-trust/library/delivera
↪bles/algorithms-key-sizes-and-parameters-report
   URL:https://bettercrypto.org/
   URL:https://mozilla.github.io/server-side-tls/ssl-config-generator/
   URL:https://drownattack.com/
   URL:https://www.imperialviolet.org/2014/10/14/poodle.html
```

Medium (CVSS: 4.3)
NVT: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability (POODLE)

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is prone to an information disclosure vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will allow a man-in-the-middle attackers gain access to the plain text data stream.
Impact Level: Application

**Solution**
**Solution type:** Mitigation
Possible Mitigations are:
- Disable SSLv3
- Disable cipher suites supporting CBC cipher modes

**Vulnerability Insight**
The flaw is due to the block cipher padding not being deterministic and not covered by the Message Authentication Code

**Vulnerability Detection Method**
Evaluate previous collected information about this service.
Details:`SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability .`
↪`..`
OID:1.3.6.1.4.1.25623.1.0.802087
Version used: `$Revision: 4749 $`

**References**
```
CVE: CVE-2014-3566
BID:70574
Other:
  URL:https://www.openssl.org/~bodo/ssl-poodle.pdf
   URL:https://www.imperialviolet.org/2014/10/14/poodle.html
   URL:https://www.dfranke.us/posts/2014-10-14-how-poodle-happened.html
   URL:http://googleonlinesecurity.blogspot.in/2014/10/this-poodle-bites-exploit
↪ing-ssl-30.html
```

Medium (CVSS: 4.3)
NVT: PostgreSQL Remote Denial Of Service Vulnerability June15 (Windows)

**Product detection result**
```
cpe:/a:postgresql:postgresql:8.3.1
Detected by PostgreSQL Detection (OID: 1.3.6.1.4.1.25623.1.0.100151)
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is running PostgreSQL and is prone to remote denial of service vulnerability.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
Successful exploitation will allow a remote attacker to crash the program.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to version 9.0.20, 9.1.16, 9.2.11, 9.3.7, 9.4.2 or higher, For updates refer to http://www.postgresql.org/download

**Affected Software/OS**
PostgreSQL version before 9.0.20, 9.1.x before 9.1.16, 9.2.x before 9.2.11, 9.3.x before 9.3.7, and 9.4.x before 9.4.2 on windows.

**Vulnerability Insight**
Flaw is triggered when a timeout interrupt is fired partway through the session shutdown sequence.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PostgreSQL Remote Denial Of Service Vulnerability June15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.805194
Version used: `$Revision: 7546 $`

**Product Detection Result**
Product: `cpe:/a:postgresql:postgresql:8.3.1`
Method: `PostgreSQL Detection`
OID: 1.3.6.1.4.1.25623.1.0.100151)

**References**
```
CVE: CVE-2015-3165
BID:74787
Other:
  URL:http://www.postgresql.org/about/news/1587
```

Medium (CVSS: 4.0)
NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

**Summary**

. . . continues on next page . . .

. . . continued from previous page . . .

The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

**Vulnerability Detection Result**

```
The following certificates are part of the certificate chain but using insecure
↪signature algorithms:
Subject:              1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173
↪652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complic
↪ation of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thi
↪ng outside US,C=XX
Signature Algorithm:  sha1WithRSAEncryption
```

**Solution**

**Solution type:** Mitigation

Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

**Vulnerability Insight**

The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:
- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)
- Message Digest 2 (MD2)

Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.
NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive:
Fingerprint1
or
fingerprint1,Fingerprint2

**Vulnerability Detection Method**

Check which hashing algorithm was used to sign the remote SSL/TLS certificate.
Details:`SSL/TLS: Certificate Signed Using A Weak Signature Algorithm`
OID:1.3.6.1.4.1.25623.1.0.105880
Version used: `$Revision: 8810 $`

**References**

```
Other:
  URL:https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with
↪-sha-1-based-signature-algorithms/
```

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

**Summary**
The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size ¡ 2048).

**Vulnerability Detection Result**
`Server Temporary Key Size: 1024 bits`

**Impact**
An attacker might be able to decrypt the SSL/TLS communication offline.

**Solution**
**Solution type:** Workaround
Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. (see https://weakdh.org/sysadmin.html).

**Vulnerability Insight**
The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

**Vulnerability Detection Method**
Checks the DHE temporary public key size.
Details:`SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerabili.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.106223
Version used: `$Revision: 7578 $`

**References**
```
Other:
  URL:https://weakdh.org/
   URL:https://weakdh.org/sysadmin.html
```

[ return to 198.51.100.100 ]

### 2.1.7 Medium general/tcp

Medium (CVSS: 6.8)
NVT: OpenSSL Multiple Vulnerabilities -02 Nov15 (Windows)

**Product detection result**
`cpe:/a:openssl:openssl:0.9.8l`
`Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)`

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**
This host is running OpenSSL and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**
```
Installed version: 0.9.8l
Fixed version:     0.9.8zf
```

**Impact**
Successful exploitation will allow an remote attackers to cause a denial of service or execute arbitrary code or possibly have unspecified other impact .
Impact Level: System/Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 0.9.8zf or 1.0.0r or 1.0.1m or 1.0.2a or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL versions before 0.9.8zf, 1.0.0 before 1.0.0r, 1.0.1 before 1.0.1m, and 1.0.2 before 1.0.2a on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL Multiple Vulnerabilities -02 Nov15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.806733
Version used: `$Revision: 7546 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**
```
CVE: CVE-2015-0293, CVE-2015-0289, CVE-2015-0288, CVE-2015-0287, CVE-2015-0286,
↪CVE-2015-0209
BID:73232, 73231, 73237, 73227, 73225, 73239
Other:
  URL:http://www.ubuntu.com/usn/USN-2537-1
   URL:https://bto.bluecoat.com/security-advisory/sa92
   URL:https://www.openssl.org/news/secadv/20150319.txt
```

Medium (CVSS: 6.8)
NVT: OpenSSL Multiple Denial of Service Vulnerabilities -02 Dec15 (Windows)

**Product detection result**
`cpe:/a:openssl:openssl:0.9.8l`
`Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)`

**Summary**
This host is running OpenSSL and is prone to multiple denial of service vulnerabilities.

**Vulnerability Detection Result**
`Installed version: 0.9.8l`
`Fixed version:  0.9.8zg`

**Impact**
Successful exploitation will allow a remote attacker to cause a denial of service or possibly have unspecified other impact.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 0.9.8zg, or 1.0.0s or 1.0.1n or 1.0.2b or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL versions before 0.9.8zg, 1.0.0 before 1.0.0s, 1.0.1 before 1.0.1n, and 1.0.2 before 1.0.2b on Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL Multiple Denial of Service Vulnerabilities -02 Dec15 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.806744
Version used: `$Revision: 7546 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**
`CVE: CVE-2015-1789, CVE-2015-1790, CVE-2015-1791, CVE-2015-1792`
`BID:75156, 75157, 75161, 75154`
`Other:`

. . . continues on next page . . .

. . . continued from previous page . . .

URL:https://www.openssl.org/news/secadv/20150611.txt

Medium (CVSS: 5.0)
NVT: OpenSSL 'X509_ATTRIBUTE' Information Disclosure Vulnerability (Windows)

**Product detection result**
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)

**Summary**
This host is running OpenSSL and is prone to information disclosure vulnerability.

**Vulnerability Detection Result**
Installed version: 0.9.8l
Fixed version: 0.9.8zh

**Impact**
Successful exploitation will allow a remote attacker to gain access to potentially sensitive information.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 0.9.8zh or 1.0.0t or 1.0.1q or 1.0.2e or later. For updates refer https://www.openssl.org

**Affected Software/OS**
OpenSSL versions before 0.9.8zh, 1.0.0 before 1.0.0t, 1.0.1 before 1.0.1q, and 1.0.2 before 1.0.2e Windows

**Vulnerability Insight**

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:OpenSSL 'X509_ATTRIBUTE' Information Disclosure Vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.806655
Version used: $Revision: 7546 $

**Product Detection Result**
Product: cpe:/a:openssl:openssl:0.9.8l
Method: OpenSSL Remote Version Detection
OID: 1.3.6.1.4.1.25623.1.0.806723)

. . . continues on next page . . .

. . . continued from previous page . . .

**References**
CVE: CVE-2015-3195
Other:
URL:http://openssl.org/news/secadv/20151203.txt

Medium (CVSS: 4.3)
NVT: OpenSSL ECParameters Denial of Service Vulnerability Dec15 (Windows)

**Product detection result**
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)

**Summary**
This host is running OpenSSL and is prone to denial of service vulnerability.

**Vulnerability Detection Result**
Installed version: 0.9.8l
Fixed version: 0.9.8s

**Impact**
Successful exploitation will allow a remote attacker to cause a denial of service against any system which processes public keys, certificate requests or certificates.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 0.9.8s or 1.0.0e or 1.0.1n or 1.0.2b or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL versions 1.0.2 before 1.0.2b, 1.0.1 before 1.0.1n, 1.0.0 before 1.0.0e, 0.9.8 before 0.9.8s on Windows

**Vulnerability Insight**
The flaw is due to an error while processing ECParameters structure.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:OpenSSL ECParameters Denial of Service Vulnerability Dec15 (Windows)
OID:1.3.6.1.4.1.25623.1.0.806746
Version used: $Revision: 7546 $

**Product Detection Result**
Product: cpe:/a:openssl:openssl:0.9.8l
Method: OpenSSL Remote Version Detection

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**

```
CVE: CVE-2015-1788
BID:75158
Other:
  URL:https://www.openssl.org/news/secadv/20150611.txt
   URL:https://www.openssl.org/news/vulnerabilities.html
```

Medium (CVSS: 4.3)
NVT: OpenSSL SSLv2 DROWN Attack Vulnerability (Windows)

**Product detection result**

```
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)
```

**Summary**

This host is running OpenSSL and is prone to DROWN attack vulnerability.

**Vulnerability Detection Result**

```
Installed version: 0.9.8l
Fixed version:     1.0.1s
```

**Impact**

Successful exploitation will allow a remote attacker to decrypt traffic between clients and non-vulnerable servers and to gain usernames, passwords, credit card numbers, emails, instant messages, and sensitive documents and also to impersonate a secure website and intercept or change the content the user sees.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to OpenSSL 1.0.1s or 1.0.2g or later. For updates refer https://www.openssl.org

**Affected Software/OS**

OpenSSL versions before 1.0.1s and 1.0.2 before 1.0.2g on Windows.

**Vulnerability Insight**

The flaw is due a padding oracle flaw found in the SSLv2 protocol, so that by exploiting the server's support of SSLv2, an attacker can decrypt properly secured TLS traffic.

**Vulnerability Detection Method**

Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL SSLv2 DROWN Attack Vulnerability (Windows)`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.807095
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**

```
CVE: CVE-2016-0800
Other:
  URL:https://www.openssl.org/news/secadv/20160301.txt
   URL:https://drownattack.com/drown-attack-paper.pdf
   URL:https://answers.uchicago.edu/page.php?id=61323
   URL:http://arstechnica.com/security/2016/03/more-than-13-million-https-websit
↪es-imperiled-by-new-decryption-attack
```

Medium (CVSS: 4.3)
NVT: OpenSSL Multiple Vulnerabilities -02 Mar16 (Windows)

**Product detection result**

```
cpe:/a:openssl:openssl:0.9.8l
Detected by OpenSSL Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.806723)
```

**Summary**
This host is running OpenSSL and is prone to multiple vulnerabilities.

**Vulnerability Detection Result**

```
Installed version: 0.9.8l
Fixed version:     0.9.8zf
```

**Impact**
Successful exploitation will allow a remote attackers to decrypt TLS ciphertext data and to obtain sensitine information.
Impact Level: Application

**Solution**
**Solution type:** VendorFix
Upgrade to OpenSSL 1.0.2a or 1.0.1m or 1.0.0r or 0.9.8zf or later. For updates refer to https://www.openssl.org

**Affected Software/OS**
OpenSSL versions before 0.9.8zf, 1.0.0 before 1.0.0r, 1.0.1 before 1.0.1m, and 1.0.2 before 1.0.2a on Windows.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Insight**
Multiple flaws are due to, - The SSLv2 servers using OpenSSL accepted SSLv2 connection handshakes that indicated non-zero clear key length for non-export cipher suites. - The SSLv2 protocol implementation in OpenSSL did not properly implement the Bleichenbacher protection for export cipher suites.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`OpenSSL Multiple Vulnerabilities -02 Mar16 (Windows)`
OID:1.3.6.1.4.1.25623.1.0.807099
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:openssl:openssl:0.9.8l`
Method: `OpenSSL Remote Version Detection`
OID: 1.3.6.1.4.1.25623.1.0.806723)

**References**
```
CVE: CVE-2016-0703, CVE-2016-0704
Other:
  URL:https://www.openssl.org/news/secadv/20160301.txt
```

[ return to 198.51.100.100 ]

### 2.1.8 Low 80/tcp

Low (CVSS: 3.3)
NVT: PHP Symlink Attack Vulnerability (Windows)

**Product detection result**
```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**
This host is installed with PHP and is prone to symlink attack vulnerability.

**Vulnerability Detection Result**
```
Installed version: 5.3.1
Fixed version:     5.3.29
```

**Impact**
Successfully exploiting this issue allows local users to overwrite arbitrary files via a symlink attack on the '/tmp/phpglibccheck' file.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** VendorFix
Update to PHP version 5.5.14 or 5.4.30 or 5.3.29 or later. For updates refer to http://www.php.net

**Affected Software/OS**
PHP versions 5.5.x before 5.5.14, 5.4.x before 5.4.30, 5.3.x before 5.3.29 on Windows

**Vulnerability Insight**
The flaw is due to insecure temporary file use in the configure script.

**Vulnerability Detection Method**
Get the installed version with the help of detect NVT and check the version is vulnerable or not.
Details:`PHP Symlink Attack Vulnerability (Windows)`
OID:1.3.6.1.4.1.25623.1.0.809735
Version used: `$Revision: 7545 $`

**Product Detection Result**
Product: `cpe:/a:php:php:5.3.1`
Method: `PHP Version Detection (Remote)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
`CVE: CVE-2014-3981`
`BID:67837`
`Other:`
`URL:http://php.net/ChangeLog-5.php`
`URL:https://bugs.php.net/bug.php?id=67390`
`URL:http://seclists.org/fulldisclosure/2014/Jun/21`

Low (CVSS: 2.6)
NVT: Apache mod_perl 'Apache::Status' and 'Apache2::Status' Cross Site Scripting Vulnerability

**Summary**

An attacker may leverage this issue to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Solution**

. . . continues on next page . . .

. . . continued from previous page . . .

The vendor has released a fix through the SVN repository.

**Vulnerability Detection Method**

Details:`Apache mod_perl 'Apache::Status' and 'Apache2::Status' Cross Site Scripting Vul.`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.100130
Version used: `$Revision: 5002 $`

**References**

```
CVE: CVE-2009-0796
BID:34383
Other:
  URL:http://www.securityfocus.com/bid/34383
   URL:http://mail-archives.apache.org/mod_mbox/perl-advocacy/200904.mbox/<ad289
↪18e0904011458h273a71d4x408f1ed286c9dfbc@mail.gmail.com>
```

Low (CVSS: 2.6)
NVT: PHP pdo_sql_parser.re 'PDO' extension DoS vulnerability (Windows)

**Product detection result**

```
cpe:/a:php:php:5.3.1
Detected by PHP Version Detection (Remote) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

**Summary**

This host is installed with PHP and is prone denial of service vulnerability.

**Vulnerability Detection Result**

```
Installed version: 5.3.1
Fixed version:     5.3.14/5.4.4
```

**Impact**

Successful exploitation could allow remote attackers to cause a denial of service condition.
Impact Level: Application

**Solution**

**Solution type:** VendorFix
Upgrade to PHP Version 5.3.14 or 5.4.4 or later, For updates refer to http://php.net/downloads.php

**Affected Software/OS**

PHP version before 5.3.14 and 5.4.x before 5.4.4 on Windows

**Vulnerability Insight**

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Method**
Details:PHP pdo_sql_parser.re 'PDO' extension DoS vulnerability (Windows)
OID:1.3.6.1.4.1.25623.1.0.802670
Version used: $Revision: 7549 $

**Product Detection Result**
Product: cpe:/a:php:php:5.3.1
Method: PHP Version Detection (Remote)
OID: 1.3.6.1.4.1.25623.1.0.800109)

**References**
CVE: CVE-2012-3450
BID:54777
Other:
URL:http://seclists.org/bugtraq/2012/Jun/60
URL:http://www.php.net/ChangeLog-5.php
URL:https://bugs.php.net/bug.php?id=61755
URL:https://bugzilla.novell.com/show_bug.cgi?id=769785

[ return to 198.51.100.100 ]

### 2.1.9 Low general/tcp

Low (CVSS: 2.6)
NVT: Relative IP Identification number change

**Summary**

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Impact**
An attacker may use this feature to determine traffic patterns within your network. A few examples (not at all exhaustive) are:
1. A remote attacker can determine if the remote host sent a packet in reply to another request. Specifically, an attacker can use your server as an unwilling participant in a blind portscan of another network.
2. A remote attacker can roughly determine server requests at certain times of the day. For instance, if the server is sending much more traffic after business hours, the server may be a reverse proxy or other remote access device. An attacker can use this information to concentrate his/her efforts on the more critical machines.
3. A remote attacker can roughly estimate the number of requests that a web server processes over a period of time.

. . . continues on next page . . .

. . . continued from previous page . . .

**Solution**
Contact your vendor for a patch

**Vulnerability Detection Method**
Details:`Relative IP Identification number change`
OID:1.3.6.1.4.1.25623.1.0.10201
Version used: `$Revision: 7552 $`

Low (CVSS: 2.6)
NVT: TCP timestamps

**Summary**
The remote host implements TCP timestamps and therefore allows to compute the uptime.

**Vulnerability Detection Result**

```
It was detected that the host implements RFC1323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 600
Packet 2: 706
```

**Impact**
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

**Solution**
**Solution type:** Mitigation

To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See also: http://www.microsoft.com/en-us/download/details.aspx?id=9152

**Affected Software/OS**
TCP/IPv4 implementations that implement RFC1323.

**Vulnerability Insight**
The remote host implements TCP timestamps, as defined by RFC1323.

**Vulnerability Detection Method**
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details:`TCP timestamps`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `$Revision: 9035 $`

. . . continues on next page . . .

. . . continued from previous page . . .

**References**
Other:
URL:http://www.ietf.org/rfc/rfc1323.txt

[ return to 198.51.100.100 ]

### 2.1.10 Log 80/tcp

Log (CVSS: 7.5)
NVT: Test HTTP dangerous methods

**Summary**
Misconfigured web servers allows remote clients to perform dangerous HTTP methods such as PUT and DELETE. This script checks if they are enabled and can be misused to upload or delete files.

**Vulnerability Detection Result**
Although we could not exploit this it seems that the DELETE method is enabled (a
↪uth protected) at this web server for the following directories:
http://198.51.100.100/webdav/

**Impact**
- Enabled PUT method: This might allow an attacker to upload and run arbitrary code on this web server.
- Enabled DELETE method: This might allow an attacker to delete additional files on this web server.

**Solution**
**Solution type:** Mitigation
Use access restrictions to these dangerous HTTP methods or disable them completely.

**Vulnerability Detection Method**
Details:Test HTTP dangerous methods
OID:1.3.6.1.4.1.25623.1.0.10498
Version used: $Revision: 4295 $

**References**
BID:12141
Other:
OWASP:OWASP-CM-001

Log (CVSS: 0.0)
NVT: mod_perl Version Detection

. . . continues on next page . . .

. . . continued from previous page . . .

**Summary**

**Vulnerability Detection Result**

```
Detected mod_perl
Version:  2.0.4
Location: /
CPE:      cpe:/a:apache:mod_perl:2.0.4
Concluded from version/product identification result:
Server: Apache/2.2.14 (Win32) DAV/2 mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoindex_
↪color PHP/5.3.1 mod_apreq2-20090110/2.7.1 mod_perl/2.0.4 Perl/v5.10.1
```

**Log Method**

Details:`mod_perl Version Detection`
OID:1.3.6.1.4.1.25623.1.0.100129
Version used: `$Revision: 9115 $`

Log (CVSS: 0.0)
NVT: HTTP Server type and version

**Summary**

This detects the HTTP Server's type and version.

**Vulnerability Detection Result**

```
The remote web server type is :
Apache/2.2.14 (Win32) DAV/2 mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoindex_color PH
↪P/5.3.1 mod_apreq2-20090110/2.7.1 mod_perl/2.0.4 Perl/v5.10.1
Solution : You can set the directive "ServerTokens Prod" to limit
the information emanating from the server in its response headers.
```

**Solution**

**Log Method**

Details:`HTTP Server type and version`
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: `$Revision: 8370 $`

Log (CVSS: 0.0)
NVT: robot(s).txt exists on the Web Server

**Summary**

Web Servers can use a file called /robot(s).txt to ask search engines to ignore certain files and directories. By nature this file can not be used to protect private files from public read access.

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Detection Result**

```
The file 'robots.txt' contains the following:
User-agent: *
Disallow: /webdav/
```

**Solution**

Review the content of the robots file and consider removing the files from the server or protect them in other ways in case you actually intended non-public availability.

**Vulnerability Insight**

Any serious web search engine will honor the /robot(s).txt file and not scan the files and directories listed there.
Any entries listed in this file are not even hidden anymore.

**Log Method**

Details:`robot(s).txt exists on the Web Server`
OID:1.3.6.1.4.1.25623.1.0.10302
Version used: `$Revision: 6053 $`

Log (CVSS: 0.0)
NVT: DIRB (NASL wrapper)

**Summary**

This script uses DIRB to find directories and files on web applications via brute forcing. See the preferences section for configuration options.

**Vulnerability Detection Result**

```
This are the directories/files found with brute force:
http://198.51.100.100:80/
```

**Log Method**

Details:`DIRB (NASL wrapper)`
OID:1.3.6.1.4.1.25623.1.0.103079
Version used: `$Revision: 6841 $`

Log (CVSS: 0.0)
NVT: Services

**Summary**

This routine attempts to guess which service is running on the remote ports. For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

**Vulnerability Detection Result**

```
A web server is running on this port
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Log Method**
Details:Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: $Revision: 8188 $

Log (CVSS: 0.0)
NVT: CGI Scanning Consolidation

**Summary**
The script consolidates various information for CGI scanning.
This information is based on the following scripts / settings:
- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)

- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use
If you think any of these are wrong please report to openvas-plugins@wald.intevation.org

**Vulnerability Detection Result**

```
Generic web application scanning is disabled for this host via the "Enable gener
↪ic web application scanning" option within the "Global variable settings" of t
↪he scan config in use.
Requests to this service are done via HTTP/1.1.
This service seems to be able to host PHP scripts.
This service seems to be NOT able to host ASP scripts.
Historic /scripts and /cgi-bin are not added to the directories used for CGI sca
↪nning. You can enable this again with the "Add historic /scripts and /cgi-bin
↪to directories for CGI scanning" option within the "Global variable settings"
↪of the scan config in use.
The following directories were used for CGI scanning:
http://198.51.100.100/
http://198.51.100.100/cgi-bin
http://198.51.100.100/error
http://198.51.100.100/webdav
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from CGI scanning because of the "Regex
↪pattern to exclude directories from CGI scanning" setting of the NVT "Global v
↪ariable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288):
http://198.51.100.100/icons
```

**Log Method**

. . . continues on next page . . .

. . . continued from previous page . . .

Details:CGI Scanning Consolidation
OID:1.3.6.1.4.1.25623.1.0.111038
Version used: $Revision: 8852 $

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection

**Summary**
All known security headers are being checked on the host. On completion a report will hand back whether a specific security header has been implemented (including its value) or is missing on the target.

**Vulnerability Detection Result**

```
Missing Headers
---------------
Content-Security-Policy
Referrer-Policy
X-Content-Type-Options
X-Frame-Options
X-Permitted-Cross-Domain-Policies
X-XSS-Protection
```

**Log Method**
Details:HTTP Security Headers Detection
OID:1.3.6.1.4.1.25623.1.0.112081
Version used: $Revision: 8141 $

**References**

```
Other:
  URL:https://www.owasp.org/index.php/OWASP_Secure_Headers_Project
   URL:https://www.owasp.org/index.php/OWASP_Secure_Headers_Project#tab=Headers
   URL:https://securityheaders.io/
```

Log (CVSS: 0.0)
NVT: Nikto (NASL wrapper)

**Summary**
This plugin uses nikto(1) to find weak CGI scripts and other known issues regarding web server security. See the preferences section for configuration options.

**Vulnerability Detection Result**

```
Here is the Nikto report:
- Nikto v2.1.6
---------------------------------------------------------------------------
+ Target IP:          198.51.100.100
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
+ Target Hostname:    198.51.100.100
+ Target Port:        80
+ Start Time:         2018-11-27 23:27:36 (GMT0)
---------------------------------------------------------------------------
+ Server: Apache/2.2.14 (Win32) DAV/2 mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoinde
↪x_color PHP/5.3.1 mod_apreq2-20090110/2.7.1 mod_perl/2.0.4 Perl/v5.10.1
+ Server leaks inodes via ETags, header found with file /, inode: 28147497675421
↪4, size: 63, mtime: Mon Feb 29 16:56:25 2016
+ The anti-clickjacking X-Frame-Options header is not present.
+ The X-XSS-Protection header is not defined. This header can hint to the user a
↪gent to protect against some forms of XSS
+ The X-Content-Type-Options header is not set. This could allow the user agent
↪to render the content of the site in a different fashion to the MIME type
+ Entry '/webdav/' in robots.txt returned a non-forbidden or redirect HTTP code
↪(200)
+ "robots.txt" contains 1 entry which should be manually viewed.
+ Apache mod_negotiation is enabled with MultiViews, which allows attackers to e
↪asily brute force file names. See http://www.wisec.it/sectou.php?id=4698ebdc59
↪d15. The following alternatives for 'index' were found: HTTP_NOT_FOUND.html.va
↪r, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
↪HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTT
↪P_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_N
↪OT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_
↪FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var
+ Perl/v5.10.1 appears to be outdated (current is at least v5.14.2)
+ PHP/5.3.1 appears to be outdated (current is at least 5.6.9). PHP 5.5.25 and 5
↪.4.41 are also current.
+ Apache/2.2.14 appears to be outdated (current is at least Apache/2.4.12). Apac
↪he 2.0.65 (final release) and 2.2.29 are also current.
+ mod_perl/2.0.4 appears to be outdated (current is at least 2.0.7)
+ mod_apreq2-20090110/2.7.1 appears to be outdated (current is at least 2.8.0)
+ OpenSSL/0.9.8l appears to be outdated (current is at least 1.0.1j). OpenSSL 1.
↪0.0o and 0.9.8zc are also current.
+ mod_ssl/2.2.14 appears to be outdated (current is at least 2.8.31) (may depend
↪ on server version)
+ mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoindex_color PHP/5.3.1 mod_apreq2-2009011
↪0/2.7.1 mod_perl/2.0.4 Perl/v5.10.1 - mod_ssl 2.8.7 and lower are vulnerable t
↪o a remote buffer overflow which may allow a remote shell. http://cve.mitre.or
↪g/cgi-bin/cvename.cgi?name=CVE-2002-0082, OSVDB-756.
+ Allowed HTTP Methods: GET, HEAD, POST, OPTIONS, TRACE
+ OSVDB-877: HTTP TRACE method is active, suggesting the host is vulnerable to X
↪ST
+ OSVDB-3268: /icons/: Directory indexing found.
+ OSVDB-3233: /icons/README: Apache default file found.
+ OSVDB-3092: /.svn/wc.db: Subversion SQLite DB file may contain directory listi
↪ng information. See http://pen-testing.sans.org/blog/pen-testing/2012/12/06/al
↪l-your-svn-are-belong-to-us
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
+ 8328 requests: 0 error(s) and 20 item(s) reported on remote host
+ End Time:           2018-11-27 23:27:56 (GMT0) (20 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

**Log Method**
Details:`Nikto (NASL wrapper)`
OID:1.3.6.1.4.1.25623.1.0.14260
Version used: `$Revision: 7155 $`

Log (CVSS: 0.0)
NVT: PHP Version Detection (Remote)

**Summary**
Detection of installed version of PHP. This script sends HTTP GET request and try to get the version from the response, and sets the result in KB.

**Vulnerability Detection Result**

```
Detected PHP
Version:  5.3.1
Location: 80/tcp
CPE:      cpe:/a:php:php:5.3.1
Concluded from version/product identification result:
Server: Apache/2.2.14 (Win32) DAV/2 mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoindex_
↪color PHP/5.3.1 mod_apreq2-20090110/2.7.1 mod_perl/2.0.4 Perl/v5.10.1
```

**Log Method**
Details:`PHP Version Detection (Remote)`
OID:1.3.6.1.4.1.25623.1.0.800109
Version used: `$Revision: 8742 $`

Log (CVSS: 0.0)
NVT: OpenSSL Remote Version Detection

**Summary**
Detection of installed version of OpenSSL.
This script sends HTTP GET request and try to get the version from the response, and sets the result in KB.

**Vulnerability Detection Result**

```
Detected OpenSSL
Version:  0.9.8l
Location: /
CPE:      cpe:/a:openssl:openssl:0.9.8l
Concluded from version/product identification result:
```

. . . continues on next page . . .

. . . continued from previous page . . .

"OpenSSL/0.9.8l" at port 80

**Log Method**
Details:OpenSSL Remote Version Detection
OID:1.3.6.1.4.1.25623.1.0.806723
Version used: $Revision: 8143 $

Log (CVSS: 0.0)
NVT: Apache Web Server Version Detection

**Summary**
Detection of installed version of Apache Web Server
The script detects the version of Apache HTTP Server on remote host and sets the KB.

**Vulnerability Detection Result**

```
Detected Apache
Version:  2.2.14
Location: 80/tcp
CPE:      cpe:/a:apache:http_server:2.2.14
Concluded from version/product identification result:
Server: Apache/2.2.14
```

**Log Method**
Details:Apache Web Server Version Detection
OID:1.3.6.1.4.1.25623.1.0.900498
Version used: $Revision: 8140 $

[ return to 198.51.100.100 ]

### 2.1.11 Log 5432/tcp

Log (CVSS: 0.0)
NVT: PostgreSQL Detection

**Summary**
Detection of PostgreSQL, a open source object-relational database system (http://www.postgresql.org).
The script sends a connection request to the server (user:postgres, DB:postgres) and attempts to extract the version number from the reply.

**Vulnerability Detection Result**

```
Detected PostgreSQL
Version:  8.3.1
Location: 5432/tcp
CPE:      cpe:/a:postgresql:postgresql:8.3.1
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Concluded from version/product identification result:
8.3.1
```

**Log Method**
Details:PostgreSQL Detection
OID:1.3.6.1.4.1.25623.1.0.100151
Version used: $Revision: 8230 $

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

**Summary**
The SSL/TLS certificate on this port is self-signed.

**Vulnerability Detection Result**

```
The certificate of the remote service is self signed.
Certificate details:
subject ...: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
subject alternative names (SAN):
None
issued by .: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
serial ....: 00FAF93A4C7FB6B9CC
valid from : 2010-03-17 14:07:45 UTC
valid until: 2010-04-16 14:07:45 UTC
fingerprint (SHA-1): ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256): E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7AF1E32DEE436
↪DE813CC
```

**Log Method**
Details:SSL/TLS: Certificate - Self-Signed Certificate Detection
OID:1.3.6.1.4.1.25623.1.0.103140
Version used: $Revision: 8981 $

**References**

```
Other:
  URL:http://en.wikipedia.org/wiki/Self-signed_certificate
```

. . . continues on next page . . .

. . . continued from previous page . . .

Log (CVSS: 0.0)
NVT: Services

**Summary**
This routine attempts to guess which service is running on the remote ports. For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

**Vulnerability Detection Result**
```
An unknown service is running on this port.
It is usually reserved for Postgres
```

**Log Method**
Details:`Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `$Revision: 8188 $`

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites

**Summary**
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

**Vulnerability Detection Result**
```
'Non Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
```

**Log Method**
Details:`SSL/TLS: Report Non Weak Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.103441
Version used: `$Revision: 4736 $`

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details

**Summary**
This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

**Vulnerability Detection Result**

```
The following certificate details of the remote service were collected.
Certificate details:
subject ...: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
subject alternative names (SAN):
None
issued by .: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F6
↪3616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complication of
↪Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing outsid
↪e US,C=XX
serial ....: 00FAF93A4C7FB6B9CC
valid from : 2010-03-17 14:07:45 UTC
valid until: 2010-04-16 14:07:45 UTC
fingerprint (SHA-1): ED093088706603BFD5DC237399B498DA2D4D31C6
fingerprint (SHA-256): E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7AF1E32DEE436
↪DE813CC
```

**Log Method**
Details:`SSL/TLS: Collect and Report Certificate Details`
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: `$Revision: 6090 $`

Log (CVSS: 0.0)
NVT: PostgreSQL TLS Detection

**Summary**
The remote PostgreSQL Server supports TLS.

**Vulnerability Detection Result**
Vulnerability was detected according to the Vulnerability Detection Method.

**Log Method**
Details:`PostgreSQL TLS Detection`
OID:1.3.6.1.4.1.25623.1.0.105013
Version used: `$Revision: 4682 $`

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

**Summary**
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).

**Vulnerability Detection Result**

```
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv
↪ice via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
```

**Log Method**
Details:`SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.105018
Version used: `$Revision: 4771 $`

Log (CVSS: 0.0)
NVT: Service Detection with nmap

**Summary**
This plugin performs service detection by launching nmap's service probe (nmap -sV) against ports that are running unidentified services.
Note: This plugin is started at the end of a scan to register all remaining unknown services.

**Vulnerability Detection Result**

```
Nmap service detection result for this port: postgresql
```

**Log Method**
Details:`Service Detection with nmap`
OID:1.3.6.1.4.1.25623.1.0.66286
Version used: `$Revision: 6846 $`

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites

**Summary**
This routine reports all SSL/TLS cipher suites accepted by a service.

. . . continues on next page . . .

. . . continued from previous page . . .

As the NVT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this NVT instead. The script preference 'Report timeout' allows you to configure if such an timeout is reported.

**Vulnerability Detection Result**

```
'Strong' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_RSA_WITH_RC4_128_SHA
No 'Null' cipher suites accepted by this service via the SSLv3 protocol.
No 'Anonymous' cipher suites accepted by this service via the SSLv3 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_RSA_WITH_RC4_128_SHA
No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
```

**Log Method**

Details:`SSL/TLS: Report Supported Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: `$Revision: 5987 $`

Log (CVSS: 0.0)
NVT: Database Open Access Vulnerability

**Summary**

The host is running a Database server and is prone to information disclosure vulnerability.

**Vulnerability Detection Result**

```
PostgreSQL database can be accessed by remote attackers
```

**Impact**

Successful exploitation could allow an attacker to obtain the sensitive information of the database.

. . . continues on next page . . .

. . . continued from previous page . . .

Impact Level: Application

**Solution**
**Solution type:** Workaround
Restrict Database access to remote systems.

**Affected Software/OS**
- MySQL/MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

**Vulnerability Insight**
Do not restricting direct access of databases to the remote systems.

**Log Method**
Details:`Database Open Access Vulnerability`
OID:1.3.6.1.4.1.25623.1.0.902799
Version used: `$Revision: 8230 $`

**References**
```
Other:
  URL:https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_d
↪ss_v1-2.pdf
```

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites

**Summary**
This routine reports all Medium SSL/TLS cipher suites accepted by a service.

**Vulnerability Detection Result**
```
'Medium' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Vulnerability Insight**
Any cipher suite considered to be secure for only the next 10 years is considered as medium

**Log Method**
Details:`SSL/TLS: Report Medium Cipher Suites`
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: `$Revision: 4743 $`

[ return to 198.51.100.100 ]

### 2.1.12 Log 1099/tcp

Log (CVSS: 0.0)
NVT: RMI-Registry Detection

**Summary**
This Script detects the RMI-Registry Service

**Vulnerability Detection Result**
`The RMI-Registry Service is running at this port`

**Log Method**
Details:`RMI-Registry Detection`
OID:1.3.6.1.4.1.25623.1.0.105839
Version used: `$Revision: 6032 $`

[ return to 198.51.100.100 ]

### 2.1.13 Log general/tcp

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting

**Summary**
This script consolidates the OS information detected by several NVTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional informations which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to openvas-plugins@wald.intevation.org.

**Vulnerability Detection Result**
`Best matching OS:`

. . . continues on next page . . .

. . . continued from previous page . . .

```
OS: Microsoft Windows
CPE: cpe:/o:microsoft:windows
Found by NVT: 1.3.6.1.4.1.25623.1.0.111067 (HTTP OS Identification)
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.2.14 (Win32)
↪DAV/2 mod_ssl/2.2.14 OpenSSL/0.9.8l mod_autoindex_color PHP/5.3.1 mod_apreq2-2
↪0090110/2.7.1 mod_perl/2.0.4 Perl/v5.10.1
Setting key "Host/runs_windows" based on this information
```

**Log Method**
Details:`OS Detection Consolidation and Reporting`
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: `$Revision: 8968 $`

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate

**Summary**
It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

**Vulnerability Detection Result**

```
The following additional but not resolvable hostnames were detected:
ubuntu804-base.localdomain
```

**Log Method**
Details:`SSL/TLS: Hostname discovery from server certificate`
OID:1.3.6.1.4.1.25623.1.0.111010
Version used: `$Revision: 8322 $`

Log (CVSS: 0.0)
NVT: Traceroute

**Summary**
A traceroute from the scanning server to the target system was conducted. This traceroute is provided primarily for informational value only. In the vast majority of cases, it does not represent a vulnerability. However, if the displayed traceroute contains any private addresses that should not have been publicly visible, then you have an issue you need to correct.

**Vulnerability Detection Result**

```
Here is the route from 198.51.100.50 to 198.51.100.100:
198.51.100.50
198.51.100.100
```

**Solution**
Block unwanted packets from escaping your network.

. . . continues on next page . . .

. . . continued from previous page . . .

**Log Method**
Details:`Traceroute`
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: `$Revision: 8528 $`

[ return to 198.51.100.100 ]

### 2.1.14 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory

**Summary**
This routine uses information collected by other routines about CPE identities (http://cpe.mitre.org/) of operating systems, services and applications detected during the scan.

**Vulnerability Detection Result**
```
198.51.100.100|cpe:/a:apache:http_server:2.2.14
198.51.100.100|cpe:/a:apache:mod_perl:2.0.4
198.51.100.100|cpe:/a:openssl:openssl:0.9.8l
198.51.100.100|cpe:/a:php:php:5.3.1
198.51.100.100|cpe:/a:postgresql:postgresql:8.3.1
198.51.100.100|cpe:/o:microsoft:windows
```

**Log Method**
Details:`CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002
Version used: `$Revision: 8140 $`

[ return to 198.51.100.100 ]

### 2.1.15 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Services

**Summary**
This routine attempts to guess which service is running on the remote ports. For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

**Vulnerability Detection Result**

. . . continues on next page . . .

. . . continued from previous page . . .

```
An unknown service is running on this port.
It is usually reserved for MySQL
```

**Log Method**
Details:`Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `$Revision: 8188 $`

Log (CVSS: 0.0)
NVT: Report banner of unknown services

**Summary**
This plugin reports the banner from unknown/unidentified services so that the OpenVAS team can take them into account.
If you know this service, please send the reported banner to openvas-plugins@wald.intevation.org.

**Vulnerability Detection Result**

```
An unknown service is running on this port. If you know this service, please sen
↪d the following banner to openvas-plugins@wald.intevation.org:
Method: get_httpHex
0x00:  3E 00 00 00 0A 35 2E 30 2E 35 31 61 2D 33 75 62    >....5.0.51a-3ub
0x10:  75 6E 74 75 35 00 09 00 00 00 2B 5C 70 3D 7E 25    untu5.....+\p=~%
0x20:  38 2C 00 2C AA 08 02 00 00 00 00 00 00 00 00 00    8,.,............
0x30:  00 00 00 00 00 70 72 6A 3F 38 3E 6B 24 6C 76 2F    .....prj?8>k$lv/
0x40:  24 00 10 00 00 01 FF 13 04 42 61 64 20 68 61 6E    $........Bad han
0x50:  64 73 68 61 6B 65                                  dshake
```

**Log Method**
Details:`Report banner of unknown services`
OID:1.3.6.1.4.1.25623.1.0.11154
Version used: `$Revision: 6849 $`

Log (CVSS: 0.0)
NVT: Service Detection with nmap

**Summary**
This plugin performs service detection by launching nmap's service probe (nmap -sV) against ports that are running unidentified services.
Note: This plugin is started at the end of a scan to register all remaining unknown services.

**Vulnerability Detection Result**

```
Nmap service detection result for this port: mysql
This is a guess. A confident identification of the service was not possible.
Hint: If you're running a recent nmap version try to run nmap with the following
↪ command: 'nmap -sV -Pn -p 3306 198.51.100.100' and submit a possible collecte
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
↪d fingerprint to the nmap database.
```

**Log Method**
Details:`Service Detection with nmap`
OID:1.3.6.1.4.1.25623.1.0.66286
Version used: `$Revision: 6846 $`

[ return to 198.51.100.100 ]

### 2.1.16 Log 23/tcp

Log (CVSS: 0.0)
NVT: Services

**Summary**
This routine attempts to guess which service is running on the remote ports. For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

**Vulnerability Detection Result**

```
An unknown service is running on this port.
It is usually reserved for Telnet
```

**Log Method**
Details:`Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `$Revision: 8188 $`

[ return to 198.51.100.100 ]

### 2.1.17 Log 21/tcp

Log (CVSS: 0.0)
NVT: Services

**Summary**
This routine attempts to guess which service is running on the remote ports. For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

**Vulnerability Detection Result**

```
An FTP server is running on this port.
Here is its banner :
220 Microsoft FTP Service
```

. . . continues on next page . . .

. . . continued from previous page . . .

**Log Method**
Details:`Services`
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: `$Revision: 8188 $`

[ return to 198.51.100.100 ]