Climate of the Bakassi coast: rain, river, waves and risk, month by month

BakassiSea project. Shaded months (May to October) are the wet season.

1. Rain on the coast

monthly means of the three study points, ERA5 1991 to 2025; yearly totals are uncertain



2. River flow (Cross River at Itu)

GloFAS model, 1997 to 2020



3. Waves

Copernicus wave reanalysis, mean by month, 1991 to 2020



4. Share of days that are not SAFE

draft thresholds, reanalysis waves and ERA5 wind, 1991 to 2020



What it shows

- Rain: ERA5 shows a clear wet season from May to October, with Jul the wettest month (about 650 mm). Yearly totals are uncertain, because ERA5 rainfall has known breaks.
- River: the Cross River carries the most water in Oct (about 3760 m3/s) and the least in Feb (about 140 m3/s).
- Waves: highest in Aug (nearshore about 0.67 m, offshore about 1.11 m) and lowest in Jan.
- Risk: nearshore CAUTION or AVOID days peak in Aug (Point A 47 percent, Point C 42 percent); offshore they stay high all year.

Data: ERA5 reanalysis (Copernicus Climate Change Service / ECMWF) and GloFAS v4 (Copernicus Emergency Management Service), both via Open-Meteo.com; Copernicus Marine Service Global Ocean Waves Reanalysis.
Reanalysis and model values on coarse grids (about 5 to 25 km), not observations. Thresholds are drafts, not official safety standards. Analysis: Livingston, University of Dschang.