Climate of the Bakassi coast: rain, river, waves and risk, month by month

BakassiSea project. Shaded months (May to October) are the wet season.

1. Rain on the coast

mean of the three study points, ERA5 1991 to 2025



2. River flow (Cross River at Itu)

GloFAS model, 1997 to 2020



3. Waves

Copernicus wave reanalysis, mean by month, 1991 to 2020



4. Share of days that are not SAFE

draft thresholds, reanalysis waves and ERA5 wind, 1991 to 2020



What it shows

- A clear wet season from May to October: about 3,900 to 4,300 mm of rain a year, with July the wettest month.
- The Cross River carries the most water in September and October (about 3,700 m3/s) and the least in February (about 140 m3/s).
- Waves are highest in July and August and lowest in December and January. The nearshore points are calmer than the offshore point all year.
- Nearshore, the share of CAUTION or AVOID days is highest in July and August and lowest from October to May. Offshore, it stays high all year.

Data: ERA5 reanalysis (Copernicus Climate Change Service / ECMWF) and GloFAS v4 (Copernicus Emergency Management Service), both via Open-Meteo.com; Copernicus Marine Service Global Ocean Waves Reanalysis.
Reanalysis and model values on coarse grids (about 5 to 25 km), not observations. Thresholds are drafts, not official safety standards. Analysis: Livingston, University of Dschang.