| | ———Amphisbaena alba _I Notomabuya frenata |
|---|--|
| | Brasiliscincus heathi |
| | Copeoglossum nigropunctatum |
| | Podarcis muralis |
| | Zootoca vivipara |
| | Lacerta viridis Lacerta bilineata |
| | Chrysemys picta |
| | -Sphenodon punctatus1 |
| | Gopherus evgoodei |
| | -Alligator mississippiensis |
| | └Gallus gallus ┌Gekko japonicus |
| | -Paroedura picta |
| | Gymnodactylus amarali |
| | -Eublepharis macularius |
| | LHemidactylus mabouia |
| | Colobosaura modesta |
| | -Salvator meriana -Ameiva ameiva |
| | -Ameivula mumbuca |
| | -Micrablepharus maximiliani |
| | Kentropyx calcarata |
| | Shinisaurus crocodilurus |
| | Dopasia gracilis |
| ſ | Tropidurus oreadicus Anolis meridionalis |
| | Anolis brasiliensis |
| | -Pogona vitticeps |
| | L _{Anolis} carolinensis |
| | Typhlops brongersmianus |
| ┪ | Python bivittatus |
| | ——Corallus hortulanus ——Trilepida brasiliensis |
| | Liotyphlops ternetzii |
| | Laticauda colubrina |
| | -Ophiophagus hannah |
| | Micrurus brasiliensis |
| | └Hydrophis melanocephalus -Bothrops lutzi |
| | -Deinagkistrodon actutus |
| | -Protobothrops mucrosquamatus |
| | -Crotalus horridus |
| | -Bothrops pauloensis |
| | LBothrops moojeni |
| | —Taeniophallus occipitalis —Philodryas nattereri |
| | Erythrolamprus reginae |
| | Erythrolamprus poecilogyrus |
| | —Xenodon merremi |
| | Chironius exoletus |
| | Oxyrhopus petolarius |
| | —Pseudoboa neuwiedii —Sibynomorphus mikanii |
| | —Tantilla melanocephala |
| | Psomophis joberti |
| | —Pseudoboa nigra |
| | —Apostolepis polylepis |
| | Imantodes cenchoa Erythrolamprus almadensis |
| | —Erytnrolamprus almadensis —Apostolepis cearensis |
| | —Philodryas olfersii |
| | —Phimophis guerini |
| | —Thamnodynastes hypoconia |
| | —Oxyrhopus trigeminus |
| | —Lygophis paucidens |
| | Leptodeira annulata |