
Front matter

title: "Отчёт по первому этапу индивидуального проекта"

subtitle: "Операционные системы"

author: "Волчкова Елизавета Дмитриевна"

Generic options

lang: ru-RU

toc-title: "Содержание"

Bibliography

bibliography: bib/cite.bib

csl: pandoc/csl/gost-r-7-0-5-2008-numeric.csl

Pdf output format

toc: true # Table of contents

toc-depth: 2

lof: true # List of figures

lot: true # List of tables

fontsize: 12pt

linestretch: 1.5

papersize: a4

documentclass: scrreprt

l18n polyglossia

polyglossia-lang:

name: russian

polyglossia-otherlangs:

name: english

l18n babel

babel-lang: russian

babel-otherlangs: english

Fonts

mainfont: IBM Plex Serif

romanfont: IBM Plex Serif

sansfont: IBM Plex Sans

monofont: IBM Plex Mono

mathfont: STIX Two Math

mainfontoptions: Ligatures=Common,Ligatures=TeX,Scale=0.94

romanfontoptions: Ligatures=Common,Ligatures=TeX,Scale=0.94

sansfontoptions: Ligatures=Common,Ligatures=TeX,Scale=MatchLowercase,Scale=0.94

monofontoptions: Scale=MatchLowercase,Scale=0.94,FakeStretch=0.9
mathfontoptions:

Biblatex

biblatex: true

biblio-style: "gost-numeric"

biblatexoptions:

- parenttracker=true
- backend=biber
- hyperref=auto
- language=auto
- autolang=other*
- citestyle=gost-numeric

Pandoc-crossref LaTeX customization

figureTitle: "Рис."

tableTitle: "Таблица"

listingTitle: "Листинг"

lofTitle: "Список иллюстраций"

lotTitle: "Список таблиц"

lolTitle: "Листинги"

Misc options

indent: true

header-includes:

- \usepackage{indentfirst}
- \usepackage{float} # keep figures where there are in the text
- \floatplacement{figure}{H} # keep figures where there are in the text

Этапы реализации проекта:

Я разместила на Github pages заготовки для персонального сайта.

Liza2006-ux.github.io

Q Type

Pull requests Actions Projects Wiki Security Insights Settings

General

Repository name

Liza2006-ux.github.io

Rename

☐ Template repository

Template repositories let users generate new repositories with the same directory structure and files. [Learn more](#)

☐ Require contributors to sign off on web-based commits

Enabling this setting will require contributors to sign off on commits made through GitHub's web interface. Contributors to affirm that their commit complies with the repository's terms, commonly the [Developer Certificate of Origin](#). [Learn more about signing off on commits](#)

Default branch

The default branch is considered the "base" branch in your repository, against which all pull requests are automatically made, unless you specify a different branch.

main

Затем установила необходимое программное обеспечение.
Потом скачала шаблон темы сайта.

Liza2006-ux [Update README.md](#)

Preview

Code

Blame

6 lines (4 loc) · 128 Bytes

Code 55% faster with GitHub Copilot

Liza2006-ux.github.io

Заготовка сайта на Github pages.

П.С. Я люблю программировать!

Далее разместила его на хостинге git.
И установила параметр для URLs сайта.

 [Liza2006-ux.github.io](https://github.com/Liza2006-ux.github.io) / in [main](#)

Edit

Preview



Code 55% faster with GitHub Copilot

```
1  # Liza2006-ux.github.io
2
3  Заготовка сайта на Github pages.
4
5  П.С. |
6  Я люблю программировать!
7
```

Заготовка сайта на Github pages готова!