







```
1 import json
2
3 from processing.new_data import get_data, validate_bucket, validate_file
4 from processing.clean_data import create_new_data
5
6
7 def lambda_handler(event, context):
8
9     # Validar bucket
10     if not validate_bucket():
11         return {
12             "statusCode": 400,
13             "message": "El bucket no existe"
14         }
15
16     # Validar archivo
17     if not validate_file():
18         return {
19             "statusCode": 400,
20             "message": "El archivo titanic.csv no existe"
21         }
22
23 ..
```



```
7 def lambda_handler(event, context):
17     if not validate_file():
21
22
23     # Leer datos
24     df = get_data()
25
26     # Limpiar y guardar
27     result = create_new_data(df)
28
29     return {
30         "statusCode": 200,
31         "body": json.dumps(result)
32     }
33
34
35
36
```



```
1
2 import boto3
3 import pandas as pd
4 from io import BytesIO
5
6 s3 = boto3.client("s3")
7
8 bucket = "xideralaws-curso-benjamin2026"
9 key = "titanic.csv"
10
11
12 def validate_bucket():
13     try:
14         s3.head_bucket(Bucket=bucket)
15         return True
16     except Exception as e:
17         print(f"Bucket no existe: {e}")
18         return False
19
```




EXPLORER

- XIDERAL_LIZ2026
 - processing
 - processing
 - _init_.py
 - clean_data.py
 - new_data.py
 - lambda_function.py
- DEPLOY Undeployed
 - Deploy (Ctrl+Shift+U)
 - Test (Ctrl+Shift+I)

processing > new_data.py

```
12 def validate_bucket():
16     except Exception as e:
19
20
21 def validate_file():
22     try:
23         s3.head_object(Bucket=bucket, Key=key)
24         return True
25     except Exception as e:
26         print(f"Archivo no existe: {e}")
27         return False
28
29
30 def get_data():
31     response = s3.get_object(Bucket=bucket, Key=key)
32     df = pd.read_csv(BytesIO(response["Body"].read()))
33     return df
34
35
```




EXPLORER

- XIDERAL_LIZ2026
 - processing
 - processing
 - _init_.py
 - clean_data.py
 - new_data.py
 - lambda_function.py
- DEPLOY Undeployed
 - Deploy (Ctrl+Shift+U)
 - Test (Ctrl+Shift+I)

processing > clean_data.py

```
1 import boto3
2 from io import StringIO
3
4 s3 = boto3.client("s3")
5
6 bucket = "xideralaws-curso-liz2026"
7 output_key = "titanic_clean.csv"
8
9
10 def create_new_data(df):
11     # Limpieza básica
12     df = df.dropna()
13     df = df.drop_duplicates()
14     df.columns = [col.lower() for col in df.columns]
15
16     # Convertir a CSV en memoria
17     csv_buffer = StringIO()
18     df.to_csv(csv_buffer, index=False)
19
```



EXPLORER

- XIDERAL_LIZ2026
 - processing
 - processing
 - _init_.py
 - clean_data.py
 - new_data.py
 - lambda_function.py
- DEPLOY Undeployed
 - Deploy (Ctrl+Shift+U)
 - Test (Ctrl+Shift+I)

processing > clean_data.py

```
10 def create_new_data(df):
18     df.to_csv(csv_buffer, index=False)
19
20     # Guardar en S3
21     s3.put_object(
22         Bucket=bucket,
23         Key=output_key,
24         Body=csv_buffer.getvalue(),
25         ContentType="text/csv"
26     )
27
28     return {
29         "message": "Archivo limpio guardado",
30         "rows": len(df)
31     }
32
33
34
```

