Pathology Report

Case Number: 4
Age of diagnosis for Affected Patient: 55
Family History: Maternal Grandmother breast cancer at age 42

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 5
Age of diagnosis for Affected Patient: 39
Family History: Father pancreatic cancer at age 60

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 6
Age of diagnosis for Affected Patient: 53
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 7
Age of diagnosis for Affected Patient: 62
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 3.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 8
Age of diagnosis for Affected Patient: 35
Family History: Mother breast cancer at age 45

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 9
Age of diagnosis for Affected Patient: 54
Family History: Paternal cousin male breast cancer

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 10
Age of diagnosis for Affected Patient: 40
Family History: Maternal Aunt ovarian cancer at age 50

Diagnosis:

- Invasive breast carcinoma of no special type, grade 3.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 11
Age of diagnosis for Affected Patient: 70
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 12
Age of diagnosis for Affected Patient: 38
Family History: Brother prostate cancer, metastatic at age 45

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 13
Age of diagnosis for Affected Patient: 29
Family History: Sister triple-negative breast cancer at age 34

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 14
Age of diagnosis for Affected Patient: 62
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 15
Age of diagnosis for Affected Patient: 46
Family History: Father and paternal uncle pancreatic cancer at age 50

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 16
Age of diagnosis for Affected Patient: 28
Family History: Mother breast cancer at age 48

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 17
Age of diagnosis for Affected Patient: 45
Family History: Ashkenazi Jewish ancestry

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 18
Age of diagnosis for Affected Patient: 75
Family History: No family history

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 19
Age of diagnosis for Affected Patient: 50
Family History: Paternal Grandfather prostate cancer, metastatic

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 20
Age of diagnosis for Affected Patient: 67
Family History: No family history

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 21
Age of diagnosis for Affected Patient: 33
Family History: Mother and maternal aunt breast cancer (ages ≤50)

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 22
Age of diagnosis for Affected Patient: 29
Family History: Maternal cousin ovarian cancer

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 23
Age of diagnosis for Affected Patient: 48
Family History: Brother male breast cancer

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 24
Age of diagnosis for Affected Patient: 55
Family History: Father pancreatic cancer at age 65

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 25
Age of diagnosis for Affected Patient: 75
Family History: No family history

Diagnosis: Invasive carcinoma with lobular features (Grade 3).

Hormone Receptor Status:
ER Status: Negative
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 26
Age of diagnosis for Affected Patient: 64
Family History: Paternal Aunt ovarian cancer

Diagnosis: Invasive carcinoma with lobular features (Grade 2).

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 27
Age of diagnosis for Affected Patient: 38
Family History: Paternal Grandfather and 2 uncles from paternal side of the family with prostate cancer.

Diagnosis: Invasive carcinoma with lobular features (Grade 2).

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 28
Age of diagnosis for Affected Patient: 45
Family History: No family history

Diagnosis: Invasive carcinoma with lobular features (Grade 1).

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 29
Age of diagnosis for Affected Patient: 55
Family History: Sister breast cancer at age 50

Diagnosis: Invasive carcinoma with lobular features (Grade 1).

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 30
Age of diagnosis for Affected Patient: 67
Family History: Ashkenazi Jewish ancestry

Diagnosis: Invasive carcinoma with lobular features (Grade 3).

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 31
Age of diagnosis for Affected Patient: 65
Family History: No family history

Diagnosis: Invasive carcinoma with lobular features (Grade 2).

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 32
Age of diagnosis for Affected Patient: 34
Family History: Father pancreatic cancer

Diagnosis: Invasive carcinoma with lobular features (Grade 2).

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 33
Age of diagnosis for Affected Patient: 29
Family History: no family history

Diagnosis: Invasive carcinoma with lobular features (Grade 1). Multiple primary breast cancer

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 34
Age of diagnosis for Affected Patient: 56
Family History: Sister ovarian cancer

Diagnosis:

- Invasive breast carcinoma of no special type, grade 3.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 35
Age of diagnosis for Affected Patient: 68
Family History: Paternal Uncle male breast cancer

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 36
Age of diagnosis for affected Patient: 50
Family History: Father and paternal uncle with prostate cancer (metastatic)

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 37
Age of diagnosis for Affected Patient: 45
Family History: Maternal Cousin breast cancer at age 49

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 38
Age of diagnosis for Affected Patient: 65
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 1.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 39
Age of diagnosis for f Affected Patient: 30
Family History: Sister ovarian cancer

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 40
Age of diagnosis for Affected Patient: 29
Family History: Cousin breast cancer at age 48

Diagnosis: Invasive carcinoma with lobular features (Grade 1).

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 41
Age of diagnosis for Affected Patient: 75
Family History: No family history

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 42
Age of diagnosis for Affected Patient: 44
Family History: Aunt pancreatic cancer

Diagnosis: Invasive carcinoma with lobular features (Grade 1).

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 43
Age of diagnosis for Affected Patient: 38
Family History: Grandfather prostate cancer, metastatic

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 44
Age of diagnosis for Affected Patient: 45
Family History: Mother breast cancer at age 52

Diagnosis: Invasive carcinoma with lobular features (Grade 2).

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive

Pathology Report

Case Number: 45
Age of diagnosis for Affected Patient: 56
Family History: No family history

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 46
Age of diagnosis for Affected Patient: 29
Family History: Sister triple-negative breast cancer at age 45

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Positive
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 47
Age of diagnosis for Affected Patient: 50
Family History: Cousin male breast cancer

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 48
Age of diagnosis for Affected Patient: 60
Family History: Father and grandfather pancreatic cancer

Diagnosis:

- Invasive breast carcinoma of no special type, grade 3.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 49
Age of diagnosis for Affected Patient: 75
Family History: Aunt ovarian cancer

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 50
Age of diagnosis for Affected Patient: 68
Family History: Cousin prostate cancer, metastatic

Diagnosis:

- Invasive breast carcinoma of no special type, grade 2.
- Intermediate grade ductal carcinoma in situ (DCIS) with a solid pattern.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Negative

Pathology Report

Case Number: 1
Age of diagnosis for Affected Patient: 32
Family History: No family history

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Negative

Pathology Report

Case Number: 2
Age of diagnosis for Affected Patient: 28
Family History: Sister ovarian cancer at age 38

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Positive
PR Status: Positive
HER2 Status: Positive

Pathology Report

Case Number: 3
Age of diagnosis for Affected Patient: 52
Family History: No family history

Diagnosis:

- Invasive ductal carcinoma, grade 3: High-grade invasive ductal carcinoma.
- Ductal carcinoma in situ (DCIS), high grade with comedo necrosis.

Hormone Receptor Status:
ER Status: Negative
PR Status: Negative
HER2 Status: Positive