## **DOKUMENTACIJA**

https://ljubivoje.github.io/Fade-Zone-Barber-Shop/index.html

WEB PROGRAMIRANJE 1

### SADRZAJ

1.0 Uvod	3
1.1 Korišćeni programski jezici:	3
1.2 Opis funkcionalnosti:	3
1.3 Template:	4
2.0 Organizacija	7
2.1 Šema sajta	8
2.2 Sitemap:	9
2.3 Robots.txt:	10
2.4 RSS:	10
2.5 Slike stranica i opisi njihovih funkcionalnosti	11
3.0 Kodovi	19
3.1 HTML kod:	19
3.2 CSS:	26
3.3 JS i jQuerry:	44

## 1.0 Uvod

## 1.1 Korišćeni programski jezici:

- 1) HTML
- 2) CSS
- 3) JavaScript
- 4) jQuery
- 5) XML

## 1.2 Opis funkcionalnosti:

- -Navigacioni meni prilagodjen za sve uredjaje
- -"Expansion" navigacioni meni za mobilne I tablet uredjaje koji imaju manje od 770px.
- -Klikom na barbera dobija se kratak tekst o njemu
- -Slika u galeriji se automatski menja na svakih 8 sekundi a moze I rucno klikom na strelicu ili kruzic, svaka slika sadrzi kratak tekst u kojem stoji kako se ona zove I koji barber ju je napravio.


Validacija: potrebno je popuniti svako polje kako mi validacija bila vazeca, ukoliko korisnik ne popuni


odredjeno polje, ili ga popuni sa pogresnom vrednosti, sajt ce ga obavestiti o gresci.

Klikom na dugme submit, korisnik ce dobiti poruku(ukoliko je sve tacno popunio) da je uspesno zakazao svoj termin.


## 1.3 Template:


Nije korišćen "template" I sajt je prilagođen za sve uređaje.













Appointments
Name  E-mail  Priorie tromicus  Choose date
12/02/2021
Choose your bather.



## 2.0 Organizacija

Sajt se sastoji od 7 stranica koje su međusobno povezane. Svaka može pristupiti svakoj, jedino stranica koja vodi na posebnu stranu je about. html i ona jedino vodi ka stranici index. html

# 2.1 Šema sajta



## 2.2 Sitemap:

```
<?xml version="1.0" encoding="UTF-8"?>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/index.html</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>weekly</changefreq>
 <priority>0.80</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#team</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.75</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#menu</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.70</priority>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#gallery</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.65</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#appointments</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.60</priority>
</url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#footer</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.55</priority>
</url>
 <le><loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/assets/pages/about.html</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.50</priority>
</url>
</urlset>
```

## 2.3 Robots.txt:


User-agent: \*


dissalow:

## 2.4 RSS:

## 2.5 Slike stranica i opisi njihovih funkcionalnosti

#### **NavBar**





Prilikom smanjivanja rezolucije(>770px), u gornjem levom uglu se pojavljuje "Hamburger" koji nam omogucava da koristimmo navigation bar na mobilnim uredjajima. Nakon sto odaberemo zeljenu stranicu moramo pritisnuti X kako bi ugasili taj navigation bar. Takodje, posto je "sticky", na desktopr rezolucijama navigation bar ce se pomerati dok scroll-ujemo stranicu i uvek ce nam biti dostupan da nas odvede na neki drugi deo strane.


## Barber page:






Prilikom selektovanja, tjst. Pritiskom levog tastera misa na sliku barbera dobijamo kratak opis o njemu. Ako kliknemo na drugog barbera, tekst o prethodnom barberu ce nestati, to ce se takodje dogoditi ako opet pritisnemo na tog barbera.

## Services page:





Radi skracivanja koda ceo kod za Service page je ispisan u JS, na njemu je primenjen jQuery plugin koji tekst ispisuje karakter po karakter u vremenskom intervalu od 3 sekunde.

## Gallery page:











Nakon intervala od 8 sekundi dolazi do promene slike i teksta, to se takodje moze izvesti rucno klikom na strelicu ili krug. Takođe svaka slika je animirana da se polako zumira za vreme trajanja intervala od 8 sekundi. Na mobilnim i tablet uredjajima je uklonjen tekst i krugovi radi boljeg prikaza, tjst. Responive.

## Validacija forme:

## Prvo imamo primer forme koja nije popunjena:




Da bi forma bila validna, moramo popuniti svako polje, ali svako od njih ima neki uslov.



Ime moze da sadrzi samo slova.


#### E-mail



\*Invalid E-Mail\*


E-mail mora da sadrzi '@' i .com ,.rs....

#### Phone number



\*Invalid phone number\*

Broj telefona moze sadrzati samo brojeve od 0-9 i njih moze biti najvise 10(Ovde su uzeti u obzir samo domaci brojevi telefona/0641234567/




Polje za datum ne moze biti datum pre danasnjeg ili prazno.



Ukoliko bilo koje od ova tri polja ostavimo sa pocetnom vrednoscu, sajt ce nam nece dozvoliti da potvrdimo rezervaciju.

## Primer tacno popunjene forme:



Nakon sto tacno popunimo formu dobicemo obavestenje da smo uspesno rezervisali termin, i kada kliknemo na ok obavice se refresh stranice.

### 3.0 Kodovi

#### 3.1 HTML kod:

```
<!DOCTYPE html>
<html>
   <head>
       <meta charset="UTF-8">
       <meta name="keywords" content="Haircuts,Shave,Cut,Fade" />
       <meta name="description" content="Zakazite Vaš termin već danas! " />
       <meta name="viewport" content="width=device-width, initial-scale=1.0" />
       <meta name="author" content="Ljubivoje Tomic"/>
       <link rel="stylesheet" type="text/css" href="assets/css/style.css" />
       <script src="https://kit.fontawesome.com/2d7d34c152.js"</pre>
crossorigin="anonymous"></script>
       <link rel="shortcut icon" href="assets/img/barber.ico"/>
       <title>-Fade Zone Barber Shop-</title>
   </head>
   <body>
       <header>
<nav class="navbar">
               <div class="content">
                 <div class="logo">
                   <a href="index.html">Fade Zone Barber Shop</a>
                 </div>
                 <div class="icon cancel-btn">
                     <i class="fas fa-times"></i></i>
                   </div>
                   <a href="#team">Barbers</a>
                   <a href="#menu">Services</a>
                   <a href="#gallery">Gallery</a>
                   <a href="#appointments">Appointments</a>
                   <a href="#footer">Contact</a>
                   <a href="assets/pages/about.html">About</a>
                 <div class="icon menu-btn">
                   <i class="fas fa-bars"></i></i>
                 </div>
               </div>
```

```
</nav>
       </header>
        <main>
           <section id="banner">
               <div id="background">
                   <div id="titleInfo">
                       <h1 class="firstTitle">Fade Zone Barber Shop</h1>
                   </div>
                   <div id="textInfo">
                       Make your appointment and let us turn
you into real gentelman
                       Look your best.Feel your best.Change the
game.
                   </div>
                   <div id="arrowDown">
                   <a href="#treci">
                       <i class="fas fa-arrow-down" aria-hidden="true"></i></i>
                   </a>
                   </div>
               </div>
           </section>
            <section id="team">
               <div class="container-title">
                   <div class="line"></div>
                   <div id="title"> <h2>Our Barbers </h2> </div>
                   <div class="line"></div>
               </div>
               <div id="container1">
                   <div class="onClickTextOverImage"</pre>
                       style="background-image: url(assets/img/barber3.jpg);">
                   <div>
                       <h4>Michael Jones</h4>
                       Our newest barber, mainly experienced for longer hairs
and fade master.
                   </div>
                   </div>
                   <div class="onClickTextOverImage"</pre>
                       style="background-image: url(assets/img/barber2.jpg);">
                   <div>
                       <h4>Alex Miller</h4>
                       Our expert for beard triming and shaving.
                   </div>
                   </div>
                   <div class="onClickTextOverImage"</pre>
```

```
style="background-image: url(assets/img/barber1.jpg);">
                    <div>
                        <h4>Chris Wilson</h4>
                        Our team leader, most experienced barber and CEO of
Fade Zone Barber Shop. 
                    </div>
                    </div>
                </div>
            </section>
            <section id="menu" style="background-image:</pre>
url(assets/img/cenovnik.jpg);">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title2"> <h2>Services</h2> </div>
                    <div class="line"></div>
                </div>
                <div id="services">
                </div>
            </section>
            <section id="gallery">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title"> <h2>Gallery</h2> </div>
                    <div class="line"></div>
                </div>
                <div class="slider">
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Slick-Back</h1>
                        By : Michael Jones
                    <img src="assets/img/slickback.jpg" alt="SlickBack"</pre>
style="width: 100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Comb Over + Mid Fade </h1>
                        By : Alex Miller
                    <img src="assets/img/midfadeover.jpg" alt="MidFadeWithTop"</pre>
style="width: 100%; height: 100%;">
                </div>
```

```
<div class="myslide fade">
                    <div class="txt">
                        <h1>Undercut with Crop top</h1>
                        By : Michael Jones
                    </div>
                    <img src="assets/img/undercut.jpg" alt =</pre>
'RegularUndercut"style="width: 100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Crew cut</h1>
                        By: Chris Wilson
                    </div>
                    <img src="assets/img/crew.jpg" alt = "CrewCut"style="width:</pre>
100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Side Part + Mid Fade</h1>
                        By : Alex Miller
                    <img src="assets/img/midfadesidepart.jpg"</pre>
alt="MidFadeWithSidePart" style="width: 100%; height: 100%;">
                </div>
                <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
                  <a class="next" onclick="plusSlides(1)">&#10095;</a>
                <div class="dotsbox" style="text-align:center">
                    <span class="dot" onclick="currentSlide(1)"></span>
                    <span class="dot" onclick="currentSlide(2)"></span>
                    <span class="dot" onclick="currentSlide(3)"></span>
                    <span class="dot" onclick="currentSlide(4)"></span>
                    <span class="dot" onclick="currentSlide(5)"></span>
                </div>
            </div>
            </section>
            <section id="appointments">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title"> <h2>Appointments</h2> </div>
                    <div class="line"></div>
                </div>
                <form id="form">
```

```
<div>
<label>Name</label>
    <input id="username" type="text">
    <span id="name-error" class="txt-error"> </span>
</div>
<div>
    <label>E-mail</label>
    <input id="mail" type="mail">
    <span id="mail-error" class="txt-error"> </span>
</div>
<div>
    <label>Phone number</label>
    <input id="phone" type="text">
    <span id="phone-error" class="txt-error"> </span>
</div>
<div>
  <label for="termin">Choose date:</label>
    <input type="date" id="calendar" name="trip-start">
    <span id="date-error" class="txt-error"> </span>
</div>
<select id="list">
</select>
<span id="list-error" class="txt-error"> </span>
<select id="time">
</select>
<span id="time-error" class="txt-error"> </span>
<select id="barberOption">
</select>
<span id="barber-error" class="txt-error"> </span>
```

```
<input type="submit"class="btn">
</form>
   <form id="form">
    <div>
   <label>Name</label>
        <input id="username" type="text">
        <span id="name-error" class="txt-error"> </span>
   </div>
    <div>
        <label>E-mail</label>
        <input id="mail" type="mail">
        <span id="mail-error" class="txt-error"> </span>
   </div>
    <div>
        <label>Phone number</label>
        <input id="phone" type="text">
        <span id="phone-error" class="txt-error"> </span>
   </div>
    <div>
      <label for="termin">Choose date:</label>
        <input type="date" id="calendar" name="trip-start">
        <span id="date-error" class="txt-error"> </span>
    </div>
    <select id="list">
    </select>
    <span id="list-error" class="txt-error"> </span>
   <select id="time">
    </select>
   <span id="time-error" class="txt-error"> </span>
```

```
<select id="barberOption">
                   </select>
                   <span id="barber-error" class="txt-error"> </span>
                   <input type="submit"class="btn">
               </form>
           </section>
       </main>
       <footer id="footer">
           <div class="footer-wrap">
               <div id="footer-info">
                   <div class="informations">
                       <h3>INFO</h3>
                          <i class="fas fa-map-marker-alt"></i></i>
                          Popa Leontija Markovića 25/1, 11500 Obrenovac
                       <i class="fas fa-envelope-square"></i></i>
                          ljubivoje.tomic.124.20@ict.edu&#4
6;rs
                       <i class="fas fa-phone-alt"></i></i>
                          +381 64 8322 335
                       </div>
                   <div class="informations">
                       <h3>Work-time</h3>
                          Monday-Saturday : 07:00 - 20:00h
                       Sunday: Free day
                       </div>
                   <div id="shortcuts">
                       ul id="icons">
                          class="insta">
                              <a href="https://www.instagram.com"</pre>
target="_blank"><i class="fab fa-instagram"></i></a>
                          class="fb">
```

```
<a href="www.facebook.com"><i class="fab fa-
facebook"></i></a>
                           class="pdf">
                               <a href="DOKUMENTACIJA.pdf" target="_blank"><i</pre>
class="far fa-file-pdf"></i></a>
                           class="rs">
                              <a href="rss.xml"><i class="fas fa-rss"></i></a>
                           class="site">
                              <a href="sitemap.xml"><i class="fas fa-</pre>
sitemap"></i></a>
                          </div>
               </div>
           </div>
       </footer>
       <script src="assets/js/jquery.js"></script>
       <script src="assets/js/animatext.js"></script>
       <script src="assets/js/main.js"></script>
    </body>
</html>
```

#### 3.2 CSS:

```
@import url('https://fonts.googleapis.com/css2?family=Arvo&display=swap');
  *{
    margin: 0px;
    padding: 0px;
    scroll-behavior: smooth;
    text-decoration: none;
    font-family: 'Open Sans',sans-serif;
}
::-webkit-scrollbar {
    width: 10px;
}
::-webkit-scrollbar-track {
```

```
background: #f1f1f1;
::-webkit-scrollbar-thumb {
  background: #888;
::selection{
background: #c59d5f;
.content{
max-width: 1250px;
margin: auto;
padding: 0 30px;
.navbar{
position: fixed;
width: 100%;
z-index: 2;
padding: 25px 0;
transition: all 0.3s ease;
.navbar.sticky{
background: #1b1b1b;
padding: 10px 0;
box-shadow: 0px 3px 5px 0px rgba(0,0,0,0.1);
.navbar .content{
display: flex;
align-items: center;
justify-content: space-between;
.navbar .logo a{
color: #fff;
font-size: 30px;
font-weight: 600;
text-decoration: none;
.navbar .menu-list{
display: inline-flex;
.menu-list li{
list-style: none;
.menu-list li a{
color: #fff;
font-size: 18px;
```

```
font-weight: 500;
margin-left: 25px;
text-decoration: none;
transition: all 0.3s ease;
.menu-list li a:hover{
color: #c59d5f;
#banner{
height: 100vh;
background-size: cover;
background-position: center;
background-attachment: fixed;
background-image: url("../img/cover.jpg");
#background{
  width: 100%;
  height: 1000px;
  background-size: cover;
  background-attachment: fixed;
#titleInfo{
  width: 100%;
  height: 100px;
  position: relative;
  top: 35%;
  text-align: center;
#titleInfo h1{
  font-size: 2.6em;
  color: white;
#textInfo{
  width: 100%;
  height: 80px;
  position: relative;
  top: 45%;
  text-align: center;
  color: #ffffff;
  justify-content: center;
.font1{
  font-size: 1.5em;
  color: white;
```

```
#arrowDown {
  z-index: 0.9;
 width: 100%;
 height: 80px;
 position: relative;
 top: 65%;
 text-align: center;
  animation: arrow .8s infinite alternate;;
#arrowDown a i {
  font-size: 70px;
  color: #ffffff;
@keyframes arrow{
 0% {
     transform: translateY(0);
 100% {
     transform: translateY(-10px);
/* BARBERS */
.about{
padding: 30px 0;
.about .title{
font-size: 38px;
font-weight: 700;
.about p{
padding-top: 20px;
text-align: justify;
.icon{
color: #fff;
font-size: 20px;
cursor: pointer;
display: none;
.menu-list .cancel-btn{
position: absolute;
right: 30px;
top: 20px;
@media (max-width: 1230px) {
```

```
.content{
  padding: 0 60px;
@media (max-width: 1100px) {
.content{
 padding: 0 40px;
@media (max-width: 900px) {
.content{
  padding: 0 30px;
@media (max-width: 868px) {
body.disabled{
  overflow: hidden;
.icon{
  display: block;
.icon.hide{
  display: none;
.navbar .menu-list{
 position: fixed;
 height: 100vh;
 width: 100%;
 max-width: 400px;
 left: -100%;
  top: 0px;
  display: block;
  padding: 40px 0;
  text-align: center;
  background: #222;
  transition: all 0.3s ease;
.navbar.show .menu-list{
  left: 0%;
.navbar .menu-list li{
 margin-top: 45px;
.navbar .menu-list li a{
 font-size: 23px;
```

```
margin-left: -100%;
  transition: 0.6s cubic-bezier(0.68, -0.55, 0.265, 1.55);
.navbar.show .menu-list li a{
  margin-left: 0px;
@media (max-width: 380px) {
.navbar .logo a{
  font-size: 27px;
#team{
  align-items: center;
  text-align: center;
.line{
  width: 40%;
  border-bottom: 3px solid #c59d5f;
.container-title{
    text-align: center;
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 5%;
#title{
  font-size: 30px;
#title2{
    color: white;
    font-size: 30px;
#container1{
    align-items: center;
    padding: 5%;
    display: flex;
    justify-content: space-between;
.onClickTextOverImage{
    width:80%;
    height:450px;
    background-size:cover;
    display:inline-block;
```

```
border-radius:16px;
    margin:50px;
    box-shadow:0 0 16px rgba(0,0,0,0.5);
    cursor:pointer;
    position:relative;
    text-align: center;
 onClickTextOverImage div{
    position:absolute;
    color:#fff;
    padding:8px;
    top:0;
    bottom:0;
    right:0;
    left:0;
    background-color:rgba(0,0,0,0.5);
    border-radius:16px;
    padding-top:35%;
    text-align:center;
    opacity:0;
    visibility:hidden;
    transition:.4s;
.onClickTextOverImage.show div{
    opacity:1;
    padding-top:40%;
    visibility:visible;
#buttons{
    padding-bottom: 5%;
button{
  padding: 10px;
  margin: 20px;;
#menu{
    width: 100%;
    background-size: cover;
    background-attachment: fixed;
    padding-bottom: 50px;
.container-title .white h2 {
    color: white;
```

```
.service{
 padding: 15px;
/* Galerija */
.slider{
 position: relative;
 width: 60%;
   margin: 80px auto;
.myslide{
 display: none;
  overflow: hidden;
.prev, .next{
 position: absolute;
  top: 50%;
  transform: translate(0, -50%);
 font-size: 50px;
 padding: 15px;
  cursor: pointer;
  color: #fff;
  transition: 0.1s;
 user-select: none;
.prev:hover, .next:hover{
  color: #c59d5f
.next{
  right: 0;
.dotsbox{
 position: absolute;
 left: 50%;
 transform: translate(-50%);
 bottom: 20px;
  cursor: pointer;
 dot{
 display: inline-block;
 width: 15px;
 height: 15px;
 border: 3px solid #fff;
 border-radius: 50%;
 margin: 0 10px;
```

```
cursor: pointer;
.active, .dot:hover{
  border-color: #c59d5f;
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
@-webkit-keyframes fade {
  from {opacity: 0.8}
  to {opacity: 1}
@keyframes fade {
  from {opacity: 0.8}
  to {opacity: 1}
.txt{
  position: absolute;
  letter-spacing: 2px;
  line-height: 35px;
  top: 40%;
  left: 15%;
  -webkit-animation-name: textFrame;
    -webkit-animation-duration: 2s;
    animation-name: textFrame;
    animation-duration: 2s;
  z-index: 1;
  font-weight: bold;
@-webkit-keyframes textFrame {
  from {left: 25%;}
  to {left: 15%;}
@keyframes textFrame {
  from {left: 25%;}
  to {left: 15%;}
.txt h1{
  color: #c59d5f;
  font-size: 50px;
  margin-bottom: 20px;
```

```
.txt p{
  font-weight: bold;
  font-size: 25px;
#gallery img{
  transform: scale(1.5, 1.5);
  -webkit-animation-name: zoomin;
    -webkit-animation-duration: 40s;
    animation-name: zoomin;
    animation-duration: 40s;
@-webkit-keyframes zoomin {
 from {transform: scale(1, 1);}
  to {transform: scale(1.5, 1.5);}
@keyframes zoomin {
 from {transform: scale(1, 1);}
  to {transform: scale(1.5, 1.5);}
@media screen and (max-width: 800px){
  .txt, .dotsbox{
   display:none;
 @-webkit-keyframes posi2 {
   from {top: 35%;}
   to {top: 50%;}
 @keyframes posi2 {
   from {top: 35%;}
   to {top: 50%;}
  .txt h1{
    font-size: 40px;
  .txt p{
   font-size: 13px;
@media screen and (max-width: 520px){
  .txt h1{
```

```
font-size: 30px;
    margin-bottom: 20px;
  .sign{
    margin-right: 20px;
  .sign a{
    font-size: 12px;
.price{
  font-weight: bold;
    font-size: 18px;
#services{
  width: 60%;
  margin: 0px auto;
#services .price .service{
    color: white;
    display: flex;
    justify-content: center;
    padding-top: 10px;
    font-size: 1.5em;
/* FOOTER */
footer {
  background-color: #161515;
  font-size: 20px;
#footer-info{
  display: flex;
  align-items: center;
  justify-content: space-around;
  margin: 20px 0px;
  padding: 20px 0px;
.footer-wrap {
  max-width: 80%;
  margin: 0px auto;
  overflow: hidden;
  color:#ffffff;
```

```
.footer-wrap #footer-info #precice{
  font-size: 25px;
.fa, .fab, .fas {
  color: #ffffff;
  display: inline-block;
  font-style: normal;
  font-variant: normal;
  text-rendering: auto;
  line-height: 1;
#shortcuts ul{
  display: flex;
#shortcuts li {
  display: inline-block;
  margin-right: 15px;
  margin-bottom: 10px;
  overflow: hidden;
  z-index: 1;
#shortcuts ul li a {
  font-size: 18px;
  display: inline-block;
  width: 55px;
  height: 45px;
  text-align: center;
  border: 1px solid #727171;
  border-radius: 50%;
#shortcuts ul li a i{
  padding: 10px 0px;
.insta:hover{
  background: linear-gradient(#515BD4, #8134AF, #DD2A7B, #FEDA77, #F58529);
  border-radius: 50%;
.fb:hover{
  background: #4267b2;
  border-radius: 50%;
.pdf:hover{
  background: #5c5c5c;
  border-radius: 50%;
```

```
.rs:hover{
  background: #EE802F;
  border-radius: 50%;
.site:hover{
  background: #3f5a39;
  border-radius: 50%;
.informations a{
  text-decoration: none;
  color: white;
.informations a:hover{
  color: #c59d5f;
/* APPOINTMENT */
 form{
 display: flex;
  justify-content: space-around;
  flex-wrap: wrap;
  width: 30%;
  margin: 50px auto;
  border: 2px solid black;
  border-radius: 20px;
  padding: 30px;
form div{
  width: 100%;
form div input[type=text], form div input[type=mail], form div label, form div
span, #calendar, select, input[type=submit]{
 width: 100%;
  padding: 10px 5px;
  margin: 15px 0px;
  border-radius: 7px;
#appointments span{
  color: red;
/* ABOUT */
.bio{
 height: auto;
 flex-direction: column;
 padding: 100px 0;
```

```
display: flex;
  align-items: center;
 background-color: #212120;
  color: white;
.bioBackground{
 background-color: #000000;
#aboutMe{
 margin: 50px auto;
#pic{
 height: 400px;
 float: left;
 margin: 0 20px 20px 0;
#aboutMe p{
  font-size: 30px;
.info{
 margin-top: 50px;
/* RESPONSIVE */
@media screen and (max-width: 1450px) {
 #background #titleInfo h1{
   font-size: 1.5em;
 #background #textInfo p{
   font-size: 1.2em;
 #background #arrowDown{
    top: 60%
@media screen and (max-width:1030px){
 #services .price .service {
   font-size: 1.4em;
 #footer .footer-wrap #footer-info .informations p{
   font-size: 0.7em;
  #background #arrowDown{
   height: 50px;
 #background #titleInfo h1{
```

```
font-size: 1.5em;
  #background #textInfo p{
   font-size: 1.2em;
 #background #arrowDown{
   top: 60%
@media screen and (max-width:770px){
  .onClickTextOverImage{
   width:80%;
   height:250px;
 #title h2{
   font-size: 1.5em;
 #title2 h2{
    font-size: 1.5em;
 #container1{
   display: flex;
   justify-content: space-around;
   flex-wrap: wrap;
   height: auto;
 #team{
   display: flex;
   flex-direction: column;
   flex-wrap: wrap;
  #services .price .service {
   font-size: 1.05em;
 #footer .footer-wrap #footer-info .informations h3{
   font-size: 0.75em;
 #footer .footer-wrap #footer-info .informations p{
   font-size: 0.45em;
  form{
    width: 80%;
 #bioBackground #aboutMe p{
  font-size: 1.4em;
```

```
.info{
   font-size: 1em;
  #background #titleInfo h1{
   font-size: 1.5em;
  #background #textInfo p{
   font-size: 1.2em;
 #background #arrowDown{
   top: 60%
@media screen and (max-width:430px){
 #title h2, #title2 h2{
   font-size: 1em;
 #services .price .service {
   font-size: 0.4em;
  .footer-wrap #footer-info {
   display: flex;
   flex-direction: column;
  .footer-wrap #footer-info .informations{
   width: 100%;
   padding: 20px 0px;
  .fa, .fab, .fas {
   color: #ffffff;
   display: inline-block;
   font-style: normal;
   font-variant: normal;
    text-rendering: auto;
    line-height: 1;
 #shortcuts li {
   display: inline-block;
   margin-right: 10px;
   margin-bottom: 10px;
    overflow: hidden;
    z-index: 1;
#bioBackground #aboutMe p{
```

```
font-size: 1em;
#aboutMe #pic{
 height: 300px;
.info{
  font-size: 1em;
#background #titleInfo h1{
  font-size: 1.3em;
#background #textInfo p{
 font-size: 1em;
#background #arrowDown{
 top: 55%
@media screen and (max-width: 380px) {
 #footer .footer-wrap {
   padding: 20px;
   width: 90%;
 #bioBackground #aboutMe p{
    font-size: 0.8em;
  #aboutMe #pic{
   height: 300px;
  .info{
   font-size: 1em;
  #background #titleInfo h1{
   font-size: 1.3em;
 #background #textInfo p{
   font-size: 1em;
 #background #arrowDown{
   top: 55%
@media screen and (max-width: 330px){
  #services .price .service {
   font-size: 0.3em;
```

```
#footer .footer-wrap {
 padding: 15px;
 width: 90%;
#footer .footer-wrap #footer-info .informations h3{
  font-size: 0.7em;
#footer .footer-wrap #footer-info .informations p{
  font-size: 0.4em;
#shortcuts li {
 display: inline-block;
 margin-right: 0px;
 margin-bottom: 10px;
 overflow: hidden;
  z-index: 1;
#bioBackground #aboutMe p{
 font-size: 0.75em;
#aboutMe #pic{
 height: 300px;
.info{
 font-size: 0.7em;
#background #titleInfo h1{
 font-size: 1.3em;
#background #textInfo p{
 font-size: 1em;
#background #arrowDown{
 top: 55%
```

## 3.3 JS i jQuerry:

```
* NAVBAR */
const body = document.querySelector("body");
const navbar = document.querySelector(".navbar");
const menuBtn = document.querySelector(".menu-btn");
const cancelBtn = document.querySelector(".cancel-btn");
menuBtn.onclick = ()=>{
    navbar.classList.add("show");
    menuBtn.classList.add("hide");
    body.classList.add("disabled");
cancelBtn.onclick = ()=>{
    body.classList.remove("disabled");
    navbar.classList.remove("show");
    menuBtn.classList.remove("hide");
window.onscroll = ()=>{
    this.scrollY > 20 ? navbar.classList.add("sticky") :
navbar.classList.remove("sticky");
var textOverImages = document.getElementsByClassName("onClickTextOverImage");
var previousTextOverImage;
for (var i = 0; i < textOverImages.length; i++) {</pre>
 textOverImages[i].onclick = function() {
    var classes = this.classList;
   if (classes.contains("show")) {
      classes.remove("show");
    } else {
      if (previousTextOverImage != null)
        previousTextOverImage.classList.remove("show");
        previousTextOverImage = this;
        classes.add("show");
/* SERVICES */
let serviceTxt=["Kids cut","Regular haircut","Fade","Beard Trim","Shave","Hot
Towel Shave", "Facial Cleanse", "Eyebrows", "Head Shaving"]
let servicePrice=["8$","10$","12$","7$","5$","7$","10$","4$","6$"];
let separatorPrices=[" ------
let serviceDiv=document.createElement("div")
```

```
serviceDiv.setAttribute("class", "price");
for(var i=0;i<serviceTxt.length;i++){</pre>
    var newDiv= document.createElement("div")
    newDiv.setAttribute("class", "service")
    let serviceMain = document.createTextNode(serviceTxt[i])
    let priceMain = document.createTextNode(servicePrice[i])
    let separatorMain = document.createTextNode(separatorPrices)
    newDiv.appendChild(serviceMain);
    newDiv.appendChild(separatorMain);
    newDiv.appendChild(priceMain);
    serviceDiv.appendChild(newDiv)
for(let i=0;i<serviceTxt.length;i++){</pre>
let servis = document.getElementById("services");
servis.appendChild(serviceDiv);
/* GALLERY */
const myslide = document.querySelectorAll('.myslide'),
    dot = document.querySelectorAll('.dot');
    let counter = 1;
slidefun(counter);
let timer = setInterval(autoSlide, 8000);
function autoSlide() {
    counter += 1;
    slidefun(counter);
function plusSlides(n) {
    counter += n;
    slidefun(counter);
    resetTimer();
function currentSlide(n) {
    counter = n;
    slidefun(counter);
    resetTimer();
function resetTimer() {
    clearInterval(timer);
    timer = setInterval(autoSlide, 8000);
function slidefun(n) {
    let i;
    for(i = 0;i<myslide.length;i++){</pre>
        myslide[i].style.display = "none";
```

```
for(i = 0;i<dot.length;i++) {</pre>
        dot[i].className = dot[i].className.replace(' active', '');
    if(n > myslide.length){
       counter = 1;
    if(n < 1)
       counter = myslide.length;
    myslide[counter - 1].style.display = "block";
    dot[counter - 1].className += " active";
/* APPOINTMENT */
let ourServices = ["-Choose our service-","Kids cut","Regular
haircut", "Fade", "Beard Trim", "Shave", "Hot Towel Shave", "Facial
Cleanse","Eyebrows","Head Shaving"]
let timeList=["-Choose your time-
 ,"08:00","08:30","09:00","09:30","10:00","10:30","11:00","11:30","12:00","12:30"
 "13:00", "13:30", "14:00", "14:30", "15:00", "15:30", "16:00", "16:30", "17:00", "17:30",
"18:00","18:30","19:00","19:30"];
let barberList=["-Choose your barber-","Michael Jones","Alex Miller","Chris
Wilson"];
let serviceList=document.getElementById("list")
    for(var i=0;i<ourServices.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(ourServices[i])
        optionList.appendChild(serviceMain);
        serviceList.appendChild(optionList)
let timeListElement=document.getElementById("time")
    for(var i=0;i<timeList.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(timeList[i])
        optionList.appendChild(serviceMain);
        timeListElement.appendChild(optionList)
let barberListElement=document.getElementById("barberOption")
    for(var i=0;i<barberList.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(barberList[i])
        optionList.appendChild(serviceMain);
        barberListElement.appendChild(optionList)
```

```
$(document).ready(function (){
    $(".service").animatext({
        effect: 'tada',
        speed: 50
    });
});
$(document).ready(function (){
    $(".font1").animatext({
        effect: 'tada',
        speed: 50
    });
});
$(document).ready(function (){
    $(".firstTitle").animatext({
        effect: 'tada',
        speed: 50
    });
});/* plugin */
let formSubmit = document.getElementById("form");
formSubmit.addEventListener("submit",(e)=>{
    e.preventDefault();
    var username = document.getElementById('username').value
    var email = document.getElementById('mail').value
    var phoneNumber = document.getElementById('phone').value
    var list = document.getElementById("list").value
    var time = document.getElementById("time").value
    var barber = document.getElementById("barberOption").value
    var date=document.getElementById("calendar")
    var currentDate=Date.now()
    var choosenDate=0
    var nameCheck = /^[a-zA-Z]+$/
    var mailCheck = /^[a-zA-Z0-9._%-]+@[a-zA-Z0-9.-]+.[a-zA-Z]{2,4}$/
    var phoneNumerCheck = /^[0-9]{10}$/
    var usernameBool = false;
    var emailBool = false;
    var phoneNumberBool = false;
    var listBool = false;
    var timeBool = false;
    var barberBool = false;
    var dateBool= false;
    if(nameCheck.test(username)){
    document.getElementById('name-error').innerHTML = "";
```

```
usernameBool = true;
   else{
   document.getElementById('name-error').innerHTML = "*Invalid name*";
   usernameBool= false;
   if(mailCheck.test(email)){
        document.getElementById('mail-error').innerHTML = "";
       emailBool = true;
   else{
        document.getElementById('mail-error').innerHTML = "*Invalid E-Mail*";
        emailBool = false;
   if(phoneNumerCheck.test(phoneNumber)){
        document.getElementById('phone-error').innerHTML = "";
       phoneNumberBool = true
   else{
       document.getElementById('phone-error').innerHTML = "*Invalid phone
number*";
       phoneNumberBool = false
   if(date.value==""){
        document.getElementById('date-error').innerHTML = "*Choose a date*";
       dateBool = false
   else{
   choosenDate=Date.parse(date.value)
   dateBool = true
   if(choosenDate<=currentDate){</pre>
       document.getElementById('date-error').innerHTML = "*Choose date in the
future*";
       dateBool= false
   else{
        document.getElementById('date-error').innerHTML = "";
       dateBool = true
   if (list == "-Choose our service-")
       document.getElementById('list-error').innerHTML = "*Choose a service*";
       listBool = false
```

```
else{
        document.getElementById('list-error').innerHTML = "";
        listBool = true
   if (time != "-Choose your time-")
        document.getElementById('time-error').innerHTML = "";
        timeBool = true
    }
   else{
        document.getElementById('time-error').innerHTML = "*Choose your time*";
        timeBool = false
   if (barber == "-Choose your barber-")
        document.getElementById('barber-error').innerHTML = "*Choose a barber*";
       barberBool = false
   else{
        document.getElementById('barber-error').innerHTML = "";
        barberBool = true
    if(usernameBool&&emailBool&&phoneNumberBool&&dateBool&&listBool&&timeBool&&ba
rberBool)
        alert("You have successfuly made an appointment");
        setTimeout("location.reload(true);",0)
```