DOKUMENTACIJA

https://ljubivoje.github.io/Fade-Zone-Barber-Shop/index.html

WEB PROGRAMIRANJE 1

SADRZAJ

1.0 Uvod	3
1.1 Korišćeni programski jezici:	3
1.2 Opis funkcionalnosti:	3
1.3 Template:	4
2.0 Organizacija	7
2.1 Šema sajta	8
2.2 Sitemap:	9
2.3 Robots.txt:	. 10
2.4 RSS:	. 10
2.5 Slike stranica i opisi njihovih funkcionalnosti	. 11
3.0 Kodovi	. 19
3.1 HTML kod:	. 19
3.2 CSS:	. 25
3.3 JS i jQuerry:	.42

1.0 Uvod

1.1 Korišćeni programski jezici:

- 1) HTML
- 2) CSS
- 3) JavaScript
- 4) jQuery
- 5) XML

1.2 Opis funkcionalnosti:

- -Navigacioni meni prilagodjen za sve uredjaje
- -"Expansion" navigacioni meni za mobilne I tablet uredjaje koji imaju manje od 770px.
- -Klikom na barbera dobija se kratak tekst o njemu
- -Slika u galeriji se automatski menja na svakih 8 sekundi a moze I rucno klikom na strelicu ili kruzic, svaka slika sadrzi kratak tekst u kojem stoji kako se ona zove I koji barber ju je napravio.


Validacija: potrebno je popuniti svako polje kako mi validacija bila vazeca, ukoliko korisnik ne popuni


odredjeno polje, ili ga popuni sa pogresnom vrednosti, sajt ce ga obavestiti o gresci.

Klikom na dugme submit, korisnik ce dobiti poruku(ukoliko je sve tacno popunio) da je uspesno zakazao svoj termin.


1.3 Template:


Nije korišćen "template" I sajt je prilagođen za sve uređaje.













Appointments
Name E-mail Priorie tromicus Choose date
12/02/2021
Choose your bather.



2.0 Organizacija

Sajt se sastoji od 7 stranica koje su međusobno povezane. Svaka može pristupiti svakoj, jedino stranica koja vodi na posebnu stranu je about. html i ona jedino vodi ka stranici index. html

2.1 Šema sajta



2.2 Sitemap:

```
<?xml version="1.0" encoding="UTF-8"?>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/index.html</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>weekly</changefreq>
 <priority>0.80</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#team</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.75</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#menu</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.70</priority>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#gallery</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.65</priority>
</url>
<url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#appointments</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.60</priority>
</url>
 <loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/#footer</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.55</priority>
</url>
 <le><loc>https://ljubivoje.github.io/Fade-Zone-Barber-Shop/assets/pages/about.html</loc>
 <lastmod>2021-12-10</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.50</priority>
</url>
</urlset>
```

2.3 Robots.txt:


User-agent: *


dissalow:

2.4 RSS:

2.5 Slike stranica i opisi njihovih funkcionalnosti

NavBar





Prilikom smanjivanja rezolucije(>770px), u gornjem levom uglu se pojavljuje "Hamburger" koji nam omogucava da koristimmo navigation bar na mobilnim uredjajima. Nakon sto odaberemo zeljenu stranicu moramo pritisnuti X kako bi ugasili taj navigation bar. Takodje, posto je "sticky", na desktopr rezolucijama navigation bar ce se pomerati dok scroll-ujemo stranicu i uvek ce nam biti dostupan da nas odvede na neki drugi deo strane.


Barber page:






Prilikom selektovanja, tjst. Pritiskom levog tastera misa na sliku barbera dobijamo kratak opis o njemu. Ako kliknemo na drugog barbera, tekst o prethodnom barberu ce nestati, to ce se takodje dogoditi ako opet pritisnemo na tog barbera.

Services page:





Radi skracivanja koda ceo kod za Service page je ispisan u JS, na njemu je primenjen jQuery plugin koji tekst ispisuje karakter po karakter u vremenskom intervalu od 3 sekunde.

Gallery page:











Nakon intervala od 8 sekundi dolazi do promene slike i teksta, to se takodje moze izvesti rucno klikom na strelicu ili krug. Takođe svaka slika je animirana da se polako zumira za vreme trajanja intervala od 8 sekundi. Na mobilnim i tablet uredjajima je uklonjen tekst i krugovi radi boljeg prikaza, tjst. Responive.

Validacija forme:

Prvo imamo primer forme koja nije popunjena:




Da bi forma bila validna, moramo popuniti svako polje, ali svako od njih ima neki uslov.



Ime moze da sadrzi samo slova.

E-mail



Invalid E-Mail


E-mail mora da sadrzi '@' i .com ,.rs....

Phone number




Invalid phone number

Broj telefona moze sadrzati samo brojeve od 0-9 i njih moze biti najvise 10(Ovde su uzeti u obzir samo domaci brojevi telefona/0641234567/




Polje za datum ne moze biti datum pre danasnjeg ili prazno.



Ukoliko bilo koje od ova tri polja ostavimo sa pocetnom vrednoscu, sajt ce nam izbacivati upozorenje da moramo izabrati neku od drugih ponudjenih vrednosti.

Primer tacno popunjene forme:



Nakon sto tacno popunimo formu dobicemo obavestenje da smo uspesno rezervisali termin, i kada kliknemo na ok obavice se refresh stranice.

3.0 Kodovi

3.1 HTML kod:

```
<!DOCTYPE html>
<html>
   <head>
       <meta charset="UTF-8">
       <meta name="keywords" content="Haircuts,Shave,Cut,Fade" />
       <meta name="description" content="Zakazite Vaš termin već danas! " />
       <meta name="viewport" content="width=device-width, initial-scale=1.0" />
       <meta name="author" content="Ljubivoje Tomic"/>
       <link rel="stylesheet" type="text/css" href="assets/css/style.css" />
       <script src="https://kit.fontawesome.com/2d7d34c152.js"</pre>
crossorigin="anonymous"></script>
       <link rel="shortcut icon" href="assets/img/barber.ico"/>
       <title>-Fade Zone Barber Shop-</title>
   </head>
   <body>
       <header>
<nav class="navbar">
               <div class="content">
                 <div class="logo">
                   <a href="index.html">Fade Zone Barber Shop</a>
                 </div>
                 <div class="icon cancel-btn">
                     <i class="fas fa-times"></i></i>
                   </div>
                   <a href="#team">Barbers</a>
                   <a href="#menu">Services</a>
                   <a href="#gallery">Gallery</a>
                   <a href="#appointments">Appointments</a>
                   <a href="#footer">Contact</a>
                   <a href="assets/pages/about.html">About</a>
                 <div class="icon menu-btn">
                   <i class="fas fa-bars"></i></i>
                 </div>
               </div>
```

```
</nav>
       </header>
        <main>
           <section id="banner">
               <div id="background">
                   <div id="titleInfo">
                       <h1 class="firstTitle">Fade Zone Barber Shop</h1>
                   </div>
                   <div id="textInfo">
                       Make your appointment and let us turn
you into real gentelman
                       Look your best.Feel your best.Change the
game.
                   </div>
                   <div id="arrowDown">
                   <a href="#treci">
                       <i class="fas fa-arrow-down" aria-hidden="true"></i></i>
                   </a>
                   </div>
               </div>
           </section>
            <section id="team">
               <div class="container-title">
                   <div class="line"></div>
                   <div id="title"> <h2>Our Barbers </h2> </div>
                   <div class="line"></div>
               </div>
               <div id="container1">
                   <div class="onClickTextOverImage"</pre>
                       style="background-image: url(assets/img/barber3.jpg);">
                   <div>
                       <h4>Michael Jones</h4>
                       Our newest barber, mainly experienced for longer hairs
and fade master.
                   </div>
                   </div>
                   <div class="onClickTextOverImage"</pre>
                       style="background-image: url(assets/img/barber2.jpg);">
                   <div>
                       <h4>Alex Miller</h4>
                       Our expert for beard triming and shaving.
                   </div>
                   </div>
                   <div class="onClickTextOverImage"</pre>
```

```
style="background-image: url(assets/img/barber1.jpg);">
                    <div>
                        <h4>Chris Wilson</h4>
                        Our team leader, most experienced barber and CEO of
Fade Zone Barber Shop. 
                    </div>
                    </div>
                </div>
            </section>
            <section id="menu" style="background-image:</pre>
url(assets/img/cenovnik.jpg);">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title2"> <h2>Services</h2> </div>
                    <div class="line"></div>
                </div>
                <div id="services">
                </div>
            </section>
            <section id="gallery">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title"> <h2>Gallery</h2> </div>
                    <div class="line"></div>
                </div>
                <div class="slider">
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Slick-Back</h1>
                        By : Michael Jones
                    <img src="assets/img/slickback.jpg" alt="SlickBack"</pre>
style="width: 100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Comb Over + Mid Fade </h1>
                        By : Alex Miller
                    <img src="assets/img/midfadeover.jpg" alt="MidFadeWithTop"</pre>
style="width: 100%; height: 100%;">
                </div>
```

```
<div class="myslide fade">
                    <div class="txt">
                        <h1>Undercut with Crop top</h1>
                        By : Michael Jones
                    </div>
                    <img src="assets/img/undercut.jpg" alt =</pre>
'RegularUndercut"style="width: 100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Crew cut</h1>
                        By: Chris Wilson
                    </div>
                    <img src="assets/img/crew.jpg" alt = "CrewCut"style="width:</pre>
100%; height: 100%;">
                </div>
                <div class="myslide fade">
                    <div class="txt">
                        <h1>Side Part + Mid Fade</h1>
                        By : Alex Miller
                    <img src="assets/img/midfadesidepart.jpg"</pre>
alt="MidFadeWithSidePart" style="width: 100%; height: 100%;">
                </div>
                <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
                  <a class="next" onclick="plusSlides(1)">&#10095;</a>
                <div class="dotsbox" style="text-align:center">
                    <span class="dot" onclick="currentSlide(1)"></span>
                    <span class="dot" onclick="currentSlide(2)"></span>
                    <span class="dot" onclick="currentSlide(3)"></span>
                    <span class="dot" onclick="currentSlide(4)"></span>
                    <span class="dot" onclick="currentSlide(5)"></span>
                </div>
            </div>
            </section>
            <section id="appointments">
                <div class="container-title">
                    <div class="line"></div>
                    <div id="title"> <h2>Appointments</h2> </div>
                    <div class="line"></div>
                </div>
                <form onsubmit="return validations()">
```

```
<div>
                   <label>Name</label>
                       <input id="username" name="" type="text">
                       <span id="name-error" class="txt-error"> </span>
                   </div>
                   <div>
                       <label>E-mail</label>
                       <input id="mail" name="" type="mail">
                       <span id="mail-error" class="txt-error"> </span>
                   </div>
                   <div>
                       <label>Phone number</label>
                       <input id="phone" name="" type="text">
                       <span id="phone-error" class="txt-error"> </span>
                   </div>
                   <div>
                     <label for="termin">Choose date:</label>
                       <input type="date" id="calendar" name="trip-start">
                       <span id="date-error" class="txt-error"> </span>
                   </div>
                   <select id="list">
                   </select>
                   <select id="time">
                   </select>
                   <select id="barberOption">
                   </select>
                   <input type="submit" name="" class="btn">
               </form>
           </section>
        </main>
        <footer id="footer">
           <div class="footer-wrap">
               <div id="footer-info">
                   <div class="informations">
                       <h3>INFO</h3>
                           <i class="fas fa-map-marker-alt"></i></i>
                           Popa Leontija Markovića 25/1, 11500 Obrenovac
                       <i class="fas fa-envelope-square"></i></i>
                           ljubivoje.tomic.124.20@ict.edu&#4
6;rs
```

```
<i class="fas fa-phone-alt"></i></i>
                          +381 64 8322 335
                       </div>
                   <div class="informations">
                       <h3>Work-time</h3>
                          Monday-Saturday : 07:00 - 20:00h
                       Sunday: Free day
                       </div>
                   <div id="shortcuts">
                       ul id="icons">
                          class="insta">
                              <a href="https://www.instagram.com"
target="_blank"><i class="fab fa-instagram"></i></a>
                          class="fb">
                              <a href="www.facebook.com"><i class="fab fa-</pre>
facebook"></i></a>
                          class="pdf">
                              <a href="DOKUMENTACIJA.pdf" target="_blank"><i</pre>
class="far fa-file-pdf"></i></a>
                          class="rs">
                              <a href="rss.xml"><i class="fas fa-rss"></i></a>
                          class="site">
                              <a href="sitemap.xml"><i class="fas fa-</pre>
sitemap"></i></a>
                          </div>
               </div>
           </div>
       </footer>
       <script src="assets/js/jquery.js"></script>
       <script src="assets/js/animatext.js"></script>
       <script src="assets/js/main.js"></script>
   </body>
</html>
```

3.2 CSS:

```
@import url('https://fonts.googleapis.com/css2?family=Arvo&display=swap');
*{
   margin: 0px;
   padding: 0px;
   scroll-behavior: smooth;
    text-decoration: none;
    font-family: 'Open Sans',sans-serif;
::-webkit-scrollbar {
 width: 10px;
::-webkit-scrollbar-track {
  background: #f1f1f1;
::-webkit-scrollbar-thumb {
  background: #888;
::selection{
background: #c59d5f;
.content{
max-width: 1250px;
margin: auto;
padding: 0 30px;
.navbar{
position: fixed;
width: 100%;
z-index: 2;
padding: 25px 0;
transition: all 0.3s ease;
.navbar.sticky{
background: #1b1b1b;
padding: 10px 0;
box-shadow: 0px 3px 5px 0px rgba(0,0,0,0.1);
```

```
.navbar .content{
display: flex;
align-items: center;
justify-content: space-between;
.navbar .logo a{
color: #fff;
font-size: 30px;
font-weight: 600;
text-decoration: none;
.navbar .menu-list{
display: inline-flex;
.menu-list li{
list-style: none;
.menu-list li a{
color: #fff;
font-size: 18px;
font-weight: 500;
margin-left: 25px;
text-decoration: none;
transition: all 0.3s ease;
.menu-list li a:hover{
color: #c59d5f;
#banner{
height: 100vh;
background-size: cover;
background-position: center;
background-attachment: fixed;
background-image: url("../img/cover.jpg");
#background{
 width: 100%;
 height: 1000px;
 background-size: cover;
  background-attachment: fixed;
#titleInfo{
 width: 100%;
 height: 100px;
```

```
position: relative;
  top: 35%;
  text-align: center;
#titleInfo h1{
  font-size: 2.6em;
  color: white;
#textInfo{
  width: 100%;
  height: 80px;
  position: relative;
  top: 45%;
  text-align: center;
  color: #ffffff;
  justify-content: center;
.font1{
  font-size: 1.5em;
  color: white;
#arrowDown {
  z-index: 0.9;
 width: 100%;
  height: 80px;
  position: relative;
  top: 65%;
  text-align: center;
  animation: arrow .8s infinite alternate;;
#arrowDown a i {
  font-size: 70px;
  color: #ffffff;
@keyframes arrow{
  0% {
      transform: translateY(0);
 100% {
      transform: translateY(-10px);
/* BARBERS */
.about{
padding: 30px 0;
```

```
.about .title{
font-size: 38px;
font-weight: 700;
.about p{
padding-top: 20px;
text-align: justify;
.icon{
color: #fff;
font-size: 20px;
cursor: pointer;
display: none;
.menu-list .cancel-btn{
position: absolute;
right: 30px;
top: 20px;
@media (max-width: 1230px) {
.content{
 padding: 0 60px;
@media (max-width: 1100px) {
.content{
 padding: 0 40px;
@media (max-width: 900px) {
.content{
 padding: 0 30px;
@media (max-width: 868px) {
body.disabled{
  overflow: hidden;
.icon{
  display: block;
.icon.hide{
 display: none;
```

```
.navbar .menu-list{
  position: fixed;
  height: 100vh;
  width: 100%;
  max-width: 400px;
  left: -100%;
  top: 0px;
  display: block;
  padding: 40px 0;
  text-align: center;
  background: #222;
  transition: all 0.3s ease;
.navbar.show .menu-list{
  left: 0%;
.navbar .menu-list li{
  margin-top: 45px;
.navbar .menu-list li a{
  font-size: 23px;
  margin-left: -100%;
  transition: 0.6s cubic-bezier(0.68, -0.55, 0.265, 1.55);
.navbar.show .menu-list li a{
  margin-left: 0px;
@media (max-width: 380px) {
.navbar .logo a{
  font-size: 27px;
#team{
  align-items: center;
  text-align: center;
.line{
  width: 40%;
  border-bottom: 3px solid #c59d5f;
.container-title{
    text-align: center;
    display: flex;
    align-items: center;
```

```
justify-content: space-between;
    padding: 5%;
#title{
  font-size: 30px;
#title2{
    color: white;
    font-size: 30px;
#container1{
    align-items: center;
    padding: 5%;
    display: flex;
    justify-content: space-between;
.onClickTextOverImage{
    width:80%;
    height:450px;
    background-size:cover;
    display:inline-block;
    border-radius:16px;
    margin:50px;
    box-shadow:0 0 16px rgba(0,0,0,0.5);
    cursor:pointer;
    position:relative;
    text-align: center;
.onClickTextOverImage div{
    position:absolute;
    color:#fff;
    padding:8px;
    top:0;
    bottom:0;
    right:0;
    left:0;
    background-color:rgba(0,0,0,0.5);
    border-radius:16px;
    padding-top:35%;
    text-align:center;
    opacity:0;
    visibility:hidden;
    transition:.4s;
```

```
.onClickTextOverImage.show div{
    opacity:1;
    padding-top:40%;
    visibility:visible;
#buttons{
    padding-bottom: 5%;
button{
  padding: 10px;
  margin: 20px;;
#menu{
    width: 100%;
    background-size: cover;
    background-attachment: fixed;
    padding-bottom: 50px;
.container-title .white h2 {
    color: white;
.service{
  padding: 15px;
/* Galerija */
.slider{
 position: relative;
  width: 60%;
    margin: 80px auto;
.myslide{
  display: none;
  overflow: hidden;
 prev, .next{
  position: absolute;
  top: 50%;
  transform: translate(0, -50%);
  font-size: 50px;
  padding: 15px;
  cursor: pointer;
  color: #fff;
  transition: 0.1s;
  user-select: none;
```

```
.prev:hover, .next:hover{
  color: #c59d5f
.next{
  right: 0;
.dotsbox{
  position: absolute;
  left: 50%;
  transform: translate(-50%);
  bottom: 20px;
  cursor: pointer;
.dot{
  display: inline-block;
  width: 15px;
  height: 15px;
  border: 3px solid #fff;
  border-radius: 50%;
  margin: 0 10px;
  cursor: pointer;
.active, .dot:hover{
  border-color: #c59d5f;
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
@-webkit-keyframes fade {
  from {opacity: 0.8}
  to {opacity: 1}
@keyframes fade {
  from {opacity: 0.8}
  to {opacity: 1}
.txt{
  position: absolute;
  letter-spacing: 2px;
  line-height: 35px;
  top: 40%;
```

```
left: 15%;
  -webkit-animation-name: textFrame;
    -webkit-animation-duration: 2s;
    animation-name: textFrame;
    animation-duration: 2s;
  z-index: 1;
  font-weight: bold;
@-webkit-keyframes textFrame {
  from {left: 25%;}
  to {left: 15%;}
@keyframes textFrame {
  from {left: 25%;}
  to {left: 15%;}
.txt h1{
  color: #c59d5f;
  font-size: 50px;
  margin-bottom: 20px;
.txt p{
  font-weight: bold;
  font-size: 25px;
#gallery img{
  transform: scale(1.5, 1.5);
  -webkit-animation-name: zoomin;
    -webkit-animation-duration: 40s;
    animation-name: zoomin;
    animation-duration: 40s;
@-webkit-keyframes zoomin {
  from {transform: scale(1, 1);}
  to {transform: scale(1.5, 1.5);}
@keyframes zoomin {
  from {transform: scale(1, 1);}
  to {transform: scale(1.5, 1.5);}
@media screen and (max-width: 800px){
  .txt, .dotsbox{
    display:none;
```

```
@-webkit-keyframes posi2 {
    from {top: 35%;}
    to {top: 50%;}
  @keyframes posi2 {
   from {top: 35%;}
    to {top: 50%;}
  .txt h1{
   font-size: 40px;
  .txt p{
   font-size: 13px;
@media screen and (max-width: 520px){
  .txt h1{
   font-size: 30px;
    margin-bottom: 20px;
  .sign{
  margin-right: 20px;
  .sign a{
   font-size: 12px;
.price{
  font-weight: bold;
    font-size: 18px;
#services{
  width: 60%;
  margin: 0px auto;
#services .price .service{
   color: white;
    display: flex;
    justify-content: center;
    padding-top: 10px;
   font-size: 1.5em;
```

```
/* FOOTER */
footer {
  background-color: #161515;
  font-size: 20px;
#footer-info{
  display: flex;
  align-items: center;
  justify-content: space-around;
  margin: 20px 0px;
  padding: 20px 0px;
 footer-wrap {
  max-width: 80%;
  margin: 0px auto;
  overflow: hidden;
  color:#ffffff;
.footer-wrap #footer-info #precice{
  font-size: 25px;
.fa, .fab, .fas {
  color: #ffffff;
  display: inline-block;
  font-style: normal;
  font-variant: normal;
  text-rendering: auto;
  line-height: 1;
#shortcuts ul{
  display: flex;
#shortcuts li {
  display: inline-block;
  margin-right: 15px;
  margin-bottom: 10px;
  overflow: hidden;
  z-index: 1;
#shortcuts ul li a {
  font-size: 18px;
 display: inline-block;
```

```
width: 55px;
  height: 45px;
 text-align: center;
 border: 1px solid #727171;
  border-radius: 50%;
#shortcuts ul li a i{
  padding: 10px 0px;
.insta:hover{
  background: linear-gradient(#515BD4, #8134AF, #DD2A7B, #FEDA77, #F58529);
 border-radius: 50%;
.fb:hover{
 background: #4267b2;
 border-radius: 50%;
 pdf:hover{
 background: #5c5c5c;
 border-radius: 50%;
.rs:hover{
 background: #EE802F;
 border-radius: 50%;
.site:hover{
 background: #3f5a39;
 border-radius: 50%;
.informations a{
 text-decoration: none;
  color: white;
.informations a:hover{
  color: #c59d5f;
/* APPOINTMENT */
 form{
 display: flex;
 justify-content: space-around;
 flex-wrap: wrap;
 width: 30%;
 margin: 50px auto;
 border: 2px solid black;
```

```
border-radius: 20px;
  padding: 30px;
form div{
 width: 100%;
form div input[type=text], form div input[type=mail], form div label, form div
span, #calendar, select, input[type=submit]{
 width: 100%;
 padding: 10px 5px;
 margin: 15px 0px;
  border-radius: 7px;
#appointments span{
  color: red;
/* ABOUT */
.bio{
 height: auto;
 flex-direction: column;
 padding: 100px 0;
 display: flex;
  align-items: center;
 background-color: #212120;
  color: white;
.bioBackground{
 background-color: #000000;
#aboutMe{
 margin: 50px auto;
#pic{
 height: 400px;
 float: left;
 margin: 0 20px 20px 0;
#aboutMe p{
  font-size: 30px;
.info{
 margin-top: 50px;
/* RESPONSIVE */
@media screen and (max-width: 1450px) {
```

```
#background #titleInfo h1{
    font-size: 1.5em;
 #background #textInfo p{
   font-size: 1.2em;
 #background #arrowDown{
   top: 60%
@media screen and (max-width:1030px){
  #services .price .service {
   font-size: 1.4em;
 #footer .footer-wrap #footer-info .informations p{
    font-size: 0.7em;
  #background #arrowDown{
   height: 50px;
 #background #titleInfo h1{
    font-size: 1.5em;
 #background #textInfo p{
    font-size: 1.2em;
  #background #arrowDown{
   top: 60%
@media screen and (max-width:770px){
  .onClickTextOverImage{
   width:80%;
   height:250px;
 #title h2{
   font-size: 1.5em;
 #title2 h2{
    font-size: 1.5em;
 #container1{
   display: flex;
   justify-content: space-around;
   flex-wrap: wrap;
```

```
height: auto;
  #team{
   display: flex;
    flex-direction: column;
   flex-wrap: wrap;
  #services .price .service {
    font-size: 1.05em;
  #footer .footer-wrap #footer-info .informations h3{
    font-size: 0.75em;
  #footer .footer-wrap #footer-info .informations p{
    font-size: 0.45em;
  form{
   width: 80%;
  #bioBackground #aboutMe p{
   font-size: 1.4em;
  .info{
   font-size: 1em;
  #background #titleInfo h1{
   font-size: 1.5em;
 #background #textInfo p{
   font-size: 1.2em;
  #background #arrowDown{
   top: 60%
@media screen and (max-width:430px){
  #title h2, #title2 h2{
   font-size: 1em;
  #services .price .service {
   font-size: 0.4em;
  .footer-wrap #footer-info {
   display: flex;
    flex-direction: column;
```

```
.footer-wrap #footer-info .informations{
   width: 100%;
    padding: 20px 0px;
  .fa, .fab, .fas {
   color: #ffffff;
   display: inline-block;
   font-style: normal;
   font-variant: normal;
   text-rendering: auto;
    line-height: 1;
  #shortcuts li {
   display: inline-block;
   margin-right: 10px;
   margin-bottom: 10px;
   overflow: hidden;
    z-index: 1;
#bioBackground #aboutMe p{
  font-size: 1em;
#aboutMe #pic{
 height: 300px;
.info{
  font-size: 1em;
#background #titleInfo h1{
  font-size: 1.3em;
#background #textInfo p{
  font-size: 1em;
#background #arrowDown{
  top: 55%
@media screen and (max-width: 380px) {
 #footer .footer-wrap {
    padding: 20px;
   width: 90%;
 #bioBackground #aboutMe p{
```

```
font-size: 0.8em;
  #aboutMe #pic{
   height: 300px;
  .info{
   font-size: 1em;
  #background #titleInfo h1{
   font-size: 1.3em;
  #background #textInfo p{
   font-size: 1em;
 #background #arrowDown{
   top: 55%
@media screen and (max-width: 330px){
 #services .price .service {
   font-size: 0.3em;
  #footer .footer-wrap {
   padding: 15px;
   width: 90%;
 #footer .footer-wrap #footer-info .informations h3{
    font-size: 0.7em;
 #footer .footer-wrap #footer-info .informations p{
    font-size: 0.4em;
 #shortcuts li {
   display: inline-block;
   margin-right: 0px;
   margin-bottom: 10px;
   overflow: hidden;
   z-index: 1;
 #bioBackground #aboutMe p{
    font-size: 0.75em;
  #aboutMe #pic{
   height: 300px;
```

```
.info{
   font-size: 0.7em;
}
#background #titleInfo h1{
   font-size: 1.3em;
}
#background #textInfo p{
   font-size: 1em;
}
#background #arrowDown{
   top: 55%
}
```

3.3 JS i jQuerry:

```
/* NAVBAR */
const body = document.querySelector("body");
const navbar = document.querySelector(".navbar");
const menuBtn = document.querySelector(".menu-btn");
const cancelBtn = document.querySelector(".cancel-btn");
menuBtn.onclick = ()=>{
    navbar.classList.add("show");
    menuBtn.classList.add("hide");
    body.classList.add("disabled");
}
cancelBtn.onclick = ()=>{
    body.classList.remove("disabled");
    navbar.classList.remove("show");
    menuBtn.classList.remove("show");
    menuBtn.classList.remove("hide");
}
```

```
window.onscroll = ()=>{
    this.scrollY > 20 ? navbar.classList.add("sticky") :
navbar.classList.remove("sticky");
/* BARBERS */
var textOverImages = document.getElementsByClassName("onClickTextOverImage");
var previousTextOverImage;
for (var i = 0; i < textOverImages.length; i++) {</pre>
  textOverImages[i].onclick = function() {
    var classes = this.classList;
    if (classes.contains("show")) {
      classes.remove("show");
    } else {
      if (previousTextOverImage != null)
        previousTextOverImage.classList.remove("show");
        previousTextOverImage = this;
        classes.add("show");
/* SERVICES */
let serviceTxt=["Kids cut","Regular haircut","Fade","Beard Trim","Shave","Hot
Towel Shave", "Facial Cleanse", "Eyebrows", "Head Shaving"]
let servicePrice=["8$","10$","12$","7$","5$","7$","10$","4$","6$"];
let separatorPrices=[" ------
let serviceDiv=document.createElement("div")
serviceDiv.setAttribute("class","price");
for(var i=0;i<serviceTxt.length;i++){</pre>
    var newDiv= document.createElement("div")
    newDiv.setAttribute("class", "service")
    let serviceMain = document.createTextNode(serviceTxt[i])
    let priceMain = document.createTextNode(servicePrice[i])
    let separatorMain = document.createTextNode(separatorPrices)
    newDiv.appendChild(serviceMain);
    newDiv.appendChild(separatorMain);
    newDiv.appendChild(priceMain);
    serviceDiv.appendChild(newDiv)
for(let i=0;i<serviceTxt.length;i++){</pre>
let servis = document.getElementById("services");
servis.appendChild(serviceDiv);
/* GALLERY */
```

```
const myslide = document.querySelectorAll('.myslide'),
    dot = document.querySelectorAll('.dot');
    let counter = 1;
slidefun(counter);
let timer = setInterval(autoSlide, 8000);
function autoSlide() {
    counter += 1;
    slidefun(counter);
function plusSlides(n) {
    counter += n;
    slidefun(counter);
    resetTimer();
function currentSlide(n) {
    counter = n;
    slidefun(counter);
    resetTimer();
function resetTimer() {
    clearInterval(timer);
    timer = setInterval(autoSlide, 8000);
function slidefun(n) {
    let i;
    for(i = 0;i<myslide.length;i++){</pre>
        myslide[i].style.display = "none";
    for(i = 0;i<dot.length;i++) {</pre>
        dot[i].className = dot[i].className.replace(' active', '');
    if(n > myslide.length){
       counter = 1;
    if(n < 1)
       counter = myslide.length;
    myslide[counter - 1].style.display = "block";
    dot[counter - 1].className += " active";
/* APPOINTMENT */
function validations(){
    var username = document.getElementById('username').value
    var email = document.getElementById('mail').value
```

```
var phoneNumber = document.getElementById('phone').value
    var list = document.getElementById("list").value
   var time = document.getElementById("time").value
   var barber = document.getElementById("barberOption").value
   var date=document.getElementById("calendar")
   var currentDate=Date.now()
   var choosenDate=0
   var nameCheck = /^[a-zA-Z]+$/
   var mailCheck = /^[a-zA-Z0-9. \%-]+@[a-zA-Z0-9.-]+.[a-zA-Z]{2,4}$/
   var phoneNumerCheck = /^[0-9]{10}$/
   var errors = 0;
    if(nameCheck.test(username)){
   document.getElementById('name-error').innerHTML = "";
    errors=0;
   else{
   document.getElementById('name-error').innerHTML = "*Invalid name*";
    errors++;
    return false;
   if(mailCheck.test(email)){
        document.getElementById('mail-error').innerHTML = "";
        errors=0;
    }
    else{
        document.getElementById('mail-error').innerHTML = "*Invalid E-Mail*";
        errors++;
        return false;
    if(phoneNumerCheck.test(phoneNumber)){
        document.getElementById('phone-error').innerHTML = "";
        errors=0;
    }
   else{
        document.getElementById('phone-error').innerHTML = "*Invalid phone
number*";
        errors++;
        return false;
    if(date.value==""){
        document.getElementById('date-error').innerHTML = "*Choose a date*";
        errors++;
        return false;
   else{
```

```
choosenDate=Date.parse(date.value)
    errors=0;
    if(choosenDate<=currentDate){</pre>
        document.getElementById('date-error').innerHTML = "*Choose date in the
future*";
        errors++;
        return false;
   else{
        document.getElementById('date-error').innerHTML = "";
        errors=0;
   while(list == "-Choose our service-")
       alert("Choose a service")
       errors++;
       return false
    if(list!="-Choose our service-"){
        errors=0;
   while(time == "-Choose your termin-")
        alert("Choose termin")
       errors++;
       return false
    if(time != "-Choose your termin-"){
        errors=0;
   while(barber == "-Choose your barber-")
        alert("Choose a barber")
        errors++;
       return false
    if(barber!="-Choose your barber-"){
        errors=0;
    if(errors<1)</pre>
       alert("You have succesfuly made an appointment");
        setTimeout("location.reload(true);",0)
```

```
let ourServices = ["-Choose our service-","Kids cut","Regular
haircut", "Fade", "Beard Trim", "Shave", "Hot Towel Shave", "Facial
Cleanse","Eyebrows","Head Shaving"]
let timeList=["-Choose your termin-
 ,"08:00","08:30","09:00","09:30","10:00","10:30","11:00","11:30","12:00","12:30"
 "13:00", "13:30", "14:00", "14:30", "15:00", "15:30", "16:00", "16:30", "17:00", "17:30",
"18:00","18:30","19:00","19:30"];
let barberList=["-Choose your barber-","Michael Jones","Alex Miller","Chris
Wilson"];
let serviceList=document.getElementById("list")
    for(var i=0;i<ourServices.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(ourServices[i])
        optionList.appendChild(serviceMain);
        serviceList.appendChild(optionList)
let timeListElement=document.getElementById("time")
    for(var i=0;i<timeList.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(timeList[i])
        optionList.appendChild(serviceMain);
        timeListElement.appendChild(optionList)
let barberListElement=document.getElementById("barberOption")
    for(var i=0;i<barberList.length;i++){</pre>
        var optionList= document.createElement("option")
        let serviceMain = document.createTextNode(barberList[i])
        optionList.appendChild(serviceMain);
        barberListElement.appendChild(optionList)
```

```
$(".firstTitle").animatext({
    effect:'tada',
    speed: 50
});
});
jQuerry plugin
```