# Namespace LlamaLogic.Packages

## Classes

ArrayBufferWriterOfByteStream

Represents a write-only Stream that collects what is written to it in memory ( 🔓 )

DataBasePackedFile

Represents a Maxis DBPF format package file ( 🔒 )

ReadOnlyMemoryOfByteStream

Represents a read-only, seekable Stream over a ReadOnlyMemory<T> of bytes ( 🔓 )

ResourceFileTypeAttribute

Specifies the file type of a package resource type independent of storage within a DataBasePackedFile

ResourceFileTypeFormatAttribute

Specifies the extension and mime type of a file type of a package resource independent of storage within a DataBasePackedFile

ResourceToolingMetadataAttribute

Specifies that the ResourceType is tooling metadata and not intended for use by the game

SmartSimUtilities

Provides utility methods specific to The Sims 4

## Structs

ResourceKey

Represents the unique key of a resource within a DataBasePackedFile

## Enums

CompressionMode

Represents the compression mode to use when setting the content of a resource in a DataBasePackedFile

ResourceFileType

The file type of a package resource independent of storage within a DataBasePackedFile

ResourceKeyOrder

Specifies the order in which a ResourceKey sequence should be processed

ResourceType

A type of resource within a DataBasePackedFile

# Namespace LlamaLogic.TuningDescriptions

## Classes

EnumTunableDescription

Represents the description of a tunable whose value is a member of an enumeration (a `TunableEnum` element) ( 🔒 )

FragmentReferenceTunableDescription

Represents a reference to a shared description (a `TdescFragTag` element), whose Class names a TuningDescriptionFragment ( 🔒 )

ListTunableDescription

Represents the description of a tunable that is a sequence of values described by Item (a `TunableList` element), including sets and mappings ( 🔒 )

ScalarTunableDescription

Represents the description of a single-valued tunable (a `Tunable` element) ( 🔒 )

SimDataGenerationException

Represents an exception thrown by SimDataGenerator when it cannot generate SimData for tuning

SimDataGenerator

Generates SimData resources from tuning the way Maxis' build does, using the tuning descriptions of the game version for which they are generated ( 🔒 )

TunableDescription

Represents the description of a tunable ( 🔒 )

TuningDescriptionAction

Represents a change Maxis recorded in a document's version history, identifying tunables by their Muid ( 🔒 )

TuningDescriptionClass

Represents a class described in a TuningDescriptionModule (a `Class` element): an enumeration, the holder of module tuning, or both ( 🔒 )

TuningDescriptionDocument

Represents a document of a TuningDescriptionSet: an instance, a module, or a fragment ( 🔒 )

TuningDescriptionEnumItem

Represents a member of an enumeration described by a TuningDescriptionClass (an `EnumItem` element) ( 🔒 )

TuningDescriptionFragment
: Represents a description shared by the FragmentReferenceTunableDescriptions that name it (a `TdescFrag` element), such as `TunableTestSet` ( 🔒 )

TuningDescriptionInstance
: Represents the description of a class of instance tuning (an `Instance` element), such as `Buff` ( 🔒 )

TuningDescriptionModule
: Represents the description of a Python module's tuning and enumerations (a `Module` element), such as `sims.sim_info_types` ( 🔒 )

TuningDescriptionSet
: Represents a set of tuning descriptions for a version of The Sims 4, as Maxis distributes it ( 🔒 )

TupleTunableDescription
: Represents the description of a tunable composed of named tunables (a `TunableTuple` element) ( 🔒 )

UnknownTunableDescription
: Represents a description in an element this library does not recognize, kept so that nothing in a document is lost ( 🔒 )

VariantTunableDescription
: Represents the description of a tunable whose value is one of several named options (a `TunableVariant` element) ( 🔒 )

## Enums

TuningDescriptionActionType
: The type of a TuningDescriptionAction

TuningDescriptionExportModes
: The destinations to which the game's build exports a tunable (its `export_modes` attribute)

# Namespace LlamaLogic.ValveDataFormat

## Classes

VdfKeyValuePair

Represents a key-value pair in a VDF document

VdfNode

Represents a node in a VDF document

VdfSection

Represents a section in a VDF document