

RWorksheet#5_Group(Basa,Llanera,Tuares)

Basa,Llanera,Tuares

2024-12-16

```
library(polite)
library(kableExtra)
library(rmarkdown)

url <- 'https://www.amazon.com/ref=nav_logo'

session <- bow(url,
               user_agent = "Educational")
session

## <polite session> https://www.amazon.com/ref=nav_logo
##   User-agent: Educational
##   robots.txt: 138 rules are defined for 5 bots
##   Crawl delay: 5 sec
##   The path is scrapable for this user-agent
page <- scrape(session)
```

```
library(polite)
library(kableExtra)
library(rmarkdown)
library(rvest)

url <- 'https://www.imdb.com/search/title/?title_type=tv_series&sort=num_votes,desc'

session <- bow(url, user_agent = "Educational")
session

## <polite session> https://www.imdb.com/search/title/?title_type=tv_series&sort=num_votes,desc
##   User-agent: Educational
##   robots.txt: 35 rules are defined for 3 bots
##   Crawl delay: 5 sec
##   The path is scrapable for this user-agent
rank_title <- character(0)
links <- character(0)

titlelist <- scrape(session) %>%
  html_nodes('h3.ipc-title__text') %>%
  html_text

titlelist_sub <- as.data.frame(titlelist[1:50])
head(titlelist_sub)
```

```
##      titlelist[1:50]
## 1  1. Game of Thrones
## 2    2. Breaking Bad
## 3  3. Stranger Things
## 4    4. Friends
## 5 5. The Walking Dead
## 6    6. Sherlock

tail(titlelist_sub)

##      titlelist[1:50]
## 45                <NA>
## 46                <NA>
## 47                <NA>
## 48                <NA>
## 49                <NA>
## 50                <NA>

colnames(titlelist_sub) <- "ranks"

splits_df <- strsplit(as.character(titlelist_sub$ranks), ".", fixed = TRUE)
splits_df <- data.frame(do.call(rbind, splits_df))

splits_df <- splits_df[-c(3:4)]

colnames(splits_df) <- c("ranks", "title")

str(splits_df)

## 'data.frame':    50 obs. of  2 variables:
## $ ranks: chr  "1" "2" "3" "4" ...
## $ title: chr  " Game of Thrones" " Breaking Bad" " Stranger Things" " Friends" ...

head(splits_df)

##      ranks      title
## 1      1  Game of Thrones
## 2      2   Breaking Bad
## 3      3  Stranger Things
## 4      4      Friends
## 5      5 The Walking Dead
## 6      6      Sherlock

splits_df

##      ranks      title
## 1      1  Game of Thrones
## 2      2   Breaking Bad
## 3      3  Stranger Things
## 4      4      Friends
## 5      5 The Walking Dead
## 6      6      Sherlock
## 7      7 The Big Bang Theory
## 8      8      Dexter
```

```
## 9          9          The Office
## 10         10 How I Met Your Mother
## 11         11          The Boys
## 12         12      Better Call Saul
## 13         13      Peaky Blinders
## 14         14      True Detective
## 15         15      Black Mirror
## 16         16      Rick and Morty
## 17         17          Lost
## 18         18      Squid Game
## 19         19      Prison Break
## 20         20      The Mandalorian
## 21         21      Vikings
## 22         22      The Last of Us
## 23         23      The Witcher
## 24         24      Attack on Titan
## 25         25      Money Heist
## 26 Recently viewed      Recently viewed
## 27         <NA>         <NA>
## 28         <NA>         <NA>
## 29         <NA>         <NA>
## 30         <NA>         <NA>
## 31         <NA>         <NA>
## 32         <NA>         <NA>
## 33         <NA>         <NA>
## 34         <NA>         <NA>
## 35         <NA>         <NA>
## 36         <NA>         <NA>
## 37         <NA>         <NA>
## 38         <NA>         <NA>
## 39         <NA>         <NA>
## 40         <NA>         <NA>
## 41         <NA>         <NA>
## 42         <NA>         <NA>
## 43         <NA>         <NA>
## 44         <NA>         <NA>
## 45         <NA>         <NA>
## 46         <NA>         <NA>
## 47         <NA>         <NA>
## 48         <NA>         <NA>
## 49         <NA>         <NA>
## 50         <NA>         <NA>
```

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:


```
summary(cars)
```

```
##      speed      dist
## Min.   : 4.0   Min.   : 2.00
```

```
## 1st Qu.:12.0    1st Qu.: 26.00
## Median :15.0    Median : 36.00
## Mean   :15.4    Mean    : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
## Max.   :25.0    Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.