# Content Management System (Wordpress) Installation Manual

9352B

Group 4

DOMAOA, JEANE CRIS CARIÑO

HABER, CHRISTIAN GUARDIA

LOPEZ, NEIL CLARENCE ACOSTA

MENDOZA, RENEDEZ JON CARBONELL

ZHANG, JASPER ANTHONY WONG

CUSTODIO, DANICA SHIENE DELA

MASA FERRER, LORELIE MAE PADIO

VALDEZ, DRIZZLE JOY MIGUEL

WordPress uses relational databases to store the user information. For this manual we will be using MySQL as a relational database.

#### Step 1: Installing LAMP server

You need LAMP server which can be selected to be installed during the software selection part during the installation of Ubuntu or using the "sudo tasksel" command



#### Step 2: Configuring the MySQL root user

The operating system will ask you to input the desired password for the root user in MySQL after you select LAMP server to be installed.



#### Step 3: Create a user for WordPress

First login to the root MySQL account by typing "mysql -u root -p"

webtech@webtech2018:~\$ mysql -u root -p Enter password:

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 4

Server version: 5.7.19-Oubuntu0.16.04.1 (Ubuntu)

Copyright (c) 2000, 2017, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help:' or 'Nh' for help. Type 'Nc' to clear the current input statement.

mysql>

#### Then create a database

mysql> CREATE DATABASE wordpress DEFAULT CHARACTER SET utf8 COLLATE utf8\_unicode\_ci;
Query OK, 1 row affected (0.01 sec)

mysql> GRANT ALL ON wordpress.\* TO 'webtech'@'localhost' IDENTIFIED BY '2018'; Query OK, 0 rows affected, 1 warning (0.00 sec)

mysql> FLUSH PRIVILEGES; Query OK, 0 rows affected (0.00 sec)

mysql> EXIT; Bye

webtech@webtech2018:~\$

#### Step 4: Install Additional PHP Extensions

In order to get the PHP extensions you just need to update using the "sudo apt-get update" command

```
ebtech⊕ebtech2018:~$ sudo apt-get update
[sudo] password for webtech:
Hit:1 http://ph.archive.ubuntu.com/ubuntu xenial InRelease
Hit:2 http://ph.archive.ubuntu.com/ubuntu xenial-updates InRelease
Hit:3 http://ph.archive.ubuntu.com/ubuntu xenial-backports InRelease
Get:4 http://security.ubuntu.com/ubuntu xenial-security InRelease [102 kB]
Fetched 102 kB in 2s (45.5 kB/s)
Reading package lists... Done
webtechewebtech2018:-≸ sudo apt-get install php-curl php-gd php-mbstring php-mcrypt php-xml php-xmlrpc
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
   fontconfig-config fonts-dejavu-core libapache2-mod-php7.0 libcurl3 libfontconfig1 libgd3 libjbig0 libjpeg turbo8 libjpeg8 libmcrypt4 libtiff5 libvpx3 libcurlpc-epi0 libxpm4 libxslt1.1 php7.0-cli php7.0-common php7.0-curl php7.0-gd php7.0-json php7.0-mbstring php7.0-mcrypt php7.0-mysql php7.0-opcache php7.0-readline php7.0-xml php7.0-xmlrpc
Suggested packages:
    php-pear libgd-tools libecrypt-dev ecrypt
The following NEW packages will be installed:
   fontconfig-config fonts-dejavu-core libcurl3 libfontconfig1 libgd3 libjbig0 libjpeg-turbo8 libjpeg8 libmcrypt4 libtiff5 libvpx3 libxmlrpc-epi0 libxpm4 libxslt1.1 php-curl php-gd php-mbstring php-mcrypt php-xml php-xmlrpc php7.0-curl php7.0-gd php7.0-mbstring php7.0-mcrypt php7.0-xml
    popz.vo Amaripe
ne following packages will be upgraded:
libapache2-mod-php7.0 php7.0-cli php7.0-common php7.0-json php7.0-mysql php7.0-opcache
7 upgraded, 26 newly installed, 0 to remove and 151 not upgraded.
Meed to get 7,073 kB of archives.

After this operation, 11.5 MB of additional disk space will be used.

Do you want to continue? [Y/n] Y
```

Then restart apache using "sudo service apache2 restart" command.

```
Step 5: Download and Install WordPress
```

First, go to /tmp in order to download WordPress.

Then extract the downloaded file

```
webtech@webtech2018:/tmp$ tar xzvf latest.tar.gz
wordpress/
```

Copy the sample configuration file to a filename that WordPress reads

```
webtech@webtech2018:/tmp$ cp /tmp/wordpress/wp-config-sample.php /tmp/wordpress/wp-config.php
```

Create an upgrade directory so that WordPress will update without any issues

```
webtech@webtech2018:/tmp$ mkdir /tmp/wordpress/wp-content/upgrade
```

Copy the contents of the directory into the document root

```
webtech@webtech2018:/tmp$ sudo cp -a /tmp/wordpress/. /var/www/wordpress
```

Change the ownership of the "wordpress" folder

```
webtech@webtech2018:/tmp$ sudo chown -R webtech:www-data /var/www/wordpress
```

Set the setgid so that new files created will inherit the group of the parent directory

```
webtech@webtech2018:/tmp$ sudo find /var/www/wordpress -type d -exec chmod g+s {} \;
```

Change the permission of the folder wordpress, themes, and plugins

```
webtech@webtech2018:/tmp$ sudo chmod g+w /var/www/wordpress
webtech@webtech2018:/tmp$ sudo chmod -R g+w /var/www/wordpress/wp-content/themes
webtech@webtech2018:/tmp$ sudo chmod -R g+w /var/www/wordpress/wp-content/plugins
```

service apache2 reload


First generate a key using WordPress secret key generator

```
webtech@webtech2018:/tmp$ curl -s https://api.wordpress.org/secret-key/1.1/salt/
define('AUTH KEY'
                        'MlquXhv$1]!AlUn?JT`}0R|g-Hi}r4X9cs(fv}!eR2|(+iLdzK8%j|}XN$ыN15-<');
define('SECURE_AUTH_KEY', 'cfGjEQxV/.~.i/PP10!q4y3$C0A/{N&SSgg@:VjYbKV3k{3Z;N:Kx]rwyERZi}Zn');
define('NONCE_KEY',
define('AUTH_SALT',
                        '1~|Ad2,rmFdQX(--:@#ocS,oMo|fBh5S-kS{YmvoUGK|5.=]nx(PsZyu)pJe}T6N');
define('SECURE_AUTH_SALT', '9&TYNMI@+b?-q1-SEgXY|lDHLns-`a$ahAOM.E!,12@|JY`yJwY9.7-7_zT@NiF~');
define('LOGGED_IN_SALT', '7$J|4oUTCRfTxr32:*!e*JOH#p{gGFF:8@M4p| F7VavWYS9(tiBD8S:nZ<xwfV[');
define('NONCE_SALT', 'a1^P*8nPD{%}x>1Pq]L{eN#-x|pkPBDo=A]27Teb%%_-z^k[b$-+=.fU{v>}u[8:');
Then modify the config file (/var/www/html/wp-config.php)
// ** MySQL settings - You can get this info from your web host ** //
/** The name of the database for MordPress */
define('DB_NAME', 'wordpress');
/** MySQL database username */
define('DB_USER', 'webtech');
/** MySQL database password */
define('DB_PASSMORD', '2018');
/** MySQL hostname */
define('DB_HOST', 'localhost');
/** Database Charset to use in creating database tables. */
define('DB_CHARSET', 'utf8');
/** The Database Collate type. Dom't change this if in doubt. */
define('DB_COLLATE', '');
define('FS_METHOD', 'direct');
Step 7: Configure the apache server
Make a config file in /etc/apache2/ and put the following configuration
<VirtualHost *:80>
          ServerName security.slu.edu.ph
          ServerAlias www.security.slu.edu.ph
          DocumentRoot /var/www/wordpress
          <Directory /var/www/wordpress/>
                    AllowOverride All
          </Directory>
</VirtualHost>
Enable the configuration.
webtech@webtech2018:/tmp$ sudo a2ensite wordpress.conf
Enabling site wordpress.
To activate the new configuration, you need to run:
```


# Step 8: Add the website domain to your hosts file

### Step 9: Start WordPress

Open the website domain name then select a language.



## Create a WordPress account by filling up the form



# Login



# You can now access the WordPress websites

