

Uses of Class model.AuditLog

Packages that use AuditLog

Package

Description

repository

service

Uses of AuditLog in repository

Methods in repository that return AuditLog

Modifier and Type

Method

Description

AuditLog

AuditLogRepository.findLastChangeOfEntity(String[↗] entityType, Long[↗] entityId)

Obtener último cambio de una entidad

Methods in repository that return types with arguments of type AuditLog

Modifier and Type

Method

Description

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findAllByOrderByTimestampDesc(org.springframework.data.domain.Pageable pageable)

Obtener todos los logs paginados ordenados por fecha descendente

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findByActionOrderByTimestampDesc(AuditAction action, org.springframework.data.domain.Pageable pageable)

Obtener logs por acción

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findByEntityTypeAndEntityIdOrderByTimestampDesc(AuditEntityType entityType, Long[↗] entityId, org.springframework.data.domain.Pageable pageable)

Obtener logs de una entidad específica

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findByEntityTypeOrderByTimestampDesc(AuditEntityType entityType, org.springframework.data.domain.Pageable pageable)

Obtener logs por tipo de entidad

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findByTimestampBetweenOrderByTimestampDesc(LocalDateTime[↗] fromDate, LocalDateTime[↗] toDate, org.springframework.data.domain.Pageable pageable)

Obtener logs por rango de fechas

List[↗]<**AuditLog**>

AuditLogRepository.findByUser_IdAndActionOrderByTimestampDesc(Long[↗] userId, AuditAction action)

Obtener logs por usuario y acción

org.springframework.data.domain.Page<**AuditLog**>

AuditLogRepository.findByUserIdAndTimestampBetweenOrderByTimestampDesc(Long[↗] userId, LocalDateTime[↗] fromDate, LocalDateTime[↗] toDate, org.springframework.data.domain.Pageable pageable)

Obtener logs de un usuario en un rango de fechas

org.springframework.data.domain.Page<AuditLog>

AuditLogRepository.findByUserIdOrderByTimestampDesc(Long[↗] userId, org.springframework.data.domain.Pageable pageable)

Obtener logs de auditoría de un usuario

Uses of AuditLog in service

Methods in service that return AuditLog
<div>Modifier and Type</div> <div>Method</div> <div>Description</div>
<div>AuditLog</div> <div>AuditLogService.logAction(User user, AuditAction action, AuditEntityType entityType, Long[↗] entityId, String[↗] entityName, String[↗] previousValue, String[↗] newValue)</div> <div>Registra una acción de auditoría</div>