

## Uses of Class model.AuditLog

### Packages that use AuditLog

Package

Description

repository

service

### Uses of AuditLog in repository

#### Methods in repository that return AuditLog

Modifier and Type

Method

Description

**AuditLog**

**AuditLogRepository.findLastChangeOfEntity**(String<sup>↗</sup> entityType, Long<sup>↗</sup> entityId)

Obtener último cambio de una entidad

#### Methods in repository that return types with arguments of type AuditLog

Modifier and Type

Method

Description

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findAllByOrderByTimestampDesc**(org.springframework.data.domain.Pageable pageable)

Obtener todos los logs paginados ordenados por fecha descendente

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findByActionOrderByTimestampDesc**(AuditAction action, org.springframework.data.domain.Pageable pageable)

Obtener logs por acción

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findByEntityTypeAndEntityIdOrderByTimestampDesc**(AuditEntityType entityType, Long<sup>↗</sup> entityId, org.springframework.data.domain.Pageable pageable)

Obtener logs de una entidad específica

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findByEntityTypeOrderByTimestampDesc**(AuditEntityType entityType, org.springframework.data.domain.Pageable pageable)

Obtener logs por tipo de entidad

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findByTimestampBetweenOrderByTimestampDesc**(LocalDateTime<sup>↗</sup> fromDate, LocalDateTime<sup>↗</sup> toDate, org.springframework.data.domain.Pageable pageable)

Obtener logs por rango de fechas

List<sup>↗</sup><**AuditLog**>

**AuditLogRepository.findByUser\_IdAndActionOrderByTimestampDesc**(Long<sup>↗</sup> userId, AuditAction action)

Obtener logs por usuario y acción

org.springframework.data.domain.Page<**AuditLog**>

**AuditLogRepository.findByUser\_IdAndTimestampBetweenOrderByTimestampDesc**(Long<sup>↗</sup> userId, LocalDateTime<sup>↗</sup> fromDate, LocalDateTime<sup>↗</sup> toDate, org.springframework.data.domain.Pageable pageable)

Obtener logs de un usuario en un rango de fechas

org.springframework.data.domain.Page<AuditLog>

**AuditLogRepository.findByUser\_IdOrderByTimestampDesc**(Long<sup>↗</sup> userId, org.springframework.data.domain.Pageable pageable)

Obtener logs de auditoría de un usuario

Uses of AuditLog in service

Methods in service that return AuditLog
Modifier and Type
Method
Description
<b>AuditLog</b>
<b>AuditLogService.logAction</b> (User user, AuditAction action, AuditEntityType entityType, Long <sup>↗</sup> entityId, String <sup>↗</sup> entityName, String <sup>↗</sup> previousValue, String <sup>↗</sup> newValue)
Registra una acción de auditoría