

## Uses of Class model.AuditLog

### Packages that use AuditLog

Package
<b>Description</b>
repository
service

### Uses of AuditLog in repository

#### Methods in repository that return AuditLog

Modifier and Type
<b>Method</b>
<b>Description</b>
<b>AuditLog</b>
<b>AuditLogRepository.findLastChangeOfEntity</b> (String <sup>↗</sup> entityType, Long <sup>↗</sup> entityId)
Obtener último cambio de una entidad

#### Methods in repository that return types with arguments of type AuditLog

Modifier and Type
<b>Method</b>
<b>Description</b>
org.springframework.data.domain.Page<AuditLog>
<b>AuditLogRepository.findAllByOrderByTimestampDesc</b> (org.springframework.data.domain.Pageable pageable)
Obtener todos los logs paginados ordenados por fecha descendente
org.springframework.data.domain.Page<AuditLog>
<b>AuditLogRepository.findByActionOrderByTimestampDesc</b> (AuditAction action, org.springframework.data.domain.Pageable pageable)
Obtener logs por acción
org.springframework.data.domain.Page<AuditLog>
<b>AuditLogRepository.findByEntityTypeAndEntityIdOrderByTimestampDesc</b> (AuditEntityType entityType, Long <sup>↗</sup> entityId, org.springframework.data.domain.Pageable pageable)
Obtener logs de una entidad específica
org.springframework.data.domain.Page<AuditLog>
<b>AuditLogRepository.findByEntityTypeOrderByTimestampDesc</b> (AuditEntityType entityType, org.springframework.data.domain.Pageable pageable)
Obtener logs por tipo de entidad
org.springframework.data.domain.Page<AuditLog>
<b>AuditLogRepository.findByTimestampBetweenOrderByTimestampDesc</b> (LocalDateTime <sup>↗</sup> fromDate, LocalDateTime <sup>↗</sup> toDate, org.springframework.data.domain.Pageable pageable)
Obtener logs por rango de fechas
List <sup>↗</sup> <AuditLog>
<b>AuditLogRepository.findByUser_IdAndActionOrderByTimestampDesc</b> (Long <sup>↗</sup> userId, AuditAction action)
Obtener logs por usuario y acción
org.springframework.data.domain.Page<AuditLog>

**AuditLogRepository.findByUser\_IdAndTimestampBetweenOrderByTimestampDesc**(Long<sup>↗</sup> userId, LocalDateTime<sup>↗</sup> fromDate, LocalDateTime<sup>↗</sup> toDate, org.springframework.data.domain.Pageable pageable)

Obtener logs de un usuario en un rango de fechas

org.springframework.data.domain.Page<AuditLog>

**AuditLogRepository.findByUser\_IdOrderByTimestampDesc**(Long<sup>↗</sup> userId, org.springframework.data.domain.Pageable pageable)

Obtener logs de auditoría de un usuario

Uses of AuditLog in service

Methods in service that return AuditLog
Modifier and Type
Method
Description
<b>AuditLog</b>
<b>AuditLogService.logAction</b> (User user, AuditAction action, AuditEntityType entityType, Long <sup>↗</sup> entityId, String <sup>↗</sup> entityName, String <sup>↗</sup> previousValue, String <sup>↗</sup> newValue)
Registra una acción de auditoría