



The ultimate water-saving system

Team U-24:

Lo Yan
Joanne Chong E-Qin
Khey Meng Hong
Foo Shu Hui

Special thanks to: Prof Zhang Jian Wen

Mission

To provide people with the ultimate water-saving system that is affordable, engaging and intuitive.

Vision

To achieve water sustainability both locally and globally through innovative water conservation efforts.

Rationale

01. Local



usage

Water Usage In a Household

SHOWER 29%

BASIN 7%

OTHERS 4%

PUB Household Water Consumption Study in 2018/2019

water

Up to 29% are shower usage

02. Global



This is also in line with **Goal 6** of WHO's Sustainable Development Goals which is to **ensure availability and sustainable management of water and sanitation for all.**

Overview of HydroMind

Measure water flow rate using YF-S201C halleffect sensor





1. Collect data using ESP32 microcontrollers




2. Process data using our machine learning algorithm through cloud server



3. Recommend steps to users through our mobile app to achieve the PUB standard

Overview of HydroMind





Cost Breakdown for Our Product

Per-Unit Cost

- 1. ESP32 microcontrollers --> \$ 5.15
- 2. Acrylic Box Cover --> \$ 0.15 (\$72 for 1.22m x 1.44m acrylic sheet, can cut into approximately 1000 units of the container box cover)
- 3. PLA box (3D-printed) --> \$1.00 (\$30 for 1kg PLA filament)
- 4. Cloud Services for Data Storage --> \$ 0.20

Total Per-Unit Cost= \$ 6.50

Why HydroMind stands out from existing products?



User Engagement



Easy & Intuitive to use



Affordable

Challenges Faced & Solution

O1. Privacy & Data Security Concerns


Two-factor authentication is required. Beyond the first layer of username and password, the app could prompt the users to enter their choice of 4 digits code or FaceID when accessing sensitive information such as address/DOB


O2. Software Glitches

Monthly software updates can be conducted to eliminate any bugs in the software

03. Risk of Electrocution


An isolated container box that is created to contain all the necessary peripherals within the watertight box.








Source code: https://github.com/Lo-Yan/HydroMind-App





Colour-Changing Feedback System

Mobile Application