

Practica # 3

1)

$$r=3 \quad x$$

$$m = x + \frac{r1 - r2}{5 + (r2 + x)}$$

$$m = x + \left(((r \cdot 1) - (r \cdot 2)) / (5 + ((r \cdot 2) + x)) \right)$$

$$m = 2 + \left(((3 \cdot 1) - (3 \cdot 2)) / (5 + ((3 \cdot 2) + 2)) \right)$$

$$m = 2 + \left((3 - 6) / (5 + (6 + 2)) \right)$$

$$m = 2 + (-3 / (5 + 8))$$

$$m = 2 + (-3 / 13)$$

$$m = 2 + 0.2$$

$$m = 2.2 //$$

$$\begin{array}{r} -30 \overline{) 113} \\ 4 \overline{) 02} \end{array}$$

2)

Invertir valores usando auxiliar.

$$a=2 \quad b=5 \quad aux=0$$

aux	a	b
2	2	5
	5	2

$$aux=a$$

$$a=b$$

$$b=aux$$

3) Invertir valores sin auxiliar.

$$a=4 \quad b=5$$

a	b
4	5
5	

$$a=b$$

4) Horas a segundos.

$$h=5 \quad seg=0$$

$$seg = h \times 3600$$

$$seg = 5 \times 3600$$

$$seg = 18000$$

5) Leer horas h, minutos m, segundos s, mostrar total segundos.

$$\text{leer } h \quad h=6$$

$$\text{leer } m \quad m=50$$

$$\text{leer } s \quad s=12$$

$$seg = (h \times 3600) + (m \times 60) + s$$

$$seg = 21600 + 3000 + 12$$

$$seg = 24612 //$$

6) Calcular el área de un triángulo rectángulo

$$a = 5 \quad b = 6$$

$$rec = 2(a \times b)$$

$$rec = 2 \times 11$$

$$rec = 22$$

$$\sqrt{22}$$

7) Calcular el área de un rectángulo

$$a = 7$$

$$b = 2$$

$$A = (b \times a) / 2$$

$$A = 14 / 2$$

$$A = 7$$

$$\sqrt{7}$$

8)

$$\text{Precio} = 57,50 \quad \text{pago} = 60$$

$$\text{Float } p = 57,50$$

$$\text{Float } \text{pago} = 60,00$$

$$\text{Float } \text{cambio} = 00,00$$

$$\text{Cambio} = \text{pago} - p$$

$$\sqrt{14960.00}$$

9)

$$\text{Int gal} = 4000$$

$$\text{Float } \text{precio} = 3,74$$

$$\text{Float } \text{ganancia} = 0$$

$$\text{ganancia} = \text{gal} \times \text{precio}$$

$$\begin{array}{r} 4000 \\ 3,74 \\ \hline 16000 \\ 28000 \\ 12000 \\ \hline 14960,00 \end{array}$$

10)

$$n = 7$$

$$\text{Seg} = 7 \times (24 \times 3600)$$

$$\text{Seg} = 86.400$$

$$\sqrt{86400}$$

Practica 4

1)

1. inicio
2. leer C, r, t
3. $m = ((1+r/t)/10) * C$
4. $i = m * C$
5. Mostrar i, m
6. fin

C	r	t
10	2033	30
8	6677	7
22	11201	999

P	i	m
	3,23	6,78

P	i	m
	42,7	47,7

P	i	m
	-18,5	2,4

2)

int f
Celsius = $-17,22 * f$

f	Celsius
33	0
123	50,22
543	283,86
101	38,33
771	413,88

P	Celsius
	0,55
	50,55
	283,28
	38,33
	414,88

3)

horas = 0 minutos = 0 segundos = 0

horas = $S / 3600$

mostrar (horas)

minutos = $(S \% 3600) / 60$

mostrar (minutos)

segundos = $(S \% 3600) \% 60$

mostrar (segundos)

P	horas	minutos	segundos
	27	46	39
	3	1	45
	21	36	11
	92	52	0
	0	1	7

12345
77771
334320
67

4)

leer Valor1, Valor2, Valor3, Valor4

Promedio = $(Valor1 + Valor2 + Valor3 + Valor4) / 4$

Promedio = promedio - 1

P
64
45
27,5

5)

- F

- F

- V

- V

6) $a=5$ $b=30$ $c=3$

- $a \geq b \vee a \geq c$

$5 \geq 30 \vee 5 \geq 3$

F $\vee$ V

(F)

- $30 \geq 5 \vee 30 \geq 3$

V $\vee$ V

V

- $(\text{no}(\text{no}(\text{no}(3 > 0)) \circ 30 + 3 == 7))) \vee 1 == 1 \vee \text{no}(F \circ V)$

$(\text{no}(\text{no}(\text{no}(V)) \circ F))) \vee V \vee \text{no } V$

$(\text{no}(\text{no}(F \circ F))) \vee V \vee F$

$(\text{no}(\text{no } V)) \vee F$

$(\text{no } F) \vee F$

V $\vee$ F

(F)

$$a=10 \quad b=4 \quad c=-2 \quad d=11$$

$$-(10 == 10 \vee 4 == 4 - 1) \circ (2 < 0 \circ 11 == 10 + 1)$$

$$(V \vee F) \circ (F \circ V)$$

$$F \circ V$$

$$-(6/2 * (2+1)) = 10 - 1 \vee (21 + -2) > 5$$

$$(3 * 3) == 10 - 1 \vee 9 > 5$$

$$9 == 9 \vee 9 > 5$$

$$V \vee V$$

$$(V)$$

$$- \text{no}(\text{no}(\text{no}(-2 > 0))) \circ 10 + 11 == 21)$$

$$\text{no}(\text{no}(\text{no } F) \circ V$$

$$\vee \text{no}(\text{no } V) \circ V$$

$$\text{no } F \circ V$$

$$\text{no } V$$

$$(F)$$

$$-(10 + 4 \geq 14 \vee 4 \leq 4) \vee ((4 + 4)! = 8) \vee \text{no}((-2 + (-2 * -1)) == 0)$$

$$(14 \geq 14 \vee V) \vee (8! = 8) \vee \text{no}((-2 + 3) == 0)$$

$$8) \quad a=5 \quad b=5 \quad c=40 \quad d=10 \quad e=20$$

$$-(5 * 5) + (40 / 10) > 20$$

$$25 + 4 > 20$$

$$29 > 20$$

$$(V)$$

$$- \text{no}(5 \geq 40 - (10 * 20)) \vee (5 < 5)$$

$$\text{no}(5 \geq 40 - 200) \vee F$$

$$\text{no}(5 \geq -160) \vee F$$

$$\text{no}(V \vee F)$$

$$\text{no } F$$

$$- ((10+20)/5) < (40-5) \text{ y no } (s == 10)$$

$$(30/5) < 35 \text{ y no FF}$$

$$6 < 35 \text{ y V}$$

$$V \text{ y V}$$

(V)

$$- (20-s) * (20/10) \geq 5 \text{ y } (s+40) > 20$$

$$1s * 4 \geq 5 \text{ y } 20 > 20$$

$$60 \geq 5 \text{ y V}$$

$$V \text{ y V}$$

(V)

$$- \text{no } ((s * s) == (40-10)) \text{ o } (20 \leq (40+s))$$

$$\text{no } (25 == 30) \text{ o } (20 \leq 45)$$

$$\text{no } (F \text{ o } V)$$

$$\text{no V}$$

(F)

$$- (s + (40/10)) < (20+s) \text{ y no } (20 \geq 10)$$

$$(s+4) < 2s \text{ y no V}$$

$$10 < 2s \text{ y F V}$$

$$V \text{ y F}$$

(F)

$$- (40 > 9 * s) \text{ y } (10 < 20) \text{ o no } (s == 10)$$

$$(40 > 25) \text{ y V o V}$$

$$V \text{ y V}$$

(V)

$$- \text{no}((40/10) + (5-5) \geq 10) \text{ o } (5 \times 10) < (5 + 40)$$

$$\text{no}(40 \geq 10) \text{ o } 50 < 45$$

$$\text{no}(4 \geq 10) \text{ o } F$$

$$\text{no } V$$

$$\text{no } V$$

$$(F)$$

$$- (5+5) \times (40/20) < \text{no}(40 < 20+5)$$

$$10 \times 2 < 10 \text{ o no } F$$

$$20 < 10 \text{ o } V$$

$$F \text{ o } V$$

$$(V)$$

$$- (10-5) \times (20/5) > 40 \text{ y no}((40 \leq 5) \text{ o } (5 > 10))$$

$$5 \times 4 > 40 \text{ y no}(F \text{ o } F)$$

$$20 > 40 \text{ y no } F$$

$$F \text{ y } V$$

$$(F)$$

$$- (10-5) \times (20/5) > 40 \text{ y no}(\text{no}((40 \leq 5) \text{ o } (5 > 10)))$$

$$5 \times 4 > 40 \text{ y no}(\text{no}(F \text{ o } F))$$

$$20 > 40 \text{ y no } (V)$$

$$- (40 > 5 \times 5) \text{ y } (10 < 40) \text{ o no}(\text{no}(5 = 10))$$

$$(40 > 25) \text{ y } V \text{ o no}(\text{no } F)$$

$$V \text{ y } V \text{ o } F$$

$$V \text{ y } F$$

$$(F)$$

$$\neg \text{no} ((40/10) + (s-s) \geq 20)) \vee (s \times 20) < (s + 40)$$

$$\text{no} (\text{no} ((4+0) \geq 20)) \vee (100 < 4s)$$

$$\text{no} (\text{no } F \vee F), \quad 0$$

$$\text{no} (\text{no } F)$$

noV

(F)