



1. load_platforms()




2. load_posts()

Reads posts.txt and returns a list of valid five-field post dictionaries.




3. save_posts(posts)

Overwrites posts.txt with the current list of post dictionaries.




4. load_engagement()

Reads engagement.txt and converts each valid metrics field to an integer.




5. save_engagement(engagement_list)

Overwrites engagement.txt using pipe-separated values.




6. get_valid_date(prompt)

Repeats until the code's YYYY-MM-DD syntax and range checks pass, or the user enters cancel.




7. get_non_negative_int(prompt)

Repeats until the input contains digits only, then returns its integer value.




8. add_new_post_idea()

Validates every entered field, creates a Draft post, saves it, and returns to the menu.




9. update_post_status() – Better Arrangement




10. record_engagement_metrics()

Allows metrics only for an existing post whose status is Posted.




11. display_content_calendar()

Sorts posts by the YYYY-MM-DD string using the code's selection-sort loop.




12. delete_post()

Deletes the chosen post and removes matching engagement data when present.




13. compile_performance_report_data()

Computes the shared statistics used by both on-screen and file reports.




14. generate_performance_report()

Displays the compiled performance summary in the command-line interface.



15. export_report_to_file()

Writes the same report to report.txt and includes a timestamp.



16. main()

Runs the persistent menu loop and dispatches choices 1–8 exactly as coded.

