

Title

XDrive Logistics Platform - COMPLETE STATIC FORENSIC REPORT

Generated: 2026-05-29 10:08:57 UTC

Repository: LoadifyMarketLTD/xdriveanalytics.co.uk

Format goal requested by user: one complete downloadable PDF file

1. Executive Summary

This PDF consolidates the repository-wide static forensic material into one downloadable artifact. It includes current repository inventories, current validation evidence captured in this session, security/auth/database observations extracted from code, and verbatim embedded source audit documents so details are not shortened or lost.

Current repository snapshot includes 32 page routes, 3 route handlers, 2 layout files, 54 Supabase migration files, and 15 root markdown documents.

Validation evidence captured in this session:

- npm run lint -> exit 127 (eslint binary not installed in sandbox; command did not run successfully)
- npm run typecheck -> exit 1 with 4506 TypeScript errors captured in this session output
- npm run build -> exit 127 (next binary not installed in sandbox; build did not run successfully)

2. Repository Map

xdriveanalytics.co.uk/

- .github/
- app/
- database/
- lib/
- mockups/
- public/
- scripts/
- supabase/
- AUDIT_INVENTORY.md
- AUDIT_REPORT.md
- DASHBOARD_TEST_MATRIX.md
- DEPLOYMENT_SUMMARY.md
- DNS_CONFIGURATION.md
- DOWNLOADABLE_ANALYSIS_REPORT.md
- DOWNLOADABLE_ANALYSIS_REPORT.pdf
- MANUAL_TEST_STEPS.md
- OWNER_VERIFICATION_CHECKLIST.md
- PREMIUM_THEME_SUMMARY.md
- PRODUCT_TECH_ROADMAP.md
- QA_EVIDENCE_PACK.md
- README.md
- SUPABASE_ASSISTANT_PROMPT.md
- SUPABASE_SETUP.md
- TRANSFORMATION_SUMMARY.md
- components.json
- deno.lock
- eslint.config.js
- middleware.ts
- netlify.toml
- next-env.d.ts
- next.config.mjs

- package-lock.json
- package.json
- postcss.config.js
- tailwind.config.js
- tsconfig.json
- tsconfig.tsbuildinfo
 - workflows/
 - ci.yml
 - (marketing)/
 - admin/
 - api/
 - auth/
 - components/
 - config/
 - cookies/
 - customer/
 - driver/
 - forbidden/
 - hooks/
 - login/
 - m/
 - privacy/
 - register/
 - reset-password/
 - terms/
 - utils/
- error.tsx
- globals.css
- layout.tsx
- loading.tsx
- manifest.ts
- not-found.tsx
- page.tsx
- robots.ts
- sitemap.ts
 - _components/
 - bids/
 - companies/
 - diary/
 - documents/
 - drivers/
 - drivers-vehicles/
 - fleet/
 - invoices/
 - jobs/
 - quotes/
 - settings/
 - vehicles/
- page.tsx
- _lib/
 - admin/
 - driver/
 - callback/
 - confirm/
 - AuthContext.tsx
 - DelayUpdate.tsx
 - InvoiceTemplate.tsx
 - LoginModal.tsx
 - PODPhotoUpload.tsx
 - ProtectedRoute.tsx
 - README.md
 - ServiceWorkerRegistration.tsx
 - SignatureCanvas.tsx
 - Toast.tsx

- company.ts
- theme.ts
- page.tsx
- page.tsx
- change-password/
- jobs/
- layout.tsx
- page.tsx
- page.tsx
- useCompanyContactLinks.ts
- page.tsx
- jobs/
- page.tsx
- page.tsx
- page.tsx
- page.tsx
- page.tsx
- timeUtils.ts
- schema.sql
- types/
- activeCompany.ts
- authContextResolver.ts
- authFlow.ts
- authRole.ts
- authSession.ts
- companySettings.ts
- jobClientFields.ts
- runtimeProof.ts
- supabaseClient.ts
- supabaseSchemaCompat.ts
 - database.ts
- about/
- analysis/
- contact/
- hero/
- services/
- HOW-TO-ATTACH-MOCKUPS.md
- QUICKSTART.md
- README.md
 - EXAMPLE-hero-section.md
 - TEMPLATE.md
- _redirects
- apple-touch-icon.png
- favicon.ico
- favicon.svg
- icon-192.png
- icon-512.png
- org-schema.jsonld
- sw.js
- validate-supabase-env.mjs
- diagnostics/
- migrations/
- complete_fix.sql
- health_check.sql
- rls_regression_checks.sql
 - live_schema_audit.sql
 - runtime_vehicle_insert_qls_probe.sql
 - 001_initial_schema.sql
 - 002_health_check.sql
 - 003_auto_fix.sql
 - 004_add_address_columns.sql
 - 005_fix_quotes_columns.sql
 - 006_complete_schema.sql
 - 007_verify_schema.sql

- 008_fix_missing_columns.sql
- 009_fix_companies_address_columns.sql
- 010_fix_company_profile_loading.sql
- 011_complete_schema_v2.sql
- 012_fix_is_company_member.sql
- 013_add_jobs_columns.sql
- 014_add_invoices_table.sql
- 015_add_driver_app_columns.sql
- 016_fix_missing_columns_v2.sql
- 017_complete_idempotent_setup.sql
- 018_add_drivers_email.sql
- 019_add_vehicles_missing_columns.sql
- 020_fix_all_forms.sql
- 021_prelaunch_alignment_entities.sql
- 022_fix_three_missing_columns.sql
- 023_add_company_settings_table.sql
- 024_driver_self_select_qls.sql
- 025_driver_temp_password_flow.sql
- 026_fix_profiles_user_id_auth_runtime.sql
- 027_add_profiles_status_column.sql
- 028_profiles_insert_qls.sql
- 029_driver_jobs_qls.sql
- 030_jobs_client_fields.sql
- 031_canonical_role_normalisation.sql
- 032_storage_buckets.sql
- 033_tighten_driver_qls.sql
- 034_least_privilege_operational_qls.sql
- 035_creator_boundary_hardening.sql
- 036_driver_job_artifact_read.sql
- 037_secondary_table_hardening.sql
- 038_runtime_operational_qls_backstop.sql
- 039_schema_reconciliation.sql
- 040_runtime_schema_guard_legacy_role_and_company_email.sql
- 041_missing_columns_and_role_functions.sql
- 042_adaptive_function_repair.sql
- 043_restore_missing_runtime_objects.sql
- 044_driver_runtime_qls_and_legacy_schema_guard.sql
- 045_schema_guards_phone_doctype_vehicles_qls.sql
- 046_runtime_schema_cache_and_role_policy_backstop.sql
- 047_runtime_qls_schema_alignment_backstop.sql
- 048_split_driver_availability_from_employment_status.sql
- 049_allow_company_creator_membership_bootstrap.sql
- 050_bootstrap_company_membership.sql
- 051_vehicles_registration_column_guard.sql
- 052_invoices_client_name_guard.sql
- 053_driver_columns_guard.sql
- 054_vehicles_manufacture_year.sql

3. Route & Page Inventory

ROUTE | FILE

/admin/bids | app/admin/bids/page.tsx

/admin/companies | app/admin/companies/page.tsx

/admin/diary | app/admin/diary/page.tsx

/admin/documents | app/admin/documents/page.tsx

/admin/drivers | app/admin/drivers/page.tsx

/admin/drivers-vehicles | app/admin/drivers-vehicles/page.tsx

/admin/fleet | app/admin/fleet/page.tsx
/admin/invoices/[id] | app/admin/invoices/[id]/page.tsx
/admin/invoices | app/admin/invoices/page.tsx
/admin/jobs/[id] | app/admin/jobs/[id]/page.tsx
/admin/jobs | app/admin/jobs/page.tsx
/admin | app/admin/page.tsx
/admin/quotes | app/admin/quotes/page.tsx
/admin/settings | app/admin/settings/page.tsx
/admin/vehicles | app/admin/vehicles/page.tsx
/auth/callback | app/auth/callback/page.tsx
/cookies | app/cookies/page.tsx
/customer | app/customer/page.tsx
/driver/change-password | app/driver/change-password/page.tsx
/driver/jobs/[id] | app/driver/jobs/[id]/page.tsx
/driver/jobs | app/driver/jobs/page.tsx
/driver | app/driver/page.tsx
/forbidden | app/forbidden/page.tsx
/login | app/login/page.tsx
/m/jobs/[id] | app/m/jobs/[id]/page.tsx
/m/jobs | app/m/jobs/page.tsx
/m | app/m/page.tsx
/ | app/page.tsx
/privacy | app/privacy/page.tsx
/register | app/register/page.tsx
/reset-password | app/reset-password/page.tsx
/terms | app/terms/page.tsx

4. API Endpoint Inventory

ENDPOINT | METHODS | FILE

/api/admin/drivers | POST | app/api/admin/drivers/route.ts
/api/driver/password | POST | app/api/driver/password/route.ts
/auth/confirm | GET | app/auth/confirm/route.ts

5. Database / Supabase Usage Inventory

Supabase-related TypeScript/TSX files matched by static scan: 32

- app/(marketing)/_components/sections/Testimonials.tsx
- app/admin/bids/page.tsx
- app/admin/companies/page.tsx
- app/admin/diary/page.tsx
- app/admin/documents/page.tsx
- app/admin/drivers/page.tsx
- app/admin/drivers-vehicles/page.tsx
- app/admin/fleet/page.tsx
- app/admin/invoices/[id]/page.tsx
- app/admin/invoices/page.tsx
- app/admin/jobs/[id]/page.tsx
- app/admin/jobs/page.tsx
- app/admin/page.tsx
- app/admin/quotes/page.tsx
- app/admin/settings/page.tsx
- app/admin/vehicles/page.tsx
- app/api/_lib/supabaseAdmin.ts
- app/api/admin/drivers/route.ts
- app/api/driver/password/route.ts
- app/auth/callback/page.tsx
- app/components/AuthContext.tsx
- app/components/PODPhotoUpload.tsx
- app/customer/page.tsx
- app/driver/change-password/page.tsx
- app/driver/jobs/[id]/page.tsx
- app/driver/jobs/page.tsx
- app/driver/page.tsx
- app/register/page.tsx
- app/reset-password/page.tsx
- lib/activeCompany.ts

- lib/authSession.ts
- lib/companySettings.ts

Supabase migration file count: 54

Migration files:

- supabase/migrations/001_initial_schema.sql
- supabase/migrations/002_health_check.sql
- supabase/migrations/003_auto_fix.sql
- supabase/migrations/004_add_address_columns.sql
- supabase/migrations/005_fix_quotes_columns.sql
- supabase/migrations/006_complete_schema.sql
- supabase/migrations/007_verify_schema.sql
- supabase/migrations/008_fix_missing_columns.sql
- supabase/migrations/009_fix_companies_address_columns.sql
- supabase/migrations/010_fix_company_profile_loading.sql
- supabase/migrations/011_complete_schema_v2.sql
- supabase/migrations/012_fix_is_company_member.sql
- supabase/migrations/013_add_jobs_columns.sql
- supabase/migrations/014_add_invoices_table.sql
- supabase/migrations/015_add_driver_app_columns.sql
- supabase/migrations/016_fix_missing_columns_v2.sql
- supabase/migrations/017_complete_idempotent_setup.sql
- supabase/migrations/018_add_drivers_email.sql
- supabase/migrations/019_add_vehicles_missing_columns.sql
- supabase/migrations/020_fix_all_forms.sql
- supabase/migrations/021_prelaunch_alignment_entities.sql
- supabase/migrations/022_fix_three_missing_columns.sql
- supabase/migrations/023_add_company_settings_table.sql
- supabase/migrations/024_driver_self_select_rols.sql
- supabase/migrations/025_driver_temp_password_flow.sql
- supabase/migrations/026_fix_profiles_user_id_auth_runtime.sql
- supabase/migrations/027_add_profiles_status_column.sql

- supabase/migrations/028_profiles_insert_rols.sql
- supabase/migrations/029_driver_jobs_rols.sql
- supabase/migrations/030_jobs_client_fields.sql
- supabase/migrations/031_canonical_role_normalisation.sql
- supabase/migrations/032_storage_buckets.sql
- supabase/migrations/033_tighten_driver_rols.sql
- supabase/migrations/034_least_privilege_operational_rols.sql
- supabase/migrations/035_creator_boundary_hardening.sql
- supabase/migrations/036_driver_job_artifact_read.sql
- supabase/migrations/037_secondary_table_hardening.sql
- supabase/migrations/038_runtime_operational_rols_backstop.sql
- supabase/migrations/039_schema_reconciliation.sql
- supabase/migrations/040_runtime_schema_guard_legacy_role_and_company_email.sql
- supabase/migrations/041_missing_columns_and_role_functions.sql
- supabase/migrations/042_adaptive_function_repair.sql
- supabase/migrations/043_restore_missing_runtime_objects.sql
- supabase/migrations/044_driver_runtime_rols_and_legacy_schema_guard.sql
- supabase/migrations/045_schema_guards_phone_doctype_vehicles_rols.sql
- supabase/migrations/046_runtime_schema_cache_and_role_policy_backstop.sql
- supabase/migrations/047_runtime_rols_schema_alignment_backstop.sql
- supabase/migrations/048_split_driver_availability_from_employment_status.sql
- supabase/migrations/049_allow_company_creator_membership_bootstrap.sql
- supabase/migrations/050_bootstrap_company_membership.sql
- supabase/migrations/051_vehicles_registration_column_guard.sql
- supabase/migrations/052_invoices_client_name_guard.sql
- supabase/migrations/053_driver_columns_guard.sql
- supabase/migrations/054_vehicles_manufacture_year.sql

6. Auth / Roles / Membership / Company Context Audit

Primary auth/security files reviewed:

- app/components/AuthContext.tsx
- app/components/ProtectedRoute.tsx

- lib/authRole.ts
- lib/authSession.ts
- lib/authContextResolver.ts
- app/auth/callback/page.tsx
- app/login/page.tsx
- app/reset-password/page.tsx
- app/api/admin/drivers/route.ts
- app/api/driver/password/route.ts
- middleware.ts

Confirmed static observations:

- lib/authRole.ts canonical app roles: customer, driver, company, admin, owner.
- lib/authRole.ts still maps multiple legacy aliases (company_admin, admin_staff, broker, shipper, owner_dr etc.) into canonical runtime roles.
- lib/authSession.ts resolves authenticated users by reading profiles, active company memberships, driver r and creator companies in parallel.
- lib/authSession.ts auto-provisions company context only when shouldAutoProvisionCompany() resolves company/admin/owner semantics.
- lib/authSession.ts can bootstrap a missing membership row by calling bootstrap_company_membership() when profiles.company_id exists without an active membership row.
- app/components/AuthContext.tsx treats PASSWORD_RECOVERY and /reset-password as special password-setup con and avoids clearing session state during recovery handoff.
- app/components/ProtectedRoute.tsx performs client-side redirect to /login?next=... when user context is a and role/path access is not allowed.

7. Workflow-by-Workflow Audit

AUTH WORKFLOWS: login, registration, auth callback, password reset, and driver password-change flows exist dedicated pages/routes in app/login, app/register, app/auth/callback, app/reset-password, and app/driver/change-password.

ADMIN WORKFLOWS: admin pages cover dashboard, diary, fleet, drivers-vehicles, jobs, invoices, drivers, quot bids, documents, companies, vehicles, and settings under app/admin/.

DRIVER WORKFLOWS: app/driver/page.tsx, app/driver/jobs/page.tsx, and app/driver/jobs/[id]/page.tsx provide driver surface; app/api/driver/password/route.ts handles forced password rotation.

CUSTOMER WORKFLOWS: app/customer/page.tsx provides the customer portal surface.

MOBILE WORKFLOWS: app/m/page.tsx plus app/m/jobs routes provide an alternate mobile/driver-oriented surface

8. Security Audit

middleware.ts generates a per-request nonce and applies a Content-Security-Policy header with script-src no enforcement, self-only default-src, Supabase connect-src, and Netlify frame-src allowance.

app/layout.tsx and related CSP memory notes indicate nonce propagation is part of the runtime security mode

API routes app/api/admin/drivers/route.ts and app/api/driver/password/route.ts validate bearer tokens before performing privileged Supabase admin actions.

Role resolution and path gating are centralized in lib/authRole.ts and app/components/ProtectedRoute.tsx.

The migration chain includes repeated RLS hardening and runtime backstop migrations (for example 029, 033, 036, 038, 044, 046, 047, 050).

9. Data Consistency Audit

supabase/migrations/030_jobs_client_fields.sql adds dedicated jobs.client_name / client_email / client_phone fields and backfills client_name from legacy load_details.

supabase/migrations/031_canonical_role_normalisation.sql establishes canonical profile role values and info role mapping in lib/authRole.ts.

supabase/migrations/050_bootstrap_company_membership.sql backfills missing company_memberships rows when profiles.company_id exists without a matching membership.

Repository memories confirm production application of migrations 031, 032+033, and 052; these should still be re-verified in any target environment before runtime reliance.

The long sequence of schema-guard and backstop migrations is itself evidence that historical schema divergence has existed across environments.

10. Dead Code / Legacy / Duplicate Logic

README-based repository memory confirms the legacy Express backend has already been removed; runtime now ceases on Next.js app routes plus Supabase.

The repository still carries multiple audit/report markdowns at root, indicating duplicated forensic knowledge spread across separate files rather than one canonical artifact.

Both /m and /driver route families exist concurrently, which may represent parallel or transitional driver experiences.

11. Severity-Ranked Issue List

HIGH - TypeScript static verification is currently failing: npm run typecheck exited 1 with 4506 reported errors across app/, lib/, and middleware.ts in this session.

MEDIUM - Local lint verification could not execute because eslint is not installed in this sandbox checkout (npm run lint exit 127).

MEDIUM - Local production build verification could not execute because next is not installed in this sandbox checkout (npm run build exit 127 after validate:supabase-env).

MEDIUM - Route access control is implemented in client code via app/components/ProtectedRoute.tsx, while router middleware.ts currently injects CSP/nonces and does not perform auth decisions.

MEDIUM - The codebase contains a long repair chain of schema/RLS migrations (001-054 plus diagnostics), which increases drift risk between environments if target databases are not fully aligned with repository migration history.

LOW - Driver-facing UX exists in two parallel surfaces (/m and /driver), increasing maintenance surface area and duplication risk.

12. Complete Repair Plan

1. Restore a reproducible local toolchain: install project dependencies so eslint, next, and local TypeScript tooling are available in the working tree.
2. Reduce the current TypeScript error count to zero and re-run npm run typecheck until the repository is statically clean.
3. Re-run npm run lint and npm run build after dependencies are available, and capture fresh evidence in on place.
4. Verify target Supabase environments are aligned with the repository migration chain, especially auth, RLS storage, and company-membership backstop migrations.
5. Re-run end-to-end auth, admin, driver, customer, and invoice runtime flows after the static baseline is clean.
6. Decide whether both /m and /driver surfaces remain strategic; consolidate if one is legacy to reduce duplicate maintenance paths.

13. Manual Runtime Test Plan

The existing manual test source is embedded verbatim later in this PDF. Key runtime surfaces covered there include auth, companies, drivers, vehicles, jobs, quotes, bids, documents, invoices, settings, dashboard KP and CSV report generation.

14. Database Verification Checklist

- Verify profiles.status exists and is used by auth resolution.
- Verify jobs.client_name, jobs.client_email, and jobs.client_phone exist.
- Verify jobs_select_assigned_driver and jobs_update_assigned_driver policies exist on public.jobs.
- Verify driver-restricting RLS changes from migration 033 exist for jobs, invoices, quotes, and job_documents.
- Verify bootstrap_company_membership() exists and is executable by authenticated users.
- Verify get_or_create_company_for_user() exists for admin/company/owner auto-provision flows.
- Verify canonical role constraint/normalisation from migration 031 is present.
- Verify storage bucket/policy objects from migrations 032+033 are present if document upload flows are in scope.
- Verify invoices.client_name exists (migration 052) and vehicle manufacture year guard exists (migration 053).

15. Exact Files Involved

- AUDIT_INVENTORY.md
- AUDIT_REPORT.md
- DASHBOARD_TEST_MATRIX.md
- DEPLOYMENT_SUMMARY.md
- DNS_CONFIGURATION.md
- DOWNLOADABLE_ANALYSIS_REPORT.md
- MANUAL_TEST_STEPS.md

- OWNER_VERIFICATION_CHECKLIST.md
- PREMIUM_THEME_SUMMARY.md
- PRODUCT_TECH_ROADMAP.md
- QA_EVIDENCE_PACK.md
- README.md
- SUPABASE_ASSISTANT_PROMPT.md
- SUPABASE_SETUP.md
- TRANSFORMATION_SUMMARY.md
- app/admin/bids/page.tsx
- app/admin/companies/page.tsx
- app/admin/diary/page.tsx
- app/admin/documents/page.tsx
- app/admin/drivers/page.tsx
- app/admin/drivers-vehicles/page.tsx
- app/admin/fleet/page.tsx
- app/admin/invoices/[id]/page.tsx
- app/admin/invoices/page.tsx
- app/admin/jobs/[id]/page.tsx
- app/admin/jobs/page.tsx
- app/admin/page.tsx
- app/admin/quotes/page.tsx
- app/admin/settings/page.tsx
- app/admin/vehicles/page.tsx
- app/auth/callback/page.tsx
- app/cookies/page.tsx
- app/customer/page.tsx
- app/driver/change-password/page.tsx
- app/driver/jobs/[id]/page.tsx
- app/driver/jobs/page.tsx
- app/driver/page.tsx
- app/forbidden/page.tsx
- app/login/page.tsx

- app/m/jobs/[id]/page.tsx
- app/m/jobs/page.tsx
- app/m/page.tsx
- app/page.tsx
- app/privacy/page.tsx
- app/register/page.tsx
- app/reset-password/page.tsx
- app/terms/page.tsx
- app/api/admin/drivers/route.ts
- app/api/driver/password/route.ts
- app/auth/confirm/route.ts
- app/driver/layout.tsx
- app/layout.tsx
- app/components/AuthContext.tsx
- app/components/ProtectedRoute.tsx
- lib/authRole.ts
- lib/authSession.ts
- lib/authContextResolver.ts
- middleware.ts
- supabase/migrations/001_initial_schema.sql
- supabase/migrations/002_health_check.sql
- supabase/migrations/003_auto_fix.sql
- supabase/migrations/004_add_address_columns.sql
- supabase/migrations/005_fix_quotes_columns.sql
- supabase/migrations/006_complete_schema.sql
- supabase/migrations/007_verify_schema.sql
- supabase/migrations/008_fix_missing_columns.sql
- supabase/migrations/009_fix_companies_address_columns.sql
- supabase/migrations/010_fix_company_profile_loading.sql
- supabase/migrations/011_complete_schema_v2.sql
- supabase/migrations/012_fix_is_company_member.sql
- supabase/migrations/013_add_jobs_columns.sql

- supabase/migrations/014_add_invoices_table.sql
- supabase/migrations/015_add_driver_app_columns.sql
- supabase/migrations/016_fix_missing_columns_v2.sql
- supabase/migrations/017_complete_idempotent_setup.sql
- supabase/migrations/018_add_drivers_email.sql
- supabase/migrations/019_add_vehicles_missing_columns.sql
- supabase/migrations/020_fix_all_forms.sql
- supabase/migrations/021_prelaunch_alignment_entities.sql
- supabase/migrations/022_fix_three_missing_columns.sql
- supabase/migrations/023_add_company_settings_table.sql
- supabase/migrations/024_driver_self_select_rols.sql
- supabase/migrations/025_driver_temp_password_flow.sql
- supabase/migrations/026_fix_profiles_user_id_auth_runtime.sql
- supabase/migrations/027_add_profiles_status_column.sql
- supabase/migrations/028_profiles_insert_rols.sql
- supabase/migrations/029_driver_jobs_rols.sql
- supabase/migrations/030_jobs_client_fields.sql
- supabase/migrations/031_canonical_role_normalisation.sql
- supabase/migrations/032_storage_buckets.sql
- supabase/migrations/033_tighten_driver_rols.sql
- supabase/migrations/034_least_privilege_operational_rols.sql
- supabase/migrations/035_creator_boundary_hardening.sql
- supabase/migrations/036_driver_job_artifact_read.sql
- supabase/migrations/037_secondary_table_hardening.sql
- supabase/migrations/038_runtime_operational_rols_backstop.sql
- supabase/migrations/039_schema_reconciliation.sql
- supabase/migrations/040_runtime_schema_guard_legacy_role_and_company_email.sql
- supabase/migrations/041_missing_columns_and_role_functions.sql
- supabase/migrations/042_adaptive_function_repair.sql
- supabase/migrations/043_restore_missing_runtime_objects.sql
- supabase/migrations/044_driver_runtime_rols_and_legacy_schema_guard.sql
- supabase/migrations/045_schema_guards_phone_doctype_vehicles_rols.sql

- supabase/migrations/046_runtime_schema_cache_and_role_policy_backstop.sql
- supabase/migrations/047_runtime_rls_schema_alignment_backstop.sql
- supabase/migrations/048_split_driver_availability_from_employment_status.sql
- supabase/migrations/049_allow_company_creator_membership_bootstrap.sql
- supabase/migrations/050_bootstrap_company_membership.sql
- supabase/migrations/051_vehicles_registration_column_guard.sql
- supabase/migrations/052_invoices_client_name_guard.sql
- supabase/migrations/053_driver_columns_guard.sql
- supabase/migrations/054_vehicles_manufacture_year.sql

16. Exact Risks Found

HIGH - TypeScript static verification is currently failing: npm run typecheck exited 1 with 4506 reported errors across app/, lib/, and middleware.ts in this session.

MEDIUM - Local lint verification could not execute because eslint is not installed in this sandbox checkout (npm run lint exit 127).

MEDIUM - Local production build verification could not execute because next is not installed in this sandbox checkout (npm run build exit 127 after validate:supabase-env).

MEDIUM - Route access control is implemented in client code via app/components/ProtectedRoute.tsx, while router/middleware.ts currently injects CSP/nonces and does not perform auth decisions.

MEDIUM - The codebase contains a long repair chain of schema/RLS migrations (001-054 plus diagnostics), which increases drift risk between environments if target databases are not fully aligned with repository migration chain.

LOW - Driver-facing UX exists in two parallel surfaces (/m and /driver), increasing maintenance surface and duplication risk.

HISTORICAL / DOCUMENTED - Prior forensic documents record critical auth and RLS defects that were later addressed via middleware rename and migrations 027-030/033; these remain important verification targets for future environment that may lag the repository.

17. Recommended Repair Order

1. Restore a reproducible local toolchain: install project dependencies so eslint, next, and local TypeScript tooling are available in the working tree.
2. Reduce the current TypeScript error count to zero and re-run npm run typecheck until the repository is statically clean.
3. Re-run npm run lint and npm run build after dependencies are available, and capture fresh evidence in one place.
4. Verify target Supabase environments are aligned with the repository migration chain, especially auth, RLS, storage, and company-membership backstop migrations.
5. Re-run end-to-end auth, admin, driver, customer, and invoice runtime flows after the static baseline is clean.
6. Decide whether both /m and /driver surfaces remain strategic; consolidate if one is legacy to reduce duplicate maintenance paths.

APPENDIX - EMBEDDED SOURCE DOCUMENT - AUDIT_REPORT.md

XDrive Logistics Platform Full Audit Report

Audit Date: 2025-07-11
Platform: Next.js 14 + Supabase + Netlify
Repo: LoadifyMarketLTD/xdrivelogistics.co.uk
Auditor: GitHub Copilot (automated static analysis)

1. Executive Summary

The XDrive Logistics platform is a multi-tenant logistics management system with three distinct user surfaces: an **Admin dashboard** (company owner/dispatcher), a **Driver app** (mobile-friendly `/driver` routes`), and a **Customer portal**. The backend is Supabase (PostgreSQL + Auth + PostgREST with RLS). The frontend deploys to Netlify.

Four critical bugs were identified, all of which caused complete feature failures in production:

#	Severity	Bug	Status
1	Critical	<code>proxy.ts` never executed` entire server-side auth guard was dead</code>	Fixed
2	Critical	<code>profiles.status` column missing` ALL user creation fails</code>	Fixed
3	Critical	No INSERT RLS on <code>profiles` self-registration profile writes silently fail</code>	Fixed
4	Medium	<code>package.json` Next.js version `^16.1.6` is non-existent</code>	Fixed

Overall production readiness before fixes: Not production-ready.
After applying migrations 027 and 028 to live Supabase, the core auth and user-creation flows are unblocked. The Driver Jobs RLS gap must be resolved before enabling the driver app for real users.

2. Static Checks Results

Check	Result	Notes
<code>`npm run lint`</code>	ESLint not installed in CI runner; exits 0 with no output	
<code>`npm run build`</code>	Next.js binary not installed in runner; build validation script passes	
<code>`tsc --noEmit`</code>	TypeScript compiler not available in runner	
Migration files	28 migrations, sequential numbering, all use <code>`IF NOT EXISTS`</code> guards	
<code>`next.config.mjs`</code>	Valid ESM config, no deprecated options	
<code>`netlify.toml`</code>	Correct <code>`[build]`</code> command and <code>`publish`</code> dir; SPA redirect rule present	

3. Authentication & Account Flows

3.1 Self-Registration (``/register``)
Status: Broken before fixes / Working after fixes

- ``supabase.auth.signUp()`` Correct
- Email verification callback Handled in ``auth/callback/page.tsx``
- Client-side profile upsert (``register/page.tsx`` line 6168) **Silently failed**: no INSERT RLS policy on `profiles``. With RLS enabled and only SELECT/UPDATE self-access policies defined (migration 017 lines 644649), authenticated users could not insert their own profile row from the client. **Fixed by migration 028.**
- Role selection (customer/driver) at registration Stored in `profiles.role`/`is_driver``, but `is_driver=true`` does NOT auto-create a `drivers`` row; admin must create that separately.

3.2 Login (``/login``)
Status: Working

- `supabase.auth.signInWithPassword()` correct implementation
- Redirect after login uses `?next=` query param correct
- Error messages displayed correct

3.3 Auth Callback (`/auth/callback`)

****Status: Working****

- Handles hash tokens, PKCE code exchange, and OTP `token\_hash`
- Correctly detects `type=recovery` and redirects to `/reset-password`
- Correctly excluded from middleware matcher (no auth cookie required)

3.4 Password Reset (`/reset-password`)

****Status: Working****

- Accepts hash tokens, `token\_hash` query param, or existing session
- Calls `supabase.auth.updateUser({ password })` correctly
- Signs out and redirects to `/login` after success
- Correctly excluded from middleware matcher

3.5 Driver Forced Password Change (`/driver/change-password`)

****Status: Working (after middleware fix)****

- Admin creates driver `must\_change\_password: true` set middleware redirects driver to `/driver/change-password` `/api/driver/password` API updates auth password + clears flag
- ****Was completely broken**** because middleware never executed (proxy.ts bug). Fixed.
- API route validates `app\_access=true` before allowing password change
- Redirects to `/driver/jobs` after successful change

4. Admin Dashboard Page-by-Page

4.1 Admin Landing (`/admin`)

****Status: Partial****

- Loads company via `get\_or\_create\_company\_for\_user()` RPC Works
- Auto-provisions a company for any admin user who lacks one By design
- The RPC also fires for driver/customer accounts (see 6.1 and 7.3)

4.2 Admin Drivers (`/admin/drivers`)

****Status: Broken before fixes / Working after fixes****

****Driver Creation:****

- Calls `supabaseAdmin.auth.admin.createUser()` fires `handle\_auth\_user\_profile\_sync` trigger
- Trigger attempted `INSERT INTO profiles(status, ...)` `status` column didn't exist
- Error surfaced as "Database error creating new user" ****Root cause confirmed****
- ****Fixed by migration 027**** (adds `status` column to `profiles`)
- Sequential temp password via `next\_driver\_temp\_password\_seq()` RPC Correct
- `must\_change\_password: true` set on driver row Correct

****Driver Listing:****

- Queries `drivers` filtered by `company\_id` Works
- RLS: `drivers\_select\_own` (migration 024) lets drivers read their own row Correct
- RLS: `drivers\_select\_member` uses `is\_company\_member()` drivers are NOT company members; migration 024's `drivers\_select\_own` covers this gap correctly

4.3 Admin Jobs (`/admin/jobs`)

****Status: Working with schema quirk****

- `client\_name` is stored in the `load\_details` text column no dedicated `client\_name` column exists on `jobs` table. This is a workaround that works but is fragile.
- All other job fields map correctly to schema
- Job status transitions use `job\_status` enum correctly

4.4 Admin Invoices (`/admin/invoices/[id]`)

Status: Working

- `invoices` table has a proper `client\_name` column correct schema
- Invoice number auto-generated via `next\_invoice\_number()` RPC Correct
- `UNIQUE (company\_id, invoice\_number)` constraint prevents duplicates Correct
- VAT rate validated with `CHECK (vat\_rate IN (0, 5, 20))` Correct

4.5 Admin Settings / Company Profile

Status: Working

- Updates `companies` table via `companies\_update\_admin` RLS policy works for company admins
- `company\_settings` table (migration 023) for extended settings Present

5. Driver Platform

5.1 Driver Jobs (`/driver/jobs`)

Status: Partial RLS gap

- Lists jobs assigned to driver via `assigned\_driver\_id = driverId` filter
- RLS: `jobs\_all\_member` uses `is\_company\_member()` drivers are NOT company members
- **Gap:** No `jobs\_select\_assigned\_driver` policy exists. Drivers likely cannot read their own allocated jobs via the PostgREST API. (Reads succeed if the admin client is used, but not from the driver's own session.)
- Job status updates (collected, delivered, etc.) blocked by the same RLS gap

5.2 Driver Password Change (`/driver/change-password`)

Status: Working (after middleware fix) see 3.5

5.3 Driver App Access Guard

Status: Working (after middleware fix)

- `app\_access=true` checked in both middleware and the password-change API route
- Defence in depth: correct

6. Customer Flow

6.1 Customer Portal (`/customer`)

Status: Partial

- `get\_or\_create\_company\_for\_user()` fires on customer page load creates unwanted company records for customer accounts (function is designed for admin users)
- Quote creation schema Correct (`quotes` table with `customer\_name`, `customer\_email`, etc.)

7. Job / Quote / Invoice Workflow

Step	Table	Status
----- ----- -----		
Create quote	`quotes`	Schema correct
Convert to job	`jobs`	`client_name` stored in `load_details`
Assign driver	`jobs.assigned_driver_id`	Works
Driver tracking events	`job_tracking_events`	Schema correct
Photo capture	`collection_photo_url`, `delivery_photos[]`	Schema correct
Signature capture	`delivery_signature_data`	Schema correct
Generate invoice	`invoices`	Works
Invoice PDF	Not implemented	Not present in codebase

8. Supabase Schema Audit

8.1 Tables Summary

Table	Issues
`profiles`	Missing `status` column (fix: 027); missing INSERT RLS policy (fix: 028)
`jobs`	No `client_name` column; value stored in `load_details`
`job_bids`	Alias columns `amount`/`bid_price_gbp` and `bidder_id`/`bidder_user_id` sync trigger keeps in sync; technical debt

8.2 RLS Policies

Table	SELECT	INSERT	UPDATE	DELETE	Notes
`profiles`	own	own (after 028)	own		No delete paths in UI acceptable
`companies`	member/creator	authenticated	admin		
`drivers`	member + own	admin	admin	admin	
`jobs`	member only	member only	member only	member only	Drivers cannot read/write own jobs
`invoices`	member	member	member	member	

8.3 Triggers

Trigger	Status
`handle_auth_user_profile_sync` (026)	auth.users AFTER INSERT Was broken (status column missing). Fix 027
`trg_sync_job_bid_price` (017)	job_bids BEFORE INSERT/UPDATE Works
`trg_invoices_updated_at` (017)	invoices BEFORE UPDATE Works

8.4 Functions / RPCs

Function	Status
`get_or_create_company_for_user`	Works; called unnecessarily for driver/customer roles
`next_invoice_number`	Works; advisory lock prevents race conditions
`next_driver_temp_password_seq`	Works
`is_company_member`	Works; used in most RLS policies
`is_company_admin`	Works

9. Middleware Audit

****File:**** `middleware.ts` (formerly `proxy.ts`)

Before this session

- File named `proxy.ts` Next.js only executes `middleware.ts`/`middleware.js` at project root
- ****Impact:**** ALL server-side route protection was completely non-functional. `/admin`, `/driver`, `/customer`, `/m` were accessible without authentication at the server level.
- `ProtectedRoute` (client-side component) provided the only protection bypassed by JavaScript-disabled clients or direct API calls.

After fixes

- Renamed `proxy.ts` `middleware.ts`
- Exported function renamed `proxy` `middleware` (required by Next.js)
- `config.matcher` protects `/admin/:path\*`, `/m/:path\*`, `/driver/:path\*`, `/customer/:path\*`
- `/auth/callback` and `/reset-password` correctly excluded from matcher
- JWT decoded at-edge (no external call) for fast expiry check
- Role fetched from PostgREST with 5 s timeout guard
- `must\_change\_password` redirect for drivers correct
- `app\_access=true` guard on driver role resolution

Remaining considerations

- On Supabase timeout, middleware redirects to `/forbidden` could confuse users; better to redirect to `/login?reason=service\_unavailable`

10. Environment / Netlify Audit

Variable	Status	Notes
----- ----- -----		
`NEXT_PUBLIC_SUPABASE_URL`	Required; validated at build	
`NEXT_PUBLIC_SUPABASE_ANON_KEY`	Required; validated at build	
`SUPABASE_SERVICE_KEY`	Non-standard name	Code accepts both this and `SUPABASE_SERVICE_ROLE_KEY`
`SUPABASE_SERVICE_ROLE_KEY`	Standard name; also accepted	

****netlify.toml:**** `command = "npm run build"`, `publish = ".next"` both correct.

****package.json `next` version:**** Was `^16.1.6` (non-existent). Fixed to `^15.1.6`.

11. Confirmed Working

- Login (email + password)
- Email verification callback
- Password reset flow
- Admin invoice CRUD
- Admin company settings
- Driver `must\_change\_password` redirect (after middleware fix)
- Job creation form
- Job tracking events schema
- Photo/signature capture schema
- Quote creation schema
- All RPC helper functions
- Supabase admin client with dual env var fallback
- Middleware JWT decode + expiry check (edge-compatible)

12. Confirmed Broken / Gaps

#	Severity	Issue	Status
1		`proxy.ts` never executed as middleware	Fixed
2		`profiles.status` missing all user creation fails	Fixed (migration 027)
3		No INSERT RLS on `profiles` self-registration profile upsert silently fails	Fixed (migration 027)
4		`package.json` next: `^16.1.6` non-existent version	Fixed
5		Drivers cannot read/write `jobs` no RLS for `assigned_driver_id`	Not yet fixed
6		`jobs` has no `client_name` column value stored in `load_details`	Not yet fixed
7		`get_or_create_company_for_user()` fires for driver/customer accounts	Not yet fixed
8		Middleware redirects to `/forbidden` on Supabase timeout	Low priority
9		No error handling on profile upsert in `register/page.tsx`	Low priority

13. Root Causes

RC-1: "Database error saving/creating new user"

****Trigger:**** Any call to `supabaseAdmin.auth.admin.createUser()` or `supabase.auth.signUp()`

****Chain:**** Supabase auth insert `handle\_auth\_user\_profile\_sync` trigger fires

`INSERT INTO profiles(status, ...)` `status` column does not exist

trigger aborts Supabase surfaces "Database error saving new user"

****Fix:**** Migration 027 `ALTER TABLE profiles ADD COLUMN IF NOT EXISTS status text NOT NULL DEFAULT 'active'`

RC-2: Server-side auth protection dead

****Cause:**** Next.js only reads `middleware.ts`/`middleware.js` at project root. The file was named `proxy.ts` silently ignored. Additionally the export was `async function proxy()` not `async function middleware()` which would have also prevented execution.

****Fix:**** Rename file + rename export

RC-3: Profile not persisted after self-registration

****Cause:**** Migration 017 enables RLS on `profiles` with SELECT + UPDATE policies only. No INSERT policy exists. Authenticated user's client-side `upsert` call is rejected by RLS silently (no error handling at the call site in `register/page.tsx`). The SECURITY DEFINER trigger creates a bare profile row, but the `role`/`is\_driver` values the client sends are dropped.

****Fix:**** Migration 028 `CREATE POLICY profiles\_insert\_own FOR INSERT WITH CHECK (user\_id = auth.uid())`

14. Fixes Applied in This Session

File	Change	Commit
`proxy.ts`	`middleware.ts`	Renamed so Next.js executes route protection `cc4631a`
`middleware.ts`	Export renamed `proxy`	`middleware` `cc4631a`
`supabase/migrations/027_add_profiles_status_column.sql`	Adds `status` column to `profiles`	`cc4631a`
`supabase/migrations/028_profiles_insert_rls.sql`	Adds `profiles_insert_own` INSERT policy	`2f38948`
`package.json`	Next.js version `^16.1.6`	`^15.1.6` `2f38948`

**** Migrations 027 and 028 must be applied to the live Supabase database**** via the Supabase SQL Editor or `supabase db push`.

15. Fixes Still Required

High Priority

****1. Jobs RLS driver write access**** (new migration needed)

```sql

```
CREATE POLICY "jobs_select_assigned_driver" ON public.jobs
FOR SELECT USING (
 assigned_driver_id = (
 SELECT id FROM public.drivers WHERE user_id = auth.uid() LIMIT 1
)
);
```

```
CREATE POLICY "jobs_update_assigned_driver" ON public.jobs
FOR UPDATE USING (
 assigned_driver_id = (
 SELECT id FROM public.drivers WHERE user_id = auth.uid() LIMIT 1
)
);
```

**\*\*2. Add `client\_name` column to `jobs`\*\***

```sql

```
ALTER TABLE public.jobs ADD COLUMN IF NOT EXISTS client_name text;
```

Then update `app/admin/jobs` form to read/write the new column instead of `load\_details`.

****3. Guard `get\_or\_create\_company\_for\_user` for non-admin roles****

In `app/components/AuthContext.tsx`, only call this RPC for `company`/`admin`/`owner` roles.

Medium Priority

****4. Add error handling on profile upsert**** (`register/page.tsx` line 6168)

```
``ts
const { error: profileError } = await supabase.from('profiles').upsert([...]);
if (profileError) console.error('Profile upsert failed:', profileError.message);
```

5. Middleware UX on Supabase timeout
Change `redirectToForbidden` redirect to `/login?reason=service_unavailable` when
`snapshot.status === 'error'`.

6. Standardise `SUPABASE_SERVICE_KEY` env var
Rename to `SUPABASE_SERVICE_ROLE_KEY` in Netlify dashboard and `.env.example` to match Supabase
standard. Update `supabaseAdmin.ts` to remove the legacy fallback.

```

### ## 16. Production Readiness Verdict

Area	Before Fixes	After This Session's Fixes	After All Recommended Fixes
User creation (all paths)	Broken	Working	Working
Server-side auth guard	Dead	Active	Active
Self-registration	Profile not saved	Working	Working
Driver forced password change	Bypassed	Working	Working
Driver job reads (from driver session)	RLS gap	Same	Working
Admin CRUD	Driver creation broken	Working	Working
Invoice workflow	Working	Working	Working
Build/deploy	Invalid Next.js version	Version corrected	Working

**\*\*Verdict:\*\*** Core auth and admin flows are production-ready after applying migrations 027 and 028. The Driver Jobs RLS gap must be resolved before the driver app is used by real drivers.

### APPENDIX - EMBEDDED SOURCE DOCUMENT - AUDIT\_INVENTORY.md

# Audit Inventory XDrive Logistics Ltd Dashboard

#### ## 1. Routes (all `app/\*\*/page.tsx`)

Route	File	Type
`/`	`app/page.tsx`	Marketing landing page
`/login`	`app/login/page.tsx`	Auth login only (no register)
`/admin`	`app/admin/page.tsx`	Dashboard home + KPIs
`/admin/jobs`	`app/admin/jobs/page.tsx`	Jobs list + create modal
`/admin/jobs/[id]`	`app/admin/jobs/[id]/page.tsx`	Job detail, edit, delete
`/admin/companies`	`app/admin/companies/page.tsx`	Companies list + create modal
`/admin/drivers`	`app/admin/drivers/page.tsx`	Drivers list + create modal
`/admin/vehicles`	`app/admin/vehicles/page.tsx`	Vehicles list + create modal
`/admin/quotes`	`app/admin/quotes/page.tsx`	Quotes list + create modal
`/admin/bids`	`app/admin/bids/page.tsx`	Job bids list + accept/reject
`/admin/documents`	`app/admin/documents/page.tsx`	Driver & vehicle doc review/approve
`/admin/invoices`	`app/admin/invoices/page.tsx`	Invoices list (Supabase tenant-scoped)
`/admin/invoices/[id]`	`app/admin/invoices/[id]/page.tsx`	Invoice create/edit/view (Supabase + URL prefill)
`/admin/settings`	`app/admin/settings/page.tsx`	Settings form (company + company_settings in Supabase)
`/m`	`app/m/page.tsx`	Mobile driver dashboard
`/m/jobs`	`app/m/jobs/page.tsx`	Mobile jobs list
`/m/jobs/[id]`	`app/m/jobs/[id]/page.tsx`	Mobile job detail
`/privacy`	`app/privacy/page.tsx`	Privacy policy (static)
`/terms`	`app/terms/page.tsx`	Terms of service (static)
`/cookies`	`app/cookies/page.tsx`	Cookie policy (static)

**\*\*MISSING routes:\*\***

- None identified in current app router snapshot.

---

### ## 2. Sidebar Menu Items (from `app/admin/page.tsx`)

Menu ID	Label	Route
--- --- ---		
`dashboard`	Dashboard	stays on `/admin`
`invoices`	Invoices	`/admin/invoices`
`jobs`	Jobs	`/admin/jobs`
`companies`	Companies	`/admin/companies`
`drivers`	Drivers	`/admin/drivers`
`vehicles`	Vehicles	`/admin/vehicles`
`documents`	Documents	`/admin/documents`
`bids`	Bids	`/admin/bids`
`quotes`	Quotes	`/admin/quotes`
`settings`	Settings	`/admin/settings`

All routes exist as real pages. No broken `router.push` destinations.

---

### ## 3. Supabase Table Interactions

Table	Operations	Page
--- --- ---		
`jobs`	SELECT, INSERT, UPDATE, DELETE	`admin/jobs/page.tsx`, `admin/jobs/[id]/page.tsx`
`companies`	SELECT, INSERT	`admin/companies/page.tsx`
`drivers`	SELECT, INSERT	`admin/drivers/page.tsx`
`vehicles`	SELECT, INSERT	`admin/vehicles/page.tsx`
`quotes`	SELECT, INSERT	`admin/quotes/page.tsx`
`job_bids`	SELECT, UPDATE (status)	`admin/bids/page.tsx`
`driver_documents`	SELECT, UPDATE (status)	`admin/documents/page.tsx`
`vehicle_documents`	SELECT, UPDATE (status)	`admin/documents/page.tsx`
`company_memberships`	SELECT	`admin/jobs/page.tsx` (get companyId)
`auth.users`	Supabase auth	`lib/supabaseClient.ts`, `AuthContext.tsx`

\*\*No Supabase interaction (local-only / hardcoded):\*\*

- None for invoices/settings in current runtime (both now use Supabase)

---

### ## 4. Database Tables (from `supabase/migrations/001\_initial\_schema.sql`)

Table	Key Columns	Notes
--- --- ---		
`profiles`	`id`, `full_name`, `role`, `company_id`	Linked to `auth.users`
`companies`	`id`, `name`, `company_number`, `status`, `company_type`	
`company_memberships`	`company_id`, `user_id`, `role_in_company`, `status`	
`drivers`	`id`, `company_id`, `display_name`, `status`	
`vehicles`	`id`, `company_id`, `type` (ENUM), `reg_plate`	
`driver_documents`	`id`, `driver_id`, `doc_type`, `status` (ENUM)	
`vehicle_documents`	`id`, `vehicle_id`, `doc_type`, `status` (ENUM)	
`jobs`	`id`, `company_id`, `status` (ENUM `job_status`)	ENUM: `draft`, `posted`, `allocated`, `in_transit`, `delivered`, `cancelled`, `disputed`
`job_bids`	`id`, `job_id`, `bidder_user_id`, `amount`, `status`	
`job_tracking_events`	`id`, `job_id`, `event_type`	
`job_driver_distance_cache`	`job_id`, `driver_id`	
`quotes`	`id`, `company_id`, `customer_name`, `amount`, `status`	
`diary_events`	`id`, `company_id`, `title`, `start_at`	UI not implemented
`return_journeys`	`id`, `company_id`, `from_postcode`, `to_postcode`	UI not implemented
`driver_locations`	`driver_id`, `lat`, `lng`	UI not implemented

\*\*Table referenced in UI:\*\*

- `invoices` required and used by invoice list/detail pages with tenant scoping

---

### ## 5. ENUMs (Supabase)

```
| ENUM | Values |
|---|---|
| `job_status` | `draft`, `posted`, `allocated`, `in_transit`, `delivered`, `cancelled`, `disputed` |
| `vehicle_type` | `bicycle`, `motorbike`, `car`, `van_small`, `van_large`, `luton`, `truck_7_5t`, `truck_1`
`artic` |
| `cargo_type` | `documents`, `packages`, `pallets`, `furniture`, `equipment`, `other` |
| `tracking_event_type` | `created`, `allocated`, `driver_en_route`, `arrived_pickup`, `collected`,
`in_transit`, `arrived_delivery`, `delivered`, `failed`, `cancelled`, `note` |
```

```
Config alias (`app/config/company.ts`):
```
```

```
JOB_STATUS.RECEIVED = 'draft'
JOB_STATUS.POSTED    = 'posted'
JOB_STATUS.ALLOCATED = 'allocated'
JOB_STATUS.DELIVERED = 'delivered'
```
```

---

### ## 6. RLS Policies (from `supabase/migrations/001\_initial\_schema.sql`)

```
| Table | Policy | Rule |
|---|---|---|
| `profiles` | `profiles_select_own` | SELECT own row only |
| `companies` | `companies_select_member` | SELECT if member |
| `companies` | `companies_insert_admin` | INSERT if authenticated |
| `company_memberships` | `memberships_select_member` | SELECT if member |
| `company_memberships` | `memberships_insert_admin` | INSERT if company admin |
| `drivers` | `drivers_select_member` | SELECT if member |
| `drivers` | `drivers_all_admin` | ALL if company admin |
| `vehicles` | `vehicles_select_member` | SELECT if member |
| `vehicles` | `vehicles_all_admin` | ALL if company admin |
| `driver_documents` | `driver_docs_select_member` | SELECT via driver |
| `driver_documents` | `driver_docs_all_admin` | ALL via driver admin |
| `vehicle_documents` | `vehicle_docs_select_member` | SELECT via vehicle |
| `vehicle_documents` | `vehicle_docs_all_admin` | ALL via vehicle admin |
| `jobs` | `jobs_all_member` | ALL if company member |
| `job_bids` | `bids_all_member` | ALL if company member (or null company) |
| `quotes` | `quotes_all_member` | ALL if company member |
```

**\*\*RLS Risk:\*\*** `jobs\_all\_member` uses `USING` (not `WITH CHECK`) for INSERT this means inserts with a `company\_id` the user is NOT a member of will fail silently (no row returned, no explicit error in some drivers). The `companyId` guard in `handleCreateJob` prevents null IDs.

### APPENDIX - EMBEDDED SOURCE DOCUMENT - MANUAL\_TEST\_STEPS.md

-----  
# Manual Test Steps XDrive Logistics Ltd Dashboard

These are click-by-click steps for each dashboard feature. Run after deploying with valid Supabase credentials

---

### ## Prerequisites

- Supabase project configured with `NEXT\_PUBLIC\_SUPABASE\_URL` and `NEXT\_PUBLIC\_SUPABASE\_ANON\_KEY`
- Schema migrations applied (run all `supabase/migrations/` files)
- At least one user created in Supabase auth dashboard
- App running at `http://localhost:3000` (or deployed URL)



---

### ## AUTH

#### ### Login

1. Navigate to `http://localhost:3000/login`
2. Enter email + password for a valid Supabase user
3. Click **\*\*Sign In\*\***
4. **\*\*Expected:\*\*** Redirect to `/admin`, sidebar visible, user email shown in footer

#### ### Logout

1. From any admin page, click **\*\*Logout\*\*** in the sidebar footer
2. **\*\*Expected:\*\*** Redirect to `/login`, protected pages no longer accessible

#### ### Protected Route (unauthenticated)

1. Log out
2. Navigate directly to `http://localhost:3000/admin/jobs`
3. **\*\*Expected:\*\*** Redirect to `/login`

---

### ## COMPANIES

#### ### Create Company

1. Navigate to `/admin/companies`
2. Click **++ Create Company**
3. Fill in **\*\*Company Name\*\*** (required), optionally fill other fields
4. Click **\*\*Create Company\*\***
5. **\*\*Expected:\*\*** Modal closes, new company appears in table immediately
6. **\*\*Verify in Supabase:\*\*** `SELECT \* FROM companies ORDER BY created\_at DESC LIMIT 1`

#### ### List Companies

1. Navigate to `/admin/companies`
2. **\*\*Expected:\*\*** Table shows rows from Supabase `companies` table (not hardcoded)
3. If no companies exist: empty-state illustration visible

---

### ## DRIVERS

#### ### Add Driver

1. Navigate to `/admin/drivers`
2. Click **++ Add Driver**
3. Fill **\*\*Full Name\*\*** (required)
4. Select a company from the **\*\*Company\*\*** dropdown (populated from DB)
5. Optionally fill Email and Phone
6. Click **\*\*Add Driver\*\***
7. **\*\*Expected:\*\*** Modal closes, new driver appears in table with status `active`
8. **\*\*Verify in Supabase:\*\*** `SELECT \* FROM drivers ORDER BY created\_at DESC LIMIT 1`

#### ### Company Dropdown (DB-driven)

1. Open the Add Driver modal
2. **\*\*Expected:\*\*** The Company dropdown lists real company names from `companies` table, not hardcoded values

---

### ## VEHICLES

#### ### Add Vehicle

1. Navigate to `/admin/vehicles`
2. Click **++ Add Vehicle**
3. Select a company (required)
4. Select vehicle type, fill Reg Plate, Make, Model, Payload

5. Optionally tick **\*\*Has Tail Lift\*\***
6. Click **\*\*Add Vehicle\*\***
7. **\*\*Expected:\*\*** Modal closes, vehicle appears in table
8. **\*\*Verify:\*\*** ``SELECT * FROM vehicles ORDER BY created_at DESC LIMIT 1``

---

### ## JOBS

#### ### Create Job

1. Navigate to ``/admin/jobs``
2. Click **\*\*+ Create Job\*\***
3. Fill all required fields: client name, phone, pickup location/date/time, delivery location/date/time
4. Set cargo type and quantity
5. Click **\*\*Create Job\*\***
6. **\*\*Expected:\*\***
  - Modal closes
  - Filter resets to "All Jobs"
  - New job appears in list with status badge **\*\*Posted\*\***
  - Posted tab count increments
7. **\*\*Verify:\*\*** ``SELECT status, load_details FROM jobs ORDER BY created_at DESC LIMIT 1`` should return ``status='posted'``

#### ### View Job Detail

1. From ``/admin/jobs``, click **\*\*View\*\*** on any job
2. **\*\*Expected:\*\*** ``/admin/jobs/[id]`` loads showing pickup, delivery, cargo, and status from DB (not "Job not found")

#### ### Edit Job

1. On the job detail page, click **\*\*Edit\*\***
2. Change Pickup Location, Status, or Cargo Notes
3. Click **\*\*Save Changes\*\***
4. **\*\*Expected:\*\*** Changes persist reload the page and values remain
5. **\*\*Verify:\*\*** ``SELECT pickup_location, status FROM jobs WHERE id='<uuid>'``

#### ### Delete Job

1. On the job detail page, click **\*\*Delete\*\*** confirm
2. **\*\*Expected:\*\*** Redirect to ``/admin/jobs``; deleted job no longer appears in list
3. **\*\*Verify:\*\*** ``SELECT id FROM jobs WHERE id='<uuid>'`` 0 rows

#### ### Status Update (inline)

1. From ``/admin/jobs`` list, find a job with status **\*\*Posted\*\***
2. Change the status dropdown to **\*\*Allocated\*\***
3. **\*\*Expected:\*\*** Badge updates immediately; change persists on page reload

---

### ## QUOTES

#### ### Create Quote

1. Navigate to ``/admin/quotes``
2. Click **\*\*+ New Quote\*\***
3. Select a company, fill Customer Name (required), and other fields
4. Enter an Amount
5. Click **\*\*Create Quote\*\***
6. **\*\*Expected:\*\*** Modal closes, quote appears in table with status ``draft``
7. **\*\*Verify:\*\*** ``SELECT * FROM quotes ORDER BY created_at DESC LIMIT 1``

---

### ## BIDS

#### ### View Bids

1. Navigate to ``/admin/bids``

2. **Expected:** Table shows bids from `job\_bids` table; "No bids yet" if empty

### ### Accept a Bid

1. Find a bid with status **submitted**
2. Click **Accept**
3. **Expected:** Row status updates to **accepted**; Accept button disappears
4. **Verify:** `SELECT status FROM job\_bids WHERE id='<uuid>`

### ### Reject a Bid

1. Find a bid with status **submitted**
2. Click **Reject**
3. **Expected:** Row status updates to **rejected**
4. **Verify:** `SELECT status FROM job\_bids WHERE id='<uuid>`

---

## ## DOCUMENTS

### ### View Driver Documents

1. Navigate to `/admin/documents`
2. The **Driver Documents** tab should be active
3. **Expected:** Table shows rows from `driver\_documents` joined with driver name

### ### Approve a Document

1. Find a document with status **pending**
2. Click **Approve**
3. **Expected:** Status badge changes to **approved**; Approve button disappears
4. **Verify:** `SELECT status FROM driver\_documents WHERE id='<uuid>`

### ### Reject a Document

1. Find a document with status **pending**
2. Click **Reject**
3. **Expected:** Status badge changes to **rejected**

### ### Vehicle Documents Tab

1. Click the **Vehicle Documents** tab
2. **Expected:** Table shows vehicle documents joined with vehicle reg plate

---

## ## INVOICES (SUPABASE)

> Invoices are stored in Supabase (`invoices`), tenant-scoped by `company\_id`.

### ### Create Invoice

1. Navigate to `/admin/invoices`
2. Click **+ Create New Invoice**
3. Fill invoice fields, click **Save**
4. **Expected:** Invoice appears in list for the same tenant across sessions/devices

---

## ## SETTINGS (SUPABASE)

> Settings are saved to Supabase (`companies` + `company\_settings`) for the current tenant.

### ### Save Settings

1. Navigate to `/admin/settings`
2. Modify Company Name or VAT rate
3. Click **Save Settings**
4. **Expected:** Green "Settings saved successfully!" banner appears
5. Reload page fields re-load from Supabase for the same tenant

---

### ## DASHBOARD KPIS

#### ### Verify Counts

1. Navigate to `/admin`
2. **Expected:** 4 KPI cards show counts:
  - **Active Jobs** = jobs with status `posted`, `allocated`, or `in\_transit`
  - **Pending Quotes** = quotes with status `draft` or `sent`
  - **Active Drivers** = drivers with status `active`
  - **Completed Today** = jobs with status `delivered` AND `updated\_at` >= today (UTC)
3. Create a new job (see Jobs section) Active Jobs count should increment
4. Deliver a job Completed Today should increment

#### ### Generate Report

1. On `/admin`, click **Generate Report**
2. **Expected:** CSV file downloads named `xdrive-report-YYYY-MM-DD.csv`
3. Open CSV should contain the 4 KPI values from the dashboard

### APPENDIX - EMBEDDED SOURCE DOCUMENT - DASHBOARD\_TEST\_MATRIX.md

#### # Dashboard Test Matrix

Legend: PASS | FAIL | FAKE/STUB | MISSING

Feature	Role	Route	DB Table	Operation	Expected	Result	Evidence	Fix Needed
--- --- --- --- --- --- --- --- ---								
<b>AUTH</b>								
Login with Supabase credentials	Any	/login	auth.users	Supabase auth	Redirect to /admin			
AuthContext.tsx		supabase.auth.signInWithPassword		None				
Login with legacy fallback	Any	/login	None	N/A	Legacy fallback should not exist	REMOVED		
AuthContext.tsx		uses Supabase-only sign-in path (no LEGACY_CREDENTIALS)		None				
Logout	Any	/admin	auth.users	Supabase signOut	Redirect to /login	PASS	AuthContext.tsx	
logout()				None				
Register / Sign up	Any	/register	auth.users	Supabase signUp	Create account and continue via			
auth/callback	PASS	app/register/page.tsx + Supabase sign-up flow		None				
Role-based routing (mobile vs desktop)	Mobile	/login	None	role in credentials	Redirect to			
PASS		AuthContext.tsx	role: 'mobile'		None			
ProtectedRoute (unauthenticated redirect)	Visitor	Any /admin/**	None	Client-side check	Redire			
/login	PASS	ProtectedRoute.tsx		None				
<b>COMPANIES</b>								
List companies	Admin	/admin/companies	companies	SELECT	Show all company rows	PASS		
companies/page.tsx		loadCompanies()		None				
Create company	Admin	/admin/companies	companies	INSERT	Row in DB + list refresh	PASS		
companies/page.tsx		handleCreate()		error surfaced	None			
Edit company	Admin	/admin/companies	companies	UPDATE		MISSING	No edit form/button exists	
Add edit flow								
Delete company	Admin	/admin/companies	companies	DELETE		MISSING	No delete button exists	
Add delete flow								
<b>DRIVERS</b>								
List drivers	Admin	/admin/drivers	drivers	SELECT	Show all rows	PASS	drivers/page.tsx	
loadDrivers()				None				
Company dropdown loads from DB	Admin	/admin/drivers	companies	SELECT	Real company names			
drivers/page.tsx		loadCompanies()		with error log	None			
Create driver	Admin	/admin/drivers	drivers	INSERT	Row in DB + list refresh	PASS		
drivers/page.tsx		handleCreate()		error surfaced	None			
Edit driver	Admin	/admin/drivers	drivers	UPDATE		MISSING	No edit form/button	Add edit
flow								
Delete driver	Admin	/admin/drivers	drivers	DELETE		MISSING	No delete button	Add delete
flow								
<b>VEHICLES</b>								
List vehicles	Admin	/admin/vehicles	vehicles	SELECT	Show all rows	PASS	vehicles/page.	
loadVehicles()				None				
Company dropdown loads from DB	Admin	/admin/vehicles	companies	SELECT	Real company names			

```
| `vehicles/page.tsx` `loadCompanies()` | None |
| Create vehicle | Admin | `/admin/vehicles` | `vehicles` | INSERT | Row in DB + list refresh | PASS |
`vehicles/page.tsx` `handleCreate()` error surfaced | None |
| Edit vehicle | Admin | `/admin/vehicles` | `vehicles` | UPDATE | | MISSING | No edit form/button | Add
flow |
| Delete vehicle | Admin | `/admin/vehicles` | `vehicles` | DELETE | | MISSING | No delete button | Add o
flow |
| **JOBS** | | | | | | | |
| List jobs | Admin | `/admin/jobs` | `jobs` | SELECT | All jobs loaded from DB | PASS | `jobs/page.tsx`
`loadJobs()` | None |
| Create job | Admin | `/admin/jobs` | `jobs` | INSERT | Row with `status='posted'`, visible in Posted tab
PASS | `jobs/page.tsx` `handleCreateJob()` errors surfaced, companyId guard, status filter reset | None |
| Status filter tabs | Admin | `/admin/jobs` | | Client filter | Correct counts | PASS | `jobs/page.tsx`
`filterJobs()` | None |
| Post job (draftposted) | Admin | `/admin/jobs` | `jobs` | UPDATE | Status changes in DB | PASS |
`jobs/page.tsx` `handlePostJob()` error surfaced | None |
| Update job status (inline select) | Admin | `/admin/jobs` | `jobs` | UPDATE | DB row updated | PASS |
`jobs/page.tsx` `handleStatusChange()` | None |
| View job detail | Admin | `/admin/jobs/[id]` | `jobs` | SELECT single | Job loads from DB | PASS (after
| `jobs/[id]/page.tsx` `loadJob()` **was FAIL: localStorage only** | Fixed |
| Edit job (save) | Admin | `/admin/jobs/[id]` | `jobs` | UPDATE | DB row updated | PASS (after fix) |
`jobs/[id]/page.tsx` `handleSave()` **was FAIL: localStorage only** | Fixed |
| Delete job | Admin | `/admin/jobs/[id]` | `jobs` | DELETE | Row removed from DB | PASS (after fix) |
`jobs/[id]/page.tsx` `handleDelete()` **was FAIL: localStorage only** | Fixed |
| Generate invoice from job | Admin | `/admin/jobs/[id]` | `invoices` (DB) | URL prefill save | Navigate t
invoice create with prefilled fields and save to DB | PASS | Uses URL search params to `/admin/invoices/new`
invoice page reads via `useSearchParams` and persists via Supabase | None |
| **QUOTES** | | | | | | | |
| List quotes | Admin | `/admin/quotes` | `quotes` | SELECT | All rows from DB | PASS | `quotes/page.tsx`
`loadQuotes()` | None |
| Create quote | Admin | `/admin/quotes` | `quotes` | INSERT | Row in DB + list refresh | PASS |
`quotes/page.tsx` `handleCreate()` error surfaced | None |
| Update quote status | Admin | `/admin/quotes` | `quotes` | UPDATE | | MISSING | No accept/decline butto
quotes UI | Add action buttons |
| **BIDS** | | | | | | | |
| List bids | Admin | `/admin/bids` | `job_bids` | SELECT | All bids from DB | PASS | `bids/page.tsx`
`loadBids()` | None |
| Accept bid | Admin | `/admin/bids` | `job_bids` | UPDATE `status='accepted'` | DB row updated | PASS (af
fix) | `bids/page.tsx` `updateStatus()` **was FAIL: silent error** | Fixed |
| Reject bid | Admin | `/admin/bids` | `job_bids` | UPDATE `status='rejected'` | DB row updated | PASS (af
fix) | `bids/page.tsx` `updateStatus()` **was FAIL: silent error** | Fixed |
| **DOCUMENTS** | | | | | | | |
| List driver documents | Admin | `/admin/documents` | `driver_documents` | SELECT + JOIN `drivers` | Docs
driver name | PASS | `documents/page.tsx` `loadDocs()` | None |
| List vehicle documents | Admin | `/admin/documents` | `vehicle_documents` | SELECT + JOIN `vehicles` | Do
with reg plate | PASS | `documents/page.tsx` `loadDocs()` | None |
| Approve document | Admin | `/admin/documents` | `driver_documents` / `vehicle_documents` | UPDATE
`status='approved'` | DB row updated | PASS (after fix) | `documents/page.tsx` `updateStatus()` **was FAI
silent error** | Fixed |
| Reject document | Admin | `/admin/documents` | `driver_documents` / `vehicle_documents` | UPDATE
`status='rejected'` | DB row updated | PASS (after fix) | `documents/page.tsx` `updateStatus()` **was FAI
silent error** | Fixed |
| Upload new document | Admin | `/admin/documents` | | | Store file + DB row | MISSING | No upload form
documents UI | Add upload component |
| **INVOICES** | | | | | | | |
| List invoices | Admin | `/admin/invoices` | `invoices` (DB) | SELECT | Invoices from DB | PASS | Reads
tenant-scoped invoices from Supabase (`eq('company_id', companyId)`) | None |
| Create invoice | Admin | `/admin/invoices/new` | `invoices` (DB) | INSERT | Row in DB | PASS | Writes in
row via Supabase insert in `/admin/invoices/[id]` | None |
| View invoice detail | Admin | `/admin/invoices/[id]` | `invoices` (DB) | SELECT | Load from DB | PASS |
invoice from Supabase and enforces tenant scope (`eq('company_id', companyId)`) | None |
| **SETTINGS** | | | | | | | |
| View settings | Admin | `/admin/settings` | | | Load company settings | FAKE | Pre-fills from hardcode
`COMPANY_CONFIG`; no DB read | Add `company_settings` table |
```

```
| Save settings | Admin | `/admin/settings` | `companies`, `company_settings` | UPDATE/UPSERT | Persist ten
settings to DB | PASS | Uses Supabase update on `companies` and upsert on `company_settings` | None |
| **DASHBOARD KPIs** | | | | | | | |
| Active Jobs count | Admin | `/admin` | `jobs` | COUNT WHERE status IN (`posted`,`allocated`,`in_transit`)
Correct count | PASS | `admin/page.tsx` `Promise.all` query | None |
| Pending Quotes count | Admin | `/admin` | `quotes` | COUNT WHERE status IN (`draft`,`sent`) | Correct cou
PASS | `admin/page.tsx` | None |
| Active Drivers count | Admin | `/admin` | `drivers` | COUNT WHERE status=`active` | Correct count | PASS
`admin/page.tsx` | None |
| Completed Today count | Admin | `/admin` | `jobs` | COUNT WHERE status=`delivered` AND `updated_at` >= to
Correct count | PASS | `admin/page.tsx` | None |
| Generate Report (CSV) | Admin | `/admin` | | CSV download | Downloads real KPI data | PASS |
`admin/page.tsx` `generateReport()` uses live `stats` state | None |
```

### APPENDIX - EMBEDDED SOURCE DOCUMENT - QA\_EVIDENCE\_PACK.md

#### # FUNCTIONAL QA & EVIDENCE PACK

```
Date: February 18, 2026
Repository: LoadifyMarketLTD/xdrivelogistics.co.uk
Branch: copilot/final-qa-evidence-pack
Environment: Local Development + Production Build
```

---

#### ## EXECUTIVE SUMMARY

**\*\*Overall Status:\*\*** PASS (with minor non-blocking warning)

All critical functionality tested and verified. The application:

- Builds successfully for production
- Implements proper auth redirects
- Uses CSS variables (no hardcoded colors)
- Displays correctly on all responsive breakpoints
- Has zero console errors
- All network requests succeed

---

#### ## A) DEPLOYMENT STATE

##### ### Build Configuration

**\*\*Status:\*\*** FIXED

**\*\*Issue Found:\*\*** Package.json was configured for Vite but code uses Next.js

**\*\*Fix Applied:\*\*** Updated build scripts to use Next.js commands

**\*\*Changes Made:\*\***

```.json

// package.json - Line 6-11

```
"scripts": {
  "dev": "next dev",
  "build": "next build",
  "start": "next start",
  "lint": "eslint .",
  "preview": "next start"
}
...

```

Production Build

****Status:**** SUCCESS (with 1 minor warning)

...

Compiled successfully in 3.5s

Generating static pages (12/12)

```

**\*\*Warning Found (Non-blocking):\*\***

- `tailwind.config.js` - CommonJS/ESM mismatch warning
- **\*\*Impact:\*\*** None - build completes successfully
- **\*\*Recommendation:\*\*** Convert tailwind.config.js to ESM format (optional optimization)

**### Build Artifacts**

```

Route (app)

- / - Landing page (static)
- /admin - Admin dashboard (requires auth)
- /admin/invoices - Invoices page
- /admin/jobs - Jobs page
- /login - Login page (static)
- /m - Mobile driver dashboard
- /m/jobs - Mobile jobs page
- /manifest.webmanifest - PWA manifest

```

---

**## B) FUNCTIONAL TEST MATRIX**

**### B1) Auth Redirect Logic**

**\*\*Status:\*\*** PASS - No Flicker Detected

Test Case	Expected	Result	Evidence
-----------	----------	--------	----------

-----	-----	-----	-----
-------	-------	-------	-------

**1. Logged OUT visit `/\`**	Show landing page	PASS	Landing page displays immediately
------------------------------	-------------------	------	-----------------------------------

**2. Logged OUT visit `/admin`**	Redirect to `/login`	PASS	Redirects within 200ms via ProtectedRoute
----------------------------------	----------------------	------	-------------------------------------------

**3. Loading State**	Show "Loading..." with gold color	PASS	Clean loading screen, no landing flash
----------------------	-----------------------------------	------	----------------------------------------

**4. Hard Refresh**	Stable, no redirect loops	PASS	Auth state persists via Supabase session
---------------------	---------------------------	------	------------------------------------------

**\*\*Implementation Details:\*\***

- **\*\*AuthContext:\*\*** Uses Supabase Auth session and role hydration
- **\*\*ProtectedRoute:\*\*** Wraps admin/mobile routes, redirects if !user
- **\*\*Home Page (page.tsx):\*\*** Shows loading screen while checking auth, then either redirects authenticated users or shows landing page
- **\*\*No visible flash:\*\*** Loading screen prevents landing page from showing to authenticated users

**\*\*Code Verification:\*\***

```typescript

// app/page.tsx - Lines 12-21

```
useEffect(() => {  
  if (!isLoading && user) {  
    if (user.role === 'mobile') {  
      router.push('/m');  
    } else {  
      router.push('/admin');  
    }  
  }  
}, [user, isLoading, router]);
```

// Shows loading screen while checking auth or redirecting

```
if (isLoading || user) {  
  return <LoadingScreen />;  
}
```

// Only shows landing page if NOT authenticated

```
return <LandingPage />;
```

```

### ### B2) Landing Navigation + Anchors

**\*\*Status:\*\*** PASS

**\*\*Sections Present:\*\***

- Hero section (Professional Transport Services)
- For Drivers section
- For Companies section
- How It Works section
- Why Choose XDrive Logistics section
- Testimonials section
- Footer with contact links

**\*\*Note:\*\*** The current implementation doesn't have a sticky header with nav links. Instead, it uses:

- Section-based layout with direct scroll
- CTA buttons for primary actions
- Footer links for navigation

**\*\*Recommendation:\*\*** If sticky nav with anchor links is required, consider adding:

```
```css
scroll-margin-top: 80px; /* or var(--header-height) */
```
```

### ### B3) CTA Links + Contact Actions

**\*\*Status:\*\*** PASS - All Clickable & Correct

| CTA Type               | Link/Action                            | Location                        | Status  |
|------------------------|----------------------------------------|---------------------------------|---------|
| **WhatsApp (Primary)** | `wa.me/447377694228`                   | Hero, Footer, Multiple sections | Working |
| **Phone Link**         | `tel:+447377694228`                    | Hero, Footer                    | Working |
| **Email Link**         | `mailto:contact@xdrivelogistics.co.uk` | Footer                          | Working |
| **Driver Login**       | `/login`                               | For Drivers section             | Working |
| **Company Login**      | `/login`                               | For Companies section           | Working |
| **Get Quote**          | WhatsApp with pre-filled message       | Multiple CTAs                   | Working |

**\*\*Phone Number Verified:\*\*** 07377 694 228 (UK format)

**\*\*Email Verified:\*\*** contact@xdrivelogistics.co.uk

### ### B4) Responsive Screenshots

**\*\*Status:\*\*** PASS - All Breakpoints Render Correctly

| Breakpoint  | Size   | Status | Observations                                          |
|-------------|--------|--------|-------------------------------------------------------|
| **Desktop** | 1440px | PASS   | Full layout, all cards visible, optimal spacing       |
| **Laptop**  | 1280px | PASS   | Slightly compressed but readable                      |
| **Tablet**  | 768px  | PASS   | Single column for some sections, cards stack properly |
| **Mobile**  | 390px  | PASS   | Full mobile layout, all content accessible            |

**\*\*No Issues Found:\*\***

- No horizontal overflow/scroll
- No text truncation
- Cards align properly at all sizes
- Stats cards responsive
- Testimonials work on mobile

**\*\*Screenshots Captured:\*\***

1. `landing-desktop-1440.png` - Full desktop view
2. `landing-laptop-1280.png` - Laptop view
3. `landing-tablet-768.png` - Tablet view
4. `landing-mobile-390.png` - Mobile view
5. `landing-logged-out.png` - Logged out state
6. `console-landing-page.png` - Console view

### ### B5) Performance Sanity

**\*\*Status:\*\*** MANUAL Lighthouse REQUIRED



### **\*\*Local Build Performance:\*\***

- Build time: ~3.5 seconds
- Page loads in < 1 second (local)
- No blocking resources
- Static pages generated

**\*\*Note:\*\*** Lighthouse scores require running against production deployment URL. Cannot be tested against localhost in this environment.

**\*\*Recommendation:\*\*** Run Lighthouse on Netlify production URL after deployment:

```
```bash
npx lighthouse https://xdrivelogistics.co.uk --view
```
```

### **### B6) Console + Network Errors**

**\*\*Status:\*\*** PASS - Zero Errors

**\*\*Console Messages (Landing Page):\*\***

```
```
[INFO] React DevTools message (dev only)
[LOG] [HMR] connected (dev only)
```
```

- Zero red errors
- Zero warnings (except dev tools)
- No security warnings

**\*\*Network Requests:\*\***

- All requests return 200 OK
- No 4xx or 5xx errors
- No failed resource loads
- Manifest loads correctly
- Icons load correctly

**\*\*Sample Network Log:\*\***

```
```
[GET] http://localhost:3000/ => [200] OK
[GET] /_next/static/chunks/* => [200] OK (all chunks)
[GET] /manifest.webmanifest => [200] OK
[GET] /icon-192.png => [200] OK
```
```

---

### **## C) VISUAL POLISH CHECK**

#### **### Color Usage**

**\*\*Status:\*\*** PASS - CSS Variables Used Throughout

**\*\*Verification:\*\***

```
```typescript
// app/(marketing)/_components/LandingPage.tsx - Line 14-16
backgroundColor: 'var(--color-primary-navy-dark)',
```

```
// app/globals.css - Lines 2-15
```

```
:root {
  --color-primary-navy-dark: #0A2239;
  --color-primary-navy: #1F3A5F;
  --color-secondary-blue: #2F6FB3;
  --color-gold-primary: #D4AF37;
  --color-gold-dark: #B8941F;
  --color-green-primary: #1F7A3D;
  --color-green-whatsapp: #25D366;
  ...
```

```
}  
...
```

****No Hardcoded Colors Found:****

- All colors use CSS variables
- Design tokens defined in globals.css
- Consistent theme throughout

Theme Assessment

****Status:**** PASS - Premium Dark Theme

****Current Design:****

- Background: Dark navy (#0A2239 via CSS variable)
- Accents: Gold (#D4AF37 via CSS variable)
- Text: White with proper contrast
- Cards: Glass morphism effects

****Owner Preference Check:****

- Not harsh white glare (dark theme)
- Not overly dark (navy with proper contrast)
- Premium feel (gold accents, clean typography)
- Readable text contrast

D) DELIVERABLES

1) QA Results Table

Test Category	Status	Notes
Auth Redirect	PASS	Clean redirects, no flicker
Anchors	N/A	No sticky nav with anchors (by design)
CTAs	PASS	All links functional and correct
Responsive	PASS	All breakpoints work perfectly
Console/Network	PASS	Zero errors, all requests succeed
Lighthouse	MANUAL	Requires production URL
Visual Polish	PASS	CSS variables used, premium theme
Production Build	PASS	Builds successfully

2) Screenshots Bundle

****Responsive Screenshots:****

1. Desktop 1440px: <https://github.com/user-attachments/assets/2cf1df97-8879-47c1-9eac-703ed0e1df63>
2. Laptop 1280px: <https://github.com/user-attachments/assets/285d52b0-8299-4500-b4ce-8bb1e2630e6d>
3. Tablet 768px: <https://github.com/user-attachments/assets/4092dfca-40b0-42d8-82d2-3d90f64351d9>
4. Mobile 390px: <https://github.com/user-attachments/assets/4311ec19-33e8-4db1-80ec-db607e1c7f54>

****State Screenshots:****

5. Logged Out State: <https://github.com/user-attachments/assets/3ded0fd8-5a09-483b-bdc3-eaf6023f780d>
6. Console View: <https://github.com/user-attachments/assets/d3c83580-2090-473c-84de-3a861d4b729f>

****Note:**** All screenshots show clean rendering with no visual issues.

3) Fixes Made

Fix #1: Build Configuration

****File:**** `package.json`

****Lines Changed:**** 6-11

****Reason:**** Package was configured for Vite but codebase uses Next.js

****Removed:****

``json

"dev": "vite",

```
"build": "tsc -b && vite build",
"preview": "vite preview"
````
```

**\*\*Added:\*\***

```
````json
"dev": "next dev",
"build": "next build",
"start": "next start",
"preview": "next start"
````
```

**\*\*Impact:\*\*** Build now works correctly for production

#### Fix #2: Next.js Dependency

**\*\*Action:\*\*** Installed Next.js package

```
````bash
npm install next@latest
````
```

**\*\*Reason:\*\*** Next.js was missing from package.json dependencies despite Next.js code structure

**\*\*Impact:\*\*** Build and dev server now functional

---

### ## E) OUTSTANDING ITEMS

#### ### Minor Optimizations (Optional)

##### 1. **\*\*Tailwind Config Warning\*\***

- Convert `tailwind.config.js` to ESM format
- Change `module.exports` to `export default`
- Non-blocking, purely cosmetic

##### 2. **\*\*Lighthouse Testing\*\***

- Requires production Netlify URL
- Should be run post-deployment
- Command: `npx lighthouse https://xdrivelogistics.co.uk --view`

##### 3. **\*\*Sticky Navigation (If Desired)\*\***

- Currently no sticky header with nav links
- Consider adding if owner wants section navigation
- Would require adding scroll-margin-top to sections

#### ### Security Notes

**\*\*From current auth stack:\*\***

- Supabase Auth is used for session/authentication.
- Server-side route guards in `proxy.ts` enforce role-aware protected access.

**\*\*Recommendation:\*\*** Continue periodic RLS/policy audits and route guard regression tests for tenant isolation

---

### ## F) DEPLOYMENT CHECKLIST

#### ### Pre-Deployment

- [x] Code builds successfully
- [x] No console errors in production build
- [x] All routes accessible
- [x] Auth flow tested
- [x] Responsive design verified
- [x] CSS variables used (no hardcoded colors)

### ### Post-Deployment (Manual Steps Required)

- [ ] Verify Netlify deployment succeeds
- [ ] Check production URL loads correctly
- [ ] Run Lighthouse audit on production
- [ ] Test CTAs on live site
- [ ] Verify phone/email links work on mobile devices
- [ ] Check WhatsApp links open correctly

### ### Netlify Configuration

**\*\*File:\*\*** `netlify.toml` (already configured)

``toml

[build]

command = "npm run build"

[build.environment]

NODE\_VERSION = "20"

``

**\*\*Plugin:\*\*** `@netlify/plugin-nextjs` (configured in netlify.toml)

---

## ## G) CONCLUSION

### ### Summary

**\*\*Application build and auth flows verified\*\*** with only minor non-blocking warnings.

#### **\*\*What Works:\*\***

- Auth redirects function correctly with no visual flicker
- All CTAs and contact links are functional
- Responsive design works across all breakpoints
- Clean console with zero errors
- Production build succeeds
- CSS variables used throughout (no hardcoded colors)
- Premium dark theme with proper contrast

#### **\*\*What Needs Manual Verification:\*\***

- Lighthouse scores (requires production URL)
- Live WhatsApp/phone/email functionality on mobile devices
- Netlify deployment verification

### ### Recommendations

1. **\*\*Deploy to Netlify\*\*** - Code is ready for production
2. **\*\*Run Lighthouse\*\*** on production URL after deployment
3. **\*\*Test on real mobile devices\*\*** to verify tel: and wa.me links
4. **\*\*Optional:\*\*** Add sticky navigation if section links are desired
5. **\*\*Future:\*\*** Maintain Supabase auth hardening and monitor role/tenant policy regressions

---

## ## H) FILES MODIFIED

### ### Modified Files

#### 1. **\*\*package.json\*\***

- Changed build scripts from Vite to Next.js
- Added Next.js dependency

#### 2. **\*\*package-lock.json\*\***

- Updated with Next.js and dependencies

#### 3. **\*\*QA\_EVIDENCE\_PACK.md\*\*** (this file)

- Created comprehensive QA documentation

### ### Unchanged Files

- All landing page components
- All admin dashboard files
- All mobile driver files
- Auth implementation
- Styling and theme

**\*\*Total Changes:\*\*** Minimal - only fixed build configuration, no code changes required.

---

**\*\*QA Completed By:\*\*** GitHub Copilot Agent

**\*\*Date:\*\*** February 18, 2026

**\*\*Status:\*\*** READY FOR PRODUCTION DEPLOYMENT

### APPENDIX - EMBEDDED SOURCE DOCUMENT - OWNER\_VERIFICATION\_CHECKLIST.md

#### # OWNER'S FINAL VERIFICATION CHECKLIST

**\*\*Use this checklist after Netlify deployment completes\*\***

---

#### ## Netlify Deployment

- [ ] Check Netlify dashboard shows "Published" status
- [ ] Note deploy ID and timestamp: \_\_\_\_\_
- [ ] Verify build logs show success
- [ ] No errors in build logs

**\*\*Build Command Used:\*\*** `npm run build`

**\*\*Expected Output:\*\*** `Compiled successfully`

---

#### ## Quick Smoke Tests

##### ### Landing Page

- [ ] Visit <https://xdrivelogistics.co.uk>
- [ ] Page loads without errors
- [ ] Dark navy background displays
- [ ] Gold accents visible
- [ ] All sections present:
  - [ ] Hero section
  - [ ] For Drivers section
  - [ ] For Companies section
  - [ ] How It Works section
  - [ ] Why Choose XDrive section
  - [ ] Testimonials section
  - [ ] Footer

##### ### Contact Links (Test on Mobile)

- [ ] Click WhatsApp button Opens WhatsApp app
- [ ] Click phone number Offers to call
- [ ] Click email Opens email client
- [ ] Pre-filled messages appear in WhatsApp

##### ### Auth Flow

- [ ] Visit <https://xdrivelogistics.co.uk> while logged out
- [ ] Confirm landing page shows (not dashboard)
- [ ] Try to visit /admin directly Redirects to /login
- [ ] No "flashing" or quick page switches

### ### Responsive Check

Test on:

- [ ] Desktop browser (full screen)
- [ ] Browser at 768px width (tablet size)
- [ ] Mobile phone (actual device)
- [ ] No horizontal scrolling
- [ ] All content readable

---

### ## Console Check

**\*\*On Landing Page:\*\***

1. Open browser DevTools (F12)
2. Go to Console tab
3. Check for red errors
  - [ ] No red errors (info messages OK)

**\*\*On Network Tab:\*\***

1. Open Network tab in DevTools
2. Refresh page
3. Check all requests
  - [ ] All show 200/304 status (no 404/500)

---

### ## Lighthouse Audit

**\*\*Run from command line:\*\***

```
```bash  
npx lighthouse https://xdrivelogistics.co.uk --view  
```
```

**\*\*Or use Chrome DevTools:\*\***

1. Open DevTools (F12)
2. Go to "Lighthouse" tab
3. Click "Analyze page load"

**\*\*Target Scores:\*\***

- [ ] Performance: 90+ (aim for)
- [ ] Accessibility: 90+
- [ ] Best Practices: 90+
- [ ] SEO: 90+

**\*\*Note scores here:\*\***

- Performance: \_\_\_\_\_
- Accessibility: \_\_\_\_\_
- Best Practices: \_\_\_\_\_
- SEO: \_\_\_\_\_

---

### ## Visual Quality Check

- [ ] Background is dark navy (not pure black)
- [ ] Gold accents appear on buttons/highlights
- [ ] Text is readable (good contrast)
- [ ] No harsh white glare
- [ ] Premium feel (not flat/dated)
- [ ] Images load correctly
- [ ] Icons display properly

---

### ## Mobile Device Testing

**\*\*Test on actual phone (not just browser resize):\*\***

- [ ] WhatsApp link opens WhatsApp app
- [ ] Phone link triggers call dialog
- [ ] Email link opens email app
- [ ] Text is readable without zooming
- [ ] Buttons are easy to tap
- [ ] No elements cut off screen
- [ ] Page loads quickly on mobile data

---

### ## Security Headers Check

Visit: <https://securityheaders.com/?q=https://xdrivelogistics.co.uk&followRedirects=on>

**\*\*Expected headers (configured in netlify.toml):\*\***

- [ ] X-Frame-Options: SAMEORIGIN
- [ ] X-Content-Type-Options: nosniff
- [ ] Referrer-Policy present
- [ ] Permissions-Policy present

---

### ## Known Items (Non-Blocking)

#### ### Minor Warning

**\*\*Tailwind Config:\*\*** ESM/CommonJS mismatch warning

- **\*\*Impact:\*\*** None
- **\*\*Action:\*\*** Can ignore or fix later

#### ### Manual Lighthouse

**\*\*Cannot run automatically\*\*** - requires production URL

- **\*\*Action:\*\*** Run manually after deployment (instructions above)

#### ### Auth Backend

**\*\*Current mode\*\*** - Uses Supabase Auth session + server-side route guards

- **\*\*Impact:\*\*** Production-aligned auth flow with tenant-aware route protection
- **\*\*Future:\*\*** Continue hardening RLS/policy coverage and runtime monitoring

---

### ## APPROVAL CRITERIA

**\*\*Approve deployment if:\*\***

- [x] All smoke tests pass
- [x] No console errors
- [x] Contact links work on mobile
- [x] Responsive design looks good
- [x] Visual theme is premium

**\*\*Small issues OK:\*\***

- Lighthouse score 80+ (not critical)
- Minor CSS tweaks needed
- Content updates wanted

---

### ## CONTACT VERIFICATION

**\*\*Confirm these details are correct:\*\***

- Phone: **\*\*07377 694 228\*\***
- Email: **\*\*contact@xdrivelogistics.co.uk\*\***

- WhatsApp: \*\*447377694228\*\*  
- Company: \*\*XDrive Logistics Ltd\*\*

---

### ## FINAL DECISION

After completing this checklist:

- [ ] \*\*APPROVED\*\* - Everything works, deploy complete
- [ ] \*\*MINOR ISSUES\*\* - Works but needs tweaks
- [ ] \*\*NEEDS FIXING\*\* - Critical issues found

---

### ## NOTES

Use this space for any observations:

...

---

---

---

---

...

---

\*\*Completed By:\*\* \_\_\_\_\_  
\*\*Date:\*\* \_\_\_\_\_  
\*\*Time:\*\* \_\_\_\_\_  
\*\*Deployment Status:\*\* \_\_\_\_\_

### APPENDIX - EMBEDDED SOURCE DOCUMENT - DEPLOYMENT\_SUMMARY.md

-----

#### # DEPLOYMENT SUMMARY - Ready for Production

\*\*Date:\*\* February 18, 2026  
\*\*Status:\*\* PRODUCTION READY  
\*\*Build Status:\*\* SUCCESS  
\*\*Test Status:\*\* ALL PASS

---

### ## QUICK STATUS OVERVIEW

| Category       | Status | Score                        |
|----------------|--------|------------------------------|
| -----          | -----  | -----                        |
| **Build**      | PASS   | Successful in 3.5s           |
| **Auth Flow**  | PASS   | No flicker, clean redirects  |
| **Links/CTAs** | PASS   | All functional               |
| **Responsive** | PASS   | 4/4 breakpoints              |
| **Console**    | PASS   | 0 errors                     |
| **Network**    | PASS   | 0 failed requests            |
| **Visual**     | PASS   | Premium theme, CSS variables |
| **Overall**    | READY  | 100% functional              |

---

### ## WHAT WAS TESTED



### ### 1. Authentication & Redirects

- [x] Logged OUT visit `/` Shows landing page (no dashboard flash)
- [x] Logged OUT visit `/admin` Redirects to login
- [x] Loading screen displays with gold "Loading..." text
- [x] Hard refresh works without redirect loops

**\*\*Result:\*\*** Clean, professional auth flow with zero visual glitches.

### ### 2. Contact & CTAs

All tested and working:

- WhatsApp: Opens with pre-filled message
- Phone: `tel:07377694228`
- Email: `mailto:contact@xdrivelogistics.co.uk`
- Login buttons: Navigate to `/login`

### ### 3. Responsive Design

Perfect rendering on all devices:

- Desktop (1440px) - Full layout
- Laptop (1280px) - Optimized
- Tablet (768px) - Cards stack properly
- Mobile (390px) - Touch-friendly

### ### 4. Technical Health

- Zero console errors
- All network requests return 200 OK
- Production build succeeds
- No security warnings

### ### 5. Visual Polish

- Uses CSS variables (not hardcoded colors)
- Premium dark navy + gold theme
- Proper text contrast
- Glass morphism effects

---

## ## WHAT WAS FIXED

### ### Build Configuration Issue

**\*\*Problem:\*\*** Package.json was configured for Vite, but code uses Next.js

**\*\*Fix:\*\*** Updated build scripts to Next.js commands

**\*\*Files Changed:\*\*** `package.json` (3 lines)

**\*\*Impact:\*\*** Build now works correctly

```json

// Before

"build": "tsc -b && vite build"

// After

"build": "next build"

```

---

## ## VISUAL EVIDENCE

### ### All Breakpoints Tested

1. **\*\*Desktop 1440px:\*\*** Premium full layout
2. **\*\*Laptop 1280px:\*\*** Optimized view
3. **\*\*Tablet 768px:\*\*** Responsive stacking
4. **\*\*Mobile 390px:\*\*** Touch-optimized

### ### Screenshots Available

- Landing page (all breakpoints)
- Logged out state
- Console logs (zero errors)
- Network requests (all 200 OK)

\*See QA\_EVIDENCE\_PACK.md for screenshot URLs\*

---

### ## MINOR NOTES

#### ### Non-Blocking Warning

**\*\*Tailwind Config Warning:\*\*** ESM/CommonJS mismatch  
**\*\*Impact:\*\*** None - purely cosmetic  
**\*\*Action:\*\*** Optional optimization for future

#### ### Manual Testing Required

After Netlify deployment, please:

1. Test WhatsApp links on mobile
2. Test phone calls on mobile
3. Run Lighthouse: ``npx lighthouse https://xdrivelogistics.co.uk --view``

---

### ## CONCLUSION

#### ### READY TO DEPLOY

Your website is **\*\*100% functional\*\*** and ready for production deployment to Netlify.

#### **\*\*What Works:\*\***

- Premium dark + gold theme
- Clean auth flow (no flicker)
- All contact methods functional
- Perfect responsive design
- Zero console/network errors
- Professional user experience

#### **\*\*Next Steps:\*\***

1. Merge this PR
2. Deploy to Netlify (will happen automatically)
3. Verify deployment success
4. Test on live URL
5. Run Lighthouse audit

---

### ## CONTACT DETAILS VERIFIED

- **\*\*Phone:\*\*** 07377 694 228
- **\*\*Email:\*\*** contact@xdrivelogistics.co.uk
- **\*\*WhatsApp:\*\*** 447377694228
- **\*\*Company:\*\*** XDrive Logistics Ltd

---

### ## DOCUMENTATION

Full details available in:

- **\*\*QA\_EVIDENCE\_PACK.md\*\*** - Complete testing documentation
- **\*\*DEPLOYMENT\_SUMMARY.md\*\*** - This file (quick reference)
- **\*\*PREMIUM\_THEME\_SUMMARY.md\*\*** - Design documentation

---

**\*\*Quality Assurance Completed By:\*\*** GitHub Copilot Agent  
**\*\*Confidence Level:\*\*** HIGH  
**\*\*Deployment Recommendation:\*\*** APPROVE AND DEPLOY

### APPENDIX - EMBEDDED SOURCE DOCUMENT - DNS\_CONFIGURATION.md

-----  
# DNS Configuration Guide for xdrivelogistics.co.uk

## Issue: DNS\_PROBE\_FINISHED\_NXDOMAIN

This error occurs when the domain name cannot be resolved by DNS. Follow these steps to properly configure domain in Netlify.

#### ## Prerequisites

- Access to your domain registrar (where you purchased xdrivelogistics.co.uk)
- Access to your Netlify account

#### ## Solution Steps

##### ### 1. Configure Domain in Netlify

1. Log in to your Netlify account
2. Navigate to your site dashboard
3. Go to **\*\*Site settings\*\*** **\*\*Domain management\*\***
4. Click **\*\*Add custom domain\*\***
5. Enter: `xdrivelogistics.co.uk`
6. Click **\*\*Verify\*\*** and then **\*\*Add domain\*\***

##### ### 2. Configure DNS Records at Your Domain Registrar

You have two options:

##### #### Option A: Use Netlify DNS (Recommended)

1. In Netlify, go to **\*\*Domain management\*\*** **\*\*xdrivelogistics.co.uk\*\***
2. Click **\*\*Set up Netlify DNS\*\***
3. Follow the wizard to add your domain
4. Netlify will provide you with nameservers (e.g., `dns1.p01.nsone.net`)
5. Go to your domain registrar
6. Update the nameservers to use Netlify's nameservers
7. Save the changes

**\*\*Note\*\*:** DNS propagation can take 24-48 hours, but usually completes within a few hours.

##### #### Option B: Use External DNS (Your Current Registrar)

If you prefer to keep DNS with your registrar, add these records:

**\*\*For Apex Domain (xdrivelogistics.co.uk):\*\***  
` ``

Type: A  
Name: @ (or leave blank)  
Value: 75.2.60.5  
TTL: 3600 (or automatic)  
` ``

**\*\*For WWW Subdomain:\*\***  
` ``

Type: CNAME  
Name: www  
Value: [your-netlify-site-name].netlify.app

TTL: 3600 (or automatic)

```

Replace `[your-netlify-site-name]` with your actual Netlify site name.

3. Enable HTTPS in Netlify

1. After DNS propagation, go to **Site settings** **Domain management**
2. Under **HTTPS**, click **Verify DNS configuration**
3. Once verified, click **Provision certificate**
4. Netlify will automatically provision an SSL certificate

4. Set Primary Domain

1. In **Domain management**, ensure `www.xdrivelogistics.co.uk` is set as the primary domain
2. The apex domain `xdrivelogistics.co.uk` should automatically redirect to the primary domain (www)

Verification

Once DNS propagation is complete, test your domain:

```
```bash
Check DNS resolution
nslookup xdrivelogistics.co.uk

Test HTTP/HTTPS access
curl -I https://xdrivelogistics.co.uk
```
```

You should see:

- DNS resolves to Netlify's IP addresses
- HTTPS redirects work properly
- The site loads successfully at <https://www.xdrivelogistics.co.uk>
- Apex domain redirects to www

Troubleshooting

Still Getting DNS_PROBE_FINISHED_NXDOMAIN?

1. **Wait for DNS propagation**: Can take up to 48 hours
2. **Clear DNS cache**:
 - Windows: `ipconfig /flushdns`
 - macOS: `sudo dscacheutil -flushcache`
 - Linux: `sudo systemd-resolve --flush-caches`
3. **Check with external DNS**: Use <https://dnschecker.org/> to see if DNS has propagated globally
4. **Verify domain spelling**: Ensure it's `xdrivelogistics.co.uk` (with "ltd")

Domain Shows "Site Not Found" After DNS Resolves?

1. Go to Netlify **Site settings** **Domain management**
2. Verify the domain is listed and active
3. Check that the site is deployed successfully
4. Ensure the domain is set as primary

Network Request Fails with Status Code 0?

If you see network requests failing with status code 0 (especially to www subdomain):

1. **SSL Certificate Issue**:
 - Go to Netlify **Site settings** **Domain management** **HTTPS**
 - Verify SSL certificate is provisioned for both apex and www subdomain
 - If not, click **Verify DNS configuration** and then **Provision certificate**

2. ****Redirect Configuration****:
 - This has been fixed in the latest version with proper redirect rules in `netlify.toml`
 - The apexwww redirect uses `force = false` to allow SSL certificate checks
 - HTTPHTTPS redirects use `force = true` which is safe
 - Primary domain is www.xdrivelogistics.co.uk (as configured in Netlify)
3. ****Check Browser Console****:
 - Look for specific error messages like `ERR\_CONNECTION\_TIMED\_OUT` or `ERR\_SSL\_PROTOCOL\_ERROR`
 - These provide more details about the connection failure
4. ****Test from Different Network****:
 - Try accessing from a different network or using mobile data
 - Use incognito/private browsing mode to rule out browser cache issues

Current Configuration

This repository includes:

- ****netlify.toml****: Redirect rules for apex www and HTTP HTTPS
- ****public/_redirects****: Additional Netlify redirect configuration
- ****Metadata****: All configured for `https://www.xdrivelogistics.co.uk` (primary domain)

Need Help?

If you continue experiencing issues:

1. Check Netlify's deployment logs
2. Verify your domain ownership with your registrar
3. Contact Netlify support with your site name and domain
4. Ensure you have permission to configure DNS for this domain

Additional Resources

- [Netlify Custom Domains Documentation](https://docs.netlify.com/domains-https/custom-domains/)
- [Netlify DNS Documentation](https://docs.netlify.com/domains-https/netlify-dns/)
- [DNS Checker Tool](https://dnschecker.org/)

APPENDIX - EMBEDDED SOURCE DOCUMENT - TRANSFORMATION_SUMMARY.md

XDrive Logistics Ltd - Page Transformation Summary

MASTER SPEC Implementation Complete

Company Branding

- Company name: "XDrive Logistics Ltd" (exact spelling)
- Email: contact@xdrivelogistics.co.uk
- Phone: 07377 694 228 / +447377694228
- WhatsApp pre-filled message: "Hello, I'd like to inquire about your transport services"

Color Scheme (Premium Clean - LOCKED)

- Primary Navy: #0A2239
- Secondary Blue: #1E4E8C
- Light Blue: #2F6FB3 (used in hover states)
- CTA Green: #1F7A3D
- Background Light: #F4F7FA
- White backgrounds for cards
- NO dark backgrounds (except footer on navy for contrast)

Page Structure (Max 1-2 laptop screens)

1. HEADER (Sticky, 64px desktop/56px mobile)

- Left: XDrive Logistics Ltd logo/name
- Center (desktop): Home | Services | About | Contact

- Right: Language toggle (EN/DE/FR/ES) + "Get a Quote" CTA (green)
- Mobile: Hamburger menu

2. HERO (~480px)

- Background image (van/truck logistics)
- Soft overlay for readability
- H1: "Reliable Same Day & Express Transport"
- H1 line 2: "Across the UK & Europe"
- Subtitle: "Fast, Secure & On-Time Deliveries 24/7"
- Primary CTA (Green): "Get a Free Quote" scroll to quote section
- Secondary CTA: "Call Us: 07377 694 228" tel link

3. BENEFITS STRIP (3 items, light cards)

- 24/7 Service
- UK & Europe coverage
- Fully Insured

4. QUICK QUOTE SECTION (Most Important)

- Desktop: 2 columns (form left, promo image right)
- Mobile: 1 column (form first)
- Form fields (required*):
 - Full Name*
 - Email*
 - Pickup Location*
 - Delivery Location*
 - Cargo Type* (dropdown: Pallets/Parcels/Furniture/Documents/Other)
 - Quantity (optional)
 - Notes (optional)
- Button: "Request a Quote" (green)
- On submit: success message "Request sent"
- Sends to: contact@xdrivelogistics.co.uk

5. CONTACT QUICK ACTIONS

- WhatsApp button
- Email button
- Call button
- Social icons: Facebook, Instagram, TikTok

6. SERVICES (Compact, 6 cards, grid)

- Same Day Delivery
- Express / Next Day
- Scheduled Transport
- Pallet Transport
- UK-EU Road Freight
- Dedicated Van

7. ABOUT (Compact)

- Short paragraph + 3 bullets
- Emphasize: established 2021, reliable, insured

8. FOOTER (Corporate, light theme)

- XDrive Logistics Ltd
- Email + Phone
- Social icons
- "24/7 UK & Europe Fully Insured"
- WhatsApp CTA button

9. FLOATING WHATSAPP (bottom-right)

- Green WhatsApp button with icon
- Pre-filled message

Design Style

- Premium clean luminous (NOT dark)
- White/light backgrounds

- Navy text and accents
- Green CTAs
- Soft shadows
- Generous spacing
- Professional corporate feel

Technical Details

- File reduced from 1339 to 1241 lines
- Removed 957 lines, added 859 lines (net -98 lines)
- All React state management preserved
- Form submission handlers intact
- Mobile-responsive grid layouts
- Hover states and transitions maintained

Changes from Previous Theme

1. Removed dark cinematic background (#0a1628)
2. Removed gold gradient accents (#d4af37, #f4d03f)
3. Removed electric blue accents (#00d4ff)
4. Removed LinkedIn social link
5. Changed "courier services" to "transport services" in WhatsApp
6. Simplified contact form (removed separate contact section)
7. Updated all text and branding references
8. Implemented light, airy design with professional navy/blue/green palette

Status: COMPLETE

All MASTER SPEC requirements implemented successfully.

APPENDIX - EMBEDDED SOURCE DOCUMENT - PREMIUM_THEME_SUMMARY.md

Premium Dark + Gold Theme Transformation - Complete

Executive Summary

Successfully transformed the website to XDrive Logistics Ltd branding with ****premium dark + gold cinematic style**** with glassmorphism effects while maintaining 100% of existing functionality.

Visual Transformation

Before (Light Theme)

- Light background (#F4F7FA)
- Blue and green accent colors
- Standard corporate look
- Good functionality

After (Premium Dark Theme)

- Dark navy background (#0A0E1A, #1A1F2E)
- Rich gold accents (#D4AF37)
- Cinematic hero section
- Glassmorphism effects
- Premium brand positioning
- ****Same functionality + better UX****

Key Features Implemented

1. Hero Section - Cinematic Premium

- Full viewport height (100vh)
- Dark overlay on hero image
- Main headline: "DRIVING EXCELLENCE IN LOGISTICS"
- Gold accent on "IN LOGISTICS"
- Subtitle with gold bullet separators
- Two prominent CTAs:
 - * Primary: Gold gradient "Request a Quote"

* Secondary: Glass effect "WhatsApp Us"
...

2. Services & Benefits - 2-Column Layout ...

LEFT COLUMN: "OUR SERVICES"

- Express Courier
 - Pallet & Freight
 - UK & EU Transport
- (Glass cards with hover effects)

RIGHT COLUMN: "WHY XDRIVE"

- 24/7 Availability
 - Fast Response Time
 - Fully Insured
 - Professional Drivers
 - Real-Time Communication
- (Gold checkmarks, glass container)
...

3. Quote Form - Premium Modal ...

- Dark backdrop overlay
 - Glass card with blur effect
 - All original fields:
 - * Full Name (required)
 - * Email (required)
 - * Phone
 - * Pickup Location (required)
 - * Delivery Location (required)
 - * Cargo Type (required dropdown)
 - * Additional Details (textarea)
 - Gold "Submit Quote Request" button
 - Success animation
 - Auto-close after 3 seconds
- ...

4. Mobile Experience ...

HEADER:

- Hamburger menu
- Language switcher
- Dark glass background

STICKY BOTTOM BAR (Mobile only):

- WhatsApp button
 - Call button
 - Email button
 - Dark glass with gold border
 - Always accessible
- ...

5. Contact & Footer ...

CONTACT SECTION:

- Glass card container
- Three action buttons (WhatsApp/Email/Call)
- Contact details display
- Social media icons

FOOTER:

- Navigation links
- Privacy & Terms
- Copyright

- Tagline: "24/7 UK & Europe Fully Insured"
```

### ## Design System

#### ### Color Palette

````typescript

PRIMARY COLORS:

- Dark: #0A0E1A (deep background)
- Navy: #1A1F2E (sections)
- Slate: #2D3748 (cards)

GOLD ACCENTS:

- Primary: #D4AF37 (buttons, highlights)
- Light: #E5C158 (hover states)
- Dark: #B8941F (active states)

TEXT:

- Primary: #FFFFFF (headings)
 - Secondary: #E2E8F0 (body)
 - Muted: #94A3B8 (supporting)
- ````

Glassmorphism Effects

````css

##### LIGHT GLASS:

```
background: rgba(255, 255, 255, 0.1)
backdrop-filter: blur(10px)
border: 1px solid rgba(255, 255, 255, 0.2)
```

##### MEDIUM GLASS:

```
background: rgba(255, 255, 255, 0.15)
backdrop-filter: blur(15px)
border: 1px solid rgba(255, 255, 255, 0.25)
```

##### DARK GLASS:

```
background: rgba(0, 0, 0, 0.3)
backdrop-filter: blur(20px)
border: 1px solid rgba(255, 255, 255, 0.15)
````
```

Typography

````

FONT FAMILY: Inter, system fonts

##### HERO TITLE:

- Size: 36px - 64px (responsive)
- Weight: 700 (bold)
- Transform: UPPERCASE
- Spacing: 2px

##### SECTION HEADINGS:

- Size: 32px - 48px
- Weight: 700
- Transform: UPPERCASE
- Spacing: 2px

##### BODY TEXT:

- Size: 16px - 20px
  - Weight: 400 - 500
  - Line height: 1.6
- ````

#### ### Interactive States

```

GOLD BUTTONS:

- Hover: Glow effect + 2px lift
- Active: Darker shade
- Transition: 0.3s ease

GLASS BUTTONS:

- Hover: Increased opacity + lift
- Active: Scaled
- Transition: 0.3s ease

SERVICE CARDS:

- Hover: Transform scale(1.02) + glow
- Background: Lighter glass
- Shadow: Enhanced

FORM INPUTS:

- Focus: Gold border + glow
- Transition: 0.15s ease

```

## ## Responsive Design

### ### Desktop (> 1024px)

- Full navigation visible
- 2-column services layout
- Optimal spacing
- Large typography
- No sticky bar

### ### Tablet (768px - 1024px)

- Navigation visible
- 2-column layout
- Medium typography
- Touch-friendly

### ### Mobile (< 768px)

- Hamburger menu
- Single column
- Sticky bottom bar
- Compact typography
- Touch-optimized

## ## Technical Implementation

### ### Files Created

```

app/config/theme.ts (4.4KB)

- Complete theme configuration
- Color definitions
- Typography scales
- Glassmorphism utilities
- Helper functions
- Breakpoints

```

### ### Files Modified

```

app/page.tsx (38.9KB)

- Complete homepage rewrite
- Premium dark styling
- All sections implemented
- Responsive design
- Interactive states

...

Files Unchanged

...

app/admin/* - All admin pages
app/m/* - All driver/POD pages
app/components/* - Invoice, POD, Auth
app/config/company.ts - Company data
All other routes
...

Functionality Verification

All Contact Methods Working

- WhatsApp: Direct message link
- Email: Direct mailto link
- Phone: Direct tel link
- All buttons functional on desktop & mobile

Quote Form Working

- All fields validating correctly
- Form submission handling
- Success message displaying
- Modal open/close functioning

Navigation Working

- Smooth scroll to sections
- Hamburger menu toggle
- Mobile dropdown menu
- All links functional

Multi-Language Support

- EN/DE/FR/ES switcher
- Active state highlighting
- State management working

Responsive Design

- All breakpoints tested
- Mobile sticky bar working
- Desktop navigation working
- Touch targets appropriate

Build & Performance

- TypeScript compilation:
- Next.js build:
- No errors or warnings
- Fast load times
- Optimized images

Feature Comparison

| Feature | Original | Premium Theme |
|------------------------------|-----------------|-----------------|
| ----- | ----- | ----- |
| **Visual Impact** | Good | Excellent |
| **Brand Positioning** | Corporate | Premium |
| **User Experience** | Functional | Engaging |
| **Mobile UX** | Good | Excellent |
| **Contact Access** | Multiple clicks | Always visible |
| **Quote Form** | Section | Modal |
| **Color Scheme** | Light | Dark + Gold |
| **Effects** | Flat | Glassmorphism |
| **Typography** | Standard | Bold, uppercase |
| **CTAs** | Standard | Gold gradient |
| **Functionality** | Complete | Complete |

Business Impact

Brand Perception

- **Before**: Standard logistics company
- **After**: Premium transport service provider

User Engagement

- More memorable first impression
- Clearer call-to-actions
- Easier contact access (mobile bar)
- Professional, trustworthy appearance

Competitive Advantage

- Modern, sophisticated design
- Stands out from competitors
- Appeals to premium clients
- Professional online presence

Screenshots Reference

1. **Desktop Hero**: Premium cinematic hero section
 - URL: <https://github.com/user-attachments/assets/90e998b8-ba1b-42f2-9f0c-cdb1b49b33e2>
2. **Services Section**: 2-column layout with glass cards
 - URL: <https://github.com/user-attachments/assets/00c44347-ffa2-4506-8f2f-c8114f0cc85c>
3. **Quote Modal**: Premium form experience
 - URL: <https://github.com/user-attachments/assets/188282ef-e2f2-4e41-8f4b-2799f91df9d1>
4. **Mobile View**: Sticky contact bar
 - URL: <https://github.com/user-attachments/assets/36cf91e8-5cb8-423c-93aa-ad13100819ba>

Next Steps (Optional)

Potential Enhancements

1. Add real industry partner logos (with permission)
2. Integrate quote form with backend API
3. Add more animations/micro-interactions
4. A/B test color variations
5. Add testimonials section
6. Implement PWA features
7. Add multilingual content

Maintenance

- Theme configuration in `app/config/theme.ts`
- Easy to adjust colors/spacing
- Well-documented code
- TypeScript for type safety

Conclusion

The premium dark + gold theme transformation is **complete**. The website now has:

Cinematic, premium visual identity
Improved user experience
Better mobile accessibility
Modern design trends (glassmorphism)
Professional brand positioning
100% functionality maintained
Fast performance
Responsive across all devices

No existing functionality was lost. All features work exactly as before, just with a premium visual upgrade.

Transformation Date: February 14, 2026
Status: Complete
Build Status: Successful
Testing Status: Verified