

Most Important CSS Pseudo Classes

These are the most useful and commonly used pseudo-classes in real web development.

:hover

Used when mouse goes over an element.

```
button:hover{
  background-color: black;
  color: white;
}
```

:focus

Used when user clicks or types in input.

```
input:focus{
  border: 2px solid blue;
}
```

:active

Works while clicking.

```
button:active{
  transform: scale(0.95);
}
```

:visited

Changes style of visited links.

```
a:visited{
  color: purple;
}
```

:link

Styles unvisited links.

```
a:link{
  color: blue;
}
```

:first-child

Targets first child element.

```
li:first-child{
  color: red;
}
```

:last-child

Targets last child.

```
li:last-child{
  color: green;
}
```

:nth-child()

Targets specific child elements.

```
li:nth-child(2){
  color: blue;
}

tr:nth-child(even){
  background: lightgray;
}
```

:checked

For checkbox/radio button.

```
input:checked{
  accent-color: green;
}
```

:disabled

Styles disabled elements.

```
button:disabled{
  opacity: 0.5;
}
```

:not()

Excludes selected elements.

```
div:not(.box){
  color: red;
}
```

:required

Targets required form fields.

```
input:required{
  border-left: 4px solid red;
}
```

:valid and :invalid

Form validation styling.

```
input:valid{
  border: 2px solid green;
}

input:invalid{
  border: 2px solid red;
}
```

Most Important Ones: :hover, :focus, :active, :nth-child(), :not()