
MT Series Spec Portfolio

Type	Gold plated Wire			Silicone-A	Silicone-B	Pitch		Size		Offset	T(mm)					
	Material	Diameter (μm)	Projection	Hardness (°)	Hardness (°)	Pi (μm)	Ps (μm)	L (mm)	W (mm)	(mm)	0.1	0.15	0.25	0.5	1.0	2.0
MT	Brass	40		30	50	100	100	50	50	T/2				✓	✓	✓
MT-E	Brass	40	✓	30	50	100	100	50	50	T/2				✓	✓	✓
MT-T	Brass	40		70	50	100	100	50	50	T/2	✓	✓	✓			
MT-T-E	Brass	40	✓	70	50	100	100	50	50	T/2		✓	✓			
MT-2X	Brass	30		30	50	75	75	50	50	T/2				✓	✓	✓
MT-2X-E	Brass	30	✓	30	50	75	75	50	50	T/2				✓	✓	✓
MT-T-2X-E	Brass	30	✓	70	50	75	75	50	50	T/2		✓	✓			
MT-4X	BeCu	23		30	50	50	50	50	50	T/2				✓	✓	✓
MT-4X-E	BeCu	23	✓	30	50	50	50	50	50	T/2				✓	✓	✓
MT-T-4X-E	BeCu	23	✓	70	50	50	50	50	50	T/2		✓	✓			
MT-6X	BeCu	17		30	50	32	50	50	50	T/2				✓	✓	✓
MT-6X-E	BeCu	17	✓	30	50	32	50	50	50	T/2				✓	✓	✓
MT-T-6X-E	BeCu	17	✓	70	50	32	50	50	50	T/2		✓	✓			
MT-T-9X-E (TBD)	Brass	15	✓	70	50	30	30	20	20	T/2		✓	✓			


Copyright (c) Shin-Etsu Polymer Co., Ltd. All Rights Reserved.
CONFIDENTIAL

MT Series Spec Portfolio


MT : 0.1Pi x 0.1Ps




MT-2X : 0.075Pi x 0.075Ps




MT-4X : 0.05Pi x 0.05Ps



MT-6X : 0.032Pi x 0.05Ps




MT-9X ： 0.03Pi x 0.03Ps



Copyright (c) Shin-Etsu Polymer Co., Ltd. All Rights Reserved.
CONFIDENTIAL

MT Series Offset



Copyright (c) Shin-Etsu Polymer Co., Ltd. All Rights Reserved.
CONFIDENTIAL