

Prepared for:

Realize

500 Capitol Mall
Sacramento, CA USA 95814


Blueberry Live Resin Gummies

Batch ID or Lot Number: PLRG-170622-1	Test: Potency	Reported: 23Sep2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000222507	Started: 23Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Sep2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.009	0.032	ND	ND	
Cannabichromenic Acid (CBCA)	0.009	0.029	ND	ND	
Cannabidiol (CBD)	0.030	0.086	ND	ND	
Cannabidiolic Acid (CBDA)	0.031	0.088	ND	ND	
Cannabidivarin (CBDV)	0.007	0.020	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.013	0.037	ND	ND	
Cannabigerol (CBG)	0.005	0.018	ND	ND	
Cannabigerolic Acid (CBGA)	0.022	0.075	ND	ND	
Cannabinol (CBN)	0.007	0.023	ND	ND	
Cannabinolic Acid (CBNA)	0.015	0.051	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.027	0.089	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.024	0.081	0.280	2.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.022	0.072	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.016	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.019	0.063	ND	ND	
Total Cannabinoids			0.280	2.80	
Total Potential THC			0.280	2.80	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
23Sep2022
04:50:00 PM MDT

PREPARED BY / DATE



Sam Smith
23Sep2022
04:53:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/35af5076-3b3b-445f-b6b7-0414ead4cf06>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

35af50763b3b445fb6b70414ead4cf06.1