

SIMATS ENGINEERING
ASSESSMENT TOOL 2: LABORATORY PERFORMANCE

COURSE NAME:	Programming in Java	COURSE CODE:	CSA0915- SLOT B
NAME:	Lochana Sri R S	REG NO:	192521348

ASSESSMENT TASKS:

2. Develop an Applet demonstrating the lifecycle methods: init()

start()

paint()

stop()

destroy()- Display an appropriate message when each lifecycle method is invoked. "

tc1_input- Execute the Applet for the first time

tc1_output- init() is invoked and initialization message is displayed

tc2_input- Start or reload the Applet

tc2_output- start() is invoked and start message is displayed

tc3_input- Stop or navigate away from the Applet

tc3_output- stop() is invoked and stop message is displayed

CODE:

A. JAVA CODE

```
import java.applet.Applet;
```

```
import java.awt.Graphics;
```

```
public class AppletLifecycle extends Applet {
```

```
    String message = "";
```

```
    public void init() {
```

```
    message = "init() is invoked - Applet initialized";  
    System.out.println("init() is invoked");  
}
```

```
public void start() {  
    message = "start() is invoked - Applet started";  
    System.out.println("start() is invoked");  
    repaint();  
}
```

```
public void paint(Graphics g) {  
    g.drawString(message, 80, 100);  
    System.out.println("paint() is invoked");  
}
```

```
public void stop() {  
    message = "stop() is invoked - Applet stopped";  
    System.out.println("stop() is invoked");  
}
```

```
public void destroy() {  
    System.out.println("destroy() is invoked");  
}  
}  
}
```

B. HTML CODE

```
<html>  
<head>  
  <title>Applet Lifecycle</title>  
</head>  
<body>  
  <applet code="AppletLifecycle.class" width="500" height="200">  
  </applet>  
</body>  
</html>
```

OUTPUT:

