

Step by Step Install Oracle 19c Release 3 on Linux 7.5

Pre-requisites already been taken care like memory, swap, kernel parameters, add groups, profile and users...etc

Table of Contents

-
1. Hardware Requirements
 2. Verify OS version
 3. Download 19c db software
 4. Unzip
 5. Oracle Installation Prerequisites
 6. Set the DISPLAY Environment
 7. Invoke ./runInstaller
 8. Verify
-

Content blocked by your organization

Reason:

This category is blocked: Streaming Media.

URL:

https://player.vimeo.com/video/966448023?h=f5e1b918e3

Options:

More Information

Learn more about why this site is blocked.

Go Back

Click **Go Back** or use the browser's Back button to return to the previous page.



1. Hardware Requirements

The first thing we need to verify the hardware requirements for an Oracle 19c Release 3

```
- Check Physical RAM.
# grep MemTotal /proc/meminfo
We need at least 8192 MB of physical RAM. <----

- Check Swap Space.
# grep SwapTotal /proc/meminfo/*
RAM up to 1024MB then swap = 2 times the size of RAM
RAM between 2049MB and 8192MB then swap = equal to the size of RAM
RAM more than 8192MB then swap size = 0.75 times the size of RAM

We need at least 8192 MB of swap <----

-- Check space available in /tmp
# df -h /tmp/*
```

You need to have at least 2048 MB of space in the /tmp directory. <---

-- Check space for Oracle Software and pre-configured database.

```
# df -h
```

Space requirement for Oracle 19c Software:

Enterprise Edition 10G <---- Minimum

```
[oracle@rac1 19.0.0]$ du -sh dbhome_1
```

```
9.9G    dbhome_1
```

```
[oracle@rac1 19.0.0]$
```

-- To determine whether the system architecture can run the software, enter the following command:

```
# grep "model name" /proc/cpuinfo
```

This command displays the processor type. Verify that the processor architecture matches the Oracle software release that you want to install. If you do not see the expected output, then you cannot install the software on this system.

2. Verify OS version

```
[oracle@rac1 ~]$ cat /etc/redhat-release
```

```
Red Hat Enterprise Linux Server release 7.5
```

```
[oracle@rac1 ~]$
```

3. Download Software

Download the Oracle software from OTN or MY ORACLE SUPPORT (MOS).

<https://www.oracle.com/database/technologies/oracle19c-linux-downloads.html>

4. Unzip Software

NOTE: You can't edit oracle home location while installation using OUI. It will pickup automatically ORACLE HOME location, where you have unzipped database binaries. Hence directly unzip in ORACLE HOME location and then start ./runInstaller

After unzip, it will NOT keep all files in single directory like 10g,11g and 12c.

```
[oracle@rac1 dbhome_1]$ pwd
/u01/app/oracle/product/19.0.0/dbhome_1
[oracle@rac1 dbhome_1]$ ls -ltr
-rwxrwxr-x. 1 oracle oinstall 3059705302 Jan 24 20:25 LINUX.X64_193000_db_home.zip
[oracle@rac1 dbhome_1]$

[oracle@rac1 dbhome_1]$ unzip LINUX.X64_193000_db_home.zip

[oracle@rac1 ~]$ cd /u01/app/oracle/product/19.0.0/dbhome_1/
[oracle@rac1 dbhome_1]$ ls -ltr
total 2988120
-rw-r--r--. 1 oracle oinstall      852 Aug 18  2015 env.ora
-rw-r--r--. 1 oracle oinstall    2927 Oct 15  2016 schagent.conf
-rwxr-x---. 1 oracle oinstall    1783 Mar  9  2017 runInstaller
drwxr-x---. 14 oracle oinstall   4096 Apr 12  2019 OPatch
drwxr-x---.  7 oracle oinstall     69 Apr 17  2019 xdk
drwxr-xr-x.  3 oracle oinstall     19 Apr 17  2019 wwg
drwxr-xr-x.  4 oracle oinstall     31 Apr 17  2019 usm
drwxr-xr-x.  5 oracle oinstall     45 Apr 17  2019 suptools
drwxr-xr-x.  6 oracle oinstall     54 Apr 17  2019 srvnm
drwxr-xr-x.  3 oracle oinstall     17 Apr 17  2019 sqlj
drwxr-xr-x.  4 oracle oinstall     41 Apr 17  2019 sqldeveloper
drwxr-xr-x.  3 oracle oinstall     18 Apr 17  2019 slax
-rw-r-----. 1 oracle oinstall     10 Apr 17  2019 root.sh.old.1
drwxr-xr-x.  3 oracle oinstall     21 Apr 17  2019 relnotes
drwxr-xr-x.  4 oracle oinstall     29 Apr 17  2019 racg
drwxr-xr-x.  5 oracle oinstall     52 Apr 17  2019 R
drwxr-xr-x.  5 oracle oinstall     39 Apr 17  2019 perl
drwxr-xr-x.  4 oracle oinstall     33 Apr 17  2019 owm
drwxr-xr-x.  3 oracle oinstall     19 Apr 17  2019 oss
drwxr-xr-x.  6 oracle oinstall     52 Apr 17  2019 ord
drwxr-xr-x.  4 oracle oinstall     34 Apr 17  2019 oracore
drwxr-xr-x.  7 oracle oinstall     65 Apr 17  2019 opmn
drwxr-xr-x.  5 oracle oinstall     42 Apr 17  2019 olap
drwxr-xr-x.  5 oracle oinstall     46 Apr 17  2019 nls
drwxr-xr-x.  4 oracle oinstall     31 Apr 17  2019 mgw
drwxr-xr-x.  9 oracle oinstall   4096 Apr 17  2019 md
drwxr-xr-x. 10 oracle oinstall   4096 Apr 17  2019 ldap
drwxr-xr-x.  3 oracle oinstall     18 Apr 17  2019 has
drwxr-xr-x.  3 oracle oinstall     19 Apr 17  2019 dv
drwxr-xr-x.  3 oracle oinstall     20 Apr 17  2019 diagnostics
drwxr-xr-x.  3 oracle oinstall     20 Apr 17  2019 demo
drwxr-xr-x.  3 oracle oinstall     19 Apr 17  2019 dbjava
drwxr-xr-x.  3 oracle oinstall     20 Apr 17  2019 data
drwxr-xr-x.  7 oracle oinstall     71 Apr 17  2019 cv
drwxr-xr-x.  3 oracle oinstall     18 Apr 17  2019 css
```

```

drwxr-xr-x. 6 oracle oinstall      55 Apr 17 2019 crs
drwxr-xr-x. 6 oracle oinstall      78 Apr 17 2019 plsql
drwxr-xr-x. 2 oracle oinstall      22 Apr 17 2019 dbs
drwxr-xr-x. 2 oracle oinstall      33 Apr 17 2019 utl
drwxr-xr-x. 2 oracle oinstall      29 Apr 17 2019 instantclient
drwxr-xr-x. 13 oracle oinstall    4096 Apr 17 2019 dm
drwxr-xr-x. 3 oracle oinstall      35 Apr 17 2019 ucp
drwxr-xr-x. 3 oracle oinstall      35 Apr 17 2019 jdbc
drwxr-xr-x. 2 oracle oinstall      26 Apr 17 2019 QOpatch
drwxr-xr-x. 4 oracle oinstall      66 Apr 17 2019 ords
drwxr-xr-x. 5 oracle oinstall    4096 Apr 17 2019 sdk
drwxr-xr-x. 6 oracle oinstall    4096 Apr 17 2019 apex
drwxr-xr-x. 8 oracle oinstall    4096 Apr 17 2019 odbc
drwxr-xr-x. 2 oracle oinstall    4096 Apr 17 2019 jlib
drwxr-xr-x. 4 oracle oinstall      30 Apr 17 2019 drdaas
drwxr-xr-x. 11 oracle oinstall    4096 Apr 17 2019 ctx
-rwx-----. 1 oracle oinstall     786 Apr 17 2019 root.sh.old
drwxr-xr-x. 10 oracle oinstall    4096 Apr 17 2019 network
drwxr-xr-x. 5 oracle oinstall      41 Apr 17 2019 hs
drwxr-xr-x. 9 oracle oinstall      93 Apr 17 2019 assistants
drwxr-xr-x. 6 oracle oinstall      53 Apr 18 2019 sqlplus
-rwx-----. 1 oracle oinstall     638 Apr 18 2019 root.sh
drwxr-xr-x. 8 oracle oinstall    4096 Apr 18 2019 oui
drwxr-xr-x. 5 oracle oinstall    4096 Apr 18 2019 deinstall
drwxr-xr-x. 4 oracle oinstall      87 Apr 18 2019 clone
drwxr-xr-x. 2 oracle oinstall    4096 Apr 18 2019 addnode
drwxr-xr-x. 4 oracle oinstall    4096 Apr 18 2019 sqlpatch
drwxr-xr-x. 13 oracle oinstall    4096 Apr 18 2019 rdbms
drwxr-xr-x. 6 oracle oinstall      56 Apr 18 2019 precomp
drwxr-xr-x. 4 oracle oinstall   12288 Apr 18 2019 lib
drwxr-xr-x. 6 oracle oinstall    4096 Apr 18 2019 jdk
drwxr-xr-x. 8 oracle oinstall      82 Apr 18 2019 javavm
drwxr-xr-x. 13 oracle oinstall    4096 Apr 18 2019 inventory
drwxr-xr-x. 2 oracle oinstall    8192 Apr 18 2019 bin
drwxr-xr-x. 10 oracle oinstall    4096 Apr 18 2019 install
-rwxrwxr-x. 1 oracle oinstall 3059705302 Jan 24 20:25 LINUX.X64_193000_db_home.zip
drwxr-xr-x. 3 oracle oinstall      17 Jan 26 02:03 cfgtoollogs
[oracle@rac1 dbhome_1]$

```

5. Oracle Installation Prerequisites

```

[root@rac1 ~]# yum install -y oracle-database-preinstall-19c
Loaded plugins: langpacks, ulninfo

```

```
ol7_UEKR4 | 2.5 kB 00:00:00
ol7_latest | 2.7 kB 00:00:00
(1/4): ol7_UEKR4/x86_64/updateinfo | 87 kB 00:00:00
(2/4): ol7_UEKR4/x86_64/primary_db | 5.6 MB 00:00:02
(3/4): ol7_latest/x86_64/primary_db | 26 MB 00:00:04
(4/4): ol7_latest/x86_64/updateinfo | 2.6 MB 00:00:04
```

```
Resolving Dependencies
--> Running transaction check
---> Package oracle-database-preinstall-19c.x86_64 0:1.0-1.el7 will be installed
--> Finished Dependency Resolution
```

Dependencies Resolved

=====			
=====			
Package	Arch	Version	Repository
Size			
=====			
=====			
Installing:			
oracle-database-preinstall-19c	x86_64	1.0-1.el7	ol7_latest
18 k			

```
Transaction Summary
=====
Install 1 Package

Total download size: 18 k
Installed size: 55 k
Downloading packages:
oracle-database-preinstall-19c-1.0-1.el7.x86_64.rpm | 18 kB
00:00:00
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Installing : oracle-database-preinstall-19c-1.0-1.el7.x86_64
1/1
  Verifying  : oracle-database-preinstall-19c-1.0-1.el7.x86_64
1/1

Installed:
oracle-database-preinstall-19c.x86_64 0:1.0-1.el7
```



```
Complete!  
[root@rac1 ~]#
```


6. Set the DISPLAY Environment

Log into the oracle user. If you are using X emulation then set the DISPLAY environmental variable.

```
[oracle@rac1 dbhome_1]$ export DISPLAY=192.168.2.1:0.0;
```

7. Invoke ./runInstaller

Start the Oracle Universal Installer (OUI) by issuing the following command.



























8. Verify

```
[oracle@rac1 bin]$ pwd
/u01/app/oracle/product/19.0.0/dbhome_1/bin
[oracle@rac1 bin]$
[oracle@rac1 bin]$ export ORACLE_HOME=/u01/app/oracle/product/19.0.0/dbhome_1
[oracle@rac1 bin]$
[oracle@rac1 bin]$ ./sqlplus

SQL*Plus: Release 19.0.0.0.0 - Production on Sun Jan 26 02:26:02 2020
Version 19.3.0.0.0

Copyright (c) 1982, 2019, Oracle. All rights reserved.
```

Enter user-name:

Caution: *Your use of any information or materials on this website is entirely at your own risk. It is provided for educational purposes only. It has been tested internally, however, we do not guarantee that it will work for you. Ensure that you run it in your test environment before using.*

Thank you,

Rajasekhar Amudala

Email: br8dba@gmail.com

WhatsApp : +

Linkedin: <https://www.linkedin.com/in/rajasekhar-amudala/>