



Deinstall Oracle 19c Database Binaries

Table of Contents

- 1. Overview
 - 2. Deinstall
 - 3. Verification
-

1. Overview

You can run the `deinstall` command from an Oracle home directory after installation.

`deinstall` stops Oracle software, and removes Oracle software and configuration files on the operating system for a specific Oracle home.

Please note `deinstall` command also delete/remove your databases associated with respective oracle home from where invoke `deinstall` command.

***** Please DO NOT try until comfortable.**

2. Deinstall

```
[oracle@rac1 ~]$ /u01/app/oracle/product/19.0.0/db_1/deinstall/deinstall
```

```
Checking for required files and bootstrapping ...
```

```
Please wait ...
```

```
Location of logs /u01/app/oraInventory/logs/
```

```
##### ORACLE DECONFIG TOOL START #####
```

```
##### DECONFIG CHECK OPERATION START #####
```

```
## [START] Install check configuration ##
```

```
Checking for existence of the Oracle home location /u01/app/oracle/product/19.0.0/db_1
```

```
Oracle Home type selected for deinstall is: Oracle Single Instance Database
```

```
Oracle Base selected for deinstall is: /u01/app/oracle
```

```
Checking for existence of central inventory location /u01/app/oraInventory
```

```
## [END] Install check configuration ##
```

```
Network Configuration check config START
```

```
Network de-configuration trace file location: /u01/app/oraInventory/logs/netdc_check2020-01-26_02-51-37PM.log
```

```
Network Configuration check config END
```

```
Database Check Configuration START
```

Database de-configuration trace file location: /u01/app/oraInventory/logs/databasedc_check2020-01-26_02-51-37PM.log

Use comma as separator when specifying list of values as input

Specify the list of database names that are configured in this Oracle home []:

Database Check Configuration END

DECONFIG CHECK OPERATION END

DECONFIG CHECK OPERATION SUMMARY

Oracle Home selected for deinstall is: /u01/app/oracle/product/19.0.0/db_1

Inventory Location where the Oracle home registered is: /u01/app/oraInventory

Do you want to continue (y - yes, n - no)? [n]: y

A log of this session will be written to: '/u01/app/oraInventory/logs/deinstall_deconfig2020-01-26_02-51-34-PM.out'

Any error messages from this session will be written to:

'/u01/app/oraInventory/logs/deinstall_deconfig2020-01-26_02-51-34-PM.err'

DECONFIG CLEAN OPERATION START

Database de-configuration trace file location: /u01/app/oraInventory/logs/databasedc_clean2020-01-26_02-51-37PM.log

Network Configuration clean config START

Network de-configuration trace file location: /u01/app/oraInventory/logs/netdc_clean2020-01-26_02-51-37PM.log

De-configuring backup files...

Backup files de-configured successfully.

The network configuration has been cleaned up successfully.

Network Configuration clean config END

DECONFIG CLEAN OPERATION END

DECONFIG CLEAN OPERATION SUMMARY #####
#####

ORACLE DECONFIG TOOL END

Using properties file /tmp/deinstall2020-01-26_02-51-17PM/response/deinstall_2020-01-26_02-51-34-PM.rsp

Location of logs /u01/app/oraInventory/logs/

ORACLE DEINSTALL TOOL START

DEINSTALL CHECK OPERATION SUMMARY

A log of this session will be written to: '/u01/app/oraInventory/logs/deinstall_deconfig2020-01-26_02-51-34-PM.out'

Any error messages from this session will be written to:

'/u01/app/oraInventory/logs/deinstall_deconfig2020-01-26_02-51-34-PM.err'

```
##### DEINSTALL CLEAN OPERATION START #####
## [START] Preparing for Deinstall ##
Setting LOCAL_NODE to rac1
Setting CRS_HOME to false
Setting oracle.installer.invPtrLoc to /tmp/deinstall2020-01-26_02-51-17PM/oraInst.loc
Setting oracle.installer.local to false
```

```
## [END] Preparing for Deinstall ##
```

```
Setting the force flag to false
Setting the force flag to cleanup the Oracle Base
Oracle Universal Installer clean START
```

```
Detach Oracle home '/u01/app/oracle/product/19.0.0/db_1' from the central inventory on the local node  
: Done
```

```
Delete directory '/u01/app/oracle/product/19.0.0/db_1' on the local node : Done
```

```
The Oracle Base directory '/u01/app/oracle' will not be removed on local node. The directory is in use  
by Oracle Home '/u01/app/oracle/middleware'.
```

```
Oracle Universal Installer cleanup was successful.
```

```
Oracle Universal Installer clean END
```

```
## [START] Oracle install clean ##
```

```
## [END] Oracle install clean ##
```

```
##### DEINSTALL CLEAN OPERATION END #####
```

```
##### DEINSTALL CLEAN OPERATION SUMMARY #####
```

Successfully detached Oracle home '/u01/app/oracle/product/19.0.0/db_1' from the central inventory on the local node.

Successfully deleted directory '/u01/app/oracle/product/19.0.0/db_1' on the local node.

Oracle Universal Installer cleanup was successful.

Review the permissions and contents of '/u01/app/oracle' on nodes(s) 'rac1'.

If there are **no** Oracle home(s) associated with '/u01/app/oracle', manually delete '/u01/app/oracle' and its contents.

Oracle deinstall tool successfully cleaned up temporary directories.

```
#####
```

```
##### ORACLE DEINSTALL TOOL END #####
```

```
[oracle@rac1 ~]$
```

3. Verification

```
[oracle@rac1 ~]$ ls -ld /u01/app/oracle/product/19.0.0/db_1
```

```
ls: cannot access /u01/app/oracle/product/19.0.0/db_1: No such file or directory
```

```
[oracle@rac1 ~]$
```

```
[oracle@rac1 ~]$ cd /u01/app/oraInventory/ContentsXML
```

```
[oracle@rac1 ContentsXML]$ cat inventory.xml | grep -i "/u01/app/oracle/product/19.0.0/db_1"  
[oracle@rac1 ContentsXML]$
```

Caution: *Your use of any information or materials on this website is entirely at your own risk. It is provided for educational purposes only. It has been tested internally, however, we do not guarantee that it will work for you. Ensure that you run it in your test environment before using.*

Thank you,

Rajasekhar Amudala

Email: br8dba@gmail.com

WhatsApp : +

LinkedIn: <https://www.linkedin.com/in/rajasekhar-amudala/>