

STAR RX72N - pwm_test_fit Bench Test
1.0.0

Generated by Doxygen 1.16.1

Chapter 1

Directory Hierarchy

1.1 Directories

pwm_test_fit	..	??
clock.c	..	??
iodef.h	..	??
linker.ld	..	??
main.c	..	??

Chapter 2

Data Structure Index

2.1 Data Structures

Here are the data structures with brief descriptions:

st_bsc_t	??
st_bsc_t.BERCLR	??
st_bsc_t.BEREN	??
st_bsc_t.BERSR1	??
st_bsc_t.BERSR2	??
st_bsc_t.BUSPRI	??
st_bsc_t.CS0CR	??
st_bsc_t.CS0MOD	??
st_bsc_t.CS0REC	??
st_bsc_t.CS0WCR1	??
st_bsc_t.CS0WCR2	??
st_bsc_t.CS1CR	??
st_bsc_t.CS1MOD	??
st_bsc_t.CS1REC	??
st_bsc_t.CS1WCR1	??
st_bsc_t.CS1WCR2	??
st_bsc_t.CS2CR	??
st_bsc_t.CS2MOD	??
st_bsc_t.CS2REC	??
st_bsc_t.CS2WCR1	??
st_bsc_t.CS2WCR2	??
st_bsc_t.CS3CR	??
st_bsc_t.CS3MOD	??
st_bsc_t.CS3REC	??
st_bsc_t.CS3WCR1	??
st_bsc_t.CS3WCR2	??
st_bsc_t.CS4CR	??
st_bsc_t.CS4MOD	??
st_bsc_t.CS4REC	??
st_bsc_t.CS4WCR1	??
st_bsc_t.CS4WCR2	??
st_bsc_t.CS5CR	??
st_bsc_t.CS5MOD	??
st_bsc_t.CS5REC	??
st_bsc_t.CS5WCR1	??

st_bsc_t.CS5WCR2	??
st_bsc_t.CS6CR	??
st_bsc_t.CS6MOD	??
st_bsc_t.CS6REC	??
st_bsc_t.CS6WCR1	??
st_bsc_t.CS6WCR2	??
st_bsc_t.CS7CR	??
st_bsc_t.CS7MOD	??
st_bsc_t.CS7REC	??
st_bsc_t.CS7WCR1	??
st_bsc_t.CS7WCR2	??
st_bsc_t.CSRECEN	??
st_bsc_t.EBMAPCR	??
st_bsc_t.SDADR	??
st_bsc_t.SDAMOD	??
st_bsc_t.SDCCR	??
st_bsc_t.SDCMOD	??
st_bsc_t.SDICR	??
st_bsc_t.SDIR	??
st_bsc_t.SDMOD	??
st_bsc_t.SDRFCR	??
st_bsc_t.SDRFEN	??
st_bsc_t.SDSELF	??
st_bsc_t.SDSR	??
st_bsc_t.SDTR	??
st_cac_t	??
st_cac_t.CACR0	??
st_cac_t.CACR1	??
st_cac_t.CACR2	??
st_cac_t.CAICR	??
st_cac_t.CASTR	??
st_can_t	??
st_can_t.BCR	??
st_can_t.CTLR	??
st_can_t.ECSR	??
st_can_t.EIER	??
st_can_t.EIFR	??
st_can_t.FIDCR0	??
st_can_t.FIDCR1	??
st_can_t.MB	??
st_can_t.MB.ID	??
st_can_t.MCTL	??
st_can_t.MCTL.BIT	??
st_can_t.MIER	??
st_can_t.MKIVLR	??
st_can_t.MKR	??
st_can_t.MSMR	??
st_can_t.MSSR	??
st_can_t.RFCR	??
st_can_t.STR	??
st_can_t.TCR	??
st_can_t.TFCR	??
st_cmt0_t	??
st_cmt0_t.CMCR	??
st_cmt_t	??
st_cmt_t.CMSTR0	??
st_cmt_t.CMSTR1	??
st_cmtw_t	??

st_cmtw_t.CMWCR	??
st_cmtw_t.CMWIOR	??
st_cmtw_t.CMWSTR	??
st_crc_t	??
st_crc_t.CRCCR	??
st_da_t	??
st_da_t.DAADSCR	??
st_da_t.DAADUSR	??
st_da_t.DAAMPCR	??
st_da_t.DAASWCR	??
st_da_t.DACR	??
st_da_t.DADPR	??
st_dmac0_t	??
st_dmac0_t.DMAMD	??
st_dmac0_t.DMCNT	??
st_dmac0_t.DMCSL	??
st_dmac0_t.DMINT	??
st_dmac0_t.DMREQ	??
st_dmac0_t.DMSTS	??
st_dmac0_t.DMTMD	??
st_dmac1_t	??
st_dmac1_t.DMAMD	??
st_dmac1_t.DMCNT	??
st_dmac1_t.DMCSL	??
st_dmac1_t.DMINT	??
st_dmac1_t.DMREQ	??
st_dmac1_t.DMSTS	??
st_dmac1_t.DMTMD	??
st_dmac_t	??
st_dmac_t.DMAST	??
st_dmac_t.DMIST	??
st_doc_t	??
st_doc_t.DOCR	??
st_drw2d_t	??
st_drw2d_t.__unnamed0__	??
st_drw2d_t.__unnamed0__.CONTROL	??
st_drw2d_t.__unnamed0__.STATUS	??
st_drw2d_t.__unnamed1__	??
st_drw2d_t.__unnamed1__.CONTROL2	??
st_drw2d_t.__unnamed1__.HWVER	??
st_drw2d_t.CACHECTL	??
st_drw2d_t.COLKEY	??
st_drw2d_t.COLOR1	??
st_drw2d_t.COLOR2	??
st_drw2d_t.IRQCTL	??
st_drw2d_t.LVYXADDF	??
st_drw2d_t.PERFTRG	??
st_drw2d_t.PITCH	??
st_drw2d_t.SIZE	??
st_drw2d_t.TEXTMSK	??
st_dtc_t	??
st_dtc_t.DTCADM0D	??
st_dtc_t.DTCCR	??
st_dtc_t.DTCOR	??
st_dtc_t.DTCSQE	??
st_dtc_t.DTCST	??
st_dtc_t.DTCSTS	??
st_eccram_t	??

st_eccram_t.ECCRAM1ECAD	??
st_eccram_t.ECCRAM1STS	??
st_eccram_t.ECCRAM1STSEN	??
st_eccram_t.ECCRAM2ECAD	??
st_eccram_t.ECCRAM2STS	??
st_eccram_t.ECCRAMETST	??
st_eccram_t.ECCRAMMODE	??
st_eccram_t.ECCRAMPRCR	??
st_eccram_t.ECCRAMPRCR2	??
st_edmac_t	??
st_edmac_t.EDMR	??
st_edmac_t.EDRRR	??
st_edmac_t.EDTRR	??
st_edmac_t.EESIPR	??
st_edmac_t.EESR	??
st_edmac_t.FCFTR	??
st_edmac_t.FDR	??
st_edmac_t.IOSR	??
st_edmac_t.RFOCR	??
st_edmac_t.RMCR	??
st_edmac_t.RMFCR	??
st_edmac_t.RPADIR	??
st_edmac_t.TFTR	??
st_edmac_t.TFUCR	??
st_edmac_t.TRIMD	??
st_edmac_t.TRSCER	??
st_elc_t	??
st_elc_t.ELCR	??
st_elc_t.ELOPA	??
st_elc_t.ELOPB	??
st_elc_t.ELOPC	??
st_elc_t.ELOPD	??
st_elc_t.ELOPF	??
st_elc_t.ELOPH	??
st_elc_t.ELSR0	??
st_elc_t.ELSR10	??
st_elc_t.ELSR11	??
st_elc_t.ELSR12	??
st_elc_t.ELSR13	??
st_elc_t.ELSR15	??
st_elc_t.ELSR16	??
st_elc_t.ELSR18	??
st_elc_t.ELSR19	??
st_elc_t.ELSR20	??
st_elc_t.ELSR21	??
st_elc_t.ELSR22	??
st_elc_t.ELSR23	??
st_elc_t.ELSR24	??
st_elc_t.ELSR25	??
st_elc_t.ELSR26	??
st_elc_t.ELSR27	??
st_elc_t.ELSR28	??
st_elc_t.ELSR3	??
st_elc_t.ELSR33	??
st_elc_t.ELSR35	??
st_elc_t.ELSR36	??
st_elc_t.ELSR37	??
st_elc_t.ELSR38	??

st_elc_t.ELSR4	??
st_elc_t.ELSR45	??
st_elc_t.ELSR48	??
st_elc_t.ELSR49	??
st_elc_t.ELSR50	??
st_elc_t.ELSR51	??
st_elc_t.ELSR52	??
st_elc_t.ELSR53	??
st_elc_t.ELSR54	??
st_elc_t.ELSR55	??
st_elc_t.ELSR56	??
st_elc_t.ELSR57	??
st_elc_t.ELSR7	??
st_elc_t.PDBF1	??
st_elc_t.PDBF2	??
st_elc_t.PEL0	??
st_elc_t.PEL1	??
st_elc_t.PEL2	??
st_elc_t.PEL3	??
st_elc_t.PGC1	??
st_elc_t.PGC2	??
st_elc_t.PGR1	??
st_elc_t.PGR2	??
st_eptpc0_t	??
st_eptpc0_t.ANFR	??
st_eptpc0_t.CUOTSR	??
st_eptpc0_t.DASYMRU	??
st_eptpc0_t.DYRPF	??
st_eptpc0_t.DYRQFR	??
st_eptpc0_t.FFLTR	??
st_eptpc0_t.FMAC0RL	??
st_eptpc0_t.FMAC0RU	??
st_eptpc0_t.FMAC1RL	??
st_eptpc0_t.FMAC1RU	??
st_eptpc0_t.GMPR	??
st_eptpc0_t.MTPID	??
st_eptpc0_t.PDMACRL	??
st_eptpc0_t.PDMACRU	??
st_eptpc0_t.PDTTLR	??
st_eptpc0_t.PETOSR	??
st_eptpc0_t.PETYP	??
st_eptpc0_t.PEUDPR	??
st_eptpc0_t.PGTOSR	??
st_eptpc0_t.PGUDPR	??
st_eptpc0_t.PPMACRL	??
st_eptpc0_t.PPMACRU	??
st_eptpc0_t.PPTTLR	??
st_eptpc0_t.SRR	??
st_eptpc0_t.SYCONFR	??
st_eptpc0_t.SYDOMR	??
st_eptpc0_t.SYFORMR	??
st_eptpc0_t.SYIPR	??
st_eptpc0_t.SYMACRL	??
st_eptpc0_t.SYMACRU	??
st_eptpc0_t.SYNFR	??
st_eptpc0_t.SYPNUMR	??
st_eptpc0_t.SYRFL1R	??
st_eptpc0_t.SYRFL2R	??

st_eptpc0_t.SYRLIR	??
st_eptpc0_t.SYRVLDR	??
st_eptpc0_t.SYSPVRR	??
st_eptpc0_t.SYTLIR	??
st_eptpc0_t.SYTRENr	??
st_eptpc0_t.TSLATR	??
st_eptpc_t	??
st_eptpc_t.ELIPACR	??
st_eptpc_t.ELIPPR	??
st_eptpc_t.ELTSELr	??
st_eptpc_t.GETINFOR	??
st_eptpc_t.GETW10R	??
st_eptpc_t.IPTSELr	??
st_eptpc_t.LCCVRU	??
st_eptpc_t.LCIVLDR	??
st_eptpc_t.LCIVRU	??
st_eptpc_t.MIEIPR	??
st_eptpc_t.MITSELr	??
st_eptpc_t.MLIMITRU	??
st_eptpc_t.PLIMITRU	??
st_eptpc_t.PRIPR	??
st_eptpc_t.PRMACRL0	??
st_eptpc_t.PRMACRL1	??
st_eptpc_t.PRMACRU0	??
st_eptpc_t.PRMACRU1	??
st_eptpc_t.PTRSTR	??
st_eptpc_t.STCFR	??
st_eptpc_t.STCHSELr	??
st_eptpc_t.STCSELr	??
st_eptpc_t.STIPR	??
st_eptpc_t.STMR	??
st_eptpc_t.SYBYPSR	??
st_eptpc_t.SYNSTARTR	??
st_eptpc_t.TMCYCR0	??
st_eptpc_t.TMCYCR1	??
st_eptpc_t.TMCYCR2	??
st_eptpc_t.TMCYCR3	??
st_eptpc_t.TMCYCR4	??
st_eptpc_t.TMCYCR5	??
st_eptpc_t.TMPLSR0	??
st_eptpc_t.TMPLSR1	??
st_eptpc_t.TMPLSR2	??
st_eptpc_t.TMPLSR3	??
st_eptpc_t.TMPLSR4	??
st_eptpc_t.TMPLSR5	??
st_eptpc_t.TMSTARTR	??
st_eptpc_t.TRNCTTDR	??
st_eptpc_t.TRNDISR	??
st_eptpc_t.TRNMR	??
st_etherc_t	??
st_etherc_t.APR	??
st_etherc_t.BCFRR	??
st_etherc_t.ECMR	??
st_etherc_t.ECSIPR	??
st_etherc_t.ECSR	??
st_etherc_t.IPGR	??
st_etherc_t.MALR	??
st_etherc_t.MPR	??

st_etherc_t.PIR	??
st_etherc_t.PSR	??
st_etherc_t.RDMLR	??
st_etherc_t.RFCF	??
st_etherc_t.RFLR	??
st_etherc_t.TPAUSECR	??
st_etherc_t.TPAUSER	??
st_exdmac0_t	??
st_exdmac0_t.EDMAMD	??
st_exdmac0_t.EDMCNT	??
st_exdmac0_t.EDMERF	??
st_exdmac0_t.EDMINT	??
st_exdmac0_t.EDMOMD	??
st_exdmac0_t.EDMPRF	??
st_exdmac0_t.EDMREQ	??
st_exdmac0_t.EDMRMD	??
st_exdmac0_t.EDMSTS	??
st_exdmac0_t.EDMTMD	??
st_exdmac1_t	??
st_exdmac1_t.EDMAMD	??
st_exdmac1_t.EDMCNT	??
st_exdmac1_t.EDMERF	??
st_exdmac1_t.EDMINT	??
st_exdmac1_t.EDMOMD	??
st_exdmac1_t.EDMPRF	??
st_exdmac1_t.EDMREQ	??
st_exdmac1_t.EDMRMD	??
st_exdmac1_t.EDMSTS	??
st_exdmac1_t.EDMTMD	??
st_exdmac_t	??
st_exdmac_t.EDMAST	??
st_flash_t	??
st_flash_t.FAEINT	??
st_flash_t.FASTAT	??
st_flash_t.FAWMON	??
st_flash_t.FBCCNT	??
st_flash_t.FBCSTAT	??
st_flash_t.FCMDR	??
st_flash_t.FCPSR	??
st_flash_t.FEADDR	??
st_flash_t.FENTRYR	??
st_flash_t.FPCKAR	??
st_flash_t.FPSADDR	??
st_flash_t.FRDYIE	??
st_flash_t.FSADDR	??
st_flash_t.FSTATR	??
st_flash_t.FSUACR	??
st_flash_t.FSUINTR	??
st_flash_t.FWEPROR	??
st_flash_t.NCRC0	??
st_flash_t.NCRC1	??
st_flash_t.ROMCE	??
st_flash_t.ROMCIV	??
st_glcdc_t	??
st_glcdc_t.BGCOLOR	??
st_glcdc_t.BGEN	??
st_glcdc_t.BGHSIZE	??
st_glcdc_t.BGMON	??

st_glcde_t.BGPERI	??
st_glcde_t.BGSYNC	??
st_glcde_t.BGVSIZE	??
st_glcde_t.BRIGHT1	??
st_glcde_t.BRIGHT2	??
st_glcde_t.CLKPHASE	??
st_glcde_t.CONTRAST	??
st_glcde_t.DTCTEN	??
st_glcde_t.GAMBAREA1	??
st_glcde_t.GAMBAREA2	??
st_glcde_t.GAMBAREA3	??
st_glcde_t.GAMBAREA4	??
st_glcde_t.GAMBAREA5	??
st_glcde_t.GAMBLUT1	??
st_glcde_t.GAMBLUT2	??
st_glcde_t.GAMBLUT3	??
st_glcde_t.GAMBLUT4	??
st_glcde_t.GAMBLUT5	??
st_glcde_t.GAMBLUT6	??
st_glcde_t.GAMBLUT7	??
st_glcde_t.GAMBLUT8	??
st_glcde_t.GAMBVEN	??
st_glcde_t.GAMGAREA1	??
st_glcde_t.GAMGAREA2	??
st_glcde_t.GAMGAREA3	??
st_glcde_t.GAMGAREA4	??
st_glcde_t.GAMGAREA5	??
st_glcde_t.GAMGLUT1	??
st_glcde_t.GAMGLUT2	??
st_glcde_t.GAMGLUT3	??
st_glcde_t.GAMGLUT4	??
st_glcde_t.GAMGLUT5	??
st_glcde_t.GAMGLUT6	??
st_glcde_t.GAMGLUT7	??
st_glcde_t.GAMGLUT8	??
st_glcde_t.GAMGVEN	??
st_glcde_t.GAMRAREA1	??
st_glcde_t.GAMRAREA2	??
st_glcde_t.GAMRAREA3	??
st_glcde_t.GAMRAREA4	??
st_glcde_t.GAMRAREA5	??
st_glcde_t.GAMRLUT1	??
st_glcde_t.GAMRLUT2	??
st_glcde_t.GAMRLUT3	??
st_glcde_t.GAMRLUT4	??
st_glcde_t.GAMRLUT5	??
st_glcde_t.GAMRLUT6	??
st_glcde_t.GAMRLUT7	??
st_glcde_t.GAMRLUT8	??
st_glcde_t.GAMRVEN	??
st_glcde_t.GAMSW	??
st_glcde_t.GR1AB1	??
st_glcde_t.GR1AB2	??
st_glcde_t.GR1AB3	??
st_glcde_t.GR1AB4	??
st_glcde_t.GR1AB5	??
st_glcde_t.GR1AB6	??
st_glcde_t.GR1AB7	??

st_glcde_t.GR1AB8	??
st_glcde_t.GR1AB9	??
st_glcde_t.GR1BASE	??
st_glcde_t.GR1CLUT0	??
st_glcde_t.GR1CLUT1	??
st_glcde_t.GR1CLUTINT	??
st_glcde_t.GR1FLM3	??
st_glcde_t.GR1FLM5	??
st_glcde_t.GR1FLM6	??
st_glcde_t.GR1FLMRD	??
st_glcde_t.GR1MON	??
st_glcde_t.GR1VEN	??
st_glcde_t.GR2AB1	??
st_glcde_t.GR2AB2	??
st_glcde_t.GR2AB3	??
st_glcde_t.GR2AB4	??
st_glcde_t.GR2AB5	??
st_glcde_t.GR2AB6	??
st_glcde_t.GR2AB7	??
st_glcde_t.GR2AB8	??
st_glcde_t.GR2AB9	??
st_glcde_t.GR2BASE	??
st_glcde_t.GR2CLUT0	??
st_glcde_t.GR2CLUT1	??
st_glcde_t.GR2CLUTINT	??
st_glcde_t.GR2FLM3	??
st_glcde_t.GR2FLM5	??
st_glcde_t.GR2FLM6	??
st_glcde_t.GR2FLMRD	??
st_glcde_t.GR2MON	??
st_glcde_t.GR2VEN	??
st_glcde_t.INTEN	??
st_glcde_t.OUTSET	??
st_glcde_t.OUTVEN	??
st_glcde_t.PANELCLK	??
st_glcde_t.PANELDTHA	??
st_glcde_t.STCLR	??
st_glcde_t.STMON	??
st_glcde_t.TCONDE	??
st_glcde_t.TCONSTHA1	??
st_glcde_t.TCONSTHA2	??
st_glcde_t.TCONSTHB1	??
st_glcde_t.TCONSTHB2	??
st_glcde_t.TCONSTVA1	??
st_glcde_t.TCONSTVA2	??
st_glcde_t.TCONSTVB1	??
st_glcde_t.TCONSTVB2	??
st_glcde_t.TCONTIM	??
st_gptw_t	??
st_gptw_t.GTADSMR	??
st_gptw_t.GTBER	??
st_gptw_t.GTCLR	??
st_gptw_t.GTCR	??
st_gptw_t.GTCSR	??
st_gptw_t.GTDNSR	??
st_gptw_t.GTDTCR	??
st_gptw_t.GTEITC	??
st_gptw_t.GTEITLB	??

st_gptw_t.GTEITLI1	??
st_gptw_t.GTEITLI2	??
st_gptw_t.GTICASR	??
st_gptw_t.GTICBSR	??
st_gptw_t.GTINTAD	??
st_gptw_t.GTIOR	??
st_gptw_t.GTITC	??
st_gptw_t.GTPSR	??
st_gptw_t.GTSECR	??
st_gptw_t.GTSECSR	??
st_gptw_t.GTSOS	??
st_gptw_t.GTSOTR	??
st_gptw_t.GTSSR	??
st_gptw_t.GTST	??
st_gptw_t.GTSTP	??
st_gptw_t.GTSTR	??
st_gptw_t.GTUDDTYC	??
st_gptw_t.GTUPSR	??
st_gptw_t.GTWP	??
st_icu_t	??
st_icu_t.DTCER	??
st_icu_t.EXNMICLR	??
st_icu_t.EXNMIER	??
st_icu_t.EXNMISR	??
st_icu_t.FIR	??
st_icu_t.GCRBE0	??
st_icu_t.GCRIE0	??
st_icu_t.GENAL0	??
st_icu_t.GENAL1	??
st_icu_t.GENBE0	??
st_icu_t.GENBL0	??
st_icu_t.GENBL1	??
st_icu_t.GENBL2	??
st_icu_t.GENIE0	??
st_icu_t.GRPAL0	??
st_icu_t.GRPAL1	??
st_icu_t.GRPBE0	??
st_icu_t.GRPBL0	??
st_icu_t.GRPBL1	??
st_icu_t.GRPBL2	??
st_icu_t.GRPIE0	??
st_icu_t.IER	??
st_icu_t.IPR	??
st_icu_t.IR	??
st_icu_t.IRQCR	??
st_icu_t.IRQFLTC0	??
st_icu_t.IRQFLTC1	??
st_icu_t.IRQFLTE0	??
st_icu_t.IRQFLTE1	??
st_icu_t.NMICLR	??
st_icu_t.NMICR	??
st_icu_t.NMIER	??
st_icu_t.NMIFLTC	??
st_icu_t.NMIFLTE	??
st_icu_t.NMISR	??
st_icu_t.PIAR0	??
st_icu_t.PIAR1	??
st_icu_t.PIAR2	??

st_icu_t.PIAR3	??
st_icu_t.PIAR4	??
st_icu_t.PIAR5	??
st_icu_t.PIAR6	??
st_icu_t.PIAR7	??
st_icu_t.PIAR8	??
st_icu_t.PIAR9	??
st_icu_t.PIARA	??
st_icu_t.PIARC	??
st_icu_t.PIBR0	??
st_icu_t.PIBR1	??
st_icu_t.PIBR2	??
st_icu_t.PIBR3	??
st_icu_t.PIBR4	??
st_icu_t.PIBR5	??
st_icu_t.PIBR6	??
st_icu_t.PIBR7	??
st_icu_t.PIBR8	??
st_icu_t.PIBR9	??
st_icu_t.PIBRA	??
st_icu_t.PIBRB	??
st_icu_t.SELEXDR	??
st_icu_t.SLIBR144	??
st_icu_t.SLIBR145	??
st_icu_t.SLIBR146	??
st_icu_t.SLIBR147	??
st_icu_t.SLIBR148	??
st_icu_t.SLIBR149	??
st_icu_t.SLIBR150	??
st_icu_t.SLIBR151	??
st_icu_t.SLIBR152	??
st_icu_t.SLIBR153	??
st_icu_t.SLIBR154	??
st_icu_t.SLIBR155	??
st_icu_t.SLIBR156	??
st_icu_t.SLIBR157	??
st_icu_t.SLIBR158	??
st_icu_t.SLIBR159	??
st_icu_t.SLIBR160	??
st_icu_t.SLIBR161	??
st_icu_t.SLIBR162	??
st_icu_t.SLIBR163	??
st_icu_t.SLIBR164	??
st_icu_t.SLIBR165	??
st_icu_t.SLIBR166	??
st_icu_t.SLIBR167	??
st_icu_t.SLIBR168	??
st_icu_t.SLIBR169	??
st_icu_t.SLIBR170	??
st_icu_t.SLIBR171	??
st_icu_t.SLIBR172	??
st_icu_t.SLIBR173	??
st_icu_t.SLIBR174	??
st_icu_t.SLIBR175	??
st_icu_t.SLIBR176	??
st_icu_t.SLIBR177	??
st_icu_t.SLIBR178	??
st_icu_t.SLIBR179	??

st_icu_t.SLIBR180	??
st_icu_t.SLIBR181	??
st_icu_t.SLIBR182	??
st_icu_t.SLIBR183	??
st_icu_t.SLIBR184	??
st_icu_t.SLIBR185	??
st_icu_t.SLIBR186	??
st_icu_t.SLIBR187	??
st_icu_t.SLIBR188	??
st_icu_t.SLIBR189	??
st_icu_t.SLIBR190	??
st_icu_t.SLIBR191	??
st_icu_t.SLIBR192	??
st_icu_t.SLIBR193	??
st_icu_t.SLIBR194	??
st_icu_t.SLIBR195	??
st_icu_t.SLIBR196	??
st_icu_t.SLIBR197	??
st_icu_t.SLIBR198	??
st_icu_t.SLIBR199	??
st_icu_t.SLIBR200	??
st_icu_t.SLIBR201	??
st_icu_t.SLIBR202	??
st_icu_t.SLIBR203	??
st_icu_t.SLIBR204	??
st_icu_t.SLIBR205	??
st_icu_t.SLIBR206	??
st_icu_t.SLIBR207	??
st_icu_t.SLIBXR128	??
st_icu_t.SLIBXR129	??
st_icu_t.SLIBXR130	??
st_icu_t.SLIBXR131	??
st_icu_t.SLIBXR132	??
st_icu_t.SLIBXR133	??
st_icu_t.SLIBXR134	??
st_icu_t.SLIBXR135	??
st_icu_t.SLIBXR136	??
st_icu_t.SLIBXR137	??
st_icu_t.SLIBXR138	??
st_icu_t.SLIBXR139	??
st_icu_t.SLIBXR140	??
st_icu_t.SLIBXR141	??
st_icu_t.SLIBXR142	??
st_icu_t.SLIBXR143	??
st_icu_t.SLIPRCR	??
st_icu_t.SWINT2R	??
st_icu_t.SWINTR	??
st_iwdt_t	??
st_iwdt_t.IWDTCCR	??
st_iwdt_t.IWDTCSTPR	??
st_iwdt_t.IWDTRCR	??
st_iwdt_t.IWDTSR	??
st_mmCIF_t	??
st_mmCIF_t.CEADDMODE	??
st_mmCIF_t.CEARGCMD12	??
st_mmCIF_t.CEBLOCKSET	??
st_mmCIF_t.CEBOOT	??
st_mmCIF_t.CEBUFACC	??

st_mmcif_t.CECLKCTRL	??
st_mmcif_t.CECMDCTRL	??
st_mmcif_t.CEDETECT	??
st_mmcif_t.CEHOSTSTS1	??
st_mmcif_t.CEHOSTSTS2	??
st_mmcif_t.CEINT	??
st_mmcif_t.CEINTEN	??
st_mmcif_t.CERESPCMD12	??
st_mmcif_t.CEVERSION	??
st_mpc_t	??
st_mpc_t.P00PFS	??
st_mpc_t.P01PFS	??
st_mpc_t.P02PFS	??
st_mpc_t.P03PFS	??
st_mpc_t.P05PFS	??
st_mpc_t.P07PFS	??
st_mpc_t.P10PFS	??
st_mpc_t.P11PFS	??
st_mpc_t.P12PFS	??
st_mpc_t.P13PFS	??
st_mpc_t.P14PFS	??
st_mpc_t.P15PFS	??
st_mpc_t.P16PFS	??
st_mpc_t.P17PFS	??
st_mpc_t.P20PFS	??
st_mpc_t.P21PFS	??
st_mpc_t.P22PFS	??
st_mpc_t.P23PFS	??
st_mpc_t.P24PFS	??
st_mpc_t.P25PFS	??
st_mpc_t.P26PFS	??
st_mpc_t.P27PFS	??
st_mpc_t.P30PFS	??
st_mpc_t.P31PFS	??
st_mpc_t.P32PFS	??
st_mpc_t.P33PFS	??
st_mpc_t.P34PFS	??
st_mpc_t.P40PFS	??
st_mpc_t.P41PFS	??
st_mpc_t.P42PFS	??
st_mpc_t.P43PFS	??
st_mpc_t.P44PFS	??
st_mpc_t.P45PFS	??
st_mpc_t.P46PFS	??
st_mpc_t.P47PFS	??
st_mpc_t.P50PFS	??
st_mpc_t.P51PFS	??
st_mpc_t.P52PFS	??
st_mpc_t.P54PFS	??
st_mpc_t.P55PFS	??
st_mpc_t.P56PFS	??
st_mpc_t.P57PFS	??
st_mpc_t.P60PFS	??
st_mpc_t.P61PFS	??
st_mpc_t.P62PFS	??
st_mpc_t.P63PFS	??
st_mpc_t.P64PFS	??
st_mpc_t.P66PFS	??

st_mpc_t.P67PFS	..	??
st_mpc_t.P71PFS	..	??
st_mpc_t.P72PFS	..	??
st_mpc_t.P73PFS	..	??
st_mpc_t.P74PFS	..	??
st_mpc_t.P75PFS	..	??
st_mpc_t.P76PFS	..	??
st_mpc_t.P77PFS	..	??
st_mpc_t.P80PFS	..	??
st_mpc_t.P81PFS	..	??
st_mpc_t.P82PFS	..	??
st_mpc_t.P83PFS	..	??
st_mpc_t.P84PFS	..	??
st_mpc_t.P85PFS	..	??
st_mpc_t.P86PFS	..	??
st_mpc_t.P87PFS	..	??
st_mpc_t.P90PFS	..	??
st_mpc_t.P91PFS	..	??
st_mpc_t.P92PFS	..	??
st_mpc_t.P93PFS	..	??
st_mpc_t.P94PFS	..	??
st_mpc_t.P95PFS	..	??
st_mpc_t.P96PFS	..	??
st_mpc_t.P97PFS	..	??
st_mpc_t.PA0PFS	..	??
st_mpc_t.PA1PFS	..	??
st_mpc_t.PA2PFS	..	??
st_mpc_t.PA3PFS	..	??
st_mpc_t.PA4PFS	..	??
st_mpc_t.PA5PFS	..	??
st_mpc_t.PA6PFS	..	??
st_mpc_t.PA7PFS	..	??
st_mpc_t.PB0PFS	..	??
st_mpc_t.PB1PFS	..	??
st_mpc_t.PB2PFS	..	??
st_mpc_t.PB3PFS	..	??
st_mpc_t.PB4PFS	..	??
st_mpc_t.PB5PFS	..	??
st_mpc_t.PB6PFS	..	??
st_mpc_t.PB7PFS	..	??
st_mpc_t.PC0PFS	..	??
st_mpc_t.PC1PFS	..	??
st_mpc_t.PC2PFS	..	??
st_mpc_t.PC3PFS	..	??
st_mpc_t.PC4PFS	..	??
st_mpc_t.PC5PFS	..	??
st_mpc_t.PC6PFS	..	??
st_mpc_t.PC7PFS	..	??
st_mpc_t.PD0PFS	..	??
st_mpc_t.PD1PFS	..	??
st_mpc_t.PD2PFS	..	??
st_mpc_t.PD3PFS	..	??
st_mpc_t.PD4PFS	..	??
st_mpc_t.PD5PFS	..	??
st_mpc_t.PD6PFS	..	??
st_mpc_t.PD7PFS	..	??
st_mpc_t.PE0PFS	..	??
st_mpc_t.PE1PFS	..	??

st_mpc_t.PE2PFS	??
st_mpc_t.PE3PFS	??
st_mpc_t.PE4PFS	??
st_mpc_t.PE5PFS	??
st_mpc_t.PE6PFS	??
st_mpc_t.PE7PFS	??
st_mpc_t.PF0PFS	??
st_mpc_t.PF1PFS	??
st_mpc_t.PF2PFS	??
st_mpc_t.PF5PFS	??
st_mpc_t.PFAOE0	??
st_mpc_t.PFAOE1	??
st_mpc_t.PFBCR0	??
st_mpc_t.PFBCR1	??
st_mpc_t.PFBCR2	??
st_mpc_t.PFBCR3	??
st_mpc_t.PFCSE	??
st_mpc_t.PFCSS0	??
st_mpc_t.PFCSS1	??
st_mpc_t.PFENET	??
st_mpc_t.PG0PFS	??
st_mpc_t.PG1PFS	??
st_mpc_t.PG2PFS	??
st_mpc_t.PG3PFS	??
st_mpc_t.PG4PFS	??
st_mpc_t.PG5PFS	??
st_mpc_t.PG6PFS	??
st_mpc_t.PG7PFS	??
st_mpc_t.PH0PFS	??
st_mpc_t.PH1PFS	??
st_mpc_t.PH2PFS	??
st_mpc_t.PH3PFS	??
st_mpc_t.PH4PFS	??
st_mpc_t.PH5PFS	??
st_mpc_t.PH6PFS	??
st_mpc_t.PH7PFS	??
st_mpc_t.PJ0PFS	??
st_mpc_t.PJ1PFS	??
st_mpc_t.PJ2PFS	??
st_mpc_t.PJ3PFS	??
st_mpc_t.PJ5PFS	??
st_mpc_t.PK0PFS	??
st_mpc_t.PK1PFS	??
st_mpc_t.PK2PFS	??
st_mpc_t.PK3PFS	??
st_mpc_t.PK4PFS	??
st_mpc_t.PK5PFS	??
st_mpc_t.PK6PFS	??
st_mpc_t.PK7PFS	??
st_mpc_t.PL0PFS	??
st_mpc_t.PL1PFS	??
st_mpc_t.PL2PFS	??
st_mpc_t.PL3PFS	??
st_mpc_t.PL4PFS	??
st_mpc_t.PL5PFS	??
st_mpc_t.PL6PFS	??
st_mpc_t.PL7PFS	??
st_mpc_t.PM0PFS	??

st_mpc_t.PM1PFS	??
st_mpc_t.PM2PFS	??
st_mpc_t.PM3PFS	??
st_mpc_t.PM4PFS	??
st_mpc_t.PM5PFS	??
st_mpc_t.PM6PFS	??
st_mpc_t.PM7PFS	??
st_mpc_t.PN0PFS	??
st_mpc_t.PN1PFS	??
st_mpc_t.PN2PFS	??
st_mpc_t.PN3PFS	??
st_mpc_t.PN4PFS	??
st_mpc_t.PN5PFS	??
st_mpc_t.PQ0PFS	??
st_mpc_t.PQ1PFS	??
st_mpc_t.PQ2PFS	??
st_mpc_t.PQ3PFS	??
st_mpc_t.PQ4PFS	??
st_mpc_t.PQ5PFS	??
st_mpc_t.PQ6PFS	??
st_mpc_t.PQ7PFS	??
st_mpc_t.PWPR	??
st_mpu_t	??
st_mpu_t.MHITD	??
st_mpu_t.MHITI	??
st_mpu_t.MPBAC	??
st_mpu_t.MPDEA	??
st_mpu_t.MPECLR	??
st_mpu_t.MPEN	??
st_mpu_t.MPESTS	??
st_mpu_t.MPOPI	??
st_mpu_t.MPOPS	??
st_mpu_t.MPSA	??
st_mpu_t.REPAGE0	??
st_mpu_t.REPAGE1	??
st_mpu_t.REPAGE2	??
st_mpu_t.REPAGE3	??
st_mpu_t.REPAGE4	??
st_mpu_t.REPAGE5	??
st_mpu_t.REPAGE6	??
st_mpu_t.REPAGE7	??
st_mpu_t.RSPAGE0	??
st_mpu_t.RSPAGE1	??
st_mpu_t.RSPAGE2	??
st_mpu_t.RSPAGE3	??
st_mpu_t.RSPAGE4	??
st_mpu_t.RSPAGE5	??
st_mpu_t.RSPAGE6	??
st_mpu_t.RSPAGE7	??
st_mtu0_t	??
st_mtu0_t.NFCR0	??
st_mtu0_t.NFCRC	??
st_mtu0_t.TBTM	??
st_mtu0_t.TCR	??
st_mtu0_t.TCR2	??
st_mtu0_t.TIER	??
st_mtu0_t.TIER2	??
st_mtu0_t.TIORH	??

st_mtu0_t.TIORL	??
st_mtu0_t.TMDR1	??
st_mtu1_t	??
st_mtu1_t.NFCR1	??
st_mtu1_t.TCR	??
st_mtu1_t.TCR2	??
st_mtu1_t.TICCR	??
st_mtu1_t.TIER	??
st_mtu1_t.TIOR	??
st_mtu1_t.TMDR1	??
st_mtu1_t.TMDR3	??
st_mtu1_t.TSR	??
st_mtu2_t	??
st_mtu2_t.NFCR2	??
st_mtu2_t.TCR	??
st_mtu2_t.TCR2	??
st_mtu2_t.TIER	??
st_mtu2_t.TIOR	??
st_mtu2_t.TMDR1	??
st_mtu2_t.TSR	??
st_mtu3_t	??
st_mtu3_t.NFCR3	??
st_mtu3_t.TBTM	??
st_mtu3_t.TCR	??
st_mtu3_t.TCR2	??
st_mtu3_t.TIER	??
st_mtu3_t.TIORH	??
st_mtu3_t.TIORL	??
st_mtu3_t.TMDR1	??
st_mtu3_t.TSR	??
st_mtu4_t	??
st_mtu4_t.NFCR4	??
st_mtu4_t.TADCR	??
st_mtu4_t.TBTM	??
st_mtu4_t.TCR	??
st_mtu4_t.TCR2	??
st_mtu4_t.TIER	??
st_mtu4_t.TIORH	??
st_mtu4_t.TIORL	??
st_mtu4_t.TMDR1	??
st_mtu4_t.TSR	??
st_mtu5_t	??
st_mtu5_t.NFCR5	??
st_mtu5_t.TCNTCMPCLR	??
st_mtu5_t.TCR2U	??
st_mtu5_t.TCR2V	??
st_mtu5_t.TCR2W	??
st_mtu5_t.TCRU	??
st_mtu5_t.TCRV	??
st_mtu5_t.TCRW	??
st_mtu5_t.TIER	??
st_mtu5_t.TIORU	??
st_mtu5_t.TIORV	??
st_mtu5_t.TIORW	??
st_mtu5_t.TSTR	??
st_mtu6_t	??
st_mtu6_t.NFCR6	??
st_mtu6_t.TBTM	??

st_mtu6_t.TCR	??
st_mtu6_t.TCR2	??
st_mtu6_t.TIER	??
st_mtu6_t.TIORH	??
st_mtu6_t.TIORL	??
st_mtu6_t.TMDR1	??
st_mtu6_t.TSR	??
st_mtu6_t.TSYCR	??
st_mtu7_t	??
st_mtu7_t.NFCR7	??
st_mtu7_t.TADCR	??
st_mtu7_t.TBTM	??
st_mtu7_t.TCR	??
st_mtu7_t.TCR2	??
st_mtu7_t.TIER	??
st_mtu7_t.TIORH	??
st_mtu7_t.TIORL	??
st_mtu7_t.TMDR1	??
st_mtu7_t.TSR	??
st_mtu8_t	??
st_mtu8_t.NFCR8	??
st_mtu8_t.TCR	??
st_mtu8_t.TCR2	??
st_mtu8_t.TIER	??
st_mtu8_t.TIORH	??
st_mtu8_t.TIORL	??
st_mtu8_t.TMDR1	??
st_mtu_t	??
st_mtu_t.TBTERA	??
st_mtu_t.TBTERB	??
st_mtu_t.TCSYSTR	??
st_mtu_t.TDERA	??
st_mtu_t.TDERB	??
st_mtu_t.TGCRA	??
st_mtu_t.TITCNT1A	??
st_mtu_t.TITCNT1B	??
st_mtu_t.TITCNT2A	??
st_mtu_t.TITCNT2B	??
st_mtu_t.TITCR1A	??
st_mtu_t.TITCR1B	??
st_mtu_t.TITCR2A	??
st_mtu_t.TITCR2B	??
st_mtu_t.TITMRA	??
st_mtu_t.TITMRB	??
st_mtu_t.TMDR2A	??
st_mtu_t.TMDR2B	??
st_mtu_t.TOCR1A	??
st_mtu_t.TOCR1B	??
st_mtu_t.TOCR2A	??
st_mtu_t.TOCR2B	??
st_mtu_t.TOERA	??
st_mtu_t.TOERB	??
st_mtu_t.TOLBRA	??
st_mtu_t.TOLBRB	??
st_mtu_t.TRWERA	??
st_mtu_t.TRWERB	??
st_mtu_t.TSTRA	??
st_mtu_t.TSTRB	??

st_mtu_t.TSYRA	??
st_mtu_t.TSYRB	??
st_mtu_t.TWCRA	??
st_mtu_t.TWCRB	??
st_ofsm_t	??
st_ofsm_t.BANKSEL	??
st_ofsm_t.FAW	??
st_ofsm_t.MDE	??
st_ofsm_t.OFS0	??
st_ofsm_t.OFS1	??
st_ofsm_t.OSIS	??
st_ofsm_t.ROMCODE	??
st_ofsm_t.SPCC	??
st_ofsm_t.TMEF	??
st_pdc_t	??
st_pdc_t.HCR	??
st_pdc_t.PCCR0	??
st_pdc_t.PCCR1	??
st_pdc_t.PCMONR	??
st_pdc_t.PCSR	??
st_pdc_t.VCR	??
st_pmgi_t	??
st_pmgi_t.PMGCR	??
st_pmgi_t.PSMR	??
st_poe_t	??
st_poe_t.AL1R1	??
st_poe_t.ICSR1	??
st_poe_t.ICSR2	??
st_poe_t.ICSR3	??
st_poe_t.ICSR4	??
st_poe_t.ICSR5	??
st_poe_t.ICSR6	??
st_poe_t.M0SELR1	??
st_poe_t.M0SELR2	??
st_poe_t.M3SELR	??
st_poe_t.M4SELR1	??
st_poe_t.M4SELR2	??
st_poe_t.M6SELR	??
st_poe_t.OC1R1	??
st_poe_t.OC1R2	??
st_poe_t.POECR1	??
st_poe_t.POECR2	??
st_poe_t.POECR4	??
st_poe_t.POECR5	??
st_poe_t.SPOER	??
st_poeg_t	??
st_poeg_t.POEGGA	??
st_poeg_t.POEGGB	??
st_poeg_t.POEGGC	??
st_poeg_t.POEGGD	??
st_port0_t	??
st_port0_t.DSCR	??
st_port0_t.DSCR2	??
st_port0_t.ODR0	??
st_port0_t.ODR1	??
st_port0_t.PCR	??
st_port0_t.PDR	??
st_port0_t.PIDR	??

st_port0_t.PMR	??
st_port0_t.PODR	??
st_port1_t	??
st_port1_t.DSCR	??
st_port1_t.DSCR2	??
st_port1_t.ODR0	??
st_port1_t.ODR1	??
st_port1_t.PCR	??
st_port1_t.PDR	??
st_port1_t.PIDR	??
st_port1_t.PMR	??
st_port1_t.PODR	??
st_port2_t	??
st_port2_t.DSCR	??
st_port2_t.DSCR2	??
st_port2_t.ODR0	??
st_port2_t.ODR1	??
st_port2_t.PCR	??
st_port2_t.PDR	??
st_port2_t.PIDR	??
st_port2_t.PMR	??
st_port2_t.PODR	??
st_port3_t	??
st_port3_t.DSCR2	??
st_port3_t.ODR0	??
st_port3_t.ODR1	??
st_port3_t.PCR	??
st_port3_t.PDR	??
st_port3_t.PIDR	??
st_port3_t.PMR	??
st_port3_t.PODR	??
st_port4_t	??
st_port4_t.ODR0	??
st_port4_t.ODR1	??
st_port4_t.PCR	??
st_port4_t.PDR	??
st_port4_t.PIDR	??
st_port4_t.PMR	??
st_port4_t.PODR	??
st_port5_t	??
st_port5_t.DSCR	??
st_port5_t.DSCR2	??
st_port5_t.ODR0	??
st_port5_t.ODR1	??
st_port5_t.PCR	??
st_port5_t.PDR	??
st_port5_t.PIDR	??
st_port5_t.PMR	??
st_port5_t.PODR	??
st_port6_t	??
st_port6_t.DSCR2	??
st_port6_t.ODR0	??
st_port6_t.ODR1	??
st_port6_t.PCR	??
st_port6_t.PDR	??
st_port6_t.PIDR	??
st_port6_t.PMR	??
st_port6_t.PODR	??

st_port7_t	??
st_port7_t.DSCR	??
st_port7_t.DSCR2	??
st_port7_t.ODR0	??
st_port7_t.ODR1	??
st_port7_t.PCR	??
st_port7_t.PDR	??
st_port7_t.PIDR	??
st_port7_t.PMR	??
st_port7_t.PODR	??
st_port8_t	??
st_port8_t.DSCR	??
st_port8_t.DSCR2	??
st_port8_t.ODR0	??
st_port8_t.ODR1	??
st_port8_t.PCR	??
st_port8_t.PDR	??
st_port8_t.PIDR	??
st_port8_t.PMR	??
st_port8_t.PODR	??
st_port9_t	??
st_port9_t.DSCR	??
st_port9_t.DSCR2	??
st_port9_t.ODR0	??
st_port9_t.ODR1	??
st_port9_t.PCR	??
st_port9_t.PDR	??
st_port9_t.PIDR	??
st_port9_t.PMR	??
st_port9_t.PODR	??
st_porta_t	??
st_porta_t.DSCR	??
st_porta_t.DSCR2	??
st_porta_t.ODR0	??
st_porta_t.ODR1	??
st_porta_t.PCR	??
st_porta_t.PDR	??
st_porta_t.PIDR	??
st_porta_t.PMR	??
st_porta_t.PODR	??
st_portb_t	??
st_portb_t.DSCR	??
st_portb_t.DSCR2	??
st_portb_t.ODR0	??
st_portb_t.ODR1	??
st_portb_t.PCR	??
st_portb_t.PDR	??
st_portb_t.PIDR	??
st_portb_t.PMR	??
st_portb_t.PODR	??
st_portc_t	??
st_portc_t.DSCR	??
st_portc_t.DSCR2	??
st_portc_t.ODR0	??
st_portc_t.ODR1	??
st_portc_t.PCR	??
st_portc_t.PDR	??
st_portc_t.PIDR	??

st_portc_t.PMR	??
st_portc_t.PODR	??
st_portd_t	??
st_portd_t.DSCR	??
st_portd_t.DSCR2	??
st_portd_t.ODR0	??
st_portd_t.ODR1	??
st_portd_t.PCR	??
st_portd_t.PDR	??
st_portd_t.PIDR	??
st_portd_t.PMR	??
st_portd_t.PODR	??
st_porte_t	??
st_porte_t.DSCR	??
st_porte_t.DSCR2	??
st_porte_t.ODR0	??
st_porte_t.ODR1	??
st_porte_t.PCR	??
st_porte_t.PDR	??
st_porte_t.PIDR	??
st_porte_t.PMR	??
st_porte_t.PODR	??
st_portf_t	??
st_portf_t.ODR0	??
st_portf_t.ODR1	??
st_portf_t.PCR	??
st_portf_t.PDR	??
st_portf_t.PIDR	??
st_portf_t.PMR	??
st_portf_t.PODR	??
st_portg_t	??
st_portg_t.DSCR	??
st_portg_t.DSCR2	??
st_portg_t.ODR0	??
st_portg_t.ODR1	??
st_portg_t.PCR	??
st_portg_t.PDR	??
st_portg_t.PIDR	??
st_portg_t.PMR	??
st_portg_t.PODR	??
st_porth_t	??
st_porth_t.DSCR	??
st_porth_t.DSCR2	??
st_porth_t.ODR0	??
st_porth_t.ODR1	??
st_porth_t.PCR	??
st_porth_t.PDR	??
st_porth_t.PIDR	??
st_porth_t.PMR	??
st_porth_t.PODR	??
st_portj_t	??
st_portj_t.DSCR	??
st_portj_t.DSCR2	??
st_portj_t.ODR0	??
st_portj_t.ODR1	??
st_portj_t.PCR	??
st_portj_t.PDR	??
st_portj_t.PIDR	??

st_portj_t.PMR	??
st_portj_t.PODR	??
st_portk_t	??
st_portk_t.DSCR	??
st_portk_t.DSCR2	??
st_portk_t.ODR0	??
st_portk_t.ODR1	??
st_portk_t.PCR	??
st_portk_t.PDR	??
st_portk_t.PIDR	??
st_portk_t.PMR	??
st_portk_t.PODR	??
st_portl_t	??
st_portl_t.DSCR	??
st_portl_t.DSCR2	??
st_portl_t.ODR0	??
st_portl_t.ODR1	??
st_portl_t.PCR	??
st_portl_t.PDR	??
st_portl_t.PIDR	??
st_portl_t.PMR	??
st_portl_t.PODR	??
st_portm_t	??
st_portm_t.DSCR	??
st_portm_t.DSCR2	??
st_portm_t.ODR0	??
st_portm_t.ODR1	??
st_portm_t.PCR	??
st_portm_t.PDR	??
st_portm_t.PIDR	??
st_portm_t.PMR	??
st_portm_t.PODR	??
st_portn_t	??
st_portn_t.DSCR	??
st_portn_t.DSCR2	??
st_portn_t.ODR0	??
st_portn_t.ODR1	??
st_portn_t.PCR	??
st_portn_t.PDR	??
st_portn_t.PIDR	??
st_portn_t.PMR	??
st_portn_t.PODR	??
st_portq_t	??
st_portq_t.DSCR	??
st_portq_t.DSCR2	??
st_portq_t.ODR0	??
st_portq_t.ODR1	??
st_portq_t.PCR	??
st_portq_t.PDR	??
st_portq_t.PIDR	??
st_portq_t.PMR	??
st_portq_t.PODR	??
st_ppg0_t	??
st_ppg0_t.NDERH	??
st_ppg0_t.NDERL	??
st_ppg0_t.NDRH	??
st_ppg0_t.NDRH2	??
st_ppg0_t.NDRL	??

st_ppg0_t.NDRL2	??
st_ppg0_t.PCR	??
st_ppg0_t.PMR	??
st_ppg0_t.PODRH	??
st_ppg0_t.PODRL	??
st_ppg1_t	??
st_ppg1_t.NDERH	??
st_ppg1_t.NDERL	??
st_ppg1_t.NDRH	??
st_ppg1_t.NDRH2	??
st_ppg1_t.NDRL	??
st_ppg1_t.NDRL2	??
st_ppg1_t.PCR	??
st_ppg1_t.PMR	??
st_ppg1_t.PODRH	??
st_ppg1_t.PODRL	??
st_ppg1_t.PTRSLR	??
st_ptpedmac_t	??
st_ptpedmac_t.EDMR	??
st_ptpedmac_t.EDRRR	??
st_ptpedmac_t.EDTRR	??
st_ptpedmac_t.EESIPR	??
st_ptpedmac_t.EESR	??
st_ptpedmac_t.FCFTR	??
st_ptpedmac_t.FDR	??
st_ptpedmac_t.RFOCR	??
st_ptpedmac_t.RMCR	??
st_ptpedmac_t.RMFCR	??
st_ptpedmac_t.RPADIR	??
st_ptpedmac_t.TFTR	??
st_ptpedmac_t.TFUCR	??
st_ptpedmac_t.TRIMD	??
st_qspi_t	??
st_qspi_t.SPBD CR	??
st_qspi_t.SPBF CR	??
st_qspi_t.SPBR	??
st_qspi_t.SPCKD	??
st_qspi_t.SPCMD0	??
st_qspi_t.SPCMD1	??
st_qspi_t.SPCMD2	??
st_qspi_t.SPCMD3	??
st_qspi_t.SPCR	??
st_qspi_t.SPDCR	??
st_qspi_t.SPDR	??
st_qspi_t.SPND	??
st_qspi_t.SPPCR	??
st_qspi_t.SPSCR	??
st_qspi_t.SPSR	??
st_qspi_t.SPSSR	??
st_qspi_t.SSLND	??
st_qspi_t.SSLP	??
st_ram_t	??
st_ram_t.EXRAMECAD	??
st_ram_t.EXRAMMODE	??
st_ram_t.EXRAMPRCR	??
st_ram_t.EXRAMSTS	??
st_ram_t.RAMECAD	??
st_ram_t.RAMMODE	??

st_ram_t.RAMPRCR	??
st_ram_t.RAMSTS	??
st_riic_t	??
st_riic_t.ICBRH	??
st_riic_t.ICBRL	??
st_riic_t.ICCR1	??
st_riic_t.ICCR2	??
st_riic_t.ICFER	??
st_riic_t.ICIER	??
st_riic_t.ICMR1	??
st_riic_t.ICMR2	??
st_riic_t.ICMR3	??
st_riic_t.ICSER	??
st_riic_t.ICSR1	??
st_riic_t.ICSR2	??
st_riic_t.SARL0	??
st_riic_t.SARL1	??
st_riic_t.SARL2	??
st_riic_t.SARU0	??
st_riic_t.SARU1	??
st_riic_t.SARU2	??
st_rspi_t	??
st_rspi_t.SPCKD	??
st_rspi_t.SPCMD0	??
st_rspi_t.SPCMD1	??
st_rspi_t.SPCMD2	??
st_rspi_t.SPCMD3	??
st_rspi_t.SPCMD4	??
st_rspi_t.SPCMD5	??
st_rspi_t.SPCMD6	??
st_rspi_t.SPCMD7	??
st_rspi_t.SPCR	??
st_rspi_t.SPCR2	??
st_rspi_t.SPDCR	??
st_rspi_t.SPDCR2	??
st_rspi_t.SPDR	??
st_rspi_t.SPND	??
st_rspi_t.SPPCR	??
st_rspi_t.SPSCR	??
st_rspi_t.SPSR	??
st_rspi_t.SPSSR	??
st_rspi_t.SSLND	??
st_rspi_t.SSLP	??
st_rtc_t	??
st_rtc_t.__unnamed0__	??
st_rtc_t.__unnamed0__.BCNT0	??
st_rtc_t.__unnamed0__.RSECCNT	??
st_rtc_t.__unnamed10__	??
st_rtc_t.__unnamed10__.BCNT2AER	??
st_rtc_t.__unnamed10__.RYRAR	??
st_rtc_t.__unnamed11__	??
st_rtc_t.__unnamed11__.BCNT3AER	??
st_rtc_t.__unnamed11__.RYRAREN	??
st_rtc_t.__unnamed12__	??
st_rtc_t.__unnamed12__.BCNT0CP0	??
st_rtc_t.__unnamed12__.RSECCP0	??
st_rtc_t.__unnamed13__	??
st_rtc_t.__unnamed13__.BCNT1CP0	??

st_rtc_t.____unnamed13____.RMINCP0	??
st_rtc_t.____unnamed14____	??
st_rtc_t.____unnamed14____.BCNT2CP0	??
st_rtc_t.____unnamed14____.RHRCPO	??
st_rtc_t.____unnamed15____	??
st_rtc_t.____unnamed15____.BCNT3CP0	??
st_rtc_t.____unnamed15____.RDAYCP0	??
st_rtc_t.____unnamed16____	??
st_rtc_t.____unnamed16____.BCNT0CP1	??
st_rtc_t.____unnamed16____.RSECCP1	??
st_rtc_t.____unnamed17____	??
st_rtc_t.____unnamed17____.BCNT1CP1	??
st_rtc_t.____unnamed17____.RMINCP1	??
st_rtc_t.____unnamed18____	??
st_rtc_t.____unnamed18____.BCNT2CP1	??
st_rtc_t.____unnamed18____.RHRCP1	??
st_rtc_t.____unnamed19____	??
st_rtc_t.____unnamed19____.BCNT3CP1	??
st_rtc_t.____unnamed19____.RDAYCP1	??
st_rtc_t.____unnamed1____	??
st_rtc_t.____unnamed1____.BCNT1	??
st_rtc_t.____unnamed1____.RMINCNT	??
st_rtc_t.____unnamed20____	??
st_rtc_t.____unnamed20____.BCNT0CP2	??
st_rtc_t.____unnamed20____.RSECCP2	??
st_rtc_t.____unnamed21____	??
st_rtc_t.____unnamed21____.BCNT1CP2	??
st_rtc_t.____unnamed21____.RMINCP2	??
st_rtc_t.____unnamed22____	??
st_rtc_t.____unnamed22____.BCNT2CP2	??
st_rtc_t.____unnamed22____.RHRCP2	??
st_rtc_t.____unnamed23____	??
st_rtc_t.____unnamed23____.BCNT3CP2	??
st_rtc_t.____unnamed23____.RDAYCP2	??
st_rtc_t.____unnamed2____	??
st_rtc_t.____unnamed2____.BCNT2	??
st_rtc_t.____unnamed2____.RHRCNT	??
st_rtc_t.____unnamed3____	??
st_rtc_t.____unnamed3____.BCNT3	??
st_rtc_t.____unnamed3____.RWKCNT	??
st_rtc_t.____unnamed4____	??
st_rtc_t.____unnamed4____.BCNT0AR	??
st_rtc_t.____unnamed4____.RSECAR	??
st_rtc_t.____unnamed5____	??
st_rtc_t.____unnamed5____.BCNT1AR	??
st_rtc_t.____unnamed5____.RMINAR	??
st_rtc_t.____unnamed6____	??
st_rtc_t.____unnamed6____.BCNT2AR	??
st_rtc_t.____unnamed6____.RHRAR	??
st_rtc_t.____unnamed7____	??
st_rtc_t.____unnamed7____.BCNT3AR	??
st_rtc_t.____unnamed7____.RWKAR	??
st_rtc_t.____unnamed8____	??
st_rtc_t.____unnamed8____.BCNT0AER	??
st_rtc_t.____unnamed8____.RDAYAR	??
st_rtc_t.____unnamed9____	??
st_rtc_t.____unnamed9____.BCNT1AER	??
st_rtc_t.____unnamed9____.RMONAR	??

st_rtc_t.R64CNT	??
st_rtc_t.RADJ	??
st_rtc_t.RCR1	??
st_rtc_t.RCR2	??
st_rtc_t.RCR3	??
st_rtc_t.RCR4	??
st_rtc_t.RDAYCNT	??
st_rtc_t.RFRH	??
st_rtc_t.RFRL	??
st_rtc_t.RMONCNT	??
st_rtc_t.RMONCP0	??
st_rtc_t.RMONCP1	??
st_rtc_t.RMONCP2	??
st_rtc_t.RTCCR0	??
st_rtc_t.RTCCR1	??
st_rtc_t.RTCCR2	??
st_rtc_t.RYRCNT	??
st_s12ad1_t	??
st_s12ad1_t.ADADC	??
st_s12ad1_t.ADADS0	??
st_s12ad1_t.ADADS1	??
st_s12ad1_t.ADANSA0	??
st_s12ad1_t.ADANSA1	??
st_s12ad1_t.ADANSB0	??
st_s12ad1_t.ADANSB1	??
st_s12ad1_t.ADANSC0	??
st_s12ad1_t.ADANSC1	??
st_s12ad1_t.ADCER	??
st_s12ad1_t.ADCMPANSER	??
st_s12ad1_t.ADCMPANSR0	??
st_s12ad1_t.ADCMPANSR1	??
st_s12ad1_t.ADCMPBNSR	??
st_s12ad1_t.ADCMPBSR	??
st_s12ad1_t.ADCMPCR	??
st_s12ad1_t.ADCMPLER	??
st_s12ad1_t.ADCMPLR0	??
st_s12ad1_t.ADCMPLR1	??
st_s12ad1_t.ADCMPSER	??
st_s12ad1_t.ADCMPSR0	??
st_s12ad1_t.ADCMPSR1	??
st_s12ad1_t.ADCSR	??
st_s12ad1_t.ADDISCR	??
st_s12ad1_t.ADEXICR	??
st_s12ad1_t.ADGCEXCR	??
st_s12ad1_t.ADGCTRGR	??
st_s12ad1_t.ADGSPCR	??
st_s12ad1_t.ADRD	??
st_s12ad1_t.ADRD.BIT	??
st_s12ad1_t.ADSAM	??
st_s12ad1_t.ADSAMPR	??
st_s12ad1_t.ADSTRGR	??
st_s12ad1_t.ADWINMON	??
st_s12ad_t	??
st_s12ad_t.ADADC	??
st_s12ad_t.ADADS0	??
st_s12ad_t.ADANSA0	??
st_s12ad_t.ADANSB0	??
st_s12ad_t.ADANSC0	??

st_s12ad_t.ADCER	??
st_s12ad_t.ADCMPANSR0	??
st_s12ad_t.ADCMPBNSR	??
st_s12ad_t.ADCMPBSR	??
st_s12ad_t.ADCMPCR	??
st_s12ad_t.ADCMPLR0	??
st_s12ad_t.ADCMPSR0	??
st_s12ad_t.ADCSR	??
st_s12ad_t.ADDISCR	??
st_s12ad_t.ADGCTRGR	??
st_s12ad_t.ADGSPCR	??
st_s12ad_t.ADRD	??
st_s12ad_t.ADRD.BIT	??
st_s12ad_t.ADSAM	??
st_s12ad_t.ADSAMPR	??
st_s12ad_t.ADSHCR	??
st_s12ad_t.ADSHMSR	??
st_s12ad_t.ADSTRGR	??
st_s12ad_t.ADWINMON	??
st_sci0_t	??
st_sci0_t.CDR	??
st_sci0_t.DCCR	??
st_sci0_t.RDRHL	??
st_sci0_t.SCMR	??
st_sci0_t.SCR	??
st_sci0_t.SEMR	??
st_sci0_t.SIMR1	??
st_sci0_t.SIMR2	??
st_sci0_t.SIMR3	??
st_sci0_t.SISR	??
st_sci0_t.SMR	??
st_sci0_t.SNFR	??
st_sci0_t.SPMR	??
st_sci0_t.SPTR	??
st_sci0_t.SSR	??
st_sci0_t.TDRHL	??
st_sci12_t	??
st_sci12_t.CF0CR	??
st_sci12_t.CF1CR	??
st_sci12_t.CR0	??
st_sci12_t.CR1	??
st_sci12_t.CR2	??
st_sci12_t.CR3	??
st_sci12_t.ESMER	??
st_sci12_t.ICR	??
st_sci12_t.PCR	??
st_sci12_t.RDRHL	??
st_sci12_t.SCMR	??
st_sci12_t.SCR	??
st_sci12_t.SEMR	??
st_sci12_t.SIMR1	??
st_sci12_t.SIMR2	??
st_sci12_t.SIMR3	??
st_sci12_t.SISR	??
st_sci12_t.SMR	??
st_sci12_t.SNFR	??
st_sci12_t.SPMR	??
st_sci12_t.SSR	??

st_sci12_t.STCR	??
st_sci12_t.STR	??
st_sci12_t.TCR	??
st_sci12_t.TDRHL	??
st_sci12_t.TMR	??
st_sci7_t	??
st_sci7_t.__unnamed0__	??
st_sci7_t.__unnamed0__.SSR	??
st_sci7_t.__unnamed0__.SSRFIFO	??
st_sci7_t.__unnamed1__	??
st_sci7_t.__unnamed1__.FTDR	??
st_sci7_t.__unnamed1__.TDRHL	??
st_sci7_t.__unnamed2__	??
st_sci7_t.__unnamed2__.FRDR	??
st_sci7_t.__unnamed2__.RDRHL	??
st_sci7_t.CDR	??
st_sci7_t.DCCR	??
st_sci7_t.FCR	??
st_sci7_t.FDR	??
st_sci7_t.LSR	??
st_sci7_t.SCMR	??
st_sci7_t.SCR	??
st_sci7_t.SEMR	??
st_sci7_t.SIMR1	??
st_sci7_t.SIMR2	??
st_sci7_t.SIMR3	??
st_sci7_t.SISR	??
st_sci7_t.SMR	??
st_sci7_t.SNFR	??
st_sci7_t.SPMR	??
st_sci7_t.SPTR	??
st_sdhi_t	??
st_sdhi_t.SDCLKCR	??
st_sdhi_t.SDDMAEN	??
st_sdhi_t.SDERSTS1	??
st_sdhi_t.SDERSTS2	??
st_sdhi_t.SDIMSK1	??
st_sdhi_t.SDIMSK2	??
st_sdhi_t.SDIOIMSK	??
st_sdhi_t.SDIOMD	??
st_sdhi_t.SDIOSTS	??
st_sdhi_t.SDOPT	??
st_sdhi_t.SDRST	??
st_sdhi_t.SDSIZE	??
st_sdhi_t.SDSTOP	??
st_sdhi_t.SDSTS1	??
st_sdhi_t.SDSTS2	??
st_sdhi_t.SDSWAP	??
st_sdhi_t.SDVER	??
st_smci_t	??
st_smci_t.SCMR	??
st_smci_t.SCR	??
st_smci_t.SMR	??
st_smci_t.SSR	??
st_ssie_t	??
st_ssie_t.SSICR	??
st_ssie_t.SSIFCR	??
st_ssie_t.SSIFRDR	??

st_ssie_t.SSIFSR	??
st_ssie_t.SSIFTDR	??
st_ssie_t.SSIOFR	??
st_ssie_t.SSISCR	??
st_ssie_t.SSISR	??
st_system_t	??
st_system_t.BCKCR	??
st_system_t.CKOCR	??
st_system_t.DPSBYCR	??
st_system_t.DPSIEGR0	??
st_system_t.DPSIEGR1	??
st_system_t.DPSIEGR2	??
st_system_t.DPSIEGR3	??
st_system_t.DPSIER0	??
st_system_t.DPSIER1	??
st_system_t.DPSIER2	??
st_system_t.DPSIER3	??
st_system_t.DPSIFR0	??
st_system_t.DPSIFR1	??
st_system_t.DPSIFR2	??
st_system_t.DPSIFR3	??
st_system_t.HOCOCCR	??
st_system_t.HOCOCCR2	??
st_system_t.HOCOPCR	??
st_system_t.ILOCOCCR	??
st_system_t.LOCOCCR	??
st_system_t.LVCMPCR	??
st_system_t.LVD1CR0	??
st_system_t.LVD1CR1	??
st_system_t.LVD1SR	??
st_system_t.LVD2CR0	??
st_system_t.LVD2CR1	??
st_system_t.LVD2SR	??
st_system_t.LVDLVLR	??
st_system_t.MDMONR	??
st_system_t.MEMWAIT	??
st_system_t.MOFCR	??
st_system_t.MOSCCR	??
st_system_t.MOSCWTCR	??
st_system_t.MSTPCRA	??
st_system_t.MSTPCRB	??
st_system_t.MSTPCRC	??
st_system_t.MSTPCRD	??
st_system_t.OPCCR	??
st_system_t.OSCOVFSR	??
st_system_t.OSTDCR	??
st_system_t.OSTDSR	??
st_system_t.PACKCR	??
st_system_t.PLLCR	??
st_system_t.PLLCR2	??
st_system_t.PPLLCR	??
st_system_t.PPLLCR2	??
st_system_t.PPLLCR3	??
st_system_t.PRCR	??
st_system_t.RSTCKCR	??
st_system_t.RSTSR0	??
st_system_t.RSTSR1	??
st_system_t.RSTSR2	??

st_system_t.SBYCR	??
st_system_t.SCKCR	??
st_system_t.SCKCR2	??
st_system_t.SCKCR3	??
st_system_t.SOSCCR	??
st_system_t.SOSCWTCCR	??
st_system_t.SYSCR0	??
st_system_t.SYSCR1	??
st_temps_t	??
st_temps_t.TSCR	??
st_tmr0_t	??
st_tmr0_t.TCCR	??
st_tmr0_t.TCR	??
st_tmr0_t.TCSR	??
st_tmr0_t.TCSTR	??
st_tmr1_t	??
st_tmr1_t.TCCR	??
st_tmr1_t.TCR	??
st_tmr1_t.TCSR	??
st_tmr1_t.TCSTR	??
st_tpu0_t	??
st_tpu0_t.NFCR	??
st_tpu0_t.TCR	??
st_tpu0_t.TIER	??
st_tpu0_t.TIORH	??
st_tpu0_t.TIORL	??
st_tpu0_t.TMDR	??
st_tpu0_t.TSR	??
st_tpu1_t	??
st_tpu1_t.NFCR	??
st_tpu1_t.TCR	??
st_tpu1_t.TIER	??
st_tpu1_t.TIOR	??
st_tpu1_t.TMDR	??
st_tpu1_t.TSR	??
st_tpu2_t	??
st_tpu2_t.NFCR	??
st_tpu2_t.TCR	??
st_tpu2_t.TIER	??
st_tpu2_t.TIOR	??
st_tpu2_t.TMDR	??
st_tpu2_t.TSR	??
st_tpu3_t	??
st_tpu3_t.NFCR	??
st_tpu3_t.TCR	??
st_tpu3_t.TIER	??
st_tpu3_t.TIORH	??
st_tpu3_t.TIORL	??
st_tpu3_t.TMDR	??
st_tpu3_t.TSR	??
st_tpu4_t	??
st_tpu4_t.NFCR	??
st_tpu4_t.TCR	??
st_tpu4_t.TIER	??
st_tpu4_t.TIOR	??
st_tpu4_t.TMDR	??
st_tpu4_t.TSR	??
st_tpu5_t	??

st_tpu5_t.NFCR	??
st_tpu5_t.TCR	??
st_tpu5_t.TIER	??
st_tpu5_t.TIOR	??
st_tpu5_t.TMDR	??
st_tpu5_t.TSR	??
st_tpua_t	??
st_tpua_t.TSTR	??
st_tpua_t.TSYR	??
st_usb0_t	??
st_usb0_t.BEMPENB	??
st_usb0_t.BEMPSTS	??
st_usb0_t.BRDYENB	??
st_usb0_t.BRDYSTS	??
st_usb0_t.CFIFO	??
st_usb0_t.CFIFOCTR	??
st_usb0_t.CFIFOSEL	??
st_usb0_t.D0FIFO	??
st_usb0_t.D0FIFOCTR	??
st_usb0_t.D0FIFOSEL	??
st_usb0_t.D1FIFO	??
st_usb0_t.D1FIFOCTR	??
st_usb0_t.D1FIFOSEL	??
st_usb0_t.DCPCFG	??
st_usb0_t.DCPCTR	??
st_usb0_t.DCPMAXP	??
st_usb0_t.DEVADD0	??
st_usb0_t.DEVADD1	??
st_usb0_t.DEVADD2	??
st_usb0_t.DEVADD3	??
st_usb0_t.DEVADD4	??
st_usb0_t.DEVADD5	??
st_usb0_t.DVCHGR	??
st_usb0_t.DVSTCTR0	??
st_usb0_t.FRMNUM	??
st_usb0_t.INTENB0	??
st_usb0_t.INTENB1	??
st_usb0_t.INTSTS0	??
st_usb0_t.INTSTS1	??
st_usb0_t.NRDYENB	??
st_usb0_t.NRDYSTS	??
st_usb0_t.PHYSLEW	??
st_usb0_t.PIPE1CTR	??
st_usb0_t.PIPE1TRE	??
st_usb0_t.PIPE2CTR	??
st_usb0_t.PIPE2TRE	??
st_usb0_t.PIPE3CTR	??
st_usb0_t.PIPE3TRE	??
st_usb0_t.PIPE4CTR	??
st_usb0_t.PIPE4TRE	??
st_usb0_t.PIPE5CTR	??
st_usb0_t.PIPE5TRE	??
st_usb0_t.PIPE6CTR	??
st_usb0_t.PIPE7CTR	??
st_usb0_t.PIPE8CTR	??
st_usb0_t.PIPE9CTR	??
st_usb0_t.PIPECFG	??
st_usb0_t.PIPEMAXP	??

st_usb0_t.PIPEPERI	??
st_usb0_t.PIPESEL	??
st_usb0_t.SOFCFG	??
st_usb0_t.SYSCFG	??
st_usb0_t.SYSSTS0	??
st_usb0_t.USBADDR	??
st_usb0_t.USBREQ	??
st_usb_t	??
st_usb_t.DPUSR0R	??
st_usb_t.DPUSR1R	??
st_wdt_t	??
st_wdt_t.WDTCR	??
st_wdt_t.WDTRCR	??
st_wdt_t.WDTSR	??

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

pwm_test_fit/ clock.c	
RX72N clock init using Renesas iodefine.h register structs	??
pwm_test_fit/ iodefine.h	??
pwm_test_fit/ linker.ld	??
pwm_test_fit/ main.c	
20 kHz PWM on GPTW0 using Renesas iodefine.h register structs	??

Chapter 4

Directory Documentation

4.1 pwm_test_fit Directory Reference

Files

- file [clock.c](#)
RX72N clock init using Renesas [iodefine.h](#) register structs.
- file [iodefine.h](#)
- file [linker.ld](#)
- file [main.c](#)
20 kHz PWM on GPTW0 using Renesas [iodefine.h](#) register structs.


Chapter 5

Data Structure Documentation

5.1 st_bsc_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_bsc_t:



Data Fields

- union {
 - unsigned char **BYTE**
 - struct {
 - unsigned **char**: 7
 - unsigned char **STSLR**: 1
 - } **BIT**
 - } **BERCLR**

- char [wk0](#) [3]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [TOEN](#): 1
 - unsigned char [IGAEN](#): 1
 - } [BIT](#)
 - } [BEREN](#)
- char [wk1](#) [3]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 1
 - unsigned char [MST](#): 3
 - unsigned char [TO](#): 1
 - unsigned char [IA](#): 1
 - } [BIT](#)
 - } [BERSR1](#)
- char [wk2](#) [1]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [ADDR](#): 13
 - unsigned [short](#): 3
 - } [BIT](#)
 - } [BERSR2](#)
- char [wk3](#) [4]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 2
 - unsigned short [BPEB](#): 2
 - unsigned short [BPFb](#): 2
 - unsigned short [BPHB](#): 2
 - unsigned short [BPGb](#): 2
 - unsigned short [BPIB](#): 2
 - unsigned short [BPRO](#): 2
 - unsigned short [BPRA](#): 2
 - } [BIT](#)
 - } [BUSPRI](#)
- char [wk4](#) [7408]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
 - } [BIT](#)
 - } [CS0MOD](#)

- union {
 unsigned long LONG
 struct {
 unsigned long: 3
 unsigned long CSWAIT: 5
 unsigned long CSWAIT: 5
 unsigned long CSPRWAIT: 3
 unsigned long CSPWWAIT: 3
 } BIT
 } CS0WCR1
- union {
 unsigned long LONG
 struct {
 unsigned long: 1
 unsigned long CSON: 3
 unsigned long WDON: 3
 unsigned long WRON: 3
 unsigned long RDON: 3
 unsigned long AWAIT: 2
 unsigned long WDOFF: 3
 unsigned long CSWOFF: 3
 unsigned long CSROFF: 3
 } BIT
 } CS0WCR2
- char wk5 [6]
- union {
 unsigned short WORD
 struct {
 unsigned short PRMOD: 1
 unsigned short: 5
 unsigned short PWENB: 1
 unsigned short PRENB: 1
 unsigned short EWENB: 1
 unsigned short WRMOD: 1
 } BIT
 } CS1MOD
- union {
 unsigned long LONG
 struct {
 unsigned long: 3
 unsigned long CSWAIT: 5
 unsigned long CSWAIT: 5
 unsigned long CSPRWAIT: 3
 unsigned long CSPWWAIT: 3
 } BIT
 } CS1WCR1
- union {
 unsigned long LONG
 struct {
 unsigned long: 1
 unsigned long CSON: 3
 unsigned long WDON: 3
 unsigned long WRON: 3
 unsigned long RDON: 3

- unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
 - } [BIT](#)
 - } [CS1WCR2](#)
- char [wk6](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
 - } [BIT](#)
 - } [CS2MOD](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
 - } [BIT](#)
 - } [CS2WCR1](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
 - } [BIT](#)
 - } [CS2WCR2](#)
- char [wk7](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
 - } [BIT](#)
 - } [CS3MOD](#)

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 3
 - unsigned long CSRWAIT: 5
 - unsigned long CSWAIT: 5
 - unsigned long CSPRWAIT: 3
 - unsigned long CSPWAIT: 3
 - } BIT
 - } CS3WCR1

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 1
 - unsigned long CSON: 3
 - unsigned long WDON: 3
 - unsigned long WRON: 3
 - unsigned long RDON: 3
 - unsigned long AWAIT: 2
 - unsigned long WDOFF: 3
 - unsigned long CSWOFF: 3
 - unsigned long CSROFF: 3
 - } BIT
 - } CS3WCR2

- char wk8 [6]
- union {
 - unsigned short WORD
 - struct {
 - unsigned short PRMOD: 1
 - unsigned short: 5
 - unsigned short PWENB: 1
 - unsigned short PRENB: 1
 - unsigned short EWENB: 1
 - unsigned short WRMOD: 1
 - } BIT
 - } CS4MOD

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 3
 - unsigned long CSRWAIT: 5
 - unsigned long CSWAIT: 5
 - unsigned long CSPRWAIT: 3
 - unsigned long CSPWAIT: 3
 - } BIT
 - } CS4WCR1

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 1
 - unsigned long CSON: 3
 - unsigned long WDON: 3
 - unsigned long WRON: 3

- ```

 unsigned long RDON: 3
 unsigned long AWAIT: 2
 unsigned long WDOFF: 3
 unsigned long CSWOFF: 3
 unsigned long CSROFF: 3
 } BIT
} CS4WCR2

```
- char `wk9` [6]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short PRMOD: 1
 unsigned short: 5
 unsigned short PWENB: 1
 unsigned short PRENB: 1
 unsigned short EWENB: 1
 unsigned short WRMOD: 1
 } BIT
 } CS5MOD

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 3
 unsigned long CSRWAIT: 5
 unsigned long CSWWAIT: 5
 unsigned long CSPRWAIT: 3
 unsigned long CSPWWAIT: 3
 } BIT
 } CS5WCR1

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 1
 unsigned long CSON: 3
 unsigned long WDON: 3
 unsigned long WRON: 3
 unsigned long RDON: 3
 unsigned long AWAIT: 2
 unsigned long WDOFF: 3
 unsigned long CSWOFF: 3
 unsigned long CSROFF: 3
 } BIT
 } CS5WCR2

```
  - char `wk10` [6]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short PRMOD: 1
 unsigned short: 5
 unsigned short PWENB: 1
 unsigned short PRENB: 1
 unsigned short EWENB: 1
 unsigned short WRMOD: 1
 } BIT

```



- ```

    unsigned long WRON: 3
    unsigned long RDON: 3
    unsigned long AWAIT: 2
    unsigned long WDOFF: 3
    unsigned long CSWOFF: 3
    unsigned long CSROFF: 3
    } BIT
} CS7WCR2

```
- char wk12 [1926]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 3
          unsigned short MPXEN: 1
          unsigned short EMODE: 1
          unsigned short BSIZE: 2
          unsigned short EXENB: 1
        } BIT
      } CS0CR

```
 - char wk13 [6]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 4
          unsigned short WRCV: 4
          unsigned short RRCV: 4
        } BIT
      } CS0REC

```
 - char wk14 [6]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 3
          unsigned short MPXEN: 1
          unsigned short EMODE: 1
          unsigned short BSIZE: 2
          unsigned short EXENB: 1
        } BIT
      } CS1CR

```
 - char wk15 [6]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 4
          unsigned short WRCV: 4
          unsigned short RRCV: 4
        } BIT
      } CS1REC

```
 - char wk16 [6]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 3

```

```

    unsigned short MPXEN: 1
    unsigned short EMODE: 1
    unsigned short BSIZE: 2
    unsigned short EXENB: 1
    } BIT
} CS2CR

```

- char wk17 [6]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 4
          unsigned short WRCV: 4
          unsigned short RRCV: 4
        } BIT
      } CS2REC

```

- char wk18 [6]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 3
          unsigned short MPXEN: 1
          unsigned short EMODE: 1
          unsigned short BSIZE: 2
          unsigned short EXENB: 1
        } BIT
      } CS3CR

```

- char wk19 [6]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 4
          unsigned short WRCV: 4
          unsigned short RRCV: 4
        } BIT
      } CS3REC

```

- char wk20 [6]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 3
          unsigned short MPXEN: 1
          unsigned short EMODE: 1
          unsigned short BSIZE: 2
          unsigned short EXENB: 1
        } BIT
      } CS4CR

```

- char wk21 [6]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 4
          unsigned short WRCV: 4
          unsigned short RRCV: 4

```

```

    } BIT
} CS4REC

```

- char [wk22](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
 - } [BIT](#)

```

    } CS5CR
} CS5REC

```

- char [wk23](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
 - } [BIT](#)

```

    } CS6CR
} CS6REC

```

- char [wk24](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
 - } [BIT](#)

```

    } CS7CR

```

- char [wk27](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
 - } [BIT](#)
- } [CS7REC](#)

- char [wk28](#) [4]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [RCVENM7](#): 1
 - unsigned short [RCVENM6](#): 1
 - unsigned short [RCVENM5](#): 1
 - unsigned short [RCVENM4](#): 1
 - unsigned short [RCVENM3](#): 1
 - unsigned short [RCVENM2](#): 1
 - unsigned short [RCVENM1](#): 1
 - unsigned short [RCVENM0](#): 1
 - unsigned short [RCVEN7](#): 1
 - unsigned short [RCVEN6](#): 1
 - unsigned short [RCVEN5](#): 1
 - unsigned short [RCVEN4](#): 1
 - unsigned short [RCVEN3](#): 1
 - unsigned short [RCVEN2](#): 1
 - unsigned short [RCVEN1](#): 1
 - unsigned short [RCVEN0](#): 1
 - } [BIT](#)
- } [CSRECEN](#)

- char [wk29](#) [894]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 2
 - unsigned char [BSIZE](#): 2
 - unsigned char [EXENB](#): 1
 - } [BIT](#)
- } [SDCCR](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [EMODE](#): 1
 - } [BIT](#)
- } [SDCMOD](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [BE](#): 1
 - } [BIT](#)

- } [SDAMOD](#)
- char [wk30](#) [13]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [SFEN](#): 1
 - } [BIT](#)
- } [SDSELF](#)
- char [wk31](#) [3]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [REFW](#): 4
 - unsigned short [RFC](#): 12
 - } [BIT](#)
- } [SDRFCR](#)
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [RFEN](#): 1
 - } [BIT](#)
- } [SDRFEN](#)
- char [wk32](#) [9]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [INIRQ](#): 1
 - } [BIT](#)
- } [SDICR](#)
- char [wk33](#) [3]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 5
 - unsigned short [PRC](#): 3
 - unsigned short [ARFC](#): 4
 - unsigned short [ARFI](#): 4
 - } [BIT](#)
- } [SDIR](#)
- char [wk34](#) [26]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [MXC](#): 2
 - } [BIT](#)
- } [SDADR](#)
- char [wk35](#) [3]

- union {
 unsigned long LONG
 struct {
 unsigned long: 13
 unsigned long RAS: 3
 unsigned long RCD: 2
 unsigned long RP: 3
 unsigned long WR: 1
 unsigned long CL: 3
 } BIT
 } SDTR
- union {
 unsigned short WORD
 struct {
 unsigned short: 1
 unsigned short MR: 15
 } BIT
 } SDMOD
- char wk36 [6]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char SRFST: 1
 unsigned char INIST: 1
 unsigned char MRSST: 1
 } BIT
 } SDSR
- char wk37 [269231]
- union {
 unsigned long LONG
 struct {
 unsigned long PRERR: 1
 unsigned long: 12
 unsigned long PR5SEL: 3
 unsigned long PR4SEL: 3
 unsigned long PR3SEL: 3
 unsigned long PR2SEL: 3
 unsigned long PR1SEL: 3
 } BIT
 } EBMAPCR

5.1.1 Detailed Description

Definition at line 1473 of file [iodefine.h](#).

5.1.2 Field Documentation

5.1.2.1 [union]

union { ... } st_bsc_t::BERCLR

5.1.2.2 [union]

```
union { ... } st_bsc_t::BEREN
```

5.1.2.3 [union]

```
union { ... } st_bsc_t::BERSR1
```

5.1.2.4 [union]

```
union { ... } st_bsc_t::BERSR2
```

5.1.2.5 [union]

```
union { ... } st_bsc_t::BUSPRI
```

5.1.2.6 [union]

```
union { ... } st_bsc_t::CS0CR
```

5.1.2.7 [union]

```
union { ... } st_bsc_t::CS0MOD
```

5.1.2.8 [union]

```
union { ... } st_bsc_t::CS0REC
```

5.1.2.9 [union]

```
union { ... } st_bsc_t::CS0WCR1
```

5.1.2.10 [union]

```
union { ... } st_bsc_t::CS0WCR2
```

5.1.2.11 [union]

```
union { ... } st_bsc_t::CS1CR
```

5.1.2.12 [union]

```
union { ... } st_bsc_t::CS1MOD
```

5.1.2.13 [union]

```
union { ... } st_bsc_t::CS1REC
```

5.1.2.14 [union]

```
union { ... } st_bsc_t::CS1WCR1
```

5.1.2.15 [union]

```
union { ... } st_bsc_t::CS1WCR2
```

5.1.2.16 [union]

```
union { ... } st_bsc_t::CS2CR
```

5.1.2.17 [union]

```
union { ... } st_bsc_t::CS2MOD
```

5.1.2.18 [union]

```
union { ... } st_bsc_t::CS2REC
```

5.1.2.19 [union]

```
union { ... } st_bsc_t::CS2WCR1
```

5.1.2.20 [union]

```
union { ... } st_bsc_t::CS2WCR2
```

5.1.2.21 [union]

```
union { ... } st_bsc_t::CS3CR
```

5.1.2.22 [union]

```
union { ... } st_bsc_t::CS3MOD
```

5.1.2.23 [union]

```
union { ... } st_bsc_t::CS3REC
```

5.1.2.24 [union]

```
union { ... } st_bsc_t::CS3WCR1
```

5.1.2.25 [union]

```
union { ... } st_bsc_t::CS3WCR2
```

5.1.2.26 [union]

```
union { ... } st_bsc_t::CS4CR
```

5.1.2.27 [union]

```
union { ... } st_bsc_t::CS4MOD
```

5.1.2.28 [union]

```
union { ... } st_bsc_t::CS4REC
```

5.1.2.29 [union]

```
union { ... } st_bsc_t::CS4WCR1
```

5.1.2.30 [union]

```
union { ... } st_bsc_t::CS4WCR2
```

5.1.2.31 [union]

```
union { ... } st_bsc_t::CS5CR
```

5.1.2.32 [union]

```
union { ... } st_bsc_t::CS5MOD
```

5.1.2.33 [union]

```
union { ... } st_bsc_t::CS5REC
```

5.1.2.34 [union]

```
union { ... } st_bsc_t::CS5WCR1
```

5.1.2.35 [union]

```
union { ... } st_bsc_t::CS5WCR2
```

5.1.2.36 [union]

```
union { ... } st_bsc_t::CS6CR
```

5.1.2.37 [union]

```
union { ... } st_bsc_t::CS6MOD
```

5.1.2.38 [union]

```
union { ... } st_bsc_t::CS6REC
```

5.1.2.39 [union]

```
union { ... } st_bsc_t::CS6WCR1
```

5.1.2.40 [union]

```
union { ... } st_bsc_t::CS6WCR2
```

5.1.2.41 [union]

```
union { ... } st_bsc_t::CS7CR
```

5.1.2.42 [union]

```
union { ... } st_bsc_t::CS7MOD
```

5.1.2.43 [union]

```
union { ... } st_bsc_t::CS7REC
```

5.1.2.44 [union]

```
union { ... } st_bsc_t::CS7WCR1
```

5.1.2.45 [union]

```
union { ... } st_bsc_t::CS7WCR2
```

5.1.2.46 [union]

```
union { ... } st_bsc_t::CSRECEN
```

5.1.2.47 [union]

```
union { ... } st_bsc_t::EBMAPCR
```

5.1.2.48 [union]

```
union { ... } st_bsc_t::SDADR
```

5.1.2.49 [union]

```
union { ... } st_bsc_t::SDAMOD
```

5.1.2.50 [union]

```
union { ... } st_bsc_t::SDCCR
```

5.1.2.51 [union]

```
union { ... } st_bsc_t::SDCMOD
```

5.1.2.52 [union]

```
union { ... } st_bsc_t::SDICR
```

5.1.2.53 [union]

```
union { ... } st_bsc_t::SDIR
```

5.1.2.54 [union]

```
union { ... } st_bsc_t::SDMOD
```

5.1.2.55 [union]

```
union { ... } st_bsc_t::SDRFCR
```

5.1.2.56 [union]

```
union { ... } st_bsc_t::SDRFEN
```

5.1.2.57 [union]

```
union { ... } st_bsc_t::SDSELF
```

5.1.2.58 [union]

```
union { ... } st_bsc_t::SDSR
```

5.1.2.59 [union]

```
union { ... } st_bsc_t::SDTR
```

5.1.2.60 wk0

```
char st_bsc_t::wk0[3]
```

Definition at line [1487](#) of file [iodefine.h](#).

5.1.2.61 wk1

```
char st_bsc_t::wk1[3]
```

Definition at line [1503](#) of file [iodefine.h](#).

5.1.2.62 wk10

```
char st_bsc_t::wk10[6]
```

Definition at line [2115](#) of file [iodefne.h](#).

5.1.2.63 wk11

```
char st_bsc_t::wk11[6]
```

Definition at line [2207](#) of file [iodefne.h](#).

5.1.2.64 wk12

```
char st_bsc_t::wk12[1926]
```

Definition at line [2299](#) of file [iodefne.h](#).

5.1.2.65 wk13

```
char st_bsc_t::wk13[6]
```

Definition at line [2325](#) of file [iodefne.h](#).

5.1.2.66 wk14

```
char st_bsc_t::wk14[6]
```

Definition at line [2343](#) of file [iodefne.h](#).

5.1.2.67 wk15

```
char st_bsc_t::wk15[6]
```

Definition at line [2369](#) of file [iodefne.h](#).

5.1.2.68 wk16

```
char st_bsc_t::wk16[6]
```

Definition at line [2387](#) of file [iodefne.h](#).

5.1.2.69 wk17

```
char st_bsc_t::wk17[6]
```

Definition at line [2413](#) of file [iodefne.h](#).

5.1.2.70 wk18

```
char st_bsc_t::wk18[6]
```

Definition at line [2431](#) of file [iodefne.h](#).

5.1.2.71 wk19

```
char st_bsc_t::wk19[6]
```

Definition at line [2457](#) of file [iodefne.h](#).

5.1.2.72 wk2

```
char st_bsc_t::wk2[1]
```

Definition at line [1523](#) of file [iodefne.h](#).

5.1.2.73 wk20

```
char st_bsc_t::wk20[6]
```

Definition at line [2475](#) of file [iodefne.h](#).

5.1.2.74 wk21

```
char st_bsc_t::wk21[6]
```

Definition at line [2501](#) of file [iodefne.h](#).

5.1.2.75 wk22

```
char st_bsc_t::wk22[6]
```

Definition at line [2519](#) of file [iodefne.h](#).

5.1.2.76 wk23

```
char st_bsc_t::wk23[6]
```

Definition at line [2545](#) of file [iodefne.h](#).

5.1.2.77 wk24

```
char st_bsc_t::wk24[6]
```

Definition at line [2563](#) of file [iodefne.h](#).

5.1.2.78 wk25

```
char st_bsc_t::wk25[6]
```

Definition at line [2589](#) of file [iodefne.h](#).

5.1.2.79 wk26

```
char st_bsc_t::wk26[6]
```

Definition at line [2607](#) of file [iodefne.h](#).

5.1.2.80 wk27

```
char st_bsc_t::wk27[6]
```

Definition at line [2633](#) of file [iodefne.h](#).

5.1.2.81 wk28

```
char st_bsc_t::wk28[4]
```

Definition at line [2651](#) of file [iodefne.h](#).

5.1.2.82 wk29

```
char st_bsc_t::wk29[894]
```

Definition at line [2693](#) of file [iodefne.h](#).

5.1.2.83 wk3

```
char st_bsc_t::wk3[4]
```

Definition at line [1537](#) of file [iodefne.h](#).

5.1.2.84 wk30

```
char st_bsc_t::wk30[13]
```

Definition at line [2737](#) of file [iodefne.h](#).

5.1.2.85 wk31

```
char st_bsc_t::wk31[3]
```

Definition at line [2751](#) of file [iodefne.h](#).

5.1.2.86 wk32

```
char st_bsc_t::wk32[9]
```

Definition at line [2778](#) of file [iodefne.h](#).

5.1.2.87 wk33

```
char st_bsc_t::wk33[3]
```

Definition at line [2792](#) of file [iodefne.h](#).

5.1.2.88 wk34

```
char st_bsc_t::wk34[26]
```

Definition at line [2810](#) of file [iodefne.h](#).

5.1.2.89 wk35

```
char st_bsc_t::wk35[3]
```

Definition at line [2824](#) of file [iodefne.h](#).

5.1.2.90 wk36

```
char st_bsc_t::wk36[6]
```

Definition at line [2863](#) of file [iodefne.h](#).

5.1.2.91 wk37

```
char st_bsc_t::wk37[269231]
```

Definition at line [2883](#) of file [iodefne.h](#).

5.1.2.92 wk4

```
char st_bsc_t::wk4[7408]
```

Definition at line [1563](#) of file [iodefne.h](#).

5.1.2.93 wk5

```
char st_bsc_t::wk5[6]
```

Definition at line [1655](#) of file [iodefne.h](#).

5.1.2.94 wk6

```
char st_bsc_t::wk6[6]
```

Definition at line 1747 of file [iodefne.h](#).

5.1.2.95 wk7

```
char st_bsc_t::wk7[6]
```

Definition at line 1839 of file [iodefne.h](#).

5.1.2.96 wk8

```
char st_bsc_t::wk8[6]
```

Definition at line 1931 of file [iodefne.h](#).

5.1.2.97 wk9

```
char st_bsc_t::wk9[6]
```

Definition at line 2023 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.2 st_bsc_t.BERCLR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [STSCLR](#): 1
} [BIT](#)

5.2.1 Detailed Description

Definition at line 1474 of file [iodefne.h](#).

5.2.2 Field Documentation

5.2.2.1 BIT

5.2.2.2 BYTE

The documentation for this union was generated from the following files:

5.3 st_bsc_t.BEREN Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [TOEN](#): 1
 - unsigned char [IGAEN](#): 1
- } [BIT](#)

5.3.1 Detailed Description

Definition at line [1488](#) of file [iodefine.h](#).

5.3.2 Field Documentation

5.3.2.1 BIT

5.3.2.2 BYTE

The documentation for this union was generated from the following files:

5.4 st_bsc_t.BERSR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [MST](#): 3
 - unsigned char [TO](#): 1
 - unsigned char [IA](#): 1
- } [BIT](#)

5.4.1 Detailed Description

Definition at line 1504 of file [iodefine.h](#).

5.4.2 Field Documentation

5.4.2.1 BIT

5.4.2.2 BYTE

The documentation for this union was generated from the following files:

5.5 st_bsc_t.BERSR2 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ADDR](#): 13
 - unsigned [short](#): 3
- } [BIT](#)

5.5.1 Detailed Description

Definition at line 1524 of file [iodefine.h](#).

5.5.2 Field Documentation

5.5.2.1 BIT

5.5.2.2 WORD

The documentation for this union was generated from the following files:

5.6 st_bsc_t.BUSPRI Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 2
 - unsigned short [BPEB](#): 2
 - unsigned short [BPFB](#): 2
 - unsigned short [BPHB](#): 2
 - unsigned short [BPGB](#): 2
 - unsigned short [BPIB](#): 2
 - unsigned short [BPRO](#): 2
 - unsigned short [BPRA](#): 2
- } [BIT](#)

5.6.1 Detailed Description

Definition at line [1538](#) of file [iodefine.h](#).

5.6.2 Field Documentation

5.6.2.1 BIT

5.6.2.2 WORD

The documentation for this union was generated from the following files:

5.7 st_bsc_t.CS0CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.7.1 Detailed Description

Definition at line [2300](#) of file [iodefine.h](#).

5.7.2 Field Documentation

5.7.2.1 BIT

5.7.2.2 WORD

The documentation for this union was generated from the following files:

5.8 st_bsc_t.CS0MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.8.1 Detailed Description

Definition at line 1564 of file [iodefine.h](#).

5.8.2 Field Documentation

5.8.2.1 BIT

5.8.2.2 WORD

The documentation for this union was generated from the following files:

5.9 st_bsc_t.CS0REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.9.1 Detailed Description

Definition at line 2326 of file [iodefine.h](#).

5.9.2 Field Documentation

5.9.2.1 BIT

5.9.2.2 WORD

The documentation for this union was generated from the following files:

5.10 st_bsc_t.CS0WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.10.1 Detailed Description

Definition at line [1589](#) of file [iodefine.h](#).

5.10.2 Field Documentation

5.10.2.1 BIT

5.10.2.2 LONG

The documentation for this union was generated from the following files:

5.11 st_bsc_t.CS0WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.11.1 Detailed Description

Definition at line [1614](#) of file [iodefine.h](#).

5.11.2 Field Documentation

5.11.2.1 BIT

5.11.2.2 LONG

The documentation for this union was generated from the following files:

5.12 st__bsc__t.CS1CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.12.1 Detailed Description

Definition at line [2344](#) of file [iodefine.h](#).

5.12.2 Field Documentation

5.12.2.1 BIT

5.12.2.2 WORD

The documentation for this union was generated from the following files:

5.13 st__bsc__t.CS1MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.13.1 Detailed Description

Definition at line [1656](#) of file [iodefine.h](#).

5.13.2 Field Documentation

5.13.2.1 BIT

5.13.2.2 WORD

The documentation for this union was generated from the following files:

5.14 st_bsc_t.CS1REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.14.1 Detailed Description

Definition at line [2370](#) of file [iodefine.h](#).

5.14.2 Field Documentation

5.14.2.1 BIT

5.14.2.2 WORD

The documentation for this union was generated from the following files:

5.15 st_bsc_t.CS1WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.15.1 Detailed Description

Definition at line 1681 of file [iodefine.h](#).

5.15.2 Field Documentation

5.15.2.1 BIT

5.15.2.2 LONG

The documentation for this union was generated from the following files:

5.16 st_bsc_t.CS1WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.16.1 Detailed Description

Definition at line 1706 of file [iodefine.h](#).

5.16.2 Field Documentation

5.16.2.1 BIT

5.16.2.2 LONG

The documentation for this union was generated from the following files:

5.17 st_bsc_t.CS2CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.17.1 Detailed Description

Definition at line [2388](#) of file [iodefine.h](#).

5.17.2 Field Documentation

5.17.2.1 BIT

5.17.2.2 WORD

The documentation for this union was generated from the following files:

5.18 st_bsc_t.CS2MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.18.1 Detailed Description

Definition at line [1748](#) of file [iodefine.h](#).

5.18.2 Field Documentation

5.18.2.1 BIT

5.18.2.2 WORD

The documentation for this union was generated from the following files:

5.19 st_bsc_t.CS2REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.19.1 Detailed Description

Definition at line [2414](#) of file [iodefine.h](#).

5.19.2 Field Documentation

5.19.2.1 BIT

5.19.2.2 WORD

The documentation for this union was generated from the following files:

5.20 st_bsc_t.CS2WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.20.1 Detailed Description

Definition at line [1773](#) of file [iodefine.h](#).

5.20.2 Field Documentation

5.20.2.1 BIT

5.20.2.2 LONG

The documentation for this union was generated from the following files:

5.21 st_bsc_t.CS2WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.21.1 Detailed Description

Definition at line [1798](#) of file [iodefine.h](#).

5.21.2 Field Documentation

5.21.2.1 BIT

5.21.2.2 LONG

The documentation for this union was generated from the following files:

5.22 st__bsc__t.CS3CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.22.1 Detailed Description

Definition at line [2432](#) of file [iodefine.h](#).

5.22.2 Field Documentation

5.22.2.1 BIT

5.22.2.2 WORD

The documentation for this union was generated from the following files:

5.23 st__bsc__t.CS3MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.23.1 Detailed Description

Definition at line [1840](#) of file [iodefine.h](#).

5.23.2 Field Documentation

5.23.2.1 BIT

5.23.2.2 WORD

The documentation for this union was generated from the following files:

5.24 st_bsc_t.CS3REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.24.1 Detailed Description

Definition at line [2458](#) of file [iodefine.h](#).

5.24.2 Field Documentation

5.24.2.1 BIT

5.24.2.2 WORD

The documentation for this union was generated from the following files:

5.25 st_bsc_t.CS3WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.25.1 Detailed Description

Definition at line 1865 of file [iodef.h](#).

5.25.2 Field Documentation

5.25.2.1 BIT

5.25.2.2 LONG

The documentation for this union was generated from the following files:

5.26 st_bsc_t.CS3WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.26.1 Detailed Description

Definition at line 1890 of file [iodef.h](#).

5.26.2 Field Documentation

5.26.2.1 BIT

5.26.2.2 LONG

The documentation for this union was generated from the following files:

5.27 st_bsc_t.CS4CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.27.1 Detailed Description

Definition at line [2476](#) of file [iodefine.h](#).

5.27.2 Field Documentation

5.27.2.1 BIT

5.27.2.2 WORD

The documentation for this union was generated from the following files:

5.28 st_bsc_t.CS4MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.28.1 Detailed Description

Definition at line [1932](#) of file [iodefine.h](#).

5.28.2 Field Documentation

5.28.2.1 BIT

5.28.2.2 WORD

The documentation for this union was generated from the following files:

5.29 st_bsc_t.CS4REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.29.1 Detailed Description

Definition at line [2502](#) of file [iodefine.h](#).

5.29.2 Field Documentation

5.29.2.1 BIT

5.29.2.2 WORD

The documentation for this union was generated from the following files:

5.30 st_bsc_t.CS4WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.30.1 Detailed Description

Definition at line [1957](#) of file [iodefine.h](#).

5.30.2 Field Documentation

5.30.2.1 BIT

5.30.2.2 LONG

The documentation for this union was generated from the following files:

5.31 st_bsc_t.CS4WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.31.1 Detailed Description

Definition at line [1982](#) of file [iodefine.h](#).

5.31.2 Field Documentation

5.31.2.1 BIT

5.31.2.2 LONG

The documentation for this union was generated from the following files:

5.32 st_bsc_t.CS5CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.32.1 Detailed Description

Definition at line [2520](#) of file [iodefine.h](#).

5.32.2 Field Documentation

5.32.2.1 BIT

5.32.2.2 WORD

The documentation for this union was generated from the following files:

5.33 st_bsc_t.CS5MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.33.1 Detailed Description

Definition at line [2024](#) of file [iodefine.h](#).

5.33.2 Field Documentation

5.33.2.1 BIT

5.33.2.2 WORD

The documentation for this union was generated from the following files:

5.34 st_bsc_t.CS5REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.34.1 Detailed Description

Definition at line [2546](#) of file [iodefine.h](#).

5.34.2 Field Documentation

5.34.2.1 BIT

5.34.2.2 WORD

The documentation for this union was generated from the following files:

5.35 st_bsc_t.CS5WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.35.1 Detailed Description

Definition at line 2049 of file [iodef.h](#).

5.35.2 Field Documentation

5.35.2.1 BIT

5.35.2.2 LONG

The documentation for this union was generated from the following files:

5.36 st_bsc_t.CS5WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.36.1 Detailed Description

Definition at line 2074 of file [iodef.h](#).

5.36.2 Field Documentation

5.36.2.1 BIT

5.36.2.2 LONG

The documentation for this union was generated from the following files:

5.37 st_bsc_t.CS6CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.37.1 Detailed Description

Definition at line [2564](#) of file [iodefine.h](#).

5.37.2 Field Documentation

5.37.2.1 BIT

5.37.2.2 WORD

The documentation for this union was generated from the following files:

5.38 st_bsc_t.CS6MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.38.1 Detailed Description

Definition at line [2116](#) of file [iodefine.h](#).

5.38.2 Field Documentation

5.38.2.1 BIT

5.38.2.2 WORD

The documentation for this union was generated from the following files:

5.39 st_bsc_t.CS6REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.39.1 Detailed Description

Definition at line [2590](#) of file [iodefine.h](#).

5.39.2 Field Documentation

5.39.2.1 BIT

5.39.2.2 WORD

The documentation for this union was generated from the following files:

5.40 st_bsc_t.CS6WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.40.1 Detailed Description

Definition at line [2141](#) of file [iodefine.h](#).

5.40.2 Field Documentation

5.40.2.1 BIT

5.40.2.2 LONG

The documentation for this union was generated from the following files:

5.41 st_bsc_t.CS6WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.41.1 Detailed Description

Definition at line [2166](#) of file [iodefine.h](#).

5.41.2 Field Documentation

5.41.2.1 BIT

5.41.2.2 LONG

The documentation for this union was generated from the following files:

5.42 st_bsc_t.CS7CR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [MPXEN](#): 1
 - unsigned short [EMODE](#): 1
 - unsigned short [BSIZE](#): 2
 - unsigned short [EXENB](#): 1
- } [BIT](#)

5.42.1 Detailed Description

Definition at line [2608](#) of file [iodefine.h](#).

5.42.2 Field Documentation

5.42.2.1 BIT

5.42.2.2 WORD

The documentation for this union was generated from the following files:

5.43 st_bsc_t.CS7MOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [PRMOD](#): 1
 - unsigned [short](#): 5
 - unsigned short [PWENB](#): 1
 - unsigned short [PRENB](#): 1
 - unsigned short [EWENB](#): 1
 - unsigned short [WRMOD](#): 1
- } [BIT](#)

5.43.1 Detailed Description

Definition at line [2208](#) of file [iodefine.h](#).

5.43.2 Field Documentation

5.43.2.1 BIT

5.43.2.2 WORD

The documentation for this union was generated from the following files:

5.44 st_bsc_t.CS7REC Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [WRCV](#): 4
 - unsigned short [RRCV](#): 4
- } [BIT](#)

5.44.1 Detailed Description

Definition at line [2634](#) of file [iodefine.h](#).

5.44.2 Field Documentation

5.44.2.1 BIT

5.44.2.2 WORD

The documentation for this union was generated from the following files:

5.45 st_bsc_t.CS7WCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 3
 - unsigned long [CSRWAIT](#): 5
 - unsigned long [CSWWAIT](#): 5
 - unsigned long [CSPRWAIT](#): 3
 - unsigned long [CSPWWAIT](#): 3
- } [BIT](#)

5.45.1 Detailed Description

Definition at line [2233](#) of file [iodef.h](#).

5.45.2 Field Documentation

5.45.2.1 BIT

5.45.2.2 LONG

The documentation for this union was generated from the following files:

5.46 st_bsc_t.CS7WCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [CSON](#): 3
 - unsigned long [WDON](#): 3
 - unsigned long [WRON](#): 3
 - unsigned long [RDON](#): 3
 - unsigned long [AWAIT](#): 2
 - unsigned long [WDOFF](#): 3
 - unsigned long [CSWOFF](#): 3
 - unsigned long [CSROFF](#): 3
- } [BIT](#)

5.46.1 Detailed Description

Definition at line [2258](#) of file [iodef.h](#).

5.46.2 Field Documentation

5.46.2.1 BIT

5.46.2.2 LONG

The documentation for this union was generated from the following files:

5.47 st_bsc_t.CSRECEN Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [RCVENM7](#): 1
 - unsigned short [RCVENM6](#): 1
 - unsigned short [RCVENM5](#): 1
 - unsigned short [RCVENM4](#): 1
 - unsigned short [RCVENM3](#): 1
 - unsigned short [RCVENM2](#): 1
 - unsigned short [RCVENM1](#): 1
 - unsigned short [RCVENM0](#): 1
 - unsigned short [RCVEN7](#): 1
 - unsigned short [RCVEN6](#): 1
 - unsigned short [RCVEN5](#): 1
 - unsigned short [RCVEN4](#): 1
 - unsigned short [RCVEN3](#): 1
 - unsigned short [RCVEN2](#): 1
 - unsigned short [RCVEN1](#): 1
 - unsigned short [RCVEN0](#): 1
- } [BIT](#)

5.47.1 Detailed Description

Definition at line [2652](#) of file [iodefine.h](#).

5.47.2 Field Documentation

5.47.2.1 BIT

5.47.2.2 WORD

The documentation for this union was generated from the following files:

5.48 st_bsc_t.EBMAPCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [PRERR](#): 1
 - unsigned [long](#): 12
 - unsigned long [PR5SEL](#): 3
 - unsigned long [PR4SEL](#): 3
 - unsigned long [PR3SEL](#): 3
 - unsigned long [PR2SEL](#): 3
 - unsigned long [PR1SEL](#): 3
- } [BIT](#)

5.48.1 Detailed Description

Definition at line 2884 of file [iodefine.h](#).

5.48.2 Field Documentation

5.48.2.1 BIT

5.48.2.2 LONG

The documentation for this union was generated from the following files:

5.49 st__bsc__t.SDADR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [MXC](#): 2
} [BIT](#)

5.49.1 Detailed Description

Definition at line 2811 of file [iodefine.h](#).

5.49.2 Field Documentation

5.49.2.1 BIT

5.49.2.2 BYTE

The documentation for this union was generated from the following files:

5.50 st__bsc__t.SDAMOD Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [BE](#): 1
} [BIT](#)

5.50.1 Detailed Description

Definition at line [2724](#) of file [iodefne.h](#).

5.50.2 Field Documentation

5.50.2.1 BIT

5.50.2.2 BYTE

The documentation for this union was generated from the following files:

5.51 st_bsc_t.SDCCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [BSIZE](#): 2
 - unsigned char [EXENB](#): 1
- } [BIT](#)

5.51.1 Detailed Description

Definition at line [2694](#) of file [iodefne.h](#).

5.51.2 Field Documentation

5.51.2.1 BIT

5.51.2.2 BYTE

The documentation for this union was generated from the following files:

5.52 st_bsc_t.SDCMOD Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [EMODE](#): 1
- } [BIT](#)

5.52.1 Detailed Description

Definition at line 2711 of file [iodefne.h](#).

5.52.2 Field Documentation

5.52.2.1 BIT

5.52.2.2 BYTE

The documentation for this union was generated from the following files:

5.53 st_bsc_t.SDICR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [INIRQ](#): 1
} [BIT](#)

5.53.1 Detailed Description

Definition at line 2779 of file [iodefne.h](#).

5.53.2 Field Documentation

5.53.2.1 BIT

5.53.2.2 BYTE

The documentation for this union was generated from the following files:

5.54 st_bsc_t.SDIR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 5
 unsigned short [PRC](#): 3
 unsigned short [ARFC](#): 4
 unsigned short [ARFI](#): 4
} [BIT](#)

5.54.1 Detailed Description

Definition at line [2793](#) of file [iodefine.h](#).

5.54.2 Field Documentation

5.54.2.1 BIT

5.54.2.2 WORD

The documentation for this union was generated from the following files:

5.55 st__bsc__t.SDMOD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 1
 - unsigned short [MR](#): 15
- } [BIT](#)

5.55.1 Detailed Description

Definition at line [2850](#) of file [iodefine.h](#).

5.55.2 Field Documentation

5.55.2.1 BIT

5.55.2.2 WORD

The documentation for this union was generated from the following files:

5.56 st__bsc__t.SDRFCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [REFW](#): 4
 - unsigned short [RFC](#): 12
- } [BIT](#)

5.56.1 Detailed Description

Definition at line 2752 of file [iodefine.h](#).

5.56.2 Field Documentation

5.56.2.1 BIT

5.56.2.2 WORD

The documentation for this union was generated from the following files:

5.57 st_bsc_t.SDRFEN Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [RFEN](#): 1
} [BIT](#)

5.57.1 Detailed Description

Definition at line 2765 of file [iodefine.h](#).

5.57.2 Field Documentation

5.57.2.1 BIT

5.57.2.2 BYTE

The documentation for this union was generated from the following files:

5.58 st_bsc_t.SDSELF Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [SFEN](#): 1
} [BIT](#)

5.58.1 Detailed Description

Definition at line [2738](#) of file [iodefne.h](#).

5.58.2 Field Documentation

5.58.2.1 BIT

5.58.2.2 BYTE

The documentation for this union was generated from the following files:

5.59 st_bsc_t.SDSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [char](#): 3
 - unsigned char [SRFST](#): 1
 - unsigned char [INIST](#): 1
 - unsigned char [MRSST](#): 1
- } [BIT](#)

5.59.1 Detailed Description

Definition at line [2864](#) of file [iodefne.h](#).

5.59.2 Field Documentation

5.59.2.1 BIT

5.59.2.2 BYTE

The documentation for this union was generated from the following files:

5.60 st_bsc_t.SDTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 13
 - unsigned long [RAS](#): 3
 - unsigned long [RCD](#): 2
 - unsigned long [RP](#): 3
 - unsigned long [WR](#): 1
 - unsigned long [CL](#): 3
- } [BIT](#)

5.60.1 Detailed Description

Definition at line 2825 of file [iodefine.h](#).

5.60.2 Field Documentation

5.60.2.1 BIT


5.60.2.2 LONG

The documentation for this union was generated from the following files:

5.61 st_cac_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_cac_t:



Data Fields

- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char CFME: 1
 } BIT
 } CACR0
- union {
 unsigned char BYTE
 struct {
 unsigned char EDGES: 2
 unsigned char TCSS: 2
 unsigned char FMCS: 3
 unsigned char CACREFE: 1
 } BIT
 } CACR1
- union {
 unsigned char BYTE
 struct {
 unsigned char DFS: 2
 unsigned char RCDS: 2
 unsigned char RSCS: 3
 unsigned char RPS: 1
 } BIT
 } CACR2
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char OVFFCL: 1
 unsigned char MENDFCL: 1
 unsigned char FERRFCL: 1
 unsigned char OVFIE: 1
 unsigned char MENDIE: 1
 unsigned char FERRIE: 1
 } BIT
 } CAICR
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char OVFF: 1
 unsigned char MENDF: 1
 unsigned char FERRF: 1
 } BIT
 } CASTR
- char wk0 [1]
- unsigned short CAULVR
- unsigned short CALLVR
- unsigned short CACNTBR

5.61.1 Detailed Description

Definition at line 2917 of file [iodefne.h](#).

5.61.2 Field Documentation

5.61.2.1 CACNTBR

unsigned short st_cac_t::CACNTBR

Definition at line 3010 of file [iodefne.h](#).

5.61.2.2 [union]

union { ... } st_cac_t::CACR0

5.61.2.3 [union]

union { ... } st_cac_t::CACR1

5.61.2.4 [union]

union { ... } st_cac_t::CACR2

5.61.2.5 [union]

union { ... } st_cac_t::CAICR

5.61.2.6 CALLVR

unsigned short st_cac_t::CALLVR

Definition at line 3009 of file [iodefne.h](#).

5.61.2.7 [union]

union { ... } st_cac_t::CASTR

5.61.2.8 CAULVR

unsigned short st_cac_t::CAULVR

Definition at line 3008 of file [iodefne.h](#).

5.61.2.9 wk0

char st_cac_t::wk0[1]

Definition at line 3007 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.62 st_cac_t.CACR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [char](#): 7
 unsigned char [CFME](#): 1
} [BIT](#)

5.62.1 Detailed Description

Definition at line 2918 of file [iodefine.h](#).

5.62.2 Field Documentation

5.62.2.1 BIT

5.62.2.2 BYTE

The documentation for this union was generated from the following files:

5.63 st_cac_t.CACR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [EDGES](#): 2
 unsigned char [TCSS](#): 2
 unsigned char [FMCS](#): 3
 unsigned char [CACREFE](#): 1
} [BIT](#)

5.63.1 Detailed Description

Definition at line 2931 of file [iodefine.h](#).

5.63.2 Field Documentation

5.63.2.1 BIT

5.63.2.2 BYTE

The documentation for this union was generated from the following files:

5.64 st_cac_t.CACR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DFS](#): 2
 - unsigned char [RCDS](#): 2
 - unsigned char [RSCS](#): 3
 - unsigned char [RPS](#): 1
- } [BIT](#)

5.64.1 Detailed Description

Definition at line 2948 of file [iodefine.h](#).

5.64.2 Field Documentation

5.64.2.1 BIT

5.64.2.2 BYTE

The documentation for this union was generated from the following files:

5.65 st_cac_t.CAICR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [OVFFCL](#): 1
 - unsigned char [MENDFCL](#): 1
 - unsigned char [FERRFCL](#): 1
 - unsigned char [OVFIE](#): 1
 - unsigned char [MENDIE](#): 1
 - unsigned char [FERRIE](#): 1
- } [BIT](#)

5.65.1 Detailed Description

Definition at line [2965](#) of file [iodefine.h](#).

5.65.2 Field Documentation

5.65.2.1 BIT

5.65.2.2 BYTE

The documentation for this union was generated from the following files:

5.66 st_cac_t.CASTR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 5
 - unsigned char [OVFF](#): 1
 - unsigned char [MENDF](#): 1
 - unsigned char [FERRF](#): 1
- } [BIT](#)

5.66.1 Detailed Description

Definition at line [2990](#) of file [iodefine.h](#).

5.66.2 Field Documentation

5.66.2.1 BIT


5.66.2.2 BYTE

The documentation for this union was generated from the following files:

5.67 st_can_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_can_t:



Data Fields

- struct {

```

    union {
    unsigned long LONG
        struct {
    unsigned short H
    unsigned short L
        } WORD
        struct {
    unsigned char HH
    unsigned char HL
    unsigned char LH
    unsigned char LL
        } BYTE
        struct {
    unsigned long IDE: 1
    unsigned long RTR: 1
    unsigned long: 1
    unsigned long SID: 11
    unsigned long EID: 18
        } BIT
    } ID
    unsigned short DLC
    unsigned char DATA [8]
        unsigned short TS
    } MB [32]

```

- union {
 unsigned long LONG
 struct {
 unsigned short H
 unsigned short L
 } WORD
 struct {
 unsigned char HH
 unsigned char HL
 unsigned char LH
 unsigned char LL
 } BYTE
 struct {
 unsigned long: 3
 unsigned long SID: 11
 unsigned long EID: 18
 } BIT
 } MKR [8]

- union {
 unsigned long LONG
 struct {
 unsigned short H
 unsigned short L
 } WORD
 struct {
 unsigned char HH
 unsigned char HL
 unsigned char LH
 unsigned char LL
 } BYTE
 struct {
 unsigned long IDE: 1

```

unsigned long RTR: 1
unsigned long: 1
unsigned long SID: 11
unsigned long EID: 18
    } BIT
} FIDCR0

```

- union {


```

      unsigned long LONG
      struct {
      unsigned short H
      unsigned short L
      } WORD
      struct {
      unsigned char HH
      unsigned char HL
      unsigned char LH
      unsigned char LL
      } BYTE
      struct {
      unsigned long IDE: 1
      unsigned long RTR: 1
      unsigned long: 1
      unsigned long SID: 11
      unsigned long EID: 18
      } BIT
      } FIDCR1
      
```

- union {


```

      unsigned long LONG
      struct {
      unsigned short H
      unsigned short L
      } WORD
      struct {
      unsigned char HH
      unsigned char HL
      unsigned char LH
      unsigned char LL
      } BYTE
      struct {
      unsigned long MB31: 1
      unsigned long MB30: 1
      unsigned long MB29: 1
      unsigned long MB28: 1
      unsigned long MB27: 1
      unsigned long MB26: 1
      unsigned long MB25: 1
      unsigned long MB24: 1
      unsigned long MB23: 1
      unsigned long MB22: 1
      unsigned long MB21: 1
      unsigned long MB20: 1
      unsigned long MB19: 1
      unsigned long MB18: 1
      unsigned long MB17: 1
      unsigned long MB16: 1
      unsigned long MB15: 1
      
```

```

unsigned long MB14: 1
unsigned long MB13: 1
unsigned long MB12: 1
unsigned long MB11: 1
unsigned long MB10: 1
unsigned long MB9: 1
unsigned long MB8: 1
unsigned long MB7: 1
unsigned long MB6: 1
unsigned long MB5: 1
unsigned long MB4: 1
unsigned long MB3: 1
unsigned long MB2: 1
unsigned long MB1: 1
unsigned long MB0: 1
    } BIT
} MKIVLR

```

- union {
 - unsigned long LONG
 - struct {
 unsigned short H
 unsigned short L
 } WORD
 struct {
 unsigned char HH
 unsigned char HL
 unsigned char LH
 unsigned char LL
 } BYTE
 struct {
 unsigned long MB31: 1
 unsigned long MB30: 1
 unsigned long MB29: 1
 unsigned long MB28: 1
 unsigned long MB27: 1
 unsigned long MB26: 1
 unsigned long MB25: 1
 unsigned long MB24: 1
 unsigned long MB23: 1
 unsigned long MB22: 1
 unsigned long MB21: 1
 unsigned long MB20: 1
 unsigned long MB19: 1
 unsigned long MB18: 1
 unsigned long MB17: 1
 unsigned long MB16: 1
 unsigned long MB15: 1
 unsigned long MB14: 1
 unsigned long MB13: 1
 unsigned long MB12: 1
 unsigned long MB11: 1
 unsigned long MB10: 1
 unsigned long MB9: 1
 unsigned long MB8: 1
 unsigned long MB7: 1
 unsigned long MB6: 1
 unsigned long MB5: 1
 }

- ```

 unsigned long MB4: 1
 unsigned long MB3: 1
 unsigned long MB2: 1
 unsigned long MB1: 1
 unsigned long MB0: 1
 } BIT
} MIER

```
- char wk0 [1008]
  - union {
 

```

 unsigned char BYTE
 union {
 struct {
 unsigned char TRMREQ: 1
 unsigned char RECREQ: 1
 unsigned char: 1
 unsigned char ONESHOT: 1
 unsigned char TRMABT: 1
 unsigned char TRMACTIVE: 1
 unsigned char SENTDATA: 1
 } TX
 struct {
 unsigned char TRMREQ: 1
 unsigned char RECREQ: 1
 unsigned char: 1
 unsigned char ONESHOT: 1
 unsigned char MSGLOST: 1
 unsigned char INVALIDDATA: 1
 unsigned char NEWDATA: 1
 } RX
 } BIT
 } MCTL [32]

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned char H
 unsigned char L
 } BYTE
 struct {
 unsigned short: 2
 unsigned short RBOC: 1
 unsigned short BOM: 2
 unsigned short SLPM: 1
 unsigned short CANM: 2
 unsigned short TSPS: 2
 unsigned short TSRC: 1
 unsigned short TPM: 1
 unsigned short MLM: 1
 unsigned short IDFM: 2
 unsigned short MBM: 1
 } BIT
 } CTLR

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned char H

```

```

unsigned char L
} BYTE
struct {
unsigned short: 1
unsigned short RECST: 1
unsigned short TRMST: 1
unsigned short BOST: 1
unsigned short EPST: 1
unsigned short SLPST: 1
unsigned short HLTST: 1
unsigned short RSTST: 1
unsigned short EST: 1
unsigned short TABST: 1
unsigned short FMLST: 1
unsigned short NMLST: 1
unsigned short TFST: 1
unsigned short RFST: 1
unsigned short SDST: 1
unsigned short NDST: 1
} BIT
} STR

```

- union {
 unsigned long LONG
 struct {
 unsigned short H
 unsigned short L
 } WORD
 struct {
 unsigned char HH
 unsigned char HL
 unsigned char LH
 unsigned char LL
 } BYTE
 struct {
 unsigned long TSEG1: 4
 unsigned long: 2
 unsigned long BRP: 10
 unsigned long SJW: 2
 unsigned long TSEG2: 3
 unsigned long CCLKS: 1
 } BIT
 } BCR

- union {
 unsigned char BYTE
 struct {
 unsigned char RFEST: 1
 unsigned char RFWST: 1
 unsigned char RFFST: 1
 unsigned char RFMLF: 1
 unsigned char RFUST: 3
 unsigned char RFE: 1
 } BIT
 } RFCR

- unsigned char RFPCR
- union {



- ```

unsigned char BYTE
    struct {
        unsigned char TFEST: 1
        unsigned char TFFST: 1
        unsigned char: 2
        unsigned char TFUST: 3
        unsigned char TFE: 1
    } BIT
    } TFCR

```
- unsigned char TFPCR
 - union {


```

      unsigned char BYTE
          struct {
              unsigned char BLIE: 1
              unsigned char OLIE: 1
              unsigned char ORIE: 1
              unsigned char BORIE: 1
              unsigned char BOEIE: 1
              unsigned char EPIE: 1
              unsigned char EWIE: 1
              unsigned char BEIE: 1
          } BIT
      } EIER
      
```
 - union {


```

      unsigned char BYTE
          struct {
              unsigned char BLIF: 1
              unsigned char OLIF: 1
              unsigned char ORIF: 1
              unsigned char BORIF: 1
              unsigned char BOEIF: 1
              unsigned char EPIF: 1
              unsigned char EWIF: 1
              unsigned char BEIF: 1
          } BIT
      } EIFR
      
```
 - unsigned char RECR
 - unsigned char TECR
 - union {


```

      unsigned char BYTE
          struct {
              unsigned char EDPM: 1
              unsigned char ADEF: 1
              unsigned char BE0F: 1
              unsigned char BE1F: 1
              unsigned char CEF: 1
              unsigned char AEF: 1
              unsigned char FEF: 1
              unsigned char SEF: 1
          } BIT
      } ECSR
      
```
 - unsigned char CSSR
 - union {


```

      unsigned char BYTE
      
```

```

    struct {
        unsigned char SEST: 1
        unsigned char: 2
        unsigned char MBNST: 5
    } BIT
} MSSR

• union {
    unsigned char BYTE
    struct {
        unsigned char: 6
        unsigned char MBSM: 2
    } BIT
} MSMR

• unsigned short TSR
• unsigned short AFSR
• union {
    unsigned char BYTE
    struct {
        unsigned char: 5
        unsigned char TSTM: 2
        unsigned char TSTE: 1
    } BIT
} TCR

```

5.67.1 Detailed Description

Definition at line 3013 of file [iodefine.h](#).

5.67.2 Field Documentation

5.67.2.1 AFSR

unsigned short st_can_t::AFSR

Definition at line 3613 of file [iodefine.h](#).

5.67.2.2 [union]

union { ... } st_can_t::BCR

5.67.2.3 CSSR

unsigned char st_can_t::CSSR

Definition at line 3583 of file [iodefine.h](#).

5.67.2.4 [union]

```
union { ... } st_can_t::CTRL
```

5.67.2.5 [union]

```
union { ... } st_can_t::ECSR
```

5.67.2.6 [union]

```
union { ... } st_can_t::EIER
```

5.67.2.7 [union]

```
union { ... } st_can_t::EIFR
```

5.67.2.8 [union]

```
union { ... } st_can_t::FIDCR0
```

5.67.2.9 [union]

```
union { ... } st_can_t::FIDCR1
```

5.67.2.10 [struct]

```
struct { ... } st_can_t::MB[32]
```

5.67.2.11 [union]

```
union { ... } st_can_t::MCTL[32]
```

5.67.2.12 [union]

```
union { ... } st_can_t::MIER
```

5.67.2.13 [union]

```
union { ... } st_can_t::MKIVLR
```

5.67.2.14 [union]

```
union { ... } st_can_t::MKR[8]
```

5.67.2.15 [union]

```
union { ... } st_can_t::MSMR
```

5.67.2.16 [union]

```
union { ... } st_can_t::MSSR
```

5.67.2.17 RECR

```
unsigned char st_can_t::RECR
```

Definition at line [3556](#) of file [iodefine.h](#).

5.67.2.18 [union]

```
union { ... } st_can_t::RFCR
```

5.67.2.19 RFPCR

```
unsigned char st_can_t::RFPCR
```

Definition at line [3485](#) of file [iodefine.h](#).

5.67.2.20 [union]

```
union { ... } st_can_t::STR
```

5.67.2.21 [union]

```
union { ... } st_can_t::TCR
```

5.67.2.22 TECR

```
unsigned char st_can_t::TECR
```

Definition at line [3557](#) of file [iodefine.h](#).

5.67.2.23 [union]

```
union { ... } st_can_t::TFCR
```

5.67.2.24 TFPCR

```
unsigned char st_can_t::TFPCR
```

Definition at line [3505](#) of file [iodefne.h](#).

5.67.2.25 TSR

```
unsigned short st_can_t::TSR
```

Definition at line [3612](#) of file [iodefne.h](#).

5.67.2.26 wk0

```
char st_can_t::wk0[1008]
```

Definition at line [3297](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.68 st_can_t.BCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
} [WORD](#)
- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
} [BYTE](#)
- struct {
 unsigned long [TSEG1](#): 4
 unsigned long: 2
 unsigned long [BRP](#): 10
 unsigned long [SJW](#): 2
 unsigned long [TSEG2](#): 3
 unsigned long [CCLKS](#): 1
} [BIT](#)

5.68.1 Detailed Description

Definition at line [3427](#) of file [iodefine.h](#).

5.68.2 Field Documentation

5.68.2.1 BIT

5.68.2.2 BYTE

5.68.2.3 LONG

5.68.2.4 WORD

The documentation for this union was generated from the following files:

5.69 st_can_t.CTLR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned char [H](#)
 unsigned char [L](#)
} [BYTE](#)
- struct {
 unsigned [short](#): 2
 unsigned short [RBOC](#): 1
 unsigned short [BOM](#): 2
 unsigned short [SLPM](#): 1
 unsigned short [CANM](#): 2
 unsigned short [TSPS](#): 2
 unsigned short [TSRC](#): 1
 unsigned short [TPM](#): 1
 unsigned short [MLM](#): 1
 unsigned short [IDFM](#): 2
 unsigned short [MBM](#): 1
} [BIT](#)

5.69.1 Detailed Description

Definition at line [3347](#) of file [iodefine.h](#).

5.69.2 Field Documentation

5.69.2.1 BIT

5.69.2.2 BYTE

5.69.2.3 WORD

The documentation for this union was generated from the following files:

5.70 st_can_t.ECSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [EDPM](#): 1
 - unsigned char [ADEF](#): 1
 - unsigned char [BE0F](#): 1
 - unsigned char [BE1F](#): 1
 - unsigned char [CEF](#): 1
 - unsigned char [AEF](#): 1
 - unsigned char [FEF](#): 1
 - unsigned char [SEF](#): 1
- } [BIT](#)

5.70.1 Detailed Description

Definition at line [3558](#) of file [iodefine.h](#).

5.70.2 Field Documentation

5.70.2.1 BIT

5.70.2.2 BYTE

The documentation for this union was generated from the following files:

5.71 st_can_t.EIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [BLIE](#): 1
 - unsigned char [OLIE](#): 1
 - unsigned char [ORIE](#): 1
 - unsigned char [BORIE](#): 1
 - unsigned char [BOEIE](#): 1
 - unsigned char [EPIE](#): 1
 - unsigned char [EWIE](#): 1
 - unsigned char [BEIE](#): 1
- } [BIT](#)

5.71.1 Detailed Description

Definition at line [3506](#) of file [iodefine.h](#).

5.71.2 Field Documentation

5.71.2.1 BIT

5.71.2.2 BYTE

The documentation for this union was generated from the following files:

5.72 st_can_t.EIFR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [BLIF](#): 1
 - unsigned char [OLIF](#): 1
 - unsigned char [ORIF](#): 1
 - unsigned char [BORIF](#): 1
 - unsigned char [BOEIF](#): 1
 - unsigned char [EPIF](#): 1
 - unsigned char [EWIF](#): 1
 - unsigned char [BEIF](#): 1
- } [BIT](#)

5.72.1 Detailed Description

Definition at line [3531](#) of file [iodefine.h](#).

5.72.2 Field Documentation

5.72.2.1 BIT

5.72.2.2 BYTE

The documentation for this union was generated from the following files:

5.73 st_can_t.FIDCR0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned short [H](#)
 - unsigned short [L](#) } [WORD](#)
- struct {
 - unsigned char [HH](#)
 - unsigned char [HL](#)
 - unsigned char [LH](#)
 - unsigned char [LL](#) } [BYTE](#)
- struct {
 - unsigned long [IDE](#): 1
 - unsigned long [RTR](#): 1
 - unsigned [long](#): 1
 - unsigned long [SID](#): 11
 - unsigned long [EID](#): 18 } [BIT](#)

5.73.1 Detailed Description

Definition at line [3073](#) of file [iodefine.h](#).

5.73.2 Field Documentation

5.73.2.1 BIT

5.73.2.2 BYTE

5.73.2.3 LONG

5.73.2.4 WORD

The documentation for this union was generated from the following files:

5.74 st_can_t.FIDCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
} [WORD](#)
- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
} [BYTE](#)
- struct {
 unsigned long [IDE](#): 1
 unsigned long [RTR](#): 1
 unsigned [long](#): 1
 unsigned long [SID](#): 11
 unsigned long [EID](#): 18
} [BIT](#)

5.74.1 Detailed Description

Definition at line [3102](#) of file [iodefine.h](#).

5.74.2 Field Documentation

5.74.2.1 BIT

5.74.2.2 BYTE

5.74.2.3 LONG

5.74.2.4 WORD

The documentation for this union was generated from the following files:

5.75 st_can_t.MB Struct Reference

Data Fields

- union {
 unsigned long [LONG](#)
 struct {
 unsigned short [H](#)
 unsigned short [L](#)
 } [WORD](#)
 struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
 } [BYTE](#)
 struct {
 unsigned long [IDE](#): 1
 unsigned long [RTR](#): 1
 unsigned [long](#): 1
 unsigned long [SID](#): 11
 unsigned long [EID](#): 18
 } [BIT](#)
} [ID](#)
- unsigned short [DLC](#)
- unsigned char [DATA](#) [8]
- unsigned short [TS](#)

5.75.1 Detailed Description

Definition at line [3014](#) of file [iodefine.h](#).

5.75.2 Field Documentation

5.75.2.1 DATA

5.75.2.2 DLC

5.75.2.3 ID

5.75.2.4 TS

The documentation for this struct was generated from the following files:

5.76 st_can_t.MB.ID Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
} [WORD](#)
- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
} [BYTE](#)
- struct {
 unsigned long [IDE](#): 1
 unsigned long [RTR](#): 1
 unsigned [long](#): 1
 unsigned long [SID](#): 11
 unsigned long [EID](#): 18
} [BIT](#)

5.76.1 Detailed Description

Definition at line [3015](#) of file [iodefine.h](#).

5.76.2 Field Documentation

5.76.2.1 BIT

5.76.2.2 BYTE

5.76.2.3 LONG

5.76.2.4 WORD

The documentation for this union was generated from the following files:

5.77 st_can_t.MCTL Union Reference

Data Fields

- unsigned char [BYTE](#)
- union {
 - struct {
 - unsigned char [TRMREQ](#): 1
 - unsigned char [RECREQ](#): 1
 - unsigned [char](#): 1
 - unsigned char [ONESHOT](#): 1
 - unsigned char [TRMABT](#): 1
 - unsigned char [TRMACTIVE](#): 1
 - unsigned char [SENTDATA](#): 1
 - } [TX](#)
 - struct {
 - unsigned char [TRMREQ](#): 1
 - unsigned char [RECREQ](#): 1
 - unsigned [char](#): 1
 - unsigned char [ONESHOT](#): 1
 - unsigned char [MSGLOST](#): 1
 - unsigned char [INVALIDDATA](#): 1
 - unsigned char [NEWDATA](#): 1
 - } [RX](#)
- } [BIT](#)

5.77.1 Detailed Description

Definition at line [3298](#) of file [iodefine.h](#).

5.77.2 Field Documentation

5.77.2.1 BIT

5.77.2.2 BYTE

The documentation for this union was generated from the following files:

5.78 st_can_t.MCTL.BIT Union Reference

Data Fields

- struct {
 - unsigned char [TRMREQ](#): 1
 - unsigned char [RECREQ](#): 1
 - unsigned [char](#): 1
 - unsigned char [ONESHOT](#): 1
 - unsigned char [TRMABT](#): 1
 - unsigned char [TRMACTIVE](#): 1
 - unsigned char [SENTDATA](#): 1
- } [TX](#)

- struct {
 unsigned char [TRMREQ](#): 1
 unsigned char [RECREQ](#): 1
 unsigned [char](#): 1
 unsigned char [ONESHOT](#): 1
 unsigned char [MSGLOST](#): 1
 unsigned char [INVALDATA](#): 1
 unsigned char [NEWDATA](#): 1
 } [RX](#)

5.78.1 Detailed Description

Definition at line [3300](#) of file [iodefine.h](#).

5.78.2 Field Documentation

5.78.2.1 RX

5.78.2.2 TX

The documentation for this union was generated from the following files:

5.79 [st_can_t](#).MIER Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
 } [WORD](#)
- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
 } [BYTE](#)
- struct {
 unsigned long [MB31](#): 1
 unsigned long [MB30](#): 1
 unsigned long [MB29](#): 1
 unsigned long [MB28](#): 1
 unsigned long [MB27](#): 1
 unsigned long [MB26](#): 1
 unsigned long [MB25](#): 1
 unsigned long [MB24](#): 1
 unsigned long [MB23](#): 1
 unsigned long [MB22](#): 1

```
unsigned long MB21: 1
unsigned long MB20: 1
unsigned long MB19: 1
unsigned long MB18: 1
unsigned long MB17: 1
unsigned long MB16: 1
unsigned long MB15: 1
unsigned long MB14: 1
unsigned long MB13: 1
unsigned long MB12: 1
unsigned long MB11: 1
unsigned long MB10: 1
unsigned long MB9: 1
unsigned long MB8: 1
unsigned long MB7: 1
unsigned long MB6: 1
unsigned long MB5: 1
unsigned long MB4: 1
unsigned long MB3: 1
unsigned long MB2: 1
unsigned long MB1: 1
unsigned long MB0: 1
} BIT
```

5.79.1 Detailed Description

Definition at line 3214 of file [iodefine.h](#).

5.79.2 Field Documentation

5.79.2.1 BIT

5.79.2.2 BYTE

5.79.2.3 LONG

5.79.2.4 WORD

The documentation for this union was generated from the following files:

5.80 st_can_t.MKIVLR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
} [WORD](#)

- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
 } [BYTE](#)
- struct {
 unsigned long [MB31](#): 1
 unsigned long [MB30](#): 1
 unsigned long [MB29](#): 1
 unsigned long [MB28](#): 1
 unsigned long [MB27](#): 1
 unsigned long [MB26](#): 1
 unsigned long [MB25](#): 1
 unsigned long [MB24](#): 1
 unsigned long [MB23](#): 1
 unsigned long [MB22](#): 1
 unsigned long [MB21](#): 1
 unsigned long [MB20](#): 1
 unsigned long [MB19](#): 1
 unsigned long [MB18](#): 1
 unsigned long [MB17](#): 1
 unsigned long [MB16](#): 1
 unsigned long [MB15](#): 1
 unsigned long [MB14](#): 1
 unsigned long [MB13](#): 1
 unsigned long [MB12](#): 1
 unsigned long [MB11](#): 1
 unsigned long [MB10](#): 1
 unsigned long [MB9](#): 1
 unsigned long [MB8](#): 1
 unsigned long [MB7](#): 1
 unsigned long [MB6](#): 1
 unsigned long [MB5](#): 1
 unsigned long [MB4](#): 1
 unsigned long [MB3](#): 1
 unsigned long [MB2](#): 1
 unsigned long [MB1](#): 1
 unsigned long [MB0](#): 1
 } [BIT](#)

5.80.1 Detailed Description

Definition at line [3131](#) of file [iodefne.h](#).

5.80.2 Field Documentation

5.80.2.1 BIT

5.80.2.2 BYTE

5.80.2.3 LONG

5.80.2.4 WORD

The documentation for this union was generated from the following files:

5.81 st_can_t.MKR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned short [H](#)
 unsigned short [L](#)
} [WORD](#)
- struct {
 unsigned char [HH](#)
 unsigned char [HL](#)
 unsigned char [LH](#)
 unsigned char [LL](#)
} [BYTE](#)
- struct {
 unsigned [long](#): 3
 unsigned long [SID](#): 11
 unsigned long [EID](#): 18
} [BIT](#)

5.81.1 Detailed Description

Definition at line [3048](#) of file [iodefine.h](#).

5.81.2 Field Documentation

5.81.2.1 BIT

5.81.2.2 BYTE

5.81.2.3 LONG

5.81.2.4 WORD

The documentation for this union was generated from the following files:

5.82 st_can_t.MSMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [MBSM](#): 2
} [BIT](#)

5.82.1 Detailed Description

Definition at line [3599](#) of file [iodefne.h](#).

5.82.2 Field Documentation

5.82.2.1 BIT

5.82.2.2 BYTE

The documentation for this union was generated from the following files:

5.83 st_can_t.MSSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [SEST](#): 1
 - unsigned [char](#): 2
 - unsigned char [MBNST](#): 5
- } [BIT](#)

5.83.1 Detailed Description

Definition at line [3584](#) of file [iodefne.h](#).

5.83.2 Field Documentation

5.83.2.1 BIT

5.83.2.2 BYTE

The documentation for this union was generated from the following files:

5.84 st_can_t.RFCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [RFEST](#): 1
 - unsigned char [RFWST](#): 1
 - unsigned char [RFFST](#): 1
 - unsigned char [RFMLF](#): 1
 - unsigned char [RFUST](#): 3
 - unsigned char [RFE](#): 1
- } [BIT](#)

5.84.1 Detailed Description

Definition at line [3464](#) of file [iodefine.h](#).

5.84.2 Field Documentation

5.84.2.1 BIT

5.84.2.2 BYTE

The documentation for this union was generated from the following files:

5.85 st_can_t.STR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned char [H](#)
 - unsigned char [L](#)[} BYTE](#)
- struct {
 - unsigned [short](#): 1
 - unsigned short [RECST](#): 1
 - unsigned short [TRMST](#): 1
 - unsigned short [BOST](#): 1
 - unsigned short [EPST](#): 1
 - unsigned short [SLPST](#): 1
 - unsigned short [HLTST](#): 1
 - unsigned short [RSTST](#): 1
 - unsigned short [EST](#): 1
 - unsigned short [TABST](#): 1
 - unsigned short [FMLST](#): 1
 - unsigned short [NMLST](#): 1
 - unsigned short [TFST](#): 1
 - unsigned short [RFST](#): 1
 - unsigned short [SDST](#): 1
 - unsigned short [NDST](#): 1[} BIT](#)

5.85.1 Detailed Description

Definition at line [3382](#) of file [iodefine.h](#).

5.85.2 Field Documentation

5.85.2.1 BIT

5.85.2.2 BYTE

5.85.2.3 WORD

The documentation for this union was generated from the following files:

5.86 st_can_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [char](#): 5
 unsigned char [TSTM](#): 2
 unsigned char [TSTE](#): 1
} [BIT](#)

5.86.1 Detailed Description

Definition at line [3614](#) of file [iodefine.h](#).

5.86.2 Field Documentation

5.86.2.1 BIT

5.86.2.2 BYTE

The documentation for this union was generated from the following files:

5.87 st_can_t.TFCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [TFEST](#): 1
 unsigned char [TFFST](#): 1
 unsigned char [char](#): 2
 unsigned char [TFUST](#): 3
 unsigned char [TFE](#): 1
} [BIT](#)

5.87.1 Detailed Description

Definition at line 3486 of file [iodefne.h](#).

5.87.2 Field Documentation

5.87.2.1 BIT


5.87.2.2 BYTE

The documentation for this union was generated from the following files:

5.88 st_cmt0_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_cmt0_t:



Data Fields

- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 9
 - unsigned short [CMIE](#): 1
 - unsigned short [CKS](#): 2
 - } [BIT](#)
- unsigned short [CMCNT](#)
- unsigned short [CMCOR](#)

5.88.1 Detailed Description

Definition at line 3665 of file [iodefne.h](#).

5.88.2 Field Documentation

5.88.2.1 CMCNT

unsigned short st_cmt0_t::CMCNT

Definition at line [3683](#) of file [iodefne.h](#).

5.88.2.2 CMCOR

unsigned short st_cmt0_t::CMCOR

Definition at line [3684](#) of file [iodefne.h](#).

5.88.2.3 [union]

union { ... } st_cmt0_t::CMCR

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.89 st_cmt0_t.CMCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 9
 - unsigned short [CMIE](#): 1
 - unsigned short [CKS](#): 2
 } [BIT](#)

5.89.1 Detailed Description

Definition at line [3666](#) of file [iodefne.h](#).

5.89.2 Field Documentation

5.89.2.1 BIT


5.89.2.2 WORD

The documentation for this union was generated from the following files:

5.90 st_cmt_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st_cmt_t:



Data Fields

- union {
 unsigned short WORD
 struct {
 unsigned short: 14
 unsigned short STR1: 1
 unsigned short STR0: 1
 } BIT
} CMSTR0
- char wk0 [14]
- union {
 unsigned short WORD
 struct {
 unsigned short: 14
 unsigned short STR3: 1
 unsigned short STR2: 1
 } BIT
} CMSTR1

5.90.1 Detailed Description

Definition at line 3631 of file [iodefine.h](#).

5.90.2 Field Documentation

5.90.2.1 [union]

```
union { ... } st_cmt_t::CMSTR0
```

5.90.2.2 [union]

```
union { ... } st_cmt_t::CMSTR1
```

5.90.2.3 wk0

char st_cmt_t::wk0[14]

Definition at line 3647 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.91 st_cmt_t.CMSTR0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 14
 - unsigned short [STR1](#): 1
 - unsigned short [STR0](#): 1
- } [BIT](#)

5.91.1 Detailed Description

Definition at line 3632 of file [iodefine.h](#).

5.91.2 Field Documentation

5.91.2.1 BIT

5.91.2.2 WORD

The documentation for this union was generated from the following files:

5.92 st_cmt_t.CMSTR1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 14
 - unsigned short [STR3](#): 1
 - unsigned short [STR2](#): 1
- } [BIT](#)

5.92.1 Detailed Description

Definition at line 3648 of file [iodefine.h](#).

5.92.2 Field Documentation

5.92.2.1 BIT


5.92.2.2 WORD

The documentation for this union was generated from the following files:

5.93 st_cmtw_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_cmtw_t:



Data Fields

- union {
 unsigned short **WORD**
 struct {
 unsigned **short**: 15
 unsigned short **STR**: 1
 } **BIT**
 } **CMWSTR**
- char **wk0** [2]
- union {
 unsigned short **WORD**
 struct {
 unsigned short **CCLR**: 3
 unsigned **short**: 3
 unsigned short **CMS**: 1
 unsigned short **OC1IE**: 1
 unsigned short **OC0IE**: 1
 unsigned short **IC1IE**: 1
 unsigned short **IC0IE**: 1
 unsigned short **CMWIE**: 1
 unsigned short **CKS**: 2
 } **BIT**
 } **CMWCR**

- char [wk1](#) [2]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [CMWE](#): 1
 - unsigned [short](#): 1
 - unsigned short [OC1E](#): 1
 - unsigned short [OC0E](#): 1
 - unsigned short [OC1](#): 2
 - unsigned short [OC0](#): 2
 - unsigned short [IC1E](#): 1
 - unsigned short [IC0E](#): 1
 - unsigned short [IC1](#): 2
 - unsigned short [IC0](#): 2
 - } [BIT](#)
 - } [CMWIOR](#)
- char [wk2](#) [6]
- unsigned long [CMWCNT](#)
- unsigned long [CMWCOR](#)
- unsigned long [CMWICR0](#)
- unsigned long [CMWICR1](#)
- unsigned long [CMWOCR0](#)
- unsigned long [CMWOCR1](#)

5.93.1 Detailed Description

Definition at line [3687](#) of file [iodefine.h](#).

5.93.2 Field Documentation

5.93.2.1 CMWCNT

unsigned long st_cmtw_t::CMWCNT

Definition at line [3766](#) of file [iodefine.h](#).

5.93.2.2 CMWCOR

unsigned long st_cmtw_t::CMWCOR

Definition at line [3767](#) of file [iodefine.h](#).

5.93.2.3 [union]

union { ... } st_cmtw_t::CMWCR

5.93.2.4 CMWICR0

unsigned long st_cmtw_t::CMWICR0

Definition at line 3768 of file [iodefine.h](#).

5.93.2.5 CMWICR1

unsigned long st_cmtw_t::CMWICR1

Definition at line 3769 of file [iodefine.h](#).

5.93.2.6 [union]

union { ... } st_cmtw_t::CMWIOR

5.93.2.7 CMWOCR0

unsigned long st_cmtw_t::CMWOCR0

Definition at line 3770 of file [iodefine.h](#).

5.93.2.8 CMWOCR1

unsigned long st_cmtw_t::CMWOCR1

Definition at line 3771 of file [iodefine.h](#).

5.93.2.9 [union]

union { ... } st_cmtw_t::CMWSTR

5.93.2.10 wk0

char st_cmtw_t::wk0[2]

Definition at line 3701 of file [iodefine.h](#).

5.93.2.11 wk1

char st_cmtw_t::wk1[2]

Definition at line 3733 of file [iodefine.h](#).

5.93.2.12 wk2

char st_cmtw_t::wk2[6]

Definition at line 3765 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.94 st_cmtw_t.CMWCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CCLR](#): 3
 - unsigned [short](#): 3
 - unsigned short [CMS](#): 1
 - unsigned short [OC1IE](#): 1
 - unsigned short [OC0IE](#): 1
 - unsigned short [IC1IE](#): 1
 - unsigned short [IC0IE](#): 1
 - unsigned short [CMWIE](#): 1
 - unsigned short [CKS](#): 2
- } [BIT](#)

5.94.1 Detailed Description

Definition at line 3702 of file [iodefine.h](#).

5.94.2 Field Documentation

5.94.2.1 BIT

5.94.2.2 WORD

The documentation for this union was generated from the following files:

5.95 st_cmtw_t.CMWIOR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CMWE](#): 1
 - unsigned [short](#): 1
 - unsigned short [OC1E](#): 1
 - unsigned short [OC0E](#): 1
 - unsigned short [OC1](#): 2
 - unsigned short [OC0](#): 2
 - unsigned short [IC1E](#): 1
 - unsigned short [IC0E](#): 1
 - unsigned short [IC1](#): 2
 - unsigned short [IC0](#): 2
- } [BIT](#)

5.95.1 Detailed Description

Definition at line [3734](#) of file [iodefine.h](#).

5.95.2 Field Documentation

5.95.2.1 BIT

5.95.2.2 WORD

The documentation for this union was generated from the following files:

5.96 st_cmtw_t.CMWSTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 15
 - unsigned short [STR](#): 1
- } [BIT](#)

5.96.1 Detailed Description

Definition at line [3688](#) of file [iodefine.h](#).

5.96.2 Field Documentation

5.96.2.1 BIT


5.96.2.2 WORD

The documentation for this union was generated from the following files:

5.97 st_crc_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_crc_t:



Data Fields

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [DORCLR](#): 1
 - unsigned char [LMS](#): 1
 - unsigned [char](#): 3
 - unsigned char [GPS](#): 3
 - } [BIT](#)
 - } [CRCCR](#)
- char [wk0](#) [3]
- union {
 - unsigned long [LONG](#)
 - unsigned char [BYTE](#)
 - } [CRCDIR](#)
- union {
 - unsigned long [LONG](#)
 - unsigned short [WORD](#)
 - unsigned char [BYTE](#)
 - } [CRCDOR](#)

5.97.1 Detailed Description

Definition at line [3774](#) of file [iodefne.h](#).

5.97.2 Field Documentation

5.97.2.1 [union]

union { ... } st_crc_t::CRCCR

5.97.2.2 [union]

union { ... } st_crc_t::CRCDIR

5.97.2.3 [union]

union { ... } st_crc_t::CRCDOR

5.97.2.4 wk0

char st_crc_t::wk0[3]

Definition at line 3792 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.98 st_crc_t.CRCCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DORCLR](#): 1
 - unsigned char [LMS](#): 1
 - unsigned [char](#): 3
 - unsigned char [GPS](#): 3
- } [BIT](#)

5.98.1 Detailed Description

Definition at line 3775 of file [iodefne.h](#).

5.98.2 Field Documentation

5.98.2.1 BIT


5.98.2.2 BYTE

The documentation for this union was generated from the following files:

5.99 st_da_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st_da_t:



Data Fields

- unsigned short [DADR0](#)
- unsigned short [DADR1](#)
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [DAOE1](#): 1
 - unsigned char [DAOE0](#): 1
 - unsigned char [DAE](#): 1
 - unsigned [char](#): 5
 - } [BIT](#)
- } [DACR](#)

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [DPSEL](#): 1
 unsigned [char](#): 7
 } [BIT](#)
 } [DADPR](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [DAADST](#): 1
 unsigned [char](#): 7
 } [BIT](#)
 } [DAADSCR](#)
- char [wk0](#) [1]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [DAAMP1](#): 1
 unsigned char [DAAMP0](#): 1
 unsigned [char](#): 6
 } [BIT](#)
 } [DAAMPCR](#)
- char [wk1](#) [19]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [DAASW1](#): 1
 unsigned char [DAASW0](#): 1
 unsigned [char](#): 6
 } [BIT](#)
 } [DAASWCR](#)
- char [wk2](#) [17763]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [AMADSEL1](#): 1
 } [BIT](#)
 } [DAADUSR](#)

5.99.1 Detailed Description

Definition at line [3804](#) of file [iodefine.h](#).

5.99.2 Field Documentation

5.99.2.1 [union]

union { ... } st_da_t::DAADSCR

5.99.2.2 [union]

union { ... } st_da_t::DAADUSR

5.99.2.3 [union]

union { ... } st_da_t::DAAMPCR

5.99.2.4 [union]

union { ... } st_da_t::DAASWCR

5.99.2.5 [union]

union { ... } st_da_t::DACR

5.99.2.6 [union]

union { ... } st_da_t::DADPR

5.99.2.7 DADR0

unsigned short st_da_t::DADR0

Definition at line [3805](#) of file [iodefine.h](#).

5.99.2.8 DADR1

unsigned short st_da_t::DADR1

Definition at line [3806](#) of file [iodefine.h](#).

5.99.2.9 wk0

char st_da_t::wk0[1]

Definition at line [3850](#) of file [iodefine.h](#).

5.99.2.10 wk1

char st_da_t::wk1[19]

Definition at line [3866](#) of file [iodefine.h](#).

5.99.2.11 wk2

```
char st_da_t::wk2[17763]
```

Definition at line 3882 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.100 st_da_t.DAADSCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DAADST](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.100.1 Detailed Description

Definition at line 3837 of file [iodefne.h](#).

5.100.2 Field Documentation

5.100.2.1 BIT

5.100.2.2 BYTE

The documentation for this union was generated from the following files:

5.101 st_da_t.DAADUSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [AMADSEL1](#): 1
- } [BIT](#)

5.101.1 Detailed Description

Definition at line 3883 of file [iodefne.h](#).

5.101.2 Field Documentation

5.101.2.1 BIT

5.101.2.2 BYTE

The documentation for this union was generated from the following files:

5.102 st_da_t.DAAMPCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DAAMP1](#): 1
 - unsigned char [DAAMP0](#): 1
 - unsigned [char](#): 6
- } [BIT](#)

5.102.1 Detailed Description

Definition at line [3851](#) of file [iodefine.h](#).

5.102.2 Field Documentation

5.102.2.1 BIT

5.102.2.2 BYTE

The documentation for this union was generated from the following files:

5.103 st_da_t.DAASWCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DAASW1](#): 1
 - unsigned char [DAASW0](#): 1
 - unsigned [char](#): 6
- } [BIT](#)

5.103.1 Detailed Description

Definition at line [3867](#) of file [iodefne.h](#).

5.103.2 Field Documentation

5.103.2.1 BIT

5.103.2.2 BYTE

The documentation for this union was generated from the following files:

5.104 st_da_t.DACR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DAOE1](#): 1
 - unsigned char [DAOE0](#): 1
 - unsigned char [DAE](#): 1
 - unsigned [char](#): 5
- } [BIT](#)

5.104.1 Detailed Description

Definition at line [3807](#) of file [iodefne.h](#).

5.104.2 Field Documentation

5.104.2.1 BIT

5.104.2.2 BYTE

The documentation for this union was generated from the following files:

5.105 st_da_t.DADPR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [DPSEL](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.105.1 Detailed Description

Definition at line [3824](#) of file [iodefne.h](#).

5.105.2 Field Documentation

5.105.2.1 BIT


5.105.2.2 BYTE

The documentation for this union was generated from the following files:

5.106 st_dmac0_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_dmac0_t:



Data Fields

- `void *` [DMSAR](#)
- `void *` [DMDAR](#)
- `unsigned long` [DMCRA](#)
- `unsigned short` [DMCRB](#)
- `char` [wk0](#) [2]
- `union` {
 - `unsigned short` [WORD](#)
 - `struct` {
 - `unsigned short` [MD](#): 2
 - `unsigned short` [DTS](#): 2

```

    unsigned short: 2
    unsigned short SZ: 2
    unsigned short DCTG: 2
    } BIT
} DMTMD

• char wk1 [1]
• union {
    unsigned char BYTE
    struct {
        unsigned char: 3
        unsigned char DTIE: 1
        unsigned char ESIE: 1
        unsigned char RPTIE: 1
        unsigned char SARIE: 1
        unsigned char DARIE: 1
    } BIT
} DMINT

• union {
    unsigned short WORD
    struct {
        unsigned short SM: 2
        unsigned short: 1
        unsigned short SARA: 5
        unsigned short DM: 2
        unsigned short DARA: 5
    } BIT
} DMAMD

• char wk2 [2]
• unsigned long DMOFR
• union {
    unsigned char BYTE
    struct {
        unsigned char: 7
        unsigned char DTE: 1
    } BIT
} DMCNT

• union {
    unsigned char BYTE
    struct {
        unsigned char: 3
        unsigned char CLRS: 1
        unsigned char SWREQ: 1
    } BIT
} DMREQ

• union {
    unsigned char BYTE
    struct {
        unsigned char ACT: 1
        unsigned char: 2
        unsigned char DTIF: 1
        unsigned char ESIF: 1
    } BIT
} DMSTS

```


- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [DISEL](#): 1
 } [BIT](#)
 } [DMCSL](#)

5.106.1 Detailed Description

Definition at line [3936](#) of file [iodefine.h](#).

5.106.2 Field Documentation

5.106.2.1 [union]

union { ... } st_dmac0_t::DMAMD

5.106.2.2 [union]

union { ... } st_dmac0_t::DMCNT

5.106.2.3 DMCRA

unsigned long st_dmac0_t::DMCRA

Definition at line [3939](#) of file [iodefine.h](#).

5.106.2.4 DMCRB

unsigned short st_dmac0_t::DMCRB

Definition at line [3940](#) of file [iodefine.h](#).

5.106.2.5 [union]

union { ... } st_dmac0_t::DMCSL

5.106.2.6 DMDAR

void* st_dmac0_t::DMDAR

Definition at line [3938](#) of file [iodefine.h](#).

5.106.2.7 [union]

```
union { ... } st_dmac0_t::DMINT
```

5.106.2.8 DMOFR

```
unsigned long st_dmac0_t::DMOFR
```

Definition at line [4007](#) of file [iodefine.h](#).

5.106.2.9 [union]

```
union { ... } st_dmac0_t::DMREQ
```

5.106.2.10 DMSAR

```
void* st_dmac0_t::DMSAR
```

Definition at line [3937](#) of file [iodefine.h](#).

5.106.2.11 [union]

```
union { ... } st_dmac0_t::DMSTS
```

5.106.2.12 [union]

```
union { ... } st_dmac0_t::DMTMD
```

5.106.2.13 wk0

```
char st_dmac0_t::wk0[2]
```

Definition at line [3941](#) of file [iodefine.h](#).

5.106.2.14 wk1

```
char st_dmac0_t::wk1[1]
```

Definition at line [3963](#) of file [iodefine.h](#).

5.106.2.15 wk2

```
char st_dmac0_t::wk2[2]
```

Definition at line 4006 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.107 st_dmac0_t.DMAMD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [SM](#): 2
 - unsigned [short](#): 1
 - unsigned short [SARA](#): 5
 - unsigned short [DM](#): 2
 - unsigned short [DARA](#): 5
- } [BIT](#)

5.107.1 Detailed Description

Definition at line 3985 of file [iodefine.h](#).

5.107.2 Field Documentation

5.107.2.1 BIT

5.107.2.2 WORD

The documentation for this union was generated from the following files:

5.108 st_dmac0_t.DMCNT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [DTE](#): 1
- } [BIT](#)

5.108.1 Detailed Description

Definition at line [4008](#) of file [iodefne.h](#).

5.108.2 Field Documentation

5.108.2.1 BIT

5.108.2.2 BYTE

The documentation for this union was generated from the following files:

5.109 st_dmac0_t.DMCSL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [DISEL](#): 1
} [BIT](#)

5.109.1 Detailed Description

Definition at line [4057](#) of file [iodefne.h](#).

5.109.2 Field Documentation

5.109.2.1 BIT

5.109.2.2 BYTE

The documentation for this union was generated from the following files:

5.110 st_dmac0_t.DMINT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 3
 unsigned char [DTIE](#): 1
 unsigned char [ESIE](#): 1
 unsigned char [RPTIE](#): 1
 unsigned char [SARIE](#): 1
 unsigned char [DARIE](#): 1
} [BIT](#)

5.110.1 Detailed Description

Definition at line [3964](#) of file [iodefine.h](#).

5.110.2 Field Documentation

5.110.2.1 BIT

5.110.2.2 BYTE

The documentation for this union was generated from the following files:

5.111 st_dmac0_t.DMREQ Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 3
 - unsigned char [CLRS](#): 1
 - unsigned char [SWREQ](#): 1
- } [BIT](#)

5.111.1 Detailed Description

Definition at line [4021](#) of file [iodefine.h](#).

5.111.2 Field Documentation

5.111.2.1 BIT

5.111.2.2 BYTE

The documentation for this union was generated from the following files:

5.112 st_dmac0_t.DMSTS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [ACT](#): 1
 - unsigned [char](#): 2
 - unsigned char [DTIF](#): 1
 - unsigned char [ESIF](#): 1
- } [BIT](#)

5.112.1 Detailed Description

Definition at line [4038](#) of file [iodefne.h](#).

5.112.2 Field Documentation

5.112.2.1 BIT

5.112.2.2 BYTE

The documentation for this union was generated from the following files:

5.113 st_dmac0_t.DMTMD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [MD](#): 2
 - unsigned short [DTS](#): 2
 - unsigned [short](#): 2
 - unsigned short [SZ](#): 2
 - unsigned short [DCTG](#): 2
- } [BIT](#)

5.113.1 Detailed Description

Definition at line [3942](#) of file [iodefne.h](#).

5.113.2 Field Documentation

5.113.2.1 BIT


5.113.2.2 WORD

The documentation for this union was generated from the following files:

5.114 st_dmac1_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st_dmac1_t:



Data Fields

- void * [DMSAR](#)
- void * [DMDAR](#)
- unsigned long [DMCRA](#)
- unsigned short [DMCRB](#)

- char `wk0` [2]
- union {
 - unsigned short `WORD`
 - struct {
 - unsigned short `MD`: 2
 - unsigned short `DTS`: 2
 - unsigned `short`: 2
 - unsigned short `SZ`: 2
 - unsigned short `DCTG`: 2
 - } `BIT`
} `DMTMD`
- char `wk1` [1]
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned `char`: 3
 - unsigned char `DTIE`: 1
 - unsigned char `ESIE`: 1
 - unsigned char `RPTIE`: 1
 - unsigned char `SARIE`: 1
 - unsigned char `DARIE`: 1
 - } `BIT`
} `DMINT`
- union {
 - unsigned short `WORD`
 - struct {
 - unsigned short `SM`: 2
 - unsigned `short`: 1
 - unsigned short `SARA`: 5
 - unsigned short `DM`: 2
 - unsigned short `DARA`: 5
 - } `BIT`
} `DMAMD`
- char `wk2` [6]
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned `char`: 7
 - unsigned char `DTE`: 1
 - } `BIT`
} `DMCNT`
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned `char`: 3
 - unsigned char `CLRS`: 1
 - unsigned char `SWREQ`: 1
 - } `BIT`
} `DMREQ`
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char `ACT`: 1


```

    unsigned char: 2
    unsigned char DTIF: 1
    unsigned char ESIF: 1
    } BIT
} DMSTS

• union {
    unsigned char BYTE
    struct {
        unsigned char: 7
        unsigned char DISEL: 1
    } BIT
} DMCSL

```

5.114.1 Detailed Description

Definition at line 4072 of file [iodefine.h](#).

5.114.2 Field Documentation

5.114.2.1 [union]

```
union { ... } st_dmac1_t::DMAMD
```

5.114.2.2 [union]

```
union { ... } st_dmac1_t::DMCNT
```

5.114.2.3 DMCRA

```
unsigned long st_dmac1_t::DMCRA
```

Definition at line 4075 of file [iodefine.h](#).

5.114.2.4 DMCRB

```
unsigned short st_dmac1_t::DMCRB
```

Definition at line 4076 of file [iodefine.h](#).

5.114.2.5 [union]

```
union { ... } st_dmac1_t::DMCSL
```

5.114.2.6 DMDAR

```
void* st_dmac1_t::DMDAR
```

Definition at line [4074](#) of file [iodefine.h](#).

5.114.2.7 [union]

```
union { ... } st_dmac1_t::DMINT
```

5.114.2.8 [union]

```
union { ... } st_dmac1_t::DMREQ
```

5.114.2.9 DMSAR

```
void* st_dmac1_t::DMSAR
```

Definition at line [4073](#) of file [iodefine.h](#).

5.114.2.10 [union]

```
union { ... } st_dmac1_t::DMSTS
```

5.114.2.11 [union]

```
union { ... } st_dmac1_t::DMTMD
```

5.114.2.12 wk0

```
char st_dmac1_t::wk0[2]
```

Definition at line [4077](#) of file [iodefine.h](#).

5.114.2.13 wk1

```
char st_dmac1_t::wk1[1]
```

Definition at line [4099](#) of file [iodefine.h](#).

5.114.2.14 wk2

```
char st_dmac1_t::wk2[6]
```

Definition at line 4142 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.115 st_dmac1_t.DMAMD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [SM](#): 2
 - unsigned [short](#): 1
 - unsigned short [SARA](#): 5
 - unsigned short [DM](#): 2
 - unsigned short [DARA](#): 5
- } [BIT](#)

5.115.1 Detailed Description

Definition at line 4121 of file [iodefine.h](#).

5.115.2 Field Documentation

5.115.2.1 BIT

5.115.2.2 WORD

The documentation for this union was generated from the following files:

5.116 st_dmac1_t.DMCNT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [DTE](#): 1
- } [BIT](#)

5.116.1 Detailed Description

Definition at line [4143](#) of file [iodefine.h](#).

5.116.2 Field Documentation

5.116.2.1 BIT

5.116.2.2 BYTE

The documentation for this union was generated from the following files:

5.117 st_dmac1_t.DMCSL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: [7](#)
 unsigned char [DISEL](#): [1](#)
} [BIT](#)

5.117.1 Detailed Description

Definition at line [4192](#) of file [iodefine.h](#).

5.117.2 Field Documentation

5.117.2.1 BIT

5.117.2.2 BYTE

The documentation for this union was generated from the following files:

5.118 st_dmac1_t.DMINT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: [3](#)
 unsigned char [DTIE](#): [1](#)
 unsigned char [ESIE](#): [1](#)
 unsigned char [RPTIE](#): [1](#)
 unsigned char [SARIE](#): [1](#)
 unsigned char [DARIE](#): [1](#)
} [BIT](#)

5.118.1 Detailed Description

Definition at line [4100](#) of file [iodefne.h](#).

5.118.2 Field Documentation

5.118.2.1 BIT

5.118.2.2 BYTE

The documentation for this union was generated from the following files:

5.119 st_dmac1_t.DMREQ Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 3
 - unsigned char [CLRS](#): 1
 - unsigned char [SWREQ](#): 1
- } [BIT](#)

5.119.1 Detailed Description

Definition at line [4156](#) of file [iodefne.h](#).

5.119.2 Field Documentation

5.119.2.1 BIT

5.119.2.2 BYTE

The documentation for this union was generated from the following files:

5.120 st_dmac1_t.DMSTS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [ACT](#): 1
 - unsigned [char](#): 2
 - unsigned char [DTIF](#): 1
 - unsigned char [ESIF](#): 1
- } [BIT](#)

5.120.1 Detailed Description

Definition at line [4173](#) of file [iodefne.h](#).

5.120.2 Field Documentation

5.120.2.1 BIT

5.120.2.2 BYTE

The documentation for this union was generated from the following files:

5.121 st_dmac1_t.DMTMD Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [MD](#): 2
 - unsigned short [DTS](#): 2
 - unsigned [short](#): 2
 - unsigned short [SZ](#): 2
 - unsigned short [DCTG](#): 2
- } [BIT](#)

5.121.1 Detailed Description

Definition at line [4078](#) of file [iodefne.h](#).

5.121.2 Field Documentation

5.121.2.1 BIT


5.121.2.2 WORD

The documentation for this union was generated from the following files:

5.122 st_dmac_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_dmac_t:



Data Fields

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [DMST](#): 1
 - } [BIT](#)
- } [DMAST](#)
- char [wk0](#) [3]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [DMIS7](#): 1
 - unsigned char [DMIS6](#): 1
 - unsigned char [DMIS5](#): 1
 - unsigned char [DMIS4](#): 1
 - unsigned [char](#): 4
 - } [BIT](#)
- } [DMIST](#)

5.122.1 Detailed Description

Definition at line [3900](#) of file [iodefine.h](#).

5.122.2 Field Documentation

5.122.2.1 [union]

```
union { ... } st_dmac_t::DMAST
```

5.122.2.2 [union]

```
union { ... } st_dmac_t::DMIST
```

5.122.2.3 wk0

```
char st_dmac_t::wk0[3]
```

Definition at line [3914](#) of file [iodefine.h](#).


The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.125 st_doc_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st_doc_t:



Data Fields

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [DOPCFCL](#): 1
 unsigned char [DOPCF](#): 1
 unsigned char [DOPCIE](#): 1
 unsigned char [DCSEL](#): 1
 unsigned char [OMS](#): 2
 } [BIT](#)
 } [DOCR](#)
- char [wk0](#) [1]
- unsigned short [DODIR](#)
- unsigned short [DODSR](#)

5.125.1 Detailed Description

Definition at line [4207](#) of file [iodefne.h](#).

5.125.2 Field Documentation

5.125.2.1 [union]

union { ... } st_doc_t::DOCR

5.125.2.2 DODIR

unsigned short st_doc_t::DODIR

Definition at line [4232](#) of file [iodefne.h](#).

5.125.2.3 DODSR

unsigned short st_doc_t::DODSR

Definition at line 4233 of file [iodefne.h](#).

5.125.2.4 wk0

char st_doc_t::wk0[1]

Definition at line 4231 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm__test__fit/iodefne.h](#)

5.126 st_doc_t.DOCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 1
 - unsigned char [DOPCFCL](#): 1
 - unsigned char [DOPCF](#): 1
 - unsigned char [DOPCIE](#): 1
 - unsigned char [DCSEL](#): 1
 - unsigned char [OMS](#): 2
- } [BIT](#)

5.126.1 Detailed Description

Definition at line 4208 of file [iodefne.h](#).

5.126.2 Field Documentation

5.126.2.1 BIT


5.126.2.2 BYTE

The documentation for this union was generated from the following files:

5.127 st_drw2d_t Struct Reference

#include <iodefine.h>

Collaboration diagram for st_drw2d_t:



Data Fields

- union {
 - union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long SPANSTR: 1
 - unsigned long SPANABT: 1
 - unsigned long UNIONCD: 1
 - unsigned long UNIONAB: 1
 - unsigned long UNION56: 1
 - unsigned long UNION34: 1
 - unsigned long UNION12: 1

```

unsigned long BAND2EN: 1
unsigned long BAND1EN: 1
unsigned long LIM6TH: 1
unsigned long LIM5TH: 1
unsigned long LIM4TH: 1
unsigned long LIM3TH: 1
unsigned long LIM2TH: 1
unsigned long LIM1TH: 1
unsigned long QUAD3EN: 1
unsigned long QUAD2EN: 1
unsigned long QUAD1EN: 1
unsigned long LIM6EN: 1
unsigned long LIM5EN: 1
unsigned long LIM4EN: 1
unsigned long LIM3EN: 1
unsigned long LIM2EN: 1
unsigned long LIM1EN: 1
    } BIT
    } CONTROL
    union {
        unsigned long LONG
        struct {
            unsigned long: 26
            unsigned long DLIR: 1
            unsigned long ENUIR: 1
            unsigned long DLSTACT: 1
            unsigned long CACHEDTY: 1
            unsigned long BSYWR: 1
            unsigned long BSYENUM: 1
        } BIT
    } STATUS
};

```

- union {
 union {
 unsigned long LONG
 struct {
 unsigned long RLEPIXW: 2
 unsigned long BDIA: 1
 unsigned long BSIA: 1
 unsigned long CLUTFORM: 1
 unsigned long COLKEYEN: 1
 unsigned long CLUTEN: 1
 unsigned long RLEEN: 1
 unsigned long WRALPHA: 2
 unsigned long WRFMT: 2
 unsigned long RDFMT: 2
 unsigned long TEXFILTY: 1
 unsigned long TEXFILTX: 1
 unsigned long TEXCLPY: 1
 unsigned long TEXCLPX: 1
 unsigned long BC2: 1
 unsigned long BDI: 1
 unsigned long BSI: 1
 unsigned long BDF: 1
 unsigned long BSF: 1
 unsigned long WRFMT2: 1
 unsigned long BDFA: 1
 }
 }
 }

```

    unsigned long BSFA: 1
    unsigned long RDFMT2: 2
    unsigned long USEACB: 1
    unsigned long PTNSRCL5: 1
    unsigned long TEXENA: 1
    unsigned long PTNEN: 1
    } BIT
} CONTROL2
union {
    unsigned long LONG
    struct {
        unsigned long: 4
        unsigned long ACBLD: 1
        unsigned long COLKEY: 1
        unsigned long TEXCLUT256: 1
        unsigned long RLEUNIT: 1
        unsigned long TEXCLUT: 1
        unsigned long PERFCNT: 1
        unsigned long TXCACHE: 1
        unsigned long FBCACHE: 1
        unsigned long DLR: 1
        unsigned long REV: 12
    } BIT
} HWVER
};

```

- char wk0 [8]
- unsigned long L1START
- unsigned long L2START
- unsigned long L3START
- unsigned long L4START
- unsigned long L5START
- unsigned long L6START
- unsigned long L1XADD
- unsigned long L2XADD
- unsigned long L3XADD
- unsigned long L4XADD
- unsigned long L5XADD
- unsigned long L6XADD
- unsigned long L1YADD
- unsigned long L2YADD
- unsigned long L3YADD
- unsigned long L4YADD
- unsigned long L5YADD
- unsigned long L6YADD
- unsigned long L1BAND
- unsigned long L2BAND
- char wk1 [4]
- union {
 - unsigned long LONG
 - struct {
 - unsigned long COL1A: 8
 - unsigned long COL1R: 8
 - unsigned long COL1G: 8
 - unsigned long COL1B: 8
 - } BIT
- } COLOR1

- union {
 - unsigned long LONG
 - struct {
 - unsigned long COL2A: 8
 - unsigned long COL2R: 8
 - unsigned long COL2G: 8
 - unsigned long COL2B: 8
 - } BIT
- } COLOR2
- char wk2 [8]
- unsigned long PATTERN
- union {
 - unsigned long LONG
 - struct {
 - unsigned long Y: 16
 - unsigned long X: 16
 - } BIT
- } SIZE
- union {
 - unsigned long LONG
 - struct {
 - unsigned long SSD: 16
 - unsigned long PITCH: 16
 - } BIT
- } PITCH
- unsigned long ORIGIN
- char wk3 [12]
- unsigned long LUST
- unsigned long LUXADD
- unsigned long LUYADD
- unsigned long LVSTI
- unsigned long LVSTF
- unsigned long LVXADDI
- unsigned long LVYADDI
- union {
 - unsigned long LONG
 - struct {
 - unsigned long LVYADDF: 16
 - unsigned long LVXADDF: 16
 - } BIT
- } LVYXADDF
- char wk4 [4]
- unsigned long TEXPITCH
- union {
 - unsigned long LONG
 - struct {
 - unsigned long TEXVMSK: 21
 - unsigned long TEXUMSK: 11
 - } BIT
- } TEXMSK
- unsigned long TEXORG

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 28
 - unsigned long [DLIRCLR](#): 1
 - unsigned long [ENUIRCLR](#): 1
 - unsigned long [DLIREN](#): 1
 - unsigned long [ENUIREN](#): 1
 - } [BIT](#)
 - } [IRQCTL](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 28
 - unsigned long [CFLUTX](#): 1
 - unsigned long [CENTX](#): 1
 - unsigned long [CFLUFX](#): 1
 - unsigned long [CENFX](#): 1
 - } [BIT](#)
 - } [CACHECTL](#)
- unsigned long [DLISTST](#)
- unsigned long [PERFCNT1](#)
- unsigned long [PERFCNT2](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned long [TRG2](#): 16
 - unsigned long [TRG1](#): 16
 - } [BIT](#)
 - } [PERFTRG](#)
- char [wk5](#) [4]
- unsigned long [TEXCLADDR](#)
- unsigned long [TEXCLDATA](#)
- unsigned long [TEXCLOFST](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 8
 - unsigned long [R](#): 8
 - unsigned long [G](#): 8
 - unsigned long [B](#): 8
 - } [BIT](#)
 - } [COLKEY](#)

5.127.1 Detailed Description

Definition at line [4236](#) of file [iodefne.h](#).

5.127.2 Field Documentation

5.127.2.1 [union]

union { ... } [st_drw2d_t](#)

5.127.2.2 [union]

union { ... } [st_drw2d_t](#)

5.127.2.3 [union]

union { ... } [st_drw2d_t::CACHECTL](#)

5.127.2.4 [union]

union { ... } [st_drw2d_t::COLKEY](#)

5.127.2.5 [union]

union { ... } [st_drw2d_t::COLOR1](#)

5.127.2.6 [union]

union { ... } [st_drw2d_t::COLOR2](#)

5.127.2.7 DLISTST

unsigned long [st_drw2d_t::DLISTST](#)

Definition at line [4583](#) of file [iodefine.h](#).

5.127.2.8 [union]

union { ... } [st_drw2d_t::IRQCTL](#)

5.127.2.9 L1BAND

unsigned long [st_drw2d_t::L1BAND](#)

Definition at line [4442](#) of file [iodefine.h](#).

5.127.2.10 L1START

unsigned long [st_drw2d_t::L1START](#)

Definition at line [4424](#) of file [iodefine.h](#).

5.127.2.11 L1XADD

unsigned long st_drw2d_t::L1XADD

Definition at line 4430 of file [iodefne.h](#).

5.127.2.12 L1YADD

unsigned long st_drw2d_t::L1YADD

Definition at line 4436 of file [iodefne.h](#).

5.127.2.13 L2BAND

unsigned long st_drw2d_t::L2BAND

Definition at line 4443 of file [iodefne.h](#).

5.127.2.14 L2START

unsigned long st_drw2d_t::L2START

Definition at line 4425 of file [iodefne.h](#).

5.127.2.15 L2XADD

unsigned long st_drw2d_t::L2XADD

Definition at line 4431 of file [iodefne.h](#).

5.127.2.16 L2YADD

unsigned long st_drw2d_t::L2YADD

Definition at line 4437 of file [iodefne.h](#).

5.127.2.17 L3START

unsigned long st_drw2d_t::L3START

Definition at line 4426 of file [iodefne.h](#).

5.127.2.18 L3XADD

unsigned long st_drw2d_t::L3XADD

Definition at line 4432 of file [iodefne.h](#).

5.127.2.19 L3YADD

unsigned long st_drw2d_t::L3YADD

Definition at line [4438](#) of file [iodefne.h](#).

5.127.2.20 L4START

unsigned long st_drw2d_t::L4START

Definition at line [4427](#) of file [iodefne.h](#).

5.127.2.21 L4XADD

unsigned long st_drw2d_t::L4XADD

Definition at line [4433](#) of file [iodefne.h](#).

5.127.2.22 L4YADD

unsigned long st_drw2d_t::L4YADD

Definition at line [4439](#) of file [iodefne.h](#).

5.127.2.23 L5START

unsigned long st_drw2d_t::L5START

Definition at line [4428](#) of file [iodefne.h](#).

5.127.2.24 L5XADD

unsigned long st_drw2d_t::L5XADD

Definition at line [4434](#) of file [iodefne.h](#).

5.127.2.25 L5YADD

unsigned long st_drw2d_t::L5YADD

Definition at line [4440](#) of file [iodefne.h](#).

5.127.2.26 L6START

unsigned long st_drw2d_t::L6START

Definition at line [4429](#) of file [iodefne.h](#).

5.127.2.27 L6XADD

unsigned long st_drw2d_t::L6XADD

Definition at line 4435 of file [iodefne.h](#).

5.127.2.28 L6YADD

unsigned long st_drw2d_t::L6YADD

Definition at line 4441 of file [iodefne.h](#).

5.127.2.29 LUST

unsigned long st_drw2d_t::LUST

Definition at line 4509 of file [iodefne.h](#).

5.127.2.30 LUXADD

unsigned long st_drw2d_t::LUXADD

Definition at line 4510 of file [iodefne.h](#).

5.127.2.31 LUYADD

unsigned long st_drw2d_t::LUYADD

Definition at line 4511 of file [iodefne.h](#).

5.127.2.32 LVSTF

unsigned long st_drw2d_t::LVSTF

Definition at line 4513 of file [iodefne.h](#).

5.127.2.33 LVSTI

unsigned long st_drw2d_t::LVSTI

Definition at line 4512 of file [iodefne.h](#).

5.127.2.34 LVXADDI

unsigned long st_drw2d_t::LVXADDI

Definition at line 4514 of file [iodefne.h](#).

5.127.2.35 LVYADDI

unsigned long st_drw2d_t::LVYADDI

Definition at line [4515](#) of file [iodefne.h](#).

5.127.2.36 [union]

union { ... } st_drw2d_t::LVYXADDF

5.127.2.37 ORIGIN

unsigned long st_drw2d_t::ORIGIN

Definition at line [4507](#) of file [iodefne.h](#).

5.127.2.38 PATTERN

unsigned long st_drw2d_t::PATTERN

Definition at line [4480](#) of file [iodefne.h](#).

5.127.2.39 PERFCNT1

unsigned long st_drw2d_t::PERFCNT1

Definition at line [4584](#) of file [iodefne.h](#).

5.127.2.40 PERFCNT2

unsigned long st_drw2d_t::PERFCNT2

Definition at line [4585](#) of file [iodefne.h](#).

5.127.2.41 [union]

union { ... } st_drw2d_t::PERFTRG

5.127.2.42 [union]

union { ... } st_drw2d_t::PITCH

5.127.2.43 [union]

union { ... } st_drw2d_t::SIZE

5.127.2.44 TEXCLADDR

unsigned long st_drw2d_t::TEXCLADDR

Definition at line 4600 of file [iodefne.h](#).

5.127.2.45 TEXCLDATA

unsigned long st_drw2d_t::TEXCLDATA

Definition at line 4601 of file [iodefne.h](#).

5.127.2.46 TEXCLOFST

unsigned long st_drw2d_t::TEXCLOFST

Definition at line 4602 of file [iodefne.h](#).

5.127.2.47 [union]

union { ... } st_drw2d_t::TEXMSK

5.127.2.48 TEXORG

unsigned long st_drw2d_t::TEXORG

Definition at line 4544 of file [iodefne.h](#).

5.127.2.49 TEXPITCH

unsigned long st_drw2d_t::TEXPITCH

Definition at line 4530 of file [iodefne.h](#).

5.127.2.50 wk0

char st_drw2d_t::wk0[8]

Definition at line 4423 of file [iodefne.h](#).

5.127.2.51 wk1

char st_drw2d_t::wk1[4]

Definition at line 4444 of file [iodefne.h](#).

5.127.2.52 wk2

```
char st_drw2d_t::wk2[8]
```

Definition at line [4479](#) of file [iodefne.h](#).

5.127.2.53 wk3

```
char st_drw2d_t::wk3[12]
```

Definition at line [4508](#) of file [iodefne.h](#).

5.127.2.54 wk4

```
char st_drw2d_t::wk4[4]
```

Definition at line [4529](#) of file [iodefne.h](#).

5.127.2.55 wk5

```
char st_drw2d_t::wk5[4]
```

Definition at line [4599](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.128 st_drw2d_t.__unnamed0__ Union Reference

Data Fields

- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 8
 unsigned long [SPANSTR](#): 1
 unsigned long [SPANABT](#): 1
 unsigned long [UNIONCD](#): 1
 unsigned long [UNIONAB](#): 1
 unsigned long [UNION56](#): 1
 unsigned long [UNION34](#): 1
 unsigned long [UNION12](#): 1
 unsigned long [BAND2EN](#): 1
 unsigned long [BAND1EN](#): 1
 unsigned long [LIM6TH](#): 1
 unsigned long [LIM5TH](#): 1
 unsigned long [LIM4TH](#): 1
 unsigned long [LIM3TH](#): 1
 unsigned long [LIM2TH](#): 1

```

unsigned long LIM1TH: 1
unsigned long QUAD3EN: 1
unsigned long QUAD2EN: 1
unsigned long QUAD1EN: 1
unsigned long LIM6EN: 1
unsigned long LIM5EN: 1
unsigned long LIM4EN: 1
unsigned long LIM3EN: 1
unsigned long LIM2EN: 1
unsigned long LIM1EN: 1
    } BIT
} CONTROL

```

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 26
 - unsigned long DLIR: 1
 - unsigned long ENUIR: 1
 - unsigned long DLSTACT: 1
 - unsigned long CACHEDTY: 1
 - unsigned long BSYWR: 1
 - unsigned long BSYENUM: 1
 - } BIT
- } STATUS

5.128.1 Detailed Description

Definition at line 4237 of file [iodefine.h](#).

5.128.2 Field Documentation

5.128.2.1 CONTROL

5.128.2.2 STATUS

The documentation for this union was generated from the following files:

5.129 st_drw2d_t.__unnamed0__.CONTROL Union Reference

Data Fields

- unsigned long LONG
- struct {
 - unsigned long: 8
 - unsigned long SPANSTR: 1
 - unsigned long SPANABT: 1
 - unsigned long UNIONCD: 1
 - unsigned long UNIONAB: 1
 - unsigned long UNION56: 1

```

unsigned long UNION34: 1
unsigned long UNION12: 1
unsigned long BAND2EN: 1
unsigned long BAND1EN: 1
unsigned long LIM6TH: 1
unsigned long LIM5TH: 1
unsigned long LIM4TH: 1
unsigned long LIM3TH: 1
unsigned long LIM2TH: 1
unsigned long LIM1TH: 1
unsigned long QUAD3EN: 1
unsigned long QUAD2EN: 1
unsigned long QUAD1EN: 1
unsigned long LIM6EN: 1
unsigned long LIM5EN: 1
unsigned long LIM4EN: 1
unsigned long LIM3EN: 1
unsigned long LIM2EN: 1
unsigned long LIM1EN: 1
} BIT

```

5.129.1 Detailed Description

Definition at line [4238](#) of file [iodefine.h](#).

5.129.2 Field Documentation

5.129.2.1 BIT

5.129.2.2 LONG

The documentation for this union was generated from the following files:

5.130 st_drw2d_t.__unnamed0__.STATUS Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 26
 - unsigned long [DLIR](#): 1
 - unsigned long [ENUIR](#): 1
 - unsigned long [DLSTACT](#): 1
 - unsigned long [CACHEDTY](#): 1
 - unsigned long [BSYWR](#): 1
 - unsigned long [BSYENUM](#): 1

} [BIT](#)

5.130.1 Detailed Description

Definition at line [4297](#) of file [iodefine.h](#).

5.130.2 Field Documentation

5.130.2.1 BIT

5.130.2.2 LONG

The documentation for this union was generated from the following files:

5.131 st_drw2d_t.__unnamed1__ Union Reference

Data Fields

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned long [RLEPIXW](#): 2
 - unsigned long [BDIA](#): 1
 - unsigned long [BSIA](#): 1
 - unsigned long [CLUTFORM](#): 1
 - unsigned long [COLKEYEN](#): 1
 - unsigned long [CLUTEN](#): 1
 - unsigned long [RLEEN](#): 1
 - unsigned long [WRALPHA](#): 2
 - unsigned long [WRFMT](#): 2
 - unsigned long [RDFMT](#): 2
 - unsigned long [TEXFILTY](#): 1
 - unsigned long [TEXFILTX](#): 1
 - unsigned long [TEXCLPY](#): 1
 - unsigned long [TEXCLPX](#): 1
 - unsigned long [BC2](#): 1
 - unsigned long [BDI](#): 1
 - unsigned long [BSI](#): 1
 - unsigned long [BDF](#): 1
 - unsigned long [BSF](#): 1
 - unsigned long [WRFMT2](#): 1
 - unsigned long [BDFA](#): 1
 - unsigned long [BSFA](#): 1
 - unsigned long [RDFMT2](#): 2
 - unsigned long [USEACB](#): 1
 - unsigned long [PTNSRCL5](#): 1
 - unsigned long [TEXENA](#): 1
 - unsigned long [PTNEN](#): 1
 - } [BIT](#)
- } [CONTROL2](#)

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 4
 - unsigned long [ACBLD](#): 1
 - unsigned long [COLKEY](#): 1
 - unsigned long [TEXCLUT256](#): 1
 - unsigned long [RLEUNIT](#): 1
 - unsigned long [TEXCLUT](#): 1
 - unsigned long [PERFCNT](#): 1
 - unsigned long [TXCACHE](#): 1
 - unsigned long [FBCACHE](#): 1
 - unsigned long [DLR](#): 1
 - unsigned long [REV](#): 12
 - } [BIT](#)
 - } [HWVER](#)

5.131.1 Detailed Description

Definition at line [4321](#) of file [iodefine.h](#).

5.131.2 Field Documentation

5.131.2.1 CONTROL2

5.131.2.2 HWVER

The documentation for this union was generated from the following files:

5.132 st_drw2d_t.__unnamed1__.CONTROL2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [RLEPIXW](#): 2
 - unsigned long [BDIA](#): 1
 - unsigned long [BSIA](#): 1
 - unsigned long [CLUTFORM](#): 1
 - unsigned long [COLKEYEN](#): 1
 - unsigned long [CLUTEN](#): 1
 - unsigned long [RLEEN](#): 1
 - unsigned long [WRALPHA](#): 2
 - unsigned long [WRFMT](#): 2
 - unsigned long [RDFMT](#): 2
 - unsigned long [TEXFILTY](#): 1
 - unsigned long [TEXFILTX](#): 1
 - unsigned long [TEXCLPY](#): 1
 - unsigned long [TEXCLPX](#): 1
 - unsigned long [BC2](#): 1

```

unsigned long BDI: 1
unsigned long BSI: 1
unsigned long BDF: 1
unsigned long BSF: 1
unsigned long WRFMT2: 1
unsigned long BDFA: 1
unsigned long BSFA: 1
unsigned long RDFMT2: 2
unsigned long USEACB: 1
unsigned long PTNSRCL5: 1
unsigned long TEXENA: 1
unsigned long PTNEN: 1
} BIT

```

5.132.1 Detailed Description

Definition at line [4322](#) of file [iodefine.h](#).

5.132.2 Field Documentation

5.132.2.1 BIT

5.132.2.2 LONG

The documentation for this union was generated from the following files:

5.133 st_drw2d_t.__unnamed1__.HWVER Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 4
 - unsigned long [ACBLD](#): 1
 - unsigned long [COLKEY](#): 1
 - unsigned long [TEXCLUT256](#): 1
 - unsigned long [RLEUNIT](#): 1
 - unsigned long [TEXCLUT](#): 1
 - unsigned long [PERFCNT](#): 1
 - unsigned long [TXCACHE](#): 1
 - unsigned long [FBCACHE](#): 1
 - unsigned long [DLR](#): 1
 - unsigned long [REV](#): 12
- } [BIT](#)

5.133.1 Detailed Description

Definition at line [4385](#) of file [iodefine.h](#).

5.133.2 Field Documentation

5.133.2.1 BIT

5.133.2.2 LONG

The documentation for this union was generated from the following files:

5.134 st_drw2d_t.CACHECTL Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 28
 - unsigned long [CFLUTX](#): 1
 - unsigned long [CENTX](#): 1
 - unsigned long [CFLUFX](#): 1
 - unsigned long [CENFX](#): 1
- } [BIT](#)

5.134.1 Detailed Description

Definition at line [4564](#) of file [iodefine.h](#).

5.134.2 Field Documentation

5.134.2.1 BIT

5.134.2.2 LONG

The documentation for this union was generated from the following files:

5.135 st_drw2d_t.COLKEY Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 8
 - unsigned long [R](#): 8
 - unsigned long [G](#): 8
 - unsigned long [B](#): 8
- } [BIT](#)

5.135.1 Detailed Description

Definition at line [4603](#) of file [iodefne.h](#).

5.135.2 Field Documentation

5.135.2.1 BIT

5.135.2.2 LONG

The documentation for this union was generated from the following files:

5.136 st_drw2d_t.COLOR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [COL1A](#): 8
 - unsigned long [COL1R](#): 8
 - unsigned long [COL1G](#): 8
 - unsigned long [COL1B](#): 8
- } [BIT](#)

5.136.1 Detailed Description

Definition at line [4445](#) of file [iodefne.h](#).

5.136.2 Field Documentation

5.136.2.1 BIT

5.136.2.2 LONG

The documentation for this union was generated from the following files:

5.137 st_drw2d_t.COLOR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [COL2A](#): 8
 - unsigned long [COL2R](#): 8
 - unsigned long [COL2G](#): 8
 - unsigned long [COL2B](#): 8
- } [BIT](#)

5.137.1 Detailed Description

Definition at line [4462](#) of file [iodefne.h](#).

5.137.2 Field Documentation

5.137.2.1 BIT

5.137.2.2 LONG

The documentation for this union was generated from the following files:

5.138 st_drw2d_t.IRQCTL Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 28
 - unsigned long [DLIRCLR](#): 1
 - unsigned long [ENUIRCLR](#): 1
 - unsigned long [DLIREN](#): 1
 - unsigned long [ENUIREN](#): 1
- } [BIT](#)

5.138.1 Detailed Description

Definition at line [4545](#) of file [iodefne.h](#).

5.138.2 Field Documentation

5.138.2.1 BIT

5.138.2.2 LONG

The documentation for this union was generated from the following files:

5.139 st_drw2d_t.LVYXADDF Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [LVYADDF](#): 16
 - unsigned long [LVXADDF](#): 16
- } [BIT](#)

5.139.1 Detailed Description

Definition at line [4516](#) of file [iodefine.h](#).

5.139.2 Field Documentation

5.139.2.1 BIT

5.139.2.2 LONG

The documentation for this union was generated from the following files:

5.140 st_drw2d_t.PERFTRG Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [TRG2](#): 16
 - unsigned long [TRG1](#): 16
- } [BIT](#)

5.140.1 Detailed Description

Definition at line [4586](#) of file [iodefine.h](#).

5.140.2 Field Documentation

5.140.2.1 BIT

5.140.2.2 LONG

The documentation for this union was generated from the following files:

5.141 st_drw2d_t.PITCH Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [SSD](#): 16
 - unsigned long [PITCH](#): 16
- } [BIT](#)

5.141.1 Detailed Description

Definition at line [4494](#) of file [iodefine.h](#).

5.141.2 Field Documentation

5.141.2.1 BIT

5.141.2.2 LONG

The documentation for this union was generated from the following files:

5.142 st_drw2d_t.SIZE Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [Y](#): 16
 - unsigned long [X](#): 16
- } [BIT](#)

5.142.1 Detailed Description

Definition at line [4481](#) of file [iodefine.h](#).

5.142.2 Field Documentation

5.142.2.1 BIT

5.142.2.2 LONG

The documentation for this union was generated from the following files:

5.143 st_drw2d_t.TEXTMSK Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [TEXTVMSK](#): 21
 - unsigned long [TEXTUMSK](#): 11
- } [BIT](#)

Data Fields

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 3
 unsigned char [RRS](#): 1
 } [BIT](#)
} [DTCCR](#)
- char [wk0](#) [3]
- void * [DTCVBR](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [SHORT](#): 1
 } [BIT](#)
} [DTCADM0D](#)
- char [wk1](#) [3]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [DTCST](#): 1
 } [BIT](#)
} [DTCST](#)
- char [wk2](#) [1]
- union {
 unsigned short [WORD](#)
 struct {
 unsigned short [ACT](#): 1
 unsigned [short](#): 7
 unsigned short [VECN](#): 8
 } [BIT](#)
} [DTCSTS](#)
- void * [DTCIBR](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [SQTFR1](#): 1
 } [BIT](#)
} [DTCOR](#)
- char [wk3](#) [1]
- union {
 unsigned short [WORD](#)
 struct {
 unsigned short [ESPSEL](#): 1
 unsigned [short](#): 7
 unsigned short [VECN](#): 8
 } [BIT](#)
} [DTCSQE](#)
- unsigned long [DTCDISP](#)

5.144.1 Detailed Description

Definition at line [4622](#) of file [iodefine.h](#).

5.144.2 Field Documentation

5.144.2.1 [union]

union { ... } st_dtc_t::DTCADMOD

5.144.2.2 [union]

union { ... } st_dtc_t::DTCCR

5.144.2.3 DTCDISP

unsigned long st_dtc_t::DTCDISP

Definition at line [4713](#) of file [iodefine.h](#).

5.144.2.4 DTCIBR

void* st_dtc_t::DTCIBR

Definition at line [4683](#) of file [iodefine.h](#).

5.144.2.5 [union]

union { ... } st_dtc_t::DTCOR

5.144.2.6 [union]

union { ... } st_dtc_t::DTCSQE

5.144.2.7 [union]

union { ... } st_dtc_t::DTCST

5.144.2.8 [union]

union { ... } st_dtc_t::DTCSTS

5.144.2.9 DTCVBR

```
void* st_dtc_t::DTCVBR
```

Definition at line [4639](#) of file [iodefne.h](#).

5.144.2.10 wk0

```
char st_dtc_t::wk0[3]
```

Definition at line [4638](#) of file [iodefne.h](#).

5.144.2.11 wk1

```
char st_dtc_t::wk1[3]
```

Definition at line [4653](#) of file [iodefne.h](#).

5.144.2.12 wk2

```
char st_dtc_t::wk2[1]
```

Definition at line [4667](#) of file [iodefne.h](#).

5.144.2.13 wk3

```
char st_dtc_t::wk3[1]
```

Definition at line [4697](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.145 st_dtc_t.DTCADMOD Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [SHORT](#): 1
- } [BIT](#)

5.145.1 Detailed Description

Definition at line [4640](#) of file [iodefine.h](#).

5.145.2 Field Documentation

5.145.2.1 BIT

5.145.2.2 BYTE

The documentation for this union was generated from the following files:

5.146 st_dtc_t.DTCCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 3
 unsigned char [RRS](#): 1
} [BIT](#)

5.146.1 Detailed Description

Definition at line [4623](#) of file [iodefine.h](#).

5.146.2 Field Documentation

5.146.2.1 BIT

5.146.2.2 BYTE

The documentation for this union was generated from the following files:

5.147 st_dtc_t.DTCOR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [SQTFR](#): 1
} [BIT](#)

5.147.1 Detailed Description

Definition at line [4684](#) of file [iodefne.h](#).

5.147.2 Field Documentation

5.147.2.1 BIT

5.147.2.2 BYTE

The documentation for this union was generated from the following files:

5.148 st_dtc_t.DTCSQE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ESPSEL](#): 1
 - unsigned [short](#): 7
 - unsigned short [VECN](#): 8
- } [BIT](#)

5.148.1 Detailed Description

Definition at line [4698](#) of file [iodefne.h](#).

5.148.2 Field Documentation

5.148.2.1 BIT

5.148.2.2 WORD

The documentation for this union was generated from the following files:

5.149 st_dtc_t.DTCST Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [DTCST](#): 1
- } [BIT](#)

5.149.1 Detailed Description

Definition at line [4654](#) of file [iodefne.h](#).

5.149.2 Field Documentation

5.149.2.1 BIT

5.149.2.2 BYTE

The documentation for this union was generated from the following files:

5.150 st_dtc_t.DTCSTS Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ACT](#): 1
 - unsigned [short](#): 7
 - unsigned short [VECN](#): 8
- } [BIT](#)

5.150.1 Detailed Description

Definition at line [4668](#) of file [iodefne.h](#).

5.150.2 Field Documentation

5.150.2.1 BIT


5.150.2.2 WORD

The documentation for this union was generated from the following files:

5.151 st_eccram_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st_eccram_t:



Data Fields

- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char: 6
 - unsigned char `RAMMOD`: 2
 - } `BIT`
- } `ECCRAMMODE`

- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char ECC2ERR: 1
 } BIT
 } ECCRAM2STS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char ECC1STSEN: 1
 } BIT
 } ECCRAM1STSEN
- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char ECC1ERR: 1
 } BIT
 } ECCRAM1STS
- union {
 unsigned char BYTE
 struct {
 unsigned char KW: 7
 unsigned char PRCR: 1
 } BIT
 } ECCRAMPRCR
- char wk0 [3]
- union {
 unsigned long LONG
 struct {
 unsigned long: 17
 unsigned long ECC2EAD: 12
 } BIT
 } ECCRAM2ECAD
- union {
 unsigned long LONG
 struct {
 unsigned long: 17
 unsigned long ECC1EAD: 12
 } BIT
 } ECCRAM1ECAD
- union {
 unsigned char BYTE
 struct {
 unsigned char KW2: 7
 unsigned char PRCR2: 1
 } BIT
 } ECCRAMPRCR2
- char wk1 [3]

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [TSTBYP](#): 1
 } [BIT](#)
 } [ECCRAMETST](#)

5.151.1 Detailed Description

Definition at line [4716](#) of file [iodefine.h](#).

5.151.2 Field Documentation

5.151.2.1 [union]

union { ... } st_eccram_t::ECCRAM1ECAD

5.151.2.2 [union]

union { ... } st_eccram_t::ECCRAM1STS

5.151.2.3 [union]

union { ... } st_eccram_t::ECCRAM1STSEN

5.151.2.4 [union]

union { ... } st_eccram_t::ECCRAM2ECAD

5.151.2.5 [union]

union { ... } st_eccram_t::ECCRAM2STS

5.151.2.6 [union]

union { ... } st_eccram_t::ECCRAMETST

5.151.2.7 [union]

union { ... } st_eccram_t::ECCRAMMODE

5.151.2.8 [union]

```
union { ... } st_eccram_t::ECCRAMPRCR
```

5.151.2.9 [union]

```
union { ... } st_eccram_t::ECCRAMPRCR2
```

5.151.2.10 wk0

```
char st_eccram_t::wk0[3]
```

Definition at line [4782](#) of file [iodefine.h](#).

5.151.2.11 wk1

```
char st_eccram_t::wk1[3]
```

Definition at line [4826](#) of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.152 st_eccram_t.ECCRAM1ECAD Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 17
 - unsigned long [ECC1EAD](#): 12
 } [BIT](#)

5.152.1 Detailed Description

Definition at line [4798](#) of file [iodefine.h](#).

5.152.2 Field Documentation

5.152.2.1 BIT

5.152.2.2 LONG

The documentation for this union was generated from the following files:

5.153 st_eccram_t.ECCRAM1STS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [ECC1ERR](#): 1
} [BIT](#)

5.153.1 Detailed Description

Definition at line [4756](#) of file [iodefine.h](#).

5.153.2 Field Documentation

5.153.2.1 BIT

5.153.2.2 BYTE

The documentation for this union was generated from the following files:

5.154 st_eccram_t.ECCRAM1STSEN Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [ECC1STSEN](#): 1
} [BIT](#)

5.154.1 Detailed Description

Definition at line [4743](#) of file [iodefine.h](#).

5.154.2 Field Documentation

5.154.2.1 BIT

5.154.2.2 BYTE

The documentation for this union was generated from the following files:

5.155 st_eccram_t.ECCRAM2ECAD Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 17
 unsigned long [ECC2EAD](#): 12
} [BIT](#)

5.155.1 Detailed Description

Definition at line [4783](#) of file [iodefine.h](#).

5.155.2 Field Documentation

5.155.2.1 BIT

5.155.2.2 LONG

The documentation for this union was generated from the following files:

5.156 st_eccram_t.ECCRAM2STS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [ECC2ERR](#): 1
} [BIT](#)

5.156.1 Detailed Description

Definition at line [4730](#) of file [iodefine.h](#).

5.156.2 Field Documentation

5.156.2.1 BIT

5.156.2.2 BYTE

The documentation for this union was generated from the following files:

5.157 st_eccram_t.ECCRAMETST Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [TSTBYP](#): 1
} [BIT](#)

5.157.1 Detailed Description

Definition at line [4827](#) of file [iodefine.h](#).

5.157.2 Field Documentation

5.157.2.1 BIT

5.157.2.2 BYTE

The documentation for this union was generated from the following files:

5.158 st_eccram_t.ECCRAMMODE Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [RAMMOD](#): 2
} [BIT](#)

5.158.1 Detailed Description

Definition at line [4717](#) of file [iodefine.h](#).

5.158.2 Field Documentation

5.158.2.1 BIT

5.158.2.2 BYTE

The documentation for this union was generated from the following files:

5.159 st_eccram_t.ECCRAMPRCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [KW](#): 7
 - unsigned char [PRCR](#): 1
- } [BIT](#)

5.159.1 Detailed Description

Definition at line [4769](#) of file [iodefine.h](#).

5.159.2 Field Documentation

5.159.2.1 BIT

5.159.2.2 BYTE

The documentation for this union was generated from the following files:

5.160 st_eccram_t.ECCRAMPRCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [KW2](#): 7
 - unsigned char [PRCR2](#): 1
- } [BIT](#)

5.160.1 Detailed Description

Definition at line [4813](#) of file [iodefine.h](#).

5.160.2 Field Documentation

5.160.2.1 BIT


5.160.2.2 BYTE

The documentation for this union was generated from the following files:

5.161 st_edmac_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_edmac_t:



Data Fields

- union {


```

unsigned long LONG
    struct {
        unsigned long: 25
        unsigned long DE: 1
        unsigned long DL: 2
        unsigned long SWR: 1
    } BIT
} EDMR

```

- char wk0 [4]
- union {


```

          unsigned long LONG
              struct {
                  unsigned long: 31
                  unsigned long TR: 1
              } BIT
      } EDTRR

```

- char wk1 [4]
- union {


```

          unsigned long LONG
              struct {
                  unsigned long: 31
                  unsigned long RR: 1
              } BIT
      } EDRRR

```

- char wk2 [4]
- void * TDLAR
- char wk3 [4]
- void * RDLAR
- char wk4 [4]
- union {


```

          unsigned long LONG
              struct {
                  unsigned long: 1
                  unsigned long TWB: 1
                  unsigned long TABT: 1
                  unsigned long RABT: 1
                  unsigned long RFCOF: 1
                  unsigned long ECI: 1
                  unsigned long TC: 1
                  unsigned long TDE: 1
                  unsigned long TFUF: 1
                  unsigned long FR: 1
                  unsigned long RDE: 1
                  unsigned long RFOF: 1
                  unsigned long CND: 1
                  unsigned long DLC: 1
                  unsigned long CD: 1
                  unsigned long TRO: 1
                  unsigned long RMAF: 1
                  unsigned long RRF: 1
                  unsigned long RTLF: 1
                  unsigned long RTSF: 1
                  unsigned long PRE: 1
                  unsigned long CERF: 1
              } BIT

```

} EESR

- char [wk5](#) [4]
 - union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 1
 - unsigned long [TWBIP](#): 1
 - unsigned long [TABTIP](#): 1
 - unsigned long [RABTIP](#): 1
 - unsigned long [RFCOFIP](#): 1
 - unsigned long [ECIIP](#): 1
 - unsigned long [TCIP](#): 1
 - unsigned long [TDEIP](#): 1
 - unsigned long [TFUFIP](#): 1
 - unsigned long [FRIP](#): 1
 - unsigned long [RDEIP](#): 1
 - unsigned long [RFOFIP](#): 1
 - unsigned long [CNDIP](#): 1
 - unsigned long [DLCIP](#): 1
 - unsigned long [CDIP](#): 1
 - unsigned long [TROIP](#): 1
 - unsigned long [RMAFIP](#): 1
 - unsigned long [RRFIP](#): 1
 - unsigned long [RTLFIIP](#): 1
 - unsigned long [RTSFIP](#): 1
 - unsigned long [PREIP](#): 1
 - unsigned long [CERFIP](#): 1
 - } [BIT](#)
- } EESIPR

- char [wk6](#) [4]
 - union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 24
 - unsigned long [RMAFCE](#): 1
 - unsigned long [RRFCE](#): 1
 - } [BIT](#)
- } TRSCER

- char [wk7](#) [4]
 - union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [MFC](#): 16
 - } [BIT](#)
- } RMFCR

- char [wk8](#) [4]
 - union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 21
 - unsigned long [TFT](#): 11
 - } [BIT](#)
- } TFTR

- char [wk9](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 19
 - unsigned long [TFD](#): 5
 - unsigned long [RFD](#): 5
 - } [BIT](#)
 - } [FDR](#)
- char [wk10](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 31
 - unsigned long [RNR](#): 1
 - } [BIT](#)
 - } [RMCR](#)
- char [wk11](#) [8]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [UNDER](#): 16
 - } [BIT](#)
 - } [TFUCR](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [OVER](#): 16
 - } [BIT](#)
 - } [RFOCR](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 31
 - unsigned long [ELB](#): 1
 - } [BIT](#)
 - } [IOSR](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 13
 - unsigned long [RFFO](#): 3
 - unsigned long [RFDO](#): 3
 - } [BIT](#)
 - } [FCFTR](#)
- char [wk12](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {

```

    unsigned long: 14
    unsigned long PADS: 2
    unsigned long PADR: 6
    } BIT
} RPADIR

```

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 27
 - unsigned long TIM: 1
 - unsigned long TIS: 1
 - } BIT
- } TRIMD
- char wk13 [72]
- void * RBWAR
- void * RDFAR
- char wk14 [4]
- void * TBRAR
- void * TDFAR

5.161.1 Detailed Description

Definition at line 4842 of file [iodefine.h](#).

5.161.2 Field Documentation

5.161.2.1 [union]

```
union { ... } st_edmac_t::EDMR
```

5.161.2.2 [union]

```
union { ... } st_edmac_t::EDRRR
```

5.161.2.3 [union]

```
union { ... } st_edmac_t::EDTRR
```

5.161.2.4 [union]

```
union { ... } st_edmac_t::EESIPR
```

5.161.2.5 [union]

```
union { ... } st_edmac_t::EESR
```

5.161.2.6 [union]

```
union { ... } st_edmac_t::FCFTR
```

5.161.2.7 [union]

```
union { ... } st_edmac_t::FDR
```

5.161.2.8 [union]

```
union { ... } st_edmac_t::IOSR
```

5.161.2.9 RBWAR

```
void* st_edmac_t::RBWAR
```

Definition at line [5191](#) of file [iodefine.h](#).

5.161.2.10 RDFAR

```
void* st_edmac_t::RDFAR
```

Definition at line [5192](#) of file [iodefine.h](#).

5.161.2.11 RDLAR

```
void* st_edmac_t::RDLAR
```

Definition at line [4893](#) of file [iodefine.h](#).

5.161.2.12 [union]

```
union { ... } st_edmac_t::RFOCR
```

5.161.2.13 [union]

```
union { ... } st_edmac_t::RMCR
```

5.161.2.14 [union]

```
union { ... } st_edmac_t::RMFCR
```

5.161.2.15 [union]

```
union { ... } st_edmac_t::RPADIR
```

5.161.2.16 TBRAR

```
void* st_edmac_t::TBRAR
```

Definition at line [5194](#) of file [iodefne.h](#).

5.161.2.17 TDFAR

```
void* st_edmac_t::TDFAR
```

Definition at line [5195](#) of file [iodefne.h](#).

5.161.2.18 TDLAR

```
void* st_edmac_t::TDLAR
```

Definition at line [4891](#) of file [iodefne.h](#).

5.161.2.19 [union]

```
union { ... } st_edmac_t::TFTR
```

5.161.2.20 [union]

```
union { ... } st_edmac_t::TFUCR
```

5.161.2.21 [union]

```
union { ... } st_edmac_t::TRIMD
```

5.161.2.22 [union]

```
union { ... } st_edmac_t::TRSCER
```

5.161.2.23 wk0

```
char st_edmac_t::wk0[4]
```

Definition at line [4862](#) of file [iodefne.h](#).

5.161.2.24 wk1

```
char st_edmac_t::wk1[4]
```

Definition at line 4876 of file [iodefne.h](#).

5.161.2.25 wk10

```
char st_edmac_t::wk10[4]
```

Definition at line 5084 of file [iodefne.h](#).

5.161.2.26 wk11

```
char st_edmac_t::wk11[8]
```

Definition at line 5098 of file [iodefne.h](#).

5.161.2.27 wk12

```
char st_edmac_t::wk12[4]
```

Definition at line 5155 of file [iodefne.h](#).

5.161.2.28 wk13

```
char st_edmac_t::wk13[72]
```

Definition at line 5190 of file [iodefne.h](#).

5.161.2.29 wk14

```
char st_edmac_t::wk14[4]
```

Definition at line 5193 of file [iodefne.h](#).

5.161.2.30 wk2

```
char st_edmac_t::wk2[4]
```

Definition at line 4890 of file [iodefne.h](#).

5.161.2.31 wk3

```
char st_edmac_t::wk3[4]
```

Definition at line 4892 of file [iodefne.h](#).

5.161.2.32 wk4

```
char st_edmac_t::wk4[4]
```

Definition at line [4894](#) of file [iodefne.h](#).

5.161.2.33 wk5

```
char st_edmac_t::wk5[4]
```

Definition at line [4956](#) of file [iodefne.h](#).

5.161.2.34 wk6

```
char st_edmac_t::wk6[4]
```

Definition at line [5018](#) of file [iodefne.h](#).

5.161.2.35 wk7

```
char st_edmac_t::wk7[4]
```

Definition at line [5038](#) of file [iodefne.h](#).

5.161.2.36 wk8

```
char st_edmac_t::wk8[4]
```

Definition at line [5052](#) of file [iodefne.h](#).

5.161.2.37 wk9

```
char st_edmac_t::wk9[4]
```

Definition at line [5066](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.162 st_edmac_t.EDMR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 25
 - unsigned long [DE](#): 1
 - unsigned long [DL](#): 2
 - unsigned long [SWR](#): 1
- } [BIT](#)

5.162.1 Detailed Description

Definition at line [4843](#) of file [iodefine.h](#).

5.162.2 Field Documentation

5.162.2.1 BIT

5.162.2.2 LONG

The documentation for this union was generated from the following files:

5.163 `st_edmac_t`.EDRRR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [RR](#): 1
} [BIT](#)

5.163.1 Detailed Description

Definition at line [4877](#) of file [iodefine.h](#).

5.163.2 Field Documentation

5.163.2.1 BIT

5.163.2.2 LONG

The documentation for this union was generated from the following files:

5.164 `st_edmac_t`.EDTRR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [TR](#): 1
} [BIT](#)

5.164.1 Detailed Description

Definition at line [4863](#) of file [iodefine.h](#).

5.164.2 Field Documentation

5.164.2.1 BIT

5.164.2.2 LONG

The documentation for this union was generated from the following files:

5.165 st_edmac_t.EESIPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [TWBIP](#): 1
 - unsigned long [TABTIP](#): 1
 - unsigned long [RABTIP](#): 1
 - unsigned long [RFCOFIP](#): 1
 - unsigned long [ECIIP](#): 1
 - unsigned long [TCIP](#): 1
 - unsigned long [TDEIP](#): 1
 - unsigned long [TFUFIP](#): 1
 - unsigned long [FRIP](#): 1
 - unsigned long [RDEIP](#): 1
 - unsigned long [RFOFIP](#): 1
 - unsigned long [CNDIP](#): 1
 - unsigned long [DLCIP](#): 1
 - unsigned long [CDIP](#): 1
 - unsigned long [TROIP](#): 1
 - unsigned long [RMAFIP](#): 1
 - unsigned long [RRFIP](#): 1
 - unsigned long [RTLFIP](#): 1
 - unsigned long [RTSFIP](#): 1
 - unsigned long [PREIP](#): 1
 - unsigned long [CERFIP](#): 1
- } [BIT](#)

5.165.1 Detailed Description

Definition at line [4957](#) of file [iodefine.h](#).

5.165.2 Field Documentation

5.165.2.1 BIT

5.165.2.2 LONG

The documentation for this union was generated from the following files:

5.166 st_edmac_t.EESR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 1
 - unsigned long [TWB](#): 1
 - unsigned long [TABT](#): 1
 - unsigned long [RABT](#): 1
 - unsigned long [RFCOF](#): 1
 - unsigned long [ECI](#): 1
 - unsigned long [TC](#): 1
 - unsigned long [TDE](#): 1
 - unsigned long [TFUF](#): 1
 - unsigned long [FR](#): 1
 - unsigned long [RDE](#): 1
 - unsigned long [RFOF](#): 1
 - unsigned long [CND](#): 1
 - unsigned long [DLC](#): 1
 - unsigned long [CD](#): 1
 - unsigned long [TRO](#): 1
 - unsigned long [RMAF](#): 1
 - unsigned long [RRF](#): 1
 - unsigned long [RTLF](#): 1
 - unsigned long [RTSF](#): 1
 - unsigned long [PRE](#): 1
 - unsigned long [CERF](#): 1
- } [BIT](#)

5.166.1 Detailed Description

Definition at line [4895](#) of file [iodefine.h](#).

5.166.2 Field Documentation

5.166.2.1 BIT

5.166.2.2 LONG

The documentation for this union was generated from the following files:

5.167 st_edmac_t.FCFTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 13
 unsigned long [RFFO](#): 3
 unsigned long [RFDO](#): 3
} [BIT](#)

5.167.1 Detailed Description

Definition at line [5138](#) of file [iodefine.h](#).

5.167.2 Field Documentation

5.167.2.1 BIT

5.167.2.2 LONG

The documentation for this union was generated from the following files:

5.168 st_edmac_t.FDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 19
 unsigned long [TFD](#): 5
 unsigned long [RFD](#): 5
} [BIT](#)

5.168.1 Detailed Description

Definition at line [5067](#) of file [iodefine.h](#).

5.168.2 Field Documentation

5.168.2.1 BIT

5.168.2.2 LONG

The documentation for this union was generated from the following files:

5.169 st_edmac_t.IOSR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 31
 - unsigned long [ELB](#): 1
- } [BIT](#)

5.169.1 Detailed Description

Definition at line [5125](#) of file [iodefine.h](#).

5.169.2 Field Documentation

5.169.2.1 BIT

5.169.2.2 LONG

The documentation for this union was generated from the following files:

5.170 st_edmac_t.RFOCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 16
 - unsigned long [OVER](#): 16
- } [BIT](#)

5.170.1 Detailed Description

Definition at line [5112](#) of file [iodefine.h](#).

5.170.2 Field Documentation

5.170.2.1 BIT

5.170.2.2 LONG

The documentation for this union was generated from the following files:

5.171 st_edmac_t.RMCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [RNR](#): 1
} [BIT](#)

5.171.1 Detailed Description

Definition at line [5085](#) of file [iodefine.h](#).

5.171.2 Field Documentation

5.171.2.1 BIT

5.171.2.2 LONG

The documentation for this union was generated from the following files:

5.172 st_edmac_t.RMFCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 16
 unsigned long [MFC](#): 16
} [BIT](#)

5.172.1 Detailed Description

Definition at line [5039](#) of file [iodefine.h](#).

5.172.2 Field Documentation

5.172.2.1 BIT

5.172.2.2 LONG

The documentation for this union was generated from the following files:

5.173 st_edmac_t.RPADIR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 14
 - unsigned long [PADS](#): 2
 - unsigned long [PADR](#): 6
- } [BIT](#)

5.173.1 Detailed Description

Definition at line [5156](#) of file [iodefine.h](#).

5.173.2 Field Documentation

5.173.2.1 BIT

5.173.2.2 LONG

The documentation for this union was generated from the following files:

5.174 st_edmac_t.TFTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 21
 - unsigned long [TFT](#): 11
- } [BIT](#)

5.174.1 Detailed Description

Definition at line [5053](#) of file [iodefine.h](#).

5.174.2 Field Documentation

5.174.2.1 BIT

5.174.2.2 LONG

The documentation for this union was generated from the following files:

5.175 st_edmac_t.TFUCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 16
 - unsigned long [UNDER](#): 16
- } [BIT](#)

5.175.1 Detailed Description

Definition at line [5099](#) of file [iodefine.h](#).

5.175.2 Field Documentation

5.175.2.1 BIT

5.175.2.2 LONG

The documentation for this union was generated from the following files:

5.176 st_edmac_t.TRIMD Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 27
 - unsigned long [TIM](#): 1
 - unsigned long [TIS](#): 1
- } [BIT](#)

5.176.1 Detailed Description

Definition at line [5173](#) of file [iodefine.h](#).

5.176.2 Field Documentation

5.176.2.1 BIT

5.176.2.2 LONG

The documentation for this union was generated from the following files:

5.177 st_edmac_t.TRSCER Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 24
 - unsigned long [RMAFCE](#): 1
 - unsigned long [RRFCE](#): 1
- } [BIT](#)

5.177.1 Detailed Description

Definition at line [5019](#) of file [iodefine.h](#).

5.177.2 Field Documentation

5.177.2.1 BIT


5.177.2.2 LONG

The documentation for this union was generated from the following files:

5.178 st_elc_t Struct Reference

#include <iodefine.h>

Collaboration diagram for st_elc_t:



Data Fields

- union {
 - unsigned char BYTE
 - struct {
 - unsigned char ELCON: 1
 - unsigned char: 7

- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR0
- char wk0 [2]
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR3
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR4
- char wk1 [2]
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR7
- char wk2 [2]
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR10
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR11
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR12
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR13

- char [wk3](#) [1]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR15](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR16](#)
- char [wk4](#) [1]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR18](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR19](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR20](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR21](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR22](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
 } [ELSR23](#)

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
} [ELSR24](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
} [ELSR25](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
} [ELSR26](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
} [ELSR27](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [ELS](#): 8
 } [BIT](#)
} [ELSR28](#)
- char [wk5](#) [1]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [MTU3MD](#): 2
 unsigned [char](#): 4
 unsigned char [MTU0MD](#): 2
 } [BIT](#)
} [ELOPA](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [MTU4MD](#): 2
 } [BIT](#)
} [ELOPB](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 4

- ```

 unsigned char CMT1MD: 2
 } BIT
} ELOPC

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TMR3MD: 2
 unsigned char TMR2MD: 2
 unsigned char TMR1MD: 2
 unsigned char TMR0MD: 2
 } BIT
 } ELOPD

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PGR7: 1
 unsigned char PGR6: 1
 unsigned char PGR5: 1
 unsigned char PGR4: 1
 unsigned char PGR3: 1
 unsigned char PGR2: 1
 unsigned char PGR1: 1
 unsigned char PGR0: 1
 } BIT
 } PGR1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PGR7: 1
 unsigned char PGR6: 1
 unsigned char PGR5: 1
 unsigned char PGR4: 1
 unsigned char PGR3: 1
 unsigned char PGR2: 1
 unsigned char PGR1: 1
 unsigned char PGR0: 1
 } BIT
 } PGR2

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PGCO: 3
 unsigned char PGCOVE: 1
 unsigned char PGCI: 2
 } BIT
 } PGC1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PGCO: 3
 unsigned char PGCOVE: 1

```

- ```

    unsigned char PGCI: 2
    } BIT
} PGC2

```
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PDBF7](#): 1
 unsigned char [PDBF6](#): 1
 unsigned char [PDBF5](#): 1
 unsigned char [PDBF4](#): 1
 unsigned char [PDBF3](#): 1
 unsigned char [PDBF2](#): 1
 unsigned char [PDBF1](#): 1
 unsigned char [PDBF0](#): 1
 } [BIT](#)
 } [PDBF1](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PDBF7](#): 1
 unsigned char [PDBF6](#): 1
 unsigned char [PDBF5](#): 1
 unsigned char [PDBF4](#): 1
 unsigned char [PDBF3](#): 1
 unsigned char [PDBF2](#): 1
 unsigned char [PDBF1](#): 1
 unsigned char [PDBF0](#): 1
 } [BIT](#)
 } [PDBF2](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [PSM](#): 2
 unsigned char [PSP](#): 2
 unsigned char [PSB](#): 3
 } [BIT](#)
 } [PEL0](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [PSM](#): 2
 unsigned char [PSP](#): 2
 unsigned char [PSB](#): 3
 } [BIT](#)
 } [PEL1](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [PSM](#): 2
 unsigned char [PSP](#): 2

- ```

 unsigned char PSB: 3
 } BIT
} PEL2

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PSM: 2
 unsigned char PSP: 2
 unsigned char PSB: 3
 } BIT
 } PEL3

```
  - union {
 

```

 unsigned char BYTE
 } ELSEGR

```
  - char wk6 [3]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR33

```
  - char wk7 [1]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR35

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR36

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR37

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR38

```
  - char wk8 [6]
  - union {
 

```

 unsigned char BYTE

```



```

 struct {
 unsigned char ELS: 8
 } BIT
} ELSR45

```

- char wk9 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char TPU3MD: 2
 unsigned char TPU2MD: 2
 unsigned char TPU1MD: 2
 unsigned char TPU0MD: 2
 } BIT
 } ELOPF
- char wk10 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char CMTW0MD: 2
 } BIT
 } ELOPH
- char wk11 [4]
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR48
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR49
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR50
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 } BIT
 } ELSR51
- union {
 unsigned char BYTE
 struct {
 unsigned char ELS: 8
 }

```
 } BIT
} ELSR52
```

- union {  
  unsigned char BYTE  
    struct {  
      unsigned char ELS: 8  
    } BIT  
  } ELSR53

- union {  
  unsigned char BYTE  
    struct {  
      unsigned char ELS: 8  
    } BIT  
  } ELSR54

- union {  
  unsigned char BYTE  
    struct {  
      unsigned char ELS: 8  
    } BIT  
  } ELSR55

- union {  
  unsigned char BYTE  
    struct {  
      unsigned char ELS: 8  
    } BIT  
  } ELSR56

- union {  
  unsigned char BYTE  
    struct {  
      unsigned char ELS: 8  
    } BIT  
  } ELSR57

### 5.178.1 Detailed Description

Definition at line 5198 of file [iodefine.h](#).

### 5.178.2 Field Documentation

#### 5.178.2.1 [union]

```
union { ... } st_elc_t::ELCR
```

#### 5.178.2.2 [union]

```
union { ... } st_elc_t::ELOPA
```

## 5.178.2.3 [union]

```
union { ... } st_elc_t::ELOPB
```

## 5.178.2.4 [union]

```
union { ... } st_elc_t::ELOPC
```

## 5.178.2.5 [union]

```
union { ... } st_elc_t::ELOPD
```

## 5.178.2.6 [union]

```
union { ... } st_elc_t::ELOPF
```

## 5.178.2.7 [union]

```
union { ... } st_elc_t::ELOPH
```

## 5.178.2.8 [union]

```
union { ... } st_elc_t::ELSEGR
```

## 5.178.2.9 [union]

```
union { ... } st_elc_t::ELSR0
```

## 5.178.2.10 [union]

```
union { ... } st_elc_t::ELSR10
```

## 5.178.2.11 [union]

```
union { ... } st_elc_t::ELSR11
```

## 5.178.2.12 [union]

```
union { ... } st_elc_t::ELSR12
```

## 5.178.2.13 [union]

```
union { ... } st_elc_t::ELSR13
```

## 5.178.2.14 [union]

```
union { ... } st_elc_t::ELSR15
```

## 5.178.2.15 [union]

```
union { ... } st_elc_t::ELSR16
```

## 5.178.2.16 [union]

```
union { ... } st_elc_t::ELSR18
```

## 5.178.2.17 [union]

```
union { ... } st_elc_t::ELSR19
```

## 5.178.2.18 [union]

```
union { ... } st_elc_t::ELSR20
```

## 5.178.2.19 [union]

```
union { ... } st_elc_t::ELSR21
```

## 5.178.2.20 [union]

```
union { ... } st_elc_t::ELSR22
```

## 5.178.2.21 [union]

```
union { ... } st_elc_t::ELSR23
```

## 5.178.2.22 [union]

```
union { ... } st_elc_t::ELSR24
```

## 5.178.2.23 [union]

```
union { ... } st_elc_t::ELSR25
```

## 5.178.2.24 [union]

```
union { ... } st_elc_t::ELSR26
```

## 5.178.2.25 [union]

```
union { ... } st_elc_t::ELSR27
```

## 5.178.2.26 [union]

```
union { ... } st_elc_t::ELSR28
```

## 5.178.2.27 [union]

```
union { ... } st_elc_t::ELSR3
```

## 5.178.2.28 [union]

```
union { ... } st_elc_t::ELSR33
```

## 5.178.2.29 [union]

```
union { ... } st_elc_t::ELSR35
```

## 5.178.2.30 [union]

```
union { ... } st_elc_t::ELSR36
```

## 5.178.2.31 [union]

```
union { ... } st_elc_t::ELSR37
```

## 5.178.2.32 [union]

```
union { ... } st_elc_t::ELSR38
```

## 5.178.2.33 [union]

```
union { ... } st_elc_t::ELSR4
```

## 5.178.2.34 [union]

```
union { ... } st_elc_t::ELSR45
```

## 5.178.2.35 [union]

```
union { ... } st_elc_t::ELSR48
```

## 5.178.2.36 [union]

```
union { ... } st_elc_t::ELSR49
```

## 5.178.2.37 [union]

```
union { ... } st_elc_t::ELSR50
```

## 5.178.2.38 [union]

```
union { ... } st_elc_t::ELSR51
```

## 5.178.2.39 [union]

```
union { ... } st_elc_t::ELSR52
```

## 5.178.2.40 [union]

```
union { ... } st_elc_t::ELSR53
```

## 5.178.2.41 [union]

```
union { ... } st_elc_t::ELSR54
```

## 5.178.2.42 [union]

```
union { ... } st_elc_t::ELSR55
```

## 5.178.2.43 [union]

```
union { ... } st_elc_t::ELSR56
```

## 5.178.2.44 [union]

```
union { ... } st_elc_t::ELSR57
```

## 5.178.2.45 [union]

```
union { ... } st_elc_t::ELSR7
```

## 5.178.2.46 [union]

```
union { ... } st_elc_t::PDBF1
```

## 5.178.2.47 [union]

```
union { ... } st_elc_t::PDBF2
```

## 5.178.2.48 [union]

```
union { ... } st_elc_t::PEL0
```

## 5.178.2.49 [union]

```
union { ... } st_elc_t::PEL1
```

## 5.178.2.50 [union]

```
union { ... } st_elc_t::PEL2
```

## 5.178.2.51 [union]

```
union { ... } st_elc_t::PEL3
```

## 5.178.2.52 [union]

```
union { ... } st_elc_t::PGC1
```

## 5.178.2.53 [union]

```
union { ... } st_elc_t::PGC2
```

## 5.178.2.54 [union]

```
union { ... } st_elc_t::PGR1
```

## 5.178.2.55 [union]

```
union { ... } st_elc_t::PGR2
```

## 5.178.2.56 wk0

```
char st_elc_t::wk0[2]
```

Definition at line [5223](#) of file [iodefne.h](#).

## 5.178.2.57 wk1

```
char st_elc_t::wk1[2]
```

Definition at line [5246](#) of file [iodefne.h](#).

## 5.178.2.58 wk10

```
char st_elc_t::wk10[1]
```

Definition at line [5821](#) of file [iodefne.h](#).

## 5.178.2.59 wk11

```
char st_elc_t::wk11[4]
```

Definition at line [5835](#) of file [iodefne.h](#).

## 5.178.2.60 wk2

```
char st_elc_t::wk2[2]
```

Definition at line [5258](#) of file [iodefne.h](#).

## 5.178.2.61 wk3

```
char st_elc_t::wk3[1]
```

Definition at line [5303](#) of file [iodefne.h](#).



## 5.178.2.62 wk4

```
char st_elc_t::wk4[1]
```

Definition at line [5326](#) of file [iodefne.h](#).

## 5.178.2.63 wk5

```
char st_elc_t::wk5[1]
```

Definition at line [5448](#) of file [iodefne.h](#).

## 5.178.2.64 wk6

```
char st_elc_t::wk6[3]
```

Definition at line [5734](#) of file [iodefne.h](#).

## 5.178.2.65 wk7

```
char st_elc_t::wk7[1]
```

Definition at line [5746](#) of file [iodefne.h](#).

## 5.178.2.66 wk8

```
char st_elc_t::wk8[6]
```

Definition at line [5791](#) of file [iodefne.h](#).

## 5.178.2.67 wk9

```
char st_elc_t::wk9[1]
```

Definition at line [5803](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.179 st\_elc\_t.ELCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ELCON](#): 1
  - unsigned [char](#): 7
- } [BIT](#)

### 5.179.1 Detailed Description

Definition at line [5199](#) of file [iodefne.h](#).

### 5.179.2 Field Documentation

#### 5.179.2.1 BIT

#### 5.179.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.180 st\_elc\_t.ELOPA Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [MTU3MD](#): 2
  - unsigned [char](#): 4
  - unsigned char [MTU0MD](#): 2
- } [BIT](#)

### 5.180.1 Detailed Description

Definition at line [5449](#) of file [iodefne.h](#).

### 5.180.2 Field Documentation

#### 5.180.2.1 BIT

#### 5.180.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.181 st\_elc\_t.ELOPB Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 6
  - unsigned char [MTU4MD](#): 2
- } [BIT](#)

### 5.181.1 Detailed Description

Definition at line 5464 of file [iodefine.h](#).

### 5.181.2 Field Documentation

#### 5.181.2.1 BIT

#### 5.181.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.182 st\_elc\_t.ELOPC Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 4  
    unsigned char [CMT1MD](#): 2  
} [BIT](#)

### 5.182.1 Detailed Description

Definition at line 5477 of file [iodefine.h](#).

### 5.182.2 Field Documentation

#### 5.182.2.1 BIT

#### 5.182.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.183 st\_elc\_t.ELOPD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [TMR3MD](#): 2  
    unsigned char [TMR2MD](#): 2  
    unsigned char [TMR1MD](#): 2  
    unsigned char [TMR0MD](#): 2  
} [BIT](#)

### 5.183.1 Detailed Description

Definition at line [5492](#) of file [iodefne.h](#).

### 5.183.2 Field Documentation

#### 5.183.2.1 BIT

#### 5.183.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.184 st\_elc\_t.ELOPF Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TPU3MD](#): 2
  - unsigned char [TPU2MD](#): 2
  - unsigned char [TPU1MD](#): 2
  - unsigned char [TPU0MD](#): 2
- } [BIT](#)

### 5.184.1 Detailed Description

Definition at line [5804](#) of file [iodefne.h](#).

### 5.184.2 Field Documentation

#### 5.184.2.1 BIT

#### 5.184.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.185 st\_elc\_t.ELOPH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 6
  - unsigned char [CMTW0MD](#): 2
- } [BIT](#)

### 5.185.1 Detailed Description

Definition at line 5822 of file [iodefine.h](#).

### 5.185.2 Field Documentation

#### 5.185.2.1 BIT

#### 5.185.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.186 st\_elc\_t.ELSR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.186.1 Detailed Description

Definition at line 5212 of file [iodefine.h](#).

### 5.186.2 Field Documentation

#### 5.186.2.1 BIT

#### 5.186.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.187 st\_elc\_t.ELSR10 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.187.1 Detailed Description

Definition at line [5259](#) of file [iodefine.h](#).

### 5.187.2 Field Documentation

#### 5.187.2.1 BIT

#### 5.187.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.188 st\_elc\_t.ELSR11 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.188.1 Detailed Description

Definition at line [5270](#) of file [iodefine.h](#).

### 5.188.2 Field Documentation

#### 5.188.2.1 BIT

#### 5.188.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.189 st\_elc\_t.ELSR12 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.189.1 Detailed Description

Definition at line 5281 of file [iodefine.h](#).

### 5.189.2 Field Documentation

#### 5.189.2.1 BIT

#### 5.189.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.190 st\_elc\_t.ELSR13 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.190.1 Detailed Description

Definition at line 5292 of file [iodefine.h](#).

### 5.190.2 Field Documentation

#### 5.190.2.1 BIT

#### 5.190.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.191 st\_elc\_t.ELSR15 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.191.1 Detailed Description

Definition at line [5304](#) of file [iodefne.h](#).

### 5.191.2 Field Documentation

#### 5.191.2.1 BIT

#### 5.191.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.192 st\_elc\_t.ELSR16 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.192.1 Detailed Description

Definition at line [5315](#) of file [iodefne.h](#).

### 5.192.2 Field Documentation

#### 5.192.2.1 BIT

#### 5.192.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.193 st\_elc\_t.ELSR18 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)



### 5.193.1 Detailed Description

Definition at line 5327 of file [iodefine.h](#).

### 5.193.2 Field Documentation

#### 5.193.2.1 BIT

#### 5.193.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.194 st\_elc\_t.ELSR19 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.194.1 Detailed Description

Definition at line 5338 of file [iodefine.h](#).

### 5.194.2 Field Documentation

#### 5.194.2.1 BIT

#### 5.194.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.195 st\_elc\_t.ELSR20 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.195.1 Detailed Description

Definition at line [5349](#) of file [iodefine.h](#).

### 5.195.2 Field Documentation

#### 5.195.2.1 BIT

#### 5.195.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.196 st\_elc\_t.ELSR21 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.196.1 Detailed Description

Definition at line [5360](#) of file [iodefine.h](#).

### 5.196.2 Field Documentation

#### 5.196.2.1 BIT

#### 5.196.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.197 st\_elc\_t.ELSR22 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.197.1 Detailed Description

Definition at line 5371 of file [iodefine.h](#).

### 5.197.2 Field Documentation

#### 5.197.2.1 BIT

#### 5.197.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.198 st\_elc\_t.ELSR23 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.198.1 Detailed Description

Definition at line 5382 of file [iodefine.h](#).

### 5.198.2 Field Documentation

#### 5.198.2.1 BIT

#### 5.198.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.199 st\_elc\_t.ELSR24 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.199.1 Detailed Description

Definition at line [5393](#) of file [iodefine.h](#).

### 5.199.2 Field Documentation

#### 5.199.2.1 BIT

#### 5.199.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.200 st\_elc\_t.ELSR25 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.200.1 Detailed Description

Definition at line [5404](#) of file [iodefine.h](#).

### 5.200.2 Field Documentation

#### 5.200.2.1 BIT

#### 5.200.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.201 st\_elc\_t.ELSR26 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.201.1 Detailed Description

Definition at line 5415 of file [iodefine.h](#).

### 5.201.2 Field Documentation

#### 5.201.2.1 BIT

#### 5.201.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.202 st\_elc\_t.ELSR27 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.202.1 Detailed Description

Definition at line 5426 of file [iodefine.h](#).

### 5.202.2 Field Documentation

#### 5.202.2.1 BIT

#### 5.202.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.203 st\_elc\_t.ELSR28 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.203.1 Detailed Description

Definition at line [5437](#) of file [iodefine.h](#).

### 5.203.2 Field Documentation

#### 5.203.2.1 BIT

#### 5.203.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.204 st\_elc\_t.ELSR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.204.1 Detailed Description

Definition at line [5224](#) of file [iodefine.h](#).

### 5.204.2 Field Documentation

#### 5.204.2.1 BIT

#### 5.204.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.205 st\_elc\_t.ELSR33 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.205.1 Detailed Description

Definition at line [5735](#) of file [iodefine.h](#).

### 5.205.2 Field Documentation

#### 5.205.2.1 BIT

#### 5.205.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.206 st\_elc\_t.ELSR35 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.206.1 Detailed Description

Definition at line [5747](#) of file [iodefine.h](#).

### 5.206.2 Field Documentation

#### 5.206.2.1 BIT

#### 5.206.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.207 st\_elc\_t.ELSR36 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.207.1 Detailed Description

Definition at line [5758](#) of file [iodefine.h](#).

### 5.207.2 Field Documentation

#### 5.207.2.1 BIT

#### 5.207.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.208 st\_elc\_t.ELSR37 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.208.1 Detailed Description

Definition at line [5769](#) of file [iodefine.h](#).

### 5.208.2 Field Documentation

#### 5.208.2.1 BIT

#### 5.208.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.209 st\_elc\_t.ELSR38 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)



### 5.209.1 Detailed Description

Definition at line [5780](#) of file [iodefine.h](#).

### 5.209.2 Field Documentation

#### 5.209.2.1 BIT

#### 5.209.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.210 st\_elc\_t.ELSR4 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.210.1 Detailed Description

Definition at line [5235](#) of file [iodefine.h](#).

### 5.210.2 Field Documentation

#### 5.210.2.1 BIT

#### 5.210.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.211 st\_elc\_t.ELSR45 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.211.1 Detailed Description

Definition at line [5792](#) of file [iodefine.h](#).

### 5.211.2 Field Documentation

#### 5.211.2.1 BIT

#### 5.211.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.212 st\_elc\_t.ELSR48 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.212.1 Detailed Description

Definition at line [5836](#) of file [iodefine.h](#).

### 5.212.2 Field Documentation

#### 5.212.2.1 BIT

#### 5.212.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.213 st\_elc\_t.ELSR49 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.213.1 Detailed Description

Definition at line 5847 of file [iodefine.h](#).

### 5.213.2 Field Documentation

#### 5.213.2.1 BIT

#### 5.213.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.214 st\_elc\_t.ELSR50 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.214.1 Detailed Description

Definition at line 5858 of file [iodefine.h](#).

### 5.214.2 Field Documentation

#### 5.214.2.1 BIT

#### 5.214.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.215 st\_elc\_t.ELSR51 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.215.1 Detailed Description

Definition at line [5869](#) of file [iodefine.h](#).

### 5.215.2 Field Documentation

#### 5.215.2.1 BIT

#### 5.215.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.216 st\_elc\_t.ELSR52 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.216.1 Detailed Description

Definition at line [5880](#) of file [iodefine.h](#).

### 5.216.2 Field Documentation

#### 5.216.2.1 BIT

#### 5.216.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.217 st\_elc\_t.ELSR53 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.217.1 Detailed Description

Definition at line [5891](#) of file [iodefine.h](#).

### 5.217.2 Field Documentation

#### 5.217.2.1 BIT

#### 5.217.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.218 st\_elc\_t.ELSR54 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.218.1 Detailed Description

Definition at line [5902](#) of file [iodefine.h](#).

### 5.218.2 Field Documentation

#### 5.218.2.1 BIT

#### 5.218.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.219 st\_elc\_t.ELSR55 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.219.1 Detailed Description

Definition at line [5913](#) of file [iodefine.h](#).

### 5.219.2 Field Documentation

#### 5.219.2.1 BIT

#### 5.219.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.220 st\_elc\_t.ELSR56 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.220.1 Detailed Description

Definition at line [5924](#) of file [iodefine.h](#).

### 5.220.2 Field Documentation

#### 5.220.2.1 BIT

#### 5.220.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.221 st\_elc\_t.ELSR57 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.221.1 Detailed Description

Definition at line 5935 of file [iodefne.h](#).

### 5.221.2 Field Documentation

#### 5.221.2.1 BIT

#### 5.221.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.222 st\_elc\_t.ELSR7 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ELS](#): 8  
} [BIT](#)

### 5.222.1 Detailed Description

Definition at line 5247 of file [iodefne.h](#).

### 5.222.2 Field Documentation

#### 5.222.2.1 BIT

#### 5.222.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.223 st\_elc\_t.PDBF1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [PDBF7](#): 1  
    unsigned char [PDBF6](#): 1  
    unsigned char [PDBF5](#): 1  
    unsigned char [PDBF4](#): 1  
    unsigned char [PDBF3](#): 1  
    unsigned char [PDBF2](#): 1  
    unsigned char [PDBF1](#): 1  
    unsigned char [PDBF0](#): 1  
} [BIT](#)

### 5.223.1 Detailed Description

Definition at line [5597](#) of file [iodefine.h](#).

### 5.223.2 Field Documentation

#### 5.223.2.1 BIT

#### 5.223.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.224 st\_elc\_t.PDBF2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [PDBF7](#): 1
  - unsigned char [PDBF6](#): 1
  - unsigned char [PDBF5](#): 1
  - unsigned char [PDBF4](#): 1
  - unsigned char [PDBF3](#): 1
  - unsigned char [PDBF2](#): 1
  - unsigned char [PDBF1](#): 1
  - unsigned char [PDBF0](#): 1
- } [BIT](#)

### 5.224.1 Detailed Description

Definition at line [5622](#) of file [iodefine.h](#).

### 5.224.2 Field Documentation

#### 5.224.2.1 BIT

#### 5.224.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.225 st\_elc\_t.PEL0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 1
  - unsigned char [PSM](#): 2
  - unsigned char [PSP](#): 2
  - unsigned char [PSB](#): 3
- } [BIT](#)

### 5.225.1 Detailed Description

Definition at line [5647](#) of file [iodefine.h](#).

### 5.225.2 Field Documentation

#### 5.225.2.1 BIT

#### 5.225.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.226 st\_elc\_t.PEL1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 1
  - unsigned char [PSM](#): 2
  - unsigned char [PSP](#): 2
  - unsigned char [PSB](#): 3
- } [BIT](#)

### 5.226.1 Detailed Description

Definition at line [5664](#) of file [iodefine.h](#).

### 5.226.2 Field Documentation

#### 5.226.2.1 BIT

#### 5.226.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.227 st\_elc\_t.PEL2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [PSM](#): 2
  - unsigned char [PSP](#): 2
  - unsigned char [PSB](#): 3
- } [BIT](#)

### 5.227.1 Detailed Description

Definition at line [5681](#) of file [iodefine.h](#).

### 5.227.2 Field Documentation

#### 5.227.2.1 BIT

#### 5.227.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.228 st\_elc\_t.PEL3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [PSM](#): 2
  - unsigned char [PSP](#): 2
  - unsigned char [PSB](#): 3
- } [BIT](#)

### 5.228.1 Detailed Description

Definition at line [5698](#) of file [iodefine.h](#).

### 5.228.2 Field Documentation

#### 5.228.2.1 BIT

#### 5.228.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.229 st\_elc\_t.PGC1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [PGCO](#): 3
  - unsigned char [PGCOVE](#): 1
  - unsigned char [PGCI](#): 2
- } [BIT](#)

### 5.229.1 Detailed Description

Definition at line [5559](#) of file [iodefine.h](#).

### 5.229.2 Field Documentation

#### 5.229.2.1 BIT

#### 5.229.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.230 st\_elc\_t.PGC2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [PGCO](#): 3
  - unsigned char [PGCOVE](#): 1
  - unsigned char [PGCI](#): 2
- } [BIT](#)

### 5.230.1 Detailed Description

Definition at line [5578](#) of file [iodefine.h](#).

### 5.230.2 Field Documentation

#### 5.230.2.1 BIT

#### 5.230.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.231 st\_elc\_t.PGR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [PGR7](#): 1
  - unsigned char [PGR6](#): 1
  - unsigned char [PGR5](#): 1
  - unsigned char [PGR4](#): 1
  - unsigned char [PGR3](#): 1
  - unsigned char [PGR2](#): 1
  - unsigned char [PGR1](#): 1
  - unsigned char [PGR0](#): 1
- } [BIT](#)

### 5.231.1 Detailed Description

Definition at line [5509](#) of file [iodefine.h](#).

### 5.231.2 Field Documentation

#### 5.231.2.1 BIT

#### 5.231.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.232 st\_elc\_t.PGR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [PGR7](#): 1
  - unsigned char [PGR6](#): 1
  - unsigned char [PGR5](#): 1
  - unsigned char [PGR4](#): 1
  - unsigned char [PGR3](#): 1
  - unsigned char [PGR2](#): 1
  - unsigned char [PGR1](#): 1
  - unsigned char [PGR0](#): 1
- } [BIT](#)

### 5.232.1 Detailed Description

Definition at line [5534](#) of file [iodefine.h](#).

## 5.232.2 Field Documentation

### 5.232.2.1 BIT


### 5.232.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.233 st\_eptpc0\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_eptpc0\_t:



## Data Fields

- unsigned long [SYSR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 14
    - unsigned long [GENDN](#): 1
    - unsigned long [RESDN](#): 1
    - unsigned long [INFABT](#): 1

- unsigned long [RECLP](#): 1
  - unsigned long [DRQOVR](#): 1
  - unsigned long [INTDEV](#): 1
  - unsigned long [DRPTO](#): 1
  - unsigned long [MPDUD](#): 1
  - unsigned long [INTCHG](#): 1
  - unsigned long [OFMUD](#): 1
  - } [BIT](#)
  - } [SYIPR](#)
- char [wk0](#) [8]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 8
  - unsigned long [MACU](#): 24
  - } [BIT](#)
  - } [SYMACRU](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 8
  - unsigned long [MACL](#): 24
  - } [BIT](#)
  - } [SYMACRL](#)
- unsigned long [SYLLCCTLR](#)
- unsigned long [SYIPADDRR](#)
- char [wk1](#) [32]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 24
  - unsigned long [TRSP](#): 4
  - unsigned long [VER](#): 4
  - } [BIT](#)
  - } [SYSPVRR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 24
  - unsigned long [DNUM](#): 8
  - } [BIT](#)
  - } [SYDOMR](#)
- char [wk2](#) [8]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 17
  - unsigned long [FLAG14](#): 1
  - unsigned long [FLAG13](#): 1
  - unsigned long [FLAG10](#): 1
  - unsigned long [FLAG8](#): 1
  - unsigned long [FLAG5](#): 1
  - unsigned long [FLAG4](#): 1

- ```

    unsigned long FLAG3: 1
    unsigned long FLAG2: 1
    unsigned long FLAG1: 1
    unsigned long FLAG0: 1
    } BIT
} ANFR

```
- union {


```

        unsigned long LONG
        struct {
          unsigned long: 17
          unsigned long FLAG14: 1
          unsigned long FLAG13: 1
          unsigned long FLAG10: 1
          unsigned long FLAG9: 1
          unsigned long FLAG8: 1
        } BIT
      } SYNFR

```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 17
          unsigned long FLAG14: 1
          unsigned long FLAG13: 1
          unsigned long FLAG10: 1
        } BIT
      } DYRQFR

```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 17
          unsigned long FLAG14: 1
          unsigned long FLAG13: 1
          unsigned long FLAG10: 1
          unsigned long FLAG9: 1
          unsigned long FLAG8: 1
        } BIT
      } DYRPFR

```
 - unsigned long SYCIDRU
 - unsigned long SYCIDRL
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 16
          unsigned long PNUM: 16
        } BIT
      } SYPNUMR

```
 - char wk3 [20]
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 29
          unsigned long ANUP: 1
          unsigned long STUP: 1

```


- unsigned long [BMUP](#): 1
 - } [BIT](#)
 - } [SYRVLDR](#)
- char [wk4](#) [12]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 1
 - unsigned long [PDFUP](#): 3
 - unsigned long [PDRP](#): 3
 - unsigned long [PDRQ](#): 3
 - unsigned long [DRP](#): 3
 - unsigned long [DRQ](#): 3
 - unsigned long [FUP](#): 3
 - unsigned long [SYNC](#): 3
 - unsigned long [ANCE](#): 2
 - } [BIT](#)
 - } [SYRFL1R](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 2
 - unsigned long [ILL](#): 2
 - unsigned long [SIG](#): 2
 - unsigned long [MAN](#): 2
 - } [BIT](#)
 - } [SYRFL2R](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 19
 - unsigned long [PDRQ](#): 1
 - unsigned long [DRQ](#): 1
 - unsigned long [SYNC](#): 1
 - unsigned long [ANCE](#): 1
 - } [BIT](#)
 - } [SYTRENR](#)
- char [wk5](#) [4]
- unsigned long [MTCIDU](#)
- unsigned long [MTCIDL](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [PNUM](#): 16
 - } [BIT](#)
 - } [MTPID](#)
- char [wk6](#) [20]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 8
 - unsigned long [DREQ](#): 8

- ```

 unsigned long SYNC: 8
 unsigned long ANCE: 8
 } BIT
} SYTLIR

```
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long DRESP: 8
 unsigned long SYNC: 8
 unsigned long ANCE: 8
 } BIT
 } SYRLIR

```
  - unsigned long OFMRU
  - unsigned long OFMRL
  - unsigned long MPDRU
  - unsigned long MPDRL
  - char wk7 [8]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long GMPR1: 8
 unsigned long GMPR2: 8
 } BIT
 } GMPR

```
  - unsigned long GMCQR
  - unsigned long GMIDRU
  - unsigned long GMIDRL
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long CUTO: 16
 unsigned long: 8
 unsigned long TSRC: 8
 } BIT
 } CUOTSR

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 16
 unsigned long SRMV: 16
 } BIT
 } SRR

```
  - char wk8 [8]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long MACU: 24
 } BIT
 } PPMACRU

```

- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 8  
    unsigned long MACL: 24  
  } BIT  
} PPMACRL
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 8  
    unsigned long MACU: 24  
  } BIT  
} PDMACRU
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 8  
    unsigned long MACL: 24  
  } BIT  
} PDMACRL
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 16  
    unsigned long TYPE: 16  
  } BIT  
} PETYPER
- char wk9 [12]
- unsigned long PPIPR
- unsigned long PDIPR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 24  
    unsigned long EVTO: 8  
  } BIT  
} PETOSR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 24  
    unsigned long GETO: 8  
  } BIT  
} PGTOSR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 24  
    unsigned long PRTL: 8  
  } BIT  
} PPTTLR

- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 24  
       unsigned long PDTL: 8  
       } BIT  
   } PD TTLR
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 16  
       unsigned long EVUPT: 16  
       } BIT  
   } PEUDPR
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 16  
       unsigned long GEUPT: 16  
       } BIT  
   } PGUDPR
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 15  
       unsigned long EXTPRM: 1  
       unsigned long ENB: 1  
       unsigned long PRT: 1  
       unsigned long SEL: 1  
       } BIT  
   } FFLTR
- char wk10 [28]
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 8  
       unsigned long MACU: 24  
       } BIT  
   } FMAC0RU
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 8  
       unsigned long MACL: 24  
       } BIT  
   } FMAC0RL
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 8  
       unsigned long MACU: 24

- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 8  
    unsigned long MACL: 24  
  } BIT  
} FMAC1RL
- char wk11 [80]
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 16  
    unsigned long ASYMU: 16  
  } BIT  
} DASYMRU
- unsigned long DASYMRL
- union {  
  unsigned long LONG  
  struct {  
    unsigned long INGP: 16  
    unsigned long EGP: 16  
  } BIT  
} TSLATR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 11  
    unsigned long TCMOD: 1  
    unsigned long FILDIS: 1  
    unsigned long SBDIS: 1  
    unsigned long TCYC: 8  
  } BIT  
} SYCONFR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 30  
    unsigned long FORM1: 1  
    unsigned long FORM0: 1  
  } BIT  
} SYFORMR
- unsigned long RSTOUTR

Definition at line 6728 of file iodef.h.

## 5.233.2 Field Documentation

### 5.233.2.1 [union]

union { ... } st\_eptpc0\_t::ANFR

### 5.233.2.2 [union]

union { ... } st\_eptpc0\_t::CUOTSR

### 5.233.2.3 DASYMRL

unsigned long st\_eptpc0\_t::DASYMRL

Definition at line [7396](#) of file [iodefine.h](#).

### 5.233.2.4 [union]

union { ... } st\_eptpc0\_t::DASYMRU

### 5.233.2.5 [union]

union { ... } st\_eptpc0\_t::DYRPFR

### 5.233.2.6 [union]

union { ... } st\_eptpc0\_t::DYRQFR

### 5.233.2.7 [union]

union { ... } st\_eptpc0\_t::FFLTR

### 5.233.2.8 [union]

union { ... } st\_eptpc0\_t::FMAC0RL

### 5.233.2.9 [union]

union { ... } st\_eptpc0\_t::FMAC0RU

### 5.233.2.10 [union]

union { ... } st\_eptpc0\_t::FMAC1RL

## 5.233.2.11 [union]

```
union { ... } st_eptpc0_t::FMAC1RU
```

## 5.233.2.12 GMCQR

```
unsigned long st_eptpc0_t::GMCQR
```

Definition at line [7130](#) of file [iodefine.h](#).

## 5.233.2.13 GMIDRL

```
unsigned long st_eptpc0_t::GMIDRL
```

Definition at line [7132](#) of file [iodefine.h](#).

## 5.233.2.14 GMIDRU

```
unsigned long st_eptpc0_t::GMIDRU
```

Definition at line [7131](#) of file [iodefine.h](#).

## 5.233.2.15 [union]

```
union { ... } st_eptpc0_t::GMPR
```

## 5.233.2.16 MPDRL

```
unsigned long st_eptpc0_t::MPDRL
```

Definition at line [7111](#) of file [iodefine.h](#).

## 5.233.2.17 MPDRU

```
unsigned long st_eptpc0_t::MPDRU
```

Definition at line [7110](#) of file [iodefine.h](#).

## 5.233.2.18 MTCIDL

```
unsigned long st_eptpc0_t::MTCIDL
```

Definition at line [7059](#) of file [iodefine.h](#).

## 5.233.2.19 MTCIDU

```
unsigned long st_eptpc0_t::MTCIDU
```

Definition at line [7058](#) of file [iodefine.h](#).

## 5.233.2.20 [union]

```
union { ... } st_eptpc0_t::MTPID
```

## 5.233.2.21 OFMRL

```
unsigned long st_eptpc0_t::OFMRL
```

Definition at line [7109](#) of file [iodefine.h](#).

## 5.233.2.22 OFMRU

```
unsigned long st_eptpc0_t::OFMRU
```

Definition at line [7108](#) of file [iodefine.h](#).

## 5.233.2.23 PDIPR

```
unsigned long st_eptpc0_t::PDIPR
```

Definition at line [7229](#) of file [iodefine.h](#).

## 5.233.2.24 [union]

```
union { ... } st_eptpc0_t::PDMACRL
```

## 5.233.2.25 [union]

```
union { ... } st_eptpc0_t::PDMACRU
```

## 5.233.2.26 [union]

```
union { ... } st_eptpc0_t::PDTTLR
```

## 5.233.2.27 [union]

```
union { ... } st_eptpc0_t::PETOSR
```



## 5.233.2.28 [union]

```
union { ... } st_eptpc0_t::PETYPER
```

## 5.233.2.29 [union]

```
union { ... } st_eptpc0_t::PEUDPR
```

## 5.233.2.30 [union]

```
union { ... } st_eptpc0_t::PGTOSR
```

## 5.233.2.31 [union]

```
union { ... } st_eptpc0_t::PGUDPR
```

## 5.233.2.32 PPIPR

```
unsigned long st_eptpc0_t::PPIPR
```

Definition at line [7228](#) of file [iodefine.h](#).

## 5.233.2.33 [union]

```
union { ... } st_eptpc0_t::PPMACRL
```

## 5.233.2.34 [union]

```
union { ... } st_eptpc0_t::PPMACRU
```

## 5.233.2.35 [union]

```
union { ... } st_eptpc0_t::PPTTLR
```

## 5.233.2.36 RSTOUTR

```
unsigned long st_eptpc0_t::RSTOUTR
```

Definition at line [7450](#) of file [iodefine.h](#).

## 5.233.2.37 [union]

```
union { ... } st_eptpc0_t::SRR
```

#### 5.233.2.38 SYCIDRL

unsigned long st\_eptpc0\_t::SYCIDRL

Definition at line 6937 of file [iodefine.h](#).

#### 5.233.2.39 SYCIDRU

unsigned long st\_eptpc0\_t::SYCIDRU

Definition at line 6936 of file [iodefine.h](#).

#### 5.233.2.40 [union]

union { ... } st\_eptpc0\_t::SYCONFR

#### 5.233.2.41 [union]

union { ... } st\_eptpc0\_t::SYDOMR

#### 5.233.2.42 [union]

union { ... } st\_eptpc0\_t::SYFORMR

#### 5.233.2.43 SYIPADDRR

unsigned long st\_eptpc0\_t::SYIPADDRR

Definition at line 6797 of file [iodefine.h](#).

#### 5.233.2.44 [union]

union { ... } st\_eptpc0\_t::SYIPR

#### 5.233.2.45 SYLLCCTLR

unsigned long st\_eptpc0\_t::SYLLCCTLR

Definition at line 6796 of file [iodefine.h](#).

#### 5.233.2.46 [union]

union { ... } st\_eptpc0\_t::SYMACRL

## 5.233.2.47 [union]

```
union { ... } st_eptpc0_t::SYMACRU
```

## 5.233.2.48 [union]

```
union { ... } st_eptpc0_t::SYNFR
```

## 5.233.2.49 [union]

```
union { ... } st_eptpc0_t::SYPNUMR
```

## 5.233.2.50 [union]

```
union { ... } st_eptpc0_t::SYRFL1R
```

## 5.233.2.51 [union]

```
union { ... } st_eptpc0_t::SYRFL2R
```

## 5.233.2.52 [union]

```
union { ... } st_eptpc0_t::SYRLIR
```

## 5.233.2.53 [union]

```
union { ... } st_eptpc0_t::SYRVLDR
```

## 5.233.2.54 [union]

```
union { ... } st_eptpc0_t::SYSPVRR
```

## 5.233.2.55 SYSR

```
unsigned long st_eptpc0_t::SYSR
```

Definition at line [6729](#) of file [iodefine.h](#).

## 5.233.2.56 [union]

```
union { ... } st_eptpc0_t::SYTLIR
```

## 5.233.2.57 [union]

```
union { ... } st_eptpc0_t::SYTRENR
```

## 5.233.2.58 [union]

```
union { ... } st_eptpc0_t::TSLATR
```

## 5.233.2.59 wk0

```
char st_eptpc0_t::wk0[8]
```

Definition at line [6769](#) of file [iodefne.h](#).

## 5.233.2.60 wk1

```
char st_eptpc0_t::wk1[32]
```

Definition at line [6798](#) of file [iodefne.h](#).

## 5.233.2.61 wk10

```
char st_eptpc0_t::wk10[28]
```

Definition at line [7329](#) of file [iodefne.h](#).

## 5.233.2.62 wk11

```
char st_eptpc0_t::wk11[80]
```

Definition at line [7382](#) of file [iodefne.h](#).

## 5.233.2.63 wk2

```
char st_eptpc0_t::wk2[8]
```

Definition at line [6827](#) of file [iodefne.h](#).

## 5.233.2.64 wk3

```
char st_eptpc0_t::wk3[20]
```

Definition at line [6951](#) of file [iodefne.h](#).

## 5.233.2.65 wk4

```
char st_eptpc0_t::wk4[12]
```

Definition at line [6969](#) of file [iodefne.h](#).

## 5.233.2.66 wk5

```
char st_eptpc0_t::wk5[4]
```

Definition at line [7057](#) of file [iodefne.h](#).

## 5.233.2.67 wk6

```
char st_eptpc0_t::wk6[20]
```

Definition at line [7073](#) of file [iodefne.h](#).

## 5.233.2.68 wk7

```
char st_eptpc0_t::wk7[8]
```

Definition at line [7112](#) of file [iodefne.h](#).

## 5.233.2.69 wk8

```
char st_eptpc0_t::wk8[8]
```

Definition at line [7161](#) of file [iodefne.h](#).

## 5.233.2.70 wk9

```
char st_eptpc0_t::wk9[12]
```

Definition at line [7227](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.234 st\_eptpc0\_t.ANFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 17
  - unsigned long [FLAG14](#): 1
  - unsigned long [FLAG13](#): 1
  - unsigned long [FLAG10](#): 1
  - unsigned long [FLAG8](#): 1
  - unsigned long [FLAG5](#): 1
  - unsigned long [FLAG4](#): 1
  - unsigned long [FLAG3](#): 1
  - unsigned long [FLAG2](#): 1
  - unsigned long [FLAG1](#): 1
  - unsigned long [FLAG0](#): 1
- } [BIT](#)

### 5.234.1 Detailed Description

Definition at line [6828](#) of file [iodefine.h](#).

### 5.234.2 Field Documentation

#### 5.234.2.1 BIT

#### 5.234.2.2 LONG

The documentation for this union was generated from the following files:

## 5.235 st\_eptpc0\_t.CUOTSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CUTO](#): 16
  - unsigned [long](#): 8
  - unsigned long [TSRC](#): 8
- } [BIT](#)

### 5.235.1 Detailed Description

Definition at line [7133](#) of file [iodefine.h](#).

## 5.235.2 Field Documentation

### 5.235.2.1 BIT

### 5.235.2.2 LONG

The documentation for this union was generated from the following files:

## 5.236 st\_eptpc0\_t.DASYMRU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned long: 16  
    unsigned long [ASYMU](#): 16  
} [BIT](#)

### 5.236.1 Detailed Description

Definition at line [7383](#) of file [iodefine.h](#).

## 5.236.2 Field Documentation

### 5.236.2.1 BIT

### 5.236.2.2 LONG

The documentation for this union was generated from the following files:

## 5.237 st\_eptpc0\_t.DYRPFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned long: 17  
    unsigned long [FLAG14](#): 1  
    unsigned long [FLAG13](#): 1  
    unsigned long [FLAG10](#): 1  
    unsigned long [FLAG9](#): 1  
    unsigned long [FLAG8](#): 1  
} [BIT](#)

### 5.237.1 Detailed Description

Definition at line [6911](#) of file [iodefine.h](#).

### 5.237.2 Field Documentation

#### 5.237.2.1 BIT

#### 5.237.2.2 LONG

The documentation for this union was generated from the following files:

## 5.238 st\_eptpc0\_t.DYRQFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 17  
  unsigned long [FLAG14](#): 1  
  unsigned long [FLAG13](#): 1  
  unsigned long [FLAG10](#): 1  
} [BIT](#)

### 5.238.1 Detailed Description

Definition at line [6890](#) of file [iodefine.h](#).

### 5.238.2 Field Documentation

#### 5.238.2.1 BIT

#### 5.238.2.2 LONG

The documentation for this union was generated from the following files:

## 5.239 st\_eptpc0\_t.FFLTR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 15  
  unsigned long [EXTPRM](#): 1  
  unsigned long [ENB](#): 1  
  unsigned long [PRT](#): 1  
  unsigned long [SEL](#): 1  
} [BIT](#)



### 5.239.1 Detailed Description

Definition at line [7308](#) of file [iodefine.h](#).

### 5.239.2 Field Documentation

#### 5.239.2.1 BIT

#### 5.239.2.2 LONG

The documentation for this union was generated from the following files:

## 5.240 st\_eptpc0\_t.FMAC0RL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACL](#): 24  
} [BIT](#)

### 5.240.1 Detailed Description

Definition at line [7343](#) of file [iodefine.h](#).

### 5.240.2 Field Documentation

#### 5.240.2.1 BIT

#### 5.240.2.2 LONG

The documentation for this union was generated from the following files:

## 5.241 st\_eptpc0\_t.FMAC0RU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACU](#): 24  
} [BIT](#)

### 5.241.1 Detailed Description

Definition at line [7330](#) of file [iodefine.h](#).

### 5.241.2 Field Documentation

#### 5.241.2.1 BIT

#### 5.241.2.2 LONG

The documentation for this union was generated from the following files:

## 5.242 st\_eptpc0\_t.FMAC1RL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACL](#): 24  
} [BIT](#)

### 5.242.1 Detailed Description

Definition at line [7369](#) of file [iodefine.h](#).

### 5.242.2 Field Documentation

#### 5.242.2.1 BIT

#### 5.242.2.2 LONG

The documentation for this union was generated from the following files:

## 5.243 st\_eptpc0\_t.FMAC1RU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACU](#): 24  
} [BIT](#)

### 5.243.1 Detailed Description

Definition at line [7356](#) of file [iodefne.h](#).

### 5.243.2 Field Documentation

#### 5.243.2.1 BIT

#### 5.243.2.2 LONG

The documentation for this union was generated from the following files:

## 5.244 st\_eptpc0\_t.GMPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [GMPR1](#): 8  
  unsigned long [GMPR2](#): 8  
} [BIT](#)

### 5.244.1 Detailed Description

Definition at line [7113](#) of file [iodefne.h](#).

### 5.244.2 Field Documentation

#### 5.244.2.1 BIT

#### 5.244.2.2 LONG

The documentation for this union was generated from the following files:

## 5.245 st\_eptpc0\_t.MTPID Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [PNUM](#): 16  
} [BIT](#)

### 5.245.1 Detailed Description

Definition at line [7060](#) of file [iodefine.h](#).

### 5.245.2 Field Documentation

#### 5.245.2.1 BIT

#### 5.245.2.2 LONG

The documentation for this union was generated from the following files:

## 5.246 st\_eptpc0\_t.PDMACRL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACL](#): 24  
} [BIT](#)

### 5.246.1 Detailed Description

Definition at line [7201](#) of file [iodefine.h](#).

### 5.246.2 Field Documentation

#### 5.246.2.1 BIT

#### 5.246.2.2 LONG

The documentation for this union was generated from the following files:

## 5.247 st\_eptpc0\_t.PDMACRU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACU](#): 24  
} [BIT](#)

### 5.247.1 Detailed Description

Definition at line 7188 of file [iodefine.h](#).

### 5.247.2 Field Documentation

#### 5.247.2.1 BIT

#### 5.247.2.2 LONG

The documentation for this union was generated from the following files:

## 5.248 st\_eptpc0\_t.PDTTLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 24  
  unsigned long [PDTL](#): 8  
} [BIT](#)

### 5.248.1 Detailed Description

Definition at line 7269 of file [iodefine.h](#).

### 5.248.2 Field Documentation

#### 5.248.2.1 BIT

#### 5.248.2.2 LONG

The documentation for this union was generated from the following files:

## 5.249 st\_eptpc0\_t.PETOSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 24  
  unsigned long [EVTO](#): 8  
} [BIT](#)

### 5.249.1 Detailed Description

Definition at line [7230](#) of file [iodefine.h](#).

### 5.249.2 Field Documentation

#### 5.249.2.1 BIT

#### 5.249.2.2 LONG

The documentation for this union was generated from the following files:

## 5.250 st\_eptpc0\_t.PETYPER Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [TYPE](#): 16  
} [BIT](#)

### 5.250.1 Detailed Description

Definition at line [7214](#) of file [iodefine.h](#).

### 5.250.2 Field Documentation

#### 5.250.2.1 BIT

#### 5.250.2.2 LONG

The documentation for this union was generated from the following files:

## 5.251 st\_eptpc0\_t.PEUDPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [EVUPT](#): 16  
} [BIT](#)

### 5.251.1 Detailed Description

Definition at line 7282 of file [iodefine.h](#).

### 5.251.2 Field Documentation

#### 5.251.2.1 BIT

#### 5.251.2.2 LONG

The documentation for this union was generated from the following files:

## 5.252 st\_eptpc0\_t.PGTOSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 24  
  unsigned long [GETO](#): 8  
} [BIT](#)

### 5.252.1 Detailed Description

Definition at line 7243 of file [iodefine.h](#).

### 5.252.2 Field Documentation

#### 5.252.2.1 BIT

#### 5.252.2.2 LONG

The documentation for this union was generated from the following files:

## 5.253 st\_eptpc0\_t.PGUDPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [GEUPT](#): 16  
} [BIT](#)

### 5.253.1 Detailed Description

Definition at line 7295 of file [iodefine.h](#).

### 5.253.2 Field Documentation

#### 5.253.2.1 BIT

#### 5.253.2.2 LONG

The documentation for this union was generated from the following files:

## 5.254 st\_eptpc0\_t.PPMACRL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACL](#): 24  
} [BIT](#)

### 5.254.1 Detailed Description

Definition at line 7175 of file [iodefine.h](#).

### 5.254.2 Field Documentation

#### 5.254.2.1 BIT

#### 5.254.2.2 LONG

The documentation for this union was generated from the following files:

## 5.255 st\_eptpc0\_t.PPMACRU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACU](#): 24  
} [BIT](#)



### 5.255.1 Detailed Description

Definition at line 7162 of file [iodefine.h](#).

### 5.255.2 Field Documentation

#### 5.255.2.1 BIT

#### 5.255.2.2 LONG

The documentation for this union was generated from the following files:

## 5.256 st\_eptpc0\_t.PPTTLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 24  
  unsigned long [PRTL](#): 8  
} [BIT](#)

### 5.256.1 Detailed Description

Definition at line 7256 of file [iodefine.h](#).

### 5.256.2 Field Documentation

#### 5.256.2.1 BIT

#### 5.256.2.2 LONG

The documentation for this union was generated from the following files:

## 5.257 st\_eptpc0\_t.SRR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [SRMV](#): 16  
} [BIT](#)

### 5.257.1 Detailed Description

Definition at line [7148](#) of file [iodefine.h](#).

### 5.257.2 Field Documentation

#### 5.257.2.1 BIT

#### 5.257.2.2 LONG

The documentation for this union was generated from the following files:

## 5.258 st\_eptpc0\_t.SYCONFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 11
  - unsigned long [TCMOD](#): 1
  - unsigned long [FILDIS](#): 1
  - unsigned long [SBDIS](#): 1
  - unsigned long [TCYC](#): 8
- } [BIT](#)

### 5.258.1 Detailed Description

Definition at line [7410](#) of file [iodefine.h](#).

### 5.258.2 Field Documentation

#### 5.258.2.1 BIT

#### 5.258.2.2 LONG

The documentation for this union was generated from the following files:

## 5.259 st\_eptpc0\_t.SYDOMR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 24
  - unsigned long [DNUM](#): 8
- } [BIT](#)

### 5.259.1 Detailed Description

Definition at line [6814](#) of file [iodefine.h](#).

### 5.259.2 Field Documentation

#### 5.259.2.1 BIT

#### 5.259.2.2 LONG

The documentation for this union was generated from the following files:

## 5.260 st\_eptpc0\_t.SYFORMR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned long [long](#): 30  
    unsigned long [FORM1](#): 1  
    unsigned long [FORM0](#): 1  
} [BIT](#)

### 5.260.1 Detailed Description

Definition at line [7435](#) of file [iodefine.h](#).

### 5.260.2 Field Documentation

#### 5.260.2.1 BIT

#### 5.260.2.2 LONG

The documentation for this union was generated from the following files:

## 5.261 st\_eptpc0\_t.SYIPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned long [long](#): 14  
    unsigned long [GENDN](#): 1  
    unsigned long [RESDN](#): 1  
    unsigned long [INFABT](#): 1  
    unsigned long [RECLP](#): 1  
    unsigned long [DRQOVR](#): 1  
    unsigned long [INTDEV](#): 1  
    unsigned long [DRPTO](#): 1  
    unsigned long [MPDUD](#): 1  
    unsigned long [INTCHG](#): 1  
    unsigned long [OFMUD](#): 1  
} [BIT](#)

### 5.261.1 Detailed Description

Definition at line [6730](#) of file [iodefine.h](#).

### 5.261.2 Field Documentation

#### 5.261.2.1 BIT

#### 5.261.2.2 LONG

The documentation for this union was generated from the following files:

## 5.262 st\_eptpc0\_t.SYMACRL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACL](#): 24  
} [BIT](#)

### 5.262.1 Detailed Description

Definition at line [6783](#) of file [iodefine.h](#).

### 5.262.2 Field Documentation

#### 5.262.2.1 BIT

#### 5.262.2.2 LONG

The documentation for this union was generated from the following files:

## 5.263 st\_eptpc0\_t.SYMACRU Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [MACU](#): 24  
} [BIT](#)

### 5.263.1 Detailed Description

Definition at line [6770](#) of file [iodefne.h](#).

### 5.263.2 Field Documentation

#### 5.263.2.1 BIT

#### 5.263.2.2 LONG

The documentation for this union was generated from the following files:

## 5.264 st\_eptpc0\_t.SYNFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 17  
  unsigned long [FLAG14](#): 1  
  unsigned long [FLAG13](#): 1  
  unsigned long [FLAG10](#): 1  
  unsigned long [FLAG9](#): 1  
  unsigned long [FLAG8](#): 1  
} [BIT](#)

### 5.264.1 Detailed Description

Definition at line [6865](#) of file [iodefne.h](#).

### 5.264.2 Field Documentation

#### 5.264.2.1 BIT

#### 5.264.2.2 LONG

The documentation for this union was generated from the following files:

## 5.265 st\_eptpc0\_t.SYPNUMR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [PNUM](#): 16  
} [BIT](#)

### 5.265.1 Detailed Description

Definition at line [6938](#) of file [iodefine.h](#).

### 5.265.2 Field Documentation

#### 5.265.2.1 BIT

#### 5.265.2.2 LONG

The documentation for this union was generated from the following files:

## 5.266 st\_eptpc0\_t.SYRFL1R Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 1
  - unsigned long [PDFUP](#): 3
  - unsigned long [PDRP](#): 3
  - unsigned long [PDRQ](#): 3
  - unsigned long [DRP](#): 3
  - unsigned long [DRQ](#): 3
  - unsigned long [FUP](#): 3
  - unsigned long [SYNC](#): 3
  - unsigned long [ANCE](#): 2
- } [BIT](#)

### 5.266.1 Detailed Description

Definition at line [6970](#) of file [iodefine.h](#).

### 5.266.2 Field Documentation

#### 5.266.2.1 BIT

#### 5.266.2.2 LONG

The documentation for this union was generated from the following files:

## 5.267 st\_eptpc0\_t.SYRFL2R Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [ILL](#): 2
  - unsigned long [SIG](#): 2
  - unsigned long [MAN](#): 2
- } [BIT](#)

### 5.267.1 Detailed Description

Definition at line [7011](#) of file [iodefine.h](#).

### 5.267.2 Field Documentation

#### 5.267.2.1 BIT

#### 5.267.2.2 LONG

The documentation for this union was generated from the following files:

## 5.268 st\_eptpc0\_t.SYRLIR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 8
  - unsigned long [DRESP](#): 8
  - unsigned long [SYNC](#): 8
  - unsigned long [ANCE](#): 8
- } [BIT](#)

### 5.268.1 Detailed Description

Definition at line [7091](#) of file [iodefine.h](#).

### 5.268.2 Field Documentation

#### 5.268.2.1 BIT

#### 5.268.2.2 LONG

The documentation for this union was generated from the following files:

## 5.269 st\_eptpc0\_t.SYRVLDR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 29
  - unsigned long [ANUP](#): 1
  - unsigned long [STUP](#): 1
  - unsigned long [BMUP](#): 1
- } [BIT](#)

### 5.269.1 Detailed Description

Definition at line [6952](#) of file [iodefine.h](#).

### 5.269.2 Field Documentation

#### 5.269.2.1 BIT

#### 5.269.2.2 LONG

The documentation for this union was generated from the following files:

## 5.270 st\_eptpc0\_t.SYSPVRR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 24
  - unsigned long [TRSP](#): 4
  - unsigned long [VER](#): 4
- } [BIT](#)

### 5.270.1 Detailed Description

Definition at line [6799](#) of file [iodefine.h](#).

### 5.270.2 Field Documentation

#### 5.270.2.1 BIT

#### 5.270.2.2 LONG

The documentation for this union was generated from the following files:



## 5.271 st\_eptpc0\_t.SYTLIR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 8
  - unsigned long [DREQ](#): 8
  - unsigned long [SYNC](#): 8
  - unsigned long [ANCE](#): 8
- } [BIT](#)

### 5.271.1 Detailed Description

Definition at line [7074](#) of file [iodefine.h](#).

### 5.271.2 Field Documentation

#### 5.271.2.1 BIT

#### 5.271.2.2 LONG

The documentation for this union was generated from the following files:

## 5.272 st\_eptpc0\_t.SYTRENr Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 19
  - unsigned long [PDRQ](#): 1
  - unsigned long [DRQ](#): 1
  - unsigned long [SYNC](#): 1
  - unsigned long [ANCE](#): 1
- } [BIT](#)

### 5.272.1 Detailed Description

Definition at line [7032](#) of file [iodefine.h](#).

### 5.272.2 Field Documentation

#### 5.272.2.1 BIT

#### 5.272.2.2 LONG

The documentation for this union was generated from the following files:

## 5.273 st\_eptpc0\_t.TSLATR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [INGP](#): 16
  - unsigned long [EGP](#): 16
- } [BIT](#)

### 5.273.1 Detailed Description

Definition at line [7397](#) of file [iodefne.h](#).

### 5.273.2 Field Documentation

#### 5.273.2.1 BIT


#### 5.273.2.2 LONG

The documentation for this union was generated from the following files:

## 5.274 st\_eptpc\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_eptpc\_t:



## Data Fields

- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 31
    - unsigned long [RESET](#): 1
  - BIT
  - PTRSTR

- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 21
  - unsigned long SCLKSEL: 3
  - unsigned long SCLKDIV: 3
  - } BIT
  - } STCSELR
  
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 15
  - unsigned long BYPASS1: 1
  - unsigned long BYPASS0: 1
  - } BIT
  - } SYBYPSR
  
- char wk0 [15092]
- unsigned long MIESR
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 10
  - unsigned long CYC5: 1
  - unsigned long CYC4: 1
  - unsigned long CYC3: 1
  - unsigned long CYC2: 1
  - unsigned long CYC1: 1
  - unsigned long CYC0: 1
  - unsigned long PR: 1
  - unsigned long SY1: 1
  - unsigned long SY0: 1
  - unsigned long ST: 1
  - } BIT
  - } MIEIPR
  
- char wk1 [8]
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 7
  - unsigned long PLSN: 1
  - unsigned long PLSP: 1
  - unsigned long CYCN5: 1
  - unsigned long CYCN4: 1
  - unsigned long CYCN3: 1
  - unsigned long CYCN2: 1
  - unsigned long CYCN1: 1
  - unsigned long CYCN0: 1
  - unsigned long CYCP5: 1
  - unsigned long CYCP4: 1
  - unsigned long CYCP3: 1
  - unsigned long CYCP2: 1
  - unsigned long CYCP1: 1
  - unsigned long CYCP0: 1
  - } BIT
  - } ELIPPR

- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 7
    - unsigned long [PLSN](#): 1
    - unsigned long [PLSP](#): 1
    - unsigned long [CYCN5](#): 1
    - unsigned long [CYCN4](#): 1
    - unsigned long [CYCN3](#): 1
    - unsigned long [CYCN2](#): 1
    - unsigned long [CYCN1](#): 1
    - unsigned long [CYCN0](#): 1
    - unsigned long [CYCP5](#): 1
    - unsigned long [CYCP4](#): 1
    - unsigned long [CYCP3](#): 1
    - unsigned long [CYCP2](#): 1
    - unsigned long [CYCP1](#): 1
    - unsigned long [CYCP0](#): 1
    - } [BIT](#)
- } [ELIPACR](#)
  
- char [wk2](#) [40]
- unsigned long [STSR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 27
    - unsigned long [W10D](#): 1
    - unsigned long [SYNTOUT](#): 1
    - unsigned long [SYNCOUT](#): 1
    - unsigned long [SYNC](#): 1
    - } [BIT](#)
- } [STIPR](#)
  
- char [wk3](#) [8]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 30
    - unsigned long [STCF](#): 2
    - } [BIT](#)
- } [STCFR](#)
  
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 2
    - unsigned long [ALEN1](#): 1
    - unsigned long [ALEN0](#): 1
    - unsigned long [DVTH](#): 4
    - unsigned long [SYTH](#): 4
    - unsigned long [W10S](#): 1
    - unsigned long [CMOD](#): 1
    - unsigned long [WINT](#): 8
    - } [BIT](#)
- } [STMR](#)

- unsigned long [SYNTOR](#)
- char [wk4](#) [4]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 26
  - unsigned long [IPTSEL5](#): 1
  - unsigned long [IPTSEL4](#): 1
  - unsigned long [IPTSEL3](#): 1
  - unsigned long [IPTSEL2](#): 1
  - unsigned long [IPTSEL1](#): 1
  - unsigned long [IPTSEL0](#): 1
  - } [BIT](#)
  - } [IPTSELR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 26
  - unsigned long [MINTEN5](#): 1
  - unsigned long [MINTEN4](#): 1
  - unsigned long [MINTEN3](#): 1
  - unsigned long [MINTEN2](#): 1
  - unsigned long [MINTEN1](#): 1
  - unsigned long [MINTEN0](#): 1
  - } [BIT](#)
  - } [MITSELR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 26
  - unsigned long [ELTDIS5](#): 1
  - unsigned long [ELTDIS4](#): 1
  - unsigned long [ELTDIS3](#): 1
  - unsigned long [ELTDIS2](#): 1
  - unsigned long [ELTDIS1](#): 1
  - unsigned long [ELTDIS0](#): 1
  - } [BIT](#)
  - } [ELTSELR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 31
  - unsigned long [SYSEL](#): 1
  - } [BIT](#)
  - } [STCHSELR](#)
- char [wk5](#) [16]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 31
  - unsigned long [STR](#): 1
  - } [BIT](#)
  - } [SYNSTARTR](#)

- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 31
  - unsigned long LOAD: 1
  - } BIT
  - } LCIVLDR
- char wk6 [8]
- unsigned long SYNTDARU
- unsigned long SYNTDARL
- unsigned long SYNTDBRU
- unsigned long SYNTDBRL
- char wk7 [16]
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 16
  - unsigned long VALU: 16
  - } BIT
  - } LCIVRU
- unsigned long LCIVRM
- unsigned long LCIVRL
- char wk8 [104]
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 31
  - unsigned long GW10: 1
  - } BIT
  - } GETW10R
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 1
  - unsigned long LMTU: 31
  - } BIT
  - } PLIMITRU
- unsigned long PLIMITRM
- unsigned long PLIMITRL
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 1
  - unsigned long LMTU: 31
  - } BIT
  - } MLIMITRU
- unsigned long MLIMITRM
- unsigned long MLIMITRL
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 31

- ```

    unsigned long INFO: 1
    } BIT
} GETINFOR

```
- char [wk9](#) [44]
 - union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 16
 unsigned long [CNTU](#): 16
 } [BIT](#)
 } [LCCVRU](#)
 - unsigned long [LCCVRM](#)
 - unsigned long [LCCVRL](#)
 - char [wk10](#) [148]
 - unsigned long [PW10VRU](#)
 - unsigned long [PW10VRM](#)
 - unsigned long [PW10VRL](#)
 - char [wk11](#) [180]
 - unsigned long [MW10RU](#)
 - unsigned long [MW10RM](#)
 - unsigned long [MW10RL](#)
 - char [wk12](#) [36]
 - unsigned long [TMSTTRU0](#)
 - unsigned long [TMSTTRL0](#)
 - union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
 } [BIT](#)
 } [TMCYCR0](#)
 - union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
 } [BIT](#)
 } [TMPLSR0](#)
 - unsigned long [TMSTTRU1](#)
 - unsigned long [TMSTTRL1](#)
 - union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
 } [BIT](#)
 } [TMCYCR1](#)
 - union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29

- unsigned long [TMSTTRU2](#)
- unsigned long [TMSTTRL2](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
 } [BIT](#)
} [TMCYCR2](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
 } [BIT](#)
} [TMPLSR2](#)
- unsigned long [TMSTTRU3](#)
- unsigned long [TMSTTRL3](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
 } [BIT](#)
} [TMCYCR3](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
 } [BIT](#)
} [TMPLSR3](#)
- unsigned long [TMSTTRU4](#)
- unsigned long [TMSTTRL4](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
 } [BIT](#)
} [TMCYCR4](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
 } [BIT](#)
} [TMPLSR4](#)
- unsigned long [TMSTTRU5](#)

- unsigned long [TMSTTRL5](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 2
 - unsigned long [CYC](#): 30
 - } [BIT](#)
- } [TMCYCR5](#)

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 3
 - unsigned long [WTH](#): 29
 - } [BIT](#)
- } [TMPLSR5](#)

- char [wk13](#) [28]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 26
 - unsigned long [EN5](#): 1
 - unsigned long [EN4](#): 1
 - unsigned long [EN3](#): 1
 - unsigned long [EN2](#): 1
 - unsigned long [EN1](#): 1
 - unsigned long [EN0](#): 1
 - } [BIT](#)
- } [TMSTARTR](#)

- char [wk14](#) [128]
- unsigned long [PRSR](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 2
 - unsigned long [URE1](#): 1
 - unsigned long [URE0](#): 1
 - unsigned long [MACE](#): 1
 - unsigned long [OVRE3](#): 1
 - unsigned long [OVRE2](#): 1
 - unsigned long [OVRE1](#): 1
 - unsigned long [OVRE0](#): 1
 - } [BIT](#)
- } [PRIPR](#)

- char [wk15](#) [8]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 8
 - unsigned long [MACU](#): 24
 - } [BIT](#)
- } [PRMACRU0](#)

- union {
 - unsigned long [LONG](#)

- ```

 struct {
 unsigned long: 8
 unsigned long MACL: 24
 } BIT
} PRMACRL0

```
- ```

union {
    unsigned long LONG
    struct {
        unsigned long: 8
        unsigned long MACU: 24
    } BIT
} PRMACRU1

```
 - ```

union {
 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long MACL: 24
 } BIT
} PRMACRL1

```
  - ```

union {
    unsigned long LONG
    struct {
        unsigned long: 30
        unsigned long TDIS: 2
    } BIT
} TRNDISR

```
 - char wk16 [12]
 - ```

union {
 unsigned long LONG
 struct {
 unsigned long: 22
 unsigned long FWD1: 1
 unsigned long FWD0: 1
 unsigned long MOD: 1
 } BIT
} TRNMR

```
  - ```

union {
    unsigned long LONG
    struct {
        unsigned long: 21
        unsigned long THVAL: 11
    } BIT
} TRNCTTDR

```

5.274.1 Detailed Description

Definition at line 5948 of file [iodefine.h](#).

5.274.2 Field Documentation

5.274.2.1 [union]

union { ... } st_eptpc_t::ELIPACR

5.274.2.2 [union]

union { ... } st_eptpc_t::ELIPPR

5.274.2.3 [union]

union { ... } st_eptpc_t::ELTSELR

5.274.2.4 [union]

union { ... } st_eptpc_t::GETINFOR

5.274.2.5 [union]

union { ... } st_eptpc_t::GETW10R

5.274.2.6 [union]

union { ... } st_eptpc_t::IPTSELR

5.274.2.7 LCCVRL

unsigned long st_eptpc_t::LCCVRL

Definition at line [6394](#) of file [iodefine.h](#).

5.274.2.8 LCCVRM

unsigned long st_eptpc_t::LCCVRM

Definition at line [6393](#) of file [iodefine.h](#).

5.274.2.9 [union]

union { ... } st_eptpc_t::LCCVRU

5.274.2.10 [union]

union { ... } st_eptpc_t::LCIVLDR

5.274.2.11 LCIVRL

unsigned long st_eptpc_t::LCIVRL

Definition at line 6321 of file [iodefine.h](#).

5.274.2.12 LCIVRM

unsigned long st_eptpc_t::LCIVRM

Definition at line 6320 of file [iodefine.h](#).

5.274.2.13 [union]

union { ... } st_eptpc_t::LCIVRU

5.274.2.14 [union]

union { ... } st_eptpc_t::MIEIPR

5.274.2.15 MIESR

unsigned long st_eptpc_t::MIESR

Definition at line 5997 of file [iodefine.h](#).

5.274.2.16 [union]

union { ... } st_eptpc_t::MITSELR

5.274.2.17 MLIMITRL

unsigned long st_eptpc_t::MLIMITRL

Definition at line 6365 of file [iodefine.h](#).

5.274.2.18 MLIMITRM

unsigned long st_eptpc_t::MLIMITRM

Definition at line 6364 of file [iodefine.h](#).

5.274.2.19 [union]

```
union { ... } st_eptpc_t::MLIMITRU
```

5.274.2.20 MW10RL

```
unsigned long st_eptpc_t::MW10RL
```

Definition at line [6402](#) of file [iodefine.h](#).

5.274.2.21 MW10RM

```
unsigned long st_eptpc_t::MW10RM
```

Definition at line [6401](#) of file [iodefine.h](#).

5.274.2.22 MW10RU

```
unsigned long st_eptpc_t::MW10RU
```

Definition at line [6400](#) of file [iodefine.h](#).

5.274.2.23 PLIMITRL

```
unsigned long st_eptpc_t::PLIMITRL
```

Definition at line [6350](#) of file [iodefine.h](#).

5.274.2.24 PLIMITRM

```
unsigned long st_eptpc_t::PLIMITRM
```

Definition at line [6349](#) of file [iodefine.h](#).

5.274.2.25 [union]

```
union { ... } st_eptpc_t::PLIMITRU
```

5.274.2.26 [union]

```
union { ... } st_eptpc_t::PRIPR
```

5.274.2.27 [union]

```
union { ... } st_eptpc_t::PRMACRL0
```

5.274.2.28 [union]

union { ... } st_eptpc_t::PRMACRL1

5.274.2.29 [union]

union { ... } st_eptpc_t::PRMACRU0

5.274.2.30 [union]

union { ... } st_eptpc_t::PRMACRU1

5.274.2.31 PRSR

unsigned long st_eptpc_t::PRSR

Definition at line [6597](#) of file [iodefine.h](#).

5.274.2.32 [union]

union { ... } st_eptpc_t::PTRSTR

5.274.2.33 PW10VRL

unsigned long st_eptpc_t::PW10VRL

Definition at line [6398](#) of file [iodefine.h](#).

5.274.2.34 PW10VRM

unsigned long st_eptpc_t::PW10VRM

Definition at line [6397](#) of file [iodefine.h](#).

5.274.2.35 PW10VRU

unsigned long st_eptpc_t::PW10VRU

Definition at line [6396](#) of file [iodefine.h](#).

5.274.2.36 [union]

union { ... } st_eptpc_t::STCFR

5.274.2.37 [union]

```
union { ... } st_eptpc_t::STCHSELR
```

5.274.2.38 [union]

```
union { ... } st_eptpc_t::STCSELR
```

5.274.2.39 [union]

```
union { ... } st_eptpc_t::STIPR
```

5.274.2.40 [union]

```
union { ... } st_eptpc_t::STMR
```

5.274.2.41 STSR

```
unsigned long st_eptpc_t::STSR
```

Definition at line [6123](#) of file [iodefine.h](#).

5.274.2.42 [union]

```
union { ... } st_eptpc_t::SYBYPSR
```

5.274.2.43 [union]

```
union { ... } st_eptpc_t::SYNSTARTR
```

5.274.2.44 SYNTDARL

```
unsigned long st_eptpc_t::SYNTDARL
```

Definition at line [6303](#) of file [iodefine.h](#).

5.274.2.45 SYNTDARU

```
unsigned long st_eptpc_t::SYNTDARU
```

Definition at line [6302](#) of file [iodefine.h](#).

5.274.2.46 SYNTDBRL

unsigned long st_eptpc_t::SYNTDBRL

Definition at line 6305 of file [iodefine.h](#).

5.274.2.47 SYNTDBRU

unsigned long st_eptpc_t::SYNTDBRU

Definition at line 6304 of file [iodefine.h](#).

5.274.2.48 SYNTOR

unsigned long st_eptpc_t::SYNTOR

Definition at line 6190 of file [iodefine.h](#).

5.274.2.49 [union]

union { ... } st_eptpc_t::TMCYCR0

5.274.2.50 [union]

union { ... } st_eptpc_t::TMCYCR1

5.274.2.51 [union]

union { ... } st_eptpc_t::TMCYCR2

5.274.2.52 [union]

union { ... } st_eptpc_t::TMCYCR3

5.274.2.53 [union]

union { ... } st_eptpc_t::TMCYCR4

5.274.2.54 [union]

union { ... } st_eptpc_t::TMCYCR5

5.274.2.55 [union]

```
union { ... } st_eptpc_t::TMPLSR0
```

5.274.2.56 [union]

```
union { ... } st_eptpc_t::TMPLSR1
```

5.274.2.57 [union]

```
union { ... } st_eptpc_t::TMPLSR2
```

5.274.2.58 [union]

```
union { ... } st_eptpc_t::TMPLSR3
```

5.274.2.59 [union]

```
union { ... } st_eptpc_t::TMPLSR4
```

5.274.2.60 [union]

```
union { ... } st_eptpc_t::TMPLSR5
```

5.274.2.61 [union]

```
union { ... } st_eptpc_t::TMSTARTR
```

5.274.2.62 TMSTTRL0

```
unsigned long st_eptpc_t::TMSTTRL0
```

Definition at line [6405](#) of file [iodefine.h](#).

5.274.2.63 TMSTTRL1

```
unsigned long st_eptpc_t::TMSTTRL1
```

Definition at line [6433](#) of file [iodefine.h](#).

5.274.2.64 TMSTTRL2

```
unsigned long st_eptpc_t::TMSTTRL2
```

Definition at line [6461](#) of file [iodefine.h](#).

5.274.2.65 TMSTTRL3

unsigned long st_eptpc_t::TMSTTRL3

Definition at line 6489 of file [iodefine.h](#).

5.274.2.66 TMSTTRL4

unsigned long st_eptpc_t::TMSTTRL4

Definition at line 6517 of file [iodefine.h](#).

5.274.2.67 TMSTTRL5

unsigned long st_eptpc_t::TMSTTRL5

Definition at line 6545 of file [iodefine.h](#).

5.274.2.68 TMSTTRU0

unsigned long st_eptpc_t::TMSTTRU0

Definition at line 6404 of file [iodefine.h](#).

5.274.2.69 TMSTTRU1

unsigned long st_eptpc_t::TMSTTRU1

Definition at line 6432 of file [iodefine.h](#).

5.274.2.70 TMSTTRU2

unsigned long st_eptpc_t::TMSTTRU2

Definition at line 6460 of file [iodefine.h](#).

5.274.2.71 TMSTTRU3

unsigned long st_eptpc_t::TMSTTRU3

Definition at line 6488 of file [iodefine.h](#).

5.274.2.72 TMSTTRU4

unsigned long st_eptpc_t::TMSTTRU4

Definition at line 6516 of file [iodefine.h](#).

5.274.2.73 TMSTTRU5

unsigned long st_eptpc_t::TMSTTRU5

Definition at line 6544 of file [iodefne.h](#).

5.274.2.74 [union]

union { ... } st_eptpc_t::TRNCTTDR

5.274.2.75 [union]

union { ... } st_eptpc_t::TRNDISR

5.274.2.76 [union]

union { ... } st_eptpc_t::TRNMR

5.274.2.77 wk0

char st_eptpc_t::wk0[15092]

Definition at line 5996 of file [iodefne.h](#).

5.274.2.78 wk1

char st_eptpc_t::wk1[8]

Definition at line 6031 of file [iodefne.h](#).

5.274.2.79 wk10

char st_eptpc_t::wk10[148]

Definition at line 6395 of file [iodefne.h](#).

5.274.2.80 wk11

char st_eptpc_t::wk11[180]

Definition at line 6399 of file [iodefne.h](#).

5.274.2.81 wk12

char st_eptpc_t::wk12[36]

Definition at line 6403 of file [iodefne.h](#).

5.274.2.82 wk13

```
char st_eptpc_t::wk13[28]
```

Definition at line 6572 of file [iodefne.h](#).

5.274.2.83 wk14

```
char st_eptpc_t::wk14[128]
```

Definition at line 6596 of file [iodefne.h](#).

5.274.2.84 wk15

```
char st_eptpc_t::wk15[8]
```

Definition at line 6627 of file [iodefne.h](#).

5.274.2.85 wk16

```
char st_eptpc_t::wk16[12]
```

Definition at line 6693 of file [iodefne.h](#).

5.274.2.86 wk2

```
char st_eptpc_t::wk2[40]
```

Definition at line 6122 of file [iodefne.h](#).

5.274.2.87 wk3

```
char st_eptpc_t::wk3[8]
```

Definition at line 6145 of file [iodefne.h](#).

5.274.2.88 wk4

```
char st_eptpc_t::wk4[4]
```

Definition at line 6191 of file [iodefne.h](#).

5.274.2.89 wk5

```
char st_eptpc_t::wk5[16]
```

Definition at line 6274 of file [iodefne.h](#).

5.274.2.90 wk6

```
char st_eptpc_t::wk6[8]
```

Definition at line [6301](#) of file [iodefne.h](#).

5.274.2.91 wk7

```
char st_eptpc_t::wk7[16]
```

Definition at line [6306](#) of file [iodefne.h](#).

5.274.2.92 wk8

```
char st_eptpc_t::wk8[104]
```

Definition at line [6322](#) of file [iodefne.h](#).

5.274.2.93 wk9

```
char st_eptpc_t::wk9[44]
```

Definition at line [6379](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.275 st_eptpc_t.ELIPACR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 7
 - unsigned long [PLSN](#): 1
 - unsigned long [PLSP](#): 1
 - unsigned long [CYCN5](#): 1
 - unsigned long [CYCN4](#): 1
 - unsigned long [CYCN3](#): 1
 - unsigned long [CYCN2](#): 1
 - unsigned long [CYCN1](#): 1
 - unsigned long [CYCN0](#): 1
 - unsigned long [CYCP5](#): 1
 - unsigned long [CYCP4](#): 1
 - unsigned long [CYCP3](#): 1
 - unsigned long [CYCP2](#): 1
 - unsigned long [CYCP1](#): 1
 - unsigned long [CYCP0](#): 1
- } [BIT](#)

5.275.1 Detailed Description

Definition at line [6077](#) of file [iodefine.h](#).

5.275.2 Field Documentation

5.275.2.1 BIT

5.275.2.2 LONG

The documentation for this union was generated from the following files:

5.276 st_eptpc_t.ELIPPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 7
 - unsigned long [PLSN](#): 1
 - unsigned long [PLSP](#): 1
 - unsigned long [CYCN5](#): 1
 - unsigned long [CYCN4](#): 1
 - unsigned long [CYCN3](#): 1
 - unsigned long [CYCN2](#): 1
 - unsigned long [CYCN1](#): 1
 - unsigned long [CYCN0](#): 1
 - unsigned long [CYCP5](#): 1
 - unsigned long [CYCP4](#): 1
 - unsigned long [CYCP3](#): 1
 - unsigned long [CYCP2](#): 1
 - unsigned long [CYCP1](#): 1
 - unsigned long [CYCP0](#): 1
- } [BIT](#)

5.276.1 Detailed Description

Definition at line [6032](#) of file [iodefine.h](#).

5.276.2 Field Documentation

5.276.2.1 BIT

5.276.2.2 LONG

The documentation for this union was generated from the following files:

5.277 st_eptpc_t.ELTSELR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 26
 - unsigned long [ELTDIS5](#): 1
 - unsigned long [ELTDIS4](#): 1
 - unsigned long [ELTDIS3](#): 1
 - unsigned long [ELTDIS2](#): 1
 - unsigned long [ELTDIS1](#): 1
 - unsigned long [ELTDIS0](#): 1
- } [BIT](#)

5.277.1 Detailed Description

Definition at line [6238](#) of file [iodefine.h](#).

5.277.2 Field Documentation

5.277.2.1 BIT

5.277.2.2 LONG

The documentation for this union was generated from the following files:

5.278 st_eptpc_t.GETINFOR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 31
 - unsigned long [INFO](#): 1
- } [BIT](#)

5.278.1 Detailed Description

Definition at line [6366](#) of file [iodefine.h](#).

5.278.2 Field Documentation

5.278.2.1 BIT

5.278.2.2 LONG

The documentation for this union was generated from the following files:

5.279 st_eptpc_t.GETW10R Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [GW10](#): 1
} [BIT](#)

5.279.1 Detailed Description

Definition at line [6323](#) of file [iodefne.h](#).

5.279.2 Field Documentation

5.279.2.1 BIT

5.279.2.2 LONG

The documentation for this union was generated from the following files:

5.280 st_eptpc_t.IPTSELR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 26
 unsigned long [IPTSEL5](#): 1
 unsigned long [IPTSEL4](#): 1
 unsigned long [IPTSEL3](#): 1
 unsigned long [IPTSEL2](#): 1
 unsigned long [IPTSEL1](#): 1
 unsigned long [IPTSEL0](#): 1
} [BIT](#)

5.280.1 Detailed Description

Definition at line [6192](#) of file [iodefne.h](#).

5.280.2 Field Documentation

5.280.2.1 BIT

5.280.2.2 LONG

The documentation for this union was generated from the following files:

5.281 st_eptpc_t.LCCVRU Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 16
 unsigned long [CNTU](#): 16
} [BIT](#)

5.281.1 Detailed Description

Definition at line [6380](#) of file [iodefine.h](#).

5.281.2 Field Documentation

5.281.2.1 BIT

5.281.2.2 LONG

The documentation for this union was generated from the following files:

5.282 st_eptpc_t.LCIVLDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [LOAD](#): 1
} [BIT](#)

5.282.1 Detailed Description

Definition at line [6288](#) of file [iodefine.h](#).

5.282.2 Field Documentation

5.282.2.1 BIT

5.282.2.2 LONG

The documentation for this union was generated from the following files:

5.283 st_eptpc_t.LCIVRU Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 16
 - unsigned long [VALU](#): 16
- } [BIT](#)

5.283.1 Detailed Description

Definition at line [6307](#) of file [iodefine.h](#).

5.283.2 Field Documentation

5.283.2.1 BIT

5.283.2.2 LONG

The documentation for this union was generated from the following files:

5.284 st_eptpc_t.MIEIPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 10
 - unsigned long [CYC5](#): 1
 - unsigned long [CYC4](#): 1
 - unsigned long [CYC3](#): 1
 - unsigned long [CYC2](#): 1
 - unsigned long [CYC1](#): 1
 - unsigned long [CYC0](#): 1
 - unsigned long [PR](#): 1
 - unsigned long [SY1](#): 1
 - unsigned long [SY0](#): 1
 - unsigned long [ST](#): 1
- } [BIT](#)

5.284.1 Detailed Description

Definition at line [5998](#) of file [iodefine.h](#).

5.284.2 Field Documentation

5.284.2.1 BIT

5.284.2.2 LONG

The documentation for this union was generated from the following files:

5.285 st_eptpc_t.MITSELR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 26
 - unsigned long [MINTEN5](#): 1
 - unsigned long [MINTEN4](#): 1
 - unsigned long [MINTEN3](#): 1
 - unsigned long [MINTEN2](#): 1
 - unsigned long [MINTEN1](#): 1
 - unsigned long [MINTEN0](#): 1
- } [BIT](#)

5.285.1 Detailed Description

Definition at line [6215](#) of file [iodefine.h](#).

5.285.2 Field Documentation

5.285.2.1 BIT

5.285.2.2 LONG

The documentation for this union was generated from the following files:

5.286 st_eptpc_t.MLIMITRU Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 1
 - unsigned long [LMTU](#): 31
- } [BIT](#)

5.286.1 Detailed Description

Definition at line [6351](#) of file [iodefine.h](#).

5.286.2 Field Documentation

5.286.2.1 BIT

5.286.2.2 LONG

The documentation for this union was generated from the following files:

5.287 st_eptpc_t.PLIMITRU Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 1
 unsigned long [LMTU](#): 31
} [BIT](#)

5.287.1 Detailed Description

Definition at line [6336](#) of file [iodefine.h](#).

5.287.2 Field Documentation

5.287.2.1 BIT

5.287.2.2 LONG

The documentation for this union was generated from the following files:

5.288 st_eptpc_t.PRIPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [URE1](#): 1
 unsigned long [URE0](#): 1
 unsigned long [MACE](#): 1
 unsigned long [OVRE3](#): 1
 unsigned long [OVRE2](#): 1
 unsigned long [OVRE1](#): 1
 unsigned long [OVRE0](#): 1
} [BIT](#)

5.288.1 Detailed Description

Definition at line [6598](#) of file [iodefine.h](#).

5.288.2 Field Documentation

5.288.2.1 BIT

5.288.2.2 LONG

The documentation for this union was generated from the following files:

5.289 st_eptpc_t.PRMACRL0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 8
 unsigned long [MACL](#): 24
} [BIT](#)

5.289.1 Detailed Description

Definition at line [6641](#) of file [iodefine.h](#).

5.289.2 Field Documentation

5.289.2.1 BIT

5.289.2.2 LONG

The documentation for this union was generated from the following files:

5.290 st_eptpc_t.PRMACRL1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 8
 unsigned long [MACL](#): 24
} [BIT](#)

5.290.1 Detailed Description

Definition at line 6667 of file [iodefine.h](#).

5.290.2 Field Documentation

5.290.2.1 BIT

5.290.2.2 LONG

The documentation for this union was generated from the following files:

5.291 st_eptpc_t.PRMACRU0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 8
 unsigned long [MACU](#): 24
} [BIT](#)

5.291.1 Detailed Description

Definition at line 6628 of file [iodefine.h](#).

5.291.2 Field Documentation

5.291.2.1 BIT

5.291.2.2 LONG

The documentation for this union was generated from the following files:

5.292 st_eptpc_t.PRMACRU1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 8
 unsigned long [MACU](#): 24
} [BIT](#)

5.292.1 Detailed Description

Definition at line [6654](#) of file [iodefine.h](#).

5.292.2 Field Documentation

5.292.2.1 BIT

5.292.2.2 LONG

The documentation for this union was generated from the following files:

5.293 st_eptpc_t.PTRSTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [RESET](#): 1
} [BIT](#)

5.293.1 Detailed Description

Definition at line [5949](#) of file [iodefine.h](#).

5.293.2 Field Documentation

5.293.2.1 BIT

5.293.2.2 LONG

The documentation for this union was generated from the following files:

5.294 st_eptpc_t.STCFR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 30
 unsigned long [STCF](#): 2
} [BIT](#)

5.294.1 Detailed Description

Definition at line 6146 of file [iodefne.h](#).

5.294.2 Field Documentation

5.294.2.1 BIT

5.294.2.2 LONG

The documentation for this union was generated from the following files:

5.295 st_eptpc_t.STCHSELR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [SYSEL](#): 1
} [BIT](#)

5.295.1 Detailed Description

Definition at line 6261 of file [iodefne.h](#).

5.295.2 Field Documentation

5.295.2.1 BIT

5.295.2.2 LONG

The documentation for this union was generated from the following files:

5.296 st_eptpc_t.STCSELR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 21
 unsigned long [SCLKSEL](#): 3
 unsigned long [SCLKDIV](#): 3
} [BIT](#)

5.296.1 Detailed Description

Definition at line [5962](#) of file [iodefine.h](#).

5.296.2 Field Documentation

5.296.2.1 BIT

5.296.2.2 LONG

The documentation for this union was generated from the following files:

5.297 st_eptpc_t.STIPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 27
 - unsigned long [W10D](#): 1
 - unsigned long [SYNTOUT](#): 1
 - unsigned long [SYNCOUT](#): 1
 - unsigned long [SYNC](#): 1
- } [BIT](#)

5.297.1 Detailed Description

Definition at line [6124](#) of file [iodefine.h](#).

5.297.2 Field Documentation

5.297.2.1 BIT

5.297.2.2 LONG

The documentation for this union was generated from the following files:

5.298 st_eptpc_t.STMR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 2
 - unsigned long [ALEN1](#): 1
 - unsigned long [ALEN0](#): 1
 - unsigned long [DVTH](#): 4
 - unsigned long [SYTH](#): 4
 - unsigned long [W10S](#): 1
 - unsigned long [CMOD](#): 1
 - unsigned long [WINT](#): 8
- } [BIT](#)

5.298.1 Detailed Description

Definition at line [6159](#) of file [iodefine.h](#).

5.298.2 Field Documentation

5.298.2.1 BIT

5.298.2.2 LONG

The documentation for this union was generated from the following files:

5.299 st_eptpc_t.SYBYP SR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 15
 - unsigned long [BYPASS1](#): 1
 - unsigned long [BYPASS0](#): 1
- } [BIT](#)

5.299.1 Detailed Description

Definition at line [5979](#) of file [iodefine.h](#).

5.299.2 Field Documentation

5.299.2.1 BIT

5.299.2.2 LONG

The documentation for this union was generated from the following files:

5.300 st_eptpc_t.SYNSTARTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [STR](#): 1
} [BIT](#)

5.300.1 Detailed Description

Definition at line [6275](#) of file [iodefine.h](#).

5.300.2 Field Documentation

5.300.2.1 BIT

5.300.2.2 LONG

The documentation for this union was generated from the following files:

5.301 st_eptpc_t.TMCYCR0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.301.1 Detailed Description

Definition at line [6406](#) of file [iodefine.h](#).

5.301.2 Field Documentation

5.301.2.1 BIT

5.301.2.2 LONG

The documentation for this union was generated from the following files:

5.302 st_eptpc_t.TMCYCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.302.1 Detailed Description

Definition at line [6434](#) of file [iodefine.h](#).

5.302.2 Field Documentation

5.302.2.1 BIT

5.302.2.2 LONG

The documentation for this union was generated from the following files:

5.303 st_eptpc_t.TMCYCR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.303.1 Detailed Description

Definition at line [6462](#) of file [iodefine.h](#).

5.303.2 Field Documentation

5.303.2.1 BIT

5.303.2.2 LONG

The documentation for this union was generated from the following files:

5.304 st_eptpc_t.TMCYCR3 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.304.1 Detailed Description

Definition at line [6490](#) of file [iodefine.h](#).

5.304.2 Field Documentation

5.304.2.1 BIT

5.304.2.2 LONG

The documentation for this union was generated from the following files:

5.305 st_eptpc_t.TMCYCR4 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.305.1 Detailed Description

Definition at line [6518](#) of file [iodefine.h](#).

5.305.2 Field Documentation

5.305.2.1 BIT

5.305.2.2 LONG

The documentation for this union was generated from the following files:

5.306 st_eptpc_t.TMCYCR5 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 2
 unsigned long [CYC](#): 30
} [BIT](#)

5.306.1 Detailed Description

Definition at line [6546](#) of file [iodefine.h](#).

5.306.2 Field Documentation

5.306.2.1 BIT

5.306.2.2 LONG

The documentation for this union was generated from the following files:

5.307 st_eptpc_t.TMPLSR0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.307.1 Detailed Description

Definition at line [6419](#) of file [iodefine.h](#).

5.307.2 Field Documentation

5.307.2.1 BIT

5.307.2.2 LONG

The documentation for this union was generated from the following files:

5.308 st_eptpc_t.TMPLSR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.308.1 Detailed Description

Definition at line [6447](#) of file [iodefne.h](#).

5.308.2 Field Documentation

5.308.2.1 BIT

5.308.2.2 LONG

The documentation for this union was generated from the following files:

5.309 st_eptpc_t.TMPLSR2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.309.1 Detailed Description

Definition at line [6475](#) of file [iodefne.h](#).

5.309.2 Field Documentation

5.309.2.1 BIT

5.309.2.2 LONG

The documentation for this union was generated from the following files:

5.310 st_eptpc_t.TMPLSR3 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.310.1 Detailed Description

Definition at line [6503](#) of file [iodefine.h](#).

5.310.2 Field Documentation

5.310.2.1 BIT

5.310.2.2 LONG

The documentation for this union was generated from the following files:

5.311 st_eptpc_t.TMPLSR4 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.311.1 Detailed Description

Definition at line [6531](#) of file [iodefine.h](#).

5.311.2 Field Documentation

5.311.2.1 BIT

5.311.2.2 LONG

The documentation for this union was generated from the following files:

5.312 st_eptpc_t.TMPLSR5 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 3
 unsigned long [WTH](#): 29
} [BIT](#)

5.312.1 Detailed Description

Definition at line [6559](#) of file [iodefine.h](#).

5.312.2 Field Documentation

5.312.2.1 BIT

5.312.2.2 LONG

The documentation for this union was generated from the following files:

5.313 st_eptpc_t.TMSTARTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 26
 unsigned long [EN5](#): 1
 unsigned long [EN4](#): 1
 unsigned long [EN3](#): 1
 unsigned long [EN2](#): 1
 unsigned long [EN1](#): 1
 unsigned long [EN0](#): 1
} [BIT](#)

5.313.1 Detailed Description

Definition at line [6573](#) of file [iodefine.h](#).

5.313.2 Field Documentation

5.313.2.1 BIT

5.313.2.2 LONG

The documentation for this union was generated from the following files:

5.314 st_eptpc_t.TRNCTTDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 21
 unsigned long [THVAL](#): 11
} [BIT](#)

5.314.1 Detailed Description

Definition at line [6713](#) of file [iodefine.h](#).

5.314.2 Field Documentation

5.314.2.1 BIT

5.314.2.2 LONG

The documentation for this union was generated from the following files:

5.315 st_eptpc_t.TRNDISR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 30
 unsigned long [TDIS](#): 2
} [BIT](#)

5.315.1 Detailed Description

Definition at line [6680](#) of file [iodefine.h](#).

5.315.2 Field Documentation

5.315.2.1 BIT

5.315.2.2 LONG

The documentation for this union was generated from the following files:

5.316 st_eptpc_t.TRNMR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 22
 - unsigned long [FWD1](#): 1
 - unsigned long [FWD0](#): 1
 - unsigned long [MOD](#): 1
- } [BIT](#)

5.316.1 Detailed Description

Definition at line [6694](#) of file [iodefine.h](#).

5.316.2 Field Documentation

5.316.2.1 BIT


5.316.2.2 LONG

The documentation for this union was generated from the following files:

5.317 st_etherc_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_etherc_t:



Data Fields

- union {

```

unsigned long LONG
    struct {
        unsigned long: 11
        unsigned long TPC: 1
        unsigned long ZPF: 1
        unsigned long PFR: 1
        unsigned long RXF: 1
        unsigned long TXF: 1
        unsigned long PRCEF: 1
        unsigned long MPDE: 1
        unsigned long RE: 1
        unsigned long TE: 1
        unsigned long ILB: 1
        unsigned long RTM: 1
        unsigned long DM: 1
        unsigned long PRM: 1
    } BIT
} ECMR

```

- char wk0 [4]
- union {


```

        unsigned long LONG
        struct {
            unsigned long: 20
            unsigned long RFL: 12
        } BIT
      } RFLR

```
- char wk1 [4]
- union {


```

        unsigned long LONG
        struct {
            unsigned long: 26
            unsigned long BFR: 1
            unsigned long PSRTO: 1
            unsigned long LCHNG: 1
            unsigned long MPD: 1
            unsigned long ICD: 1
        } BIT
      } ECSR

```
- char wk2 [4]
- union {


```

        unsigned long LONG
        struct {
            unsigned long: 26
            unsigned long BFSIPR: 1
            unsigned long PSRTOIP: 1
            unsigned long LCHNGIP: 1
            unsigned long MPDIP: 1
            unsigned long ICDIP: 1
        } BIT
      } ECSIPR

```
- char wk3 [4]
- union {


```

        unsigned long LONG
        struct {

```

- ```

 unsigned long: 28
 unsigned long MDI: 1
 unsigned long MDO: 1
 unsigned long MMD: 1
 unsigned long MDC: 1
 } BIT
} PIR

```
- char wk4 [4]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long LMON: 1
 } BIT
 } PSR

```
  - char wk5 [20]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 12
 unsigned long RMD: 20
 } BIT
 } RDMLR

```
  - char wk6 [12]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 27
 unsigned long IPG: 5
 } BIT
 } IPGR

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 16
 unsigned long AP: 16
 } BIT
 } APR

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 16
 unsigned long MP: 16
 } BIT
 } MPR

```
  - char wk7 [4]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 24
 unsigned long RPAUSE: 8
 } BIT

```

- char **wk10** [4]
- unsigned long **TROCR**
- unsigned long **CDCR**
- unsigned long **LCCR**
- unsigned long **CNDCR**
- char **wk11** [4]
- unsigned long **CEFCR**
- unsigned long **FRECR**
- unsigned long **TSFCR**
- unsigned long **TLFCR**
- unsigned long **RFCR**
- unsigned long **MAFCR**

---

Generated by Doxygen



## 5.317.2 Field Documentation

### 5.317.2.1 [union]

union { ... } st\_etherc\_t::APR

### 5.317.2.2 [union]

union { ... } st\_etherc\_t::BCFRR

### 5.317.2.3 CDCR

unsigned long st\_etherc\_t::CDCR

Definition at line 7720 of file [iodefne.h](#).

### 5.317.2.4 CEFRCR

unsigned long st\_etherc\_t::CEFRCR

Definition at line 7724 of file [iodefne.h](#).

### 5.317.2.5 CNDCCR

unsigned long st\_etherc\_t::CNDCCR

Definition at line 7722 of file [iodefne.h](#).

### 5.317.2.6 [union]

union { ... } st\_etherc\_t::ECMR

### 5.317.2.7 [union]

union { ... } st\_etherc\_t::ECSIPR

### 5.317.2.8 [union]

union { ... } st\_etherc\_t::ECSR

### 5.317.2.9 FRECR

unsigned long st\_etherc\_t::FRECR

Definition at line 7725 of file [iodefne.h](#).

#### 5.317.2.10 [union]

union { ... } st\_etherc\_t::IPGR

#### 5.317.2.11 LCCR

unsigned long st\_etherc\_t::LCCR

Definition at line [7721](#) of file [iodefine.h](#).

#### 5.317.2.12 MAFCR

unsigned long st\_etherc\_t::MAFCR

Definition at line [7729](#) of file [iodefine.h](#).

#### 5.317.2.13 MAHR

unsigned long st\_etherc\_t::MAHR

Definition at line [7703](#) of file [iodefine.h](#).

#### 5.317.2.14 [union]

union { ... } st\_etherc\_t::MALR

#### 5.317.2.15 [union]

union { ... } st\_etherc\_t::MPR

#### 5.317.2.16 [union]

union { ... } st\_etherc\_t::PIR

#### 5.317.2.17 [union]

union { ... } st\_etherc\_t::PSR

#### 5.317.2.18 [union]

union { ... } st\_etherc\_t::RDMLR

## 5.317.2.19 [union]

```
union { ... } st_etherc_t::RFCF
```

## 5.317.2.20 RFCR

```
unsigned long st_etherc_t::RFCR
```

Definition at line [7728](#) of file [iodefne.h](#).

## 5.317.2.21 [union]

```
union { ... } st_etherc_t::RFLR
```

## 5.317.2.22 TLFRCR

```
unsigned long st_etherc_t::TLFRCR
```

Definition at line [7727](#) of file [iodefne.h](#).

## 5.317.2.23 [union]

```
union { ... } st_etherc_t::TPAUSECR
```

## 5.317.2.24 [union]

```
union { ... } st_etherc_t::TPAUSER
```

## 5.317.2.25 TROCR

```
unsigned long st_etherc_t::TROCR
```

Definition at line [7719](#) of file [iodefne.h](#).

## 5.317.2.26 TSFRCR

```
unsigned long st_etherc_t::TSFRCR
```

Definition at line [7726](#) of file [iodefne.h](#).

## 5.317.2.27 wk0

```
char st_etherc_t::wk0[4]
```

Definition at line [7499](#) of file [iodefne.h](#).

## 5.317.2.28 wk1

```
char st_etherc_t::wk1[4]
```

Definition at line [7513](#) of file [iodefne.h](#).

## 5.317.2.29 wk10

```
char st_etherc_t::wk10[4]
```

Definition at line [7718](#) of file [iodefne.h](#).

## 5.317.2.30 wk11

```
char st_etherc_t::wk11[4]
```

Definition at line [7723](#) of file [iodefne.h](#).

## 5.317.2.31 wk2

```
char st_etherc_t::wk2[4]
```

Definition at line [7537](#) of file [iodefne.h](#).

## 5.317.2.32 wk3

```
char st_etherc_t::wk3[4]
```

Definition at line [7561](#) of file [iodefne.h](#).

## 5.317.2.33 wk4

```
char st_etherc_t::wk4[4]
```

Definition at line [7581](#) of file [iodefne.h](#).

## 5.317.2.34 wk5

```
char st_etherc_t::wk5[20]
```

Definition at line [7595](#) of file [iodefne.h](#).

## 5.317.2.35 wk6

```
char st_etherc_t::wk6[12]
```

Definition at line [7609](#) of file [iodefne.h](#).

## 5.317.2.36 wk7

```
char st_etherc_t::wk7[4]
```

Definition at line [7649](#) of file [iodefne.h](#).

## 5.317.2.37 wk8

```
char st_etherc_t::wk8[80]
```

Definition at line [7702](#) of file [iodefne.h](#).

## 5.317.2.38 wk9

```
char st_etherc_t::wk9[4]
```

Definition at line [7704](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.318 st\_etherc\_t.APR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 16
  - unsigned long [AP](#): 16
- } [BIT](#)

### 5.318.1 Detailed Description

Definition at line [7623](#) of file [iodefne.h](#).

### 5.318.2 Field Documentation

#### 5.318.2.1 BIT

#### 5.318.2.2 LONG

The documentation for this union was generated from the following files:

## 5.319 st\_etherc\_t.BCFRR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 16
  - unsigned long [BCF](#): 16
- } [BIT](#)

### 5.319.1 Detailed Description

Definition at line [7689](#) of file [iodefine.h](#).

### 5.319.2 Field Documentation

#### 5.319.2.1 BIT

#### 5.319.2.2 LONG

The documentation for this union was generated from the following files:

## 5.320 st\_etherc\_t.ECMR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 11
  - unsigned long [TPC](#): 1
  - unsigned long [ZPF](#): 1
  - unsigned long [PFR](#): 1
  - unsigned long [RXF](#): 1
  - unsigned long [TXF](#): 1
  - unsigned long [PRCEF](#): 1
  - unsigned long [MPDE](#): 1
  - unsigned long [RE](#): 1
  - unsigned long [TE](#): 1
  - unsigned long [ILB](#): 1
  - unsigned long [RTM](#): 1
  - unsigned long [DM](#): 1
  - unsigned long [PRM](#): 1
- } [BIT](#)

### 5.320.1 Detailed Description

Definition at line [7454](#) of file [iodefine.h](#).

### 5.320.2 Field Documentation

#### 5.320.2.1 BIT

#### 5.320.2.2 LONG

The documentation for this union was generated from the following files:

## 5.321 st\_etherc\_t.ECSIPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 26
  - unsigned long [BFSIPR](#): 1
  - unsigned long [PSRTOIP](#): 1
  - unsigned long [LCHNGIP](#): 1
  - unsigned long [MPDIP](#): 1
  - unsigned long [ICDIP](#): 1
- } [BIT](#)

### 5.321.1 Detailed Description

Definition at line [7538](#) of file [iodefine.h](#).

### 5.321.2 Field Documentation

#### 5.321.2.1 BIT

#### 5.321.2.2 LONG

The documentation for this union was generated from the following files:

## 5.322 st\_etherc\_t.ECSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 26
  - unsigned long [BFR](#): 1
  - unsigned long [PSRTO](#): 1
  - unsigned long [LCHNG](#): 1
  - unsigned long [MPD](#): 1
  - unsigned long [ICD](#): 1
- } [BIT](#)

### 5.322.1 Detailed Description

Definition at line [7514](#) of file [iodefine.h](#).

### 5.322.2 Field Documentation

#### 5.322.2.1 BIT

#### 5.322.2.2 LONG

The documentation for this union was generated from the following files:

## 5.323 st\_etherc\_t.IPGR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 27  
  unsigned long [IPG](#): 5  
} [BIT](#)

### 5.323.1 Detailed Description

Definition at line [7610](#) of file [iodefine.h](#).

### 5.323.2 Field Documentation

#### 5.323.2.1 BIT

#### 5.323.2.2 LONG

The documentation for this union was generated from the following files:

## 5.324 st\_etherc\_t.MALR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [MA](#): 16  
} [BIT](#)



### 5.324.1 Detailed Description

Definition at line 7705 of file [iodefne.h](#).

### 5.324.2 Field Documentation

#### 5.324.2.1 BIT

#### 5.324.2.2 LONG

The documentation for this union was generated from the following files:

## 5.325 st\_etherc\_t.MPR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 16  
  unsigned long [MP](#): 16  
} [BIT](#)

### 5.325.1 Detailed Description

Definition at line 7636 of file [iodefne.h](#).

### 5.325.2 Field Documentation

#### 5.325.2.1 BIT

#### 5.325.2.2 LONG

The documentation for this union was generated from the following files:

## 5.326 st\_etherc\_t.PIR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 28  
  unsigned long [MDI](#): 1  
  unsigned long [MDO](#): 1  
  unsigned long [MMD](#): 1  
  unsigned long [MDC](#): 1  
} [BIT](#)

### 5.326.1 Detailed Description

Definition at line [7562](#) of file [iodefine.h](#).

### 5.326.2 Field Documentation

#### 5.326.2.1 BIT

#### 5.326.2.2 LONG

The documentation for this union was generated from the following files:

## 5.327 st\_etherc\_t.PSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [LMON](#): 1  
} [BIT](#)

### 5.327.1 Detailed Description

Definition at line [7582](#) of file [iodefine.h](#).

### 5.327.2 Field Documentation

#### 5.327.2.1 BIT

#### 5.327.2.2 LONG

The documentation for this union was generated from the following files:

## 5.328 st\_etherc\_t.RDMLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 12  
  unsigned long [RMD](#): 20  
} [BIT](#)

### 5.328.1 Detailed Description

Definition at line [7596](#) of file [iodefine.h](#).

### 5.328.2 Field Documentation

#### 5.328.2.1 BIT

#### 5.328.2.2 LONG

The documentation for this union was generated from the following files:

## 5.329 st\_etherc\_t.RFCF Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 24  
  unsigned long [RPAUSE](#): 8  
} [BIT](#)

### 5.329.1 Detailed Description

Definition at line [7650](#) of file [iodefine.h](#).

### 5.329.2 Field Documentation

#### 5.329.2.1 BIT

#### 5.329.2.2 LONG

The documentation for this union was generated from the following files:

## 5.330 st\_etherc\_t.RFLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 20  
  unsigned long [RFL](#): 12  
} [BIT](#)

### 5.330.1 Detailed Description

Definition at line [7500](#) of file [iodefine.h](#).

### 5.330.2 Field Documentation

#### 5.330.2.1 BIT

#### 5.330.2.2 LONG

The documentation for this union was generated from the following files:

## 5.331 st\_etherc\_t.TPAUSECR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 24  
    unsigned long [TXP](#): 8  
} [BIT](#)

### 5.331.1 Detailed Description

Definition at line [7676](#) of file [iodefine.h](#).

### 5.331.2 Field Documentation

#### 5.331.2.1 BIT

#### 5.331.2.2 LONG

The documentation for this union was generated from the following files:

## 5.332 st\_etherc\_t.TPAUSER Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 16  
    unsigned long [TPAUSE](#): 16  
} [BIT](#)

### 5.332.1 Detailed Description

Definition at line [7663](#) of file [iodefine.h](#).

### 5.332.2 Field Documentation

#### 5.332.2.1 BIT


#### 5.332.2.2 LONG

The documentation for this union was generated from the following files:

## 5.333 st\_exdmac0\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_exdmac0\_t:



#### Data Fields

- void \* [EDMSAR](#)
- void \* [EDMDAR](#)
- unsigned long [EDMCRA](#)
- unsigned short [EDMCRB](#)
- char [wk0](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {

- unsigned short MD: 2
  - unsigned short DTS: 2
  - unsigned short: 2
  - unsigned short SZ: 2
  - unsigned short DCTG: 2
  - } BIT
  - } EDMTMD
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 4
  - unsigned char DACKS: 1
  - unsigned char DACKE: 1
  - unsigned char DACKW: 1
  - unsigned char DACKSEL: 1
  - } BIT
  - } EDMOMD
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 3
  - unsigned char DTIE: 1
  - unsigned char ESIE: 1
  - unsigned char RPTIE: 1
  - unsigned char SARIE: 1
  - unsigned char DARIE: 1
  - } BIT
  - } EDMINT
- union {
  - unsigned long LONG
  - struct {
  - unsigned long: 14
  - unsigned long AMS: 1
  - unsigned long DIR: 1
  - unsigned long SM: 2
  - unsigned long SARA: 5
  - unsigned long DM: 2
  - unsigned long DARA: 5
  - } BIT
  - } EDMAMD
- unsigned long EDMOFR
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 7
  - unsigned char DTE: 1
  - } BIT
  - } EDMCNT
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 3
  - unsigned char CLRS: 1

```

 unsigned char SWREQ: 1
 } BIT
} EDMREQ

• union {
 unsigned char BYTE
 struct {
 unsigned char ACT: 1
 unsigned char: 2
 unsigned char DTIF: 1
 unsigned char ESIF: 1
 } BIT
} EDMSTS

• char wk1 [1]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char DREQS: 2
 } BIT
} EDMRMD

• union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char EREQ: 1
 } BIT
} EDMERF

• union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char PREQ: 1
 } BIT
} EDMPRF

```

### 5.333.1 Detailed Description

Definition at line 7757 of file [iodefine.h](#).

### 5.333.2 Field Documentation

#### 5.333.2.1 [union]

```
union { ... } st_exdmac0_t::EDMAMD
```

#### 5.333.2.2 [union]

```
union { ... } st_exdmac0_t::EDMCNT
```



## 5.333.2.3 EDMCRA

unsigned long st\_exdmac0\_t::EDMCRA

Definition at line 7760 of file [iodefine.h](#).

## 5.333.2.4 EDMCRB

unsigned short st\_exdmac0\_t::EDMCRB

Definition at line 7761 of file [iodefine.h](#).

## 5.333.2.5 EDMDAR

void\* st\_exdmac0\_t::EDMDAR

Definition at line 7759 of file [iodefine.h](#).

## 5.333.2.6 [union]

union { ... } st\_exdmac0\_t::EDMERF

## 5.333.2.7 [union]

union { ... } st\_exdmac0\_t::EDMINT

## 5.333.2.8 EDMOFR

unsigned long st\_exdmac0\_t::EDMOFR

Definition at line 7851 of file [iodefine.h](#).

## 5.333.2.9 [union]

union { ... } st\_exdmac0\_t::EDMOMD

## 5.333.2.10 [union]

union { ... } st\_exdmac0\_t::EDMPRF

## 5.333.2.11 [union]

union { ... } st\_exdmac0\_t::EDMREQ

## 5.333.2.12 [union]

```
union { ... } st_exdmac0_t::EDMRMD
```

## 5.333.2.13 EDMSAR

```
void* st_exdmac0_t::EDMSAR
```

Definition at line [7758](#) of file [iodefne.h](#).

## 5.333.2.14 [union]

```
union { ... } st_exdmac0_t::EDMSTS
```

## 5.333.2.15 [union]

```
union { ... } st_exdmac0_t::EDMTMD
```

## 5.333.2.16 wk0

```
char st_exdmac0_t::wk0[2]
```

Definition at line [7762](#) of file [iodefne.h](#).

## 5.333.2.17 wk1

```
char st_exdmac0_t::wk1[1]
```

Definition at line [7901](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.334 st\_exdmac0\_t.EDMAMD Union Reference

## Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 14
  - unsigned long [AMS](#): 1
  - unsigned long [DIR](#): 1
  - unsigned long [SM](#): 2
  - unsigned long [SARA](#): 5
  - unsigned long [DM](#): 2
  - unsigned long [DARA](#): 5
- } [BIT](#)

### 5.334.1 Detailed Description

Definition at line 7824 of file [iodefine.h](#).

### 5.334.2 Field Documentation

#### 5.334.2.1 BIT

#### 5.334.2.2 LONG

The documentation for this union was generated from the following files:

## 5.335 st\_exdmac0\_t.EDMCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [DTE](#): 1  
} [BIT](#)

### 5.335.1 Detailed Description

Definition at line 7852 of file [iodefine.h](#).

### 5.335.2 Field Documentation

#### 5.335.2.1 BIT

#### 5.335.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.336 st\_exdmac0\_t.EDMERF Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [EREQ](#): 1  
} [BIT](#)

### 5.336.1 Detailed Description

Definition at line [7915](#) of file [iodefine.h](#).

### 5.336.2 Field Documentation

#### 5.336.2.1 BIT

#### 5.336.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.337 st\_exdmac0\_t.EDMINT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [DTIE](#): 1
  - unsigned char [ESIE](#): 1
  - unsigned char [RPTIE](#): 1
  - unsigned char [SARIE](#): 1
  - unsigned char [DARIE](#): 1
- } [BIT](#)

### 5.337.1 Detailed Description

Definition at line [7803](#) of file [iodefine.h](#).

### 5.337.2 Field Documentation

#### 5.337.2.1 BIT

#### 5.337.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.338 st\_exdmac0\_t.EDMOMD Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 4
  - unsigned char [DACKS](#): 1
  - unsigned char [DACK](#): 1
  - unsigned char [DACKW](#): 1
  - unsigned char [DACKSEL](#): 1
- } [BIT](#)

### 5.338.1 Detailed Description

Definition at line 7784 of file [iodefine.h](#).

### 5.338.2 Field Documentation

#### 5.338.2.1 BIT

#### 5.338.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.339 st\_exdmac0\_t.EDMPRF Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [PREQ](#): 1  
} [BIT](#)

### 5.339.1 Detailed Description

Definition at line 7928 of file [iodefine.h](#).

### 5.339.2 Field Documentation

#### 5.339.2.1 BIT

#### 5.339.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.340 st\_exdmac0\_t.EDMREQ Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [CLRS](#): 1  
    unsigned char [SWREQ](#): 1  
} [BIT](#)

### 5.340.1 Detailed Description

Definition at line [7865](#) of file [iodefine.h](#).

### 5.340.2 Field Documentation

#### 5.340.2.1 BIT

#### 5.340.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.341 st\_exdmac0\_t.EDMRMD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [DREQS](#): 2  
} [BIT](#)

### 5.341.1 Detailed Description

Definition at line [7902](#) of file [iodefine.h](#).

### 5.341.2 Field Documentation

#### 5.341.2.1 BIT

#### 5.341.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.342 st\_exdmac0\_t.EDMSTS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ACT](#): 1  
    unsigned [char](#): 2  
    unsigned char [DTIF](#): 1  
    unsigned char [ESIF](#): 1  
} [BIT](#)

### 5.342.1 Detailed Description

Definition at line [7882](#) of file [iodefine.h](#).

### 5.342.2 Field Documentation

#### 5.342.2.1 BIT

#### 5.342.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.343 st\_exdmac0\_t.EDMTMD Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [MD](#): 2
  - unsigned short [DTS](#): 2
  - unsigned [short](#): 2
  - unsigned short [SZ](#): 2
  - unsigned short [DCTG](#): 2
- } [BIT](#)

### 5.343.1 Detailed Description

Definition at line [7763](#) of file [iodefine.h](#).

### 5.343.2 Field Documentation

#### 5.343.2.1 BIT


#### 5.343.2.2 WORD

The documentation for this union was generated from the following files:

## 5.344 st\_exdmac1\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_exdmac1\_t:



### Data Fields

- `void *` [EDMSAR](#)



- void \* [EDMDAR](#)
- unsigned long [EDMCRA](#)
- unsigned short [EDMCRB](#)
- char [wk0](#) [2]
- union {  
    unsigned short [WORD](#)  
    struct {  
        unsigned short [MD](#): 2  
        unsigned short [DTS](#): 2  
        unsigned [short](#): 2  
        unsigned short [SZ](#): 2  
        unsigned short [DCTG](#): 2  
    } [BIT](#)  
} [EDMTMD](#)
- union {  
    unsigned char [BYTE](#)  
    struct {  
        unsigned [char](#): 4  
        unsigned char [DACKS](#): 1  
        unsigned char [DACK](#): 1  
        unsigned char [DACKW](#): 1  
        unsigned char [DACKSEL](#): 1  
    } [BIT](#)  
} [EDMOMD](#)
- union {  
    unsigned char [BYTE](#)  
    struct {  
        unsigned [char](#): 3  
        unsigned char [DTIE](#): 1  
        unsigned char [ESIE](#): 1  
        unsigned char [RPTIE](#): 1  
        unsigned char [SARIE](#): 1  
        unsigned char [DARIE](#): 1  
    } [BIT](#)  
} [EDMINT](#)
- union {  
    unsigned long [LONG](#)  
    struct {  
        unsigned [long](#): 14  
        unsigned long [AMS](#): 1  
        unsigned long [DIR](#): 1  
        unsigned long [SM](#): 2  
        unsigned long [SARA](#): 5  
        unsigned long [DM](#): 2  
        unsigned long [DARA](#): 5  
    } [BIT](#)  
} [EDMAMD](#)
- char [wk1](#) [4]
- union {  
    unsigned char [BYTE](#)  
    struct {  
        unsigned [char](#): 7  
        unsigned char [DTE](#): 1  
    } [BIT](#)



## 5.344.2.2 [union]

union { ... } st\_exdmac1\_t::EDMCNT

## 5.344.2.3 EDMCRA

unsigned long st\_exdmac1\_t::EDMCRA

Definition at line 7946 of file [iodefine.h](#).

## 5.344.2.4 EDMCRB

unsigned short st\_exdmac1\_t::EDMCRB

Definition at line 7947 of file [iodefine.h](#).

## 5.344.2.5 EDMDAR

void\* st\_exdmac1\_t::EDMDAR

Definition at line 7945 of file [iodefine.h](#).

## 5.344.2.6 [union]

union { ... } st\_exdmac1\_t::EDMERF

## 5.344.2.7 [union]

union { ... } st\_exdmac1\_t::EDMINT

## 5.344.2.8 [union]

union { ... } st\_exdmac1\_t::EDMOMD

## 5.344.2.9 [union]

union { ... } st\_exdmac1\_t::EDMPRF

## 5.344.2.10 [union]

union { ... } st\_exdmac1\_t::EDMREQ

## 5.344.2.11 [union]

```
union { ... } st_exdmac1_t::EDMRMD
```

## 5.344.2.12 EDMSAR

```
void* st_exdmac1_t::EDMSAR
```

Definition at line [7944](#) of file [iodefne.h](#).

## 5.344.2.13 [union]

```
union { ... } st_exdmac1_t::EDMSTS
```

## 5.344.2.14 [union]

```
union { ... } st_exdmac1_t::EDMTMD
```

## 5.344.2.15 wk0

```
char st_exdmac1_t::wk0[2]
```

Definition at line [7948](#) of file [iodefne.h](#).

## 5.344.2.16 wk1

```
char st_exdmac1_t::wk1[4]
```

Definition at line [8037](#) of file [iodefne.h](#).

## 5.344.2.17 wk2

```
char st_exdmac1_t::wk2[1]
```

Definition at line [8087](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.345 st\_exdmac1\_t.EDMAMD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 14
  - unsigned long [AMS](#): 1
  - unsigned long [DIR](#): 1
  - unsigned long [SM](#): 2
  - unsigned long [SARA](#): 5
  - unsigned long [DM](#): 2
  - unsigned long [DARA](#): 5
- } [BIT](#)

### 5.345.1 Detailed Description

Definition at line [8010](#) of file [iodefine.h](#).

### 5.345.2 Field Documentation

#### 5.345.2.1 BIT

#### 5.345.2.2 LONG

The documentation for this union was generated from the following files:

## 5.346 st\_exdmac1\_t.EDMCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [DTE](#): 1
- } [BIT](#)

### 5.346.1 Detailed Description

Definition at line [8038](#) of file [iodefine.h](#).

### 5.346.2 Field Documentation

#### 5.346.2.1 BIT

#### 5.346.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.347 st\_exdmac1\_t.EDMERF Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [EREQ](#): 1  
} [BIT](#)

### 5.347.1 Detailed Description

Definition at line [8101](#) of file [iodefine.h](#).

### 5.347.2 Field Documentation

#### 5.347.2.1 BIT

#### 5.347.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.348 st\_exdmac1\_t.EDMINT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [DTIE](#): 1  
    unsigned char [ESIE](#): 1  
    unsigned char [RPTIE](#): 1  
    unsigned char [SARIE](#): 1  
    unsigned char [DARIE](#): 1  
} [BIT](#)

### 5.348.1 Detailed Description

Definition at line [7989](#) of file [iodefine.h](#).

### 5.348.2 Field Documentation

#### 5.348.2.1 BIT

#### 5.348.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.349 st\_exdmac1\_t.EDMOMD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 4
  - unsigned char [DACKS](#): 1
  - unsigned char [DACK](#): 1
  - unsigned char [DACKW](#): 1
  - unsigned char [DACKSEL](#): 1
- } [BIT](#)

### 5.349.1 Detailed Description

Definition at line [7970](#) of file [iodefine.h](#).

### 5.349.2 Field Documentation

#### 5.349.2.1 BIT

#### 5.349.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.350 st\_exdmac1\_t.EDMPRF Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 7
  - unsigned char [PREQ](#): 1
- } [BIT](#)

### 5.350.1 Detailed Description

Definition at line [8114](#) of file [iodefine.h](#).

### 5.350.2 Field Documentation

#### 5.350.2.1 BIT

#### 5.350.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.351 st\_exdmac1\_t.EDMREQ Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [CLRS](#): 1
  - unsigned char [SWREQ](#): 1
- } [BIT](#)

### 5.351.1 Detailed Description

Definition at line [8051](#) of file [iodefine.h](#).

### 5.351.2 Field Documentation

#### 5.351.2.1 BIT

#### 5.351.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.352 st\_exdmac1\_t.EDMRMD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 6
  - unsigned char [DREQS](#): 2
- } [BIT](#)

### 5.352.1 Detailed Description

Definition at line [8088](#) of file [iodefine.h](#).

### 5.352.2 Field Documentation

#### 5.352.2.1 BIT

#### 5.352.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.353 st\_exdmac1\_t.EDMSTS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ACT](#): 1
  - unsigned [char](#): 2
  - unsigned char [DTIF](#): 1
  - unsigned char [ESIF](#): 1
- } [BIT](#)

### 5.353.1 Detailed Description

Definition at line [8068](#) of file [iodefine.h](#).

### 5.353.2 Field Documentation

#### 5.353.2.1 BIT

#### 5.353.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.354 st\_exdmac1\_t.EDMTMD Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [MD](#): 2
  - unsigned short [DTS](#): 2
  - unsigned [short](#): 2
  - unsigned short [SZ](#): 2
  - unsigned short [DCTG](#): 2
- } [BIT](#)

### 5.354.1 Detailed Description

Definition at line [7949](#) of file [iodefine.h](#).

### 5.354.2 Field Documentation

#### 5.354.2.1 BIT


#### 5.354.2.2 WORD

The documentation for this union was generated from the following files:

## 5.355 st\_exdmac\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_exdmac\_t:



### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char: 7
    - unsigned char `DMST`: 1
  - } `BIT`
  - } `EDMAST`
- char `wk0` [479]
- unsigned long `CLSBR0`
- unsigned long `CLSBR1`
- unsigned long `CLSBR2`
- unsigned long `CLSBR3`
- unsigned long `CLSBR4`
- unsigned long `CLSBR5`
- unsigned long `CLSBR6`
- unsigned long `CLSBR7`

### 5.355.1 Detailed Description

Definition at line 7732 of file `iodefne.h`.

## 5.355.2 Field Documentation

### 5.355.2.1 CLSBR0

unsigned long st\_exdmac\_t::CLSBR0

Definition at line [7747](#) of file [iodefne.h](#).

### 5.355.2.2 CLSBR1

unsigned long st\_exdmac\_t::CLSBR1

Definition at line [7748](#) of file [iodefne.h](#).

### 5.355.2.3 CLSBR2

unsigned long st\_exdmac\_t::CLSBR2

Definition at line [7749](#) of file [iodefne.h](#).

### 5.355.2.4 CLSBR3

unsigned long st\_exdmac\_t::CLSBR3

Definition at line [7750](#) of file [iodefne.h](#).

### 5.355.2.5 CLSBR4

unsigned long st\_exdmac\_t::CLSBR4

Definition at line [7751](#) of file [iodefne.h](#).

### 5.355.2.6 CLSBR5

unsigned long st\_exdmac\_t::CLSBR5

Definition at line [7752](#) of file [iodefne.h](#).

### 5.355.2.7 CLSBR6

unsigned long st\_exdmac\_t::CLSBR6

Definition at line [7753](#) of file [iodefne.h](#).

### 5.355.2.8 CLSBR7

unsigned long st\_exdmac\_t::CLSBR7

Definition at line 7754 of file [iodefine.h](#).

### 5.355.2.9 [union]

union { ... } st\_exdmac\_t::EDMAST

### 5.355.2.10 wk0

char st\_exdmac\_t::wk0[479]

Definition at line 7746 of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefine.h](#)

## 5.356 st\_exdmac\_t.EDMAST Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [DMST](#): 1  
} [BIT](#)

### 5.356.1 Detailed Description

Definition at line 7733 of file [iodefine.h](#).

### 5.356.2 Field Documentation

#### 5.356.2.1 BIT


#### 5.356.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.357 st\_flash\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_flash\_t:



### Data Fields

- union {

```

unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short ROMCEN: 1
 } BIT
} ROMCE

```

- char wk0 [2]
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short ROMCIV: 1
 } BIT
 } ROMCIV

```
- char wk1 [58]
- unsigned long NCRG0
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 11
 unsigned long NCSZ: 17
 unsigned long NC3E: 1
 unsigned long NC2E: 1
 unsigned long NC1E: 1
 } BIT
 } NCRC0

```
- unsigned long NCRG1
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 11
 unsigned long NCSZ: 17
 unsigned long NC3E: 1
 unsigned long NC2E: 1
 unsigned long NC1E: 1
 } BIT
 } NCRC1

```
- char wk2 [45638]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char FLWE: 2
 } BIT
 } FWEPROR

```
- char wk3 [7798185]
- unsigned char EEPFCLK
- char wk4 [8143]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char CFAE: 1
 unsigned char: 2

```

- unsigned char [CMDLK](#): 1
  - unsigned char [DFAE](#): 1
  - } [BIT](#)
  - } [FASTAT](#)
- char [wk5](#) [3]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned char [CFAEIE](#): 1
  - unsigned char: 2
  - unsigned char [CMDLKIE](#): 1
  - unsigned char [DFAEIE](#): 1
  - } [BIT](#)
  - } [FAEINT](#)
- char [wk6](#) [3]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned char: 7
  - unsigned char [FRDYIE](#): 1
  - } [BIT](#)
  - } [FRDYIE](#)
- char [wk7](#) [23]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned long [FSADDR](#): 32
  - } [BIT](#)
  - } [FSADDR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned long [FEADDR](#): 32
  - } [BIT](#)
  - } [FEADDR](#)
- char [wk8](#) [72]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned long: 8
  - unsigned long [ILGCOMERR](#): 1
  - unsigned long [FESETERR](#): 1
  - unsigned long [SECERR](#): 1
  - unsigned long [OTERR](#): 1
  - unsigned long [FRDY](#): 1
  - unsigned long [ILGLERR](#): 1
  - unsigned long [ERSERR](#): 1
  - unsigned long [PRGERR](#): 1
  - unsigned long [SUSRDY](#): 1
  - unsigned long [DBFULL](#): 1
  - unsigned long [ERSSPD](#): 1
  - unsigned long [PRGSPD](#): 1
  - unsigned long [FLWEERR](#): 1

- ```

    } BIT
} FSTATR

```
- union {
 - unsigned short WORD
 - struct {
 - unsigned short KEY: 8
 - unsigned short FENTRYD: 1
 - unsigned short: 6
 - unsigned short FENTRYC: 1
 - } BIT
 - } FENTRYR
- char wk9 [6]
 - union {
 - unsigned short WORD
 - struct {
 - unsigned short KEY: 8
 - unsigned short: 7
 - unsigned short SUINIT: 1
 - } BIT
 - } FSUINTR
- char wk10 [18]
 - union {
 - unsigned short WORD
 - struct {
 - unsigned short CMDR: 8
 - unsigned short PCMDR: 8
 - } BIT
 - } FCMDR
- char wk11 [46]
 - union {
 - unsigned char BYTE
 - struct {
 - unsigned char: 7
 - unsigned char BCDIR: 1
 - } BIT
 - } FBCCNT
- char wk12 [3]
 - union {
 - unsigned char BYTE
 - struct {
 - unsigned char: 7
 - unsigned char BCST: 1
 - } BIT
 - } FBCSTAT
- char wk13 [3]
 - union {
 - unsigned long LONG
 - struct {
 - unsigned long: 15
 - unsigned long PSADR: 17
 - } BIT
 - } FPSADDR

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned long [BTFLG](#): 1
 - unsigned [long](#): 3
 - unsigned long [FAWE](#): 12
 - unsigned long [FSPR](#): 1
 - unsigned long [FAWS](#): 12
 - } [BIT](#)
 - } [FAWMON](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 15
 - unsigned short [ESUSPMD](#): 1
 - } [BIT](#)
 - } [FCPSR](#)
- char [wk14](#) [2]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [KEY](#): 8
 - unsigned short [PCKA](#): 8
 - } [BIT](#)
 - } [FPCKAR](#)
- char [wk15](#) [2]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [KEY](#): 8
 - unsigned [short](#): 6
 - unsigned short [SAS](#): 2
 - } [BIT](#)
 - } [FSUACR](#)

5.357.1 Detailed Description

Definition at line [8129](#) of file [iodefine.h](#).

5.357.2 Field Documentation

5.357.2.1 EEPFCLK

unsigned char st_flash_t::EEPFCLK

Definition at line [8217](#) of file [iodefine.h](#).

5.357.2.2 [union]

```
union { ... } st_flash_t::FAEINT
```

5.357.2.3 [union]

```
union { ... } st_flash_t::FASTAT
```

5.357.2.4 [union]

```
union { ... } st_flash_t::FAWMON
```

5.357.2.5 [union]

```
union { ... } st_flash_t::FBCCNT
```

5.357.2.6 [union]

```
union { ... } st_flash_t::FBCSTAT
```

5.357.2.7 [union]

```
union { ... } st_flash_t::FCMDR
```

5.357.2.8 [union]

```
union { ... } st_flash_t::FCPSR
```

5.357.2.9 [union]

```
union { ... } st_flash_t::FEADDR
```

5.357.2.10 [union]

```
union { ... } st_flash_t::FENTRYR
```

5.357.2.11 [union]

```
union { ... } st_flash_t::FPCKAR
```

5.357.2.12 [union]

```
union { ... } st_flash_t::FPSADDR
```

5.357.2.13 [union]

```
union { ... } st_flash_t::FRDYIE
```

5.357.2.14 [union]

```
union { ... } st_flash_t::FSADDR
```

5.357.2.15 [union]

```
union { ... } st_flash_t::FSTATR
```

5.357.2.16 [union]

```
union { ... } st_flash_t::FSUACR
```

5.357.2.17 [union]

```
union { ... } st_flash_t::FSUINTR
```

5.357.2.18 [union]

```
union { ... } st_flash_t::FWEPROR
```

5.357.2.19 [union]

```
union { ... } st_flash_t::NCRC0
```

5.357.2.20 [union]

```
union { ... } st_flash_t::NCRC1
```

5.357.2.21 NCRG0

```
unsigned long st_flash_t::NCRG0
```

Definition at line [8158](#) of file [iodefine.h](#).

5.357.2.22 NCRG1

unsigned long st_flash_t::NCRG1

Definition at line [8180](#) of file [iodefine.h](#).

5.357.2.23 [union]

union { ... } st_flash_t::ROMCE

5.357.2.24 [union]

union { ... } st_flash_t::ROMCIV

5.357.2.25 wk0

char st_flash_t::wk0[2]

Definition at line [8143](#) of file [iodefine.h](#).

5.357.2.26 wk1

char st_flash_t::wk1[58]

Definition at line [8157](#) of file [iodefine.h](#).

5.357.2.27 wk10

char st_flash_t::wk10[18]

Definition at line [8372](#) of file [iodefine.h](#).

5.357.2.28 wk11

char st_flash_t::wk11[46]

Definition at line [8386](#) of file [iodefine.h](#).

5.357.2.29 wk12

char st_flash_t::wk12[3]

Definition at line [8400](#) of file [iodefine.h](#).

5.357.2.30 wk13

```
char st_flash_t::wk13[3]
```

Definition at line [8414](#) of file [iodefine.h](#).

5.357.2.31 wk14

```
char st_flash_t::wk14[2]
```

Definition at line [8462](#) of file [iodefine.h](#).

5.357.2.32 wk15

```
char st_flash_t::wk15[2]
```

Definition at line [8476](#) of file [iodefine.h](#).

5.357.2.33 wk2

```
char st_flash_t::wk2[45638]
```

Definition at line [8202](#) of file [iodefine.h](#).

5.357.2.34 wk3

```
char st_flash_t::wk3[7798185]
```

Definition at line [8216](#) of file [iodefine.h](#).

5.357.2.35 wk4

```
char st_flash_t::wk4[8143]
```

Definition at line [8218](#) of file [iodefine.h](#).

5.357.2.36 wk5

```
char st_flash_t::wk5[3]
```

Definition at line [8238](#) of file [iodefine.h](#).

5.357.2.37 wk6

```
char st_flash_t::wk6[3]
```

Definition at line [8258](#) of file [iodefine.h](#).

5.357.2.38 wk7

char st_flash_t::wk7[23]

Definition at line 8272 of file [iodefne.h](#).

5.357.2.39 wk8

char st_flash_t::wk8[72]

Definition at line 8295 of file [iodefne.h](#).

5.357.2.40 wk9

char st_flash_t::wk9[6]

Definition at line 8356 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.358 st_flash_t.FAEINT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CFAEIE](#): 1
 - unsigned [char](#): 2
 - unsigned char [CMDLKIE](#): 1
 - unsigned char [DFAEIE](#): 1
- } [BIT](#)

5.358.1 Detailed Description

Definition at line 8239 of file [iodefne.h](#).

5.358.2 Field Documentation

5.358.2.1 BIT

5.358.2.2 BYTE

The documentation for this union was generated from the following files:

5.359 st_flash_t.FASTAT Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CFAE](#): 1
 - unsigned [char](#): 2
 - unsigned char [CMDLK](#): 1
 - unsigned char [DFAE](#): 1
- } [BIT](#)

5.359.1 Detailed Description

Definition at line [8219](#) of file [iodefine.h](#).

5.359.2 Field Documentation

5.359.2.1 BIT

5.359.2.2 BYTE

The documentation for this union was generated from the following files:

5.360 st_flash_t.FAWMON Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [BTFLG](#): 1
 - unsigned [long](#): 3
 - unsigned long [FAWE](#): 12
 - unsigned long [FSPR](#): 1
 - unsigned long [FAWS](#): 12
- } [BIT](#)

5.360.1 Detailed Description

Definition at line [8428](#) of file [iodefine.h](#).

5.360.2 Field Documentation

5.360.2.1 BIT

5.360.2.2 LONG

The documentation for this union was generated from the following files:

5.361 `st_flash_t.FBCCNT` Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [BCDIR](#): 1
} [BIT](#)

5.361.1 Detailed Description

Definition at line [8387](#) of file [iodefine.h](#).

5.361.2 Field Documentation

5.361.2.1 BIT

5.361.2.2 BYTE

The documentation for this union was generated from the following files:

5.362 `st_flash_t.FBCSTAT` Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [BCST](#): 1
} [BIT](#)

5.362.1 Detailed Description

Definition at line [8401](#) of file [iodefine.h](#).

5.362.2 Field Documentation

5.362.2.1 BIT

5.362.2.2 BYTE

The documentation for this union was generated from the following files:

5.363 st_flash_t.FCMDR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CMDR](#): 8
 - unsigned short [PCMDR](#): 8
- } [BIT](#)

5.363.1 Detailed Description

Definition at line [8373](#) of file [iodefine.h](#).

5.363.2 Field Documentation

5.363.2.1 BIT

5.363.2.2 WORD

The documentation for this union was generated from the following files:

5.364 st_flash_t.FCPSR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 15
 - unsigned short [ESUSPMD](#): 1
- } [BIT](#)

5.364.1 Detailed Description

Definition at line [8449](#) of file [iodefine.h](#).

5.364.2 Field Documentation

5.364.2.1 BIT

5.364.2.2 WORD

The documentation for this union was generated from the following files:

5.365 st_flash_t.FEADDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned long [FEADDR](#): 32
} [BIT](#)

5.365.1 Detailed Description

Definition at line [8284](#) of file [iodefine.h](#).

5.365.2 Field Documentation

5.365.2.1 BIT

5.365.2.2 LONG

The documentation for this union was generated from the following files:

5.366 st_flash_t.FENTRYR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned short [KEY](#): 8
 unsigned short [FENTRYD](#): 1
 unsigned [short](#): 6
 unsigned short [FENTRYC](#): 1
} [BIT](#)

5.366.1 Detailed Description

Definition at line [8339](#) of file [iodefine.h](#).

5.366.2 Field Documentation

5.366.2.1 BIT

5.366.2.2 WORD

The documentation for this union was generated from the following files:

5.367 st_flash_t.FPCKAR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [KEY](#): 8
 - unsigned short [PCKA](#): 8
- } [BIT](#)

5.367.1 Detailed Description

Definition at line [8463](#) of file [iodefine.h](#).

5.367.2 Field Documentation

5.367.2.1 BIT

5.367.2.2 WORD

The documentation for this union was generated from the following files:

5.368 st_flash_t.FPSADDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 15
 - unsigned long [PSADR](#): 17
- } [BIT](#)

5.368.1 Detailed Description

Definition at line [8415](#) of file [iodefine.h](#).

5.368.2 Field Documentation

5.368.2.1 BIT

5.368.2.2 LONG

The documentation for this union was generated from the following files:

5.369 st_flash_t.FRDYIE Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [FRDYIE](#): 1
} [BIT](#)

5.369.1 Detailed Description

Definition at line [8259](#) of file [iodefine.h](#).

5.369.2 Field Documentation

5.369.2.1 BIT

5.369.2.2 BYTE

The documentation for this union was generated from the following files:

5.370 st_flash_t.FSADDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned long [FSADDR](#): 32
} [BIT](#)

5.370.1 Detailed Description

Definition at line [8273](#) of file [iodefine.h](#).

5.370.2 Field Documentation

5.370.2.1 BIT

5.370.2.2 LONG

The documentation for this union was generated from the following files:

5.371 st_flash_t.FSTATR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 8
 - unsigned long [ILGCOMERR](#): 1
 - unsigned long [FESETERR](#): 1
 - unsigned long [SECERR](#): 1
 - unsigned long [OTERR](#): 1
 - unsigned long [FRDY](#): 1
 - unsigned long [ILGLERR](#): 1
 - unsigned long [ERSERR](#): 1
 - unsigned long [PRGERR](#): 1
 - unsigned long [SUSRDY](#): 1
 - unsigned long [DBFULL](#): 1
 - unsigned long [ERSSPD](#): 1
 - unsigned long [PRGSPD](#): 1
 - unsigned long [FLWEERR](#): 1
- } [BIT](#)

5.371.1 Detailed Description

Definition at line [8296](#) of file [iodefine.h](#).

5.371.2 Field Documentation

5.371.2.1 BIT

5.371.2.2 LONG

The documentation for this union was generated from the following files:

5.372 st_flash_t.FSUACR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [KEY](#): 8
 - unsigned [short](#): 6
 - unsigned short [SAS](#): 2
- } [BIT](#)

5.372.1 Detailed Description

Definition at line [8477](#) of file [iodefine.h](#).

5.372.2 Field Documentation

5.372.2.1 BIT

5.372.2.2 WORD

The documentation for this union was generated from the following files:

5.373 st_flash_t.FSUINTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [KEY](#): 8
 - unsigned [short](#): 7
 - unsigned short [SUNIT](#): 1
- } [BIT](#)

5.373.1 Detailed Description

Definition at line [8357](#) of file [iodefine.h](#).

5.373.2 Field Documentation

5.373.2.1 BIT

5.373.2.2 WORD

The documentation for this union was generated from the following files:

5.374 st_flash_t.FWEPROR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [FLWE](#): 2
- } [BIT](#)

5.374.1 Detailed Description

Definition at line [8203](#) of file [iodefine.h](#).

5.374.2 Field Documentation

5.374.2.1 BIT

5.374.2.2 BYTE

The documentation for this union was generated from the following files:

5.375 st_flash_t.NCRC0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 11
 - unsigned long [NCSZ](#): 17
 - unsigned long [NC3E](#): 1
 - unsigned long [NC2E](#): 1
 - unsigned long [NC1E](#): 1
- } [BIT](#)

5.375.1 Detailed Description

Definition at line [8159](#) of file [iodefine.h](#).

5.375.2 Field Documentation

5.375.2.1 BIT

5.375.2.2 LONG

The documentation for this union was generated from the following files:

5.376 st_flash_t.NCRC1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 11
 - unsigned long [NCSZ](#): 17
 - unsigned long [NC3E](#): 1
 - unsigned long [NC2E](#): 1
 - unsigned long [NC1E](#): 1
- } [BIT](#)

5.376.1 Detailed Description

Definition at line [8181](#) of file [iodefine.h](#).

5.376.2 Field Documentation

5.376.2.1 BIT

5.376.2.2 LONG

The documentation for this union was generated from the following files:

5.377 st_flash_t.ROMCE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 15
 unsigned short [ROMCEN](#): 1
} [BIT](#)

5.377.1 Detailed Description

Definition at line [8130](#) of file [iodefine.h](#).

5.377.2 Field Documentation

5.377.2.1 BIT

5.377.2.2 WORD

The documentation for this union was generated from the following files:

5.378 st_flash_t.ROMCIV Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 15
 unsigned short [ROMCIV](#): 1
} [BIT](#)

5.378.1 Detailed Description

Definition at line [8144](#) of file [iodefine.h](#).

5.378.2 Field Documentation

5.378.2.1 BIT

5.378.2.2 WORD

The documentation for this union was generated from the following files:

5.379 st_glcdc_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_glcdc_t:



Data Fields

- union {
 - unsigned long LONG
 - struct {
 - unsigned long A: 8
 - unsigned long R: 8
 - unsigned long G: 8
 - unsigned long B: 8

- union {
 unsigned long LONG;
 struct {
 unsigned long: 12;
 unsigned long VP: 4;
 unsigned long HP: 4;
 } BIT;
 }

- } BGSYNC
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 5
 - unsigned long VP: 11
 - unsigned long VW: 11
 - } BIT
 } BGVSIZE
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 5
 - unsigned long HP: 11
 - unsigned long HW: 11
 - } BIT
 } BGHSIZE
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long R: 8
 - unsigned long G: 8
 - unsigned long B: 8
 - } BIT
 } BGCOLOR
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 15
 - unsigned long SWRST: 1
 - unsigned long VEN: 1
 - unsigned long EN: 1
 - } BIT
 } BGMON
- char wk0 [228]
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 31
 - unsigned long VEN: 1
 - } BIT
 } GR1VEN
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 31
 - unsigned long RENB: 1
 - } BIT
 } GR1FLMRD
- char wk1 [4]

- unsigned long [GR1FLM2](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned long [LNOFF](#): 16
 - unsigned [long](#): 16
 - } [BIT](#)
} [GR1FLM3](#)
- char [wk2](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [LNNUM](#): 11
 - unsigned long [DATANUM](#): 16
 - } [BIT](#)
} [GR1FLM5](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 1
 - unsigned long [FORMAT](#): 3
 - } [BIT](#)
} [GR1FLM6](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 19
 - unsigned long [ARCON](#): 1
 - unsigned long [ARCDISPON](#): 1
 - unsigned long [GRCDISPON](#): 1
 - unsigned long [DISPSEL](#): 2
 - } [BIT](#)
} [GR1AB1](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GRCVS](#): 11
 - unsigned long [GRCVW](#): 11
 - } [BIT](#)
} [GR1AB2](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GRCHS](#): 11
 - unsigned long [GRCHW](#): 11
 - } [BIT](#)
} [GR1AB3](#)
- union {
 - unsigned long [LONG](#)

- ```

 struct {
 unsigned long: 5
 unsigned long ARCVS: 11
 unsigned long ARCVW: 11
 } BIT
} GR1AB4

```
- union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long ARCHS: 11
 unsigned long ARCHW: 11
 } BIT
 } GR1AB5
  - union {
 unsigned long LONG
 struct {
 unsigned long: 7
 unsigned long ARCCOEF: 9
 unsigned long ARCRATE: 8
 } BIT
 } GR1AB6
  - union {
 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long ARCDEF: 8
 unsigned long CKON: 1
 } BIT
 } GR1AB7
  - union {
 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long CKKG: 8
 unsigned long CKKB: 8
 unsigned long CKKR: 8
 } BIT
 } GR1AB8
  - union {
 unsigned long LONG
 struct {
 unsigned long CKA: 8
 unsigned long CKG: 8
 unsigned long CKB: 8
 unsigned long CKR: 8
 } BIT
 } GR1AB9
  - char wk3 [8]
  - union {
 unsigned long LONG
 struct {

- unsigned long: 8
  - unsigned long G: 8
  - unsigned long B: 8
  - unsigned long R: 8
  - } BIT
  - } GR1BASE
- union {
  - unsigned long LONG
  - struct {
    - unsigned long: 15
    - unsigned long SEL: 1
    - unsigned long LINE: 11
    - } BIT
  - } GR1CLUTINT
- union {
  - unsigned long LONG
  - struct {
    - unsigned long: 15
    - unsigned long UFST: 1
    - unsigned long ARCST: 1
    - } BIT
  - } GR1MON
- char wk4 [168]
- union {
  - unsigned long LONG
  - struct {
    - unsigned long: 31
    - unsigned long VEN: 1
    - } BIT
  - } GR2VEN
- union {
  - unsigned long LONG
  - struct {
    - unsigned long: 31
    - unsigned long RENB: 1
    - } BIT
  - } GR2FLMRD
- char wk5 [4]
- unsigned long GR2FLM2
- union {
  - unsigned long LONG
  - struct {
    - unsigned long LNOFF: 16
    - unsigned long: 16
    - } BIT
  - } GR2FLM3
- char wk6 [4]
- union {
  - unsigned long LONG
  - struct {
    - unsigned long: 5
    - unsigned long LNNUM: 11

- ```

unsigned long DATANUM: 16
} BIT
} GR2FLM5

```
- ```

union {
 unsigned long LONG
 struct {
 unsigned long: 1
 unsigned long FORMAT: 3
 } BIT
} GR2FLM6

```
  - ```

union {
  unsigned long LONG
  struct {
    unsigned long: 19
    unsigned long ARCON: 1
    unsigned long ARCDISPON: 1
    unsigned long GRCDISPON: 1
    unsigned long DISPSEL: 2
  } BIT
} GR2AB1

```
 - ```

union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GRCVS: 11
 unsigned long GRCVW: 11
 } BIT
} GR2AB2

```
  - ```

union {
  unsigned long LONG
  struct {
    unsigned long: 5
    unsigned long GRCHS: 11
    unsigned long GRCHW: 11
  } BIT
} GR2AB3

```
 - ```

union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long ARCVS: 11
 unsigned long ARCVW: 11
 } BIT
} GR2AB4

```
  - ```

union {
  unsigned long LONG
  struct {
    unsigned long: 5
    unsigned long ARCHS: 11
    unsigned long ARCHW: 11
  } BIT
} GR2AB5

```


- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 7
 - unsigned long ARCCOEF: 9
 - unsigned long ARCRATE: 8
 - } BIT
} GR2AB6
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long ARCDEF: 8
 - unsigned long CKON: 1
 - } BIT
} GR2AB7
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long CKKG: 8
 - unsigned long CKKB: 8
 - unsigned long CKKR: 8
 - } BIT
} GR2AB8
- union {
 - unsigned long LONG
 - struct {
 - unsigned long CKA: 8
 - unsigned long CKG: 8
 - unsigned long CKB: 8
 - unsigned long CKR: 8
 - } BIT
} GR2AB9
- char wk7 [8]
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long G: 8
 - unsigned long B: 8
 - unsigned long R: 8
 - } BIT
} GR2BASE
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 15
 - unsigned long SEL: 1
 - unsigned long LINE: 11
 - } BIT
} GR2CLUTINT

- union {
 unsigned long LONG
 struct {
 unsigned long: 15
 unsigned long UFST: 1
 unsigned long AR CST: 1
 } BIT
 } GR2MON
- char wk8 [168]
- union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long VEN: 1
 } BIT
 } GAMGVEN
- union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long GAMON: 1
 } BIT
 } GAMSW
- union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GAIN00: 11
 unsigned long GAIN01: 11
 } BIT
 } GAMGLUT1
- union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GAIN02: 11
 unsigned long GAIN03: 11
 } BIT
 } GAMGLUT2
- union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GAIN04: 11
 unsigned long GAIN05: 11
 } BIT
 } GAMGLUT3
- union {
 unsigned long LONG
 struct {
 unsigned long: 5

- unsigned long [GAIN06](#): 11
 - unsigned long [GAIN07](#): 11
 - } [BIT](#)
 - } [GAMGLUT4](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GAIN08](#): 11
 - unsigned long [GAIN09](#): 11
 - } [BIT](#)
 - } [GAMGLUT5](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GAIN10](#): 11
 - unsigned long [GAIN11](#): 11
 - } [BIT](#)
 - } [GAMGLUT6](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GAIN12](#): 11
 - unsigned long [GAIN13](#): 11
 - } [BIT](#)
 - } [GAMGLUT7](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [GAIN14](#): 11
 - unsigned long [GAIN15](#): 11
 - } [BIT](#)
 - } [GAMGLUT8](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 2
 - unsigned long [TH01](#): 10
 - unsigned long [TH02](#): 10
 - unsigned long [TH03](#): 10
 - } [BIT](#)
 - } [GAMGAREA1](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 2
 - unsigned long [TH04](#): 10
 - unsigned long [TH05](#): 10
 - unsigned long [TH06](#): 10

- ```

 } BIT
} GAMGAREA2

```
- union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH07: 10
 unsigned long TH08: 10
 unsigned long TH09: 10
 } BIT
 } GAMGAREA3
  - union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH10: 10
 unsigned long TH11: 10
 unsigned long TH12: 10
 } BIT
 } GAMGAREA4
  - union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH13: 10
 unsigned long TH14: 10
 unsigned long TH15: 10
 } BIT
 } GAMGAREA5
  - char wk9 [4]
  - union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long VEN: 1
 } BIT
 } GAMBVEN
  - char wk10 [4]
  - union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GAIN00: 11
 unsigned long GAIN01: 11
 } BIT
 } GAMBLUT1
  - union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long GAIN02: 11
 unsigned long GAIN03: 11
 }
 }

- union  $\{$

```

unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH01: 10
 unsigned long TH02: 10
 unsigned long TH03: 10
 } BIT
} GAMBAREA1

• union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH04: 10
 unsigned long TH05: 10
 unsigned long TH06: 10
 } BIT
} GAMBAREA2

• union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH07: 10
 unsigned long TH08: 10
 unsigned long TH09: 10
 } BIT
} GAMBAREA3

• union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH10: 10
 unsigned long TH11: 10
 unsigned long TH12: 10
 } BIT
} GAMBAREA4

• union {
 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long TH13: 10
 unsigned long TH14: 10
 unsigned long TH15: 10
 } BIT
} GAMBAREA5

• char wk11 [4]
• union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long VEN: 1
 } BIT
} GAMRVEN

```

- char [wk12](#) [4]
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN00](#): 11  
    unsigned long [GAIN01](#): 11  
  } [BIT](#)  
} [GAMRLUT1](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN02](#): 11  
    unsigned long [GAIN03](#): 11  
  } [BIT](#)  
} [GAMRLUT2](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN04](#): 11  
    unsigned long [GAIN05](#): 11  
  } [BIT](#)  
} [GAMRLUT3](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN06](#): 11  
    unsigned long [GAIN07](#): 11  
  } [BIT](#)  
} [GAMRLUT4](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN08](#): 11  
    unsigned long [GAIN09](#): 11  
  } [BIT](#)  
} [GAMRLUT5](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [GAIN10](#): 11  
    unsigned long [GAIN11](#): 11  
  } [BIT](#)  
} [GAMRLUT6](#)
- union {  
  unsigned long [LONG](#)  
  struct {

- ```

    unsigned long: 5
    unsigned long GAIN12: 11
    unsigned long GAIN13: 11
    } BIT
} GAMRLUT7

```
- union {


```

        unsigned long LONG
        struct {
          unsigned long: 5
          unsigned long GAIN14: 11
          unsigned long GAIN15: 11
          } BIT
        } GAMRLUT8
      
```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 2
          unsigned long TH01: 10
          unsigned long TH02: 10
          unsigned long TH03: 10
          } BIT
        } GAMRAREA1
      
```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 2
          unsigned long TH04: 10
          unsigned long TH05: 10
          unsigned long TH06: 10
          } BIT
        } GAMRAREA2
      
```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 2
          unsigned long TH07: 10
          unsigned long TH08: 10
          unsigned long TH09: 10
          } BIT
        } GAMRAREA3
      
```
 - union {


```

        unsigned long LONG
        struct {
          unsigned long: 2
          unsigned long TH10: 10
          unsigned long TH11: 10
          unsigned long TH12: 10
          } BIT
        } GAMRAREA4
      
```
 - union {


```

        unsigned long LONG
        struct {

```


- unsigned long: 2
 - unsigned long TH13: 10
 - unsigned long TH14: 10
 - unsigned long TH15: 10
 - } BIT
 - } GAMRAREA5
- char wk13 [4]
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 31
 - unsigned long VEN: 1
 - } BIT
 - } OUTVEN
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 3
 - unsigned long ENDIANON: 1
 - unsigned long SWAPON: 1
 - unsigned long FORMAT: 2
 - unsigned long FRQSEL: 1
 - unsigned long DIRSEL: 1
 - unsigned long PHASE: 2
 - } BIT
 - } OUTSET
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 22
 - unsigned long BRTG: 10
 - } BIT
 - } BRIGHT1
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 6
 - unsigned long BRTB: 10
 - unsigned long BRTR: 10
 - } BIT
 - } BRIGHT2
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long CONTG: 8
 - unsigned long CONTB: 8
 - unsigned long CONTR: 8
 - } BIT
 - } CONTRAST
- union {
 - unsigned long LONG

- ```

 struct {
 unsigned long: 10
 unsigned long SEL: 2
 unsigned long FORM: 2
 unsigned long PA: 2
 unsigned long PB: 2
 unsigned long PC: 2
 unsigned long PD: 2
 } BIT
} PANELDTHA

```
- char wk14 [12]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 19
 unsigned long FRONTGAM: 1
 unsigned long LCDEDG: 1
 unsigned long TCON0EDG: 1
 unsigned long TCON1EDG: 1
 unsigned long TCON2EDG: 1
 unsigned long TCON3EDG: 1
 } BIT
 } CLKPHASE

```
  - char wk15 [28]
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long HALF: 11
 unsigned long OFFSET: 11
 } BIT
 } TCONTIM

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long VS: 11
 unsigned long VW: 11
 } BIT
 } TCONSTVA1

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 27
 unsigned long INV: 1
 unsigned long SEL: 3
 } BIT
 } TCONSTVA2

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long VS: 11

```

- unsigned long [VW](#): 11
- } [BIT](#)
- } [TCONSTVB1](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 27  
    unsigned long [INV](#): 1  
    unsigned long [SEL](#): 3  
  } [BIT](#)  
} [TCONSTVB2](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [HS](#): 11  
    unsigned long [HW](#): 11  
  } [BIT](#)  
} [TCONSTHA1](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 23  
    unsigned long [HSSEL](#): 1  
    unsigned long [INV](#): 1  
    unsigned long [SEL](#): 3  
  } [BIT](#)  
} [TCONSTHA2](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 5  
    unsigned long [HS](#): 11  
    unsigned long [HW](#): 11  
  } [BIT](#)  
} [TCONSTHB1](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 23  
    unsigned long [HSSEL](#): 1  
    unsigned long [INV](#): 1  
    unsigned long [SEL](#): 3  
  } [BIT](#)  
} [TCONSTHB2](#)
- union {  
  unsigned long [LONG](#)  
  struct {  
    unsigned [long](#): 31  
    unsigned long [INV](#): 1  
  } [BIT](#)  
} [TCONDE](#)

- char [wk16](#) [20]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 29
    - unsigned long [GR2UFDTC](#): 1
    - unsigned long [GR1UFDTC](#): 1
    - unsigned long [VPOSDTC](#): 1
    - } [BIT](#)
- } [DTCTEN](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 29
    - unsigned long [GR2UFINTEN](#): 1
    - unsigned long [GR1UFINTEN](#): 1
    - unsigned long [VPOSINTEN](#): 1
    - } [BIT](#)
- } [INTEN](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 29
    - unsigned long [GR2UFCLR](#): 1
    - unsigned long [GR1UFCLR](#): 1
    - unsigned long [VPOSCLR](#): 1
    - } [BIT](#)
- } [STCLR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 29
    - unsigned long [GR2UF](#): 1
    - unsigned long [GR1UF](#): 1
    - unsigned long [VPOS](#): 1
    - } [BIT](#)
- } [STMON](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 19
    - unsigned long [PIXSEL](#): 1
    - unsigned long [CLKSEL](#): 1
    - unsigned long [CLKEN](#): 1
    - unsigned long [DCDR](#): 6
    - } [BIT](#)
- } [PANELCLK](#)

### 5.379.1 Detailed Description

Definition at line [8494](#) of file [iodefine.h](#).

## 5.379.2 Field Documentation

### 5.379.2.1 [union]

union { ... } st\_glcdc\_t::BGCOLOR

### 5.379.2.2 [union]

union { ... } st\_glcdc\_t::BGEN

### 5.379.2.3 [union]

union { ... } st\_glcdc\_t::BGHSIZE

### 5.379.2.4 [union]

union { ... } st\_glcdc\_t::BGMON

### 5.379.2.5 [union]

union { ... } st\_glcdc\_t::BGPRI

### 5.379.2.6 [union]

union { ... } st\_glcdc\_t::BGSYNC

### 5.379.2.7 [union]

union { ... } st\_glcdc\_t::BGVSIZE

### 5.379.2.8 [union]

union { ... } st\_glcdc\_t::BRIGHT1

### 5.379.2.9 [union]

union { ... } st\_glcdc\_t::BRIGHT2

### 5.379.2.10 [union]

union { ... } st\_glcdc\_t::CLKPHASE

## 5.379.2.11 [union]

```
union { ... } st_glcde_t::CONTRAST
```

## 5.379.2.12 [union]

```
union { ... } st_glcde_t::DTCTEN
```

## 5.379.2.13 [union]

```
union { ... } st_glcde_t::GAMBAREA1
```

## 5.379.2.14 [union]

```
union { ... } st_glcde_t::GAMBAREA2
```

## 5.379.2.15 [union]

```
union { ... } st_glcde_t::GAMBAREA3
```

## 5.379.2.16 [union]

```
union { ... } st_glcde_t::GAMBAREA4
```

## 5.379.2.17 [union]

```
union { ... } st_glcde_t::GAMBAREA5
```

## 5.379.2.18 [union]

```
union { ... } st_glcde_t::GAMBLUT1
```

## 5.379.2.19 [union]

```
union { ... } st_glcde_t::GAMBLUT2
```

## 5.379.2.20 [union]

```
union { ... } st_glcde_t::GAMBLUT3
```

## 5.379.2.21 [union]

```
union { ... } st_glcde_t::GAMBLUT4
```

## 5.379.2.22 [union]

```
union { ... } st_glcde_t::GAMBLUT5
```

## 5.379.2.23 [union]

```
union { ... } st_glcde_t::GAMBLUT6
```

## 5.379.2.24 [union]

```
union { ... } st_glcde_t::GAMBLUT7
```

## 5.379.2.25 [union]

```
union { ... } st_glcde_t::GAMBLUT8
```

## 5.379.2.26 [union]

```
union { ... } st_glcde_t::GAMBVEN
```

## 5.379.2.27 [union]

```
union { ... } st_glcde_t::GAMGAREA1
```

## 5.379.2.28 [union]

```
union { ... } st_glcde_t::GAMGAREA2
```

## 5.379.2.29 [union]

```
union { ... } st_glcde_t::GAMGAREA3
```

## 5.379.2.30 [union]

```
union { ... } st_glcde_t::GAMGAREA4
```

## 5.379.2.31 [union]

```
union { ... } st_glcde_t::GAMGAREA5
```

## 5.379.2.32 [union]

```
union { ... } st_glcde_t::GAMGLUT1
```

## 5.379.2.33 [union]

```
union { ... } st_glcde_t::GAMGLUT2
```

## 5.379.2.34 [union]

```
union { ... } st_glcde_t::GAMGLUT3
```

## 5.379.2.35 [union]

```
union { ... } st_glcde_t::GAMGLUT4
```

## 5.379.2.36 [union]

```
union { ... } st_glcde_t::GAMGLUT5
```

## 5.379.2.37 [union]

```
union { ... } st_glcde_t::GAMGLUT6
```

## 5.379.2.38 [union]

```
union { ... } st_glcde_t::GAMGLUT7
```

## 5.379.2.39 [union]

```
union { ... } st_glcde_t::GAMGLUT8
```

## 5.379.2.40 [union]

```
union { ... } st_glcde_t::GAMGVEN
```



## 5.379.2.41 [union]

```
union { ... } st_glcde_t::GAMRAREA1
```

## 5.379.2.42 [union]

```
union { ... } st_glcde_t::GAMRAREA2
```

## 5.379.2.43 [union]

```
union { ... } st_glcde_t::GAMRAREA3
```

## 5.379.2.44 [union]

```
union { ... } st_glcde_t::GAMRAREA4
```

## 5.379.2.45 [union]

```
union { ... } st_glcde_t::GAMRAREA5
```

## 5.379.2.46 [union]

```
union { ... } st_glcde_t::GAMRLUT1
```

## 5.379.2.47 [union]

```
union { ... } st_glcde_t::GAMRLUT2
```

## 5.379.2.48 [union]

```
union { ... } st_glcde_t::GAMRLUT3
```

## 5.379.2.49 [union]

```
union { ... } st_glcde_t::GAMRLUT4
```

## 5.379.2.50 [union]

```
union { ... } st_glcde_t::GAMRLUT5
```

## 5.379.2.51 [union]

```
union { ... } st_glcde_t::GAMRLUT6
```

## 5.379.2.52 [union]

```
union { ... } st_glcde_t::GAMRLUT7
```

## 5.379.2.53 [union]

```
union { ... } st_glcde_t::GAMRLUT8
```

## 5.379.2.54 [union]

```
union { ... } st_glcde_t::GAMRVEN
```

## 5.379.2.55 [union]

```
union { ... } st_glcde_t::GAMSW
```

## 5.379.2.56 [union]

```
union { ... } st_glcde_t::GR1AB1
```

## 5.379.2.57 [union]

```
union { ... } st_glcde_t::GR1AB2
```

## 5.379.2.58 [union]

```
union { ... } st_glcde_t::GR1AB3
```

## 5.379.2.59 [union]

```
union { ... } st_glcde_t::GR1AB4
```

## 5.379.2.60 [union]

```
union { ... } st_glcde_t::GR1AB5
```

## 5.379.2.61 [union]

```
union { ... } st_glcde_t::GR1AB6
```

## 5.379.2.62 [union]

```
union { ... } st_glcde_t::GR1AB7
```

## 5.379.2.63 [union]

```
union { ... } st_glcde_t::GR1AB8
```

## 5.379.2.64 [union]

```
union { ... } st_glcde_t::GR1AB9
```

## 5.379.2.65 [union]

```
union { ... } st_glcde_t::GR1BASE
```

## 5.379.2.66 [union]

```
union { ... } st_glcde_t::GR1CLUT0[256]
```

## 5.379.2.67 [union]

```
union { ... } st_glcde_t::GR1CLUT1[256]
```

## 5.379.2.68 [union]

```
union { ... } st_glcde_t::GR1CLUTINT
```

## 5.379.2.69 GR1FLM2

```
unsigned long st_glcde_t::GR1FLM2
```

Definition at line [8718](#) of file [iodefine.h](#).

## 5.379.2.70 [union]

```
union { ... } st_glcde_t::GR1FLM3
```

## 5.379.2.71 [union]

```
union { ... } st_glcde_t::GR1FLM5
```

## 5.379.2.72 [union]

```
union { ... } st_glcde_t::GR1FLM6
```

## 5.379.2.73 [union]

```
union { ... } st_glcde_t::GR1FLMRD
```

## 5.379.2.74 [union]

```
union { ... } st_glcde_t::GR1MON
```

## 5.379.2.75 [union]

```
union { ... } st_glcde_t::GR1VEN
```

## 5.379.2.76 [union]

```
union { ... } st_glcde_t::GR2AB1
```

## 5.379.2.77 [union]

```
union { ... } st_glcde_t::GR2AB2
```

## 5.379.2.78 [union]

```
union { ... } st_glcde_t::GR2AB3
```

## 5.379.2.79 [union]

```
union { ... } st_glcde_t::GR2AB4
```

## 5.379.2.80 [union]

```
union { ... } st_glcde_t::GR2AB5
```

## 5.379.2.81 [union]

```
union { ... } st_glcde_t::GR2AB6
```

## 5.379.2.82 [union]

```
union { ... } st_glcde_t::GR2AB7
```

## 5.379.2.83 [union]

```
union { ... } st_glcde_t::GR2AB8
```

## 5.379.2.84 [union]

```
union { ... } st_glcde_t::GR2AB9
```

## 5.379.2.85 [union]

```
union { ... } st_glcde_t::GR2BASE
```

## 5.379.2.86 [union]

```
union { ... } st_glcde_t::GR2CLUT0[256]
```

## 5.379.2.87 [union]

```
union { ... } st_glcde_t::GR2CLUT1[256]
```

## 5.379.2.88 [union]

```
union { ... } st_glcde_t::GR2CLUTINT
```

## 5.379.2.89 GR2FLM2

```
unsigned long st_glcde_t::GR2FLM2
```

Definition at line [9004](#) of file [iodefine.h](#).

## 5.379.2.90 [union]

```
union { ... } st_glcde_t::GR2FLM3
```

## 5.379.2.91 [union]

```
union { ... } st_glcde_t::GR2FLM5
```

## 5.379.2.92 [union]

```
union { ... } st_glcde_t::GR2FLM6
```

## 5.379.2.93 [union]

```
union { ... } st_glcde_t::GR2FLMRD
```

## 5.379.2.94 [union]

```
union { ... } st_glcde_t::GR2MON
```

## 5.379.2.95 [union]

```
union { ... } st_glcde_t::GR2VEN
```

## 5.379.2.96 [union]

```
union { ... } st_glcde_t::INTEN
```

## 5.379.2.97 [union]

```
union { ... } st_glcde_t::OUTSET
```

## 5.379.2.98 [union]

```
union { ... } st_glcde_t::OUTVEN
```

## 5.379.2.99 [union]

```
union { ... } st_glcde_t::PANELCLK
```

## 5.379.2.100 [union]

```
union { ... } st_glcde_t::PANELDTHA
```

## 5.379.2.101 [union]

```
union { ... } st_glcdc_t::STCLR
```

## 5.379.2.102 [union]

```
union { ... } st_glcdc_t::STMON
```

## 5.379.2.103 [union]

```
union { ... } st_glcdc_t::TCONDE
```

## 5.379.2.104 [union]

```
union { ... } st_glcdc_t::TCONSTHA1
```

## 5.379.2.105 [union]

```
union { ... } st_glcdc_t::TCONSTHA2
```

## 5.379.2.106 [union]

```
union { ... } st_glcdc_t::TCONSTHB1
```

## 5.379.2.107 [union]

```
union { ... } st_glcdc_t::TCONSTHB2
```

## 5.379.2.108 [union]

```
union { ... } st_glcdc_t::TCONSTVA1
```

## 5.379.2.109 [union]

```
union { ... } st_glcdc_t::TCONSTVA2
```

## 5.379.2.110 [union]

```
union { ... } st_glcdc_t::TCONSTVB1
```

## 5.379.2.111 [union]

```
union { ... } st_glcdc_t::TCONSTVB2
```

## 5.379.2.112 [union]

```
union { ... } st_glcdc_t::TCONTIM
```

## 5.379.2.113 wk0

```
char st_glcdc_t::wk0[228]
```

Definition at line [8690](#) of file [iodefine.h](#).

## 5.379.2.114 wk1

```
char st_glcdc_t::wk1[4]
```

Definition at line [8717](#) of file [iodefine.h](#).

## 5.379.2.115 wk10

```
char st_glcdc_t::wk10[4]
```

Definition at line [9524](#) of file [iodefine.h](#).

## 5.379.2.116 wk11

```
char st_glcdc_t::wk11[4]
```

Definition at line [9746](#) of file [iodefine.h](#).

## 5.379.2.117 wk12

```
char st_glcdc_t::wk12[4]
```

Definition at line [9760](#) of file [iodefine.h](#).

## 5.379.2.118 wk13

```
char st_glcdc_t::wk13[4]
```

Definition at line [9982](#) of file [iodefine.h](#).



## 5.379.2.119 wk14

```
char st_glcdc_t::wk14[12]
```

Definition at line [10109](#) of file [iodefine.h](#).

## 5.379.2.120 wk15

```
char st_glcdc_t::wk15[28]
```

Definition at line [10139](#) of file [iodefine.h](#).

## 5.379.2.121 wk16

```
char st_glcdc_t::wk16[20]
```

Definition at line [10314](#) of file [iodefine.h](#).

## 5.379.2.122 wk2

```
char st_glcdc_t::wk2[4]
```

Definition at line [8732](#) of file [iodefine.h](#).

## 5.379.2.123 wk3

```
char st_glcdc_t::wk3[8]
```

Definition at line [8924](#) of file [iodefine.h](#).

## 5.379.2.124 wk4

```
char st_glcdc_t::wk4[168]
```

Definition at line [8976](#) of file [iodefine.h](#).

## 5.379.2.125 wk5

```
char st_glcdc_t::wk5[4]
```

Definition at line [9003](#) of file [iodefine.h](#).

## 5.379.2.126 wk6

```
char st_glcdc_t::wk6[4]
```

Definition at line [9018](#) of file [iodefine.h](#).

#### 5.379.2.127 wk7

char st\_glcdc\_t::wk7[8]

Definition at line [9210](#) of file [iodefne.h](#).

#### 5.379.2.128 wk8

char st\_glcdc\_t::wk8[168]

Definition at line [9262](#) of file [iodefne.h](#).

#### 5.379.2.129 wk9

char st\_glcdc\_t::wk9[4]

Definition at line [9510](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

### 5.380 st\_glcdc\_t.BGCOLOR Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [R](#): 8  
  unsigned long [G](#): 8  
  unsigned long [B](#): 8  
} [BIT](#)

#### 5.380.1 Detailed Description

Definition at line [8652](#) of file [iodefne.h](#).

#### 5.380.2 Field Documentation

##### 5.380.2.1 BIT

##### 5.380.2.2 LONG

The documentation for this union was generated from the following files:

## 5.381 st\_glcdc\_t.BGEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 15
  - unsigned long [SWRST](#): 1
  - unsigned long [VEN](#): 1
  - unsigned long [EN](#): 1
- } [BIT](#)

### 5.381.1 Detailed Description

Definition at line [8563](#) of file [iodefine.h](#).

### 5.381.2 Field Documentation

#### 5.381.2.1 BIT

#### 5.381.2.2 LONG

The documentation for this union was generated from the following files:

## 5.382 st\_glcdc\_t.BGHSIZE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [HP](#): 11
  - unsigned long [HW](#): 11
- } [BIT](#)

### 5.382.1 Detailed Description

Definition at line [8635](#) of file [iodefine.h](#).

### 5.382.2 Field Documentation

#### 5.382.2.1 BIT

#### 5.382.2.2 LONG

The documentation for this union was generated from the following files:

## 5.383 st\_glcdc\_t.BGMON Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 15
  - unsigned long [SWRST](#): 1
  - unsigned long [VEN](#): 1
  - unsigned long [EN](#): 1
- } [BIT](#)

### 5.383.1 Detailed Description

Definition at line [8669](#) of file [iodefine.h](#).

### 5.383.2 Field Documentation

#### 5.383.2.1 BIT

#### 5.383.2.2 LONG

The documentation for this union was generated from the following files:

## 5.384 st\_glcdc\_t.BGPERI Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [FV](#): 11
  - unsigned long [FH](#): 11
- } [BIT](#)

### 5.384.1 Detailed Description

Definition at line [8584](#) of file [iodefine.h](#).

### 5.384.2 Field Documentation

#### 5.384.2.1 BIT

#### 5.384.2.2 LONG

The documentation for this union was generated from the following files:

## 5.385 st\_glcdc\_t.BGSYNC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 12  
  unsigned long [VP](#): 4  
  unsigned long [HP](#): 4  
} [BIT](#)

### 5.385.1 Detailed Description

Definition at line [8601](#) of file [iodefine.h](#).

### 5.385.2 Field Documentation

#### 5.385.2.1 BIT

#### 5.385.2.2 LONG

The documentation for this union was generated from the following files:

## 5.386 st\_glcdc\_t.BGVSIZE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 5  
  unsigned long [VP](#): 11  
  unsigned long [VW](#): 11  
} [BIT](#)

### 5.386.1 Detailed Description

Definition at line [8618](#) of file [iodefine.h](#).

### 5.386.2 Field Documentation

#### 5.386.2.1 BIT

#### 5.386.2.2 LONG

The documentation for this union was generated from the following files:

## 5.387 st\_glcdc\_t.BRIGHT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 22
  - unsigned long [BRTG](#): 10
- } [BIT](#)

### 5.387.1 Detailed Description

Definition at line [10029](#) of file [iodefine.h](#).

### 5.387.2 Field Documentation

#### 5.387.2.1 BIT

#### 5.387.2.2 LONG

The documentation for this union was generated from the following files:

## 5.388 st\_glcdc\_t.BRIGHT2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 6
  - unsigned long [BRTB](#): 10
  - unsigned long [BRTR](#): 10
- } [BIT](#)

### 5.388.1 Detailed Description

Definition at line [10042](#) of file [iodefine.h](#).

### 5.388.2 Field Documentation

#### 5.388.2.1 BIT

#### 5.388.2.2 LONG

The documentation for this union was generated from the following files:

## 5.389 st\_glcdc\_t.CLKPHASE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 19
  - unsigned long [FRONTGAM](#): 1
  - unsigned long [LCDEDG](#): 1
  - unsigned long [TCON0EDG](#): 1
  - unsigned long [TCON1EDG](#): 1
  - unsigned long [TCON2EDG](#): 1
  - unsigned long [TCON3EDG](#): 1
- } [BIT](#)

### 5.389.1 Detailed Description

Definition at line [10110](#) of file [iodefine.h](#).

### 5.389.2 Field Documentation

#### 5.389.2.1 BIT

#### 5.389.2.2 LONG

The documentation for this union was generated from the following files:

## 5.390 st\_glcdc\_t.CONTRAST Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [CONTG](#): 8
  - unsigned long [CONTB](#): 8
  - unsigned long [CONTR](#): 8
- } [BIT](#)

### 5.390.1 Detailed Description

Definition at line [10059](#) of file [iodefine.h](#).

## 5.390.2 Field Documentation

### 5.390.2.1 BIT

### 5.390.2.2 LONG

The documentation for this union was generated from the following files:

## 5.391 st\_glcdc\_t.DTCTEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 29
  - unsigned long [GR2UFDTC](#): 1
  - unsigned long [GR1UFDTC](#): 1
  - unsigned long [VPOSDTC](#): 1
- } [BIT](#)

### 5.391.1 Detailed Description

Definition at line [10315](#) of file [iodefine.h](#).

## 5.391.2 Field Documentation

### 5.391.2.1 BIT

### 5.391.2.2 LONG

The documentation for this union was generated from the following files:

## 5.392 st\_glcdc\_t.GAMBAREA1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 2
  - unsigned long [TH01](#): 10
  - unsigned long [TH02](#): 10
  - unsigned long [TH03](#): 10
- } [BIT](#)



### 5.392.1 Detailed Description

Definition at line 9661 of file [iodefine.h](#).

### 5.392.2 Field Documentation

#### 5.392.2.1 BIT

#### 5.392.2.2 LONG

The documentation for this union was generated from the following files:

## 5.393 st\_glcdc\_t.GAMBAREA2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH04](#): 10
  - unsigned long [TH05](#): 10
  - unsigned long [TH06](#): 10
- } [BIT](#)

### 5.393.1 Detailed Description

Definition at line 9678 of file [iodefine.h](#).

### 5.393.2 Field Documentation

#### 5.393.2.1 BIT

#### 5.393.2.2 LONG

The documentation for this union was generated from the following files:

## 5.394 st\_glcdc\_t.GAMBAREA3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH07](#): 10
  - unsigned long [TH08](#): 10
  - unsigned long [TH09](#): 10
- } [BIT](#)

### 5.394.1 Detailed Description

Definition at line [9695](#) of file [iodefne.h](#).

### 5.394.2 Field Documentation

#### 5.394.2.1 BIT

#### 5.394.2.2 LONG

The documentation for this union was generated from the following files:

## 5.395 st\_glcdc\_t.GAMBAREA4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH10](#): 10
  - unsigned long [TH11](#): 10
  - unsigned long [TH12](#): 10
- } [BIT](#)

### 5.395.1 Detailed Description

Definition at line [9712](#) of file [iodefne.h](#).

### 5.395.2 Field Documentation

#### 5.395.2.1 BIT

#### 5.395.2.2 LONG

The documentation for this union was generated from the following files:

## 5.396 st\_glcdc\_t.GAMBAREA5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH13](#): 10
  - unsigned long [TH14](#): 10
  - unsigned long [TH15](#): 10
- } [BIT](#)

### 5.396.1 Detailed Description

Definition at line 9729 of file [iodefine.h](#).

### 5.396.2 Field Documentation

#### 5.396.2.1 BIT

#### 5.396.2.2 LONG

The documentation for this union was generated from the following files:

## 5.397 st\_glcdc\_t.GAMBLUT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN00](#): 11
  - unsigned long [GAIN01](#): 11
- } [BIT](#)

### 5.397.1 Detailed Description

Definition at line 9525 of file [iodefine.h](#).

### 5.397.2 Field Documentation

#### 5.397.2.1 BIT

#### 5.397.2.2 LONG

The documentation for this union was generated from the following files:

## 5.398 st\_glcdc\_t.GAMBLUT2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN02](#): 11
  - unsigned long [GAIN03](#): 11
- } [BIT](#)

### 5.398.1 Detailed Description

Definition at line [9542](#) of file [iodefne.h](#).

### 5.398.2 Field Documentation

#### 5.398.2.1 BIT

#### 5.398.2.2 LONG

The documentation for this union was generated from the following files:

## 5.399 st\_glcdc\_t.GAMBLUT3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN04](#): 11
  - unsigned long [GAIN05](#): 11
- } [BIT](#)

### 5.399.1 Detailed Description

Definition at line [9559](#) of file [iodefne.h](#).

### 5.399.2 Field Documentation

#### 5.399.2.1 BIT

#### 5.399.2.2 LONG

The documentation for this union was generated from the following files:

## 5.400 st\_glcdc\_t.GAMBLUT4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN06](#): 11
  - unsigned long [GAIN07](#): 11
- } [BIT](#)

### 5.400.1 Detailed Description

Definition at line [9576](#) of file [iodefine.h](#).

### 5.400.2 Field Documentation

#### 5.400.2.1 BIT

#### 5.400.2.2 LONG

The documentation for this union was generated from the following files:

## 5.401 st\_glcdc\_t.GAMBLUT5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 5  
  unsigned long [GAIN08](#): 11  
  unsigned long [GAIN09](#): 11  
} [BIT](#)

### 5.401.1 Detailed Description

Definition at line [9593](#) of file [iodefine.h](#).

### 5.401.2 Field Documentation

#### 5.401.2.1 BIT

#### 5.401.2.2 LONG

The documentation for this union was generated from the following files:

## 5.402 st\_glcdc\_t.GAMBLUT6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 5  
  unsigned long [GAIN10](#): 11  
  unsigned long [GAIN11](#): 11  
} [BIT](#)

### 5.402.1 Detailed Description

Definition at line [9610](#) of file [iodefine.h](#).

### 5.402.2 Field Documentation

#### 5.402.2.1 BIT

#### 5.402.2.2 LONG

The documentation for this union was generated from the following files:

## 5.403 st\_glcdc\_t.GAMBLUT7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN12](#): 11
  - unsigned long [GAIN13](#): 11
- } [BIT](#)

### 5.403.1 Detailed Description

Definition at line [9627](#) of file [iodefine.h](#).

### 5.403.2 Field Documentation

#### 5.403.2.1 BIT

#### 5.403.2.2 LONG

The documentation for this union was generated from the following files:

## 5.404 st\_glcdc\_t.GAMBLUT8 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN14](#): 11
  - unsigned long [GAIN15](#): 11
- } [BIT](#)

### 5.404.1 Detailed Description

Definition at line 9644 of file [iodefine.h](#).

### 5.404.2 Field Documentation

#### 5.404.2.1 BIT

#### 5.404.2.2 LONG

The documentation for this union was generated from the following files:

## 5.405 st\_glcdc\_t.GAMBVEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [VEN](#): 1  
} [BIT](#)

### 5.405.1 Detailed Description

Definition at line 9511 of file [iodefine.h](#).

### 5.405.2 Field Documentation

#### 5.405.2.1 BIT

#### 5.405.2.2 LONG

The documentation for this union was generated from the following files:

## 5.406 st\_glcdc\_t.GAMGAREA1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 2  
  unsigned long [TH01](#): 10  
  unsigned long [TH02](#): 10  
  unsigned long [TH03](#): 10  
} [BIT](#)

### 5.406.1 Detailed Description

Definition at line [9425](#) of file [iodefne.h](#).

### 5.406.2 Field Documentation

#### 5.406.2.1 BIT

#### 5.406.2.2 LONG

The documentation for this union was generated from the following files:

## 5.407 st\_glcdc\_t.GAMGAREA2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH04](#): 10
  - unsigned long [TH05](#): 10
  - unsigned long [TH06](#): 10
- } [BIT](#)

### 5.407.1 Detailed Description

Definition at line [9442](#) of file [iodefne.h](#).

### 5.407.2 Field Documentation

#### 5.407.2.1 BIT

#### 5.407.2.2 LONG

The documentation for this union was generated from the following files:

## 5.408 st\_glcdc\_t.GAMGAREA3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH07](#): 10
  - unsigned long [TH08](#): 10
  - unsigned long [TH09](#): 10
- } [BIT](#)



### 5.408.1 Detailed Description

Definition at line 9459 of file [iodefine.h](#).

### 5.408.2 Field Documentation

#### 5.408.2.1 BIT

#### 5.408.2.2 LONG

The documentation for this union was generated from the following files:

## 5.409 st\_glcdc\_t.GAMGAREA4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH10](#): 10
  - unsigned long [TH11](#): 10
  - unsigned long [TH12](#): 10
- } [BIT](#)

### 5.409.1 Detailed Description

Definition at line 9476 of file [iodefine.h](#).

### 5.409.2 Field Documentation

#### 5.409.2.1 BIT

#### 5.409.2.2 LONG

The documentation for this union was generated from the following files:

## 5.410 st\_glcdc\_t.GAMGAREA5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH13](#): 10
  - unsigned long [TH14](#): 10
  - unsigned long [TH15](#): 10
- } [BIT](#)

### 5.410.1 Detailed Description

Definition at line [9493](#) of file [iodefne.h](#).

### 5.410.2 Field Documentation

#### 5.410.2.1 BIT

#### 5.410.2.2 LONG

The documentation for this union was generated from the following files:

## 5.411 st\_glcdc\_t.GAMGLUT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN00](#): 11
  - unsigned long [GAIN01](#): 11
- } [BIT](#)

### 5.411.1 Detailed Description

Definition at line [9289](#) of file [iodefne.h](#).

### 5.411.2 Field Documentation

#### 5.411.2.1 BIT

#### 5.411.2.2 LONG

The documentation for this union was generated from the following files:

## 5.412 st\_glcdc\_t.GAMGLUT2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN02](#): 11
  - unsigned long [GAIN03](#): 11
- } [BIT](#)

### 5.412.1 Detailed Description

Definition at line 9306 of file [iodefine.h](#).

### 5.412.2 Field Documentation

#### 5.412.2.1 BIT

#### 5.412.2.2 LONG

The documentation for this union was generated from the following files:

## 5.413 st\_glcdc\_t.GAMGLUT3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [GAIN04](#): 11
  - unsigned long [GAIN05](#): 11
- } [BIT](#)

### 5.413.1 Detailed Description

Definition at line 9323 of file [iodefine.h](#).

### 5.413.2 Field Documentation

#### 5.413.2.1 BIT

#### 5.413.2.2 LONG

The documentation for this union was generated from the following files:

## 5.414 st\_glcdc\_t.GAMGLUT4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [GAIN06](#): 11
  - unsigned long [GAIN07](#): 11
- } [BIT](#)

#### 5.414.1 Detailed Description

Definition at line [9340](#) of file [iodefne.h](#).

#### 5.414.2 Field Documentation

##### 5.414.2.1 BIT

##### 5.414.2.2 LONG

The documentation for this union was generated from the following files:

### 5.415 st\_glcdc\_t.GAMGLUT5 Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN08](#): 11
  - unsigned long [GAIN09](#): 11
- } [BIT](#)

#### 5.415.1 Detailed Description

Definition at line [9357](#) of file [iodefne.h](#).

#### 5.415.2 Field Documentation

##### 5.415.2.1 BIT

##### 5.415.2.2 LONG

The documentation for this union was generated from the following files:

### 5.416 st\_glcdc\_t.GAMGLUT6 Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN10](#): 11
  - unsigned long [GAIN11](#): 11
- } [BIT](#)

### 5.416.1 Detailed Description

Definition at line 9374 of file [iodefine.h](#).

### 5.416.2 Field Documentation

#### 5.416.2.1 BIT

#### 5.416.2.2 LONG

The documentation for this union was generated from the following files:

## 5.417 st\_glcdc\_t.GAMGLUT7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN12](#): 11
  - unsigned long [GAIN13](#): 11
- } [BIT](#)

### 5.417.1 Detailed Description

Definition at line 9391 of file [iodefine.h](#).

### 5.417.2 Field Documentation

#### 5.417.2.1 BIT

#### 5.417.2.2 LONG

The documentation for this union was generated from the following files:

## 5.418 st\_glcdc\_t.GAMGLUT8 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN14](#): 11
  - unsigned long [GAIN15](#): 11
- } [BIT](#)

### 5.418.1 Detailed Description

Definition at line [9408](#) of file [iodefine.h](#).

### 5.418.2 Field Documentation

#### 5.418.2.1 BIT

#### 5.418.2.2 LONG

The documentation for this union was generated from the following files:

## 5.419 st\_glcdc\_t.GAMGVEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 31  
    unsigned long [VEN](#): 1  
} [BIT](#)

### 5.419.1 Detailed Description

Definition at line [9263](#) of file [iodefine.h](#).

### 5.419.2 Field Documentation

#### 5.419.2.1 BIT

#### 5.419.2.2 LONG

The documentation for this union was generated from the following files:

## 5.420 st\_glcdc\_t.GAMRAREA1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 2  
    unsigned long [TH01](#): 10  
    unsigned long [TH02](#): 10  
    unsigned long [TH03](#): 10  
} [BIT](#)

### 5.420.1 Detailed Description

Definition at line 9897 of file [iodefine.h](#).

### 5.420.2 Field Documentation

#### 5.420.2.1 BIT

#### 5.420.2.2 LONG

The documentation for this union was generated from the following files:

## 5.421 st\_glcdc\_t.GAMRAREA2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH04](#): 10
  - unsigned long [TH05](#): 10
  - unsigned long [TH06](#): 10
- } [BIT](#)

### 5.421.1 Detailed Description

Definition at line 9914 of file [iodefine.h](#).

### 5.421.2 Field Documentation

#### 5.421.2.1 BIT

#### 5.421.2.2 LONG

The documentation for this union was generated from the following files:

## 5.422 st\_glcdc\_t.GAMRAREA3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH07](#): 10
  - unsigned long [TH08](#): 10
  - unsigned long [TH09](#): 10
- } [BIT](#)

### 5.422.1 Detailed Description

Definition at line [9931](#) of file [iodefne.h](#).

### 5.422.2 Field Documentation

#### 5.422.2.1 BIT

#### 5.422.2.2 LONG

The documentation for this union was generated from the following files:

## 5.423 st\_glcdc\_t.GAMRAREA4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH10](#): 10
  - unsigned long [TH11](#): 10
  - unsigned long [TH12](#): 10
- } [BIT](#)

### 5.423.1 Detailed Description

Definition at line [9948](#) of file [iodefne.h](#).

### 5.423.2 Field Documentation

#### 5.423.2.1 BIT

#### 5.423.2.2 LONG

The documentation for this union was generated from the following files:

## 5.424 st\_glcdc\_t.GAMRAREA5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 2
  - unsigned long [TH13](#): 10
  - unsigned long [TH14](#): 10
  - unsigned long [TH15](#): 10
- } [BIT](#)



### 5.424.1 Detailed Description

Definition at line 9965 of file [iodefine.h](#).

### 5.424.2 Field Documentation

#### 5.424.2.1 BIT

#### 5.424.2.2 LONG

The documentation for this union was generated from the following files:

## 5.425 st\_glcdc\_t.GAMRLUT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 5  
  unsigned long [GAIN00](#): 11  
  unsigned long [GAIN01](#): 11  
} [BIT](#)

### 5.425.1 Detailed Description

Definition at line 9761 of file [iodefine.h](#).

### 5.425.2 Field Documentation

#### 5.425.2.1 BIT

#### 5.425.2.2 LONG

The documentation for this union was generated from the following files:

## 5.426 st\_glcdc\_t.GAMRLUT2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 5  
  unsigned long [GAIN02](#): 11  
  unsigned long [GAIN03](#): 11  
} [BIT](#)

### 5.426.1 Detailed Description

Definition at line [9778](#) of file [iodefne.h](#).

### 5.426.2 Field Documentation

#### 5.426.2.1 BIT

#### 5.426.2.2 LONG

The documentation for this union was generated from the following files:

## 5.427 st\_glcdc\_t.GAMRLUT3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN04](#): 11
  - unsigned long [GAIN05](#): 11
- } [BIT](#)

### 5.427.1 Detailed Description

Definition at line [9795](#) of file [iodefne.h](#).

### 5.427.2 Field Documentation

#### 5.427.2.1 BIT

#### 5.427.2.2 LONG

The documentation for this union was generated from the following files:

## 5.428 st\_glcdc\_t.GAMRLUT4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN06](#): 11
  - unsigned long [GAIN07](#): 11
- } [BIT](#)

### 5.428.1 Detailed Description

Definition at line 9812 of file [iodefine.h](#).

### 5.428.2 Field Documentation

#### 5.428.2.1 BIT

#### 5.428.2.2 LONG

The documentation for this union was generated from the following files:

## 5.429 st\_glcdc\_t.GAMRLUT5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN08](#): 11
  - unsigned long [GAIN09](#): 11
- } [BIT](#)

### 5.429.1 Detailed Description

Definition at line 9829 of file [iodefine.h](#).

### 5.429.2 Field Documentation

#### 5.429.2.1 BIT

#### 5.429.2.2 LONG

The documentation for this union was generated from the following files:

## 5.430 st\_glcdc\_t.GAMRLUT6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN10](#): 11
  - unsigned long [GAIN11](#): 11
- } [BIT](#)

### 5.430.1 Detailed Description

Definition at line [9846](#) of file [iodefine.h](#).

### 5.430.2 Field Documentation

#### 5.430.2.1 BIT

#### 5.430.2.2 LONG

The documentation for this union was generated from the following files:

## 5.431 st\_glcdc\_t.GAMRLUT7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN12](#): 11
  - unsigned long [GAIN13](#): 11
- } [BIT](#)

### 5.431.1 Detailed Description

Definition at line [9863](#) of file [iodefine.h](#).

### 5.431.2 Field Documentation

#### 5.431.2.1 BIT

#### 5.431.2.2 LONG

The documentation for this union was generated from the following files:

## 5.432 st\_glcdc\_t.GAMRLUT8 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GAIN14](#): 11
  - unsigned long [GAIN15](#): 11
- } [BIT](#)

### 5.432.1 Detailed Description

Definition at line 9880 of file [iodefine.h](#).

### 5.432.2 Field Documentation

#### 5.432.2.1 BIT

#### 5.432.2.2 LONG

The documentation for this union was generated from the following files:

## 5.433 st\_glcdc\_t.GAMRVEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [VEN](#): 1  
} [BIT](#)

### 5.433.1 Detailed Description

Definition at line 9747 of file [iodefine.h](#).

### 5.433.2 Field Documentation

#### 5.433.2.1 BIT

#### 5.433.2.2 LONG

The documentation for this union was generated from the following files:

## 5.434 st\_glcdc\_t.GAMSW Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [GAMON](#): 1  
} [BIT](#)

### 5.434.1 Detailed Description

Definition at line [9276](#) of file [iodefne.h](#).

### 5.434.2 Field Documentation

#### 5.434.2.1 BIT

#### 5.434.2.2 LONG

The documentation for this union was generated from the following files:

## 5.435 st\_glcdc\_t.GR1AB1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 19
  - unsigned long [ARCON](#): 1
  - unsigned long [ARCDISPON](#): 1
  - unsigned long [GRCDISPON](#): 1
  - unsigned long [DISPSEL](#): 2
- } [BIT](#)

### 5.435.1 Detailed Description

Definition at line [8763](#) of file [iodefne.h](#).

### 5.435.2 Field Documentation

#### 5.435.2.1 BIT

#### 5.435.2.2 LONG

The documentation for this union was generated from the following files:

## 5.436 st\_glcdc\_t.GR1AB2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 5
  - unsigned long [GRCVS](#): 11
  - unsigned long [GRCVW](#): 11
- } [BIT](#)

### 5.436.1 Detailed Description

Definition at line 8788 of file [iodefne.h](#).

### 5.436.2 Field Documentation

#### 5.436.2.1 BIT

#### 5.436.2.2 LONG

The documentation for this union was generated from the following files:

## 5.437 st\_glcdc\_t.GR1AB3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GRCHS](#): 11
  - unsigned long [GRCHW](#): 11
- } [BIT](#)

### 5.437.1 Detailed Description

Definition at line 8805 of file [iodefne.h](#).

### 5.437.2 Field Documentation

#### 5.437.2.1 BIT

#### 5.437.2.2 LONG

The documentation for this union was generated from the following files:

## 5.438 st\_glcdc\_t.GR1AB4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [ARCVS](#): 11
  - unsigned long [ARCVW](#): 11
- } [BIT](#)

### 5.438.1 Detailed Description

Definition at line [8822](#) of file [iodefne.h](#).

### 5.438.2 Field Documentation

#### 5.438.2.1 BIT

#### 5.438.2.2 LONG

The documentation for this union was generated from the following files:

## 5.439 st\_glcdc\_t.GR1AB5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [ARCHS](#): 11
  - unsigned long [ARCHW](#): 11
- } [BIT](#)

### 5.439.1 Detailed Description

Definition at line [8839](#) of file [iodefne.h](#).

### 5.439.2 Field Documentation

#### 5.439.2.1 BIT

#### 5.439.2.2 LONG

The documentation for this union was generated from the following files:

## 5.440 st\_glcdc\_t.GR1AB6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 7
  - unsigned long [ARCCOEF](#): 9
  - unsigned long [ARCRATE](#): 8
- } [BIT](#)



### 5.440.1 Detailed Description

Definition at line [8856](#) of file [iodefne.h](#).

### 5.440.2 Field Documentation

#### 5.440.2.1 BIT

#### 5.440.2.2 LONG

The documentation for this union was generated from the following files:

## 5.441 st\_glcdc\_t.GR1AB7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [ARCDEF](#): 8
  - unsigned long [CKON](#): 1
- } [BIT](#)

### 5.441.1 Detailed Description

Definition at line [8873](#) of file [iodefne.h](#).

### 5.441.2 Field Documentation

#### 5.441.2.1 BIT

#### 5.441.2.2 LONG

The documentation for this union was generated from the following files:

## 5.442 st\_glcdc\_t.GR1AB8 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [CKKG](#): 8
  - unsigned long [CKKB](#): 8
  - unsigned long [CKKR](#): 8
- } [BIT](#)

### 5.442.1 Detailed Description

Definition at line [8890](#) of file [iodefne.h](#).

### 5.442.2 Field Documentation

#### 5.442.2.1 BIT

#### 5.442.2.2 LONG

The documentation for this union was generated from the following files:

## 5.443 st\_glcdc\_t.GR1AB9 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CKA](#): 8
  - unsigned long [CKG](#): 8
  - unsigned long [CKB](#): 8
  - unsigned long [CKR](#): 8
- } [BIT](#)

### 5.443.1 Detailed Description

Definition at line [8907](#) of file [iodefne.h](#).

### 5.443.2 Field Documentation

#### 5.443.2.1 BIT

#### 5.443.2.2 LONG

The documentation for this union was generated from the following files:

## 5.444 st\_glcdc\_t.GR1BASE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
  - unsigned long [R](#): 8
- } [BIT](#)

### 5.444.1 Detailed Description

Definition at line [8925](#) of file [iodefine.h](#).

### 5.444.2 Field Documentation

#### 5.444.2.1 BIT

#### 5.444.2.2 LONG

The documentation for this union was generated from the following files:

## 5.445 st\_glcdc\_t.GR1CLUT0 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [A](#): 8
  - unsigned long [R](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
- } [BIT](#)

### 5.445.1 Detailed Description

Definition at line [8495](#) of file [iodefine.h](#).

### 5.445.2 Field Documentation

#### 5.445.2.1 BIT

#### 5.445.2.2 LONG

The documentation for this union was generated from the following files:

## 5.446 st\_glcdc\_t.GR1CLUT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [A](#): 8
  - unsigned long [R](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
- } [BIT](#)

### 5.446.1 Detailed Description

Definition at line [8512](#) of file [iodefne.h](#).

### 5.446.2 Field Documentation

#### 5.446.2.1 BIT

#### 5.446.2.2 LONG

The documentation for this union was generated from the following files:

## 5.447 st\_glcdc\_t.GR1CLUTINT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 15
  - unsigned long [SEL](#): 1
  - unsigned long [LINE](#): 11
- } [BIT](#)

### 5.447.1 Detailed Description

Definition at line [8942](#) of file [iodefne.h](#).

### 5.447.2 Field Documentation

#### 5.447.2.1 BIT

#### 5.447.2.2 LONG

The documentation for this union was generated from the following files:

## 5.448 st\_glcdc\_t.GR1FLM3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [LNOFF](#): 16
  - unsigned long [long](#): 16
- } [BIT](#)

### 5.448.1 Detailed Description

Definition at line [8719](#) of file [iodefne.h](#).

### 5.448.2 Field Documentation

#### 5.448.2.1 BIT

#### 5.448.2.2 LONG

The documentation for this union was generated from the following files:

## 5.449 st\_glcdc\_t.GR1FLM5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [LNNUM](#): 11
  - unsigned long [DATANUM](#): 16
- } [BIT](#)

### 5.449.1 Detailed Description

Definition at line [8733](#) of file [iodefne.h](#).

### 5.449.2 Field Documentation

#### 5.449.2.1 BIT

#### 5.449.2.2 LONG

The documentation for this union was generated from the following files:

## 5.450 st\_glcdc\_t.GR1FLM6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 1
  - unsigned long [FORMAT](#): 3
- } [BIT](#)

### 5.450.1 Detailed Description

Definition at line [8748](#) of file [iodefine.h](#).

### 5.450.2 Field Documentation

#### 5.450.2.1 BIT

#### 5.450.2.2 LONG

The documentation for this union was generated from the following files:

## 5.451 st\_glcdc\_t.GR1FLMRD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 31  
    unsigned long [RENB](#): 1  
} [BIT](#)

### 5.451.1 Detailed Description

Definition at line [8704](#) of file [iodefine.h](#).

### 5.451.2 Field Documentation

#### 5.451.2.1 BIT

#### 5.451.2.2 LONG

The documentation for this union was generated from the following files:

## 5.452 st\_glcdc\_t.GR1MON Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 15  
    unsigned long [UFST](#): 1  
    unsigned long [ARCST](#): 1  
} [BIT](#)

### 5.452.1 Detailed Description

Definition at line 8959 of file [iodefine.h](#).

### 5.452.2 Field Documentation

#### 5.452.2.1 BIT

#### 5.452.2.2 LONG

The documentation for this union was generated from the following files:

## 5.453 st\_glcdc\_t.GR1VEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 31  
    unsigned long [VEN](#): 1  
} [BIT](#)

### 5.453.1 Detailed Description

Definition at line 8691 of file [iodefine.h](#).

### 5.453.2 Field Documentation

#### 5.453.2.1 BIT

#### 5.453.2.2 LONG

The documentation for this union was generated from the following files:

## 5.454 st\_glcdc\_t.GR2AB1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 19  
    unsigned long [ARCON](#): 1  
    unsigned long [ARCDISPON](#): 1  
    unsigned long [GRCDISPON](#): 1  
    unsigned long [DISPSEL](#): 2  
} [BIT](#)

#### 5.454.1 Detailed Description

Definition at line [9049](#) of file [iodefne.h](#).

#### 5.454.2 Field Documentation

##### 5.454.2.1 BIT

##### 5.454.2.2 LONG

The documentation for this union was generated from the following files:

### 5.455 st\_glcdc\_t.GR2AB2 Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GRCVS](#): 11
  - unsigned long [GRCVW](#): 11
- } [BIT](#)

#### 5.455.1 Detailed Description

Definition at line [9074](#) of file [iodefne.h](#).

#### 5.455.2 Field Documentation

##### 5.455.2.1 BIT

##### 5.455.2.2 LONG

The documentation for this union was generated from the following files:

### 5.456 st\_glcdc\_t.GR2AB3 Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [GRCHS](#): 11
  - unsigned long [GRCHW](#): 11
- } [BIT](#)



### 5.456.1 Detailed Description

Definition at line 9091 of file [iodefine.h](#).

### 5.456.2 Field Documentation

#### 5.456.2.1 BIT

#### 5.456.2.2 LONG

The documentation for this union was generated from the following files:

## 5.457 st\_glcdc\_t.GR2AB4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [ARCVS](#): 11
  - unsigned long [ARCVW](#): 11
- } [BIT](#)

### 5.457.1 Detailed Description

Definition at line 9108 of file [iodefine.h](#).

### 5.457.2 Field Documentation

#### 5.457.2.1 BIT

#### 5.457.2.2 LONG

The documentation for this union was generated from the following files:

## 5.458 st\_glcdc\_t.GR2AB5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [ARCHS](#): 11
  - unsigned long [ARCHW](#): 11
- } [BIT](#)

### 5.458.1 Detailed Description

Definition at line [9125](#) of file [iodefne.h](#).

### 5.458.2 Field Documentation

#### 5.458.2.1 BIT

#### 5.458.2.2 LONG

The documentation for this union was generated from the following files:

## 5.459 st\_glcdc\_t.GR2AB6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 7
  - unsigned long [ARCCOE](#): 9
  - unsigned long [ARCRATE](#): 8
- } [BIT](#)

### 5.459.1 Detailed Description

Definition at line [9142](#) of file [iodefne.h](#).

### 5.459.2 Field Documentation

#### 5.459.2.1 BIT

#### 5.459.2.2 LONG

The documentation for this union was generated from the following files:

## 5.460 st\_glcdc\_t.GR2AB7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [ARCDEF](#): 8
  - unsigned long [CKON](#): 1
- } [BIT](#)

### 5.460.1 Detailed Description

Definition at line 9159 of file [iodefine.h](#).

### 5.460.2 Field Documentation

#### 5.460.2.1 BIT

#### 5.460.2.2 LONG

The documentation for this union was generated from the following files:

## 5.461 st\_glcdc\_t.GR2AB8 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 8
  - unsigned long [CKKG](#): 8
  - unsigned long [CKKB](#): 8
  - unsigned long [CKKR](#): 8
- } [BIT](#)

### 5.461.1 Detailed Description

Definition at line 9176 of file [iodefine.h](#).

### 5.461.2 Field Documentation

#### 5.461.2.1 BIT

#### 5.461.2.2 LONG

The documentation for this union was generated from the following files:

## 5.462 st\_glcdc\_t.GR2AB9 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CKA](#): 8
  - unsigned long [CKG](#): 8
  - unsigned long [CKB](#): 8
  - unsigned long [CKR](#): 8
- } [BIT](#)

### 5.462.1 Detailed Description

Definition at line [9193](#) of file [iodefne.h](#).

### 5.462.2 Field Documentation

#### 5.462.2.1 BIT

#### 5.462.2.2 LONG

The documentation for this union was generated from the following files:

## 5.463 st\_glcdc\_t.GR2BASE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
  - unsigned long [R](#): 8
- } [BIT](#)

### 5.463.1 Detailed Description

Definition at line [9211](#) of file [iodefne.h](#).

### 5.463.2 Field Documentation

#### 5.463.2.1 BIT

#### 5.463.2.2 LONG

The documentation for this union was generated from the following files:

## 5.464 st\_glcdc\_t.GR2CLUT0 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [A](#): 8
  - unsigned long [R](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
- } [BIT](#)

### 5.464.1 Detailed Description

Definition at line [8529](#) of file [iodefine.h](#).

### 5.464.2 Field Documentation

#### 5.464.2.1 BIT

#### 5.464.2.2 LONG

The documentation for this union was generated from the following files:

## 5.465 st\_glcdc\_t.GR2CLUT1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [A](#): 8
  - unsigned long [R](#): 8
  - unsigned long [G](#): 8
  - unsigned long [B](#): 8
- } [BIT](#)

### 5.465.1 Detailed Description

Definition at line [8546](#) of file [iodefine.h](#).

### 5.465.2 Field Documentation

#### 5.465.2.1 BIT

#### 5.465.2.2 LONG

The documentation for this union was generated from the following files:

## 5.466 st\_glcdc\_t.GR2CLUTINT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 15
  - unsigned long [SEL](#): 1
  - unsigned long [LINE](#): 11
- } [BIT](#)

### 5.466.1 Detailed Description

Definition at line [9228](#) of file [iodefne.h](#).

### 5.466.2 Field Documentation

#### 5.466.2.1 BIT

#### 5.466.2.2 LONG

The documentation for this union was generated from the following files:

## 5.467 st\_glcdc\_\_t.GR2FLM3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned long [LNOFF](#): 16  
    unsigned [long](#): 16  
} [BIT](#)

### 5.467.1 Detailed Description

Definition at line [9005](#) of file [iodefne.h](#).

### 5.467.2 Field Documentation

#### 5.467.2.1 BIT

#### 5.467.2.2 LONG

The documentation for this union was generated from the following files:

## 5.468 st\_glcdc\_\_t.GR2FLM5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 5  
    unsigned long [LNNUM](#): 11  
    unsigned long [DATANUM](#): 16  
} [BIT](#)

### 5.468.1 Detailed Description

Definition at line 9019 of file [iodefine.h](#).

### 5.468.2 Field Documentation

#### 5.468.2.1 BIT

#### 5.468.2.2 LONG

The documentation for this union was generated from the following files:

## 5.469 st\_glcdc\_t.GR2FLM6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 1  
  unsigned long [FORMAT](#): 3  
} [BIT](#)

### 5.469.1 Detailed Description

Definition at line 9034 of file [iodefine.h](#).

### 5.469.2 Field Documentation

#### 5.469.2.1 BIT

#### 5.469.2.2 LONG

The documentation for this union was generated from the following files:

## 5.470 st\_glcdc\_t.GR2FLMRD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [RENB](#): 1  
} [BIT](#)

### 5.470.1 Detailed Description

Definition at line [8990](#) of file [iodefne.h](#).

### 5.470.2 Field Documentation

#### 5.470.2.1 BIT

#### 5.470.2.2 LONG

The documentation for this union was generated from the following files:

## 5.471 st\_glcdc\_t.GR2MON Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 15  
  unsigned long [UFST](#): 1  
  unsigned long [ARCST](#): 1  
} [BIT](#)

### 5.471.1 Detailed Description

Definition at line [9245](#) of file [iodefne.h](#).

### 5.471.2 Field Documentation

#### 5.471.2.1 BIT

#### 5.471.2.2 LONG

The documentation for this union was generated from the following files:

## 5.472 st\_glcdc\_t.GR2VEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [VEN](#): 1  
} [BIT](#)



### 5.472.1 Detailed Description

Definition at line [8977](#) of file [iodefine.h](#).

### 5.472.2 Field Documentation

#### 5.472.2.1 BIT

#### 5.472.2.2 LONG

The documentation for this union was generated from the following files:

## 5.473 st\_glcdc\_t.INTEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 29
  - unsigned long [GR2UFINTEN](#): 1
  - unsigned long [GR1UFINTEN](#): 1
  - unsigned long [VPOSINTEN](#): 1
- } [BIT](#)

### 5.473.1 Detailed Description

Definition at line [10332](#) of file [iodefine.h](#).

### 5.473.2 Field Documentation

#### 5.473.2.1 BIT

#### 5.473.2.2 LONG

The documentation for this union was generated from the following files:

## 5.474 st\_glcdc\_t.OUTSET Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 3
  - unsigned long [ENDIANON](#): 1
  - unsigned long [SWAPON](#): 1
  - unsigned long [FORMAT](#): 2
  - unsigned long [FRQSEL](#): 1
  - unsigned long [DIRSEL](#): 1
  - unsigned long [PHASE](#): 2
- } [BIT](#)

### 5.474.1 Detailed Description

Definition at line [9996](#) of file [iodefine.h](#).

### 5.474.2 Field Documentation

#### 5.474.2.1 BIT

#### 5.474.2.2 LONG

The documentation for this union was generated from the following files:

## 5.475 st\_glcdc\_t.OUTVEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 31  
    unsigned long [VEN](#): 1  
} [BIT](#)

### 5.475.1 Detailed Description

Definition at line [9983](#) of file [iodefine.h](#).

### 5.475.2 Field Documentation

#### 5.475.2.1 BIT

#### 5.475.2.2 LONG

The documentation for this union was generated from the following files:

## 5.476 st\_glcdc\_t.PANELCLK Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 19  
    unsigned long [PIXSEL](#): 1  
    unsigned long [CLKSEL](#): 1  
    unsigned long [CLKEN](#): 1  
    unsigned long [DCDR](#): 6  
} [BIT](#)

### 5.476.1 Detailed Description

Definition at line [10383](#) of file [iodefne.h](#).

### 5.476.2 Field Documentation

#### 5.476.2.1 BIT

#### 5.476.2.2 LONG

The documentation for this union was generated from the following files:

## 5.477 st\_glcdc\_t.PANELDTHA Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 10
  - unsigned long [SEL](#): 2
  - unsigned long [FORM](#): 2
  - unsigned long [PA](#): 2
  - unsigned long [PB](#): 2
  - unsigned long [PC](#): 2
  - unsigned long [PD](#): 2
- } [BIT](#)

### 5.477.1 Detailed Description

Definition at line [10076](#) of file [iodefne.h](#).

### 5.477.2 Field Documentation

#### 5.477.2.1 BIT

#### 5.477.2.2 LONG

The documentation for this union was generated from the following files:

## 5.478 st\_glcdc\_t.STCLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 29
  - unsigned long [GR2UFCLR](#): 1
  - unsigned long [GR1UFCLR](#): 1
  - unsigned long [VPOSCLR](#): 1
- } [BIT](#)

### 5.478.1 Detailed Description

Definition at line [10349](#) of file [iodefine.h](#).

### 5.478.2 Field Documentation

#### 5.478.2.1 BIT

#### 5.478.2.2 LONG

The documentation for this union was generated from the following files:

## 5.479 st\_glcdc\_t.STMON Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 29
  - unsigned long [GR2UF](#): 1
  - unsigned long [GR1UF](#): 1
  - unsigned long [VPOS](#): 1
- } [BIT](#)

### 5.479.1 Detailed Description

Definition at line [10366](#) of file [iodefine.h](#).

### 5.479.2 Field Documentation

#### 5.479.2.1 BIT

#### 5.479.2.2 LONG

The documentation for this union was generated from the following files:

## 5.480 st\_gldc\_t.TCONDE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 31
  - unsigned long [INV](#): 1
- } [BIT](#)

### 5.480.1 Detailed Description

Definition at line [10301](#) of file [iodefine.h](#).

### 5.480.2 Field Documentation

#### 5.480.2.1 BIT

#### 5.480.2.2 LONG

The documentation for this union was generated from the following files:

## 5.481 st\_gldc\_t.TCONSTHA1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [HS](#): 11
  - unsigned long [HW](#): 11
- } [BIT](#)

### 5.481.1 Detailed Description

Definition at line [10225](#) of file [iodefine.h](#).

### 5.481.2 Field Documentation

#### 5.481.2.1 BIT

#### 5.481.2.2 LONG

The documentation for this union was generated from the following files:

## 5.482 st\_glcdc\_t.TCONSTHA2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 23
  - unsigned long [HSSEL](#): 1
  - unsigned long [INV](#): 1
  - unsigned long [SEL](#): 3
- } [BIT](#)

### 5.482.1 Detailed Description

Definition at line [10242](#) of file [iodefne.h](#).

### 5.482.2 Field Documentation

#### 5.482.2.1 BIT

#### 5.482.2.2 LONG

The documentation for this union was generated from the following files:

## 5.483 st\_glcdc\_t.TCONSTHB1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [HS](#): 11
  - unsigned long [HW](#): 11
- } [BIT](#)

### 5.483.1 Detailed Description

Definition at line [10263](#) of file [iodefne.h](#).

### 5.483.2 Field Documentation

#### 5.483.2.1 BIT

#### 5.483.2.2 LONG

The documentation for this union was generated from the following files:

## 5.484 st\_glcdc\_t.TCONSTHB2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 23
  - unsigned long [HSSEL](#): 1
  - unsigned long [INV](#): 1
  - unsigned long [SEL](#): 3
- } [BIT](#)

### 5.484.1 Detailed Description

Definition at line [10280](#) of file [iodefne.h](#).

### 5.484.2 Field Documentation

#### 5.484.2.1 BIT

#### 5.484.2.2 LONG

The documentation for this union was generated from the following files:

## 5.485 st\_glcdc\_t.TCONSTVA1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [VS](#): 11
  - unsigned long [VW](#): 11
- } [BIT](#)

### 5.485.1 Detailed Description

Definition at line [10157](#) of file [iodefne.h](#).

### 5.485.2 Field Documentation

#### 5.485.2.1 BIT

#### 5.485.2.2 LONG

The documentation for this union was generated from the following files:

## 5.486 st\_glcdc\_t.TCONSTVA2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 27
  - unsigned long [INV](#): 1
  - unsigned long [SEL](#): 3
- } [BIT](#)

### 5.486.1 Detailed Description

Definition at line [10174](#) of file [iodefne.h](#).

### 5.486.2 Field Documentation

#### 5.486.2.1 BIT

#### 5.486.2.2 LONG

The documentation for this union was generated from the following files:

## 5.487 st\_glcdc\_t.TCONSTVB1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [VS](#): 11
  - unsigned long [VW](#): 11
- } [BIT](#)

### 5.487.1 Detailed Description

Definition at line [10191](#) of file [iodefne.h](#).

### 5.487.2 Field Documentation

#### 5.487.2.1 BIT

#### 5.487.2.2 LONG

The documentation for this union was generated from the following files:



## 5.488 st\_glcdc\_t.TCONSTVB2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 27
  - unsigned long [INV](#): 1
  - unsigned long [SEL](#): 3
- } [BIT](#)

### 5.488.1 Detailed Description

Definition at line [10208](#) of file [iodefine.h](#).

### 5.488.2 Field Documentation

#### 5.488.2.1 BIT

#### 5.488.2.2 LONG

The documentation for this union was generated from the following files:

## 5.489 st\_glcdc\_t.TCONTIM Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [HALF](#): 11
  - unsigned long [OFFSET](#): 11
- } [BIT](#)

### 5.489.1 Detailed Description

Definition at line [10140](#) of file [iodefine.h](#).

### 5.489.2 Field Documentation

#### 5.489.2.1 BIT


#### 5.489.2.2 LONG

The documentation for this union was generated from the following files:

## 5.490 st\_gptw\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_gptw\_t:



Data Fields

- union {

- ```

unsigned long LONG
    struct {
        unsigned long: 16
        unsigned long PRKEY: 8
        unsigned long CMNWP: 1
        unsigned long CLRWP: 1
        unsigned long STPWP: 1
        unsigned long STRWP: 1
        unsigned long WP: 1
    } BIT
} GTWP

```
- union {


```

      unsigned long LONG
          struct {
              unsigned long: 28
              unsigned long CSTRT3: 1
              unsigned long CSTRT2: 1
              unsigned long CSTRT1: 1
              unsigned long CSTRT0: 1
          } BIT
      } GTSTR
      
```
 - union {


```

      unsigned long LONG
          struct {
              unsigned long: 28
              unsigned long CSTOP3: 1
              unsigned long CSTOP2: 1
              unsigned long CSTOP1: 1
              unsigned long CSTOP0: 1
          } BIT
      } GTSTP
      
```
 - union {


```

      unsigned long LONG
          struct {
              unsigned long: 28
              unsigned long CCLR3: 1
              unsigned long CCLR2: 1
              unsigned long CCLR1: 1
              unsigned long CCLR0: 1
          } BIT
      } GTCLR
      
```
 - union {


```

      unsigned long LONG
          struct {
              unsigned long CSTRT: 1
              unsigned long: 7
              unsigned long SSELCH: 1
              unsigned long SSELCG: 1
              unsigned long SSELCF: 1
              unsigned long SSELCE: 1
              unsigned long SSELCD: 1
              unsigned long SSELCC: 1
              unsigned long SSELCB: 1
              unsigned long SSELCA: 1
          }
      
```

```

unsigned long SSCBFAH: 1
unsigned long SSCBFAL: 1
unsigned long SSCBRAH: 1
unsigned long SSCBRAL: 1
unsigned long SSCAFBH: 1
unsigned long SSCAFBL: 1
unsigned long SSCARBH: 1
unsigned long SSCARBL: 1
unsigned long SSGTRGDF: 1
unsigned long SSGTRGDR: 1
unsigned long SSGTRGCF: 1
unsigned long SSGTRGCR: 1
unsigned long SSGTRGBF: 1
unsigned long SSGTRGBR: 1
unsigned long SSGTRGAF: 1
unsigned long SSGTRGAR: 1
    } BIT
} GTSSR

```

- union {


```

      unsigned long LONG
      struct {
      unsigned long CSTOP: 1
      unsigned long: 7
      unsigned long PSELCH: 1
      unsigned long PSELCG: 1
      unsigned long PSELCF: 1
      unsigned long PSELCE: 1
      unsigned long PSELCD: 1
      unsigned long PSELCC: 1
      unsigned long PSELCB: 1
      unsigned long PSELCA: 1
      unsigned long PSCBFAH: 1
      unsigned long PSCBFAL: 1
      unsigned long PSCBRAH: 1
      unsigned long PSCBRAL: 1
      unsigned long PSCAFBH: 1
      unsigned long PSCAFBL: 1
      unsigned long PSCARBH: 1
      unsigned long PSCARBL: 1
      unsigned long PSGTRGDF: 1
      unsigned long PSGTRGDR: 1
      unsigned long PSGTRGCF: 1
      unsigned long PSGTRGCR: 1
      unsigned long PSGTRGBF: 1
      unsigned long PSGTRGBR: 1
      unsigned long PSGTRGAF: 1
      unsigned long PSGTRGAR: 1
      } BIT
      } GTPSR
      
```

- union {


```

      unsigned long LONG
      struct {
      unsigned long CCLR: 1
      unsigned long: 7
      unsigned long CSELCH: 1
      unsigned long CSELCG: 1
      
```

```

unsigned long CSELCF: 1
unsigned long CSELCE: 1
unsigned long CSELCD: 1
unsigned long CSELCC: 1
unsigned long CSELCB: 1
unsigned long CSELCA: 1
unsigned long CSCBFAH: 1
unsigned long CSCBFAL: 1
unsigned long CSCBRAH: 1
unsigned long CSCBRAL: 1
unsigned long CSCAFBH: 1
unsigned long CSCAFBL: 1
unsigned long CSCARBH: 1
unsigned long CSCARBL: 1
unsigned long CSGTRGDF: 1
unsigned long CSGTRGDR: 1
unsigned long CSGTRGCF: 1
unsigned long CSGTRGCR: 1
unsigned long CSGTRGBF: 1
unsigned long CSGTRGBR: 1
unsigned long CSGTRGAF: 1
unsigned long CSGTRGAR: 1
    } BIT
} GTCsr

```

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 8
 - unsigned long USELCH: 1
 - unsigned long USELCG: 1
 - unsigned long USELCF: 1
 - unsigned long USELCE: 1
 - unsigned long USELCD: 1
 - unsigned long USELCC: 1
 - unsigned long USELCB: 1
 - unsigned long USELCA: 1
 - unsigned long USCBFAH: 1
 - unsigned long USCBFAL: 1
 - unsigned long USCBRAH: 1
 - unsigned long USCBRAL: 1
 - unsigned long USCAFBH: 1
 - unsigned long USCAFBL: 1
 - unsigned long USCARBH: 1
 - unsigned long USCARBL: 1
 - unsigned long USGTRGDF: 1
 - unsigned long USGTRGDR: 1
 - unsigned long USGTRGCF: 1
 - unsigned long USGTRGCR: 1
 - unsigned long USGTRGBF: 1
 - unsigned long USGTRGBR: 1
 - unsigned long USGTRGAF: 1
 - unsigned long USGTRGAR: 1
 - } BIT
 - } GTUPSR
- union {
 - unsigned long LONG

```

    struct {
        unsigned long: 8
        unsigned long DSELCH: 1
        unsigned long DSELCG: 1
        unsigned long DSELCF: 1
        unsigned long DSELCE: 1
        unsigned long DSELCD: 1
        unsigned long DSELCC: 1
        unsigned long DSELCB: 1
        unsigned long DSELCA: 1
        unsigned long DSCBFAH: 1
        unsigned long DSCBFAL: 1
        unsigned long DSCBRAH: 1
        unsigned long DSCBRAL: 1
        unsigned long DSCAFBH: 1
        unsigned long DSCAFBL: 1
        unsigned long DSCARBH: 1
        unsigned long DSCARBL: 1
        unsigned long DSGTRGDF: 1
        unsigned long DSGTRGDR: 1
        unsigned long DSGTRGCF: 1
        unsigned long DSGTRGCR: 1
        unsigned long DSGTRGBF: 1
        unsigned long DSGTRGBR: 1
        unsigned long DSGTRGAF: 1
        unsigned long DSGTRGAR: 1
    } BIT
} GTDNSR

```

- union {
 - unsigned long LONG
 - struct {
 unsigned long: 8
 unsigned long ASELCH: 1
 unsigned long ASELCG: 1
 unsigned long ASELCF: 1
 unsigned long ASELCE: 1
 unsigned long ASELCD: 1
 unsigned long ASELCC: 1
 unsigned long ASELCB: 1
 unsigned long ASELCA: 1
 unsigned long ASCBFAH: 1
 unsigned long ASCBFAL: 1
 unsigned long ASCBRAH: 1
 unsigned long ASCBRAL: 1
 unsigned long ASCAFBH: 1
 unsigned long ASCAFBL: 1
 unsigned long ASCARBH: 1
 unsigned long ASCARBL: 1
 unsigned long ASGTRGDF: 1
 unsigned long ASGTRGDR: 1
 unsigned long ASGTRGCF: 1
 unsigned long ASGTRGCR: 1
 unsigned long ASGTRGBF: 1
 unsigned long ASGTRGBR: 1
 unsigned long ASGTRGAF: 1
 unsigned long ASGTRGAR: 1
 } BIT

} GTICASR

- union {
 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long BSELCH: 1
 unsigned long BSELCG: 1
 unsigned long BSELCF: 1
 unsigned long BSELCE: 1
 unsigned long BSELCD: 1
 unsigned long BSELCC: 1
 unsigned long BSELCB: 1
 unsigned long BSELCA: 1
 unsigned long BSCBFAH: 1
 unsigned long BSCBFAL: 1
 unsigned long BSCBRAH: 1
 unsigned long BSCBRAL: 1
 unsigned long BSCAFBH: 1
 unsigned long BSCAFBL: 1
 unsigned long BSCARBH: 1
 unsigned long BSCARBL: 1
 unsigned long BSGTRGDF: 1
 unsigned long BSGTRGDR: 1
 unsigned long BSGTRGCF: 1
 unsigned long BSGTRGCR: 1
 unsigned long BSGTRGBF: 1
 unsigned long BSGTRGBR: 1
 unsigned long BSGTRGAF: 1
 unsigned long BSGTRGAR: 1
 } BIT
 } GTICBSR

- union {
 unsigned long LONG
 struct {
 unsigned long: 5
 unsigned long TPCS: 4
 unsigned long MD: 3
 unsigned long ICDS: 1
 unsigned long CST: 1
 } BIT
 } GTCR

- union {
 unsigned long LONG
 struct {
 unsigned long: 4
 unsigned long OBDTYR: 1
 unsigned long OBDTYF: 1
 unsigned long OBDTY: 2
 unsigned long OADTYR: 1
 unsigned long OADTYF: 1
 unsigned long OADTY: 2
 unsigned long UDF: 1
 unsigned long UD: 1
 } BIT
 } GTUDDTYC

- union {
 - unsigned long LONG
 - struct {
 - unsigned long NFCSB: 2
 - unsigned long NFBEN: 1
 - unsigned long: 2
 - unsigned long OBDP: 2
 - unsigned long OBE: 1
 - unsigned long OBHLD: 1
 - unsigned long OBDFLT: 1
 - unsigned long GTIOB: 5
 - unsigned long NFCSA: 2
 - unsigned long NFAEN: 1
 - unsigned long OADF: 2
 - unsigned long OAE: 1
 - unsigned long OAHLD: 1
 - unsigned long OADFLT: 1
 - unsigned long GTIOA: 5
 - } BIT
 - } GTIOR
-
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 1
 - unsigned long GRPABL: 1
 - unsigned long GRPABH: 1
 - unsigned long GRPDTE: 1
 - unsigned long GRP: 2
 - unsigned long ADTRBDEN: 1
 - unsigned long ADTRBUEN: 1
 - unsigned long ADTRADEN: 1
 - unsigned long ADTRAUEN: 1
 - unsigned long GTINTPR: 2
 - unsigned long GTINTF: 1
 - unsigned long GTINTE: 1
 - unsigned long GTINTD: 1
 - unsigned long GTINTC: 1
 - unsigned long GTINTB: 1
 - unsigned long GTINTA: 1
 - } BIT
 - } GTINTAD
-
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 1
 - unsigned long OABLF: 1
 - unsigned long OABHF: 1
 - unsigned long DTEF: 1
 - unsigned long ODF: 1
 - unsigned long ADTRBDF: 1
 - unsigned long ADTRBUF: 1
 - unsigned long ADTRADF: 1
 - unsigned long ADTRAUF: 1
 - unsigned long TUCF: 1
 - unsigned long ITCNT: 3


```

    } BIT
} GTST

```

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 1
 - unsigned long ADTDB: 1
 - unsigned long ADTTB: 2
 - unsigned long ADTDA: 1
 - unsigned long ADTTA: 2
 - unsigned long CCRSWT: 1
 - unsigned long PR: 2
 - unsigned long CCRB: 2
 - unsigned long CCRA: 2
 - unsigned long DBRTECB: 1
 - unsigned long DBRTECA: 1
 - unsigned long BD: 4
 - } BIT

```

} GTBER

```

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 17
 - unsigned long ADTBL: 1
 - unsigned long ADTAL: 1
 - unsigned long IVTT: 3
 - unsigned long IVTC: 2
 - unsigned long ITLF: 1
 - unsigned long ITLE: 1
 - unsigned long ITLD: 1
 - unsigned long ITLC: 1
 - unsigned long ITLB: 1
 - unsigned long ITLA: 1
 - } BIT

```

} GTITC

```

- unsigned long GTCNT
- unsigned long GTCCRA
- unsigned long GTCCRB
- unsigned long GTCCRC
- unsigned long GTCCRE
- unsigned long GTCCRD
- unsigned long GTCCRF
- unsigned long GTPR
- unsigned long GTPBR
- unsigned long GTPDBR
- unsigned long GTADTRA
- unsigned long GTADTBRA
- unsigned long GTADTDBRA
- unsigned long GTADTRB
- unsigned long GTADTBRB
- unsigned long GTADTDBRB
- union {
 - unsigned long LONG
 - struct {

- ```

unsigned long: 23
unsigned long TDFER: 1
unsigned long TDBDE: 1
unsigned long TDBUE: 1
unsigned long TDE: 1
 } BIT
} GTDTCR

```
- unsigned long GTDVU
  - unsigned long GTDVD
  - unsigned long GTDBU
  - unsigned long GTDBD
  - union {
 unsigned long LONG
 struct {
 unsigned long: 30
 unsigned long SOS: 2
 } BIT
 } GTSOS
  - union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long SOTR: 1
 } BIT
 } GTSOTR
  - union {
 unsigned long LONG
 struct {
 unsigned long: 7
 unsigned long ADSMEN1: 1
 unsigned long ADSMS1: 2
 unsigned long ADSMEN0: 1
 unsigned long ADSMS0: 2
 } BIT
 } GTADSMR
  - union {
 unsigned long LONG
 struct {
 unsigned long EITCNT2: 4
 unsigned long EITCNT2IV: 4
 unsigned long EIVTT2: 4
 unsigned long: 2
 unsigned long EIVTC2: 2
 unsigned long EITCNT1: 4
 unsigned long EIVTT1: 4
 unsigned long EIVTC1: 2
 } BIT
 } GTEITC
  - union {
 unsigned long LONG
 struct {
 unsigned long: 1
 unsigned long EITLU: 3

- unsigned long [EITLV](#): 3
  - unsigned long [EITLF](#): 3
  - unsigned long [EITLE](#): 3
  - unsigned long [EITLD](#): 3
  - unsigned long [EITLC](#): 3
  - unsigned long [EITLB](#): 3
  - unsigned long [EITLA](#): 3
  - } [BIT](#)
  - } [GTEITLI1](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 25
  - unsigned long [EADTBL](#): 3
  - unsigned long [EADTAL](#): 3
  - } [BIT](#)
  - } [GTEITLI2](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 1
  - unsigned long [EBTLDVD](#): 3
  - unsigned long [EBTLDVU](#): 3
  - unsigned long [EBTLADB](#): 3
  - unsigned long [EBTLADA](#): 3
  - unsigned long [EBTLPR](#): 3
  - unsigned long [EBTLCB](#): 3
  - unsigned long [EBTLCA](#): 3
  - } [BIT](#)
  - } [GTEITLB](#)
- char [wk0](#) [24]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 28
  - unsigned long [SECSEL3](#): 1
  - unsigned long [SECSEL2](#): 1
  - unsigned long [SECSEL1](#): 1
  - unsigned long [SECSEL0](#): 1
  - } [BIT](#)
  - } [GTSECSR](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 20
  - unsigned long [SBDDD](#): 1
  - unsigned long [SBDAD](#): 1
  - unsigned long [SBDPD](#): 1
  - unsigned long [SBDCE](#): 1
  - unsigned long [SBDDE](#): 1
  - unsigned long [SBDCE](#): 1
  - unsigned long [SBDPE](#): 1
  - unsigned long [SBDCE](#): 1
  - } [BIT](#)

```
} GTSECR
```

### 5.490.1 Detailed Description

Definition at line [10408](#) of file [iodefne.h](#).

### 5.490.2 Field Documentation

#### 5.490.2.1 [union]

```
union { ... } st_gptw_t::GTADSMR
```

#### 5.490.2.2 GTADTBRA

```
unsigned long st_gptw_t::GTADTBRA
```

Definition at line [11186](#) of file [iodefne.h](#).

#### 5.490.2.3 GTADTBRB

```
unsigned long st_gptw_t::GTADTBRB
```

Definition at line [11189](#) of file [iodefne.h](#).

#### 5.490.2.4 GTADTDBRA

```
unsigned long st_gptw_t::GTADTDBRA
```

Definition at line [11187](#) of file [iodefne.h](#).

#### 5.490.2.5 GTADTDBRB

```
unsigned long st_gptw_t::GTADTDBRB
```

Definition at line [11190](#) of file [iodefne.h](#).

#### 5.490.2.6 GTADTRA

```
unsigned long st_gptw_t::GTADTRA
```

Definition at line [11185](#) of file [iodefne.h](#).

### 5.490.2.7 GTADTRB

unsigned long st\_gptw\_t::GTADTRB

Definition at line [11188](#) of file [iodefine.h](#).

### 5.490.2.8 [union]

union { ... } st\_gptw\_t::GTBER

### 5.490.2.9 GTCCRA

unsigned long st\_gptw\_t::GTCCRA

Definition at line [11176](#) of file [iodefine.h](#).

### 5.490.2.10 GTCCRB

unsigned long st\_gptw\_t::GTCCRB

Definition at line [11177](#) of file [iodefine.h](#).

### 5.490.2.11 GTCCRC

unsigned long st\_gptw\_t::GTCCRC

Definition at line [11178](#) of file [iodefine.h](#).

### 5.490.2.12 GTCCRD

unsigned long st\_gptw\_t::GTCCRD

Definition at line [11180](#) of file [iodefine.h](#).

### 5.490.2.13 GTCCRE

unsigned long st\_gptw\_t::GTCCRE

Definition at line [11179](#) of file [iodefine.h](#).

### 5.490.2.14 GTCCRF

unsigned long st\_gptw\_t::GTCCRF

Definition at line [11181](#) of file [iodefine.h](#).

## 5.490.2.15 [union]

```
union { ... } st_gptw_t::GTCLR
```

## 5.490.2.16 GTCNT

```
unsigned long st_gptw_t::GTCNT
```

Definition at line [11175](#) of file [iodefine.h](#).

## 5.490.2.17 [union]

```
union { ... } st_gptw_t::GTCR
```

## 5.490.2.18 [union]

```
union { ... } st_gptw_t::GTCSR
```

## 5.490.2.19 GTDBD

```
unsigned long st_gptw_t::GTDBD
```

Definition at line [11217](#) of file [iodefine.h](#).

## 5.490.2.20 GTDBU

```
unsigned long st_gptw_t::GTDBU
```

Definition at line [11216](#) of file [iodefine.h](#).

## 5.490.2.21 [union]

```
union { ... } st_gptw_t::GTDNSR
```

## 5.490.2.22 [union]

```
union { ... } st_gptw_t::GTDTCR
```

## 5.490.2.23 GTDVD

```
unsigned long st_gptw_t::GTDVD
```

Definition at line [11215](#) of file [iodefine.h](#).

## 5.490.2.24 GTDVU

unsigned long st\_gptw\_t::GTDVU

Definition at line [11214](#) of file [iodefine.h](#).

## 5.490.2.25 [union]

union { ... } st\_gptw\_t::GTEITC

## 5.490.2.26 [union]

union { ... } st\_gptw\_t::GTEITLB

## 5.490.2.27 [union]

union { ... } st\_gptw\_t::GTEITLI1

## 5.490.2.28 [union]

union { ... } st\_gptw\_t::GTEITLI2

## 5.490.2.29 [union]

union { ... } st\_gptw\_t::GTICASR

## 5.490.2.30 [union]

union { ... } st\_gptw\_t::GTICBSR

## 5.490.2.31 [union]

union { ... } st\_gptw\_t::GTINTAD

## 5.490.2.32 [union]

union { ... } st\_gptw\_t::GTIOR

## 5.490.2.33 [union]

union { ... } st\_gptw\_t::GTITC

#### 5.490.2.34 GTPBR

unsigned long st\_gptw\_t::GTPBR

Definition at line [11183](#) of file [iodefne.h](#).

#### 5.490.2.35 GTPDBR

unsigned long st\_gptw\_t::GTPDBR

Definition at line [11184](#) of file [iodefne.h](#).

#### 5.490.2.36 GTPR

unsigned long st\_gptw\_t::GTPR

Definition at line [11182](#) of file [iodefne.h](#).

#### 5.490.2.37 [union]

union { ... } st\_gptw\_t::GTPSR

#### 5.490.2.38 [union]

union { ... } st\_gptw\_t::GTSECR

#### 5.490.2.39 [union]

union { ... } st\_gptw\_t::GTSECSR

#### 5.490.2.40 [union]

union { ... } st\_gptw\_t::GTSOS

#### 5.490.2.41 [union]

union { ... } st\_gptw\_t::GTSOTR

#### 5.490.2.42 [union]

union { ... } st\_gptw\_t::GTSSR



## 5.490.2.43 [union]

```
union { ... } st_gptw_t::GTST
```

## 5.490.2.44 [union]

```
union { ... } st_gptw_t::GTSTP
```

## 5.490.2.45 [union]

```
union { ... } st_gptw_t::GTSTR
```

## 5.490.2.46 [union]

```
union { ... } st_gptw_t::GTUDDTYC
```

## 5.490.2.47 [union]

```
union { ... } st_gptw_t::GTUPSR
```

## 5.490.2.48 [union]

```
union { ... } st_gptw_t::GTWP
```

## 5.490.2.49 wk0

```
char st_gptw_t::wk0[24]
```

Definition at line [11393](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.491 st\_gptw\_t.GTADSMR Union Reference

## Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 7
  - unsigned long [ADSMEN1](#): 1
  - unsigned long [ADSMS1](#): 2
  - unsigned long [ADSMEN0](#): 1
  - unsigned long [ADSMS0](#): 2
- } [BIT](#)

### 5.491.1 Detailed Description

Definition at line [11244](#) of file [iodefine.h](#).

### 5.491.2 Field Documentation

#### 5.491.2.1 BIT

#### 5.491.2.2 LONG

The documentation for this union was generated from the following files:

## 5.492 st\_gptw\_t.GTBER Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 1
  - unsigned long [ADTDB](#): 1
  - unsigned long [ADTTB](#): 2
  - unsigned long [ADTDA](#): 1
  - unsigned long [ADTTA](#): 2
  - unsigned long [CCRSWT](#): 1
  - unsigned long [PR](#): 2
  - unsigned long [CCRB](#): 2
  - unsigned long [CCRA](#): 2
  - unsigned long [DBRTECB](#): 1
  - unsigned long [DBRTECA](#): 1
  - unsigned long [BD](#): 4
- } [BIT](#)

### 5.492.1 Detailed Description

Definition at line [11097](#) of file [iodefine.h](#).

### 5.492.2 Field Documentation

#### 5.492.2.1 BIT

#### 5.492.2.2 LONG

The documentation for this union was generated from the following files:

## 5.493 st\_gptw\_t.GTCLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 28
  - unsigned long [CCLR3](#): 1
  - unsigned long [CCLR2](#): 1
  - unsigned long [CCLR1](#): 1
  - unsigned long [CCLR0](#): 1
- } [BIT](#)

### 5.493.1 Detailed Description

Definition at line [10472](#) of file [iodefne.h](#).

### 5.493.2 Field Documentation

#### 5.493.2.1 BIT

#### 5.493.2.2 LONG

The documentation for this union was generated from the following files:

## 5.494 st\_gptw\_t.GTCR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 5
  - unsigned long [TPCS](#): 4
  - unsigned long [MD](#): 3
  - unsigned long [ICDS](#): 1
  - unsigned long [CST](#): 1
- } [BIT](#)

### 5.494.1 Detailed Description

Definition at line [10910](#) of file [iodefne.h](#).

## 5.494.2 Field Documentation

### 5.494.2.1 BIT

### 5.494.2.2 LONG

The documentation for this union was generated from the following files:

## 5.495 st\_gptw\_t.GTCSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CCLR](#): 1
  - unsigned [long](#): 7
  - unsigned long [CSELCH](#): 1
  - unsigned long [CSELCG](#): 1
  - unsigned long [CSELCF](#): 1
  - unsigned long [CSELCE](#): 1
  - unsigned long [CSELCD](#): 1
  - unsigned long [CSELCC](#): 1
  - unsigned long [CSELCB](#): 1
  - unsigned long [CSELCA](#): 1
  - unsigned long [CSCBFAH](#): 1
  - unsigned long [CSCBFAL](#): 1
  - unsigned long [CSCBRAH](#): 1
  - unsigned long [CSCBRAL](#): 1
  - unsigned long [CSCAFBH](#): 1
  - unsigned long [CSCAFBL](#): 1
  - unsigned long [CSCARBH](#): 1
  - unsigned long [CSCARBL](#): 1
  - unsigned long [CSGTRGDF](#): 1
  - unsigned long [CSGTRGDR](#): 1
  - unsigned long [CSGTRGCF](#): 1
  - unsigned long [CSGTRGCR](#): 1
  - unsigned long [CSGTRGBF](#): 1
  - unsigned long [CSGTRGBR](#): 1
  - unsigned long [CSGTRGAF](#): 1
  - unsigned long [CSGTRGAR](#): 1
- } [BIT](#)

### 5.495.1 Detailed Description

Definition at line [10613](#) of file [iodefine.h](#).

## 5.495.2 Field Documentation

### 5.495.2.1 BIT

### 5.495.2.2 LONG

The documentation for this union was generated from the following files:

## 5.496 st\_gptw\_t.GTDNSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [DSELCH](#): 1
  - unsigned long [DSELCG](#): 1
  - unsigned long [DSELCF](#): 1
  - unsigned long [DSELCE](#): 1
  - unsigned long [DSELCD](#): 1
  - unsigned long [DSELCC](#): 1
  - unsigned long [DSELCB](#): 1
  - unsigned long [DSELCA](#): 1
  - unsigned long [DSCBFAH](#): 1
  - unsigned long [DSCBFAL](#): 1
  - unsigned long [DSCBRAH](#): 1
  - unsigned long [DSCBRAL](#): 1
  - unsigned long [DSCAFBH](#): 1
  - unsigned long [DSCAFBL](#): 1
  - unsigned long [DSCARBH](#): 1
  - unsigned long [DSCARBL](#): 1
  - unsigned long [DSGTRGDF](#): 1
  - unsigned long [DSGTRGDR](#): 1
  - unsigned long [DSGTRGCF](#): 1
  - unsigned long [DSGTRGCR](#): 1
  - unsigned long [DSGTRGBF](#): 1
  - unsigned long [DSGTRGBR](#): 1
  - unsigned long [DSGTRGAF](#): 1
  - unsigned long [DSGTRGAR](#): 1
- } [BIT](#)

### 5.496.1 Detailed Description

Definition at line [10733](#) of file [iodefine.h](#).

### 5.496.2 Field Documentation

#### 5.496.2.1 BIT

#### 5.496.2.2 LONG

The documentation for this union was generated from the following files:

## 5.497 st\_gptw\_t.GTDTCR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 23
  - unsigned long [TDFER](#): 1
  - unsigned long [TDBDE](#): 1
  - unsigned long [TDBUE](#): 1
  - unsigned long [TDE](#): 1
- } [BIT](#)

### 5.497.1 Detailed Description

Definition at line [11191](#) of file [iodefine.h](#).

### 5.497.2 Field Documentation

#### 5.497.2.1 BIT

#### 5.497.2.2 LONG

The documentation for this union was generated from the following files:

## 5.498 st\_gptw\_t.GTEITC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [EITCNT2](#): 4
  - unsigned long [EITCNT2IV](#): 4
  - unsigned long [EIVTT2](#): 4
  - unsigned [long](#): 2
  - unsigned long [EIVTC2](#): 2
  - unsigned long [EITCNT1](#): 4
  - unsigned long [EIVTT1](#): 4
  - unsigned long [EIVTC1](#): 2
- } [BIT](#)

### 5.498.1 Detailed Description

Definition at line [11269](#) of file [iodefine.h](#).

## 5.498.2 Field Documentation

### 5.498.2.1 BIT

### 5.498.2.2 LONG

The documentation for this union was generated from the following files:

## 5.499 st\_gptw\_t.GTEITLB Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 1
  - unsigned long [EBTLDVD](#): 3
  - unsigned long [EBTLDVU](#): 3
  - unsigned long [EBTLADB](#): 3
  - unsigned long [EBTLADA](#): 3
  - unsigned long [EBTLPR](#): 3
  - unsigned long [EBTLCB](#): 3
  - unsigned long [EBTLCA](#): 3
- } [BIT](#)

### 5.499.1 Detailed Description

Definition at line [11356](#) of file [iodefine.h](#).

## 5.499.2 Field Documentation

### 5.499.2.1 BIT

### 5.499.2.2 LONG

The documentation for this union was generated from the following files:

## 5.500 st\_gptw\_t.GTEITLI1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 1
  - unsigned long [EITLU](#): 3
  - unsigned long [EITLV](#): 3
  - unsigned long [EITLF](#): 3
  - unsigned long [EITLE](#): 3
  - unsigned long [EITLD](#): 3
  - unsigned long [EITLC](#): 3
  - unsigned long [EITLB](#): 3
  - unsigned long [EITLA](#): 3
- } [BIT](#)

### 5.500.1 Detailed Description

Definition at line [11298](#) of file [iodefne.h](#).

### 5.500.2 Field Documentation

#### 5.500.2.1 BIT

#### 5.500.2.2 LONG

The documentation for this union was generated from the following files:

## 5.501 st\_gptw\_t.GTEITLI2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [long](#): 25
  - unsigned long [EADTBL](#): 3
  - unsigned long [EADTAL](#): 3
- } [BIT](#)

### 5.501.1 Detailed Description

Definition at line [11339](#) of file [iodefne.h](#).

### 5.501.2 Field Documentation

#### 5.501.2.1 BIT

#### 5.501.2.2 LONG

The documentation for this union was generated from the following files:



## 5.502 st\_gptw\_t.GTICASR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 8
  - unsigned long [ASELCH](#): 1
  - unsigned long [ASELCG](#): 1
  - unsigned long [ASELCF](#): 1
  - unsigned long [ASELCE](#): 1
  - unsigned long [ASELCD](#): 1
  - unsigned long [ASELCC](#): 1
  - unsigned long [ASELCB](#): 1
  - unsigned long [ASELCA](#): 1
  - unsigned long [ASCBFAH](#): 1
  - unsigned long [ASCBFAL](#): 1
  - unsigned long [ASCBRAH](#): 1
  - unsigned long [ASCBRAL](#): 1
  - unsigned long [ASCAFBH](#): 1
  - unsigned long [ASCAFBL](#): 1
  - unsigned long [ASCARBH](#): 1
  - unsigned long [ASCARBL](#): 1
  - unsigned long [ASGTRGDF](#): 1
  - unsigned long [ASGTRGDR](#): 1
  - unsigned long [ASGTRGCF](#): 1
  - unsigned long [ASGTRGCR](#): 1
  - unsigned long [ASGTRGBF](#): 1
  - unsigned long [ASGTRGBR](#): 1
  - unsigned long [ASGTRGAF](#): 1
  - unsigned long [ASGTRGAR](#): 1
- } [BIT](#)

### 5.502.1 Detailed Description

Definition at line [10792](#) of file [iodefine.h](#).

### 5.502.2 Field Documentation

#### 5.502.2.1 BIT

#### 5.502.2.2 LONG

The documentation for this union was generated from the following files:

## 5.503 st\_gptw\_t.GTICBSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [BSELCH](#): 1
  - unsigned long [BSELCG](#): 1
  - unsigned long [BSELCF](#): 1
  - unsigned long [BSELCE](#): 1
  - unsigned long [BSELCD](#): 1
  - unsigned long [BSELCC](#): 1
  - unsigned long [BSELCB](#): 1
  - unsigned long [BSELCA](#): 1
  - unsigned long [BSCBFAH](#): 1
  - unsigned long [BSCBFAL](#): 1
  - unsigned long [BSCBRAH](#): 1
  - unsigned long [BSCBRAL](#): 1
  - unsigned long [BSCAFBH](#): 1
  - unsigned long [BSCAFBL](#): 1
  - unsigned long [BSCARBH](#): 1
  - unsigned long [BSCARBL](#): 1
  - unsigned long [BSGTRGDF](#): 1
  - unsigned long [BSGTRGDR](#): 1
  - unsigned long [BSGTRGCF](#): 1
  - unsigned long [BSGTRGCR](#): 1
  - unsigned long [BSGTRGBF](#): 1
  - unsigned long [BSGTRGBR](#): 1
  - unsigned long [BSGTRGAF](#): 1
  - unsigned long [BSGTRGAR](#): 1
- } [BIT](#)

### 5.503.1 Detailed Description

Definition at line [10851](#) of file [iodefine.h](#).

### 5.503.2 Field Documentation

#### 5.503.2.1 BIT

#### 5.503.2.2 LONG

The documentation for this union was generated from the following files:

## 5.504 st\_gptw\_t.GTINTAD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 1
  - unsigned long [GRPABL](#): 1
  - unsigned long [GRPABH](#): 1
  - unsigned long [GRPDTE](#): 1
  - unsigned long [GRP](#): 2
  - unsigned long [ADTRBDEN](#): 1
  - unsigned long [ADTRBUEN](#): 1
  - unsigned long [ADTRADEN](#): 1
  - unsigned long [ADTRAUEN](#): 1
  - unsigned long [GTINTPR](#): 2
  - unsigned long [GTINTF](#): 1
  - unsigned long [GTINTE](#): 1
  - unsigned long [GTINTD](#): 1
  - unsigned long [GTINTC](#): 1
  - unsigned long [GTINTB](#): 1
  - unsigned long [GTINTA](#): 1
- } [BIT](#)

### 5.504.1 Detailed Description

Definition at line [11011](#) of file [iodefine.h](#).

### 5.504.2 Field Documentation

#### 5.504.2.1 BIT

#### 5.504.2.2 LONG

The documentation for this union was generated from the following files:

## 5.505 st\_gptw\_t.GTIOR Union Reference

### Data Fields

- unsigned long [LONG](#)

- struct {
  - unsigned long [NFC](#)[SB](#): 2
  - unsigned long [NFB](#)[EN](#): 1
  - unsigned [long](#): 2
  - unsigned long [OB](#)[DF](#): 2
  - unsigned long [OB](#)[E](#): 1
  - unsigned long [OB](#)[HLD](#): 1
  - unsigned long [OB](#)[DFLT](#): 1
  - unsigned long [GT](#)[IOB](#): 5
  - unsigned long [NFC](#)[SA](#): 2
  - unsigned long [NFA](#)[EN](#): 1
  - unsigned long [OA](#)[DF](#): 2
  - unsigned long [OA](#)[E](#): 1
  - unsigned long [OA](#)[HLD](#): 1
  - unsigned long [OA](#)[DFLT](#): 1
  - unsigned long [GT](#)[IOA](#): 5
- } [BIT](#)

### 5.505.1 Detailed Description

Definition at line [10966](#) of file [iodefine.h](#).

### 5.505.2 Field Documentation

#### 5.505.2.1 BIT

#### 5.505.2.2 LONG

The documentation for this union was generated from the following files:

## 5.506 st\_gptw\_t.GTITC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 17
  - unsigned long [AD](#)[TBL](#): 1
  - unsigned long [AD](#)[TAL](#): 1
  - unsigned long [IV](#)[TT](#): 3
  - unsigned long [IV](#)[TC](#): 2
  - unsigned long [IT](#)[LF](#): 1
  - unsigned long [IT](#)[LE](#): 1
  - unsigned long [IT](#)[LD](#): 1
  - unsigned long [IT](#)[LC](#): 1
  - unsigned long [IT](#)[LB](#): 1
  - unsigned long [IT](#)[LA](#): 1
- } [BIT](#)

### 5.506.1 Detailed Description

Definition at line [11140](#) of file [iodefine.h](#).

### 5.506.2 Field Documentation

#### 5.506.2.1 BIT

#### 5.506.2.2 LONG

The documentation for this union was generated from the following files:

## 5.507 st\_gptw\_t.GTPSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CSTOP](#): 1
  - unsigned [long](#): 7
  - unsigned long [PSELCH](#): 1
  - unsigned long [PSELCG](#): 1
  - unsigned long [PSELCF](#): 1
  - unsigned long [PSELCE](#): 1
  - unsigned long [PSELCD](#): 1
  - unsigned long [PSELCC](#): 1
  - unsigned long [PSELCB](#): 1
  - unsigned long [PSELCA](#): 1
  - unsigned long [PSCBFAH](#): 1
  - unsigned long [PSCBFAL](#): 1
  - unsigned long [PSCBRAH](#): 1
  - unsigned long [PSCBRAL](#): 1
  - unsigned long [PSCAFBH](#): 1
  - unsigned long [PSCAFBL](#): 1
  - unsigned long [PSCARBH](#): 1
  - unsigned long [PSCARBL](#): 1
  - unsigned long [PSGTRGDF](#): 1
  - unsigned long [PSGTRGDR](#): 1
  - unsigned long [PSGTRGCF](#): 1
  - unsigned long [PSGTRGCR](#): 1
  - unsigned long [PSGTRGBF](#): 1
  - unsigned long [PSGTRGBR](#): 1
  - unsigned long [PSGTRGAF](#): 1
  - unsigned long [PSGTRGAR](#): 1
- } [BIT](#)

### 5.507.1 Detailed Description

Definition at line [10552](#) of file [iodefine.h](#).

## 5.507.2 Field Documentation

### 5.507.2.1 BIT

### 5.507.2.2 LONG

The documentation for this union was generated from the following files:

## 5.508 st\_gptw\_t.GTSECR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 20
  - unsigned long [SBDDD](#): 1
  - unsigned long [SBDAD](#): 1
  - unsigned long [SBDPD](#): 1
  - unsigned long [SBDCE](#): 1
  - unsigned long [SBDDE](#): 1
  - unsigned long [SBDPE](#): 1
  - unsigned long [SBDCE](#): 1
- } [BIT](#)

### 5.508.1 Detailed Description

Definition at line [11413](#) of file [iodefine.h](#).

## 5.508.2 Field Documentation

### 5.508.2.1 BIT

### 5.508.2.2 LONG

The documentation for this union was generated from the following files:

## 5.509 st\_gptw\_t.GTSECSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 28
  - unsigned long [SECSEL3](#): 1
  - unsigned long [SECSEL2](#): 1
  - unsigned long [SECSEL1](#): 1
  - unsigned long [SECSEL0](#): 1
- } [BIT](#)

### 5.509.1 Detailed Description

Definition at line [11394](#) of file [iodefne.h](#).

### 5.509.2 Field Documentation

#### 5.509.2.1 BIT

#### 5.509.2.2 LONG

The documentation for this union was generated from the following files:

## 5.510 st\_gptw\_t.GTSOS Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 30  
  unsigned long [SOS](#): 2  
} [BIT](#)

### 5.510.1 Detailed Description

Definition at line [11218](#) of file [iodefne.h](#).

### 5.510.2 Field Documentation

#### 5.510.2.1 BIT

#### 5.510.2.2 LONG

The documentation for this union was generated from the following files:

## 5.511 st\_gptw\_t.GTSOTR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [SOTR](#): 1  
} [BIT](#)

### 5.511.1 Detailed Description

Definition at line [11231](#) of file [iodefine.h](#).

### 5.511.2 Field Documentation

#### 5.511.2.1 BIT

#### 5.511.2.2 LONG

The documentation for this union was generated from the following files:

## 5.512 st\_gptw\_t.GTSSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CSTRT](#): 1
  - unsigned [long](#): 7
  - unsigned long [SSELCH](#): 1
  - unsigned long [SSELCG](#): 1
  - unsigned long [SSELCF](#): 1
  - unsigned long [SSELCE](#): 1
  - unsigned long [SSELCD](#): 1
  - unsigned long [SSELCC](#): 1
  - unsigned long [SSELCB](#): 1
  - unsigned long [SSELCA](#): 1
  - unsigned long [SSCBFAH](#): 1
  - unsigned long [SSCBFAL](#): 1
  - unsigned long [SSCBRAH](#): 1
  - unsigned long [SSCBRAL](#): 1
  - unsigned long [SSCAFBH](#): 1
  - unsigned long [SSCAFBL](#): 1
  - unsigned long [SSCARBH](#): 1
  - unsigned long [SSCARBL](#): 1
  - unsigned long [SSGTRGDF](#): 1
  - unsigned long [SSGTRGDR](#): 1
  - unsigned long [SSGTRGCF](#): 1
  - unsigned long [SSGTRGCR](#): 1
  - unsigned long [SSGTRGBF](#): 1
  - unsigned long [SSGTRGBR](#): 1
  - unsigned long [SSGTRGAF](#): 1
  - unsigned long [SSGTRGAR](#): 1
- } [BIT](#)

### 5.512.1 Detailed Description

Definition at line [10491](#) of file [iodefine.h](#).



### 5.512.2 Field Documentation

#### 5.512.2.1 BIT

#### 5.512.2.2 LONG

The documentation for this union was generated from the following files:

## 5.513 st\_gptw\_t.GTST Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 1
  - unsigned long [OABLEF](#): 1
  - unsigned long [OABHF](#): 1
  - unsigned long [DTEF](#): 1
  - unsigned long [ODF](#): 1
  - unsigned long [ADTRBDF](#): 1
  - unsigned long [ADTRBUF](#): 1
  - unsigned long [ADTRAUF](#): 1
  - unsigned long [ADTRAUF](#): 1
  - unsigned long [TUCF](#): 1
  - unsigned long [ITCNT](#): 3
- } [BIT](#)

### 5.513.1 Detailed Description

Definition at line [11058](#) of file [iodefine.h](#).

### 5.513.2 Field Documentation

#### 5.513.2.1 BIT

#### 5.513.2.2 LONG

The documentation for this union was generated from the following files:

## 5.514 st\_gptw\_t.GTSTP Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 28
  - unsigned long [CSTOP3](#): 1
  - unsigned long [CSTOP2](#): 1
  - unsigned long [CSTOP1](#): 1
  - unsigned long [CSTOP0](#): 1
- } [BIT](#)

### 5.514.1 Detailed Description

Definition at line [10453](#) of file [iodefne.h](#).

### 5.514.2 Field Documentation

#### 5.514.2.1 BIT

#### 5.514.2.2 LONG

The documentation for this union was generated from the following files:

## 5.515 st\_gptw\_t.GTSTR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 28
  - unsigned long [CSTRT3](#): 1
  - unsigned long [CSTRT2](#): 1
  - unsigned long [CSTRT1](#): 1
  - unsigned long [CSTRT0](#): 1
- } [BIT](#)

### 5.515.1 Detailed Description

Definition at line [10434](#) of file [iodefne.h](#).

### 5.515.2 Field Documentation

#### 5.515.2.1 BIT

#### 5.515.2.2 LONG

The documentation for this union was generated from the following files:

## 5.516 st\_gptw\_t.GTUDDTYC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 4
  - unsigned long [OBDTYR](#): 1
  - unsigned long [OBDTYF](#): 1
  - unsigned long [OBDTY](#): 2
  - unsigned long [OADTYR](#): 1
  - unsigned long [OADTYF](#): 1
  - unsigned long [OADTY](#): 2
  - unsigned long [UDF](#): 1
  - unsigned long [UD](#): 1
- } [BIT](#)

### 5.516.1 Detailed Description

Definition at line [10935](#) of file [iodefine.h](#).

### 5.516.2 Field Documentation

#### 5.516.2.1 BIT

#### 5.516.2.2 LONG

The documentation for this union was generated from the following files:

## 5.517 st\_gptw\_t.GTUPSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 8
  - unsigned long [USELCH](#): 1
  - unsigned long [USELCG](#): 1
  - unsigned long [USELCF](#): 1
  - unsigned long [USELCE](#): 1
  - unsigned long [USELCD](#): 1
  - unsigned long [USELCC](#): 1
  - unsigned long [USELCB](#): 1
  - unsigned long [USELCA](#): 1
  - unsigned long [USCBFAH](#): 1
  - unsigned long [USCBFAL](#): 1
  - unsigned long [USCBRAH](#): 1
  - unsigned long [USCBRAL](#): 1
  - unsigned long [USCAFBH](#): 1

```
unsigned long USCAFBL: 1
unsigned long USCARBH: 1
unsigned long USCARBL: 1
unsigned long USGTRGDF: 1
unsigned long USGTRGDR: 1
unsigned long USGTRGCF: 1
unsigned long USGTRGCR: 1
unsigned long USGTRGBF: 1
unsigned long USGTRGBR: 1
unsigned long USGTRGAF: 1
unsigned long USGTRGAR: 1
} BIT
```

### 5.517.1 Detailed Description

Definition at line [10674](#) of file [iodefine.h](#).

### 5.517.2 Field Documentation

#### 5.517.2.1 BIT

#### 5.517.2.2 LONG

The documentation for this union was generated from the following files:

## 5.518 st\_gptw\_t.GTWP Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 16
  - unsigned long [PRKEY](#): 8
  - unsigned long [CMNWP](#): 1
  - unsigned long [CLRWP](#): 1
  - unsigned long [STPWP](#): 1
  - unsigned long [STRWP](#): 1
  - unsigned long [WP](#): 1
- } [BIT](#)

### 5.518.1 Detailed Description

Definition at line [10409](#) of file [iodefine.h](#).

## 5.518.2 Field Documentation

### 5.518.2.1 BIT

### 5.518.2.2 LONG

The documentation for this union was generated from the following files:

## 5.519 st\_icu\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_icu\_t:



#### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 7  
    unsigned char [IR](#): 1  
  } [BIT](#)  
} [IR](#) [256]

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [DTCE](#): 1
    - } [BIT](#)
} [DTCER](#) [256]
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IEN7](#): 1
    - unsigned char [IEN6](#): 1
    - unsigned char [IEN5](#): 1
    - unsigned char [IEN4](#): 1
    - unsigned char [IEN3](#): 1
    - unsigned char [IEN2](#): 1
    - unsigned char [IEN1](#): 1
    - unsigned char [IEN0](#): 1
    - } [BIT](#)
} [IER](#) [32]
  
- char [wk0](#) [192]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [SWINT](#): 1
    - } [BIT](#)
} [SWINTR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [SWINT2](#): 1
    - } [BIT](#)
} [SWINT2R](#)
  
- char [wk1](#) [14]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [FIEN](#): 1
    - unsigned [short](#): 7
    - unsigned short [FVCT](#): 8
    - } [BIT](#)
} [FIR](#)
  
- char [wk2](#) [14]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 4
    - unsigned char [IPR](#): 4
    - } [BIT](#)
} [IPR](#) [256]

- unsigned char [DMRSR0](#)
- char [wk3](#) [3]
- unsigned char [DMRSR1](#)
- char [wk4](#) [3]
- unsigned char [DMRSR2](#)
- char [wk5](#) [3]
- unsigned char [DMRSR3](#)
- char [wk6](#) [3]
- unsigned char [DMRSR4](#)
- char [wk7](#) [3]
- unsigned char [DMRSR5](#)
- char [wk8](#) [3]
- unsigned char [DMRSR6](#)
- char [wk9](#) [3]
- unsigned char [DMRSR7](#)
- char [wk10](#) [227]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 4
    - unsigned char [IRQMD](#): 2
    - } [BIT](#)
  - } [IRQCR](#) [16]
- char [wk11](#) [16]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [FLTEN7](#): 1
    - unsigned char [FLTEN6](#): 1
    - unsigned char [FLTEN5](#): 1
    - unsigned char [FLTEN4](#): 1
    - unsigned char [FLTEN3](#): 1
    - unsigned char [FLTEN2](#): 1
    - unsigned char [FLTEN1](#): 1
    - unsigned char [FLTEN0](#): 1
    - } [BIT](#)
  - } [IRQFLTE0](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [FLTEN15](#): 1
    - unsigned char [FLTEN14](#): 1
    - unsigned char [FLTEN13](#): 1
    - unsigned char [FLTEN12](#): 1
    - unsigned char [FLTEN11](#): 1
    - unsigned char [FLTEN10](#): 1
    - unsigned char [FLTEN9](#): 1
    - unsigned char [FLTEN8](#): 1
    - } [BIT](#)
  - } [IRQFLTE1](#)
- char [wk12](#) [6]
- union {
  - unsigned short [WORD](#)
  - struct {



- unsigned short [FCLKSEL7](#): 2
  - unsigned short [FCLKSEL6](#): 2
  - unsigned short [FCLKSEL5](#): 2
  - unsigned short [FCLKSEL4](#): 2
  - unsigned short [FCLKSEL3](#): 2
  - unsigned short [FCLKSEL2](#): 2
  - unsigned short [FCLKSEL1](#): 2
  - unsigned short [FCLKSEL0](#): 2
  - } [BIT](#)
  - } [IRQFLTC0](#)
- union {
  - unsigned short [WORD](#)
  - struct {
  - unsigned short [FCLKSEL15](#): 2
  - unsigned short [FCLKSEL14](#): 2
  - unsigned short [FCLKSEL13](#): 2
  - unsigned short [FCLKSEL12](#): 2
  - unsigned short [FCLKSEL11](#): 2
  - unsigned short [FCLKSEL10](#): 2
  - unsigned short [FCLKSEL9](#): 2
  - unsigned short [FCLKSEL8](#): 2
  - } [BIT](#)
  - } [IRQFLTC1](#)
- char [wk13](#) [84]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 1
  - unsigned char [EXNMIST](#): 1
  - unsigned char [LVD2ST](#): 1
  - unsigned char [LVD1ST](#): 1
  - unsigned char [IWDTST](#): 1
  - unsigned char [WDTST](#): 1
  - unsigned char [OSTST](#): 1
  - unsigned char [NMIST](#): 1
  - } [BIT](#)
  - } [NMISR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 1
  - unsigned char [EXNMIEN](#): 1
  - unsigned char [LVD2EN](#): 1
  - unsigned char [LVD1EN](#): 1
  - unsigned char [IWDTEN](#): 1
  - unsigned char [WDTEN](#): 1
  - unsigned char [OSTEN](#): 1
  - unsigned char [NMIEN](#): 1
  - } [BIT](#)
  - } [NMIER](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 2

- unsigned char [LVD2CLR](#): 1
  - unsigned char [LVD1CLR](#): 1
  - unsigned char [IWDTCR](#): 1
  - unsigned char [WDTCLR](#): 1
  - unsigned char [OSTCLR](#): 1
  - unsigned char [NMICLR](#): 1
  - } [BIT](#)
  - } [NMICLR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 4
  - unsigned char [NMIMD](#): 1
  - } [BIT](#)
  - } [NMICR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 6
  - unsigned char [DPFPUST](#): 1
  - unsigned char [RAMST](#): 1
  - } [BIT](#)
  - } [EXNMISR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 6
  - unsigned char [DPFPUEN](#): 1
  - unsigned char [RAMEN](#): 1
  - } [BIT](#)
  - } [EXNMIER](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 6
  - unsigned char [DPFPUCLR](#): 1
  - } [BIT](#)
  - } [EXNMICLR](#)
- char [wk14](#) [9]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [NFLTEN](#): 1
  - } [BIT](#)
  - } [NMIFLTE](#)
- char [wk15](#) [3]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 6
  - unsigned char [NFCLKSEL](#): 2

```

 } BIT
} NMIFLTC

```

- char [wk16](#) [27]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned long [IS31](#): 1
    - unsigned long [IS30](#): 1
    - unsigned long [IS29](#): 1
    - unsigned long [IS28](#): 1
    - unsigned long [IS27](#): 1
    - unsigned long [IS26](#): 1
    - unsigned long [IS25](#): 1
    - unsigned long [IS24](#): 1
    - unsigned long [IS23](#): 1
    - unsigned long [IS22](#): 1
    - unsigned long [IS21](#): 1
    - unsigned long [IS20](#): 1
    - unsigned long [IS19](#): 1
    - unsigned long [IS18](#): 1
    - unsigned long [IS17](#): 1
    - unsigned long [IS16](#): 1
    - unsigned long [IS15](#): 1
    - unsigned long [IS14](#): 1
    - unsigned long [IS13](#): 1
    - unsigned long [IS12](#): 1
    - unsigned long [IS11](#): 1
    - unsigned long [IS10](#): 1
    - unsigned long [IS9](#): 1
    - unsigned long [IS8](#): 1
    - unsigned long [IS7](#): 1
    - unsigned long [IS6](#): 1
    - unsigned long [IS5](#): 1
    - unsigned long [IS4](#): 1
    - unsigned long [IS3](#): 1
    - unsigned long [IS2](#): 1
    - unsigned long [IS1](#): 1
    - unsigned long [IS0](#): 1
  - } [BIT](#)
  - } [GRPIE0](#)
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned long [EN31](#): 1
    - unsigned long [EN30](#): 1
    - unsigned long [EN29](#): 1
    - unsigned long [EN28](#): 1
    - unsigned long [EN27](#): 1
    - unsigned long [EN26](#): 1
    - unsigned long [EN25](#): 1
    - unsigned long [EN24](#): 1
    - unsigned long [EN23](#): 1
    - unsigned long [EN22](#): 1
    - unsigned long [EN21](#): 1
    - unsigned long [EN20](#): 1
    - unsigned long [EN19](#): 1

```

unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
 } BIT
} GENIE0

```

- union {
  - unsigned long LONG
    - struct {
      - unsigned long CLR31: 1
      - unsigned long CLR30: 1
      - unsigned long CLR29: 1
      - unsigned long CLR28: 1
      - unsigned long CLR27: 1
      - unsigned long CLR26: 1
      - unsigned long CLR25: 1
      - unsigned long CLR24: 1
      - unsigned long CLR23: 1
      - unsigned long CLR22: 1
      - unsigned long CLR21: 1
      - unsigned long CLR20: 1
      - unsigned long CLR19: 1
      - unsigned long CLR18: 1
      - unsigned long CLR17: 1
      - unsigned long CLR16: 1
      - unsigned long CLR15: 1
      - unsigned long CLR14: 1
      - unsigned long CLR13: 1
      - unsigned long CLR12: 1
      - unsigned long CLR11: 1
      - unsigned long CLR10: 1
      - unsigned long CLR9: 1
      - unsigned long CLR8: 1
      - unsigned long CLR7: 1
      - unsigned long CLR6: 1
      - unsigned long CLR5: 1
      - unsigned long CLR4: 1
      - unsigned long CLR3: 1
      - unsigned long CLR2: 1
      - unsigned long CLR1: 1
      - unsigned long CLR0: 1
    - } BIT

} GCRIE0

- char wk17 [68]
- union {
  - unsigned long LONG
  - struct {
    - unsigned long IS31: 1
    - unsigned long IS30: 1
    - unsigned long IS29: 1
    - unsigned long IS28: 1
    - unsigned long IS27: 1
    - unsigned long IS26: 1
    - unsigned long IS25: 1
    - unsigned long IS24: 1
    - unsigned long IS23: 1
    - unsigned long IS22: 1
    - unsigned long IS21: 1
    - unsigned long IS20: 1
    - unsigned long IS19: 1
    - unsigned long IS18: 1
    - unsigned long IS17: 1
    - unsigned long IS16: 1
    - unsigned long IS15: 1
    - unsigned long IS14: 1
    - unsigned long IS13: 1
    - unsigned long IS12: 1
    - unsigned long IS11: 1
    - unsigned long IS10: 1
    - unsigned long IS9: 1
    - unsigned long IS8: 1
    - unsigned long IS7: 1
    - unsigned long IS6: 1
    - unsigned long IS5: 1
    - unsigned long IS4: 1
    - unsigned long IS3: 1
    - unsigned long IS2: 1
    - unsigned long IS1: 1
    - unsigned long IS0: 1
  - } BIT
- } GRPBE0
- char wk18 [44]
- union {
  - unsigned long LONG
  - struct {
    - unsigned long IS31: 1
    - unsigned long IS30: 1
    - unsigned long IS29: 1
    - unsigned long IS28: 1
    - unsigned long IS27: 1
    - unsigned long IS26: 1
    - unsigned long IS25: 1
    - unsigned long IS24: 1
    - unsigned long IS23: 1
    - unsigned long IS22: 1
    - unsigned long IS21: 1
    - unsigned long IS20: 1
    - unsigned long IS19: 1

```

unsigned long IS18: 1
unsigned long IS17: 1
unsigned long IS16: 1
unsigned long IS15: 1
unsigned long IS14: 1
unsigned long IS13: 1
unsigned long IS12: 1
unsigned long IS11: 1
unsigned long IS10: 1
unsigned long IS9: 1
unsigned long IS8: 1
unsigned long IS7: 1
unsigned long IS6: 1
unsigned long IS5: 1
unsigned long IS4: 1
unsigned long IS3: 1
unsigned long IS2: 1
unsigned long IS1: 1
unsigned long IS0: 1
 } BIT
} GRPBL0

```

- union {
  - unsigned long LONG
    - struct {
      - unsigned long IS31: 1
      - unsigned long IS30: 1
      - unsigned long IS29: 1
      - unsigned long IS28: 1
      - unsigned long IS27: 1
      - unsigned long IS26: 1
      - unsigned long IS25: 1
      - unsigned long IS24: 1
      - unsigned long IS23: 1
      - unsigned long IS22: 1
      - unsigned long IS21: 1
      - unsigned long IS20: 1
      - unsigned long IS19: 1
      - unsigned long IS18: 1
      - unsigned long IS17: 1
      - unsigned long IS16: 1
      - unsigned long IS15: 1
      - unsigned long IS14: 1
      - unsigned long IS13: 1
      - unsigned long IS12: 1
      - unsigned long IS11: 1
      - unsigned long IS10: 1
      - unsigned long IS9: 1
      - unsigned long IS8: 1
      - unsigned long IS7: 1
      - unsigned long IS6: 1
      - unsigned long IS5: 1
      - unsigned long IS4: 1
      - unsigned long IS3: 1
      - unsigned long IS2: 1
      - unsigned long IS1: 1
      - unsigned long IS0: 1
    - } BIT

} GRPBL1

- union {
  - unsigned long LONG
  - struct {
    - unsigned long IS31: 1
    - unsigned long IS30: 1
    - unsigned long IS29: 1
    - unsigned long IS28: 1
    - unsigned long IS27: 1
    - unsigned long IS26: 1
    - unsigned long IS25: 1
    - unsigned long IS24: 1
    - unsigned long IS23: 1
    - unsigned long IS22: 1
    - unsigned long IS21: 1
    - unsigned long IS20: 1
    - unsigned long IS19: 1
    - unsigned long IS18: 1
    - unsigned long IS17: 1
    - unsigned long IS16: 1
    - unsigned long IS15: 1
    - unsigned long IS14: 1
    - unsigned long IS13: 1
    - unsigned long IS12: 1
    - unsigned long IS11: 1
    - unsigned long IS10: 1
    - unsigned long IS9: 1
    - unsigned long IS8: 1
    - unsigned long IS7: 1
    - unsigned long IS6: 1
    - unsigned long IS5: 1
    - unsigned long IS4: 1
    - unsigned long IS3: 1
    - unsigned long IS2: 1
    - unsigned long IS1: 1
    - unsigned long IS0: 1
  - } BIT
- } GRPBL2
- char wk19 [4]
- union {
  - unsigned long LONG
  - struct {
    - unsigned long EN31: 1
    - unsigned long EN30: 1
    - unsigned long EN29: 1
    - unsigned long EN28: 1
    - unsigned long EN27: 1
    - unsigned long EN26: 1
    - unsigned long EN25: 1
    - unsigned long EN24: 1
    - unsigned long EN23: 1
    - unsigned long EN22: 1
    - unsigned long EN21: 1
    - unsigned long EN20: 1
    - unsigned long EN19: 1
    - unsigned long EN18: 1

```

unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
 } BIT
} GENBE0

```

- char wk20 [44]
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long EN31: 1
 unsigned long EN30: 1
 unsigned long EN29: 1
 unsigned long EN28: 1
 unsigned long EN27: 1
 unsigned long EN26: 1
 unsigned long EN25: 1
 unsigned long EN24: 1
 unsigned long EN23: 1
 unsigned long EN22: 1
 unsigned long EN21: 1
 unsigned long EN20: 1
 unsigned long EN19: 1
 unsigned long EN18: 1
 unsigned long EN17: 1
 unsigned long EN16: 1
 unsigned long EN15: 1
 unsigned long EN14: 1
 unsigned long EN13: 1
 unsigned long EN12: 1
 unsigned long EN11: 1
 unsigned long EN10: 1
 unsigned long EN9: 1
 unsigned long EN8: 1
 unsigned long EN7: 1
 unsigned long EN6: 1
 unsigned long EN5: 1
 unsigned long EN4: 1
 unsigned long EN3: 1
 unsigned long EN2: 1
 unsigned long EN1: 1
 unsigned long EN0: 1
 } BIT

```



} GENBL0

- union {
  - unsigned long LONG
  - struct {
    - unsigned long EN31: 1
    - unsigned long EN30: 1
    - unsigned long EN29: 1
    - unsigned long EN28: 1
    - unsigned long EN27: 1
    - unsigned long EN26: 1
    - unsigned long EN25: 1
    - unsigned long EN24: 1
    - unsigned long EN23: 1
    - unsigned long EN22: 1
    - unsigned long EN21: 1
    - unsigned long EN20: 1
    - unsigned long EN19: 1
    - unsigned long EN18: 1
    - unsigned long EN17: 1
    - unsigned long EN16: 1
    - unsigned long EN15: 1
    - unsigned long EN14: 1
    - unsigned long EN13: 1
    - unsigned long EN12: 1
    - unsigned long EN11: 1
    - unsigned long EN10: 1
    - unsigned long EN9: 1
    - unsigned long EN8: 1
    - unsigned long EN7: 1
    - unsigned long EN6: 1
    - unsigned long EN5: 1
    - unsigned long EN4: 1
    - unsigned long EN3: 1
    - unsigned long EN2: 1
    - unsigned long EN1: 1
    - unsigned long EN0: 1
  - } BIT
- } GENBL1

- union {
  - unsigned long LONG
  - struct {
    - unsigned long EN31: 1
    - unsigned long EN30: 1
    - unsigned long EN29: 1
    - unsigned long EN28: 1
    - unsigned long EN27: 1
    - unsigned long EN26: 1
    - unsigned long EN25: 1
    - unsigned long EN24: 1
    - unsigned long EN23: 1
    - unsigned long EN22: 1
    - unsigned long EN21: 1
    - unsigned long EN20: 1
    - unsigned long EN19: 1
    - unsigned long EN18: 1
    - unsigned long EN17: 1

```

unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
 } BIT
} GENBL2

```

- char wk21 [4]
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long CLR31: 1
 unsigned long CLR30: 1
 unsigned long CLR29: 1
 unsigned long CLR28: 1
 unsigned long CLR27: 1
 unsigned long CLR26: 1
 unsigned long CLR25: 1
 unsigned long CLR24: 1
 unsigned long CLR23: 1
 unsigned long CLR22: 1
 unsigned long CLR21: 1
 unsigned long CLR20: 1
 unsigned long CLR19: 1
 unsigned long CLR18: 1
 unsigned long CLR17: 1
 unsigned long CLR16: 1
 unsigned long CLR15: 1
 unsigned long CLR14: 1
 unsigned long CLR13: 1
 unsigned long CLR12: 1
 unsigned long CLR11: 1
 unsigned long CLR10: 1
 unsigned long CLR9: 1
 unsigned long CLR8: 1
 unsigned long CLR7: 1
 unsigned long CLR6: 1
 unsigned long CLR5: 1
 unsigned long CLR4: 1
 unsigned long CLR3: 1
 unsigned long CLR2: 1
 unsigned long CLR1: 1
 unsigned long CLR0: 1
 } BIT
 } GCRBE0

```

- char [wk22](#) [124]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [PIR7](#): 1
    - unsigned char [PIR6](#): 1
    - unsigned char [PIR5](#): 1
    - unsigned char [PIR4](#): 1
    - unsigned char [PIR3](#): 1
    - unsigned char [PIR2](#): 1
    - unsigned char [PIR1](#): 1
    - unsigned char [PIR0](#): 1
  - } [BIT](#)
- } [PIBR0](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [PIR7](#): 1
    - unsigned char [PIR6](#): 1
    - unsigned char [PIR5](#): 1
    - unsigned char [PIR4](#): 1
    - unsigned char [PIR3](#): 1
    - unsigned char [PIR2](#): 1
    - unsigned char [PIR1](#): 1
    - unsigned char [PIR0](#): 1
  - } [BIT](#)
- } [PIBR1](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [PIR7](#): 1
    - unsigned char [PIR6](#): 1
    - unsigned char [PIR5](#): 1
    - unsigned char [PIR4](#): 1
    - unsigned char [PIR3](#): 1
    - unsigned char [PIR2](#): 1
    - unsigned char [PIR1](#): 1
    - unsigned char [PIR0](#): 1
  - } [BIT](#)
- } [PIBR2](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [PIR7](#): 1
    - unsigned char [PIR6](#): 1
    - unsigned char [PIR5](#): 1
    - unsigned char [PIR4](#): 1
    - unsigned char [PIR3](#): 1
    - unsigned char [PIR2](#): 1
    - unsigned char [PIR1](#): 1
    - unsigned char [PIR0](#): 1
  - } [BIT](#)
- } [PIBR3](#)

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [PIR7](#): 1  
    unsigned char [PIR6](#): 1  
    unsigned char [PIR5](#): 1  
    unsigned char [PIR4](#): 1  
    unsigned char [PIR3](#): 1  
    unsigned char [PIR2](#): 1  
    unsigned char [PIR1](#): 1  
    unsigned char [PIR0](#): 1  
  } [BIT](#)  
} [PIBR4](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [PIR7](#): 1  
    unsigned char [PIR6](#): 1  
    unsigned char [PIR5](#): 1  
    unsigned char [PIR4](#): 1  
    unsigned char [PIR3](#): 1  
    unsigned char [PIR2](#): 1  
    unsigned char [PIR1](#): 1  
    unsigned char [PIR0](#): 1  
  } [BIT](#)  
} [PIBR5](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [PIR7](#): 1  
    unsigned char [PIR6](#): 1  
    unsigned char [PIR5](#): 1  
    unsigned char [PIR4](#): 1  
    unsigned char [PIR3](#): 1  
    unsigned char [PIR2](#): 1  
    unsigned char [PIR1](#): 1  
    unsigned char [PIR0](#): 1  
  } [BIT](#)  
} [PIBR6](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [PIR7](#): 1  
    unsigned char [PIR6](#): 1  
    unsigned char [PIR5](#): 1  
    unsigned char [PIR4](#): 1  
    unsigned char [PIR3](#): 1  
    unsigned char [PIR2](#): 1  
    unsigned char [PIR1](#): 1  
    unsigned char [PIR0](#): 1  
  } [BIT](#)  
} [PIBR7](#)
- union {  
  unsigned char [BYTE](#)

- ```

    struct {
        unsigned char PIR7: 1
        unsigned char PIR6: 1
        unsigned char PIR5: 1
        unsigned char PIR4: 1
        unsigned char PIR3: 1
        unsigned char PIR2: 1
        unsigned char PIR1: 1
        unsigned char PIR0: 1
    } BIT
} PIBR8

```
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIBR9](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIBRA](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIBRB](#)
 - char [wk23](#) [116]
 - union {
 unsigned char [BYTE](#)
 struct {

- ```
 unsigned char SLI: 8
 } BIT
} SLIBXR128
```
- union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR129
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR130
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR131
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR132
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR133
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR134
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
 } SLIBXR135
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT

- } SLIBXR136
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR137
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR138
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR139
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR140
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR141
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR142
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBXR143
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR144

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR145](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR146](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR147](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR148](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR149](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR150](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR151](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [SLI](#): 8  
  } [BIT](#)  
} [SLIBR152](#)
- union {  
  unsigned char [BYTE](#)



- ```
    struct {  
        unsigned char SLI: 8  
    } BIT  
} SLIBR153
```
- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR154
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR155
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR156
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR157
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR158
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR159
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR160
 - union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8

```
    } BIT  
} SLIBR161
```

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR162

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR163

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR164

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR165

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR166

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR167

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR168

- union {
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR169

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR170](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR171](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR172](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR173](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR174](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR175](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR176](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLI](#): 8
 } [BIT](#)
 } [SLIBR177](#)
- union {

- ```
 unsigned char BYTE
 struct {
 unsigned char SLI: 8
 } BIT
} SLIBR178
```
- union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR179
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR180
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR181
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR182
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR183
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR184
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char SLI: 8  
 } BIT  
} SLIBR185
  - union {  
 unsigned char BYTE  
 struct {

- unsigned char SLI: 8  
} BIT  
} SLIBR186
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR187
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR188
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR189
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR190
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR191
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR192
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT  
    } SLIBR193
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
      } BIT

- } SLIBR194
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR195
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR196
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR197
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR198
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR199
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR200
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR201
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char SLI: 8  
    } BIT  
  } SLIBR202

- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [SLI](#): 8  
   } [BIT](#)  
 } [SLIBR203](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [SLI](#): 8  
   } [BIT](#)  
 } [SLIBR204](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [SLI](#): 8  
   } [BIT](#)  
 } [SLIBR205](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [SLI](#): 8  
   } [BIT](#)  
 } [SLIBR206](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [SLI](#): 8  
   } [BIT](#)  
 } [SLIBR207](#)
- char [wk24](#) [96]
- union {  
   unsigned long [LONG](#)  
   struct {  
     unsigned long [IS31](#): 1  
     unsigned long [IS30](#): 1  
     unsigned long [IS29](#): 1  
     unsigned long [IS28](#): 1  
     unsigned long [IS27](#): 1  
     unsigned long [IS26](#): 1  
     unsigned long [IS25](#): 1  
     unsigned long [IS24](#): 1  
     unsigned long [IS23](#): 1  
     unsigned long [IS22](#): 1  
     unsigned long [IS21](#): 1  
     unsigned long [IS20](#): 1  
     unsigned long [IS19](#): 1  
     unsigned long [IS18](#): 1  
     unsigned long [IS17](#): 1  
     unsigned long [IS16](#): 1  
     unsigned long [IS15](#): 1  
     unsigned long [IS14](#): 1  
     unsigned long [IS13](#): 1  
 }

```

unsigned long IS12: 1
unsigned long IS11: 1
unsigned long IS10: 1
unsigned long IS9: 1
unsigned long IS8: 1
unsigned long IS7: 1
unsigned long IS6: 1
unsigned long IS5: 1
unsigned long IS4: 1
unsigned long IS3: 1
unsigned long IS2: 1
unsigned long IS1: 1
unsigned long IS0: 1
 } BIT
} GRPAL0

```

- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned long [IS31](#): 1
    - unsigned long [IS30](#): 1
    - unsigned long [IS29](#): 1
    - unsigned long [IS28](#): 1
    - unsigned long [IS27](#): 1
    - unsigned long [IS26](#): 1
    - unsigned long [IS25](#): 1
    - unsigned long [IS24](#): 1
    - unsigned long [IS23](#): 1
    - unsigned long [IS22](#): 1
    - unsigned long [IS21](#): 1
    - unsigned long [IS20](#): 1
    - unsigned long [IS19](#): 1
    - unsigned long [IS18](#): 1
    - unsigned long [IS17](#): 1
    - unsigned long [IS16](#): 1
    - unsigned long [IS15](#): 1
    - unsigned long [IS14](#): 1
    - unsigned long [IS13](#): 1
    - unsigned long [IS12](#): 1
    - unsigned long [IS11](#): 1
    - unsigned long [IS10](#): 1
    - unsigned long [IS9](#): 1
    - unsigned long [IS8](#): 1
    - unsigned long [IS7](#): 1
    - unsigned long [IS6](#): 1
    - unsigned long [IS5](#): 1
    - unsigned long [IS4](#): 1
    - unsigned long [IS3](#): 1
    - unsigned long [IS2](#): 1
    - unsigned long [IS1](#): 1
    - unsigned long [IS0](#): 1
  - } [BIT](#)
  - } [GRPAL1](#)
- char [wk25](#) [56]
- union {
  - unsigned long [LONG](#)
  - struct {



```

unsigned long EN31: 1
unsigned long EN30: 1
unsigned long EN29: 1
unsigned long EN28: 1
unsigned long EN27: 1
unsigned long EN26: 1
unsigned long EN25: 1
unsigned long EN24: 1
unsigned long EN23: 1
unsigned long EN22: 1
unsigned long EN21: 1
unsigned long EN20: 1
unsigned long EN19: 1
unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
 } BIT
} GENAL0

```

- union {
  - unsigned long LONG
    - struct {
      - unsigned long EN31: 1
      - unsigned long EN30: 1
      - unsigned long EN29: 1
      - unsigned long EN28: 1
      - unsigned long EN27: 1
      - unsigned long EN26: 1
      - unsigned long EN25: 1
      - unsigned long EN24: 1
      - unsigned long EN23: 1
      - unsigned long EN22: 1
      - unsigned long EN21: 1
      - unsigned long EN20: 1
      - unsigned long EN19: 1
      - unsigned long EN18: 1
      - unsigned long EN17: 1
      - unsigned long EN16: 1
      - unsigned long EN15: 1
      - unsigned long EN14: 1
      - unsigned long EN13: 1
      - unsigned long EN12: 1

```

unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
 } BIT
} GENAL1

```

- char wk26 [136]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PIR7: 1
 unsigned char PIR6: 1
 unsigned char PIR5: 1
 unsigned char PIR4: 1
 unsigned char PIR3: 1
 unsigned char PIR2: 1
 unsigned char PIR1: 1
 unsigned char PIR0: 1
 } BIT
 } PIAR0

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PIR7: 1
 unsigned char PIR6: 1
 unsigned char PIR5: 1
 unsigned char PIR4: 1
 unsigned char PIR3: 1
 unsigned char PIR2: 1
 unsigned char PIR1: 1
 unsigned char PIR0: 1
 } BIT
 } PIAR1

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PIR7: 1
 unsigned char PIR6: 1
 unsigned char PIR5: 1
 unsigned char PIR4: 1
 unsigned char PIR3: 1
 unsigned char PIR2: 1
 unsigned char PIR1: 1
 unsigned char PIR0: 1
 } BIT
 } PIAR2

```

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char PIR7: 1  
    unsigned char PIR6: 1  
    unsigned char PIR5: 1  
    unsigned char PIR4: 1  
    unsigned char PIR3: 1  
    unsigned char PIR2: 1  
    unsigned char PIR1: 1  
    unsigned char PIR0: 1  
  } BIT  
} PIAR3
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char PIR7: 1  
    unsigned char PIR6: 1  
    unsigned char PIR5: 1  
    unsigned char PIR4: 1  
    unsigned char PIR3: 1  
    unsigned char PIR2: 1  
    unsigned char PIR1: 1  
    unsigned char PIR0: 1  
  } BIT  
} PIAR4
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char PIR7: 1  
    unsigned char PIR6: 1  
    unsigned char PIR5: 1  
    unsigned char PIR4: 1  
    unsigned char PIR3: 1  
    unsigned char PIR2: 1  
    unsigned char PIR1: 1  
    unsigned char PIR0: 1  
  } BIT  
} PIAR5
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char PIR7: 1  
    unsigned char PIR6: 1  
    unsigned char PIR5: 1  
    unsigned char PIR4: 1  
    unsigned char PIR3: 1  
    unsigned char PIR2: 1  
    unsigned char PIR1: 1  
    unsigned char PIR0: 1  
  } BIT  
} PIAR6
- union {  
  unsigned char BYTE

- ```

    struct {
        unsigned char PIR7: 1
        unsigned char PIR6: 1
        unsigned char PIR5: 1
        unsigned char PIR4: 1
        unsigned char PIR3: 1
        unsigned char PIR2: 1
        unsigned char PIR1: 1
        unsigned char PIR0: 1
    } BIT
} PIAR7

```
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIAR8](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIAR9](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [PIR7](#): 1
 unsigned char [PIR6](#): 1
 unsigned char [PIR5](#): 1
 unsigned char [PIR4](#): 1
 unsigned char [PIR3](#): 1
 unsigned char [PIR2](#): 1
 unsigned char [PIR1](#): 1
 unsigned char [PIR0](#): 1
 } [BIT](#)
 } [PIARA](#)
 - char [wk27](#) [1]
 - union {
 unsigned char [BYTE](#)
 struct {

```
unsigned char PIR7: 1
unsigned char PIR6: 1
unsigned char PIR5: 1
unsigned char PIR4: 1
unsigned char PIR3: 1
unsigned char PIR2: 1
unsigned char PIR1: 1
unsigned char PIR0: 1
    } BIT
} PIARC
```

- char [wk28](#) [195]
- union {
 unsigned char [BYTE](#)
} [SLIAR208](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR209](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR210](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR211](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR212](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR213](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR214](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR215](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR216](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR217](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR218](#)
- union {
 unsigned char [BYTE](#)

- } [SLIAR219](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR220](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR221](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR222](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR223](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR224](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR225](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR226](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR227](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR228](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR229](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR230](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR231](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR232](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR233](#)

- union {
 unsigned char [BYTE](#)
} [SLIAR234](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR235](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR236](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR237](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR238](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR239](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR240](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR241](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR242](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR243](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR244](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR245](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR246](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR247](#)

- union {
 unsigned char [BYTE](#)
} [SLIAR248](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR249](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR250](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR251](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR252](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR253](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR254](#)
- union {
 unsigned char [BYTE](#)
} [SLIAR255](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [WPRC](#): 1
 } [BIT](#)
} [SLIPRCR](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [SELEXD1](#): 1
 unsigned char [SELEXD0](#): 1
 } [BIT](#)
} [SELEXDR](#)

5.519.1 Detailed Description

Definition at line [11444](#) of file [iodefine.h](#).

5.519.2 Field Documentation

5.519.2.1 DMRSR0

unsigned char st_icu_t::DMRSR0

Definition at line [11553](#) of file [iodefne.h](#).

5.519.2.2 DMRSR1

unsigned char st_icu_t::DMRSR1

Definition at line [11555](#) of file [iodefne.h](#).

5.519.2.3 DMRSR2

unsigned char st_icu_t::DMRSR2

Definition at line [11557](#) of file [iodefne.h](#).

5.519.2.4 DMRSR3

unsigned char st_icu_t::DMRSR3

Definition at line [11559](#) of file [iodefne.h](#).

5.519.2.5 DMRSR4

unsigned char st_icu_t::DMRSR4

Definition at line [11561](#) of file [iodefne.h](#).

5.519.2.6 DMRSR5

unsigned char st_icu_t::DMRSR5

Definition at line [11563](#) of file [iodefne.h](#).

5.519.2.7 DMRSR6

unsigned char st_icu_t::DMRSR6

Definition at line [11565](#) of file [iodefne.h](#).

5.519.2.8 DMRSR7

unsigned char st_icu_t::DMRSR7

Definition at line [11567](#) of file [iodefine.h](#).

5.519.2.9 [union]

union { ... } st_icu_t::DTCER[256]

5.519.2.10 [union]

union { ... } st_icu_t::EXNMICLR

5.519.2.11 [union]

union { ... } st_icu_t::EXNMIER

5.519.2.12 [union]

union { ... } st_icu_t::EXNMISR

5.519.2.13 [union]

union { ... } st_icu_t::FIR

5.519.2.14 [union]

union { ... } st_icu_t::GCRBE0

5.519.2.15 [union]

union { ... } st_icu_t::GCRIE0

5.519.2.16 [union]

union { ... } st_icu_t::GENAL0

5.519.2.17 [union]

union { ... } st_icu_t::GENAL1

5.519.2.18 [union]

```
union { ... } st_icu_t::GENBE0
```

5.519.2.19 [union]

```
union { ... } st_icu_t::GENBL0
```

5.519.2.20 [union]

```
union { ... } st_icu_t::GENBL1
```

5.519.2.21 [union]

```
union { ... } st_icu_t::GENBL2
```

5.519.2.22 [union]

```
union { ... } st_icu_t::GENIE0
```

5.519.2.23 [union]

```
union { ... } st_icu_t::GRPAL0
```

5.519.2.24 [union]

```
union { ... } st_icu_t::GRPAL1
```

5.519.2.25 [union]

```
union { ... } st_icu_t::GRPBEO
```

5.519.2.26 [union]

```
union { ... } st_icu_t::GRPBL0
```

5.519.2.27 [union]

```
union { ... } st_icu_t::GRPBL1
```

5.519.2.28 [union]

```
union { ... } st_icu_t::GRPBL2
```

5.519.2.29 [union]

```
union { ... } st_icu_t::GRPIE0
```

5.519.2.30 [union]

```
union { ... } st_icu_t::IER[32]
```

5.519.2.31 [union]

```
union { ... } st_icu_t::IPR[256]
```

5.519.2.32 [union]

```
union { ... } st_icu_t::IR[256]
```

5.519.2.33 [union]

```
union { ... } st_icu_t::IRQCR[16]
```

5.519.2.34 [union]

```
union { ... } st_icu_t::IRQFLTC0
```

5.519.2.35 [union]

```
union { ... } st_icu_t::IRQFLTC1
```

5.519.2.36 [union]

```
union { ... } st_icu_t::IRQFLTE0
```

5.519.2.37 [union]

```
union { ... } st_icu_t::IRQFLTE1
```

5.519.2.38 [union]

```
union { ... } st_icu_t::NMICLR
```

5.519.2.39 [union]

```
union { ... } st_icu_t::NMICR
```

5.519.2.40 [union]

```
union { ... } st_icu_t::NMIER
```

5.519.2.41 [union]

```
union { ... } st_icu_t::NMIFLTC
```

5.519.2.42 [union]

```
union { ... } st_icu_t::NMIFLTE
```

5.519.2.43 [union]

```
union { ... } st_icu_t::NMISR
```

5.519.2.44 [union]

```
union { ... } st_icu_t::PIAR0
```

5.519.2.45 [union]

```
union { ... } st_icu_t::PIAR1
```

5.519.2.46 [union]

```
union { ... } st_icu_t::PIAR2
```

5.519.2.47 [union]

```
union { ... } st_icu_t::PIAR3
```

5.519.2.48 [union]

```
union { ... } st_icu_t::PIAR4
```

5.519.2.49 [union]

```
union { ... } st_icu_t::PIAR5
```

5.519.2.50 [union]

```
union { ... } st_icu_t::PIAR6
```

5.519.2.51 [union]

```
union { ... } st_icu_t::PIAR7
```

5.519.2.52 [union]

```
union { ... } st_icu_t::PIAR8
```

5.519.2.53 [union]

```
union { ... } st_icu_t::PIAR9
```

5.519.2.54 [union]

```
union { ... } st_icu_t::PIARA
```

5.519.2.55 [union]

```
union { ... } st_icu_t::PIARC
```

5.519.2.56 [union]

```
union { ... } st_icu_t::PIBR0
```

5.519.2.57 [union]

```
union { ... } st_icu_t::PIBR1
```

5.519.2.58 [union]

```
union { ... } st_icu_t::PIBR2
```

5.519.2.59 [union]

```
union { ... } st_icu_t::PIBR3
```

5.519.2.60 [union]

```
union { ... } st_icu_t::PIBR4
```

5.519.2.61 [union]

```
union { ... } st_icu_t::PIBR5
```

5.519.2.62 [union]

```
union { ... } st_icu_t::PIBR6
```

5.519.2.63 [union]

```
union { ... } st_icu_t::PIBR7
```

5.519.2.64 [union]

```
union { ... } st_icu_t::PIBR8
```

5.519.2.65 [union]

```
union { ... } st_icu_t::PIBR9
```

5.519.2.66 [union]

```
union { ... } st_icu_t::PIBRA
```

5.519.2.67 [union]

```
union { ... } st_icu_t::PIBRB
```

5.519.2.68 [union]

```
union { ... } st_icu_t::SELEXDR
```

5.519.2.69 [union]

```
union { ... } st_icu_t::SLIAR208
```

5.519.2.70 [union]

```
union { ... } st_icu_t::SLIAR209
```

5.519.2.71 [union]

```
union { ... } st_icu_t::SLIAR210
```

5.519.2.72 [union]

```
union { ... } st_icu_t::SLIAR211
```

5.519.2.73 [union]

```
union { ... } st_icu_t::SLIAR212
```

5.519.2.74 [union]

```
union { ... } st_icu_t::SLIAR213
```

5.519.2.75 [union]

```
union { ... } st_icu_t::SLIAR214
```

5.519.2.76 [union]

```
union { ... } st_icu_t::SLIAR215
```

5.519.2.77 [union]

```
union { ... } st_icu_t::SLIAR216
```


5.519.2.78 [union]

```
union { ... } st_icu_t::SLIAR217
```

5.519.2.79 [union]

```
union { ... } st_icu_t::SLIAR218
```

5.519.2.80 [union]

```
union { ... } st_icu_t::SLIAR219
```

5.519.2.81 [union]

```
union { ... } st_icu_t::SLIAR220
```

5.519.2.82 [union]

```
union { ... } st_icu_t::SLIAR221
```

5.519.2.83 [union]

```
union { ... } st_icu_t::SLIAR222
```

5.519.2.84 [union]

```
union { ... } st_icu_t::SLIAR223
```

5.519.2.85 [union]

```
union { ... } st_icu_t::SLIAR224
```

5.519.2.86 [union]

```
union { ... } st_icu_t::SLIAR225
```

5.519.2.87 [union]

```
union { ... } st_icu_t::SLIAR226
```

5.519.2.88 [union]

union { ... } st_icu_t::SLIAR227

5.519.2.89 [union]

union { ... } st_icu_t::SLIAR228

5.519.2.90 [union]

union { ... } st_icu_t::SLIAR229

5.519.2.91 [union]

union { ... } st_icu_t::SLIAR230

5.519.2.92 [union]

union { ... } st_icu_t::SLIAR231

5.519.2.93 [union]

union { ... } st_icu_t::SLIAR232

5.519.2.94 [union]

union { ... } st_icu_t::SLIAR233

5.519.2.95 [union]

union { ... } st_icu_t::SLIAR234

5.519.2.96 [union]

union { ... } st_icu_t::SLIAR235

5.519.2.97 [union]

union { ... } st_icu_t::SLIAR236

5.519.2.98 [union]

```
union { ... } st_icu_t::SLIAR237
```

5.519.2.99 [union]

```
union { ... } st_icu_t::SLIAR238
```

5.519.2.100 [union]

```
union { ... } st_icu_t::SLIAR239
```

5.519.2.101 [union]

```
union { ... } st_icu_t::SLIAR240
```

5.519.2.102 [union]

```
union { ... } st_icu_t::SLIAR241
```

5.519.2.103 [union]

```
union { ... } st_icu_t::SLIAR242
```

5.519.2.104 [union]

```
union { ... } st_icu_t::SLIAR243
```

5.519.2.105 [union]

```
union { ... } st_icu_t::SLIAR244
```

5.519.2.106 [union]

```
union { ... } st_icu_t::SLIAR245
```

5.519.2.107 [union]

```
union { ... } st_icu_t::SLIAR246
```

5.519.2.108 [union]

union { ... } st_icu_t::SLIAR247

5.519.2.109 [union]

union { ... } st_icu_t::SLIAR248

5.519.2.110 [union]

union { ... } st_icu_t::SLIAR249

5.519.2.111 [union]

union { ... } st_icu_t::SLIAR250

5.519.2.112 [union]

union { ... } st_icu_t::SLIAR251

5.519.2.113 [union]

union { ... } st_icu_t::SLIAR252

5.519.2.114 [union]

union { ... } st_icu_t::SLIAR253

5.519.2.115 [union]

union { ... } st_icu_t::SLIAR254

5.519.2.116 [union]

union { ... } st_icu_t::SLIAR255

5.519.2.117 [union]

union { ... } st_icu_t::SLIBR144

5.519.2.118 [union]

```
union { ... } st_icu_t::SLIBR145
```

5.519.2.119 [union]

```
union { ... } st_icu_t::SLIBR146
```

5.519.2.120 [union]

```
union { ... } st_icu_t::SLIBR147
```

5.519.2.121 [union]

```
union { ... } st_icu_t::SLIBR148
```

5.519.2.122 [union]

```
union { ... } st_icu_t::SLIBR149
```

5.519.2.123 [union]

```
union { ... } st_icu_t::SLIBR150
```

5.519.2.124 [union]

```
union { ... } st_icu_t::SLIBR151
```

5.519.2.125 [union]

```
union { ... } st_icu_t::SLIBR152
```

5.519.2.126 [union]

```
union { ... } st_icu_t::SLIBR153
```

5.519.2.127 [union]

```
union { ... } st_icu_t::SLIBR154
```

5.519.2.128 [union]

union { ... } st_icu_t::SLIBR155

5.519.2.129 [union]

union { ... } st_icu_t::SLIBR156

5.519.2.130 [union]

union { ... } st_icu_t::SLIBR157

5.519.2.131 [union]

union { ... } st_icu_t::SLIBR158

5.519.2.132 [union]

union { ... } st_icu_t::SLIBR159

5.519.2.133 [union]

union { ... } st_icu_t::SLIBR160

5.519.2.134 [union]

union { ... } st_icu_t::SLIBR161

5.519.2.135 [union]

union { ... } st_icu_t::SLIBR162

5.519.2.136 [union]

union { ... } st_icu_t::SLIBR163

5.519.2.137 [union]

union { ... } st_icu_t::SLIBR164

5.519.2.138 [union]

```
union { ... } st_icu_t::SLIBR165
```

5.519.2.139 [union]

```
union { ... } st_icu_t::SLIBR166
```

5.519.2.140 [union]

```
union { ... } st_icu_t::SLIBR167
```

5.519.2.141 [union]

```
union { ... } st_icu_t::SLIBR168
```

5.519.2.142 [union]

```
union { ... } st_icu_t::SLIBR169
```

5.519.2.143 [union]

```
union { ... } st_icu_t::SLIBR170
```

5.519.2.144 [union]

```
union { ... } st_icu_t::SLIBR171
```

5.519.2.145 [union]

```
union { ... } st_icu_t::SLIBR172
```

5.519.2.146 [union]

```
union { ... } st_icu_t::SLIBR173
```

5.519.2.147 [union]

```
union { ... } st_icu_t::SLIBR174
```

5.519.2.148 [union]

union { ... } st_icu_t::SLIBR175

5.519.2.149 [union]

union { ... } st_icu_t::SLIBR176

5.519.2.150 [union]

union { ... } st_icu_t::SLIBR177

5.519.2.151 [union]

union { ... } st_icu_t::SLIBR178

5.519.2.152 [union]

union { ... } st_icu_t::SLIBR179

5.519.2.153 [union]

union { ... } st_icu_t::SLIBR180

5.519.2.154 [union]

union { ... } st_icu_t::SLIBR181

5.519.2.155 [union]

union { ... } st_icu_t::SLIBR182

5.519.2.156 [union]

union { ... } st_icu_t::SLIBR183

5.519.2.157 [union]

union { ... } st_icu_t::SLIBR184

5.519.2.158 [union]

```
union { ... } st_icu_t::SLIBR185
```

5.519.2.159 [union]

```
union { ... } st_icu_t::SLIBR186
```

5.519.2.160 [union]

```
union { ... } st_icu_t::SLIBR187
```

5.519.2.161 [union]

```
union { ... } st_icu_t::SLIBR188
```

5.519.2.162 [union]

```
union { ... } st_icu_t::SLIBR189
```

5.519.2.163 [union]

```
union { ... } st_icu_t::SLIBR190
```

5.519.2.164 [union]

```
union { ... } st_icu_t::SLIBR191
```

5.519.2.165 [union]

```
union { ... } st_icu_t::SLIBR192
```

5.519.2.166 [union]

```
union { ... } st_icu_t::SLIBR193
```

5.519.2.167 [union]

```
union { ... } st_icu_t::SLIBR194
```

5.519.2.168 [union]

union { ... } st_icu_t::SLIBR195

5.519.2.169 [union]

union { ... } st_icu_t::SLIBR196

5.519.2.170 [union]

union { ... } st_icu_t::SLIBR197

5.519.2.171 [union]

union { ... } st_icu_t::SLIBR198

5.519.2.172 [union]

union { ... } st_icu_t::SLIBR199

5.519.2.173 [union]

union { ... } st_icu_t::SLIBR200

5.519.2.174 [union]

union { ... } st_icu_t::SLIBR201

5.519.2.175 [union]

union { ... } st_icu_t::SLIBR202

5.519.2.176 [union]

union { ... } st_icu_t::SLIBR203

5.519.2.177 [union]

union { ... } st_icu_t::SLIBR204

5.519.2.178 [union]

```
union { ... } st_icu_t::SLIBR205
```

5.519.2.179 [union]

```
union { ... } st_icu_t::SLIBR206
```

5.519.2.180 [union]

```
union { ... } st_icu_t::SLIBR207
```

5.519.2.181 [union]

```
union { ... } st_icu_t::SLIBXR128
```

5.519.2.182 [union]

```
union { ... } st_icu_t::SLIBXR129
```

5.519.2.183 [union]

```
union { ... } st_icu_t::SLIBXR130
```

5.519.2.184 [union]

```
union { ... } st_icu_t::SLIBXR131
```

5.519.2.185 [union]

```
union { ... } st_icu_t::SLIBXR132
```

5.519.2.186 [union]

```
union { ... } st_icu_t::SLIBXR133
```

5.519.2.187 [union]

```
union { ... } st_icu_t::SLIBXR134
```

5.519.2.188 [union]

union { ... } st_icu_t::SLIBXR135

5.519.2.189 [union]

union { ... } st_icu_t::SLIBXR136

5.519.2.190 [union]

union { ... } st_icu_t::SLIBXR137

5.519.2.191 [union]

union { ... } st_icu_t::SLIBXR138

5.519.2.192 [union]

union { ... } st_icu_t::SLIBXR139

5.519.2.193 [union]

union { ... } st_icu_t::SLIBXR140

5.519.2.194 [union]

union { ... } st_icu_t::SLIBXR141

5.519.2.195 [union]

union { ... } st_icu_t::SLIBXR142

5.519.2.196 [union]

union { ... } st_icu_t::SLIBXR143

5.519.2.197 [union]

union { ... } st_icu_t::SLIPRCR

5.519.2.198 [union]

```
union { ... } st_icu_t::SWINT2R
```

5.519.2.199 [union]

```
union { ... } st_icu_t::SWINTR
```

5.519.2.200 wk0

```
char st_icu_t::wk0[192]
```

Definition at line [11496](#) of file [iodefne.h](#).

5.519.2.201 wk1

```
char st_icu_t::wk1[14]
```

Definition at line [11523](#) of file [iodefne.h](#).

5.519.2.202 wk10

```
char st_icu_t::wk10[227]
```

Definition at line [11568](#) of file [iodefne.h](#).

5.519.2.203 wk11

```
char st_icu_t::wk11[16]
```

Definition at line [11584](#) of file [iodefne.h](#).

5.519.2.204 wk12

```
char st_icu_t::wk12[6]
```

Definition at line [11635](#) of file [iodefne.h](#).

5.519.2.205 wk13

```
char st_icu_t::wk13[84]
```

Definition at line [11686](#) of file [iodefne.h](#).

5.519.2.206 wk14

char st_icu_t::wk14[9]

Definition at line 11820 of file [iodefne.h](#).

5.519.2.207 wk15

char st_icu_t::wk15[3]

Definition at line 11834 of file [iodefne.h](#).

5.519.2.208 wk16

char st_icu_t::wk16[27]

Definition at line 11848 of file [iodefne.h](#).

5.519.2.209 wk17

char st_icu_t::wk17[68]

Definition at line 12068 of file [iodefne.h](#).

5.519.2.210 wk18

char st_icu_t::wk18[44]

Definition at line 12142 of file [iodefne.h](#).

5.519.2.211 wk19

char st_icu_t::wk19[4]

Definition at line 12362 of file [iodefne.h](#).

5.519.2.212 wk2

char st_icu_t::wk2[14]

Definition at line 11539 of file [iodefne.h](#).

5.519.2.213 wk20

char st_icu_t::wk20[44]

Definition at line 12436 of file [iodefne.h](#).

5.519.2.214 wk21

```
char st_icu_t::wk21[4]
```

Definition at line [12656](#) of file [iodefne.h](#).

5.519.2.215 wk22

```
char st_icu_t::wk22[124]
```

Definition at line [12730](#) of file [iodefne.h](#).

5.519.2.216 wk23

```
char st_icu_t::wk23[116]
```

Definition at line [13031](#) of file [iodefne.h](#).

5.519.2.217 wk24

```
char st_icu_t::wk24[96]
```

Definition at line [13912](#) of file [iodefne.h](#).

5.519.2.218 wk25

```
char st_icu_t::wk25[56]
```

Definition at line [14059](#) of file [iodefne.h](#).

5.519.2.219 wk26

```
char st_icu_t::wk26[136]
```

Definition at line [14206](#) of file [iodefne.h](#).

5.519.2.220 wk27

```
char st_icu_t::wk27[1]
```

Definition at line [14482](#) of file [iodefne.h](#).

5.519.2.221 wk28

```
char st_icu_t::wk28[195]
```

Definition at line [14508](#) of file [iodefne.h](#).

5.519.2.222 wk3

```
char st_icu_t::wk3[3]
```

Definition at line [11554](#) of file [iodefne.h](#).

5.519.2.223 wk4

```
char st_icu_t::wk4[3]
```

Definition at line [11556](#) of file [iodefne.h](#).

5.519.2.224 wk5

```
char st_icu_t::wk5[3]
```

Definition at line [11558](#) of file [iodefne.h](#).

5.519.2.225 wk6

```
char st_icu_t::wk6[3]
```

Definition at line [11560](#) of file [iodefne.h](#).

5.519.2.226 wk7

```
char st_icu_t::wk7[3]
```

Definition at line [11562](#) of file [iodefne.h](#).

5.519.2.227 wk8

```
char st_icu_t::wk8[3]
```

Definition at line [11564](#) of file [iodefne.h](#).

5.519.2.228 wk9

```
char st_icu_t::wk9[3]
```

Definition at line [11566](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.520 st_icu_t.DTCER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [DTCE](#): 1
} [BIT](#)

5.520.1 Detailed Description

Definition at line [11458](#) of file [iodefne.h](#).

5.520.2 Field Documentation

5.520.2.1 BIT

5.520.2.2 BYTE

The documentation for this union was generated from the following files:

5.521 st_icu_t.EXNMICLR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [DPFPUCLR](#): 1
} [BIT](#)

5.521.1 Detailed Description

Definition at line [11805](#) of file [iodefne.h](#).

5.521.2 Field Documentation

5.521.2.1 BIT

5.521.2.2 BYTE

The documentation for this union was generated from the following files:

5.522 st_icu_t.EXNMIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 6
 - unsigned char [DPFPUEEN](#): 1
 - unsigned char [RAMEN](#): 1
- } [BIT](#)

5.522.1 Detailed Description

Definition at line [11790](#) of file [iodefne.h](#).

5.522.2 Field Documentation

5.522.2.1 BIT

5.522.2.2 BYTE

The documentation for this union was generated from the following files:

5.523 st_icu_t.EXNMISR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 6
 - unsigned char [DPFPUST](#): 1
 - unsigned char [RAMST](#): 1
- } [BIT](#)

5.523.1 Detailed Description

Definition at line [11775](#) of file [iodefne.h](#).

5.523.2 Field Documentation

5.523.2.1 BIT

5.523.2.2 BYTE

The documentation for this union was generated from the following files:

5.524 st_icu_t.FIR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [FIEN](#): 1
 - unsigned [short](#): 7
 - unsigned short [FVCT](#): 8
- } [BIT](#)

5.524.1 Detailed Description

Definition at line [11524](#) of file [iodefine.h](#).

5.524.2 Field Documentation

5.524.2.1 BIT

5.524.2.2 WORD

The documentation for this union was generated from the following files:

5.525 st_icu_t.GCRBE0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [CLR31](#): 1
 - unsigned long [CLR30](#): 1
 - unsigned long [CLR29](#): 1
 - unsigned long [CLR28](#): 1
 - unsigned long [CLR27](#): 1
 - unsigned long [CLR26](#): 1
 - unsigned long [CLR25](#): 1
 - unsigned long [CLR24](#): 1
 - unsigned long [CLR23](#): 1
 - unsigned long [CLR22](#): 1
 - unsigned long [CLR21](#): 1
 - unsigned long [CLR20](#): 1
 - unsigned long [CLR19](#): 1
 - unsigned long [CLR18](#): 1
 - unsigned long [CLR17](#): 1
 - unsigned long [CLR16](#): 1
 - unsigned long [CLR15](#): 1
 - unsigned long [CLR14](#): 1
 - unsigned long [CLR13](#): 1
 - unsigned long [CLR12](#): 1

```

unsigned long CLR11: 1
unsigned long CLR10: 1
unsigned long CLR9: 1
unsigned long CLR8: 1
unsigned long CLR7: 1
unsigned long CLR6: 1
unsigned long CLR5: 1
unsigned long CLR4: 1
unsigned long CLR3: 1
unsigned long CLR2: 1
unsigned long CLR1: 1
unsigned long CLR0: 1
} BIT

```

5.525.1 Detailed Description

Definition at line 12657 of file [iodefine.h](#).

5.525.2 Field Documentation

5.525.2.1 BIT

5.525.2.2 LONG

The documentation for this union was generated from the following files:

5.526 st_icu_t.GCRIE0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [CLR31](#): 1
 - unsigned long [CLR30](#): 1
 - unsigned long [CLR29](#): 1
 - unsigned long [CLR28](#): 1
 - unsigned long [CLR27](#): 1
 - unsigned long [CLR26](#): 1
 - unsigned long [CLR25](#): 1
 - unsigned long [CLR24](#): 1
 - unsigned long [CLR23](#): 1
 - unsigned long [CLR22](#): 1
 - unsigned long [CLR21](#): 1
 - unsigned long [CLR20](#): 1
 - unsigned long [CLR19](#): 1
 - unsigned long [CLR18](#): 1
 - unsigned long [CLR17](#): 1
 - unsigned long [CLR16](#): 1
 - unsigned long [CLR15](#): 1
 - unsigned long [CLR14](#): 1

```

unsigned long CLR13: 1
unsigned long CLR12: 1
unsigned long CLR11: 1
unsigned long CLR10: 1
unsigned long CLR9: 1
unsigned long CLR8: 1
unsigned long CLR7: 1
unsigned long CLR6: 1
unsigned long CLR5: 1
unsigned long CLR4: 1
unsigned long CLR3: 1
unsigned long CLR2: 1
unsigned long CLR1: 1
unsigned long CLR0: 1
} BIT

```

5.526.1 Detailed Description

Definition at line 11995 of file [iodefine.h](#).

5.526.2 Field Documentation

5.526.2.1 BIT

5.526.2.2 LONG

The documentation for this union was generated from the following files:

5.527 st_icu_t.GENAL0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1
 - unsigned long [EN23](#): 1
 - unsigned long [EN22](#): 1
 - unsigned long [EN21](#): 1
 - unsigned long [EN20](#): 1
 - unsigned long [EN19](#): 1
 - unsigned long [EN18](#): 1
 - unsigned long [EN17](#): 1
 - unsigned long [EN16](#): 1

```

unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT

```

5.527.1 Detailed Description

Definition at line [14060](#) of file [iodefine.h](#).

5.527.2 Field Documentation

5.527.2.1 BIT

5.527.2.2 LONG

The documentation for this union was generated from the following files:

5.528 st_icu_t.GENAL1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1
 - unsigned long [EN23](#): 1
 - unsigned long [EN22](#): 1
 - unsigned long [EN21](#): 1
 - unsigned long [EN20](#): 1
 - unsigned long [EN19](#): 1
 - unsigned long [EN18](#): 1

```

unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT

```

5.528.1 Detailed Description

Definition at line 14133 of file [iodefine.h](#).

5.528.2 Field Documentation

5.528.2.1 BIT

5.528.2.2 LONG

The documentation for this union was generated from the following files:

5.529 st_icu_t.GENBE0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1
 - unsigned long [EN23](#): 1
 - unsigned long [EN22](#): 1
 - unsigned long [EN21](#): 1
 - unsigned long [EN20](#): 1

```

unsigned long EN19: 1
unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT

```

5.529.1 Detailed Description

Definition at line 12363 of file [iodefine.h](#).

5.529.2 Field Documentation

5.529.2.1 BIT

5.529.2.2 LONG

The documentation for this union was generated from the following files:

5.530 st_icu_t.GENBL0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1
 - unsigned long [EN23](#): 1
 - unsigned long [EN22](#): 1


```

unsigned long EN21: 1
unsigned long EN20: 1
unsigned long EN19: 1
unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT

```

5.530.1 Detailed Description

Definition at line 12437 of file [iodefine.h](#).

5.530.2 Field Documentation

5.530.2.1 BIT

5.530.2.2 LONG

The documentation for this union was generated from the following files:

5.531 st_icu_t.GENBL1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1

```

unsigned long EN23: 1
unsigned long EN22: 1
unsigned long EN21: 1
unsigned long EN20: 1
unsigned long EN19: 1
unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT

```

5.531.1 Detailed Description

Definition at line [12510](#) of file [iodefine.h](#).

5.531.2 Field Documentation

5.531.2.1 BIT

5.531.2.2 LONG

The documentation for this union was generated from the following files:

5.532 st_icu_t.GENBL2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1

```
unsigned long EN25: 1
unsigned long EN24: 1
unsigned long EN23: 1
unsigned long EN22: 1
unsigned long EN21: 1
unsigned long EN20: 1
unsigned long EN19: 1
unsigned long EN18: 1
unsigned long EN17: 1
unsigned long EN16: 1
unsigned long EN15: 1
unsigned long EN14: 1
unsigned long EN13: 1
unsigned long EN12: 1
unsigned long EN11: 1
unsigned long EN10: 1
unsigned long EN9: 1
unsigned long EN8: 1
unsigned long EN7: 1
unsigned long EN6: 1
unsigned long EN5: 1
unsigned long EN4: 1
unsigned long EN3: 1
unsigned long EN2: 1
unsigned long EN1: 1
unsigned long EN0: 1
} BIT
```

5.532.1 Detailed Description

Definition at line 12583 of file [iodefine.h](#).

5.532.2 Field Documentation

5.532.2.1 BIT

5.532.2.2 LONG

The documentation for this union was generated from the following files:

5.533 st_icu_t.GENIE0 Union Reference

Data Fields

- unsigned long [LONG](#)

- struct {
 - unsigned long [EN31](#): 1
 - unsigned long [EN30](#): 1
 - unsigned long [EN29](#): 1
 - unsigned long [EN28](#): 1
 - unsigned long [EN27](#): 1
 - unsigned long [EN26](#): 1
 - unsigned long [EN25](#): 1
 - unsigned long [EN24](#): 1
 - unsigned long [EN23](#): 1
 - unsigned long [EN22](#): 1
 - unsigned long [EN21](#): 1
 - unsigned long [EN20](#): 1
 - unsigned long [EN19](#): 1
 - unsigned long [EN18](#): 1
 - unsigned long [EN17](#): 1
 - unsigned long [EN16](#): 1
 - unsigned long [EN15](#): 1
 - unsigned long [EN14](#): 1
 - unsigned long [EN13](#): 1
 - unsigned long [EN12](#): 1
 - unsigned long [EN11](#): 1
 - unsigned long [EN10](#): 1
 - unsigned long [EN9](#): 1
 - unsigned long [EN8](#): 1
 - unsigned long [EN7](#): 1
 - unsigned long [EN6](#): 1
 - unsigned long [EN5](#): 1
 - unsigned long [EN4](#): 1
 - unsigned long [EN3](#): 1
 - unsigned long [EN2](#): 1
 - unsigned long [EN1](#): 1
 - unsigned long [EN0](#): 1
- } [BIT](#)

5.533.1 Detailed Description

Definition at line [11922](#) of file [iodefne.h](#).

5.533.2 Field Documentation

5.533.2.1 BIT

5.533.2.2 LONG

The documentation for this union was generated from the following files:

5.534 st_icu_t.GRPAL0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.534.1 Detailed Description

Definition at line [13913](#) of file [iodefine.h](#).

5.534.2 Field Documentation

5.534.2.1 BIT

5.534.2.2 LONG

The documentation for this union was generated from the following files:

5.535 st_icu_t.GRPAL1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.535.1 Detailed Description

Definition at line [13986](#) of file [iodefine.h](#).

5.535.2 Field Documentation

5.535.2.1 BIT

5.535.2.2 LONG

The documentation for this union was generated from the following files:

5.536 st_icu_t.GRPBE0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.536.1 Detailed Description

Definition at line [12069](#) of file [iodefine.h](#).

5.536.2 Field Documentation

5.536.2.1 BIT

5.536.2.2 LONG

The documentation for this union was generated from the following files:

5.537 st_icu_t.GRPBL0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.537.1 Detailed Description

Definition at line [12143](#) of file [iodefine.h](#).

5.537.2 Field Documentation

5.537.2.1 BIT

5.537.2.2 LONG

The documentation for this union was generated from the following files:

5.538 st_icu_t.GRPBL1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.538.1 Detailed Description

Definition at line [12216](#) of file [iodefine.h](#).

5.538.2 Field Documentation

5.538.2.1 BIT

5.538.2.2 LONG

The documentation for this union was generated from the following files:

5.539 st_icu_t.GRPBL2 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.539.1 Detailed Description

Definition at line [12289](#) of file [iodefine.h](#).

5.539.2 Field Documentation

5.539.2.1 BIT

5.539.2.2 LONG

The documentation for this union was generated from the following files:

5.540 st_icu_t.GRPIE0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [IS31](#): 1
 - unsigned long [IS30](#): 1
 - unsigned long [IS29](#): 1
 - unsigned long [IS28](#): 1
 - unsigned long [IS27](#): 1
 - unsigned long [IS26](#): 1
 - unsigned long [IS25](#): 1
 - unsigned long [IS24](#): 1
 - unsigned long [IS23](#): 1
 - unsigned long [IS22](#): 1
 - unsigned long [IS21](#): 1
 - unsigned long [IS20](#): 1
 - unsigned long [IS19](#): 1
 - unsigned long [IS18](#): 1
 - unsigned long [IS17](#): 1
 - unsigned long [IS16](#): 1
 - unsigned long [IS15](#): 1
 - unsigned long [IS14](#): 1
 - unsigned long [IS13](#): 1
 - unsigned long [IS12](#): 1
 - unsigned long [IS11](#): 1
 - unsigned long [IS10](#): 1
 - unsigned long [IS9](#): 1
 - unsigned long [IS8](#): 1
 - unsigned long [IS7](#): 1
 - unsigned long [IS6](#): 1
 - unsigned long [IS5](#): 1
 - unsigned long [IS4](#): 1
 - unsigned long [IS3](#): 1
 - unsigned long [IS2](#): 1
 - unsigned long [IS1](#): 1
 - unsigned long [IS0](#): 1
- } [BIT](#)

5.540.1 Detailed Description

Definition at line [11849](#) of file [iodefine.h](#).

5.540.2 Field Documentation

5.540.2.1 BIT

5.540.2.2 LONG

The documentation for this union was generated from the following files:

5.541 st_icu_t.IER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IEN7](#): 1
 - unsigned char [IEN6](#): 1
 - unsigned char [IEN5](#): 1
 - unsigned char [IEN4](#): 1
 - unsigned char [IEN3](#): 1
 - unsigned char [IEN2](#): 1
 - unsigned char [IEN1](#): 1
 - unsigned char [IEN0](#): 1
- } [BIT](#)

5.541.1 Detailed Description

Definition at line [11471](#) of file [iodefine.h](#).

5.541.2 Field Documentation

5.541.2.1 BIT

5.541.2.2 BYTE

The documentation for this union was generated from the following files:

5.542 st_icu_t.IPR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [IPR](#): 4
- } [BIT](#)

5.542.1 Detailed Description

Definition at line [11540](#) of file [iodefine.h](#).

5.542.2 Field Documentation

5.542.2.1 BIT

5.542.2.2 BYTE

The documentation for this union was generated from the following files:

5.543 st_icu_t.IR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: 7
 unsigned char [IR](#): 1
} [BIT](#)

5.543.1 Detailed Description

Definition at line [11445](#) of file [iodefine.h](#).

5.543.2 Field Documentation

5.543.2.1 BIT

5.543.2.2 BYTE

The documentation for this union was generated from the following files:

5.544 st_icu_t.IRQCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: 4
 unsigned char [IRQMD](#): 2
} [BIT](#)

5.544.1 Detailed Description

Definition at line [11569](#) of file [iodefine.h](#).

5.544.2 Field Documentation

5.544.2.1 BIT

5.544.2.2 BYTE

The documentation for this union was generated from the following files:

5.545 st_icu_t.IRQFLTC0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [FCLKSEL7](#): 2
 - unsigned short [FCLKSEL6](#): 2
 - unsigned short [FCLKSEL5](#): 2
 - unsigned short [FCLKSEL4](#): 2
 - unsigned short [FCLKSEL3](#): 2
 - unsigned short [FCLKSEL2](#): 2
 - unsigned short [FCLKSEL1](#): 2
 - unsigned short [FCLKSEL0](#): 2
- } [BIT](#)

5.545.1 Detailed Description

Definition at line [11636](#) of file [iodefine.h](#).

5.545.2 Field Documentation

5.545.2.1 BIT

5.545.2.2 WORD

The documentation for this union was generated from the following files:

5.546 st_icu_t.IRQFLTC1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [FCLKSEL15](#): 2
 - unsigned short [FCLKSEL14](#): 2
 - unsigned short [FCLKSEL13](#): 2
 - unsigned short [FCLKSEL12](#): 2
 - unsigned short [FCLKSEL11](#): 2
 - unsigned short [FCLKSEL10](#): 2
 - unsigned short [FCLKSEL9](#): 2
 - unsigned short [FCLKSEL8](#): 2
- } [BIT](#)

5.546.1 Detailed Description

Definition at line [11661](#) of file [iodefine.h](#).

5.546.2 Field Documentation

5.546.2.1 BIT

5.546.2.2 WORD

The documentation for this union was generated from the following files:

5.547 st_icu_t.IRQFLTE0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [FLTEN7](#): 1
 - unsigned char [FLTEN6](#): 1
 - unsigned char [FLTEN5](#): 1
 - unsigned char [FLTEN4](#): 1
 - unsigned char [FLTEN3](#): 1
 - unsigned char [FLTEN2](#): 1
 - unsigned char [FLTEN1](#): 1
 - unsigned char [FLTEN0](#): 1
- } [BIT](#)

5.547.1 Detailed Description

Definition at line [11585](#) of file [iodefine.h](#).

5.547.2 Field Documentation

5.547.2.1 BIT

5.547.2.2 BYTE

The documentation for this union was generated from the following files:

5.548 st_icu_t.IRQFLTE1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [FLTEN15](#): 1
 - unsigned char [FLTEN14](#): 1
 - unsigned char [FLTEN13](#): 1
 - unsigned char [FLTEN12](#): 1
 - unsigned char [FLTEN11](#): 1
 - unsigned char [FLTEN10](#): 1
 - unsigned char [FLTEN9](#): 1
 - unsigned char [FLTEN8](#): 1
- } [BIT](#)

5.548.1 Detailed Description

Definition at line [11610](#) of file [iodefine.h](#).

5.548.2 Field Documentation

5.548.2.1 BIT

5.548.2.2 BYTE

The documentation for this union was generated from the following files:

5.549 st_icu_t.NMICLR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [LVD2CLR](#): 1
 - unsigned char [LVD1CLR](#): 1
 - unsigned char [IWDTCCLR](#): 1
 - unsigned char [WDTCLR](#): 1
 - unsigned char [OSTCLR](#): 1
 - unsigned char [NMICLR](#): 1
- } [BIT](#)

5.549.1 Detailed Description

Definition at line [11737](#) of file [iodefine.h](#).

5.549.2 Field Documentation

5.549.2.1 BIT

5.549.2.2 BYTE

The documentation for this union was generated from the following files:

5.550 st_icu_t.NMICR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 4
 unsigned char [NMIMD](#): 1
} [BIT](#)

5.550.1 Detailed Description

Definition at line [11760](#) of file [iodefine.h](#).

5.550.2 Field Documentation

5.550.2.1 BIT

5.550.2.2 BYTE

The documentation for this union was generated from the following files:

5.551 st_icu_t.NMIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 1
 unsigned char [EXNMIEN](#): 1
 unsigned char [LVD2EN](#): 1
 unsigned char [LVD1EN](#): 1
 unsigned char [IWDTEN](#): 1
 unsigned char [WDTEN](#): 1
 unsigned char [OSTEN](#): 1
 unsigned char [NMIEN](#): 1
} [BIT](#)

5.551.1 Detailed Description

Definition at line [11712](#) of file [iodefine.h](#).

5.551.2 Field Documentation

5.551.2.1 BIT

5.551.2.2 BYTE

The documentation for this union was generated from the following files:

5.552 st_icu_t.NMIFLTC Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [NFCLKSEL](#): 2
} [BIT](#)

5.552.1 Detailed Description

Definition at line [11835](#) of file [iodefine.h](#).

5.552.2 Field Documentation

5.552.2.1 BIT

5.552.2.2 BYTE

The documentation for this union was generated from the following files:

5.553 st_icu_t.NMIFLTE Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [NFLTEN](#): 1
} [BIT](#)

5.553.1 Detailed Description

Definition at line [11821](#) of file [iodefine.h](#).

5.553.2 Field Documentation

5.553.2.1 BIT

5.553.2.2 BYTE

The documentation for this union was generated from the following files:

5.554 st_icu_t.NMISR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 1
 - unsigned char [EXNMIST](#): 1
 - unsigned char [LVD2ST](#): 1
 - unsigned char [LVD1ST](#): 1
 - unsigned char [IWDTST](#): 1
 - unsigned char [WDTST](#): 1
 - unsigned char [OSTST](#): 1
 - unsigned char [NMIST](#): 1
- } [BIT](#)

5.554.1 Detailed Description

Definition at line [11687](#) of file [iodefine.h](#).

5.554.2 Field Documentation

5.554.2.1 BIT

5.554.2.2 BYTE

The documentation for this union was generated from the following files:

5.555 st_icu_t.PIAR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.555.1 Detailed Description

Definition at line [14207](#) of file [iodefine.h](#).

5.555.2 Field Documentation

5.555.2.1 BIT

5.555.2.2 BYTE

The documentation for this union was generated from the following files:

5.556 st_icu_t.PIAR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.556.1 Detailed Description

Definition at line [14232](#) of file [iodefine.h](#).

5.556.2 Field Documentation

5.556.2.1 BIT

5.556.2.2 BYTE

The documentation for this union was generated from the following files:

5.557 st_icu_t.PIAR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.557.1 Detailed Description

Definition at line [14257](#) of file [iodefine.h](#).

5.557.2 Field Documentation

5.557.2.1 BIT

5.557.2.2 BYTE

The documentation for this union was generated from the following files:

5.558 st_icu_t.PIAR3 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.558.1 Detailed Description

Definition at line [14282](#) of file [iodefine.h](#).

5.558.2 Field Documentation

5.558.2.1 BIT

5.558.2.2 BYTE

The documentation for this union was generated from the following files:

5.559 st_icu_t.PIAR4 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.559.1 Detailed Description

Definition at line [14307](#) of file [iodefine.h](#).

5.559.2 Field Documentation

5.559.2.1 BIT

5.559.2.2 BYTE

The documentation for this union was generated from the following files:

5.560 st_icu_t.PIAR5 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.560.1 Detailed Description

Definition at line [14332](#) of file [iodefine.h](#).

5.560.2 Field Documentation

5.560.2.1 BIT

5.560.2.2 BYTE

The documentation for this union was generated from the following files:

5.561 st_icu_t.PIAR6 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.561.1 Detailed Description

Definition at line [14357](#) of file [iodefine.h](#).

5.561.2 Field Documentation

5.561.2.1 BIT

5.561.2.2 BYTE

The documentation for this union was generated from the following files:

5.562 st_icu_t.PIAR7 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.562.1 Detailed Description

Definition at line [14382](#) of file [iodefine.h](#).

5.562.2 Field Documentation

5.562.2.1 BIT

5.562.2.2 BYTE

The documentation for this union was generated from the following files:

5.563 st_icu_t.PIAR8 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.563.1 Detailed Description

Definition at line [14407](#) of file [iodefne.h](#).

5.563.2 Field Documentation

5.563.2.1 BIT

5.563.2.2 BYTE

The documentation for this union was generated from the following files:

5.564 st_icu_t.PIAR9 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.564.1 Detailed Description

Definition at line [14432](#) of file [iodefne.h](#).

5.564.2 Field Documentation

5.564.2.1 BIT

5.564.2.2 BYTE

The documentation for this union was generated from the following files:

5.565 st_icu_t.PIARA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.565.1 Detailed Description

Definition at line [14457](#) of file [iodefine.h](#).

5.565.2 Field Documentation

5.565.2.1 BIT

5.565.2.2 BYTE

The documentation for this union was generated from the following files:

5.566 st_icu_t.PIARC Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.566.1 Detailed Description

Definition at line [14483](#) of file [iodefine.h](#).

5.566.2 Field Documentation

5.566.2.1 BIT

5.566.2.2 BYTE

The documentation for this union was generated from the following files:

5.567 st_icu_t.PIBR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.567.1 Detailed Description

Definition at line [12731](#) of file [iodefine.h](#).

5.567.2 Field Documentation

5.567.2.1 BIT

5.567.2.2 BYTE

The documentation for this union was generated from the following files:

5.568 st_icu_t.PIBR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.568.1 Detailed Description

Definition at line [12756](#) of file [iodefine.h](#).

5.568.2 Field Documentation

5.568.2.1 BIT

5.568.2.2 BYTE

The documentation for this union was generated from the following files:

5.569 st_icu_t.PIBR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.569.1 Detailed Description

Definition at line [12781](#) of file [iodefine.h](#).

5.569.2 Field Documentation

5.569.2.1 BIT

5.569.2.2 BYTE

The documentation for this union was generated from the following files:

5.570 st_icu_t.PIBR3 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.570.1 Detailed Description

Definition at line [12806](#) of file [iodefine.h](#).

5.570.2 Field Documentation

5.570.2.1 BIT

5.570.2.2 BYTE

The documentation for this union was generated from the following files:

5.571 st_icu_t.PIBR4 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.571.1 Detailed Description

Definition at line [12831](#) of file [iodefine.h](#).

5.571.2 Field Documentation

5.571.2.1 BIT

5.571.2.2 BYTE

The documentation for this union was generated from the following files:

5.572 st_icu_t.PIBR5 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.572.1 Detailed Description

Definition at line [12856](#) of file [iodefine.h](#).

5.572.2 Field Documentation

5.572.2.1 BIT

5.572.2.2 BYTE

The documentation for this union was generated from the following files:

5.573 st_icu_t.PIBR6 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.573.1 Detailed Description

Definition at line [12881](#) of file [iodef.h](#).

5.573.2 Field Documentation

5.573.2.1 BIT

5.573.2.2 BYTE

The documentation for this union was generated from the following files:

5.574 st_icu_t.PIBR7 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.574.1 Detailed Description

Definition at line [12906](#) of file [iodef.h](#).

5.574.2 Field Documentation

5.574.2.1 BIT

5.574.2.2 BYTE

The documentation for this union was generated from the following files:

5.575 st_icu_t.PIBR8 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.575.1 Detailed Description

Definition at line [12931](#) of file [iodefine.h](#).

5.575.2 Field Documentation

5.575.2.1 BIT

5.575.2.2 BYTE

The documentation for this union was generated from the following files:

5.576 st_icu_t.PIBR9 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.576.1 Detailed Description

Definition at line [12956](#) of file [iodefine.h](#).

5.576.2 Field Documentation

5.576.2.1 BIT

5.576.2.2 BYTE

The documentation for this union was generated from the following files:

5.577 st_icu_t.PIBRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.577.1 Detailed Description

Definition at line [12981](#) of file [iodefine.h](#).

5.577.2 Field Documentation

5.577.2.1 BIT

5.577.2.2 BYTE

The documentation for this union was generated from the following files:

5.578 st_icu_t.PIBRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIR7](#): 1
 - unsigned char [PIR6](#): 1
 - unsigned char [PIR5](#): 1
 - unsigned char [PIR4](#): 1
 - unsigned char [PIR3](#): 1
 - unsigned char [PIR2](#): 1
 - unsigned char [PIR1](#): 1
 - unsigned char [PIR0](#): 1
- } [BIT](#)

5.578.1 Detailed Description

Definition at line [13006](#) of file [iodefine.h](#).

5.578.2 Field Documentation

5.578.2.1 BIT

5.578.2.2 BYTE

The documentation for this union was generated from the following files:

5.579 st_icu_t.SELEXDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: 6
 unsigned char [SELEXD1](#): 1
 unsigned char [SELEXD0](#): 1
} [BIT](#)

5.579.1 Detailed Description

Definition at line [14666](#) of file [iodefine.h](#).

5.579.2 Field Documentation

5.579.2.1 BIT

5.579.2.2 BYTE

The documentation for this union was generated from the following files:

5.580 st_icu_t.SLIBR144 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.580.1 Detailed Description

Definition at line [13208](#) of file [iodefine.h](#).

5.580.2 Field Documentation

5.580.2.1 BIT

5.580.2.2 BYTE

The documentation for this union was generated from the following files:

5.581 st_icu_t.SLIBR145 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.581.1 Detailed Description

Definition at line [13219](#) of file [iodefine.h](#).

5.581.2 Field Documentation

5.581.2.1 BIT

5.581.2.2 BYTE

The documentation for this union was generated from the following files:

5.582 st_icu_t.SLIBR146 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.582.1 Detailed Description

Definition at line [13230](#) of file [iodefine.h](#).

5.582.2 Field Documentation

5.582.2.1 BIT

5.582.2.2 BYTE

The documentation for this union was generated from the following files:

5.583 st_icu_t.SLIBR147 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.583.1 Detailed Description

Definition at line [13241](#) of file [iodefine.h](#).

5.583.2 Field Documentation

5.583.2.1 BIT

5.583.2.2 BYTE

The documentation for this union was generated from the following files:

5.584 st_icu_t.SLIBR148 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.584.1 Detailed Description

Definition at line [13252](#) of file [iodefine.h](#).

5.584.2 Field Documentation

5.584.2.1 BIT

5.584.2.2 BYTE

The documentation for this union was generated from the following files:

5.585 st_icu_t.SLIBR149 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.585.1 Detailed Description

Definition at line [13263](#) of file [iodefine.h](#).

5.585.2 Field Documentation

5.585.2.1 BIT

5.585.2.2 BYTE

The documentation for this union was generated from the following files:

5.586 st_icu_t.SLIBR150 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.586.1 Detailed Description

Definition at line [13274](#) of file [iodefine.h](#).

5.586.2 Field Documentation

5.586.2.1 BIT

5.586.2.2 BYTE

The documentation for this union was generated from the following files:

5.587 st_icu_t.SLIBR151 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.587.1 Detailed Description

Definition at line [13285](#) of file [iodefine.h](#).

5.587.2 Field Documentation

5.587.2.1 BIT

5.587.2.2 BYTE

The documentation for this union was generated from the following files:

5.588 st_icu_t.SLIBR152 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.588.1 Detailed Description

Definition at line [13296](#) of file [iodefine.h](#).

5.588.2 Field Documentation

5.588.2.1 BIT

5.588.2.2 BYTE

The documentation for this union was generated from the following files:

5.589 st_icu_t.SLIBR153 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.589.1 Detailed Description

Definition at line [13307](#) of file [iodefine.h](#).

5.589.2 Field Documentation

5.589.2.1 BIT

5.589.2.2 BYTE

The documentation for this union was generated from the following files:

5.590 st_icu_t.SLIBR154 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.590.1 Detailed Description

Definition at line [13318](#) of file [iodefine.h](#).

5.590.2 Field Documentation

5.590.2.1 BIT

5.590.2.2 BYTE

The documentation for this union was generated from the following files:

5.591 st_icu_t.SLIBR155 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.591.1 Detailed Description

Definition at line [13329](#) of file [iodefine.h](#).

5.591.2 Field Documentation

5.591.2.1 BIT

5.591.2.2 BYTE

The documentation for this union was generated from the following files:

5.592 st_icu_t.SLIBR156 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.592.1 Detailed Description

Definition at line [13340](#) of file [iodefine.h](#).

5.592.2 Field Documentation

5.592.2.1 BIT

5.592.2.2 BYTE

The documentation for this union was generated from the following files:

5.593 st_icu_t.SLIBR157 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.593.1 Detailed Description

Definition at line [13351](#) of file [iodefine.h](#).

5.593.2 Field Documentation

5.593.2.1 BIT

5.593.2.2 BYTE

The documentation for this union was generated from the following files:

5.594 st_icu_t.SLIBR158 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.594.1 Detailed Description

Definition at line [13362](#) of file [iodefne.h](#).

5.594.2 Field Documentation

5.594.2.1 BIT

5.594.2.2 BYTE

The documentation for this union was generated from the following files:

5.595 st_icu_t.SLIBR159 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.595.1 Detailed Description

Definition at line [13373](#) of file [iodefne.h](#).

5.595.2 Field Documentation

5.595.2.1 BIT

5.595.2.2 BYTE

The documentation for this union was generated from the following files:

5.596 st_icu_t.SLIBR160 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.596.1 Detailed Description

Definition at line [13384](#) of file [iodefine.h](#).

5.596.2 Field Documentation

5.596.2.1 BIT

5.596.2.2 BYTE

The documentation for this union was generated from the following files:

5.597 st_icu_t.SLIBR161 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.597.1 Detailed Description

Definition at line [13395](#) of file [iodefine.h](#).

5.597.2 Field Documentation

5.597.2.1 BIT

5.597.2.2 BYTE

The documentation for this union was generated from the following files:

5.598 st_icu_t.SLIBR162 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.598.1 Detailed Description

Definition at line [13406](#) of file [iodefine.h](#).

5.598.2 Field Documentation

5.598.2.1 BIT

5.598.2.2 BYTE

The documentation for this union was generated from the following files:

5.599 st_icu_t.SLIBR163 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.599.1 Detailed Description

Definition at line [13417](#) of file [iodefine.h](#).

5.599.2 Field Documentation

5.599.2.1 BIT

5.599.2.2 BYTE

The documentation for this union was generated from the following files:

5.600 st_icu_t.SLIBR164 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.600.1 Detailed Description

Definition at line [13428](#) of file [iodefne.h](#).

5.600.2 Field Documentation

5.600.2.1 BIT

5.600.2.2 BYTE

The documentation for this union was generated from the following files:

5.601 st_icu_t.SLIBR165 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.601.1 Detailed Description

Definition at line [13439](#) of file [iodefne.h](#).

5.601.2 Field Documentation

5.601.2.1 BIT

5.601.2.2 BYTE

The documentation for this union was generated from the following files:

5.602 st_icu_t.SLIBR166 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.602.1 Detailed Description

Definition at line [13450](#) of file [iodefne.h](#).

5.602.2 Field Documentation

5.602.2.1 BIT

5.602.2.2 BYTE

The documentation for this union was generated from the following files:

5.603 st_icu_t.SLIBR167 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.603.1 Detailed Description

Definition at line [13461](#) of file [iodefne.h](#).

5.603.2 Field Documentation

5.603.2.1 BIT

5.603.2.2 BYTE

The documentation for this union was generated from the following files:

5.604 st_icu_t.SLIBR168 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.604.1 Detailed Description

Definition at line [13472](#) of file [iodefine.h](#).

5.604.2 Field Documentation

5.604.2.1 BIT

5.604.2.2 BYTE

The documentation for this union was generated from the following files:

5.605 st_icu_t.SLIBR169 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.605.1 Detailed Description

Definition at line [13483](#) of file [iodefine.h](#).

5.605.2 Field Documentation

5.605.2.1 BIT

5.605.2.2 BYTE

The documentation for this union was generated from the following files:

5.606 st_icu_t.SLIBR170 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.606.1 Detailed Description

Definition at line [13494](#) of file [iodefne.h](#).

5.606.2 Field Documentation

5.606.2.1 BIT

5.606.2.2 BYTE

The documentation for this union was generated from the following files:

5.607 st_icu_t.SLIBR171 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.607.1 Detailed Description

Definition at line [13505](#) of file [iodefne.h](#).

5.607.2 Field Documentation

5.607.2.1 BIT

5.607.2.2 BYTE

The documentation for this union was generated from the following files:

5.608 st_icu_t.SLIBR172 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.608.1 Detailed Description

Definition at line [13516](#) of file [iodef.h](#).

5.608.2 Field Documentation

5.608.2.1 BIT

5.608.2.2 BYTE

The documentation for this union was generated from the following files:

5.609 st_icu_t.SLIBR173 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.609.1 Detailed Description

Definition at line [13527](#) of file [iodef.h](#).

5.609.2 Field Documentation

5.609.2.1 BIT

5.609.2.2 BYTE

The documentation for this union was generated from the following files:

5.610 st_icu_t.SLIBR174 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.610.1 Detailed Description

Definition at line [13538](#) of file [iodefine.h](#).

5.610.2 Field Documentation

5.610.2.1 BIT

5.610.2.2 BYTE

The documentation for this union was generated from the following files:

5.611 st_icu_t.SLIBR175 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.611.1 Detailed Description

Definition at line [13549](#) of file [iodefine.h](#).

5.611.2 Field Documentation

5.611.2.1 BIT

5.611.2.2 BYTE

The documentation for this union was generated from the following files:

5.612 st_icu_t.SLIBR176 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.612.1 Detailed Description

Definition at line [13560](#) of file [iodef.h](#).

5.612.2 Field Documentation

5.612.2.1 BIT

5.612.2.2 BYTE

The documentation for this union was generated from the following files:

5.613 st_icu_t.SLIBR177 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.613.1 Detailed Description

Definition at line [13571](#) of file [iodef.h](#).

5.613.2 Field Documentation

5.613.2.1 BIT

5.613.2.2 BYTE

The documentation for this union was generated from the following files:

5.614 st_icu_t.SLIBR178 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.614.1 Detailed Description

Definition at line [13582](#) of file [iodefine.h](#).

5.614.2 Field Documentation

5.614.2.1 BIT

5.614.2.2 BYTE

The documentation for this union was generated from the following files:

5.615 st_icu_t.SLIBR179 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.615.1 Detailed Description

Definition at line [13593](#) of file [iodefine.h](#).

5.615.2 Field Documentation

5.615.2.1 BIT

5.615.2.2 BYTE

The documentation for this union was generated from the following files:

5.616 st_icu_t.SLIBR180 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.616.1 Detailed Description

Definition at line [13604](#) of file [iodefine.h](#).

5.616.2 Field Documentation

5.616.2.1 BIT

5.616.2.2 BYTE

The documentation for this union was generated from the following files:

5.617 st_icu_t.SLIBR181 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.617.1 Detailed Description

Definition at line [13615](#) of file [iodefine.h](#).

5.617.2 Field Documentation

5.617.2.1 BIT

5.617.2.2 BYTE

The documentation for this union was generated from the following files:

5.618 st_icu_t.SLIBR182 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.618.1 Detailed Description

Definition at line [13626](#) of file [iodefne.h](#).

5.618.2 Field Documentation

5.618.2.1 BIT

5.618.2.2 BYTE

The documentation for this union was generated from the following files:

5.619 st_icu_t.SLIBR183 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.619.1 Detailed Description

Definition at line [13637](#) of file [iodefne.h](#).

5.619.2 Field Documentation

5.619.2.1 BIT

5.619.2.2 BYTE

The documentation for this union was generated from the following files:

5.620 st_icu_t.SLIBR184 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.620.1 Detailed Description

Definition at line [13648](#) of file [iodefine.h](#).

5.620.2 Field Documentation

5.620.2.1 BIT

5.620.2.2 BYTE

The documentation for this union was generated from the following files:

5.621 st_icu_t.SLIBR185 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.621.1 Detailed Description

Definition at line [13659](#) of file [iodefine.h](#).

5.621.2 Field Documentation

5.621.2.1 BIT

5.621.2.2 BYTE

The documentation for this union was generated from the following files:

5.622 st_icu_t.SLIBR186 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.622.1 Detailed Description

Definition at line [13670](#) of file [iodefine.h](#).

5.622.2 Field Documentation

5.622.2.1 BIT

5.622.2.2 BYTE

The documentation for this union was generated from the following files:

5.623 st_icu_t.SLIBR187 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.623.1 Detailed Description

Definition at line [13681](#) of file [iodefine.h](#).

5.623.2 Field Documentation

5.623.2.1 BIT

5.623.2.2 BYTE

The documentation for this union was generated from the following files:

5.624 st_icu_t.SLIBR188 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.624.1 Detailed Description

Definition at line [13692](#) of file [iodefine.h](#).

5.624.2 Field Documentation

5.624.2.1 BIT

5.624.2.2 BYTE

The documentation for this union was generated from the following files:

5.625 st_icu_t.SLIBR189 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.625.1 Detailed Description

Definition at line [13703](#) of file [iodefine.h](#).

5.625.2 Field Documentation

5.625.2.1 BIT

5.625.2.2 BYTE

The documentation for this union was generated from the following files:

5.626 st_icu_t.SLIBR190 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.626.1 Detailed Description

Definition at line [13714](#) of file [iodefine.h](#).

5.626.2 Field Documentation

5.626.2.1 BIT

5.626.2.2 BYTE

The documentation for this union was generated from the following files:

5.627 st_icu_t.SLIBR191 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.627.1 Detailed Description

Definition at line [13725](#) of file [iodefine.h](#).

5.627.2 Field Documentation

5.627.2.1 BIT

5.627.2.2 BYTE

The documentation for this union was generated from the following files:

5.628 st_icu_t.SLIBR192 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.628.1 Detailed Description

Definition at line [13736](#) of file [iodefine.h](#).

5.628.2 Field Documentation

5.628.2.1 BIT

5.628.2.2 BYTE

The documentation for this union was generated from the following files:

5.629 st_icu_t.SLIBR193 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.629.1 Detailed Description

Definition at line [13747](#) of file [iodefine.h](#).

5.629.2 Field Documentation

5.629.2.1 BIT

5.629.2.2 BYTE

The documentation for this union was generated from the following files:

5.630 st_icu_t.SLIBR194 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.630.1 Detailed Description

Definition at line [13758](#) of file [iodefine.h](#).

5.630.2 Field Documentation

5.630.2.1 BIT

5.630.2.2 BYTE

The documentation for this union was generated from the following files:

5.631 st_icu_t.SLIBR195 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.631.1 Detailed Description

Definition at line [13769](#) of file [iodefine.h](#).

5.631.2 Field Documentation

5.631.2.1 BIT

5.631.2.2 BYTE

The documentation for this union was generated from the following files:

5.632 st_icu_t.SLIBR196 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.632.1 Detailed Description

Definition at line [13780](#) of file [iodef.h](#).

5.632.2 Field Documentation

5.632.2.1 BIT

5.632.2.2 BYTE

The documentation for this union was generated from the following files:

5.633 st_icu_t.SLIBR197 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.633.1 Detailed Description

Definition at line [13791](#) of file [iodef.h](#).

5.633.2 Field Documentation

5.633.2.1 BIT

5.633.2.2 BYTE

The documentation for this union was generated from the following files:

5.634 st_icu_t.SLIBR198 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.634.1 Detailed Description

Definition at line [13802](#) of file [iodefine.h](#).

5.634.2 Field Documentation

5.634.2.1 BIT

5.634.2.2 BYTE

The documentation for this union was generated from the following files:

5.635 st_icu_t.SLIBR199 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.635.1 Detailed Description

Definition at line [13813](#) of file [iodefine.h](#).

5.635.2 Field Documentation

5.635.2.1 BIT

5.635.2.2 BYTE

The documentation for this union was generated from the following files:

5.636 st_icu_t.SLIBR200 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.636.1 Detailed Description

Definition at line [13824](#) of file [iodefine.h](#).

5.636.2 Field Documentation

5.636.2.1 BIT

5.636.2.2 BYTE

The documentation for this union was generated from the following files:

5.637 st_icu_t.SLIBR201 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.637.1 Detailed Description

Definition at line [13835](#) of file [iodefine.h](#).

5.637.2 Field Documentation

5.637.2.1 BIT

5.637.2.2 BYTE

The documentation for this union was generated from the following files:

5.638 st_icu_t.SLIBR202 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.638.1 Detailed Description

Definition at line [13846](#) of file [iodefine.h](#).

5.638.2 Field Documentation

5.638.2.1 BIT

5.638.2.2 BYTE

The documentation for this union was generated from the following files:

5.639 st_icu_t.SLIBR203 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.639.1 Detailed Description

Definition at line [13857](#) of file [iodefine.h](#).

5.639.2 Field Documentation

5.639.2.1 BIT

5.639.2.2 BYTE

The documentation for this union was generated from the following files:

5.640 st_icu_t.SLIBR204 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.640.1 Detailed Description

Definition at line [13868](#) of file [iodefine.h](#).

5.640.2 Field Documentation

5.640.2.1 BIT

5.640.2.2 BYTE

The documentation for this union was generated from the following files:

5.641 st_icu_t.SLIBR205 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.641.1 Detailed Description

Definition at line [13879](#) of file [iodefine.h](#).

5.641.2 Field Documentation

5.641.2.1 BIT

5.641.2.2 BYTE

The documentation for this union was generated from the following files:

5.642 st_icu_t.SLIBR206 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.642.1 Detailed Description

Definition at line [13890](#) of file [iodefine.h](#).

5.642.2 Field Documentation

5.642.2.1 BIT

5.642.2.2 BYTE

The documentation for this union was generated from the following files:

5.643 st_icu_t.SLIBR207 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.643.1 Detailed Description

Definition at line [13901](#) of file [iodefine.h](#).

5.643.2 Field Documentation

5.643.2.1 BIT

5.643.2.2 BYTE

The documentation for this union was generated from the following files:

5.644 st_icu_t.SLIBXR128 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.644.1 Detailed Description

Definition at line [13032](#) of file [iodefine.h](#).

5.644.2 Field Documentation

5.644.2.1 BIT

5.644.2.2 BYTE

The documentation for this union was generated from the following files:

5.645 st_icu_t.SLIBXR129 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.645.1 Detailed Description

Definition at line [13043](#) of file [iodefine.h](#).

5.645.2 Field Documentation

5.645.2.1 BIT

5.645.2.2 BYTE

The documentation for this union was generated from the following files:

5.646 st_icu_t.SLIBXR130 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.646.1 Detailed Description

Definition at line [13054](#) of file [iodefne.h](#).

5.646.2 Field Documentation

5.646.2.1 BIT

5.646.2.2 BYTE

The documentation for this union was generated from the following files:

5.647 st_icu_t.SLIBXR131 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.647.1 Detailed Description

Definition at line [13065](#) of file [iodefne.h](#).

5.647.2 Field Documentation

5.647.2.1 BIT

5.647.2.2 BYTE

The documentation for this union was generated from the following files:

5.648 st_icu_t.SLIBXR132 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.648.1 Detailed Description

Definition at line [13076](#) of file [iodefine.h](#).

5.648.2 Field Documentation

5.648.2.1 BIT

5.648.2.2 BYTE

The documentation for this union was generated from the following files:

5.649 st_icu_t.SLIBXR133 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.649.1 Detailed Description

Definition at line [13087](#) of file [iodefine.h](#).

5.649.2 Field Documentation

5.649.2.1 BIT

5.649.2.2 BYTE

The documentation for this union was generated from the following files:

5.650 st_icu_t.SLIBXR134 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.650.1 Detailed Description

Definition at line [13098](#) of file [iodefine.h](#).

5.650.2 Field Documentation

5.650.2.1 BIT

5.650.2.2 BYTE

The documentation for this union was generated from the following files:

5.651 st_icu_t.SLIBXR135 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.651.1 Detailed Description

Definition at line [13109](#) of file [iodefine.h](#).

5.651.2 Field Documentation

5.651.2.1 BIT

5.651.2.2 BYTE

The documentation for this union was generated from the following files:

5.652 st_icu_t.SLIBXR136 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.652.1 Detailed Description

Definition at line [13120](#) of file [iodefine.h](#).

5.652.2 Field Documentation

5.652.2.1 BIT

5.652.2.2 BYTE

The documentation for this union was generated from the following files:

5.653 st_icu_t.SLIBXR137 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.653.1 Detailed Description

Definition at line [13131](#) of file [iodefine.h](#).

5.653.2 Field Documentation

5.653.2.1 BIT

5.653.2.2 BYTE

The documentation for this union was generated from the following files:

5.654 st_icu_t.SLIBXR138 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.654.1 Detailed Description

Definition at line [13142](#) of file [iodefne.h](#).

5.654.2 Field Documentation

5.654.2.1 BIT

5.654.2.2 BYTE

The documentation for this union was generated from the following files:

5.655 st_icu_t.SLIBXR139 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.655.1 Detailed Description

Definition at line [13153](#) of file [iodefne.h](#).

5.655.2 Field Documentation

5.655.2.1 BIT

5.655.2.2 BYTE

The documentation for this union was generated from the following files:

5.656 st_icu_t.SLIBXR140 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.656.1 Detailed Description

Definition at line [13164](#) of file [iodefine.h](#).

5.656.2 Field Documentation

5.656.2.1 BIT

5.656.2.2 BYTE

The documentation for this union was generated from the following files:

5.657 st_icu_t.SLIBXR141 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.657.1 Detailed Description

Definition at line [13175](#) of file [iodefine.h](#).

5.657.2 Field Documentation

5.657.2.1 BIT

5.657.2.2 BYTE

The documentation for this union was generated from the following files:

5.658 st_icu_t.SLIBXR142 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.658.1 Detailed Description

Definition at line [13186](#) of file [iodefne.h](#).

5.658.2 Field Documentation

5.658.2.1 BIT

5.658.2.2 BYTE

The documentation for this union was generated from the following files:

5.659 st_icu_t.SLIBXR143 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [SLI](#): 8
} [BIT](#)

5.659.1 Detailed Description

Definition at line [13197](#) of file [iodefne.h](#).

5.659.2 Field Documentation

5.659.2.1 BIT

5.659.2.2 BYTE

The documentation for this union was generated from the following files:

5.660 st_icu_t.SLIPRCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [WPRC](#): 1
} [BIT](#)

5.660.1 Detailed Description

Definition at line [14653](#) of file [iodefne.h](#).

5.660.2 Field Documentation

5.660.2.1 BIT

5.660.2.2 BYTE

The documentation for this union was generated from the following files:

5.661 st_icu_t.SWINT2R Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [SWINT2](#): 1
} [BIT](#)

5.661.1 Detailed Description

Definition at line [11510](#) of file [iodefne.h](#).

5.661.2 Field Documentation

5.661.2.1 BIT

5.661.2.2 BYTE

The documentation for this union was generated from the following files:

5.662 st_icu_t.SWINTR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [SWINT](#): 1
} [BIT](#)

5.662.1 Detailed Description

Definition at line 11497 of file [iodefne.h](#).

5.662.2 Field Documentation

5.662.2.1 BIT


5.662.2.2 BYTE

The documentation for this union was generated from the following files:

5.663 st_iwdt_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_iwdt_t:



Data Fields

- unsigned char [IWDTRR](#)
- char [wk0](#) [1]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 2
 - unsigned short [RPSS](#): 2
 - unsigned short [RPES](#): 2
 - unsigned short [CKS](#): 4
 - unsigned short [TOPS](#): 2
 - } [BIT](#)
 - } [IWDTCR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [REFEF](#): 1
 - unsigned short [UNDEF](#): 1
 - unsigned short [CNTVAL](#): 14
 - } [BIT](#)
 - } [IWDTSR](#)

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [RSTIRQS](#): 1
 unsigned [char](#): 7
 } [BIT](#)
 } [IWDTRCR](#)
- char [wk1](#) [1]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SLCSTP](#): 1
 unsigned [char](#): 7
 } [BIT](#)
 } [IWDTCSTPR](#)

5.663.1 Detailed Description

Definition at line [14683](#) of file [iodefne.h](#).

5.663.2 Field Documentation

5.663.2.1 [union]

union { ... } st_iwdt_t::IWDTRCR

5.663.2.2 [union]

union { ... } st_iwdt_t::IWDTCSTPR

5.663.2.3 [union]

union { ... } st_iwdt_t::IWDTRCR

5.663.2.4 IWDTRR

unsigned char st_iwdt_t::IWDTRR

Definition at line [14684](#) of file [iodefne.h](#).

5.663.2.5 [union]

union { ... } st_iwdt_t::IWDTSR

5.663.2.6 wk0

```
char st_iwtdt_t::wk0[1]
```

Definition at line [14685](#) of file [iodefne.h](#).

5.663.2.7 wk1

```
char st_iwtdt_t::wk1[1]
```

Definition at line [14737](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.664 st_iwtdt_t.IWDTCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 2
 - unsigned short [RPSS](#): 2
 - unsigned short [RPES](#): 2
 - unsigned short [CKS](#): 4
 - unsigned short [TOPS](#): 2
- } [BIT](#)

5.664.1 Detailed Description

Definition at line [14686](#) of file [iodefne.h](#).

5.664.2 Field Documentation

5.664.2.1 BIT

5.664.2.2 WORD

The documentation for this union was generated from the following files:

5.665 st_iwdt_t.IWDTCSTPR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [SLCSTP](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.665.1 Detailed Description

Definition at line [14738](#) of file [iodefine.h](#).

5.665.2 Field Documentation

5.665.2.1 BIT

5.665.2.2 BYTE

The documentation for this union was generated from the following files:

5.666 st_iwdt_t.IWDTRCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [RSTIRQS](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.666.1 Detailed Description

Definition at line [14724](#) of file [iodefine.h](#).

5.666.2 Field Documentation

5.666.2.1 BIT

5.666.2.2 BYTE

The documentation for this union was generated from the following files:

5.667 st_iwdt_t.IWDTSR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [REFEF](#): 1
 - unsigned short [UNDEF](#): 1
 - unsigned short [CNTVAL](#): 14
- } [BIT](#)

5.667.1 Detailed Description

Definition at line [14709](#) of file [iodefine.h](#).

5.667.2 Field Documentation

5.667.2.1 BIT


5.667.2.2 WORD

The documentation for this union was generated from the following files:

5.668 st_mmcif_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_mmcif_t:



Data Fields

- union {
 unsigned long LONG
} CECMDSET
- char wk0 [4]
- union {
 unsigned long LONG
} CEARG

- union {
 - unsigned long LONG
 - struct {
 - unsigned long C12ARG: 32
 - } BIT
 } CEARGCMD12
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 31
 - unsigned long BREAK: 1
 - } BIT
 } CECMDCTRL
- union {
 - unsigned long LONG
 - struct {
 - unsigned long BLKCNT: 16
 - unsigned long BLKSIZ: 16
 - } BIT
 } CEBLOCKSET
- union {
 - unsigned long LONG
 - struct {
 - unsigned long MMCBUSBSY: 1
 - unsigned long: 6
 - unsigned long CLKEN: 1
 - unsigned long CLKDIV: 4
 - unsigned long SRSPTO: 2
 - unsigned long SRBSYTO: 4
 - unsigned long SRWDTO: 4
 - } BIT
 } CECLKCTRL
- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 5
 - unsigned long DMATYP: 1
 - unsigned long DMAWEN: 1
 - unsigned long DMAREN: 1
 - unsigned long ATYP: 1
 - } BIT
 } CEBUFACC
- unsigned long CERESP3
- unsigned long CERESP2
- unsigned long CERESP1
- unsigned long CERESP0
- union {
 - unsigned long LONG
 - struct {
 - unsigned long RSP12: 32
 - } BIT
 } CERESPCMD12

- unsigned long [CEDATA](#)
- char [wk1](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned long [SBTCLKDIV](#): 4
 - unsigned long [SBTACKTO](#): 4
 - unsigned long [SFSTBTDATTO](#): 4
 - unsigned long [SBTDATTO](#): 4
 - unsigned [long](#): 16
 - } [BIT](#)
- } [CEBOOT](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [CMD12DRE](#): 1
 - unsigned long [CMD12RBE](#): 1
 - unsigned long [CMD12CRE](#): 1
 - unsigned long [DTRANE](#): 1
 - unsigned long [BUFRE](#): 1
 - unsigned long [BUFWEN](#): 1
 - unsigned long [BUFREN](#): 1
 - unsigned long [RBSYE](#): 1
 - unsigned long [CRSPE](#): 1
 - unsigned long [CMDVIO](#): 1
 - unsigned long [BUFVIO](#): 1
 - unsigned long [WDATERR](#): 1
 - unsigned long [RDATERR](#): 1
 - unsigned long [RIDXERR](#): 1
 - unsigned long [RSPERR](#): 1
 - unsigned long [CRCSTO](#): 1
 - unsigned long [WDATTO](#): 1
 - unsigned long [RDATTO](#): 1
 - unsigned long [RBSYTO](#): 1
 - unsigned long [RSPTO](#): 1
 - } [BIT](#)
- } [CEINT](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 5
 - unsigned long [MCMD12DRE](#): 1
 - unsigned long [MCMD12RBE](#): 1
 - unsigned long [MCMD12CRE](#): 1
 - unsigned long [MDTRANE](#): 1
 - unsigned long [MBUFRE](#): 1
 - unsigned long [MBUFWEN](#): 1
 - unsigned long [MBUFREN](#): 1
 - unsigned long [MRBSYE](#): 1
 - unsigned long [MCRSPE](#): 1
 - unsigned long [MCMDVIO](#): 1
 - unsigned long [MBUFVIO](#): 1
 - unsigned long [MWDATERR](#): 1
 - unsigned long [MRDATERR](#): 1
 - unsigned long [MRIDXERR](#): 1

- ```

unsigned long MRSPERR: 1
unsigned long MCRCSTO: 1
unsigned long MWDATTO: 1
unsigned long MRDATTO: 1
unsigned long MRBSYTO: 1
unsigned long MRSPTO: 1
 } BIT
} CEINTEN

```
- union {
 

```

unsigned long LONG
 struct {
unsigned long CMDSEQ: 1
unsigned long CMDSIG: 1
unsigned long RSPIDX: 6
unsigned long DATSIG: 8
unsigned long RCVBLK: 16
 } BIT
} CEHOSTSTS1

```
  - union {
 

```

unsigned long LONG
 struct {
unsigned long CRCSTE: 1
unsigned long CRC16E: 1
unsigned long AC12CRCE: 1
unsigned long RSPCRC7E: 1
unsigned long CRCSTEBE: 1
unsigned long RDATEBE: 1
unsigned long AC12REBE: 1
unsigned long RSPEBE: 1
unsigned long AC12IDX: 1
unsigned long RSPIDX: 1
unsigned long BTACKPATE: 1
unsigned long BTACKEBE: 1
unsigned long long: 1
unsigned long CRCST: 3
unsigned long STRDATTO: 1
unsigned long DATBSYTO: 1
unsigned long CRCSTTO: 1
unsigned long AC12BSYTO: 1
unsigned long RSPBSYTO: 1
unsigned long AC12RSPTO: 1
unsigned long STRSPTO: 1
unsigned long BTACKTO: 1
unsigned long FSTBTDATTO: 1
unsigned long BTDATTO: 1
 } BIT
} CEHOSTSTS2

```
  - char [wk2](#) [32]
  - union {
 

```

unsigned long LONG
 struct {
unsigned long long: 17
unsigned long CDSIG: 1
unsigned long CDRISE: 1
unsigned long CDFALL: 1

```

- unsigned long [MCDRISE](#): 1
  - unsigned long [MCDFALL](#): 1
  - } [BIT](#)
  - } [CEDETECT](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 10
  - unsigned long [RESNOUT](#): 1
  - unsigned long [CLKMAIN](#): 1
  - } [BIT](#)
  - } [CEADDMODE](#)
- char [wk3](#) [4]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned long [SWRST](#): 1
  - unsigned [long](#): 15
  - unsigned long [VERSION](#): 16
  - } [BIT](#)
  - } [CEVERSION](#)

### 5.668.1 Detailed Description

Definition at line [14753](#) of file [iodefne.h](#).

### 5.668.2 Field Documentation

#### 5.668.2.1 [union]

union { ... } st\_mmcif\_t::CEADDMODE

#### 5.668.2.2 [union]

union { ... } st\_mmcif\_t::CEARG

#### 5.668.2.3 [union]

union { ... } st\_mmcif\_t::CEARGCMD12

#### 5.668.2.4 [union]

union { ... } st\_mmcif\_t::CEBLOCKSET

## 5.668.2.5 [union]

```
union { ... } st_mmcif_t::CEBOOT
```

## 5.668.2.6 [union]

```
union { ... } st_mmcif_t::CEBUFACC
```

## 5.668.2.7 [union]

```
union { ... } st_mmcif_t::CECLKCTRL
```

## 5.668.2.8 [union]

```
union { ... } st_mmcif_t::CECMDCTRL
```

## 5.668.2.9 [union]

```
union { ... } st_mmcif_t::CECMDSET
```

## 5.668.2.10 CEDATA

```
unsigned long st_mmcif_t::CEDATA
```

Definition at line [14917](#) of file [iodefine.h](#).

## 5.668.2.11 [union]

```
union { ... } st_mmcif_t::CEDETECT
```

## 5.668.2.12 [union]

```
union { ... } st_mmcif_t::CEHOSTSTS1
```

## 5.668.2.13 [union]

```
union { ... } st_mmcif_t::CEHOSTSTS2
```

## 5.668.2.14 [union]

```
union { ... } st_mmcif_t::CEINT
```

## 5.668.2.15 [union]

```
union { ... } st_mmcif_t::CEINTEN
```

## 5.668.2.16 CERESP0

```
unsigned long st_mmcif_t::CERESP0
```

Definition at line [14905](#) of file [iodefne.h](#).

## 5.668.2.17 CERESP1

```
unsigned long st_mmcif_t::CERESP1
```

Definition at line [14904](#) of file [iodefne.h](#).

## 5.668.2.18 CERESP2

```
unsigned long st_mmcif_t::CERESP2
```

Definition at line [14903](#) of file [iodefne.h](#).

## 5.668.2.19 CERESP3

```
unsigned long st_mmcif_t::CERESP3
```

Definition at line [14902](#) of file [iodefne.h](#).

## 5.668.2.20 [union]

```
union { ... } st_mmcif_t::CERESPCMD12
```

## 5.668.2.21 [union]

```
union { ... } st_mmcif_t::CEVERSION
```

## 5.668.2.22 wk0

```
char st_mmcif_t::wk0[4]
```

Definition at line [14809](#) of file [iodefne.h](#).

## 5.668.2.23 wk1

```
char st_mmcif_t::wk1[4]
```

Definition at line [14918](#) of file [iodefne.h](#).

#### 5.668.2.24 wk2

char st\_mmcif\_t::wk2[32]

Definition at line [15132](#) of file [iodefne.h](#).

#### 5.668.2.25 wk3

char st\_mmcif\_t::wk3[4]

Definition at line [15177](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

### 5.669 st\_mmcif\_t.CEADDMODE Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 10
  - unsigned long [RESNOUT](#): 1
  - unsigned long [CLKMAIN](#): 1
- } [BIT](#)

#### 5.669.1 Detailed Description

Definition at line [15158](#) of file [iodefne.h](#).

#### 5.669.2 Field Documentation

##### 5.669.2.1 BIT

##### 5.669.2.2 LONG

The documentation for this union was generated from the following files:

### 5.670 st\_mmcif\_t.CEARGCMD12 Union Reference

#### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [C12ARG](#): 32
- } [BIT](#)



### 5.670.1 Detailed Description

Definition at line [14813](#) of file [iodefne.h](#).

### 5.670.2 Field Documentation

#### 5.670.2.1 BIT

#### 5.670.2.2 LONG

The documentation for this union was generated from the following files:

## 5.671 st\_mmcif\_t.CEBLOCKSET Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [BLKCNT](#): 16
  - unsigned long [BLKSIZ](#): 16
- } [BIT](#)

### 5.671.1 Detailed Description

Definition at line [14837](#) of file [iodefne.h](#).

### 5.671.2 Field Documentation

#### 5.671.2.1 BIT

#### 5.671.2.2 LONG

The documentation for this union was generated from the following files:

## 5.672 st\_mmcif\_t.CEBOOT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [SBTCLKDIV](#): 4
  - unsigned long [SBTACKTO](#): 4
  - unsigned long [SFSTBTDATTO](#): 4
  - unsigned long [SBTDATTO](#): 4
  - unsigned [long](#): 16
- } [BIT](#)

### 5.672.1 Detailed Description

Definition at line [14919](#) of file [iodefne.h](#).

### 5.672.2 Field Documentation

#### 5.672.2.1 BIT

#### 5.672.2.2 LONG

The documentation for this union was generated from the following files:

## 5.673 st\_mmcif\_t.CEBUFACC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [DMATYP](#): 1
  - unsigned long [DMAWEN](#): 1
  - unsigned long [DMAREN](#): 1
  - unsigned long [ATYP](#): 1
- } [BIT](#)

### 5.673.1 Detailed Description

Definition at line [14879](#) of file [iodefne.h](#).

### 5.673.2 Field Documentation

#### 5.673.2.1 BIT

#### 5.673.2.2 LONG

The documentation for this union was generated from the following files:

## 5.674 st\_mmcif\_t.CECLKCTRL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [MMCBUSBSY](#): 1
  - unsigned long: 6
  - unsigned long [CLKEN](#): 1
  - unsigned long [CLKDIV](#): 4
  - unsigned long [SRSPTO](#): 2
  - unsigned long [SRBSYTO](#): 4
  - unsigned long [SRWDTO](#): 4
- } [BIT](#)

### 5.674.1 Detailed Description

Definition at line [14850](#) of file [iodefine.h](#).

### 5.674.2 Field Documentation

#### 5.674.2.1 BIT

#### 5.674.2.2 LONG

The documentation for this union was generated from the following files:

## 5.675 st\_mmcif\_t.CECMDCTRL Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 31  
    unsigned long [BREAK](#): 1  
} [BIT](#)

### 5.675.1 Detailed Description

Definition at line [14824](#) of file [iodefine.h](#).

### 5.675.2 Field Documentation

#### 5.675.2.1 BIT

#### 5.675.2.2 LONG

The documentation for this union was generated from the following files:

## 5.676 st\_mmcif\_t.CEDETTECT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 17  
    unsigned long [CDSIG](#): 1  
    unsigned long [CDRISE](#): 1  
    unsigned long [CDFALL](#): 1  
    unsigned long [MCDRISE](#): 1  
    unsigned long [MCDFALL](#): 1  
} [BIT](#)

### 5.676.1 Detailed Description

Definition at line [15133](#) of file [iodefine.h](#).

### 5.676.2 Field Documentation

#### 5.676.2.1 BIT

#### 5.676.2.2 LONG

The documentation for this union was generated from the following files:

## 5.677 st\_mmcif\_t.CEHOSTSTS1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CMDSEQ](#): 1
  - unsigned long [CMDSIG](#): 1
  - unsigned long [RSPIDX](#): 6
  - unsigned long [DATSIG](#): 8
  - unsigned long [RCVBLK](#): 16
- } [BIT](#)

### 5.677.1 Detailed Description

Definition at line [15052](#) of file [iodefine.h](#).

### 5.677.2 Field Documentation

#### 5.677.2.1 BIT

#### 5.677.2.2 LONG

The documentation for this union was generated from the following files:

## 5.678 st\_mmcif\_t.CEHOSTSTS2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [CRCSTE](#): 1
  - unsigned long [CRC16E](#): 1
  - unsigned long [AC12CRCE](#): 1
  - unsigned long [RSPCRC7E](#): 1
  - unsigned long [CRCSTEBE](#): 1
  - unsigned long [RDATEBE](#): 1
  - unsigned long [AC12REBE](#): 1
  - unsigned long [RSPEBE](#): 1
  - unsigned long [AC12IDX](#): 1
  - unsigned long [RSPIDX](#): 1
  - unsigned long [BTACKPATE](#): 1
  - unsigned long [BTACKEBE](#): 1
  - unsigned [long](#): 1
  - unsigned long [CRCST](#): 3
  - unsigned long [STRDATTO](#): 1
  - unsigned long [DATBSYTO](#): 1
  - unsigned long [CRCSTTO](#): 1
  - unsigned long [AC12BSYTO](#): 1
  - unsigned long [RSPBSYTO](#): 1
  - unsigned long [AC12RSPTO](#): 1
  - unsigned long [STRSPTO](#): 1
  - unsigned long [BTACKTO](#): 1
  - unsigned long [FSTBTDATTO](#): 1
  - unsigned long [BTDATTO](#): 1
- } [BIT](#)

### 5.678.1 Detailed Description

Definition at line [15071](#) of file [iodefine.h](#).

### 5.678.2 Field Documentation

#### 5.678.2.1 BIT

#### 5.678.2.2 LONG

The documentation for this union was generated from the following files:

## 5.679 st\_mmcif\_t.CEINT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 5
  - unsigned long [CMD12DRE](#): 1
  - unsigned long [CMD12RBE](#): 1
  - unsigned long [CMD12CRE](#): 1
  - unsigned long [DTRANE](#): 1
  - unsigned long [BUFRE](#): 1
  - unsigned long [BUFWEN](#): 1
  - unsigned long [BUFREN](#): 1
  - unsigned long [RBSYE](#): 1
  - unsigned long [CRSPE](#): 1
  - unsigned long [CMDVIO](#): 1
  - unsigned long [BUFVIO](#): 1
  - unsigned long [WDATERR](#): 1
  - unsigned long [RDATERR](#): 1
  - unsigned long [RIDXERR](#): 1
  - unsigned long [RSPERR](#): 1
  - unsigned long [CRCSTO](#): 1
  - unsigned long [WDATTO](#): 1
  - unsigned long [RDATTO](#): 1
  - unsigned long [RBSYTO](#): 1
  - unsigned long [RSPTO](#): 1
- } [BIT](#)

### 5.679.1 Detailed Description

Definition at line [14938](#) of file [iodefine.h](#).

### 5.679.2 Field Documentation

#### 5.679.2.1 BIT

#### 5.679.2.2 LONG

The documentation for this union was generated from the following files:

## 5.680 st\_mmcif\_t.CEINTEN Union Reference

### Data Fields

- unsigned long [LONG](#)

- struct {
  - unsigned long: 5
  - unsigned long [MCMD12DRE](#): 1
  - unsigned long [MCMD12RBE](#): 1
  - unsigned long [MCMD12CRE](#): 1
  - unsigned long [MDTRANE](#): 1
  - unsigned long [MBUFRE](#): 1
  - unsigned long [MBUFWEN](#): 1
  - unsigned long [MBUFREN](#): 1
  - unsigned long [MRBSYE](#): 1
  - unsigned long [MCRSPE](#): 1
  - unsigned long [MCMDVIO](#): 1
  - unsigned long [MBUFVIO](#): 1
  - unsigned long [MWDATERR](#): 1
  - unsigned long [MRDATERR](#): 1
  - unsigned long [MRIDXERR](#): 1
  - unsigned long [MRSPERR](#): 1
  - unsigned long [MCRCSTO](#): 1
  - unsigned long [MWDATTO](#): 1
  - unsigned long [MRDATTO](#): 1
  - unsigned long [MRBSYTO](#): 1
  - unsigned long [MRSPTO](#): 1
- } [BIT](#)

### 5.680.1 Detailed Description

Definition at line [14995](#) of file [iodefine.h](#).

### 5.680.2 Field Documentation

#### 5.680.2.1 BIT

#### 5.680.2.2 LONG

The documentation for this union was generated from the following files:

## 5.681 st\_mmcif\_t.CERESPCMD12 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [RSP12](#): 32
- } [BIT](#)

### 5.681.1 Detailed Description

Definition at line [14906](#) of file [iodefine.h](#).

## 5.681.2 Field Documentation

### 5.681.2.1 BIT

### 5.681.2.2 LONG

The documentation for this union was generated from the following files:

## 5.682 st\_mmcif\_t.CEVERSION Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [SWRST](#): 1
  - unsigned [long](#): 15
  - unsigned long [VERSION](#): 16
- } [BIT](#)

### 5.682.1 Detailed Description

Definition at line [15178](#) of file [iodefne.h](#).

## 5.682.2 Field Documentation

### 5.682.2.1 BIT

### 5.682.2.2 LONG

The documentation for this union was generated from the following files:

## 5.683 st\_mpc\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_mpc\_t:





#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [CS7E](#): 1
    - unsigned char [CS6E](#): 1
    - unsigned char [CS5E](#): 1
    - unsigned char [CS4E](#): 1
    - unsigned char [CS3E](#): 1

- ```

    unsigned char CS2E: 1
    unsigned char CS1E: 1
    unsigned char CS0E: 1
    } BIT
} PFCSE

```
- char wk0 [1]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char CS3S: 2
          unsigned char CS2S: 2
          unsigned char CS1S: 2
          unsigned char: 1
          unsigned char CS0S: 1
        } BIT
      } PFCSS0

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char CS7S: 2
          unsigned char CS6S: 2
          unsigned char CS5S: 2
          unsigned char CS4S: 2
        } BIT
      } PFCSS1

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char A15E: 1
          unsigned char A14E: 1
          unsigned char A13E: 1
          unsigned char A12E: 1
          unsigned char A11E: 1
          unsigned char A10E: 1
          unsigned char A9E: 1
          unsigned char A8E: 1
        } BIT
      } PFAOE0

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char A23E: 1
          unsigned char A22E: 1
          unsigned char A21E: 1
          unsigned char A20E: 1
          unsigned char A19E: 1
          unsigned char A18E: 1
          unsigned char A17E: 1
          unsigned char A16E: 1
        } BIT
      } PFAOE1

```
 - union {


```

        unsigned char BYTE

```

- ```

 struct {
 unsigned char WR32BC32E: 1
 unsigned char WR1BC1E: 1
 unsigned char DH32E: 1
 unsigned char DHE: 1
 unsigned char BCLKO: 1
 unsigned char ADRHMS2: 1
 unsigned char ADRHMS: 1
 unsigned char ADRLE: 1
 } BIT
} PFBCR0

```
- union {
 unsigned char BYTE
 struct {
 unsigned char SDCLKE: 1
 unsigned char DQM1E: 1
 unsigned char: 1
 unsigned char MDSDE: 1
 unsigned char ALES: 1
 unsigned char ALEOE: 1
 unsigned char WAITS: 2
 } BIT
 } PFBCR1
  - union {
 unsigned char BYTE
 struct {
 unsigned char D3S: 2
 unsigned char D2S: 2
 unsigned char D1S: 2
 unsigned char D0S: 2
 } BIT
 } PFBCR2
  - union {
 unsigned char BYTE
 struct {
 unsigned char WAITS2: 1
 unsigned char SDCLKDRV: 1
 unsigned char: 5
 unsigned char DLHS: 1
 } BIT
 } PFBCR3
  - char wk1 [4]
  - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PHYMODE1: 1
 unsigned char PHYMODE0: 1
 } BIT
 } PFENET
  - char wk2 [16]
  - union {
 unsigned char BYTE

```

 struct {
 unsigned char B0WI: 1
 unsigned char PFSWE: 1
 unsigned char: 6
 } BIT
} PWPR

```

- char wk3 [32]
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P00PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P01PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P02PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P03PFS
- char wk4 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P05PFS
- char wk5 [1]
- union {
 unsigned char BYTE
 struct {

```
unsigned char: 1
unsigned char ISEL: 1
unsigned char PSEL: 6
} BIT
} P07PFS
```

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT  
} P10PFS

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT  
} P11PFS

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT  
} P12PFS

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT  
} P13PFS

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT  
} P14PFS

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 1  
    unsigned char ISEL: 1  
    unsigned char PSEL: 6  
  } BIT

- } P15PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 1  
      unsigned char ISEL: 1  
      unsigned char PSEL: 6  
    } BIT  
  } P16PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 1  
      unsigned char ISEL: 1  
      unsigned char PSEL: 6  
    } BIT  
  } P17PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 1  
      unsigned char ISEL: 1  
      unsigned char PSEL: 6  
    } BIT  
  } P20PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 1  
      unsigned char ISEL: 1  
      unsigned char PSEL: 6  
    } BIT  
  } P21PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 2  
      unsigned char PSEL: 6  
    } BIT  
  } P22PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 2  
      unsigned char PSEL: 6  
    } BIT  
  } P23PFS
- union {  
  unsigned char BYTE  
    struct {  
      unsigned char: 2

- ```
    unsigned char PSEL: 6
    } BIT
} P24PFS
```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P25PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P26PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P27PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P30PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P31PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P32PFS
 - union {
 unsigned char BYTE
 struct {

- ```

 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
} P33PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P34PFS

```
  - char wk6 [3]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P40PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P41PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P42PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 } BIT
 } P43PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char: 6
 }

```



- union {  
  unsigned char BYTE  
  struct {  
    unsigned char ASEL: 1  
    unsigned char ISEL: 1  
    unsigned char: 6  
  } BIT  
} P45PFS
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char ASEL: 1  
    unsigned char ISEL: 1  
    unsigned char: 6  
  } BIT  
} P46PFS
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char ASEL: 1  
    unsigned char ISEL: 1  
    unsigned char: 6  
  } BIT  
} P47PFS
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 2  
    unsigned char PSEL: 6  
  } BIT  
} P50PFS
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 2  
    unsigned char PSEL: 6  
  } BIT  
} P51PFS
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 2  
    unsigned char PSEL: 6  
  } BIT  
} P52PFS
- char wk7 [1]
- union {  
  unsigned char BYTE  
  struct {

```

unsigned char: 2
unsigned char PSEL: 6
} BIT
} P54PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } P55PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P56PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P57PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P60PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P61PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P62PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2

```

- unsigned char PSEL: 6
  - } BIT
  - } P63PFS
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char PSEL: 6
  - } BIT
  - } P64PFS
- char wk8 [1]
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char PSEL: 6
  - } BIT
  - } P66PFS
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 1
  - unsigned char ISEL: 1
  - unsigned char PSEL: 6
  - } BIT
  - } P67PFS
- char wk9 [1]
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char PSEL: 6
  - } BIT
  - } P71PFS
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char PSEL: 6
  - } BIT
  - } P72PFS
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char PSEL: 6
  - } BIT
  - } P73PFS
- union {
  - unsigned char BYTE
  - struct {

- ```
    unsigned char: 2
    unsigned char PSEL: 6
    } BIT
} P74PFS
```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P75PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P76PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P77PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P80PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P81PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } P82PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} P84PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} P85PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} P86PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} P87PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char: 1
 unsigned char PSEL: 6
 } BIT
} P90PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char: 1
 unsigned char PSEL: 6
 } BIT
} P91PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char: 1

- ```
 unsigned char PSEL: 6
 } BIT
} P92PFS
```
- union {  
 unsigned char BYTE  
 struct {  
 unsigned char ASEL: 1  
 unsigned char: 1  
 unsigned char PSEL: 6  
 } BIT  
 } P93PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } P94PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } P95PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } P96PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } P97PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PA0PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 1  
 unsigned char ISEL: 1

- unsigned char PSEL: 6
  - } BIT
- } PA1PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 2
    - unsigned char PSEL: 6
    - } BIT
- } PA2PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 1
    - unsigned char ISEL: 1
    - unsigned char PSEL: 6
    - } BIT
- } PA3PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 1
    - unsigned char ISEL: 1
    - unsigned char PSEL: 6
    - } BIT
- } PA4PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 2
    - unsigned char PSEL: 6
    - } BIT
- } PA5PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 2
    - unsigned char PSEL: 6
    - } BIT
- } PA6PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 2
    - unsigned char PSEL: 6
    - } BIT
- } PA7PFS
- union {
  - unsigned char BYTE
  - struct {
    - unsigned char: 1

```

unsigned char ISEL: 1
unsigned char PSEL: 6
} BIT
} PB0PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PB1PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PB2PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PB3PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PB4PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PB5PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PB6PFS

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2

```



- ```
    unsigned char PSEL: 6
    } BIT
} PB7PFS
```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PC0PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PC1PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PC2PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PC3PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PC4PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PC5PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 1

```

unsigned char ISEL: 1
unsigned char PSEL: 6
} BIT
} PC6PFS

```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PC7PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PD0PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PD1PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PD2PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PD3PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PD4PFS
      
```

- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PD5PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PD6PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PD7PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char: 1
 unsigned char PSEL: 6
 } BIT
 } PE0PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char: 1
 unsigned char PSEL: 6
 } BIT
 } PE1PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char ASEL: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PE2PFS
- union {
 unsigned char BYTE
 struct {

```

unsigned char ASEL: 1
unsigned char: 1
unsigned char PSEL: 6
    } BIT
} PE3PFS

```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char: 1
      unsigned char PSEL: 6
      } BIT
      } PE4PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PE5PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PE6PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char ASEL: 1
      unsigned char ISEL: 1
      unsigned char PSEL: 6
      } BIT
      } PE7PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char: 2
      unsigned char PSEL: 6
      } BIT
      } PF0PFS
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char: 2
      unsigned char PSEL: 6
      } BIT
      } PF1PFS
      
```

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PF2PFS
- char wk10 [2]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ISEL: 1
 unsigned char PSEL: 6
 } BIT
 } PF5PFS
- char wk11 [2]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG0PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG1PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG2PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG3PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG4PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG5PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG6PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PG7PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PH0PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PH1PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PH2PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PH3PFS
- union {

- ```
unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PH4PFS
```
- union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PH5PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PH6PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PH7PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PJ0PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PJ1PFS
  - union {  
 unsigned char BYTE  
 struct {  
 unsigned char: 2  
 unsigned char PSEL: 6  
 } BIT  
 } PJ2PFS
  - union {  
 unsigned char BYTE  
 struct {

```

 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PJ3PFS

```

- char wk12 [1]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PJ5PFS

```
- char wk13 [2]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK0PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK1PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK2PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK3PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK4PFS

```
- union {
 

```

 unsigned char BYTE
 struct {

```



- ```
    unsigned char: 2
    unsigned char PSEL: 6
    } BIT
} PK5PFS
```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK6PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PK7PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL0PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL1PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL2PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL3PFS
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6

```
    } BIT
} PL4PFS
```

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL5PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL6PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PL7PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM0PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM1PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM2PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM3PFS

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM4PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM5PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM6PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PM7PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PN0PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PN1PFS
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PN2PFS
- union {

- ```

unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PN3PFS

```
- ```

union {
    unsigned char BYTE
    struct {
        unsigned char: 2
        unsigned char PSEL: 6
    } BIT
} PN4PFS

```
 - ```

union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PN5PFS

```
  - char wk14 [2]
  - ```

union {
    unsigned char BYTE
    struct {
        unsigned char: 2
        unsigned char PSEL: 6
    } BIT
} PQ0PFS

```
 - ```

union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PQ1PFS

```
  - ```

union {
    unsigned char BYTE
    struct {
        unsigned char: 2
        unsigned char PSEL: 6
    } BIT
} PQ2PFS

```
 - ```

union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PQ3PFS

```
  - ```

union {
    unsigned char BYTE

```

- ```

 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
} PQ4PFS

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PQ5PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PQ6PFS

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PSEL: 6
 } BIT
 } PQ7PFS

```

### 5.683.1 Detailed Description

Definition at line 15195 of file [iodef.h](#).

### 5.683.2 Field Documentation

#### 5.683.2.1 [union]

union { ... } st\_mpc\_t::P00PFS

#### 5.683.2.2 [union]

union { ... } st\_mpc\_t::P01PFS

#### 5.683.2.3 [union]

union { ... } st\_mpc\_t::P02PFS

## 5.683.2.4 [union]

```
union { ... } st_mpc_t::P03PFS
```

## 5.683.2.5 [union]

```
union { ... } st_mpc_t::P05PFS
```

## 5.683.2.6 [union]

```
union { ... } st_mpc_t::P07PFS
```

## 5.683.2.7 [union]

```
union { ... } st_mpc_t::P10PFS
```

## 5.683.2.8 [union]

```
union { ... } st_mpc_t::P11PFS
```

## 5.683.2.9 [union]

```
union { ... } st_mpc_t::P12PFS
```

## 5.683.2.10 [union]

```
union { ... } st_mpc_t::P13PFS
```

## 5.683.2.11 [union]

```
union { ... } st_mpc_t::P14PFS
```

## 5.683.2.12 [union]

```
union { ... } st_mpc_t::P15PFS
```

## 5.683.2.13 [union]

```
union { ... } st_mpc_t::P16PFS
```

## 5.683.2.14 [union]

```
union { ... } st_mpc_t::P17PFS
```

## 5.683.2.15 [union]

```
union { ... } st_mpc_t::P20PFS
```

## 5.683.2.16 [union]

```
union { ... } st_mpc_t::P21PFS
```

## 5.683.2.17 [union]

```
union { ... } st_mpc_t::P22PFS
```

## 5.683.2.18 [union]

```
union { ... } st_mpc_t::P23PFS
```

## 5.683.2.19 [union]

```
union { ... } st_mpc_t::P24PFS
```

## 5.683.2.20 [union]

```
union { ... } st_mpc_t::P25PFS
```

## 5.683.2.21 [union]

```
union { ... } st_mpc_t::P26PFS
```

## 5.683.2.22 [union]

```
union { ... } st_mpc_t::P27PFS
```

## 5.683.2.23 [union]

```
union { ... } st_mpc_t::P30PFS
```

## 5.683.2.24 [union]

```
union { ... } st_mpc_t::P31PFS
```

## 5.683.2.25 [union]

```
union { ... } st_mpc_t::P32PFS
```

## 5.683.2.26 [union]

```
union { ... } st_mpc_t::P33PFS
```

## 5.683.2.27 [union]

```
union { ... } st_mpc_t::P34PFS
```

## 5.683.2.28 [union]

```
union { ... } st_mpc_t::P40PFS
```

## 5.683.2.29 [union]

```
union { ... } st_mpc_t::P41PFS
```

## 5.683.2.30 [union]

```
union { ... } st_mpc_t::P42PFS
```

## 5.683.2.31 [union]

```
union { ... } st_mpc_t::P43PFS
```

## 5.683.2.32 [union]

```
union { ... } st_mpc_t::P44PFS
```

## 5.683.2.33 [union]

```
union { ... } st_mpc_t::P45PFS
```



## 5.683.2.34 [union]

```
union { ... } st_mpc_t::P46PFS
```

## 5.683.2.35 [union]

```
union { ... } st_mpc_t::P47PFS
```

## 5.683.2.36 [union]

```
union { ... } st_mpc_t::P50PFS
```

## 5.683.2.37 [union]

```
union { ... } st_mpc_t::P51PFS
```

## 5.683.2.38 [union]

```
union { ... } st_mpc_t::P52PFS
```

## 5.683.2.39 [union]

```
union { ... } st_mpc_t::P54PFS
```

## 5.683.2.40 [union]

```
union { ... } st_mpc_t::P55PFS
```

## 5.683.2.41 [union]

```
union { ... } st_mpc_t::P56PFS
```

## 5.683.2.42 [union]

```
union { ... } st_mpc_t::P57PFS
```

## 5.683.2.43 [union]

```
union { ... } st_mpc_t::P60PFS
```

5.683.2.44 [union]

union { ... } st\_mpc\_t::P61PFS

5.683.2.45 [union]

union { ... } st\_mpc\_t::P62PFS

5.683.2.46 [union]

union { ... } st\_mpc\_t::P63PFS

5.683.2.47 [union]

union { ... } st\_mpc\_t::P64PFS

5.683.2.48 [union]

union { ... } st\_mpc\_t::P66PFS

5.683.2.49 [union]

union { ... } st\_mpc\_t::P67PFS

5.683.2.50 [union]

union { ... } st\_mpc\_t::P71PFS

5.683.2.51 [union]

union { ... } st\_mpc\_t::P72PFS

5.683.2.52 [union]

union { ... } st\_mpc\_t::P73PFS

5.683.2.53 [union]

union { ... } st\_mpc\_t::P74PFS

## 5.683.2.54 [union]

```
union { ... } st_mpc_t::P75PFS
```

## 5.683.2.55 [union]

```
union { ... } st_mpc_t::P76PFS
```

## 5.683.2.56 [union]

```
union { ... } st_mpc_t::P77PFS
```

## 5.683.2.57 [union]

```
union { ... } st_mpc_t::P80PFS
```

## 5.683.2.58 [union]

```
union { ... } st_mpc_t::P81PFS
```

## 5.683.2.59 [union]

```
union { ... } st_mpc_t::P82PFS
```

## 5.683.2.60 [union]

```
union { ... } st_mpc_t::P83PFS
```

## 5.683.2.61 [union]

```
union { ... } st_mpc_t::P84PFS
```

## 5.683.2.62 [union]

```
union { ... } st_mpc_t::P85PFS
```

## 5.683.2.63 [union]

```
union { ... } st_mpc_t::P86PFS
```

## 5.683.2.64 [union]

```
union { ... } st_mpc_t::P87PFS
```

## 5.683.2.65 [union]

```
union { ... } st_mpc_t::P90PFS
```

## 5.683.2.66 [union]

```
union { ... } st_mpc_t::P91PFS
```

## 5.683.2.67 [union]

```
union { ... } st_mpc_t::P92PFS
```

## 5.683.2.68 [union]

```
union { ... } st_mpc_t::P93PFS
```

## 5.683.2.69 [union]

```
union { ... } st_mpc_t::P94PFS
```

## 5.683.2.70 [union]

```
union { ... } st_mpc_t::P95PFS
```

## 5.683.2.71 [union]

```
union { ... } st_mpc_t::P96PFS
```

## 5.683.2.72 [union]

```
union { ... } st_mpc_t::P97PFS
```

## 5.683.2.73 [union]

```
union { ... } st_mpc_t::PA0PFS
```

## 5.683.2.74 [union]

```
union { ... } st_mpc_t::PA1PFS
```

## 5.683.2.75 [union]

```
union { ... } st_mpc_t::PA2PFS
```

## 5.683.2.76 [union]

```
union { ... } st_mpc_t::PA3PFS
```

## 5.683.2.77 [union]

```
union { ... } st_mpc_t::PA4PFS
```

## 5.683.2.78 [union]

```
union { ... } st_mpc_t::PA5PFS
```

## 5.683.2.79 [union]

```
union { ... } st_mpc_t::PA6PFS
```

## 5.683.2.80 [union]

```
union { ... } st_mpc_t::PA7PFS
```

## 5.683.2.81 [union]

```
union { ... } st_mpc_t::PB0PFS
```

## 5.683.2.82 [union]

```
union { ... } st_mpc_t::PB1PFS
```

## 5.683.2.83 [union]

```
union { ... } st_mpc_t::PB2PFS
```

5.683.2.84 [union]

union { ... } st\_mpc\_t::PB3PFS

5.683.2.85 [union]

union { ... } st\_mpc\_t::PB4PFS

5.683.2.86 [union]

union { ... } st\_mpc\_t::PB5PFS

5.683.2.87 [union]

union { ... } st\_mpc\_t::PB6PFS

5.683.2.88 [union]

union { ... } st\_mpc\_t::PB7PFS

5.683.2.89 [union]

union { ... } st\_mpc\_t::PC0PFS

5.683.2.90 [union]

union { ... } st\_mpc\_t::PC1PFS

5.683.2.91 [union]

union { ... } st\_mpc\_t::PC2PFS

5.683.2.92 [union]

union { ... } st\_mpc\_t::PC3PFS

5.683.2.93 [union]

union { ... } st\_mpc\_t::PC4PFS

## 5.683.2.94 [union]

```
union { ... } st_mpc_t::PC5PFS
```

## 5.683.2.95 [union]

```
union { ... } st_mpc_t::PC6PFS
```

## 5.683.2.96 [union]

```
union { ... } st_mpc_t::PC7PFS
```

## 5.683.2.97 [union]

```
union { ... } st_mpc_t::PD0PFS
```

## 5.683.2.98 [union]

```
union { ... } st_mpc_t::PD1PFS
```

## 5.683.2.99 [union]

```
union { ... } st_mpc_t::PD2PFS
```

## 5.683.2.100 [union]

```
union { ... } st_mpc_t::PD3PFS
```

## 5.683.2.101 [union]

```
union { ... } st_mpc_t::PD4PFS
```

## 5.683.2.102 [union]

```
union { ... } st_mpc_t::PD5PFS
```

## 5.683.2.103 [union]

```
union { ... } st_mpc_t::PD6PFS
```

5.683.2.104 [union]

union { ... } st\_mpc\_t::PD7PFS

5.683.2.105 [union]

union { ... } st\_mpc\_t::PE0PFS

5.683.2.106 [union]

union { ... } st\_mpc\_t::PE1PFS

5.683.2.107 [union]

union { ... } st\_mpc\_t::PE2PFS

5.683.2.108 [union]

union { ... } st\_mpc\_t::PE3PFS

5.683.2.109 [union]

union { ... } st\_mpc\_t::PE4PFS

5.683.2.110 [union]

union { ... } st\_mpc\_t::PE5PFS

5.683.2.111 [union]

union { ... } st\_mpc\_t::PE6PFS

5.683.2.112 [union]

union { ... } st\_mpc\_t::PE7PFS

5.683.2.113 [union]

union { ... } st\_mpc\_t::PF0PFS



## 5.683.2.114 [union]

```
union { ... } st_mpc_t::PF1PFS
```

## 5.683.2.115 [union]

```
union { ... } st_mpc_t::PF2PFS
```

## 5.683.2.116 [union]

```
union { ... } st_mpc_t::PF5PFS
```

## 5.683.2.117 [union]

```
union { ... } st_mpc_t::PFAOE0
```

## 5.683.2.118 [union]

```
union { ... } st_mpc_t::PFAOE1
```

## 5.683.2.119 [union]

```
union { ... } st_mpc_t::PFBCR0
```

## 5.683.2.120 [union]

```
union { ... } st_mpc_t::PFBCR1
```

## 5.683.2.121 [union]

```
union { ... } st_mpc_t::PFBCR2
```

## 5.683.2.122 [union]

```
union { ... } st_mpc_t::PFBCR3
```

## 5.683.2.123 [union]

```
union { ... } st_mpc_t::PFCSE
```

5.683.2.124 [union]

union { ... } st\_mpc\_t::PFCSS0

5.683.2.125 [union]

union { ... } st\_mpc\_t::PFCSS1

5.683.2.126 [union]

union { ... } st\_mpc\_t::PFENET

5.683.2.127 [union]

union { ... } st\_mpc\_t::PG0PFS

5.683.2.128 [union]

union { ... } st\_mpc\_t::PG1PFS

5.683.2.129 [union]

union { ... } st\_mpc\_t::PG2PFS

5.683.2.130 [union]

union { ... } st\_mpc\_t::PG3PFS

5.683.2.131 [union]

union { ... } st\_mpc\_t::PG4PFS

5.683.2.132 [union]

union { ... } st\_mpc\_t::PG5PFS

5.683.2.133 [union]

union { ... } st\_mpc\_t::PG6PFS

## 5.683.2.134 [union]

```
union { ... } st_mpc_t::PG7PFS
```

## 5.683.2.135 [union]

```
union { ... } st_mpc_t::PH0PFS
```

## 5.683.2.136 [union]

```
union { ... } st_mpc_t::PH1PFS
```

## 5.683.2.137 [union]

```
union { ... } st_mpc_t::PH2PFS
```

## 5.683.2.138 [union]

```
union { ... } st_mpc_t::PH3PFS
```

## 5.683.2.139 [union]

```
union { ... } st_mpc_t::PH4PFS
```

## 5.683.2.140 [union]

```
union { ... } st_mpc_t::PH5PFS
```

## 5.683.2.141 [union]

```
union { ... } st_mpc_t::PH6PFS
```

## 5.683.2.142 [union]

```
union { ... } st_mpc_t::PH7PFS
```

## 5.683.2.143 [union]

```
union { ... } st_mpc_t::PJ0PFS
```

5.683.2.144 [union]

union { ... } st\_mpc\_t::PJ1PFS

5.683.2.145 [union]

union { ... } st\_mpc\_t::PJ2PFS

5.683.2.146 [union]

union { ... } st\_mpc\_t::PJ3PFS

5.683.2.147 [union]

union { ... } st\_mpc\_t::PJ5PFS

5.683.2.148 [union]

union { ... } st\_mpc\_t::PK0PFS

5.683.2.149 [union]

union { ... } st\_mpc\_t::PK1PFS

5.683.2.150 [union]

union { ... } st\_mpc\_t::PK2PFS

5.683.2.151 [union]

union { ... } st\_mpc\_t::PK3PFS

5.683.2.152 [union]

union { ... } st\_mpc\_t::PK4PFS

5.683.2.153 [union]

union { ... } st\_mpc\_t::PK5PFS

5.683.2.154 [union]

union { ... } st\_mpc\_t::PK6PFS

5.683.2.155 [union]

union { ... } st\_mpc\_t::PK7PFS

5.683.2.156 [union]

union { ... } st\_mpc\_t::PL0PFS

5.683.2.157 [union]

union { ... } st\_mpc\_t::PL1PFS

5.683.2.158 [union]

union { ... } st\_mpc\_t::PL2PFS

5.683.2.159 [union]

union { ... } st\_mpc\_t::PL3PFS

5.683.2.160 [union]

union { ... } st\_mpc\_t::PL4PFS

5.683.2.161 [union]

union { ... } st\_mpc\_t::PL5PFS

5.683.2.162 [union]

union { ... } st\_mpc\_t::PL6PFS

5.683.2.163 [union]

union { ... } st\_mpc\_t::PL7PFS

5.683.2.164 [union]

union { ... } st\_mpc\_t::PM0PFS

5.683.2.165 [union]

union { ... } st\_mpc\_t::PM1PFS

5.683.2.166 [union]

union { ... } st\_mpc\_t::PM2PFS

5.683.2.167 [union]

union { ... } st\_mpc\_t::PM3PFS

5.683.2.168 [union]

union { ... } st\_mpc\_t::PM4PFS

5.683.2.169 [union]

union { ... } st\_mpc\_t::PM5PFS

5.683.2.170 [union]

union { ... } st\_mpc\_t::PM6PFS

5.683.2.171 [union]

union { ... } st\_mpc\_t::PM7PFS

5.683.2.172 [union]

union { ... } st\_mpc\_t::PN0PFS

5.683.2.173 [union]

union { ... } st\_mpc\_t::PN1PFS

## 5.683.2.174 [union]

```
union { ... } st_mpc_t::PN2PFS
```

## 5.683.2.175 [union]

```
union { ... } st_mpc_t::PN3PFS
```

## 5.683.2.176 [union]

```
union { ... } st_mpc_t::PN4PFS
```

## 5.683.2.177 [union]

```
union { ... } st_mpc_t::PN5PFS
```

## 5.683.2.178 [union]

```
union { ... } st_mpc_t::PQ0PFS
```

## 5.683.2.179 [union]

```
union { ... } st_mpc_t::PQ1PFS
```

## 5.683.2.180 [union]

```
union { ... } st_mpc_t::PQ2PFS
```

## 5.683.2.181 [union]

```
union { ... } st_mpc_t::PQ3PFS
```

## 5.683.2.182 [union]

```
union { ... } st_mpc_t::PQ4PFS
```

## 5.683.2.183 [union]

```
union { ... } st_mpc_t::PQ5PFS
```

5.683.2.184 [union]

```
union { ... } st_mpc_t::PQ6PFS
```

5.683.2.185 [union]

```
union { ... } st_mpc_t::PQ7PFS
```

5.683.2.186 [union]

```
union { ... } st_mpc_t::PWPR
```

5.683.2.187 wk0

```
char st_mpc_t::wk0[1]
```

Definition at line [15221](#) of file [iodefne.h](#).

5.683.2.188 wk1

```
char st_mpc_t::wk1[4]
```

Definition at line [15390](#) of file [iodefne.h](#).

5.683.2.189 wk10

```
char st_mpc_t::wk10[2]
```

Definition at line [17046](#) of file [iodefne.h](#).

5.683.2.190 wk11

```
char st_mpc_t::wk11[2]
```

Definition at line [17062](#) of file [iodefne.h](#).

5.683.2.191 wk12

```
char st_mpc_t::wk12[1]
```

Definition at line [17323](#) of file [iodefne.h](#).

5.683.2.192 wk13

```
char st_mpc_t::wk13[2]
```

Definition at line [17337](#) of file [iodefne.h](#).



## 5.683.2.193 wk14

char st\_mpc\_t::wk14[2]

Definition at line 17728 of file [iodefne.h](#).

## 5.683.2.194 wk2

char st\_mpc\_t::wk2[16]

Definition at line 15408 of file [iodefne.h](#).

## 5.683.2.195 wk3

char st\_mpc\_t::wk3[32]

Definition at line 15424 of file [iodefne.h](#).

## 5.683.2.196 wk4

char st\_mpc\_t::wk4[1]

Definition at line 15485 of file [iodefne.h](#).

## 5.683.2.197 wk5

char st\_mpc\_t::wk5[1]

Definition at line 15501 of file [iodefne.h](#).

## 5.683.2.198 wk6

char st\_mpc\_t::wk6[3]

Definition at line 15820 of file [iodefne.h](#).

## 5.683.2.199 wk7

char st\_mpc\_t::wk7[1]

Definition at line 15980 of file [iodefne.h](#).

## 5.683.2.200 wk8

char st\_mpc\_t::wk8[1]

Definition at line 16100 of file [iodefne.h](#).

5.683.2.201 wk9

char st\_mpc\_t::wk9[1]

Definition at line 16129 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.684 st\_mpc\_t.P00PFS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.684.1 Detailed Description

Definition at line 15425 of file [iodefne.h](#).

### 5.684.2 Field Documentation

#### 5.684.2.1 BIT

#### 5.684.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.685 st\_mpc\_t.P01PFS Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.685.1 Detailed Description

Definition at line [15440](#) of file [iodefne.h](#).

### 5.685.2 Field Documentation

#### 5.685.2.1 BIT

#### 5.685.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.686 st\_mpc\_t.P02PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.686.1 Detailed Description

Definition at line [15455](#) of file [iodefne.h](#).

### 5.686.2 Field Documentation

#### 5.686.2.1 BIT

#### 5.686.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.687 st\_mpc\_t.P03PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.687.1 Detailed Description

Definition at line [15470](#) of file [iodefine.h](#).

### 5.687.2 Field Documentation

#### 5.687.2.1 BIT

#### 5.687.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.688 st\_mpc\_t.P05PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.688.1 Detailed Description

Definition at line [15486](#) of file [iodefine.h](#).

### 5.688.2 Field Documentation

#### 5.688.2.1 BIT

#### 5.688.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.689 st\_mpc\_t.P07PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.689.1 Detailed Description

Definition at line [15502](#) of file [iodefne.h](#).

### 5.689.2 Field Documentation

#### 5.689.2.1 BIT

#### 5.689.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.690 st\_mpc\_t.P10PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.690.1 Detailed Description

Definition at line [15517](#) of file [iodefne.h](#).

### 5.690.2 Field Documentation

#### 5.690.2.1 BIT

#### 5.690.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.691 st\_mpc\_t.P11PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.691.1 Detailed Description

Definition at line [15532](#) of file [iodefne.h](#).

### 5.691.2 Field Documentation

#### 5.691.2.1 BIT

#### 5.691.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.692 st\_mpc\_t.P12PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.692.1 Detailed Description

Definition at line [15547](#) of file [iodefne.h](#).

### 5.692.2 Field Documentation

#### 5.692.2.1 BIT

#### 5.692.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.693 st\_mpc\_t.P13PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.693.1 Detailed Description

Definition at line [15562](#) of file [iodefne.h](#).

### 5.693.2 Field Documentation

#### 5.693.2.1 BIT

#### 5.693.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.694 st\_mpc\_t.P14PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.694.1 Detailed Description

Definition at line [15577](#) of file [iodefne.h](#).

### 5.694.2 Field Documentation

#### 5.694.2.1 BIT

#### 5.694.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.695 st\_mpc\_t.P15PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.695.1 Detailed Description

Definition at line [15592](#) of file [iodefne.h](#).

### 5.695.2 Field Documentation

#### 5.695.2.1 BIT

#### 5.695.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.696 st\_mpc\_t.P16PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.696.1 Detailed Description

Definition at line [15607](#) of file [iodefne.h](#).

### 5.696.2 Field Documentation

#### 5.696.2.1 BIT

#### 5.696.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.697 st\_mpc\_t.P17PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)



### 5.697.1 Detailed Description

Definition at line [15622](#) of file [iodefne.h](#).

### 5.697.2 Field Documentation

#### 5.697.2.1 BIT

#### 5.697.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.698 st\_mpc\_t.P20PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.698.1 Detailed Description

Definition at line [15637](#) of file [iodefne.h](#).

### 5.698.2 Field Documentation

#### 5.698.2.1 BIT

#### 5.698.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.699 st\_mpc\_t.P21PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.699.1 Detailed Description

Definition at line [15652](#) of file [iodefne.h](#).

### 5.699.2 Field Documentation

#### 5.699.2.1 BIT

#### 5.699.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.700 st\_mpc\_t.P22PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.700.1 Detailed Description

Definition at line [15667](#) of file [iodefne.h](#).

### 5.700.2 Field Documentation

#### 5.700.2.1 BIT

#### 5.700.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.701 st\_mpc\_t.P23PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.701.1 Detailed Description

Definition at line [15680](#) of file [iodefne.h](#).

### 5.701.2 Field Documentation

#### 5.701.2.1 BIT

#### 5.701.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.702 st\_mpc\_t.P24PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.702.1 Detailed Description

Definition at line [15693](#) of file [iodefne.h](#).

### 5.702.2 Field Documentation

#### 5.702.2.1 BIT

#### 5.702.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.703 st\_mpc\_t.P25PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.703.1 Detailed Description

Definition at line [15706](#) of file [iodefne.h](#).

### 5.703.2 Field Documentation

#### 5.703.2.1 BIT

#### 5.703.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.704 st\_mpc\_t.P26PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.704.1 Detailed Description

Definition at line [15719](#) of file [iodefne.h](#).

### 5.704.2 Field Documentation

#### 5.704.2.1 BIT

#### 5.704.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.705 st\_mpc\_t.P27PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.705.1 Detailed Description

Definition at line [15732](#) of file [iodefne.h](#).

### 5.705.2 Field Documentation

#### 5.705.2.1 BIT

#### 5.705.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.706 st\_mpc\_t.P30PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.706.1 Detailed Description

Definition at line [15745](#) of file [iodefne.h](#).

### 5.706.2 Field Documentation

#### 5.706.2.1 BIT

#### 5.706.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.707 st\_mpc\_t.P31PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.707.1 Detailed Description

Definition at line [15760](#) of file [iodefne.h](#).

### 5.707.2 Field Documentation

#### 5.707.2.1 BIT

#### 5.707.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.708 st\_mpc\_t.P32PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.708.1 Detailed Description

Definition at line [15775](#) of file [iodefne.h](#).

### 5.708.2 Field Documentation

#### 5.708.2.1 BIT

#### 5.708.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.709 st\_mpc\_t.P33PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.709.1 Detailed Description

Definition at line [15790](#) of file [iodefne.h](#).

### 5.709.2 Field Documentation

#### 5.709.2.1 BIT

#### 5.709.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.710 st\_mpc\_t.P34PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.710.1 Detailed Description

Definition at line [15805](#) of file [iodefne.h](#).

### 5.710.2 Field Documentation

#### 5.710.2.1 BIT

#### 5.710.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.711 st\_mpc\_t.P40PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.711.1 Detailed Description

Definition at line [15821](#) of file [iodefne.h](#).

### 5.711.2 Field Documentation

#### 5.711.2.1 BIT

#### 5.711.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.712 st\_mpc\_t.P41PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.712.1 Detailed Description

Definition at line [15836](#) of file [iodefne.h](#).

### 5.712.2 Field Documentation

#### 5.712.2.1 BIT

#### 5.712.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.713 st\_mpc\_t.P42PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)



### 5.713.1 Detailed Description

Definition at line [15851](#) of file [iodefne.h](#).

### 5.713.2 Field Documentation

#### 5.713.2.1 BIT

#### 5.713.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.714 st\_mpc\_t.P43PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.714.1 Detailed Description

Definition at line [15866](#) of file [iodefne.h](#).

### 5.714.2 Field Documentation

#### 5.714.2.1 BIT

#### 5.714.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.715 st\_mpc\_t.P44PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.715.1 Detailed Description

Definition at line [15881](#) of file [iodefine.h](#).

### 5.715.2 Field Documentation

#### 5.715.2.1 BIT

#### 5.715.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.716 st\_mpc\_t.P45PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.716.1 Detailed Description

Definition at line [15896](#) of file [iodefine.h](#).

### 5.716.2 Field Documentation

#### 5.716.2.1 BIT

#### 5.716.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.717 st\_mpc\_t.P46PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.717.1 Detailed Description

Definition at line [15911](#) of file [iodefne.h](#).

### 5.717.2 Field Documentation

#### 5.717.2.1 BIT

#### 5.717.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.718 st\_mpc\_t.P47PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [ASEL](#): 1  
  unsigned char [ISEL](#): 1  
  unsigned [char](#): 6  
} [BIT](#)

### 5.718.1 Detailed Description

Definition at line [15926](#) of file [iodefne.h](#).

### 5.718.2 Field Documentation

#### 5.718.2.1 BIT

#### 5.718.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.719 st\_mpc\_t.P50PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 2  
  unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.719.1 Detailed Description

Definition at line [15941](#) of file [iodefne.h](#).

### 5.719.2 Field Documentation

#### 5.719.2.1 BIT

#### 5.719.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.720 st\_mpc\_t.P51PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.720.1 Detailed Description

Definition at line [15954](#) of file [iodefne.h](#).

### 5.720.2 Field Documentation

#### 5.720.2.1 BIT

#### 5.720.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.721 st\_mpc\_t.P52PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.721.1 Detailed Description

Definition at line [15967](#) of file [iodefne.h](#).

### 5.721.2 Field Documentation

#### 5.721.2.1 BIT

#### 5.721.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.722 st\_mpc\_t.P54PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.722.1 Detailed Description

Definition at line [15981](#) of file [iodefne.h](#).

### 5.722.2 Field Documentation

#### 5.722.2.1 BIT

#### 5.722.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.723 st\_mpc\_t.P55PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.723.1 Detailed Description

Definition at line [15994](#) of file [iodefne.h](#).

### 5.723.2 Field Documentation

#### 5.723.2.1 BIT

#### 5.723.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.724 st\_mpc\_t.P56PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.724.1 Detailed Description

Definition at line [16009](#) of file [iodefne.h](#).

### 5.724.2 Field Documentation

#### 5.724.2.1 BIT

#### 5.724.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.725 st\_mpc\_t.P57PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.725.1 Detailed Description

Definition at line [16022](#) of file [iodefne.h](#).

### 5.725.2 Field Documentation

#### 5.725.2.1 BIT

#### 5.725.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.726 st\_mpc\_t.P60PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.726.1 Detailed Description

Definition at line [16035](#) of file [iodefne.h](#).

### 5.726.2 Field Documentation

#### 5.726.2.1 BIT

#### 5.726.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.727 st\_mpc\_t.P61PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.727.1 Detailed Description

Definition at line [16048](#) of file [iodefne.h](#).

### 5.727.2 Field Documentation

#### 5.727.2.1 BIT

#### 5.727.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.728 st\_mpc\_t.P62PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.728.1 Detailed Description

Definition at line [16061](#) of file [iodefne.h](#).

### 5.728.2 Field Documentation

#### 5.728.2.1 BIT

#### 5.728.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.729 st\_mpc\_t.P63PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.729.1 Detailed Description

Definition at line [16074](#) of file [iodefne.h](#).

### 5.729.2 Field Documentation

#### 5.729.2.1 BIT

#### 5.729.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.730 st\_mpc\_t.P64PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.730.1 Detailed Description

Definition at line [16087](#) of file [iodefne.h](#).

### 5.730.2 Field Documentation

#### 5.730.2.1 BIT

#### 5.730.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.731 st\_mpc\_t.P66PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.731.1 Detailed Description

Definition at line [16101](#) of file [iodefne.h](#).

### 5.731.2 Field Documentation

#### 5.731.2.1 BIT

#### 5.731.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.732 st\_mpc\_t.P67PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.732.1 Detailed Description

Definition at line [16114](#) of file [iodefne.h](#).

### 5.732.2 Field Documentation

#### 5.732.2.1 BIT

#### 5.732.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.733 st\_mpc\_t.P71PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.733.1 Detailed Description

Definition at line [16130](#) of file [iodefne.h](#).

### 5.733.2 Field Documentation

#### 5.733.2.1 BIT

#### 5.733.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.734 st\_mpc\_t.P72PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.734.1 Detailed Description

Definition at line [16143](#) of file [iodefne.h](#).

### 5.734.2 Field Documentation

#### 5.734.2.1 BIT

#### 5.734.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.735 st\_mpc\_t.P73PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.735.1 Detailed Description

Definition at line [16156](#) of file [iodefne.h](#).

### 5.735.2 Field Documentation

#### 5.735.2.1 BIT

#### 5.735.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.736 st\_mpc\_t.P74PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.736.1 Detailed Description

Definition at line [16169](#) of file [iodefne.h](#).

### 5.736.2 Field Documentation

#### 5.736.2.1 BIT

#### 5.736.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.737 st\_mpc\_t.P75PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.737.1 Detailed Description

Definition at line [16182](#) of file [iodefne.h](#).

### 5.737.2 Field Documentation

#### 5.737.2.1 BIT

#### 5.737.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.738 st\_mpc\_t.P76PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.738.1 Detailed Description

Definition at line [16195](#) of file [iodefne.h](#).

### 5.738.2 Field Documentation

#### 5.738.2.1 BIT

#### 5.738.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.739 st\_mpc\_t.P77PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.739.1 Detailed Description

Definition at line [16208](#) of file [iodefne.h](#).

### 5.739.2 Field Documentation

#### 5.739.2.1 BIT

#### 5.739.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.740 st\_mpc\_t.P80PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.740.1 Detailed Description

Definition at line [16221](#) of file [iodefne.h](#).

### 5.740.2 Field Documentation

#### 5.740.2.1 BIT

#### 5.740.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.741 st\_mpc\_t.P81PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.741.1 Detailed Description

Definition at line [16234](#) of file [iodefne.h](#).

### 5.741.2 Field Documentation

#### 5.741.2.1 BIT

#### 5.741.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.742 st\_mpc\_t.P82PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.742.1 Detailed Description

Definition at line [16247](#) of file [iodefne.h](#).

### 5.742.2 Field Documentation

#### 5.742.2.1 BIT

#### 5.742.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.743 st\_mpc\_t.P83PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.743.1 Detailed Description

Definition at line [16260](#) of file [iodefne.h](#).

### 5.743.2 Field Documentation

#### 5.743.2.1 BIT

#### 5.743.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.744 st\_mpc\_t.P84PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.744.1 Detailed Description

Definition at line [16273](#) of file [iodefne.h](#).

### 5.744.2 Field Documentation

#### 5.744.2.1 BIT

#### 5.744.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.745 st\_mpc\_t.P85PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.745.1 Detailed Description

Definition at line [16286](#) of file [iodefne.h](#).

### 5.745.2 Field Documentation

#### 5.745.2.1 BIT

#### 5.745.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.746 st\_mpc\_t.P86PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.746.1 Detailed Description

Definition at line [16299](#) of file [iodefne.h](#).

### 5.746.2 Field Documentation

#### 5.746.2.1 BIT

#### 5.746.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.747 st\_mpc\_t.P87PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.747.1 Detailed Description

Definition at line [16312](#) of file [iodefne.h](#).

### 5.747.2 Field Documentation

#### 5.747.2.1 BIT

#### 5.747.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.748 st\_mpc\_t.P90PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.748.1 Detailed Description

Definition at line [16325](#) of file [iodefne.h](#).

### 5.748.2 Field Documentation

#### 5.748.2.1 BIT

#### 5.748.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.749 st\_mpc\_t.P91PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.749.1 Detailed Description

Definition at line [16340](#) of file [iodefne.h](#).

### 5.749.2 Field Documentation

#### 5.749.2.1 BIT

#### 5.749.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.750 st\_mpc\_t.P92PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.750.1 Detailed Description

Definition at line [16355](#) of file [iodefne.h](#).

### 5.750.2 Field Documentation

#### 5.750.2.1 BIT

#### 5.750.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.751 st\_mpc\_t.P93PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.751.1 Detailed Description

Definition at line [16370](#) of file [iodefne.h](#).

### 5.751.2 Field Documentation

#### 5.751.2.1 BIT

#### 5.751.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.752 st\_mpc\_t.P94PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.752.1 Detailed Description

Definition at line [16385](#) of file [iodefne.h](#).

### 5.752.2 Field Documentation

#### 5.752.2.1 BIT

#### 5.752.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.753 st\_mpc\_t.P95PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.753.1 Detailed Description

Definition at line [16398](#) of file [iodefne.h](#).

### 5.753.2 Field Documentation

#### 5.753.2.1 BIT

#### 5.753.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.754 st\_mpc\_t.P96PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.754.1 Detailed Description

Definition at line [16411](#) of file [iodefne.h](#).

### 5.754.2 Field Documentation

#### 5.754.2.1 BIT

#### 5.754.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.755 st\_mpc\_t.P97PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.755.1 Detailed Description

Definition at line [16424](#) of file [iodefne.h](#).

### 5.755.2 Field Documentation

#### 5.755.2.1 BIT

#### 5.755.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.756 st\_mpc\_t.PA0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.756.1 Detailed Description

Definition at line [16437](#) of file [iodefne.h](#).

### 5.756.2 Field Documentation

#### 5.756.2.1 BIT

#### 5.756.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.757 st\_mpc\_t.PA1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.757.1 Detailed Description

Definition at line [16450](#) of file [iodefne.h](#).

### 5.757.2 Field Documentation

#### 5.757.2.1 BIT

#### 5.757.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.758 st\_mpc\_t.PA2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.758.1 Detailed Description

Definition at line [16465](#) of file [iodefne.h](#).

### 5.758.2 Field Documentation

#### 5.758.2.1 BIT

#### 5.758.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.759 st\_mpc\_t.PA3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.759.1 Detailed Description

Definition at line [16478](#) of file [iodefine.h](#).

### 5.759.2 Field Documentation

#### 5.759.2.1 BIT

#### 5.759.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.760 st\_mpc\_t.PA4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.760.1 Detailed Description

Definition at line [16493](#) of file [iodefine.h](#).

### 5.760.2 Field Documentation

#### 5.760.2.1 BIT

#### 5.760.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.761 st\_mpc\_t.PA5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.761.1 Detailed Description

Definition at line [16508](#) of file [iodefne.h](#).

### 5.761.2 Field Documentation

#### 5.761.2.1 BIT

#### 5.761.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.762 st\_mpc\_t.PA6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.762.1 Detailed Description

Definition at line [16521](#) of file [iodefne.h](#).

### 5.762.2 Field Documentation

#### 5.762.2.1 BIT

#### 5.762.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.763 st\_mpc\_t.PA7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.763.1 Detailed Description

Definition at line [16534](#) of file [iodefne.h](#).

### 5.763.2 Field Documentation

#### 5.763.2.1 BIT

#### 5.763.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.764 st\_mpc\_t.PB0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.764.1 Detailed Description

Definition at line [16547](#) of file [iodefne.h](#).

### 5.764.2 Field Documentation

#### 5.764.2.1 BIT

#### 5.764.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.765 st\_mpc\_t.PB1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.765.1 Detailed Description

Definition at line [16562](#) of file [iodefne.h](#).

### 5.765.2 Field Documentation

#### 5.765.2.1 BIT

#### 5.765.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.766 st\_mpc\_t.PB2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.766.1 Detailed Description

Definition at line [16577](#) of file [iodefne.h](#).

### 5.766.2 Field Documentation

#### 5.766.2.1 BIT

#### 5.766.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.767 st\_mpc\_t.PB3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.767.1 Detailed Description

Definition at line [16590](#) of file [iodefne.h](#).

### 5.767.2 Field Documentation

#### 5.767.2.1 BIT

#### 5.767.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.768 st\_mpc\_t.PB4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.768.1 Detailed Description

Definition at line [16603](#) of file [iodefne.h](#).

### 5.768.2 Field Documentation

#### 5.768.2.1 BIT

#### 5.768.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.769 st\_mpc\_t.PB5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.769.1 Detailed Description

Definition at line [16616](#) of file [iodefne.h](#).

### 5.769.2 Field Documentation

#### 5.769.2.1 BIT

#### 5.769.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.770 st\_mpc\_t.PB6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.770.1 Detailed Description

Definition at line [16629](#) of file [iodefne.h](#).

### 5.770.2 Field Documentation

#### 5.770.2.1 BIT

#### 5.770.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.771 st\_mpc\_t.PB7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.771.1 Detailed Description

Definition at line [16642](#) of file [iodefne.h](#).

### 5.771.2 Field Documentation

#### 5.771.2.1 BIT

#### 5.771.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.772 st\_mpc\_t.PC0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.772.1 Detailed Description

Definition at line [16655](#) of file [iodefne.h](#).

### 5.772.2 Field Documentation

#### 5.772.2.1 BIT

#### 5.772.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.773 st\_mpc\_t.PC1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.773.1 Detailed Description

Definition at line [16670](#) of file [iodefne.h](#).

### 5.773.2 Field Documentation

#### 5.773.2.1 BIT

#### 5.773.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.774 st\_mpc\_t.PC2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.774.1 Detailed Description

Definition at line [16685](#) of file [iodefne.h](#).

### 5.774.2 Field Documentation

#### 5.774.2.1 BIT

#### 5.774.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.775 st\_mpc\_t.PC3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.775.1 Detailed Description

Definition at line [16698](#) of file [iodefne.h](#).

### 5.775.2 Field Documentation

#### 5.775.2.1 BIT

#### 5.775.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.776 st\_mpc\_t.PC4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.776.1 Detailed Description

Definition at line [16711](#) of file [iodefne.h](#).

### 5.776.2 Field Documentation

#### 5.776.2.1 BIT

#### 5.776.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.777 st\_mpc\_t.PC5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.777.1 Detailed Description

Definition at line [16724](#) of file [iodefne.h](#).

### 5.777.2 Field Documentation

#### 5.777.2.1 BIT

#### 5.777.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.778 st\_mpc\_t.PC6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.778.1 Detailed Description

Definition at line [16737](#) of file [iodefne.h](#).

### 5.778.2 Field Documentation

#### 5.778.2.1 BIT

#### 5.778.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.779 st\_mpc\_t.PC7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.779.1 Detailed Description

Definition at line [16752](#) of file [iodefne.h](#).

### 5.779.2 Field Documentation

#### 5.779.2.1 BIT

#### 5.779.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.780 st\_mpc\_t.PD0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.780.1 Detailed Description

Definition at line [16767](#) of file [iodefne.h](#).

### 5.780.2 Field Documentation

#### 5.780.2.1 BIT

#### 5.780.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.781 st\_mpc\_t.PD1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.781.1 Detailed Description

Definition at line [16782](#) of file [iodefne.h](#).

### 5.781.2 Field Documentation

#### 5.781.2.1 BIT

#### 5.781.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.782 st\_mpc\_t.PD2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.782.1 Detailed Description

Definition at line [16797](#) of file [iodefne.h](#).

### 5.782.2 Field Documentation

#### 5.782.2.1 BIT

#### 5.782.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.783 st\_mpc\_t.PD3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.783.1 Detailed Description

Definition at line [16812](#) of file [iodefne.h](#).

### 5.783.2 Field Documentation

#### 5.783.2.1 BIT

#### 5.783.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.784 st\_mpc\_t.PD4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.784.1 Detailed Description

Definition at line [16827](#) of file [iodefne.h](#).

### 5.784.2 Field Documentation

#### 5.784.2.1 BIT

#### 5.784.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.785 st\_mpc\_t.PD5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.785.1 Detailed Description

Definition at line [16842](#) of file [iodefne.h](#).

### 5.785.2 Field Documentation

#### 5.785.2.1 BIT

#### 5.785.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.786 st\_mpc\_t.PD6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.786.1 Detailed Description

Definition at line [16857](#) of file [iodefne.h](#).

### 5.786.2 Field Documentation

#### 5.786.2.1 BIT

#### 5.786.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.787 st\_mpc\_t.PD7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.787.1 Detailed Description

Definition at line [16872](#) of file [iodefine.h](#).

### 5.787.2 Field Documentation

#### 5.787.2.1 BIT

#### 5.787.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.788 st\_mpc\_t.PE0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.788.1 Detailed Description

Definition at line [16887](#) of file [iodefine.h](#).

### 5.788.2 Field Documentation

#### 5.788.2.1 BIT

#### 5.788.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.789 st\_mpc\_t.PE1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.789.1 Detailed Description

Definition at line [16902](#) of file [iodefne.h](#).

### 5.789.2 Field Documentation

#### 5.789.2.1 BIT

#### 5.789.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.790 st\_mpc\_t.PE2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.790.1 Detailed Description

Definition at line [16917](#) of file [iodefne.h](#).

### 5.790.2 Field Documentation

#### 5.790.2.1 BIT

#### 5.790.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.791 st\_mpc\_t.PE3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.791.1 Detailed Description

Definition at line [16932](#) of file [iodefine.h](#).

### 5.791.2 Field Documentation

#### 5.791.2.1 BIT

#### 5.791.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.792 st\_mpc\_t.PE4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.792.1 Detailed Description

Definition at line [16947](#) of file [iodefine.h](#).

### 5.792.2 Field Documentation

#### 5.792.2.1 BIT

#### 5.792.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.793 st\_mpc\_t.PE5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)



### 5.793.1 Detailed Description

Definition at line [16962](#) of file [iodefne.h](#).

### 5.793.2 Field Documentation

#### 5.793.2.1 BIT

#### 5.793.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.794 st\_mpc\_t.PE6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.794.1 Detailed Description

Definition at line [16977](#) of file [iodefne.h](#).

### 5.794.2 Field Documentation

#### 5.794.2.1 BIT

#### 5.794.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.795 st\_mpc\_t.PE7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ASEL](#): 1
  - unsigned char [ISEL](#): 1
  - unsigned char [PSEL](#): 6
- } [BIT](#)

### 5.795.1 Detailed Description

Definition at line [16992](#) of file [iodefne.h](#).

### 5.795.2 Field Documentation

#### 5.795.2.1 BIT

#### 5.795.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.796 st\_mpc\_t.PF0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.796.1 Detailed Description

Definition at line [17007](#) of file [iodefne.h](#).

### 5.796.2 Field Documentation

#### 5.796.2.1 BIT

#### 5.796.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.797 st\_mpc\_t.PF1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.797.1 Detailed Description

Definition at line 17020 of file [iodefne.h](#).

### 5.797.2 Field Documentation

#### 5.797.2.1 BIT

#### 5.797.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.798 st\_mpc\_t.PF2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.798.1 Detailed Description

Definition at line 17033 of file [iodefne.h](#).

### 5.798.2 Field Documentation

#### 5.798.2.1 BIT

#### 5.798.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.799 st\_mpc\_t.PF5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [ISEL](#): 1  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.799.1 Detailed Description

Definition at line [17047](#) of file [iodefine.h](#).

### 5.799.2 Field Documentation

#### 5.799.2.1 BIT

#### 5.799.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.800 st\_mpc\_t.PFAOE0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [A15E](#): 1
  - unsigned char [A14E](#): 1
  - unsigned char [A13E](#): 1
  - unsigned char [A12E](#): 1
  - unsigned char [A11E](#): 1
  - unsigned char [A10E](#): 1
  - unsigned char [A9E](#): 1
  - unsigned char [A8E](#): 1
- } [BIT](#)

### 5.800.1 Detailed Description

Definition at line [15258](#) of file [iodefine.h](#).

### 5.800.2 Field Documentation

#### 5.800.2.1 BIT

#### 5.800.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.801 st\_mpc\_t.PFAOE1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [A23E](#): 1
  - unsigned char [A22E](#): 1
  - unsigned char [A21E](#): 1
  - unsigned char [A20E](#): 1
  - unsigned char [A19E](#): 1
  - unsigned char [A18E](#): 1
  - unsigned char [A17E](#): 1
  - unsigned char [A16E](#): 1
- } [BIT](#)

### 5.801.1 Detailed Description

Definition at line [15283](#) of file [iodefine.h](#).

### 5.801.2 Field Documentation

#### 5.801.2.1 BIT

#### 5.801.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.802 st\_mpc\_t.PFBCR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [WR32BC32E](#): 1
  - unsigned char [WR1BC1E](#): 1
  - unsigned char [DH32E](#): 1
  - unsigned char [DHE](#): 1
  - unsigned char [BCLKO](#): 1
  - unsigned char [ADRHMS2](#): 1
  - unsigned char [ADRHMS](#): 1
  - unsigned char [ADRLE](#): 1
- } [BIT](#)

### 5.802.1 Detailed Description

Definition at line [15308](#) of file [iodefine.h](#).

## 5.802.2 Field Documentation

### 5.802.2.1 BIT

### 5.802.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.803 st\_mpc\_t.PFBCR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SDCLKE](#): 1
  - unsigned char [DQM1E](#): 1
  - unsigned [char](#): 1
  - unsigned char [MDSDE](#): 1
  - unsigned char [ALES](#): 1
  - unsigned char [ALEOE](#): 1
  - unsigned char [WAITS](#): 2
- } [BIT](#)

### 5.803.1 Detailed Description

Definition at line [15333](#) of file [iodefine.h](#).

## 5.803.2 Field Documentation

### 5.803.2.1 BIT

### 5.803.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.804 st\_mpc\_t.PFBCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [D3S](#): 2
  - unsigned char [D2S](#): 2
  - unsigned char [D1S](#): 2
  - unsigned char [D0S](#): 2
- } [BIT](#)

### 5.804.1 Detailed Description

Definition at line [15356](#) of file [iodefne.h](#).

### 5.804.2 Field Documentation

#### 5.804.2.1 BIT

#### 5.804.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.805 st\_mpc\_t.PFBCR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [WAITS2](#): 1
  - unsigned char [SDCLKDRV](#): 1
  - unsigned [char](#): 5
  - unsigned char [DLHS](#): 1
- } [BIT](#)

### 5.805.1 Detailed Description

Definition at line [15373](#) of file [iodefne.h](#).

### 5.805.2 Field Documentation

#### 5.805.2.1 BIT

#### 5.805.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.806 st\_mpc\_t.PFCSE Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CS7E](#): 1
  - unsigned char [CS6E](#): 1
  - unsigned char [CS5E](#): 1
  - unsigned char [CS4E](#): 1
  - unsigned char [CS3E](#): 1
  - unsigned char [CS2E](#): 1
  - unsigned char [CS1E](#): 1
  - unsigned char [CS0E](#): 1
- } [BIT](#)

### 5.806.1 Detailed Description

Definition at line [15196](#) of file [iodefine.h](#).

### 5.806.2 Field Documentation

#### 5.806.2.1 BIT

#### 5.806.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.807 st\_mpc\_t.PFCSS0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CS3S](#): 2
  - unsigned char [CS2S](#): 2
  - unsigned char [CS1S](#): 2
  - unsigned [char](#): 1
  - unsigned char [CS0S](#): 1
- } [BIT](#)

### 5.807.1 Detailed Description

Definition at line [15222](#) of file [iodefine.h](#).

### 5.807.2 Field Documentation

#### 5.807.2.1 BIT

#### 5.807.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.808 st\_mpc\_t.PFCSS1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CS7S](#): 2
  - unsigned char [CS6S](#): 2
  - unsigned char [CS5S](#): 2
  - unsigned char [CS4S](#): 2
- } [BIT](#)



### 5.808.1 Detailed Description

Definition at line [15241](#) of file [iodefne.h](#).

### 5.808.2 Field Documentation

#### 5.808.2.1 BIT

#### 5.808.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.809 st\_mpc\_t.PFENET Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 2  
    unsigned char [PHYMODE1](#): 1  
    unsigned char [PHYMODE0](#): 1  
} [BIT](#)

### 5.809.1 Detailed Description

Definition at line [15391](#) of file [iodefne.h](#).

### 5.809.2 Field Documentation

#### 5.809.2.1 BIT

#### 5.809.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.810 st\_mpc\_t.PG0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.810.1 Detailed Description

Definition at line [17063](#) of file [iodefne.h](#).

### 5.810.2 Field Documentation

#### 5.810.2.1 BIT

#### 5.810.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.811 st\_mpc\_t.PG1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.811.1 Detailed Description

Definition at line [17076](#) of file [iodefne.h](#).

### 5.811.2 Field Documentation

#### 5.811.2.1 BIT

#### 5.811.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.812 st\_mpc\_t.PG2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.812.1 Detailed Description

Definition at line [17089](#) of file [iodefne.h](#).

### 5.812.2 Field Documentation

#### 5.812.2.1 BIT

#### 5.812.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.813 st\_mpc\_t.PG3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.813.1 Detailed Description

Definition at line [17102](#) of file [iodefne.h](#).

### 5.813.2 Field Documentation

#### 5.813.2.1 BIT

#### 5.813.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.814 st\_mpc\_t.PG4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.814.1 Detailed Description

Definition at line [17115](#) of file [iodefne.h](#).

### 5.814.2 Field Documentation

#### 5.814.2.1 BIT

#### 5.814.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.815 st\_mpc\_t.PG5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.815.1 Detailed Description

Definition at line [17128](#) of file [iodefne.h](#).

### 5.815.2 Field Documentation

#### 5.815.2.1 BIT

#### 5.815.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.816 st\_mpc\_t.PG6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.816.1 Detailed Description

Definition at line [17141](#) of file [iodefne.h](#).

### 5.816.2 Field Documentation

#### 5.816.2.1 BIT

#### 5.816.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.817 st\_mpc\_t.PG7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.817.1 Detailed Description

Definition at line [17154](#) of file [iodefne.h](#).

### 5.817.2 Field Documentation

#### 5.817.2.1 BIT

#### 5.817.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.818 st\_mpc\_t.PH0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.818.1 Detailed Description

Definition at line [17167](#) of file [iodefne.h](#).

### 5.818.2 Field Documentation

#### 5.818.2.1 BIT

#### 5.818.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.819 st\_mpc\_t.PH1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.819.1 Detailed Description

Definition at line [17180](#) of file [iodefne.h](#).

### 5.819.2 Field Documentation

#### 5.819.2.1 BIT

#### 5.819.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.820 st\_mpc\_t.PH2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.820.1 Detailed Description

Definition at line [17193](#) of file [iodefne.h](#).

### 5.820.2 Field Documentation

#### 5.820.2.1 BIT

#### 5.820.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.821 st\_mpc\_t.PH3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.821.1 Detailed Description

Definition at line [17206](#) of file [iodefne.h](#).

### 5.821.2 Field Documentation

#### 5.821.2.1 BIT

#### 5.821.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.822 st\_mpc\_t.PH4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.822.1 Detailed Description

Definition at line [17219](#) of file [iodefne.h](#).

### 5.822.2 Field Documentation

#### 5.822.2.1 BIT

#### 5.822.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.823 st\_mpc\_t.PH5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.823.1 Detailed Description

Definition at line [17232](#) of file [iodefne.h](#).

### 5.823.2 Field Documentation

#### 5.823.2.1 BIT

#### 5.823.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.824 st\_mpc\_t.PH6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.824.1 Detailed Description

Definition at line [17245](#) of file [iodefne.h](#).

### 5.824.2 Field Documentation

#### 5.824.2.1 BIT

#### 5.824.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.825 st\_mpc\_t.PH7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.825.1 Detailed Description

Definition at line [17258](#) of file [iodefne.h](#).

### 5.825.2 Field Documentation

#### 5.825.2.1 BIT

#### 5.825.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.826 st\_mpc\_t.PJ0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.826.1 Detailed Description

Definition at line [17271](#) of file [iodefne.h](#).

### 5.826.2 Field Documentation

#### 5.826.2.1 BIT

#### 5.826.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.827 st\_mpc\_t.PJ1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.827.1 Detailed Description

Definition at line [17284](#) of file [iodefne.h](#).

### 5.827.2 Field Documentation

#### 5.827.2.1 BIT

#### 5.827.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.828 st\_mpc\_t.PJ2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.828.1 Detailed Description

Definition at line [17297](#) of file [iodefne.h](#).

### 5.828.2 Field Documentation

#### 5.828.2.1 BIT

#### 5.828.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.829 st\_mpc\_t.PJ3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.829.1 Detailed Description

Definition at line [17310](#) of file [iodefne.h](#).

### 5.829.2 Field Documentation

#### 5.829.2.1 BIT

#### 5.829.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.830 st\_mpc\_t.PJ5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.830.1 Detailed Description

Definition at line [17324](#) of file [iodefne.h](#).

### 5.830.2 Field Documentation

#### 5.830.2.1 BIT

#### 5.830.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.831 st\_mpc\_t.PK0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.831.1 Detailed Description

Definition at line [17338](#) of file [iodefne.h](#).

### 5.831.2 Field Documentation

#### 5.831.2.1 BIT

#### 5.831.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.832 st\_mpc\_t.PK1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.832.1 Detailed Description

Definition at line [17351](#) of file [iodefne.h](#).

### 5.832.2 Field Documentation

#### 5.832.2.1 BIT

#### 5.832.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.833 st\_mpc\_t.PK2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.833.1 Detailed Description

Definition at line [17364](#) of file [iodefne.h](#).

### 5.833.2 Field Documentation

#### 5.833.2.1 BIT

#### 5.833.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.834 st\_mpc\_t.PK3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.834.1 Detailed Description

Definition at line [17377](#) of file [iodefne.h](#).

### 5.834.2 Field Documentation

#### 5.834.2.1 BIT

#### 5.834.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.835 st\_mpc\_t.PK4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.835.1 Detailed Description

Definition at line [17390](#) of file [iodefne.h](#).

### 5.835.2 Field Documentation

#### 5.835.2.1 BIT

#### 5.835.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.836 st\_mpc\_t.PK5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.836.1 Detailed Description

Definition at line [17403](#) of file [iodefne.h](#).

### 5.836.2 Field Documentation

#### 5.836.2.1 BIT

#### 5.836.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.837 st\_mpc\_t.PK6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.837.1 Detailed Description

Definition at line [17416](#) of file [iodefne.h](#).

### 5.837.2 Field Documentation

#### 5.837.2.1 BIT

#### 5.837.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.838 st\_mpc\_t.PK7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.838.1 Detailed Description

Definition at line [17429](#) of file [iodefne.h](#).

### 5.838.2 Field Documentation

#### 5.838.2.1 BIT

#### 5.838.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.839 st\_mpc\_t.PL0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.839.1 Detailed Description

Definition at line [17442](#) of file [iodefne.h](#).

### 5.839.2 Field Documentation

#### 5.839.2.1 BIT

#### 5.839.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.840 st\_mpc\_t.PL1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.840.1 Detailed Description

Definition at line [17455](#) of file [iodefne.h](#).

### 5.840.2 Field Documentation

#### 5.840.2.1 BIT

#### 5.840.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.841 st\_mpc\_t.PL2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.841.1 Detailed Description

Definition at line [17468](#) of file [iodefne.h](#).

### 5.841.2 Field Documentation

#### 5.841.2.1 BIT

#### 5.841.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.842 st\_mpc\_t.PL3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.842.1 Detailed Description

Definition at line [17481](#) of file [iodefne.h](#).

### 5.842.2 Field Documentation

#### 5.842.2.1 BIT

#### 5.842.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.843 st\_mpc\_t.PL4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.843.1 Detailed Description

Definition at line [17494](#) of file [iodefne.h](#).

### 5.843.2 Field Documentation

#### 5.843.2.1 BIT

#### 5.843.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.844 st\_mpc\_t.PL5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.844.1 Detailed Description

Definition at line [17507](#) of file [iodefne.h](#).

### 5.844.2 Field Documentation

#### 5.844.2.1 BIT

#### 5.844.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.845 st\_mpc\_t.PL6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.845.1 Detailed Description

Definition at line [17520](#) of file [iodefne.h](#).

### 5.845.2 Field Documentation

#### 5.845.2.1 BIT

#### 5.845.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.846 st\_mpc\_t.PL7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.846.1 Detailed Description

Definition at line [17533](#) of file [iodefne.h](#).

### 5.846.2 Field Documentation

#### 5.846.2.1 BIT

#### 5.846.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.847 st\_mpc\_t.PM0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.847.1 Detailed Description

Definition at line [17546](#) of file [iodefne.h](#).

### 5.847.2 Field Documentation

#### 5.847.2.1 BIT

#### 5.847.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.848 st\_mpc\_t.PM1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.848.1 Detailed Description

Definition at line [17559](#) of file [iodefne.h](#).

### 5.848.2 Field Documentation

#### 5.848.2.1 BIT

#### 5.848.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.849 st\_mpc\_t.PM2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.849.1 Detailed Description

Definition at line [17572](#) of file [iodefne.h](#).

### 5.849.2 Field Documentation

#### 5.849.2.1 BIT

#### 5.849.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.850 st\_mpc\_t.PM3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.850.1 Detailed Description

Definition at line [17585](#) of file [iodefne.h](#).

### 5.850.2 Field Documentation

#### 5.850.2.1 BIT

#### 5.850.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.851 st\_mpc\_t.PM4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.851.1 Detailed Description

Definition at line [17598](#) of file [iodefne.h](#).

### 5.851.2 Field Documentation

#### 5.851.2.1 BIT

#### 5.851.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.852 st\_mpc\_t.PM5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.852.1 Detailed Description

Definition at line [17611](#) of file [iodefne.h](#).

### 5.852.2 Field Documentation

#### 5.852.2.1 BIT

#### 5.852.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.853 st\_mpc\_t.PM6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.853.1 Detailed Description

Definition at line [17624](#) of file [iodefne.h](#).

### 5.853.2 Field Documentation

#### 5.853.2.1 BIT

#### 5.853.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.854 st\_mpc\_t.PM7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.854.1 Detailed Description

Definition at line [17637](#) of file [iodefne.h](#).

### 5.854.2 Field Documentation

#### 5.854.2.1 BIT

#### 5.854.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.855 st\_mpc\_t.PN0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.855.1 Detailed Description

Definition at line [17650](#) of file [iodefne.h](#).

### 5.855.2 Field Documentation

#### 5.855.2.1 BIT

#### 5.855.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.856 st\_mpc\_t.PN1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)



### 5.856.1 Detailed Description

Definition at line [17663](#) of file [iodefne.h](#).

### 5.856.2 Field Documentation

#### 5.856.2.1 BIT

#### 5.856.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.857 st\_mpc\_t.PN2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.857.1 Detailed Description

Definition at line [17676](#) of file [iodefne.h](#).

### 5.857.2 Field Documentation

#### 5.857.2.1 BIT

#### 5.857.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.858 st\_mpc\_t.PN3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.858.1 Detailed Description

Definition at line [17689](#) of file [iodefne.h](#).

### 5.858.2 Field Documentation

#### 5.858.2.1 BIT

#### 5.858.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.859 st\_mpc\_t.PN4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.859.1 Detailed Description

Definition at line [17702](#) of file [iodefne.h](#).

### 5.859.2 Field Documentation

#### 5.859.2.1 BIT

#### 5.859.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.860 st\_mpc\_t.PN5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.860.1 Detailed Description

Definition at line [17715](#) of file [iodefne.h](#).

### 5.860.2 Field Documentation

#### 5.860.2.1 BIT

#### 5.860.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.861 st\_mpc\_t.PQ0PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.861.1 Detailed Description

Definition at line [17729](#) of file [iodefne.h](#).

### 5.861.2 Field Documentation

#### 5.861.2.1 BIT

#### 5.861.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.862 st\_mpc\_t.PQ1PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.862.1 Detailed Description

Definition at line [17742](#) of file [iodefne.h](#).

### 5.862.2 Field Documentation

#### 5.862.2.1 BIT

#### 5.862.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.863 st\_mpc\_t.PQ2PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.863.1 Detailed Description

Definition at line [17755](#) of file [iodefne.h](#).

### 5.863.2 Field Documentation

#### 5.863.2.1 BIT

#### 5.863.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.864 st\_mpc\_t.PQ3PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.864.1 Detailed Description

Definition at line [17768](#) of file [iodefne.h](#).

### 5.864.2 Field Documentation

#### 5.864.2.1 BIT

#### 5.864.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.865 st\_mpc\_t.PQ4PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.865.1 Detailed Description

Definition at line [17781](#) of file [iodefne.h](#).

### 5.865.2 Field Documentation

#### 5.865.2.1 BIT

#### 5.865.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.866 st\_mpc\_t.PQ5PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.866.1 Detailed Description

Definition at line [17794](#) of file [iodefne.h](#).

### 5.866.2 Field Documentation

#### 5.866.2.1 BIT

#### 5.866.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.867 st\_mpc\_t.PQ6PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 2  
  unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.867.1 Detailed Description

Definition at line [17807](#) of file [iodefne.h](#).

### 5.867.2 Field Documentation

#### 5.867.2.1 BIT

#### 5.867.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.868 st\_mpc\_t.PQ7PFS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 2  
  unsigned char [PSEL](#): 6  
} [BIT](#)

### 5.868.1 Detailed Description

Definition at line [17820](#) of file [iodefne.h](#).

### 5.868.2 Field Documentation

#### 5.868.2.1 BIT

#### 5.868.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.869 st\_mpc\_t.PWPR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B0WI](#): 1
  - unsigned char [PFSWE](#): 1
  - unsigned [char](#): 6
- } [BIT](#)

### 5.869.1 Detailed Description

Definition at line [15409](#) of file [iodefne.h](#).

### 5.869.2 Field Documentation

#### 5.869.2.1 BIT


#### 5.869.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.870 st\_mpu\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_mpu\_t:



### Data Fields

- union {



```
unsigned long LONG
struct {
 unsigned long RSPN: 28
 unsigned long: 4
} BIT
} RSPAGE0
```

- union {  
 unsigned long LONG  
 struct {  
 unsigned long REPN: 28  
 unsigned long UAC: 3  
 unsigned long V: 1  
 } BIT  
} REPAGE0

- union {  
 unsigned long LONG  
 struct {  
 unsigned long RSPN: 28  
 unsigned long: 4  
 } BIT  
} RSPAGE1

- union {  
 unsigned long LONG  
 struct {  
 unsigned long REPN: 28  
 unsigned long UAC: 3  
 unsigned long V: 1  
 } BIT  
} REPAGE1

- union {  
 unsigned long LONG  
 struct {  
 unsigned long RSPN: 28  
 unsigned long: 4  
 } BIT  
} RSPAGE2

- union {  
 unsigned long LONG  
 struct {  
 unsigned long REPN: 28  
 unsigned long UAC: 3  
 unsigned long V: 1  
 } BIT  
} REPAGE2

- union {  
 unsigned long LONG  
 struct {  
 unsigned long RSPN: 28  
 unsigned long: 4  
 } BIT  
} RSPAGE3

- union {  
   unsigned long LONG  
   struct {  
     unsigned long REPN: 28  
     unsigned long UAC: 3  
     unsigned long V: 1  
   } BIT  
 } REPAGE3
- union {  
   unsigned long LONG  
   struct {  
     unsigned long RSPN: 28  
     unsigned long: 4  
   } BIT  
 } RSPAGE4
- union {  
   unsigned long LONG  
   struct {  
     unsigned long REPN: 28  
     unsigned long UAC: 3  
     unsigned long V: 1  
   } BIT  
 } REPAGE4
- union {  
   unsigned long LONG  
   struct {  
     unsigned long RSPN: 28  
     unsigned long: 4  
   } BIT  
 } RSPAGE5
- union {  
   unsigned long LONG  
   struct {  
     unsigned long REPN: 28  
     unsigned long UAC: 3  
     unsigned long V: 1  
   } BIT  
 } REPAGE5
- union {  
   unsigned long LONG  
   struct {  
     unsigned long RSPN: 28  
     unsigned long: 4  
   } BIT  
 } RSPAGE6
- union {  
   unsigned long LONG  
   struct {  
     unsigned long REPN: 28  
     unsigned long UAC: 3  
     unsigned long V: 1  
   } BIT

- union {  
  unsigned long LONG  
  struct {  
    unsigned long RSPN: 28  
    unsigned long: 4  
  } BIT  
} RSPAGE7
- union {  
  unsigned long LONG  
  struct {  
    unsigned long REPN: 28  
    unsigned long UAC: 3  
    unsigned long V: 1  
  } BIT  
} REPAGE7
- char wk0 [192]
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 31  
    unsigned long MPEN: 1  
  } BIT  
} MPEN
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 28  
    unsigned long UBAC: 3  
  } BIT  
} MPBAC
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 31  
    unsigned long CLR: 1  
  } BIT  
} MPECLR
- union {  
  unsigned long LONG  
  struct {  
    unsigned long: 29  
    unsigned long DRW: 1  
    unsigned long DMPER: 1  
    unsigned long IMPER: 1  
  } BIT  
} MPESTS
- char wk1 [4]
- union {  
  unsigned long LONG  
  struct {

```

 unsigned long DEA: 32
 } BIT
} MPDEA

```

- char [wk2](#) [8]
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long SA: 32
 } BIT
 } MPSA

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short S: 1
 } BIT
 } MPOPS

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short INV: 1
 } BIT
 } MPOPI

```
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long HITI: 8
 unsigned long UHACI: 3
 } BIT
 } MHITI

```
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 8
 unsigned long HITD: 8
 unsigned long UHACD: 3
 } BIT
 } MHITD

```

### 5.870.1 Detailed Description

Definition at line [17835](#) of file [iodefine.h](#).

### 5.870.2 Field Documentation

#### 5.870.2.1 [union]

```
union { ... } st_mpu_t::MHITD
```

## 5.870.2.2 [union]

```
union { ... } st_mpu_t::MHITI
```

## 5.870.2.3 [union]

```
union { ... } st_mpu_t::MPBAC
```

## 5.870.2.4 [union]

```
union { ... } st_mpu_t::MPDEA
```

## 5.870.2.5 [union]

```
union { ... } st_mpu_t::MPECLR
```

## 5.870.2.6 [union]

```
union { ... } st_mpu_t::MPEN
```

## 5.870.2.7 [union]

```
union { ... } st_mpu_t::MPESTS
```

## 5.870.2.8 [union]

```
union { ... } st_mpu_t::MPOPI
```

## 5.870.2.9 [union]

```
union { ... } st_mpu_t::MPOPS
```

## 5.870.2.10 [union]

```
union { ... } st_mpu_t::MPSA
```

## 5.870.2.11 [union]

```
union { ... } st_mpu_t::REPAGE0
```

## 5.870.2.12 [union]

```
union { ... } st_mpu_t::REPAGE1
```

## 5.870.2.13 [union]

```
union { ... } st_mpu_t::REPAGE2
```

## 5.870.2.14 [union]

```
union { ... } st_mpu_t::REPAGE3
```

## 5.870.2.15 [union]

```
union { ... } st_mpu_t::REPAGE4
```

## 5.870.2.16 [union]

```
union { ... } st_mpu_t::REPAGE5
```

## 5.870.2.17 [union]

```
union { ... } st_mpu_t::REPAGE6
```

## 5.870.2.18 [union]

```
union { ... } st_mpu_t::REPAGE7
```

## 5.870.2.19 [union]

```
union { ... } st_mpu_t::RSPAGE0
```

## 5.870.2.20 [union]

```
union { ... } st_mpu_t::RSPAGE1
```

## 5.870.2.21 [union]

```
union { ... } st_mpu_t::RSPAGE2
```

## 5.870.2.22 [union]

```
union { ... } st_mpu_t::RSPAGE3
```

## 5.870.2.23 [union]

```
union { ... } st_mpu_t::RSPAGE4
```

## 5.870.2.24 [union]

```
union { ... } st_mpu_t::RSPAGE5
```

## 5.870.2.25 [union]

```
union { ... } st_mpu_t::RSPAGE6
```

## 5.870.2.26 [union]

```
union { ... } st_mpu_t::RSPAGE7
```

## 5.870.2.27 wk0

```
char st_mpu_t::wk0[192]
```

Definition at line [18060](#) of file [iodefne.h](#).

## 5.870.2.28 wk1

```
char st_mpu_t::wk1[4]
```

Definition at line [18119](#) of file [iodefne.h](#).

## 5.870.2.29 wk2

```
char st_mpu_t::wk2[8]
```

Definition at line [18131](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.871 st\_mpu\_t.MHITD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [HITD](#): 8  
  unsigned long [UHACD](#): 3  
} [BIT](#)

### 5.871.1 Detailed Description

Definition at line [18188](#) of file [iodefine.h](#).

### 5.871.2 Field Documentation

#### 5.871.2.1 BIT

#### 5.871.2.2 LONG

The documentation for this union was generated from the following files:

## 5.872 st\_mpu\_t.MHITI Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 8  
  unsigned long [HITI](#): 8  
  unsigned long [UHACI](#): 3  
} [BIT](#)

### 5.872.1 Detailed Description

Definition at line [18169](#) of file [iodefine.h](#).

### 5.872.2 Field Documentation

#### 5.872.2.1 BIT

#### 5.872.2.2 LONG

The documentation for this union was generated from the following files:



## 5.873 st\_mpu\_t.MPBAC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 28
  - unsigned long [UBAC](#): 3
- } [BIT](#)

### 5.873.1 Detailed Description

Definition at line [18074](#) of file [iodefine.h](#).

### 5.873.2 Field Documentation

#### 5.873.2.1 BIT

#### 5.873.2.2 LONG

The documentation for this union was generated from the following files:

## 5.874 st\_mpu\_t.MPDEA Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [DEA](#): 32
- } [BIT](#)

### 5.874.1 Detailed Description

Definition at line [18120](#) of file [iodefine.h](#).

### 5.874.2 Field Documentation

#### 5.874.2.1 BIT

#### 5.874.2.2 LONG

The documentation for this union was generated from the following files:

## 5.875 st\_mpu\_t.MPECLR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [CLR](#): 1  
} [BIT](#)

### 5.875.1 Detailed Description

Definition at line [18089](#) of file [iodefne.h](#).

### 5.875.2 Field Documentation

#### 5.875.2.1 BIT

#### 5.875.2.2 LONG

The documentation for this union was generated from the following files:

## 5.876 st\_mpu\_t.MPEN Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 31  
  unsigned long [MPEN](#): 1  
} [BIT](#)

### 5.876.1 Detailed Description

Definition at line [18061](#) of file [iodefne.h](#).

### 5.876.2 Field Documentation

#### 5.876.2.1 BIT

#### 5.876.2.2 LONG

The documentation for this union was generated from the following files:

## 5.877 st\_mpu\_t.MPESTS Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 29  
  unsigned long [DRW](#): 1  
  unsigned long [DMPER](#): 1  
  unsigned long [IMPER](#): 1  
} [BIT](#)

### 5.877.1 Detailed Description

Definition at line [18102](#) of file [iodefine.h](#).

### 5.877.2 Field Documentation

#### 5.877.2.1 BIT

#### 5.877.2.2 LONG

The documentation for this union was generated from the following files:

## 5.878 st\_mpu\_t.MPOPI Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
  unsigned [short](#): 15  
  unsigned short [INV](#): 1  
} [BIT](#)

### 5.878.1 Detailed Description

Definition at line [18156](#) of file [iodefine.h](#).

### 5.878.2 Field Documentation

#### 5.878.2.1 BIT

#### 5.878.2.2 WORD

The documentation for this union was generated from the following files:

## 5.879 st\_mpu\_t.MPOPS Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 15
  - unsigned short [S](#): 1
- } [BIT](#)

### 5.879.1 Detailed Description

Definition at line [18143](#) of file [iodefne.h](#).

### 5.879.2 Field Documentation

#### 5.879.2.1 BIT

#### 5.879.2.2 WORD

The documentation for this union was generated from the following files:

## 5.880 st\_mpu\_t.MPSA Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [SA](#): 32
- } [BIT](#)

### 5.880.1 Detailed Description

Definition at line [18132](#) of file [iodefne.h](#).

### 5.880.2 Field Documentation

#### 5.880.2.1 BIT

#### 5.880.2.2 LONG

The documentation for this union was generated from the following files:

## 5.881 st\_mpu\_t.REPAGE0 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.881.1 Detailed Description

Definition at line [17849](#) of file [iodefine.h](#).

### 5.881.2 Field Documentation

#### 5.881.2.1 BIT

#### 5.881.2.2 LONG

The documentation for this union was generated from the following files:

## 5.882 st\_mpu\_t.REPAGE1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.882.1 Detailed Description

Definition at line [17877](#) of file [iodefine.h](#).

### 5.882.2 Field Documentation

#### 5.882.2.1 BIT

#### 5.882.2.2 LONG

The documentation for this union was generated from the following files:

## 5.883 st\_mpu\_t.REPAGE2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.883.1 Detailed Description

Definition at line [17905](#) of file [iodefne.h](#).

### 5.883.2 Field Documentation

#### 5.883.2.1 BIT

#### 5.883.2.2 LONG

The documentation for this union was generated from the following files:

## 5.884 st\_mpu\_t.REPAGE3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.884.1 Detailed Description

Definition at line [17933](#) of file [iodefne.h](#).

### 5.884.2 Field Documentation

#### 5.884.2.1 BIT

#### 5.884.2.2 LONG

The documentation for this union was generated from the following files:

## 5.885 st\_mpu\_t.REPAGE4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.885.1 Detailed Description

Definition at line [17961](#) of file [iodefine.h](#).

### 5.885.2 Field Documentation

#### 5.885.2.1 BIT

#### 5.885.2.2 LONG

The documentation for this union was generated from the following files:

## 5.886 st\_mpu\_t.REPAGE5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.886.1 Detailed Description

Definition at line [17989](#) of file [iodefine.h](#).

### 5.886.2 Field Documentation

#### 5.886.2.1 BIT

#### 5.886.2.2 LONG

The documentation for this union was generated from the following files:

## 5.887 st\_mpu\_t.REPAGE6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.887.1 Detailed Description

Definition at line [18017](#) of file [iodefne.h](#).

### 5.887.2 Field Documentation

#### 5.887.2.1 BIT

#### 5.887.2.2 LONG

The documentation for this union was generated from the following files:

## 5.888 st\_mpu\_t.REPAGE7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [REPN](#): 28
  - unsigned long [UAC](#): 3
  - unsigned long [V](#): 1
- } [BIT](#)

### 5.888.1 Detailed Description

Definition at line [18045](#) of file [iodefne.h](#).

### 5.888.2 Field Documentation

#### 5.888.2.1 BIT

#### 5.888.2.2 LONG

The documentation for this union was generated from the following files:



## 5.889 st\_mpu\_t.RSPAGE0 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [RSPN](#): 28
  - unsigned [long](#): 4
- } [BIT](#)

### 5.889.1 Detailed Description

Definition at line [17836](#) of file [iodefne.h](#).

### 5.889.2 Field Documentation

#### 5.889.2.1 BIT

#### 5.889.2.2 LONG

The documentation for this union was generated from the following files:

## 5.890 st\_mpu\_t.RSPAGE1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [RSPN](#): 28
  - unsigned [long](#): 4
- } [BIT](#)

### 5.890.1 Detailed Description

Definition at line [17864](#) of file [iodefne.h](#).

### 5.890.2 Field Documentation

#### 5.890.2.1 BIT

#### 5.890.2.2 LONG

The documentation for this union was generated from the following files:

## 5.891 st\_mpu\_t.RSPAGE2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned long [RSPN](#): 28  
  unsigned [long](#): 4  
} [BIT](#)

### 5.891.1 Detailed Description

Definition at line [17892](#) of file [iodefine.h](#).

### 5.891.2 Field Documentation

#### 5.891.2.1 BIT

#### 5.891.2.2 LONG

The documentation for this union was generated from the following files:

## 5.892 st\_mpu\_t.RSPAGE3 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned long [RSPN](#): 28  
  unsigned [long](#): 4  
} [BIT](#)

### 5.892.1 Detailed Description

Definition at line [17920](#) of file [iodefine.h](#).

### 5.892.2 Field Documentation

#### 5.892.2.1 BIT

#### 5.892.2.2 LONG

The documentation for this union was generated from the following files:

## 5.893 st\_mpu\_t.RSPAGE4 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [RSPN](#): 28
  - unsigned [long](#): 4
- } [BIT](#)

### 5.893.1 Detailed Description

Definition at line [17948](#) of file [iodefne.h](#).

### 5.893.2 Field Documentation

#### 5.893.2.1 BIT

#### 5.893.2.2 LONG

The documentation for this union was generated from the following files:

## 5.894 st\_mpu\_t.RSPAGE5 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [RSPN](#): 28
  - unsigned [long](#): 4
- } [BIT](#)

### 5.894.1 Detailed Description

Definition at line [17976](#) of file [iodefne.h](#).

### 5.894.2 Field Documentation

#### 5.894.2.1 BIT

#### 5.894.2.2 LONG

The documentation for this union was generated from the following files:

## 5.895 st\_mpu\_t.RSPAGE6 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned long [RSPN](#): 28  
  unsigned [long](#): 4  
} [BIT](#)

### 5.895.1 Detailed Description

Definition at line [18004](#) of file [iodefne.h](#).

### 5.895.2 Field Documentation

#### 5.895.2.1 BIT

#### 5.895.2.2 LONG

The documentation for this union was generated from the following files:

## 5.896 st\_mpu\_t.RSPAGE7 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned long [RSPN](#): 28  
  unsigned [long](#): 4  
} [BIT](#)

### 5.896.1 Detailed Description

Definition at line [18032](#) of file [iodefne.h](#).

### 5.896.2 Field Documentation

#### 5.896.2.1 BIT


#### 5.896.2.2 LONG

The documentation for this union was generated from the following files:

## 5.897 st\_mtu0\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_mtu0\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char NFCS: 2
 unsigned char NFDEN: 1
 unsigned char NFCEN: 1
 unsigned char NFBEN: 1
 unsigned char NFAEN: 1
 } BIT
} NFCR0

```

- char wk0 [8]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char NFCS: 2
 unsigned char NFDEN: 1
 unsigned char NFCEN: 1
 unsigned char NFBEN: 1
 unsigned char NFAEN: 1
 } BIT
 } NFCRC

```

- char wk1 [102]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char CCLR: 3
 unsigned char CKEG: 2
 unsigned char TPSC: 3
 } BIT
 } TCR

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char BFE: 1
 unsigned char BFB: 1
 unsigned char BFA: 1
 unsigned char MD: 4
 } BIT
 } TMDR1

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IOB: 4
 unsigned char IOA: 4
 } BIT
 } TIORH

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IOD: 4
 unsigned char IOC: 4
 }

```

- char **wk5** [1]
- union {
  - unsigned char **BYTE**
  - struct {
    - unsigned **char**: 5
    - unsigned char **TPSC2**: 3

### 5.897.1 Detailed Description

Definition at line [18835](#) of file [iodefne.h](#).

### 5.897.2 Field Documentation

#### 5.897.2.1 [union]

```
union { ... } st_mtu0_t::NFCR0
```

#### 5.897.2.2 [union]

```
union { ... } st_mtu0_t::NFCRC
```

#### 5.897.2.3 [union]

```
union { ... } st_mtu0_t::TBTM
```

#### 5.897.2.4 TCNT

```
unsigned short st_mtu0_t::TCNT
```

Definition at line [18964](#) of file [iodefne.h](#).

#### 5.897.2.5 [union]

```
union { ... } st_mtu0_t::TCR
```

#### 5.897.2.6 [union]

```
union { ... } st_mtu0_t::TCR2
```

#### 5.897.2.7 TGRA

```
unsigned short st_mtu0_t::TGRA
```

Definition at line [18965](#) of file [iodefne.h](#).

#### 5.897.2.8 TGRB

```
unsigned short st_mtu0_t::TGRB
```

Definition at line [18966](#) of file [iodefne.h](#).



## 5.897.2.9 TGRC

unsigned short st\_mtu0\_t::TGRC

Definition at line 18967 of file [iodefne.h](#).

## 5.897.2.10 TGRD

unsigned short st\_mtu0\_t::TGRD

Definition at line 18968 of file [iodefne.h](#).

## 5.897.2.11 TGRE

unsigned short st\_mtu0\_t::TGRE

Definition at line 18970 of file [iodefne.h](#).

## 5.897.2.12 TGRF

unsigned short st\_mtu0\_t::TGRF

Definition at line 18971 of file [iodefne.h](#).

## 5.897.2.13 [union]

union { ... } st\_mtu0\_t::TIER

## 5.897.2.14 [union]

union { ... } st\_mtu0\_t::TIER2

## 5.897.2.15 [union]

union { ... } st\_mtu0\_t::TIORH

## 5.897.2.16 [union]

union { ... } st\_mtu0\_t::TIORL

## 5.897.2.17 [union]

union { ... } st\_mtu0\_t::TMDR1

5.897.2.18 wk0

```
char st_mtu0_t::wk0[8]
```

Definition at line [18857](#) of file [iodefne.h](#).

5.897.2.19 wk1

```
char st_mtu0_t::wk1[102]
```

Definition at line [18879](#) of file [iodefne.h](#).

5.897.2.20 wk2

```
char st_mtu0_t::wk2[1]
```

Definition at line [18963](#) of file [iodefne.h](#).

5.897.2.21 wk3

```
char st_mtu0_t::wk3[16]
```

Definition at line [18969](#) of file [iodefne.h](#).

5.897.2.22 wk4

```
char st_mtu0_t::wk4[1]
```

Definition at line [18989](#) of file [iodefne.h](#).

5.897.2.23 wk5

```
char st_mtu0_t::wk5[1]
```

Definition at line [19007](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.898 st\_\_mtu0\_\_t.NFCR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.898.1 Detailed Description

Definition at line [18836](#) of file [iodefine.h](#).

### 5.898.2 Field Documentation

#### 5.898.2.1 BIT

#### 5.898.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.899 st\_\_mtu0\_\_t.NFCRC Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.899.1 Detailed Description

Definition at line [18858](#) of file [iodefine.h](#).

## 5.899.2 Field Documentation

### 5.899.2.1 BIT

### 5.899.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.900 st\_mtu0\_t.TBTM Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [TTSE](#): 1
  - unsigned char [TTSB](#): 1
  - unsigned char [TTSA](#): 1
- } [BIT](#)

### 5.900.1 Detailed Description

Definition at line [18990](#) of file [iodefine.h](#).

## 5.900.2 Field Documentation

### 5.900.2.1 BIT

### 5.900.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.901 st\_mtu0\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CCLR](#): 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.901.1 Detailed Description

Definition at line [18880](#) of file [iodefne.h](#).

### 5.901.2 Field Documentation

#### 5.901.2.1 BIT

#### 5.901.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.902 st\_\_mtu0\_\_t.TCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [TPSC2](#): 3  
} [BIT](#)

### 5.902.1 Detailed Description

Definition at line [19008](#) of file [iodefne.h](#).

### 5.902.2 Field Documentation

#### 5.902.2.1 BIT

#### 5.902.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.903 st\_\_mtu0\_\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [TTGE](#): 1  
    unsigned [char](#): 2  
    unsigned char [TCIEV](#): 1  
    unsigned char [TGIED](#): 1  
    unsigned char [TGIEC](#): 1  
    unsigned char [TGIEB](#): 1  
    unsigned char [TGIEA](#): 1  
} [BIT](#)

### 5.903.1 Detailed Description

Definition at line [18940](#) of file [iodefine.h](#).

### 5.903.2 Field Documentation

#### 5.903.2.1 BIT

#### 5.903.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.904 st\_\_mtu0\_\_t.TIER2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE2](#): 1
  - unsigned [char](#): 5
  - unsigned char [TGIEF](#): 1
  - unsigned char [TGIEE](#): 1
- } [BIT](#)

### 5.904.1 Detailed Description

Definition at line [18972](#) of file [iodefine.h](#).

### 5.904.2 Field Documentation

#### 5.904.2.1 BIT

#### 5.904.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.905 st\_\_mtu0\_\_t.TIORH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.905.1 Detailed Description

Definition at line [18914](#) of file [iodefine.h](#).

### 5.905.2 Field Documentation

#### 5.905.2.1 BIT

#### 5.905.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.906 st\_\_mtu0\_\_t.TIORL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOD](#): 4
  - unsigned char [IOC](#): 4
- } [BIT](#)

### 5.906.1 Detailed Description

Definition at line [18927](#) of file [iodefine.h](#).

### 5.906.2 Field Documentation

#### 5.906.2.1 BIT

#### 5.906.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.907 st\_\_mtu0\_\_t.TMDR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [BFE](#): 1
  - unsigned char [BFB](#): 1
  - unsigned char [BFA](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.907.1 Detailed Description

Definition at line [18895](#) of file [iodefne.h](#).

### 5.907.2 Field Documentation

#### 5.907.2.1 BIT

#### 5.907.2.2 BYTE


The documentation for this union was generated from the following files:

## 5.908 st\_mtu1\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_mtu1\_t:





### Data Fields

- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [NFCS](#): 2
    - unsigned char [NFDEN](#): 1
    - unsigned char [NFCEN](#): 1

- ```

    unsigned char NFBEN: 1
    unsigned char NFAEN: 1
    } BIT
} NFCR1

```
- char [wk1](#) [238]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 1
          unsigned char CCLR: 2
          unsigned char CKEG: 2
          unsigned char TPSC: 3
          } BIT
        } TCR
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 4
          unsigned char MD: 4
          } BIT
        } TMDR1
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char IOB: 4
          unsigned char IOA: 4
          } BIT
        } TIOR
      
```
 - char [wk2](#) [1]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char TTGE: 1
          unsigned char: 1
          unsigned char TCIEU: 1
          unsigned char TCIEV: 1
          unsigned char TGIEB: 1
          unsigned char TGIEA: 1
          } BIT
        } TIER
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char TCFD: 1
          unsigned char: 7
          } BIT
        } TSR
      
```
 - unsigned short [TCNT](#)
 - unsigned short [TGRA](#)
 - unsigned short [TGRB](#)
 - char [wk3](#) [4]

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 4
 unsigned char [I2BE](#): 1
 unsigned char [I2AE](#): 1
 unsigned char [I1BE](#): 1
 unsigned char [I1AE](#): 1
 } [BIT](#)
} [TICCR](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [PHCKSEL](#): 1
 unsigned char [LWA](#): 1
 } [BIT](#)
} [TMDR3](#)
- char [wk4](#) [2]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 3
 unsigned char [PCB](#): 2
 unsigned char [TPSC2](#): 3
 } [BIT](#)
} [TCR2](#)
- char [wk5](#) [11]
- unsigned long [TCNTLW](#)
- unsigned long [TGRALW](#)
- unsigned long [TGRBLW](#)

5.908.1 Detailed Description

Definition at line [19023](#) of file [iodefine.h](#).

5.908.2 Field Documentation

5.908.2.1 [union]

union { ... } st_mtu1_t::NFCR1

5.908.2.2 TCNT

unsigned short st_mtu1_t::TCNT

Definition at line [19127](#) of file [iodefine.h](#).

5.908.2.3 TCNTLW

unsigned long st_mtu1_t::TCNTLW

Definition at line [19182](#) of file [iodefine.h](#).

5.908.2.4 [union]

union { ... } st_mtu1_t::TCR

5.908.2.5 [union]

union { ... } st_mtu1_t::TCR2

5.908.2.6 TGRA

unsigned short st_mtu1_t::TGRA

Definition at line [19128](#) of file [iodefine.h](#).

5.908.2.7 TGRALW

unsigned long st_mtu1_t::TGRALW

Definition at line [19183](#) of file [iodefine.h](#).

5.908.2.8 TGRB

unsigned short st_mtu1_t::TGRB

Definition at line [19129](#) of file [iodefine.h](#).

5.908.2.9 TGRBLW

unsigned long st_mtu1_t::TGRBLW

Definition at line [19184](#) of file [iodefine.h](#).

5.908.2.10 [union]

union { ... } st_mtu1_t::TICCR

5.908.2.11 [union]

union { ... } st_mtu1_t::TIER

5.908.2.12 [union]

```
union { ... } st_mtu1_t::TIOR
```

5.908.2.13 [union]

```
union { ... } st_mtu1_t::TMDR1
```

5.908.2.14 [union]

```
union { ... } st_mtu1_t::TMDR3
```

5.908.2.15 [union]

```
union { ... } st_mtu1_t::TSR
```

5.908.2.16 wk0

```
char st_mtu1_t::wk0[1]
```

Definition at line [19024](#) of file [iodefne.h](#).

5.908.2.17 wk1

```
char st_mtu1_t::wk1[238]
```

Definition at line [19046](#) of file [iodefne.h](#).

5.908.2.18 wk2

```
char st_mtu1_t::wk2[1]
```

Definition at line [19090](#) of file [iodefne.h](#).

5.908.2.19 wk3

```
char st_mtu1_t::wk3[4]
```

Definition at line [19130](#) of file [iodefne.h](#).

5.908.2.20 wk4

```
char st_mtu1_t::wk4[2]
```

Definition at line [19165](#) of file [iodefne.h](#).

5.908.2.21 wk5

```
char st_mtu1_t::wk5[11]
```

Definition at line [19181](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.909 st_mtu1_t.NFCR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
- } [BIT](#)

5.909.1 Detailed Description

Definition at line [19025](#) of file [iodefne.h](#).

5.909.2 Field Documentation

5.909.2.1 BIT

5.909.2.2 BYTE

The documentation for this union was generated from the following files:

5.910 st_mtu1_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [CCLR](#): 2
 - unsigned char [CKEG](#): 2
 - unsigned char [TPSC](#): 3
- } [BIT](#)

5.910.1 Detailed Description

Definition at line [19047](#) of file [iodefine.h](#).

5.910.2 Field Documentation

5.910.2.1 BIT

5.910.2.2 BYTE

The documentation for this union was generated from the following files:

5.911 st_mtu1_t.TCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 3
 - unsigned char [PCB](#): 2
 - unsigned char [TPSC2](#): 3
- } [BIT](#)

5.911.1 Detailed Description

Definition at line [19166](#) of file [iodefine.h](#).

5.911.2 Field Documentation

5.911.2.1 BIT

5.911.2.2 BYTE

The documentation for this union was generated from the following files:

5.912 st_mtu1_t.TICCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [I2BE](#): 1
 - unsigned char [I2AE](#): 1
 - unsigned char [I1BE](#): 1
 - unsigned char [I1AE](#): 1
- } [BIT](#)

5.912.1 Detailed Description

Definition at line [19131](#) of file [iodefine.h](#).

5.912.2 Field Documentation

5.912.2.1 BIT

5.912.2.2 BYTE

The documentation for this union was generated from the following files:

5.913 st_mtu1_t.TIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TTGE](#): 1
 - unsigned [char](#): 1
 - unsigned char [TCIEU](#): 1
 - unsigned char [TCIEV](#): 1
 - unsigned char [TGIEB](#): 1
 - unsigned char [TGIEA](#): 1
- } [BIT](#)

5.913.1 Detailed Description

Definition at line [19091](#) of file [iodefine.h](#).

5.913.2 Field Documentation

5.913.2.1 BIT

5.913.2.2 BYTE

The documentation for this union was generated from the following files:

5.914 st_mtu1_t.TIOR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IOB](#): 4
 - unsigned char [IOA](#): 4
- } [BIT](#)

5.914.1 Detailed Description

Definition at line [19077](#) of file [iodefne.h](#).

5.914.2 Field Documentation

5.914.2.1 BIT

5.914.2.2 BYTE

The documentation for this union was generated from the following files:

5.915 st_mtu1_t.TMDR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 4
 unsigned char [MD](#): 4
} [BIT](#)

5.915.1 Detailed Description

Definition at line [19064](#) of file [iodefne.h](#).

5.915.2 Field Documentation

5.915.2.1 BIT

5.915.2.2 BYTE

The documentation for this union was generated from the following files:

5.916 st_mtu1_t.TMDR3 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [PHCKSEL](#): 1
 unsigned char [LWA](#): 1
} [BIT](#)

5.916.1 Detailed Description

Definition at line [19150](#) of file [iodefine.h](#).

5.916.2 Field Documentation

5.916.2.1 BIT

5.916.2.2 BYTE

The documentation for this union was generated from the following files:

5.917 st_mtu1_t.TSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TCFD](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.917.1 Detailed Description

Definition at line [19114](#) of file [iodefine.h](#).

5.917.2 Field Documentation

5.917.2.1 BIT


5.917.2.2 BYTE

The documentation for this union was generated from the following files:

5.918 st_mtu2_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_mtu2_t:



Data Fields

- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char: 2
 - unsigned char `NFCS`: 2
 - unsigned char `NFDEN`: 1
 - unsigned char `NFCEN`: 1
 - unsigned char `NFBEN`: 1
 - unsigned char `NFAEN`: 1

- ```

 } BIT
} NFCR2

```
- char `wk0` [365]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char CCLR: 2
 unsigned char CKEG: 2
 unsigned char TPSC: 3
 } BIT
 } TCR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 4
 unsigned char MD: 4
 } BIT
 } TMDR1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IOB: 4
 unsigned char IOA: 4
 } BIT
 } TIOR

```
  - char `wk1` [1]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TTGE: 1
 unsigned char: 1
 unsigned char TCIEU: 1
 unsigned char TCIEV: 1
 unsigned char TGIEB: 1
 unsigned char TGIEA: 1
 } BIT
 } TIER

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TCFD: 1
 unsigned char: 7
 } BIT
 } TSR

```
  - unsigned short `TCNT`
  - unsigned short `TGRA`
  - unsigned short `TGRB`
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 3

```

```
 unsigned char PCB: 2
 unsigned char TPSC2: 3
 } BIT
} TCR2
```

## 5.918.1 Detailed Description

Definition at line 19187 of file [iodefne.h](#).

## 5.918.2 Field Documentation

### 5.918.2.1 [union]

```
union { ... } st_mtu2_t::NFCR2
```

### 5.918.2.2 TCNT

```
unsigned short st_mtu2_t::TCNT
```

Definition at line 19290 of file [iodefne.h](#).

### 5.918.2.3 [union]

```
union { ... } st_mtu2_t::TCR
```

### 5.918.2.4 [union]

```
union { ... } st_mtu2_t::TCR2
```

### 5.918.2.5 TGRA

```
unsigned short st_mtu2_t::TGRA
```

Definition at line 19291 of file [iodefne.h](#).

### 5.918.2.6 TGRB

```
unsigned short st_mtu2_t::TGRB
```

Definition at line 19292 of file [iodefne.h](#).

### 5.918.2.7 [union]

```
union { ... } st_mtu2_t::TIER
```

## 5.918.2.8 [union]

```
union { ... } st_mtu2_t::TIOR
```

## 5.918.2.9 [union]

```
union { ... } st_mtu2_t::TMDR1
```

## 5.918.2.10 [union]

```
union { ... } st_mtu2_t::TSR
```

## 5.918.2.11 wk0

```
char st_mtu2_t::wk0[365]
```

Definition at line [19209](#) of file [iodefne.h](#).

## 5.918.2.12 wk1

```
char st_mtu2_t::wk1[1]
```

Definition at line [19253](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.919 st\_mtu2\_t.NFCR2 Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- [BIT](#)

## 5.919.1 Detailed Description

Definition at line [19188](#) of file [iodefne.h](#).

## 5.919.2 Field Documentation

### 5.919.2.1 BIT

### 5.919.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.920 st\_mtu2\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [CCLR](#): 2
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.920.1 Detailed Description

Definition at line [19210](#) of file [iodefine.h](#).

## 5.920.2 Field Documentation

### 5.920.2.1 BIT

### 5.920.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.921 st\_mtu2\_t.TCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [PCB](#): 2
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.921.1 Detailed Description

Definition at line [19293](#) of file [iodefine.h](#).

### 5.921.2 Field Documentation

#### 5.921.2.1 BIT

#### 5.921.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.922 st\_mtu2\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCIEU](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.922.1 Detailed Description

Definition at line [19254](#) of file [iodefine.h](#).

### 5.922.2 Field Documentation

#### 5.922.2.1 BIT

#### 5.922.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.923 st\_mtu2\_t.TIOR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)



### 5.923.1 Detailed Description

Definition at line [19240](#) of file [iodefne.h](#).

### 5.923.2 Field Documentation

#### 5.923.2.1 BIT

#### 5.923.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.924 st\_\_mtu2\_\_t.TMDR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 4  
    unsigned char [MD](#): 4  
} [BIT](#)

### 5.924.1 Detailed Description

Definition at line [19227](#) of file [iodefne.h](#).

### 5.924.2 Field Documentation

#### 5.924.2.1 BIT

#### 5.924.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.925 st\_\_mtu2\_\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [TCFD](#): 1  
    unsigned [char](#): 7  
} [BIT](#)

### 5.925.1 Detailed Description

Definition at line [19277](#) of file [iodefne.h](#).

### 5.925.2 Field Documentation

#### 5.925.2.1 BIT


#### 5.925.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.926 st\_mtu3\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_mtu3\_t:



### Data Fields

- union {
  - unsigned char **BYTE**
  - struct {
    - unsigned char **CCLR**: 3
    - unsigned char **CKEG**: 2
    - unsigned char **TPSC**: 3
    - } **BIT**
- } **TCR**

- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [BFB](#): 1
    - unsigned char [BFA](#): 1
    - unsigned char [MD](#): 4
  - } [BIT](#)
- } [TMDR1](#)
  
- char [wk1](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
  - } [BIT](#)
- } [TIORH](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOD](#): 4
    - unsigned char [IOC](#): 4
  - } [BIT](#)
- } [TIORL](#)
  
- char [wk2](#) [2]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TTGE](#): 1
    - unsigned [char](#): 2
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIED](#): 1
    - unsigned char [TGIEC](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
  - } [BIT](#)
- } [TIER](#)
  
- char [wk3](#) [7]
- unsigned short [TCNT](#)
- char [wk4](#) [6]
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)
- char [wk5](#) [8]
- unsigned short [TGRC](#)
- unsigned short [TGRD](#)
- char [wk6](#) [4]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TCFD](#): 1
    - unsigned [char](#): 7
  - } [BIT](#)

- char [wk7](#) [11]
  - union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned [char](#): 6
      - unsigned char [TTSB](#): 1
      - unsigned char [TTSA](#): 1
      - } [BIT](#)
  - } [TBTM](#)
- char [wk8](#) [19]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 5
    - unsigned char [TPSC2](#): 3
    - } [BIT](#)
  - } [TCR2](#)
- char [wk9](#) [37]
- unsigned short [TGRE](#)
- char [wk10](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [NFCS](#): 2
    - unsigned char [NFDEN](#): 1
    - unsigned char [NFCEN](#): 1
    - unsigned char [NFBEN](#): 1
    - unsigned char [NFAEN](#): 1
    - } [BIT](#)
  - } [NFCR3](#)

### 5.926.1 Detailed Description

Definition at line [19310](#) of file [iodefine.h](#).

### 5.926.2 Field Documentation

#### 5.926.2.1 [union]

```
union { ... } st_mtu3_t::NFCR3
```

#### 5.926.2.2 [union]

```
union { ... } st_mtu3_t::TBTM
```

### 5.926.2.3 TCNT

unsigned short st\_mtu3\_t::TCNT

Definition at line [19396](#) of file [iodefine.h](#).

### 5.926.2.4 [union]

union { ... } st\_mtu3\_t::TCR

### 5.926.2.5 [union]

union { ... } st\_mtu3\_t::TCR2

### 5.926.2.6 TGRA

unsigned short st\_mtu3\_t::TGRA

Definition at line [19398](#) of file [iodefine.h](#).

### 5.926.2.7 TGRB

unsigned short st\_mtu3\_t::TGRB

Definition at line [19399](#) of file [iodefine.h](#).

### 5.926.2.8 TGRC

unsigned short st\_mtu3\_t::TGRC

Definition at line [19401](#) of file [iodefine.h](#).

### 5.926.2.9 TGRD

unsigned short st\_mtu3\_t::TGRD

Definition at line [19402](#) of file [iodefine.h](#).

### 5.926.2.10 TGRE

unsigned short st\_mtu3\_t::TGRE

Definition at line [19448](#) of file [iodefine.h](#).

## 5.926.2.11 [union]

```
union { ... } st_mtu3_t::TIER
```

## 5.926.2.12 [union]

```
union { ... } st_mtu3_t::TIORH
```

## 5.926.2.13 [union]

```
union { ... } st_mtu3_t::TIORL
```

## 5.926.2.14 [union]

```
union { ... } st_mtu3_t::TMDR1
```

## 5.926.2.15 [union]

```
union { ... } st_mtu3_t::TSR
```

## 5.926.2.16 wk0

```
char st_mtu3_t::wk0[1]
```

Definition at line [19326](#) of file [iodefne.h](#).

## 5.926.2.17 wk1

```
char st_mtu3_t::wk1[1]
```

Definition at line [19344](#) of file [iodefne.h](#).

## 5.926.2.18 wk10

```
char st_mtu3_t::wk10[31]
```

Definition at line [19449](#) of file [iodefne.h](#).

## 5.926.2.19 wk2

```
char st_mtu3_t::wk2[2]
```

Definition at line [19371](#) of file [iodefne.h](#).

## 5.926.2.20 wk3

```
char st_mtu3_t::wk3[7]
```

Definition at line [19395](#) of file [iodefne.h](#).

## 5.926.2.21 wk4

```
char st_mtu3_t::wk4[6]
```

Definition at line [19397](#) of file [iodefne.h](#).

## 5.926.2.22 wk5

```
char st_mtu3_t::wk5[8]
```

Definition at line [19400](#) of file [iodefne.h](#).

## 5.926.2.23 wk6

```
char st_mtu3_t::wk6[4]
```

Definition at line [19403](#) of file [iodefne.h](#).

## 5.926.2.24 wk7

```
char st_mtu3_t::wk7[11]
```

Definition at line [19417](#) of file [iodefne.h](#).

## 5.926.2.25 wk8

```
char st_mtu3_t::wk8[19]
```

Definition at line [19433](#) of file [iodefne.h](#).

## 5.926.2.26 wk9

```
char st_mtu3_t::wk9[37]
```

Definition at line [19447](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)



## 5.927 st\_\_mtu3\_\_t.NFCR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.927.1 Detailed Description

Definition at line [19450](#) of file [iodefine.h](#).

### 5.927.2 Field Documentation

#### 5.927.2.1 BIT

#### 5.927.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.928 st\_\_mtu3\_\_t.TBTM Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 6
  - unsigned char [TTSB](#): 1
  - unsigned char [TTSA](#): 1
- } [BIT](#)

### 5.928.1 Detailed Description

Definition at line [19418](#) of file [iodefine.h](#).

### 5.928.2 Field Documentation

#### 5.928.2.1 BIT

#### 5.928.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.929 st\_mtu3\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CCLR](#): 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.929.1 Detailed Description

Definition at line [19311](#) of file [iodefine.h](#).

### 5.929.2 Field Documentation

#### 5.929.2.1 BIT

#### 5.929.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.930 st\_mtu3\_t.TCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.930.1 Detailed Description

Definition at line [19434](#) of file [iodefine.h](#).

### 5.930.2 Field Documentation

#### 5.930.2.1 BIT

#### 5.930.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.931 st\_mtu3\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned [char](#): 2
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIED](#): 1
  - unsigned char [TGIEC](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.931.1 Detailed Description

Definition at line [19372](#) of file [iodefine.h](#).

### 5.931.2 Field Documentation

#### 5.931.2.1 BIT

#### 5.931.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.932 st\_mtu3\_t.TIORH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.932.1 Detailed Description

Definition at line [19345](#) of file [iodefine.h](#).

### 5.932.2 Field Documentation

#### 5.932.2.1 BIT

#### 5.932.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.933 st\_mtu3\_t.TIORL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOD](#): 4
  - unsigned char [IOC](#): 4
- } [BIT](#)

### 5.933.1 Detailed Description

Definition at line [19358](#) of file [iodefine.h](#).

### 5.933.2 Field Documentation

#### 5.933.2.1 BIT

#### 5.933.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.934 st\_mtu3\_t.TMDR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [BFB](#): 1
  - unsigned char [BFA](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.934.1 Detailed Description

Definition at line [19327](#) of file [iodefine.h](#).

### 5.934.2 Field Documentation

#### 5.934.2.1 BIT

#### 5.934.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.935 st\_\_mtu3\_\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 7
- } [BIT](#)

### 5.935.1 Detailed Description

Definition at line [19404](#) of file [iodefne.h](#).

### 5.935.2 Field Documentation

#### 5.935.2.1 BIT


#### 5.935.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.936 st\_\_mtu4\_\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_\_mtu4\_\_t:



### Data Fields

- char `wk0` [1]
- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char `CCLR`: 3
    - unsigned char `CKEG`: 2
    - unsigned char `TPSC`: 3

- } [TCR](#)
- char [wk1](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [BFB](#): 1
    - unsigned char [BFA](#): 1
    - unsigned char [MD](#): 4
    - } [BIT](#)
- } [TMDR1](#)
- char [wk2](#) [2]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
    - } [BIT](#)
- } [TIORH](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOD](#): 4
    - unsigned char [IOC](#): 4
    - } [BIT](#)
- } [TIORL](#)
- char [wk3](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TTGE](#): 1
    - unsigned char [TTGE2](#): 1
    - unsigned [char](#): 1
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIED](#): 1
    - unsigned char [TGIEC](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
    - } [BIT](#)
- } [TIER](#)
- char [wk4](#) [8]
- unsigned short [TCNT](#)
- char [wk5](#) [8]
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)
- char [wk6](#) [8]
- unsigned short [TGRC](#)
- unsigned short [TGRD](#)
- char [wk7](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {

```

 unsigned char TCFD: 1
 unsigned char: 7
 } BIT
} TSR

• char wk8 [11]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char TTSB: 1
 unsigned char TTSA: 1
 } BIT
} TBTM

• char wk9 [6]
• union {
 unsigned short WORD
 struct {
 unsigned short BF: 2
 unsigned short: 6
 unsigned short UT4AE: 1
 unsigned short DT4AE: 1
 unsigned short UT4BE: 1
 unsigned short DT4BE: 1
 unsigned short ITA3AE: 1
 unsigned short ITA4VE: 1
 unsigned short ITB3AE: 1
 unsigned short ITB4VE: 1
 } BIT
} TADCR

• char wk10 [2]
• unsigned short TADCORA
• unsigned short TADCORB
• unsigned short TADCOBRA
• unsigned short TADCOBRB
• char wk11 [1]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char TPSC2: 3
 } BIT
} TCR2

• char wk12 [38]
• unsigned short TGRE
• unsigned short TGRF
• char wk13 [28]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char NFCS: 2
 unsigned char NFDEN: 1
 unsigned char NFCEN: 1

```



```
 unsigned char NFBEN: 1
 unsigned char NFAEN: 1
 } BIT
} NFCR4
```

### 5.936.1 Detailed Description

Definition at line 19473 of file [iodefne.h](#).

### 5.936.2 Field Documentation

#### 5.936.2.1 [union]

```
union { ... } st_mtu4_t::NFCR4
```

#### 5.936.2.2 TADCOBRA

```
unsigned short st_mtu4_t::TADCOBRA
```

Definition at line 19632 of file [iodefne.h](#).

#### 5.936.2.3 TADCOBRB

```
unsigned short st_mtu4_t::TADCOBRB
```

Definition at line 19633 of file [iodefne.h](#).

#### 5.936.2.4 TADCORA

```
unsigned short st_mtu4_t::TADCORA
```

Definition at line 19630 of file [iodefne.h](#).

#### 5.936.2.5 TADCORB

```
unsigned short st_mtu4_t::TADCORB
```

Definition at line 19631 of file [iodefne.h](#).

#### 5.936.2.6 [union]

```
union { ... } st_mtu4_t::TADCR
```

## 5.936.2.7 [union]

```
union { ... } st_mtu4_t::TBTM
```

## 5.936.2.8 TCNT

```
unsigned short st_mtu4_t::TCNT
```

Definition at line [19562](#) of file [iodefne.h](#).

## 5.936.2.9 [union]

```
union { ... } st_mtu4_t::TCR
```

## 5.936.2.10 [union]

```
union { ... } st_mtu4_t::TCR2
```

## 5.936.2.11 TGRA

```
unsigned short st_mtu4_t::TGRA
```

Definition at line [19564](#) of file [iodefne.h](#).

## 5.936.2.12 TGRB

```
unsigned short st_mtu4_t::TGRB
```

Definition at line [19565](#) of file [iodefne.h](#).

## 5.936.2.13 TGRC

```
unsigned short st_mtu4_t::TGRC
```

Definition at line [19567](#) of file [iodefne.h](#).

## 5.936.2.14 TGRD

```
unsigned short st_mtu4_t::TGRD
```

Definition at line [19568](#) of file [iodefne.h](#).

## 5.936.2.15 TGRE

```
unsigned short st_mtu4_t::TGRE
```

Definition at line [19649](#) of file [iodefne.h](#).

## 5.936.2.16 TGRF

unsigned short st\_mtu4\_t::TGRF

Definition at line [19650](#) of file [iodefine.h](#).

## 5.936.2.17 [union]

union { ... } st\_mtu4\_t::TIER

## 5.936.2.18 [union]

union { ... } st\_mtu4\_t::TIORH

## 5.936.2.19 [union]

union { ... } st\_mtu4\_t::TIORL

## 5.936.2.20 [union]

union { ... } st\_mtu4\_t::TMDR1

## 5.936.2.21 [union]

union { ... } st\_mtu4\_t::TSR

## 5.936.2.22 wk0

char st\_mtu4\_t::wk0[1]

Definition at line [19474](#) of file [iodefine.h](#).

## 5.936.2.23 wk1

char st\_mtu4\_t::wk1[1]

Definition at line [19490](#) of file [iodefine.h](#).

## 5.936.2.24 wk10

char st\_mtu4\_t::wk10[2]

Definition at line [19629](#) of file [iodefine.h](#).

## 5.936.2.25 wk11

```
char st_mtu4_t::wk11[1]
```

Definition at line [19634](#) of file [iodefne.h](#).

## 5.936.2.26 wk12

```
char st_mtu4_t::wk12[38]
```

Definition at line [19648](#) of file [iodefne.h](#).

## 5.936.2.27 wk13

```
char st_mtu4_t::wk13[28]
```

Definition at line [19651](#) of file [iodefne.h](#).

## 5.936.2.28 wk2

```
char st_mtu4_t::wk2[2]
```

Definition at line [19508](#) of file [iodefne.h](#).

## 5.936.2.29 wk3

```
char st_mtu4_t::wk3[1]
```

Definition at line [19535](#) of file [iodefne.h](#).

## 5.936.2.30 wk4

```
char st_mtu4_t::wk4[8]
```

Definition at line [19561](#) of file [iodefne.h](#).

## 5.936.2.31 wk5

```
char st_mtu4_t::wk5[8]
```

Definition at line [19563](#) of file [iodefne.h](#).

## 5.936.2.32 wk6

```
char st_mtu4_t::wk6[8]
```

Definition at line [19566](#) of file [iodefne.h](#).

## 5.936.2.33 wk7

```
char st_mtu4_t::wk7[1]
```

Definition at line 19569 of file [iodefne.h](#).

## 5.936.2.34 wk8

```
char st_mtu4_t::wk8[11]
```

Definition at line 19583 of file [iodefne.h](#).

## 5.936.2.35 wk9

```
char st_mtu4_t::wk9[6]
```

Definition at line 19599 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.937 st\_mtu4\_t.NFCR4 Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

## 5.937.1 Detailed Description

Definition at line 19652 of file [iodefne.h](#).

## 5.937.2 Field Documentation

## 5.937.2.1 BIT

## 5.937.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.938 st\_mtu4\_t.TADCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [BF](#): 2
  - unsigned [short](#): 6
  - unsigned short [UT4AE](#): 1
  - unsigned short [DT4AE](#): 1
  - unsigned short [UT4BE](#): 1
  - unsigned short [DT4BE](#): 1
  - unsigned short [ITA3AE](#): 1
  - unsigned short [ITA4VE](#): 1
  - unsigned short [ITB3AE](#): 1
  - unsigned short [ITB4VE](#): 1
- } [BIT](#)

### 5.938.1 Detailed Description

Definition at line [19600](#) of file [iodefine.h](#).

### 5.938.2 Field Documentation

#### 5.938.2.1 BIT

#### 5.938.2.2 WORD

The documentation for this union was generated from the following files:

## 5.939 st\_mtu4\_t.TBTM Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 6
  - unsigned char [TTSB](#): 1
  - unsigned char [TTSA](#): 1
- } [BIT](#)

### 5.939.1 Detailed Description

Definition at line [19584](#) of file [iodefine.h](#).

## 5.939.2 Field Documentation

### 5.939.2.1 BIT

### 5.939.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.940 st\_mtu4\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CCLR](#): 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.940.1 Detailed Description

Definition at line [19475](#) of file [iodefine.h](#).

## 5.940.2 Field Documentation

### 5.940.2.1 BIT

### 5.940.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.941 st\_mtu4\_t.TCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.941.1 Detailed Description

Definition at line [19635](#) of file [iodefine.h](#).

## 5.941.2 Field Documentation

### 5.941.2.1 BIT

### 5.941.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.942 st\_mtu4\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned char [TTGE2](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIED](#): 1
  - unsigned char [TGIEC](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.942.1 Detailed Description

Definition at line [19536](#) of file [iodefine.h](#).

## 5.942.2 Field Documentation

### 5.942.2.1 BIT

### 5.942.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.943 st\_mtu4\_t.TIORH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)



### 5.943.1 Detailed Description

Definition at line [19509](#) of file [iodefine.h](#).

### 5.943.2 Field Documentation

#### 5.943.2.1 BIT

#### 5.943.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.944 st\_mtu4\_t.TIORL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOD](#): 4
  - unsigned char [IOC](#): 4
- } [BIT](#)

### 5.944.1 Detailed Description

Definition at line [19522](#) of file [iodefine.h](#).

### 5.944.2 Field Documentation

#### 5.944.2.1 BIT

#### 5.944.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.945 st\_mtu4\_t.TMDR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [BFB](#): 1
  - unsigned char [BFA](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.945.1 Detailed Description

Definition at line [19491](#) of file [iodefne.h](#).

### 5.945.2 Field Documentation

#### 5.945.2.1 BIT

#### 5.945.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.946 st\_mtu4\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 7
- } [BIT](#)

### 5.946.1 Detailed Description

Definition at line [19570](#) of file [iodefne.h](#).

### 5.946.2 Field Documentation

#### 5.946.2.1 BIT


#### 5.946.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.947 st\_mtu5\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_mtu5\_t:



### Data Fields

- `char wk0` [1]

- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char NFCS: 2
  - unsigned char NFWEN: 1
  - unsigned char NFVEN: 1
  - unsigned char NFUEN: 1
  - } BIT
  - } NFCR5
- char wk1 [490]
- unsigned short TCNTU
- unsigned short TGRU
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 6
  - unsigned char TPSC: 2
  - } BIT
  - } TCRU
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 3
  - unsigned char CKEG: 2
  - unsigned char TPSC2: 3
  - } BIT
  - } TCR2U
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 3
  - unsigned char IOC: 5
  - } BIT
  - } TIORU
- char wk2 [9]
- unsigned short TCNTV
- unsigned short TGRV
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 6
  - unsigned char TPSC: 2
  - } BIT
  - } TCRV
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 3
  - unsigned char CKEG: 2
  - unsigned char TPSC2: 3
  - } BIT
  - } TCR2V

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [IOC](#): 5
    - } [BIT](#)
} [TIORV](#)
  
- char [wk3](#) [9]
- unsigned short [TCNTW](#)
- unsigned short [TGRW](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 6
    - unsigned char [TPSC](#): 2
    - } [BIT](#)
} [TCRW](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [CKEG](#): 2
    - unsigned char [TPSC2](#): 3
    - } [BIT](#)
} [TCR2W](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [IOC](#): 5
    - } [BIT](#)
} [TIORW](#)
  
- char [wk4](#) [11]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 5
    - unsigned char [TGIE5U](#): 1
    - unsigned char [TGIE5V](#): 1
    - unsigned char [TGIE5W](#): 1
    - } [BIT](#)
} [TIER](#)
  
- char [wk5](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 5
    - unsigned char [CSTU5](#): 1
    - unsigned char [CSTV5](#): 1
    - unsigned char [CSTW5](#): 1
    - } [BIT](#)
} [TSTR](#)

- char [wk6](#) [1]
- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned [char](#): 5
      - unsigned char [CMPCLR5U](#): 1
      - unsigned char [CMPCLR5V](#): 1
      - unsigned char [CMPCLR5W](#): 1
    - } [BIT](#)
  - } [TCNTCMPCLR](#)

### 5.947.1 Detailed Description

Definition at line [19675](#) of file [iodefne.h](#).

### 5.947.2 Field Documentation

#### 5.947.2.1 [union]

```
union { ... } st_mtu5_t::NFCR5
```

#### 5.947.2.2 [union]

```
union { ... } st_mtu5_t::TCNTCMPCLR
```

#### 5.947.2.3 TCNTU

```
unsigned short st_mtu5_t::TCNTU
```

Definition at line [19699](#) of file [iodefne.h](#).

#### 5.947.2.4 TCNTV

```
unsigned short st_mtu5_t::TCNTV
```

Definition at line [19743](#) of file [iodefne.h](#).

#### 5.947.2.5 TCNTW

```
unsigned short st_mtu5_t::TCNTW
```

Definition at line [19787](#) of file [iodefne.h](#).

## 5.947.2.6 [union]

```
union { ... } st_mtu5_t::TCR2U
```

## 5.947.2.7 [union]

```
union { ... } st_mtu5_t::TCR2V
```

## 5.947.2.8 [union]

```
union { ... } st_mtu5_t::TCR2W
```

## 5.947.2.9 [union]

```
union { ... } st_mtu5_t::TCRU
```

## 5.947.2.10 [union]

```
union { ... } st_mtu5_t::TCRV
```

## 5.947.2.11 [union]

```
union { ... } st_mtu5_t::TCRW
```

## 5.947.2.12 TGRU

```
unsigned short st_mtu5_t::TGRU
```

Definition at line [19700](#) of file [iodefine.h](#).

## 5.947.2.13 TGRV

```
unsigned short st_mtu5_t::TGRV
```

Definition at line [19744](#) of file [iodefine.h](#).

## 5.947.2.14 TGRW

```
unsigned short st_mtu5_t::TGRW
```

Definition at line [19788](#) of file [iodefine.h](#).

## 5.947.2.15 [union]

```
union { ... } st_mtu5_t::TIER
```

## 5.947.2.16 [union]

```
union { ... } st_mtu5_t::TIORU
```

## 5.947.2.17 [union]

```
union { ... } st_mtu5_t::TIOVR
```

## 5.947.2.18 [union]

```
union { ... } st_mtu5_t::TIORW
```

## 5.947.2.19 [union]

```
union { ... } st_mtu5_t::TSTR
```

## 5.947.2.20 wk0

```
char st_mtu5_t::wk0[1]
```

Definition at line [19676](#) of file [iodefne.h](#).

## 5.947.2.21 wk1

```
char st_mtu5_t::wk1[490]
```

Definition at line [19698](#) of file [iodefne.h](#).

## 5.947.2.22 wk2

```
char st_mtu5_t::wk2[9]
```

Definition at line [19742](#) of file [iodefne.h](#).

## 5.947.2.23 wk3

```
char st_mtu5_t::wk3[9]
```

Definition at line [19786](#) of file [iodefne.h](#).



## 5.947.2.24 wk4

```
char st__mtu5__t::wk4[11]
```

Definition at line [19830](#) of file [iodefne.h](#).

## 5.947.2.25 wk5

```
char st__mtu5__t::wk5[1]
```

Definition at line [19848](#) of file [iodefne.h](#).

## 5.947.2.26 wk6

```
char st__mtu5__t::wk6[1]
```

Definition at line [19866](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.948 st\_\_mtu5\_\_t.NFCR5 Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFWEN](#): 1
  - unsigned char [NFVEN](#): 1
  - unsigned char [NFUEN](#): 1
- } [BIT](#)

## 5.948.1 Detailed Description

Definition at line [19677](#) of file [iodefne.h](#).

## 5.948.2 Field Documentation

## 5.948.2.1 BIT

## 5.948.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.949 st\_mtu5\_t.TCNTCMPCLR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [CMPCLR5U](#): 1
  - unsigned char [CMPCLR5V](#): 1
  - unsigned char [CMPCLR5W](#): 1
- } [BIT](#)

### 5.949.1 Detailed Description

Definition at line [19867](#) of file [iodefne.h](#).

### 5.949.2 Field Documentation

#### 5.949.2.1 BIT

#### 5.949.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.950 st\_mtu5\_t.TCR2U Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.950.1 Detailed Description

Definition at line [19714](#) of file [iodefne.h](#).

### 5.950.2 Field Documentation

#### 5.950.2.1 BIT

#### 5.950.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.951 st\_mtu5\_t.TCR2V Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.951.1 Detailed Description

Definition at line [19758](#) of file [iodefine.h](#).

### 5.951.2 Field Documentation

#### 5.951.2.1 BIT

#### 5.951.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.952 st\_mtu5\_t.TCR2W Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC2](#): 3
- } [BIT](#)

### 5.952.1 Detailed Description

Definition at line [19802](#) of file [iodefine.h](#).

### 5.952.2 Field Documentation

#### 5.952.2.1 BIT

#### 5.952.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.953 st\_mtu5\_t.TCRU Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [TPSC](#): 2  
} [BIT](#)

### 5.953.1 Detailed Description

Definition at line [19701](#) of file [iodefne.h](#).

### 5.953.2 Field Documentation

#### 5.953.2.1 BIT

#### 5.953.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.954 st\_mtu5\_t.TCRV Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [TPSC](#): 2  
} [BIT](#)

### 5.954.1 Detailed Description

Definition at line [19745](#) of file [iodefne.h](#).

### 5.954.2 Field Documentation

#### 5.954.2.1 BIT

#### 5.954.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.955 st\_\_mtu5\_\_t.TCRW Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char: 6  
  unsigned char [TPSC](#): 2  
} [BIT](#)

### 5.955.1 Detailed Description

Definition at line [19789](#) of file [iodefine.h](#).

### 5.955.2 Field Documentation

#### 5.955.2.1 BIT

#### 5.955.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.956 st\_\_mtu5\_\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char: 5  
  unsigned char [TGIE5U](#): 1  
  unsigned char [TGIE5V](#): 1  
  unsigned char [TGIE5W](#): 1  
} [BIT](#)

### 5.956.1 Detailed Description

Definition at line [19831](#) of file [iodefine.h](#).

### 5.956.2 Field Documentation

#### 5.956.2.1 BIT

#### 5.956.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.957 st\_mtu5\_t.TIORU Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [IOC](#): 5  
} [BIT](#)

### 5.957.1 Detailed Description

Definition at line [19729](#) of file [iodefine.h](#).

### 5.957.2 Field Documentation

#### 5.957.2.1 BIT

#### 5.957.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.958 st\_mtu5\_t.TIORV Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [IOC](#): 5  
} [BIT](#)

### 5.958.1 Detailed Description

Definition at line [19773](#) of file [iodefine.h](#).

### 5.958.2 Field Documentation

#### 5.958.2.1 BIT

#### 5.958.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.959 st\_mtu5\_t.TIORW Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 3  
    unsigned char [IOC](#): 5  
} [BIT](#)

### 5.959.1 Detailed Description

Definition at line [19817](#) of file [iodefine.h](#).

### 5.959.2 Field Documentation

#### 5.959.2.1 BIT

#### 5.959.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.960 st\_mtu5\_t.TSTR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 5  
    unsigned char [CSTU5](#): 1  
    unsigned char [CSTV5](#): 1  
    unsigned char [CSTW5](#): 1  
} [BIT](#)

### 5.960.1 Detailed Description

Definition at line [19849](#) of file [iodefine.h](#).

### 5.960.2 Field Documentation

#### 5.960.2.1 BIT


#### 5.960.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.961 st\_mtu6\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_mtu6\_t:



Data Fields

- union {



- ```

    unsigned char BYTE
    struct {
        unsigned char CCLR: 3
        unsigned char CKEG: 2
        unsigned char TPSC: 3
    } BIT
} TCR

```
- char [wk0](#) [1]
 - union {


```

          unsigned char BYTE
          struct {
              unsigned char: 2
              unsigned char BFB: 1
              unsigned char BFA: 1
              unsigned char MD: 4
          } BIT
      } TMDR1

```
 - char [wk1](#) [1]
 - union {


```

          unsigned char BYTE
          struct {
              unsigned char IOB: 4
              unsigned char IOA: 4
          } BIT
      } TIORH

```
 - union {


```

          unsigned char BYTE
          struct {
              unsigned char IOD: 4
              unsigned char IOC: 4
          } BIT
      } TIORL

```
 - char [wk2](#) [2]
 - union {


```

          unsigned char BYTE
          struct {
              unsigned char TTGE: 1
              unsigned char: 2
              unsigned char TCIEV: 1
              unsigned char TGIED: 1
              unsigned char TGIEC: 1
              unsigned char TGIEB: 1
              unsigned char TGIEA: 1
          } BIT
      } TIER

```
 - char [wk3](#) [7]
 - unsigned short [TCNT](#)
 - char [wk4](#) [6]
 - unsigned short [TGRA](#)
 - unsigned short [TGRB](#)
 - char [wk5](#) [8]
 - unsigned short [TGRC](#)

- unsigned short [TGRD](#)
- char [wk6](#) [4]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [TCFD](#): 1
 - unsigned [char](#): 7
 - } [BIT](#)
} [TSR](#)
- char [wk7](#) [11]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [TTSB](#): 1
 - unsigned char [TTSA](#): 1
 - } [BIT](#)
} [TBTM](#)
- char [wk8](#) [19]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 5
 - unsigned char [TPSC2](#): 3
 - } [BIT](#)
} [TCR2](#)
- char [wk9](#) [3]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [CE0A](#): 1
 - unsigned char [CE0B](#): 1
 - unsigned char [CE0C](#): 1
 - unsigned char [CE0D](#): 1
 - unsigned char [CE1A](#): 1
 - unsigned char [CE1B](#): 1
 - unsigned char [CE2A](#): 1
 - unsigned char [CE2B](#): 1
 - } [BIT](#)
} [TSYCR](#)
- char [wk10](#) [33]
- unsigned short [TGRE](#)
- char [wk11](#) [31]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 2
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
 - } [BIT](#)
} [NFCR6](#)

5.961.1 Detailed Description

Definition at line 19886 of file [iodefne.h](#).

5.961.2 Field Documentation

5.961.2.1 [union]

```
union { ... } st_mtu6_t::NFCR6
```

5.961.2.2 [union]

```
union { ... } st_mtu6_t::TBTM
```

5.961.2.3 TCNT

```
unsigned short st_mtu6_t::TCNT
```

Definition at line 19972 of file [iodefne.h](#).

5.961.2.4 [union]

```
union { ... } st_mtu6_t::TCR
```

5.961.2.5 [union]

```
union { ... } st_mtu6_t::TCR2
```

5.961.2.6 TGRA

```
unsigned short st_mtu6_t::TGRA
```

Definition at line 19974 of file [iodefne.h](#).

5.961.2.7 TGRB

```
unsigned short st_mtu6_t::TGRB
```

Definition at line 19975 of file [iodefne.h](#).

5.961.2.8 TGRC

unsigned short st_mtu6_t::TGRC

Definition at line [19977](#) of file [idefine.h](#).

5.961.2.9 TGRD

unsigned short st_mtu6_t::TGRD

Definition at line [19978](#) of file [idefine.h](#).

5.961.2.10 TGRE

unsigned short st_mtu6_t::TGRE

Definition at line [20050](#) of file [idefine.h](#).

5.961.2.11 [union]

union { ... } st_mtu6_t::TIER

5.961.2.12 [union]

union { ... } st_mtu6_t::TIORH

5.961.2.13 [union]

union { ... } st_mtu6_t::TIORL

5.961.2.14 [union]

union { ... } st_mtu6_t::TMDR1

5.961.2.15 [union]

union { ... } st_mtu6_t::TSR

5.961.2.16 [union]

union { ... } st_mtu6_t::TSYCR

5.961.2.17 wk0

```
char st_mtu6_t::wk0[1]
```

Definition at line 19902 of file [iodefne.h](#).

5.961.2.18 wk1

```
char st_mtu6_t::wk1[1]
```

Definition at line 19920 of file [iodefne.h](#).

5.961.2.19 wk10

```
char st_mtu6_t::wk10[33]
```

Definition at line 20049 of file [iodefne.h](#).

5.961.2.20 wk11

```
char st_mtu6_t::wk11[31]
```

Definition at line 20051 of file [iodefne.h](#).

5.961.2.21 wk2

```
char st_mtu6_t::wk2[2]
```

Definition at line 19947 of file [iodefne.h](#).

5.961.2.22 wk3

```
char st_mtu6_t::wk3[7]
```

Definition at line 19971 of file [iodefne.h](#).

5.961.2.23 wk4

```
char st_mtu6_t::wk4[6]
```

Definition at line 19973 of file [iodefne.h](#).

5.961.2.24 wk5

```
char st_mtu6_t::wk5[8]
```

Definition at line 19976 of file [iodefne.h](#).

5.961.2.25 wk6

```
char st_mtu6_t::wk6[4]
```

Definition at line [19979](#) of file [iodefne.h](#).

5.961.2.26 wk7

```
char st_mtu6_t::wk7[11]
```

Definition at line [19993](#) of file [iodefne.h](#).

5.961.2.27 wk8

```
char st_mtu6_t::wk8[19]
```

Definition at line [20009](#) of file [iodefne.h](#).

5.961.2.28 wk9

```
char st_mtu6_t::wk9[3]
```

Definition at line [20023](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.962 st_mtu6_t.NFCR6 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
- } [BIT](#)

5.962.1 Detailed Description

Definition at line [20052](#) of file [iodefne.h](#).

5.962.2 Field Documentation

5.962.2.1 BIT

5.962.2.2 BYTE

The documentation for this union was generated from the following files:

5.963 st_mtu6_t.TBTM Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 6
 - unsigned char [TTSB](#): 1
 - unsigned char [TTSA](#): 1
- } [BIT](#)

5.963.1 Detailed Description

Definition at line [19994](#) of file [iodefine.h](#).

5.963.2 Field Documentation

5.963.2.1 BIT

5.963.2.2 BYTE

The documentation for this union was generated from the following files:

5.964 st_mtu6_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CCLR](#): 3
 - unsigned char [CKEG](#): 2
 - unsigned char [TPSC](#): 3
- } [BIT](#)

5.964.1 Detailed Description

Definition at line [19887](#) of file [iodefine.h](#).

5.964.2 Field Documentation

5.964.2.1 BIT

5.964.2.2 BYTE

The documentation for this union was generated from the following files:

5.965 st_mtu6_t.TCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 5
 - unsigned char [TPSC2](#): 3
 } [BIT](#)

5.965.1 Detailed Description

Definition at line [20010](#) of file [iodefine.h](#).

5.965.2 Field Documentation

5.965.2.1 BIT

5.965.2.2 BYTE

The documentation for this union was generated from the following files:

5.966 st_mtu6_t.TIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TTGE](#): 1
 - unsigned [char](#): 2
 - unsigned char [TCIEV](#): 1
 - unsigned char [TGIED](#): 1
 - unsigned char [TGIEC](#): 1
 - unsigned char [TGIEB](#): 1
 - unsigned char [TGIEA](#): 1
 } [BIT](#)

5.966.1 Detailed Description

Definition at line [19948](#) of file [iodefne.h](#).

5.966.2 Field Documentation

5.966.2.1 BIT

5.966.2.2 BYTE

The documentation for this union was generated from the following files:

5.967 st__mtu6__t.TIORH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [IOB](#): 4
 unsigned char [IOA](#): 4
} [BIT](#)

5.967.1 Detailed Description

Definition at line [19921](#) of file [iodefne.h](#).

5.967.2 Field Documentation

5.967.2.1 BIT

5.967.2.2 BYTE

The documentation for this union was generated from the following files:

5.968 st__mtu6__t.TIORL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [IOD](#): 4
 unsigned char [IOC](#): 4
} [BIT](#)

5.968.1 Detailed Description

Definition at line [19934](#) of file [iodefne.h](#).

5.968.2 Field Documentation

5.968.2.1 BIT

5.968.2.2 BYTE

The documentation for this union was generated from the following files:

5.969 st__mtu6__t.TMDR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [BFB](#): 1
 - unsigned char [BFA](#): 1
 - unsigned char [MD](#): 4
- } [BIT](#)

5.969.1 Detailed Description

Definition at line [19903](#) of file [iodefne.h](#).

5.969.2 Field Documentation

5.969.2.1 BIT

5.969.2.2 BYTE

The documentation for this union was generated from the following files:

5.970 st__mtu6__t.TSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TCFD](#): 1
 - unsigned [char](#): 7
- } [BIT](#)

5.970.1 Detailed Description

Definition at line [19980](#) of file [iodefne.h](#).

5.970.2 Field Documentation

5.970.2.1 BIT

5.970.2.2 BYTE

The documentation for this union was generated from the following files:

5.971 st_mtu6_t.TSYCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CE0A](#): 1
 - unsigned char [CE0B](#): 1
 - unsigned char [CE0C](#): 1
 - unsigned char [CE0D](#): 1
 - unsigned char [CE1A](#): 1
 - unsigned char [CE1B](#): 1
 - unsigned char [CE2A](#): 1
 - unsigned char [CE2B](#): 1
- } [BIT](#)

5.971.1 Detailed Description

Definition at line [20024](#) of file [iodefne.h](#).

5.971.2 Field Documentation

5.971.2.1 BIT


5.971.2.2 BYTE

The documentation for this union was generated from the following files:

5.972 st_mtu7_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_mtu7_t:



Data Fields

- `char wk0 [1]`

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [CCLR](#): 3
 - unsigned char [CKEG](#): 2
 - unsigned char [TPSC](#): 3
 - } [BIT](#)
- } [TCR](#)

- char [wk1](#) [1]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 2
 - unsigned char [BFB](#): 1
 - unsigned char [BFA](#): 1
 - unsigned char [MD](#): 4
 - } [BIT](#)
- } [TMDR1](#)

- char [wk2](#) [2]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [IOB](#): 4
 - unsigned char [IOA](#): 4
 - } [BIT](#)
- } [TIORH](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [IOD](#): 4
 - unsigned char [IOC](#): 4
 - } [BIT](#)
- } [TIORL](#)

- char [wk3](#) [1]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [TTGE](#): 1
 - unsigned char [TTGE2](#): 1
 - unsigned [char](#): 1
 - unsigned char [TCIEV](#): 1
 - unsigned char [TGIED](#): 1
 - unsigned char [TGIEC](#): 1
 - unsigned char [TGIEB](#): 1
 - unsigned char [TGIEA](#): 1
 - } [BIT](#)
- } [TIER](#)

- char [wk4](#) [8]
- unsigned short [TCNT](#)
- char [wk5](#) [8]
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)
- char [wk6](#) [8]

- unsigned short [TGRC](#)
- unsigned short [TGRD](#)
- char [wk7](#) [1]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [TCFD](#): 1
 - unsigned [char](#): 7
 - } [BIT](#)
} [TSR](#)
- char [wk8](#) [11]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [TTSB](#): 1
 - unsigned char [TTSA](#): 1
 - } [BIT](#)
} [TBTM](#)
- char [wk9](#) [6]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [BF](#): 2
 - unsigned [short](#): 6
 - unsigned short [UT7AE](#): 1
 - unsigned short [DT7AE](#): 1
 - unsigned short [UT7BE](#): 1
 - unsigned short [DT7BE](#): 1
 - unsigned short [ITA6AE](#): 1
 - unsigned short [ITA7VE](#): 1
 - unsigned short [ITB6AE](#): 1
 - unsigned short [ITB7VE](#): 1
 - } [BIT](#)
} [TADCR](#)
- char [wk10](#) [2]
- unsigned short [TADCORA](#)
- unsigned short [TADCORB](#)
- unsigned short [TADCOBRA](#)
- unsigned short [TADCOBRB](#)
- char [wk11](#) [1]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 5
 - unsigned char [TPSC2](#): 3
 - } [BIT](#)
} [TCR2](#)
- char [wk12](#) [38]
- unsigned short [TGRE](#)
- unsigned short [TGRF](#)
- char [wk13](#) [28]

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 2
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
 - } [BIT](#)
 - } [NFCR7](#)

5.972.1 Detailed Description

Definition at line [20075](#) of file [iodefne.h](#).

5.972.2 Field Documentation

5.972.2.1 [union]

union { ... } st_mtu7_t::NFCR7

5.972.2.2 TADCOBRA

unsigned short st_mtu7_t::TADCOBRA

Definition at line [20234](#) of file [iodefne.h](#).

5.972.2.3 TADCOBRB

unsigned short st_mtu7_t::TADCOBRB

Definition at line [20235](#) of file [iodefne.h](#).

5.972.2.4 TADCORA

unsigned short st_mtu7_t::TADCORA

Definition at line [20232](#) of file [iodefne.h](#).

5.972.2.5 TADCORB

unsigned short st_mtu7_t::TADCORB

Definition at line [20233](#) of file [iodefne.h](#).

5.972.2.6 [union]

```
union { ... } st_mtu7_t::TADCR
```

5.972.2.7 [union]

```
union { ... } st_mtu7_t::TBTM
```

5.972.2.8 TCNT

```
unsigned short st_mtu7_t::TCNT
```

Definition at line [20164](#) of file [iodefine.h](#).

5.972.2.9 [union]

```
union { ... } st_mtu7_t::TCR
```

5.972.2.10 [union]

```
union { ... } st_mtu7_t::TCR2
```

5.972.2.11 TGRA

```
unsigned short st_mtu7_t::TGRA
```

Definition at line [20166](#) of file [iodefine.h](#).

5.972.2.12 TGRB

```
unsigned short st_mtu7_t::TGRB
```

Definition at line [20167](#) of file [iodefine.h](#).

5.972.2.13 TGRC

```
unsigned short st_mtu7_t::TGRC
```

Definition at line [20169](#) of file [iodefine.h](#).

5.972.2.14 TGRD

```
unsigned short st_mtu7_t::TGRD
```

Definition at line [20170](#) of file [iodefine.h](#).

5.972.2.15 TGRE

```
unsigned short st_mtu7_t::TGRE
```

Definition at line [20251](#) of file [iodefine.h](#).

5.972.2.16 TGRF

```
unsigned short st_mtu7_t::TGRF
```

Definition at line [20252](#) of file [iodefine.h](#).

5.972.2.17 [union]

```
union { ... } st_mtu7_t::TIER
```

5.972.2.18 [union]

```
union { ... } st_mtu7_t::TIORH
```

5.972.2.19 [union]

```
union { ... } st_mtu7_t::TIORL
```

5.972.2.20 [union]

```
union { ... } st_mtu7_t::TMDR1
```

5.972.2.21 [union]

```
union { ... } st_mtu7_t::TSR
```

5.972.2.22 wk0

```
char st_mtu7_t::wk0[1]
```

Definition at line [20076](#) of file [iodefine.h](#).

5.972.2.23 wk1

```
char st_mtu7_t::wk1[1]
```

Definition at line [20092](#) of file [iodefine.h](#).

5.972.2.24 wk10

```
char st_mtu7_t::wk10[2]
```

Definition at line [20231](#) of file [iodefne.h](#).

5.972.2.25 wk11

```
char st_mtu7_t::wk11[1]
```

Definition at line [20236](#) of file [iodefne.h](#).

5.972.2.26 wk12

```
char st_mtu7_t::wk12[38]
```

Definition at line [20250](#) of file [iodefne.h](#).

5.972.2.27 wk13

```
char st_mtu7_t::wk13[28]
```

Definition at line [20253](#) of file [iodefne.h](#).

5.972.2.28 wk2

```
char st_mtu7_t::wk2[2]
```

Definition at line [20110](#) of file [iodefne.h](#).

5.972.2.29 wk3

```
char st_mtu7_t::wk3[1]
```

Definition at line [20137](#) of file [iodefne.h](#).

5.972.2.30 wk4

```
char st_mtu7_t::wk4[8]
```

Definition at line [20163](#) of file [iodefne.h](#).

5.972.2.31 wk5

```
char st_mtu7_t::wk5[8]
```

Definition at line [20165](#) of file [iodefne.h](#).

5.972.2.32 wk6

```
char st_mtu7_t::wk6[8]
```

Definition at line 20168 of file [iodefne.h](#).

5.972.2.33 wk7

```
char st_mtu7_t::wk7[1]
```

Definition at line 20171 of file [iodefne.h](#).

5.972.2.34 wk8

```
char st_mtu7_t::wk8[11]
```

Definition at line 20185 of file [iodefne.h](#).

5.972.2.35 wk9

```
char st_mtu7_t::wk9[6]
```

Definition at line 20201 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.973 st_mtu7_t.NFCR7 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
- } [BIT](#)

5.973.1 Detailed Description

Definition at line 20254 of file [iodefne.h](#).

5.973.2 Field Documentation

5.973.2.1 BIT

5.973.2.2 BYTE

The documentation for this union was generated from the following files:

5.974 st_mtu7_t.TADCRCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BF](#): 2
 - unsigned [short](#): 6
 - unsigned short [UT7AE](#): 1
 - unsigned short [DT7AE](#): 1
 - unsigned short [UT7BE](#): 1
 - unsigned short [DT7BE](#): 1
 - unsigned short [ITA6AE](#): 1
 - unsigned short [ITA7VE](#): 1
 - unsigned short [ITB6AE](#): 1
 - unsigned short [ITB7VE](#): 1
- } [BIT](#)

5.974.1 Detailed Description

Definition at line [20202](#) of file [iodefine.h](#).

5.974.2 Field Documentation

5.974.2.1 BIT

5.974.2.2 WORD

The documentation for this union was generated from the following files:

5.975 st_mtu7_t.TBTM Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [TTSB](#): 1
 - unsigned char [TTSA](#): 1
- } [BIT](#)

5.975.1 Detailed Description

Definition at line [20186](#) of file [iodefne.h](#).

5.975.2 Field Documentation

5.975.2.1 BIT

5.975.2.2 BYTE

The documentation for this union was generated from the following files:

5.976 st_mtu7_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CCLR](#): 3
 - unsigned char [CKEG](#): 2
 - unsigned char [TPSC](#): 3
- } [BIT](#)

5.976.1 Detailed Description

Definition at line [20077](#) of file [iodefne.h](#).

5.976.2 Field Documentation

5.976.2.1 BIT

5.976.2.2 BYTE

The documentation for this union was generated from the following files:

5.977 st_mtu7_t.TCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 5
 - unsigned char [TPSC2](#): 3
- } [BIT](#)

5.977.1 Detailed Description

Definition at line [20237](#) of file [iodefne.h](#).

5.977.2 Field Documentation

5.977.2.1 BIT

5.977.2.2 BYTE

The documentation for this union was generated from the following files:

5.978 st_mtu7_t.TIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TTGE](#): 1
 - unsigned char [TTGE2](#): 1
 - unsigned [char](#): 1
 - unsigned char [TCIEV](#): 1
 - unsigned char [TGIED](#): 1
 - unsigned char [TGIEC](#): 1
 - unsigned char [TGIEB](#): 1
 - unsigned char [TGIEA](#): 1
- } [BIT](#)

5.978.1 Detailed Description

Definition at line [20138](#) of file [iodefne.h](#).

5.978.2 Field Documentation

5.978.2.1 BIT

5.978.2.2 BYTE

The documentation for this union was generated from the following files:

5.979 st__mtu7__t.TIORH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IOB](#): 4
 - unsigned char [IOA](#): 4
- } [BIT](#)

5.979.1 Detailed Description

Definition at line [20111](#) of file [iodefine.h](#).

5.979.2 Field Documentation

5.979.2.1 BIT

5.979.2.2 BYTE

The documentation for this union was generated from the following files:

5.980 st__mtu7__t.TIORL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IOD](#): 4
 - unsigned char [IOC](#): 4
- } [BIT](#)

5.980.1 Detailed Description

Definition at line [20124](#) of file [iodefine.h](#).

5.980.2 Field Documentation

5.980.2.1 BIT

5.980.2.2 BYTE

The documentation for this union was generated from the following files:

5.981 st_mtu7_t.TMDR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 2
 - unsigned char [BFB](#): 1
 - unsigned char [BFA](#): 1
 - unsigned char [MD](#): 4
- } [BIT](#)

5.981.1 Detailed Description

Definition at line [20093](#) of file [iodefne.h](#).

5.981.2 Field Documentation

5.981.2.1 BIT

5.981.2.2 BYTE

The documentation for this union was generated from the following files:

5.982 st_mtu7_t.TSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TCFD](#): 1
 - unsigned char: 7
- } [BIT](#)

5.982.1 Detailed Description

Definition at line [20172](#) of file [iodefne.h](#).

5.982.2 Field Documentation

5.982.2.1 BIT


5.982.2.2 BYTE

The documentation for this union was generated from the following files:

5.983 st_mtu8_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_mtu8_t:



Data Fields

- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char: 2
 - unsigned char `NFCS`: 2

- ```

 unsigned char NFDEN: 1
 unsigned char NFCEN: 1
 unsigned char NFBEN: 1
 unsigned char NFAEN: 1
 } BIT
} NFCR8

```
- char `wk0` [871]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char CCLR: 3
 unsigned char CKEG: 2
 unsigned char TPSC: 3
 } BIT
 } TCR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char BFB: 1
 unsigned char BFA: 1
 unsigned char MD: 4
 } BIT
 } TMDR1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IOB: 4
 unsigned char IOA: 4
 } BIT
 } TIORH

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IOD: 4
 unsigned char IOC: 4
 } BIT
 } TIORL

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char TCIEV: 1
 unsigned char TGIED: 1
 unsigned char TGIEC: 1
 unsigned char TGIEB: 1
 unsigned char TGIEA: 1
 } BIT
 } TIER

```
  - char `wk1` [1]
  - union {
 

```

 unsigned char BYTE

```

```

 struct {
 unsigned char: 5
 unsigned char TPSC2: 3
 } BIT
} TCR2

```

- char wk2 [1]
- unsigned long TCNT
- unsigned long TGRA
- unsigned long TGRB
- unsigned long TGRC
- unsigned long TGRD

### 5.983.1 Detailed Description

Definition at line 20277 of file [iodefine.h](#).

### 5.983.2 Field Documentation

#### 5.983.2.1 [union]

```
union { ... } st_mtu8_t::NFCR8
```

#### 5.983.2.2 TCNT

```
unsigned long st_mtu8_t::TCNT
```

Definition at line 20394 of file [iodefine.h](#).

#### 5.983.2.3 [union]

```
union { ... } st_mtu8_t::TCR
```

#### 5.983.2.4 [union]

```
union { ... } st_mtu8_t::TCR2
```

#### 5.983.2.5 TGRA

```
unsigned long st_mtu8_t::TGRA
```

Definition at line 20395 of file [iodefine.h](#).

#### 5.983.2.6 TGRB

```
unsigned long st_mtu8_t::TGRB
```

Definition at line 20396 of file [iodefine.h](#).

### 5.983.2.7 TGRC

unsigned long st\_mtu8\_t::TGRC

Definition at line [20397](#) of file [iodefine.h](#).

### 5.983.2.8 TGRD

unsigned long st\_mtu8\_t::TGRD

Definition at line [20398](#) of file [iodefine.h](#).

### 5.983.2.9 [union]

union { ... } st\_mtu8\_t::TIER

### 5.983.2.10 [union]

union { ... } st\_mtu8\_t::TIORH

### 5.983.2.11 [union]

union { ... } st\_mtu8\_t::TIORL

### 5.983.2.12 [union]

union { ... } st\_mtu8\_t::TMDR1

### 5.983.2.13 wk0

char st\_mtu8\_t::wk0[871]

Definition at line [20299](#) of file [iodefine.h](#).

### 5.983.2.14 wk1

char st\_mtu8\_t::wk1[1]

Definition at line [20379](#) of file [iodefine.h](#).

## 5.983.2.15 wk2

```
char st_mtu8_t::wk2[1]
```

Definition at line [20393](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.984 st\_mtu8\_t.NFCR8 Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

## 5.984.1 Detailed Description

Definition at line [20278](#) of file [iodefne.h](#).

## 5.984.2 Field Documentation

## 5.984.2.1 BIT

## 5.984.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.985 st\_mtu8\_t.TCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CCLR](#): 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.985.1 Detailed Description

Definition at line [20300](#) of file [iodefine.h](#).

### 5.985.2 Field Documentation

#### 5.985.2.1 BIT

#### 5.985.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.986 st\_mtu8\_t.TCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char: 5  
  unsigned char [TPSC2](#): 3  
} [BIT](#)

### 5.986.1 Detailed Description

Definition at line [20380](#) of file [iodefine.h](#).

### 5.986.2 Field Documentation

#### 5.986.2.1 BIT

#### 5.986.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.987 st\_mtu8\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char: 3  
  unsigned char [TCIEV](#): 1  
  unsigned char [TGIED](#): 1  
  unsigned char [TGIEC](#): 1  
  unsigned char [TGIEB](#): 1  
  unsigned char [TGIEA](#): 1  
} [BIT](#)

### 5.987.1 Detailed Description

Definition at line [20358](#) of file [iodefne.h](#).

### 5.987.2 Field Documentation

#### 5.987.2.1 BIT

#### 5.987.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.988 st\_\_mtu8\_\_t.TIORH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.988.1 Detailed Description

Definition at line [20332](#) of file [iodefne.h](#).

### 5.988.2 Field Documentation

#### 5.988.2.1 BIT

#### 5.988.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.989 st\_\_mtu8\_\_t.TIORL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOD](#): 4
  - unsigned char [IOC](#): 4
- } [BIT](#)

### 5.989.1 Detailed Description

Definition at line [20345](#) of file [iodefne.h](#).

### 5.989.2 Field Documentation

#### 5.989.2.1 BIT

#### 5.989.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.990 st\_mtu8\_t.TMDR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [BFB](#): 1
  - unsigned char [BFA](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.990.1 Detailed Description

Definition at line [20315](#) of file [iodefne.h](#).

### 5.990.2 Field Documentation

#### 5.990.2.1 BIT

#### 5.990.2.2 BYTE


The documentation for this union was generated from the following files:



## 5.991 st\_mtu\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_mtu\_t:



### Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char OE4D: 1
 unsigned char OE4C: 1
 unsigned char OE3D: 1
 unsigned char OE4B: 1
 unsigned char OE4A: 1
 unsigned char OE3B: 1
 } BIT
} TOERA

```

- char wk0 [2]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char BDC: 1
 unsigned char N: 1
 unsigned char P: 1
 unsigned char FB: 1
 unsigned char WF: 1
 unsigned char VF: 1
 unsigned char UF: 1
 } BIT
 } TGCRA

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PSYE: 1
 unsigned char TOCL: 1
 unsigned char TOCS: 1
 unsigned char OLSN: 1
 unsigned char OLSP: 1
 } BIT
 } TOCR1A

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char BF: 2
 unsigned char OLS3N: 1
 unsigned char OLS3P: 1
 unsigned char OLS2N: 1
 unsigned char OLS2P: 1
 unsigned char OLS1N: 1
 unsigned char OLS1P: 1
 } BIT
 } TOCR2A

```
- char wk1 [4]
- unsigned short TCDRA
- unsigned short TDDRA
- char wk2 [8]
- unsigned short TCNTSA
- unsigned short TCBRA

- char [wk3](#) [12]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [T3AEN](#): 1
    - unsigned char [T3ACOR](#): 3
    - unsigned char [T4VEN](#): 1
    - unsigned char [T4VCOR](#): 3
  - } [BIT](#)
- } [TITCR1A](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [T3ACNT](#): 3
    - unsigned char [T4VCNT](#): 3
  - } [BIT](#)
- } [TITCNT1A](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 6
    - unsigned char [BTE](#): 2
  - } [BIT](#)
- } [TBTERA](#)
- char [wk4](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [TDER](#): 1
  - } [BIT](#)
- } [TDERA](#)
- char [wk5](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [OLS3N](#): 1
    - unsigned char [OLS3P](#): 1
    - unsigned char [OLS2N](#): 1
    - unsigned char [OLS2P](#): 1
    - unsigned char [OLS1N](#): 1
    - unsigned char [OLS1P](#): 1
  - } [BIT](#)
- } [TOLBRA](#)
- char [wk6](#) [3]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [TITM](#): 1
  - } [BIT](#)

- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 5  
    unsigned char TRG4COR: 3  
  } BIT  
} TITCR2A
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 5  
    unsigned char TRG4CNT: 3  
  } BIT  
} TITCNT2A
- char wk7 [35]
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char CCE: 1  
    unsigned char: 5  
    unsigned char SCC: 1  
    unsigned char WRE: 1  
  } BIT  
} TWCRA
- char wk8 [15]
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char: 7  
    unsigned char DRS: 1  
  } BIT  
} TMDR2A
- char wk9 [15]
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char CST4: 1  
    unsigned char CST3: 1  
    unsigned char: 2  
    unsigned char CST8: 1  
    unsigned char CST2: 1  
    unsigned char CST1: 1  
    unsigned char CST0: 1  
  } BIT  
} TSTRA
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char SYNC4: 1  
    unsigned char SYNC3: 1  
    unsigned char: 3

- unsigned char SYNC2: 1
  - unsigned char SYNC1: 1
  - unsigned char SYNC0: 1
  - } BIT
  - } TSYRA
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char SCH0: 1
  - unsigned char SCH1: 1
  - unsigned char SCH2: 1
  - unsigned char SCH3: 1
  - unsigned char SCH4: 1
  - unsigned char: 1
  - unsigned char SCH6: 1
  - unsigned char SCH7: 1
  - } BIT
  - } TCSYSTR
- char wk10 [1]
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 7
  - unsigned char RWE: 1
  - } BIT
  - } TRWERA
- char wk11 [1925]
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 2
  - unsigned char OE7D: 1
  - unsigned char OE7C: 1
  - unsigned char OE6D: 1
  - unsigned char OE7B: 1
  - unsigned char OE7A: 1
  - unsigned char OE6B: 1
  - } BIT
  - } TOERB
- char wk12 [3]
- union {
  - unsigned char BYTE
  - struct {
  - unsigned char: 1
  - unsigned char PSYE: 1
  - unsigned char TOCL: 1
  - unsigned char TOCS: 1
  - unsigned char OLSN: 1
  - unsigned char OLSP: 1
  - } BIT
  - } TOCR1B
- union {
  - unsigned char BYTE

- ```

    struct {
        unsigned char BF: 2
        unsigned char OLS3N: 1
        unsigned char OLS3P: 1
        unsigned char OLS2N: 1
        unsigned char OLS2P: 1
        unsigned char OLS1N: 1
        unsigned char OLS1P: 1
    } BIT
} TOCR2B

```
- char [wk13](#) [4]
 - unsigned short [TCDRB](#)
 - unsigned short [TDDRb](#)
 - char [wk14](#) [8]
 - unsigned short [TCNTSB](#)
 - unsigned short [TCBRB](#)
 - char [wk15](#) [12]
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [T6AEN](#): 1
 unsigned char [T6ACOR](#): 3
 unsigned char [T7VEN](#): 1
 unsigned char [T7VCOR](#): 3
 } [BIT](#)
 } [TITCR1B](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [T6ACNT](#): 3
 unsigned char [T7VCNT](#): 3
 } [BIT](#)
 } [TITCNT1B](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [BTE](#): 2
 } [BIT](#)
 } [TBTERB](#)
 - char [wk16](#) [1]
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [TDER](#): 1
 } [BIT](#)
 } [TDERB](#)
 - char [wk17](#) [1]
 - union {
 unsigned char [BYTE](#)

```

    struct {
        unsigned char: 2
        unsigned char OLS3N: 1
        unsigned char OLS3P: 1
        unsigned char OLS2N: 1
        unsigned char OLS2P: 1
        unsigned char OLS1N: 1
        unsigned char OLS1P: 1
    } BIT
} TOLBRB

```

- char wk18 [3]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char TITM: 1
 } BIT
 } TITMRB
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char TRG7COR: 3
 } BIT
 } TITCR2B
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char TRG7CNT: 3
 } BIT
 } TITCNT2B
- char wk19 [35]
- union {
 unsigned char BYTE
 struct {
 unsigned char CCE: 1
 unsigned char: 5
 unsigned char SCC: 1
 unsigned char WRE: 1
 } BIT
 } TWCRB
- char wk20 [15]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char DRS: 1
 } BIT
 } TMDR2B
- char wk21 [15]

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [CST7](#): 1
 unsigned char [CST6](#): 1
 unsigned [char](#): 6
 } [BIT](#)
} [TSTRB](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [SYNC7](#): 1
 unsigned char [SYNC6](#): 1
 unsigned [char](#): 6
 } [BIT](#)
} [TSYRB](#)
- char [wk22](#) [2]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 7
 unsigned char [RWE](#): 1
 } [BIT](#)
} [TRWERB](#)

5.991.1 Detailed Description

Definition at line [18209](#) of file [iodefne.h](#).

5.991.2 Field Documentation

5.991.2.1 [union]

```
union { ... } st_mtu_t::TBTERA
```

5.991.2.2 [union]

```
union { ... } st_mtu_t::TBTERB
```

5.991.2.3 TCBRA

```
unsigned short st_mtu_t::TCBRA
```

Definition at line [18310](#) of file [iodefne.h](#).

5.991.2.4 TCB RB

unsigned short st_mtu_t::TCB RB

Definition at line 18629 of file [iodefine.h](#).

5.991.2.5 TCDRA

unsigned short st_mtu_t::TCDRA

Definition at line 18306 of file [iodefine.h](#).

5.991.2.6 TCD RB

unsigned short st_mtu_t::TCD RB

Definition at line 18625 of file [iodefine.h](#).

5.991.2.7 TCNTSA

unsigned short st_mtu_t::TCNTSA

Definition at line 18309 of file [iodefine.h](#).

5.991.2.8 TCNTSB

unsigned short st_mtu_t::TCNTSB

Definition at line 18628 of file [iodefine.h](#).

5.991.2.9 [union]

union { ... } st_mtu_t::TCSYSTR

5.991.2.10 TDDRA

unsigned short st_mtu_t::TDDRA

Definition at line 18307 of file [iodefine.h](#).

5.991.2.11 TDDRB

unsigned short st_mtu_t::TDDRB

Definition at line 18626 of file [iodefine.h](#).

5.991.2.12 [union]

```
union { ... } st_mtu_t::TDERA
```

5.991.2.13 [union]

```
union { ... } st_mtu_t::TDERB
```

5.991.2.14 [union]

```
union { ... } st_mtu_t::TGCRA
```

5.991.2.15 [union]

```
union { ... } st_mtu_t::TITCNT1A
```

5.991.2.16 [union]

```
union { ... } st_mtu_t::TITCNT1B
```

5.991.2.17 [union]

```
union { ... } st_mtu_t::TITCNT2A
```

5.991.2.18 [union]

```
union { ... } st_mtu_t::TITCNT2B
```

5.991.2.19 [union]

```
union { ... } st_mtu_t::TITCR1A
```

5.991.2.20 [union]

```
union { ... } st_mtu_t::TITCR1B
```

5.991.2.21 [union]

```
union { ... } st_mtu_t::TITCR2A
```

5.991.2.22 [union]

```
union { ... } st_mtu_t::TITCR2B
```

5.991.2.23 [union]

```
union { ... } st_mtu_t::TITMRA
```

5.991.2.24 [union]

```
union { ... } st_mtu_t::TITMRB
```

5.991.2.25 [union]

```
union { ... } st_mtu_t::TMDR2A
```

5.991.2.26 [union]

```
union { ... } st_mtu_t::TMDR2B
```

5.991.2.27 [union]

```
union { ... } st_mtu_t::TOCR1A
```

5.991.2.28 [union]

```
union { ... } st_mtu_t::TOCR1B
```

5.991.2.29 [union]

```
union { ... } st_mtu_t::TOCR2A
```

5.991.2.30 [union]

```
union { ... } st_mtu_t::TOCR2B
```

5.991.2.31 [union]

```
union { ... } st_mtu_t::TOERA
```

5.991.2.32 [union]

```
union { ... } st_mtu_t::TOERB
```

5.991.2.33 [union]

```
union { ... } st_mtu_t::TOLBRA
```

5.991.2.34 [union]

```
union { ... } st_mtu_t::TOLBRB
```

5.991.2.35 [union]

```
union { ... } st_mtu_t::TRWERA
```

5.991.2.36 [union]

```
union { ... } st_mtu_t::TRWERB
```

5.991.2.37 [union]

```
union { ... } st_mtu_t::TSTRA
```

5.991.2.38 [union]

```
union { ... } st_mtu_t::TSTRB
```

5.991.2.39 [union]

```
union { ... } st_mtu_t::TSYRA
```

5.991.2.40 [union]

```
union { ... } st_mtu_t::TSYRB
```

5.991.2.41 [union]

```
union { ... } st_mtu_t::TWCRA
```

5.991.2.42 [union]

union { ... } st_mtu_t::TWCRB

5.991.2.43 wk0

char st_mtu_t::wk0[2]

Definition at line [18233](#) of file [iodefine.h](#).

5.991.2.44 wk1

char st_mtu_t::wk1[4]

Definition at line [18305](#) of file [iodefine.h](#).

5.991.2.45 wk10

char st_mtu_t::wk10[1]

Definition at line [18539](#) of file [iodefine.h](#).

5.991.2.46 wk11

char st_mtu_t::wk11[1925]

Definition at line [18553](#) of file [iodefine.h](#).

5.991.2.47 wk12

char st_mtu_t::wk12[3]

Definition at line [18577](#) of file [iodefine.h](#).

5.991.2.48 wk13

char st_mtu_t::wk13[4]

Definition at line [18624](#) of file [iodefine.h](#).

5.991.2.49 wk14

char st_mtu_t::wk14[8]

Definition at line [18627](#) of file [iodefine.h](#).

5.991.2.50 wk15

```
char st_mtu_t::wk15[12]
```

Definition at line [18630](#) of file [iodefne.h](#).

5.991.2.51 wk16

```
char st_mtu_t::wk16[1]
```

Definition at line [18678](#) of file [iodefne.h](#).

5.991.2.52 wk17

```
char st_mtu_t::wk17[1]
```

Definition at line [18692](#) of file [iodefne.h](#).

5.991.2.53 wk18

```
char st_mtu_t::wk18[3]
```

Definition at line [18716](#) of file [iodefne.h](#).

5.991.2.54 wk19

```
char st_mtu_t::wk19[35]
```

Definition at line [18756](#) of file [iodefne.h](#).

5.991.2.55 wk2

```
char st_mtu_t::wk2[8]
```

Definition at line [18308](#) of file [iodefne.h](#).

5.991.2.56 wk20

```
char st_mtu_t::wk20[15]
```

Definition at line [18774](#) of file [iodefne.h](#).

5.991.2.57 wk21

```
char st_mtu_t::wk21[15]
```

Definition at line [18788](#) of file [iodefne.h](#).

5.991.2.58 wk22

```
char st_mtu_t::wk22[2]
```

Definition at line [18819](#) of file [iodefne.h](#).

5.991.2.59 wk3

```
char st_mtu_t::wk3[12]
```

Definition at line [18311](#) of file [iodefne.h](#).

5.991.2.60 wk4

```
char st_mtu_t::wk4[1]
```

Definition at line [18359](#) of file [iodefne.h](#).

5.991.2.61 wk5

```
char st_mtu_t::wk5[1]
```

Definition at line [18373](#) of file [iodefne.h](#).

5.991.2.62 wk6

```
char st_mtu_t::wk6[3]
```

Definition at line [18397](#) of file [iodefne.h](#).

5.991.2.63 wk7

```
char st_mtu_t::wk7[35]
```

Definition at line [18437](#) of file [iodefne.h](#).

5.991.2.64 wk8

```
char st_mtu_t::wk8[15]
```

Definition at line [18455](#) of file [iodefne.h](#).

5.991.2.65 wk9

char st_mtu_t::wk9[15]

Definition at line 18469 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.992 st_mtu_t.TBTERA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [BTE](#): 2
} [BIT](#)

5.992.1 Detailed Description

Definition at line 18346 of file [iodefne.h](#).

5.992.2 Field Documentation

5.992.2.1 BIT

5.992.2.2 BYTE

The documentation for this union was generated from the following files:

5.993 st_mtu_t.TBTERB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [BTE](#): 2
} [BIT](#)

5.993.1 Detailed Description

Definition at line 18665 of file [iodefne.h](#).

5.993.2 Field Documentation

5.993.2.1 BIT

5.993.2.2 BYTE

The documentation for this union was generated from the following files:

5.994 `st_mtu_t.TCSYSTR` Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [SCH0](#): 1
 - unsigned char [SCH1](#): 1
 - unsigned char [SCH2](#): 1
 - unsigned char [SCH3](#): 1
 - unsigned char [SCH4](#): 1
 - unsigned [char](#): 1
 - unsigned char [SCH6](#): 1
 - unsigned char [SCH7](#): 1
- } [BIT](#)

5.994.1 Detailed Description

Definition at line [18514](#) of file [iodefine.h](#).

5.994.2 Field Documentation

5.994.2.1 BIT

5.994.2.2 BYTE

The documentation for this union was generated from the following files:

5.995 `st_mtu_t.TDERA` Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [TDER](#): 1
- } [BIT](#)

5.995.1 Detailed Description

Definition at line [18360](#) of file [iodefne.h](#).

5.995.2 Field Documentation

5.995.2.1 BIT

5.995.2.2 BYTE

The documentation for this union was generated from the following files:

5.996 st_mtu_t.TDERB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [char](#): 7
 - unsigned char [TDER](#): 1
- } [BIT](#)

5.996.1 Detailed Description

Definition at line [18679](#) of file [iodefne.h](#).

5.996.2 Field Documentation

5.996.2.1 BIT

5.996.2.2 BYTE

The documentation for this union was generated from the following files:

5.997 st_mtu_t.TGCRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [char](#): 1
 - unsigned char [BDC](#): 1
 - unsigned char [N](#): 1
 - unsigned char [P](#): 1
 - unsigned char [FB](#): 1
 - unsigned char [WF](#): 1
 - unsigned char [VF](#): 1
 - unsigned char [UF](#): 1
- } [BIT](#)

5.997.1 Detailed Description

Definition at line [18234](#) of file [iodefne.h](#).

5.997.2 Field Documentation

5.997.2.1 BIT

5.997.2.2 BYTE

The documentation for this union was generated from the following files:

5.998 st__mtu__t.TITCNT1A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [T3ACNT](#): 3
 - unsigned char [T4VCNT](#): 3
- } [BIT](#)

5.998.1 Detailed Description

Definition at line [18329](#) of file [iodefne.h](#).

5.998.2 Field Documentation

5.998.2.1 BIT

5.998.2.2 BYTE

The documentation for this union was generated from the following files:

5.999 st__mtu__t.TITCNT1B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [T6ACNT](#): 3
 - unsigned char [T7VCNT](#): 3
- } [BIT](#)

5.999.1 Detailed Description

Definition at line [18648](#) of file [iodefine.h](#).

5.999.2 Field Documentation

5.999.2.1 BIT

5.999.2.2 BYTE

The documentation for this union was generated from the following files:

5.1000 st_mtu_t.TITCNT2A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 5
 unsigned char [TRG4CNT](#): 3
} [BIT](#)

5.1000.1 Detailed Description

Definition at line [18424](#) of file [iodefine.h](#).

5.1000.2 Field Documentation

5.1000.2.1 BIT

5.1000.2.2 BYTE

The documentation for this union was generated from the following files:

5.1001 st_mtu_t.TITCNT2B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 5
 unsigned char [TRG7CNT](#): 3
} [BIT](#)

5.1001.1 Detailed Description

Definition at line [18743](#) of file [iodefine.h](#).

5.1001.2 Field Documentation

5.1001.2.1 BIT

5.1001.2.2 BYTE

The documentation for this union was generated from the following files:

5.1002 st__mtu__t.TITCR1A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [T3AEN](#): 1
 - unsigned char [T3ACOR](#): 3
 - unsigned char [T4VEN](#): 1
 - unsigned char [T4VCOR](#): 3
- } [BIT](#)

5.1002.1 Detailed Description

Definition at line [18312](#) of file [iodefine.h](#).

5.1002.2 Field Documentation

5.1002.2.1 BIT

5.1002.2.2 BYTE

The documentation for this union was generated from the following files:

5.1003 st__mtu__t.TITCR1B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [T6AEN](#): 1
 - unsigned char [T6ACOR](#): 3
 - unsigned char [T7VEN](#): 1
 - unsigned char [T7VCOR](#): 3
- } [BIT](#)

5.1003.1 Detailed Description

Definition at line [18631](#) of file [iodefine.h](#).

5.1003.2 Field Documentation

5.1003.2.1 BIT

5.1003.2.2 BYTE

The documentation for this union was generated from the following files:

5.1004 st_mtu_t.TITCR2A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 5
 unsigned char [TRG4COR](#): 3
} [BIT](#)

5.1004.1 Detailed Description

Definition at line [18411](#) of file [iodefine.h](#).

5.1004.2 Field Documentation

5.1004.2.1 BIT

5.1004.2.2 BYTE

The documentation for this union was generated from the following files:

5.1005 st_mtu_t.TITCR2B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 5
 unsigned char [TRG7COR](#): 3
} [BIT](#)

5.1005.1 Detailed Description

Definition at line [18730](#) of file [iodefne.h](#).

5.1005.2 Field Documentation

5.1005.2.1 BIT

5.1005.2.2 BYTE

The documentation for this union was generated from the following files:

5.1006 st__mtu__t.TITMRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [TITM](#): 1
} [BIT](#)

5.1006.1 Detailed Description

Definition at line [18398](#) of file [iodefne.h](#).

5.1006.2 Field Documentation

5.1006.2.1 BIT

5.1006.2.2 BYTE

The documentation for this union was generated from the following files:

5.1007 st__mtu__t.TITMRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [TITM](#): 1
} [BIT](#)

5.1007.1 Detailed Description

Definition at line [18717](#) of file [iodefne.h](#).

5.1007.2 Field Documentation

5.1007.2.1 BIT

5.1007.2.2 BYTE

The documentation for this union was generated from the following files:

5.1008 st__mtu__t.TMDR2A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [DRS](#): 1
} [BIT](#)

5.1008.1 Detailed Description

Definition at line [18456](#) of file [iodefne.h](#).

5.1008.2 Field Documentation

5.1008.2.1 BIT

5.1008.2.2 BYTE

The documentation for this union was generated from the following files:

5.1009 st__mtu__t.TMDR2B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [DRS](#): 1
} [BIT](#)

5.1009.1 Detailed Description

Definition at line [18775](#) of file [iodef.h](#).

5.1009.2 Field Documentation

5.1009.2.1 BIT

5.1009.2.2 BYTE

The documentation for this union was generated from the following files:

5.1010 st_mtu_t.TOCR1A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [PSYE](#): 1
 - unsigned char [TOCL](#): 1
 - unsigned char [TOCS](#): 1
 - unsigned char [OLSN](#): 1
 - unsigned char [OLSP](#): 1
- } [BIT](#)

5.1010.1 Detailed Description

Definition at line [18259](#) of file [iodef.h](#).

5.1010.2 Field Documentation

5.1010.2.1 BIT

5.1010.2.2 BYTE

The documentation for this union was generated from the following files:

5.1011 st_mtu_t.TOCR1B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 1
 - unsigned char [PSYE](#): 1
 - unsigned char [TOCL](#): 1
 - unsigned char [TOCS](#): 1
 - unsigned char [OLSN](#): 1
 - unsigned char [OLSP](#): 1
- } [BIT](#)

5.1011.1 Detailed Description

Definition at line [18578](#) of file [iodefine.h](#).

5.1011.2 Field Documentation

5.1011.2.1 BIT

5.1011.2.2 BYTE

The documentation for this union was generated from the following files:

5.1012 st_mtu_t.TOCR2A Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [BF](#): 2
 - unsigned char [OLS3N](#): 1
 - unsigned char [OLS3P](#): 1
 - unsigned char [OLS2N](#): 1
 - unsigned char [OLS2P](#): 1
 - unsigned char [OLS1N](#): 1
 - unsigned char [OLS1P](#): 1
- } [BIT](#)

5.1012.1 Detailed Description

Definition at line [18282](#) of file [iodefine.h](#).

5.1012.2 Field Documentation

5.1012.2.1 BIT

5.1012.2.2 BYTE

The documentation for this union was generated from the following files:

5.1013 st_mtu_t.TOCR2B Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [BF](#): 2
 - unsigned char [OLS3N](#): 1
 - unsigned char [OLS3P](#): 1
 - unsigned char [OLS2N](#): 1
 - unsigned char [OLS2P](#): 1
 - unsigned char [OLS1N](#): 1
 - unsigned char [OLS1P](#): 1
- } [BIT](#)

5.1013.1 Detailed Description

Definition at line [18601](#) of file [iodefine.h](#).

5.1013.2 Field Documentation

5.1013.2.1 BIT

5.1013.2.2 BYTE

The documentation for this union was generated from the following files:

5.1014 st_mtu_t.TOERA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [OE4D](#): 1
 - unsigned char [OE4C](#): 1
 - unsigned char [OE3D](#): 1
 - unsigned char [OE4B](#): 1
 - unsigned char [OE4A](#): 1
 - unsigned char [OE3B](#): 1
- } [BIT](#)

5.1014.1 Detailed Description

Definition at line [18210](#) of file [iodefne.h](#).

5.1014.2 Field Documentation

5.1014.2.1 BIT

5.1014.2.2 BYTE

The documentation for this union was generated from the following files:

5.1015 st_mtu_t.TOERB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [OE7D](#): 1
 - unsigned char [OE7C](#): 1
 - unsigned char [OE6D](#): 1
 - unsigned char [OE7B](#): 1
 - unsigned char [OE7A](#): 1
 - unsigned char [OE6B](#): 1
- } [BIT](#)

5.1015.1 Detailed Description

Definition at line [18554](#) of file [iodefne.h](#).

5.1015.2 Field Documentation

5.1015.2.1 BIT

5.1015.2.2 BYTE

The documentation for this union was generated from the following files:

5.1016 st__mtu__t.TOLBRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [OLS3N](#): 1
 - unsigned char [OLS3P](#): 1
 - unsigned char [OLS2N](#): 1
 - unsigned char [OLS2P](#): 1
 - unsigned char [OLS1N](#): 1
 - unsigned char [OLS1P](#): 1
- } [BIT](#)

5.1016.1 Detailed Description

Definition at line [18374](#) of file [iodefine.h](#).

5.1016.2 Field Documentation

5.1016.2.1 BIT

5.1016.2.2 BYTE

The documentation for this union was generated from the following files:

5.1017 st__mtu__t.TOLBRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [OLS3N](#): 1
 - unsigned char [OLS3P](#): 1
 - unsigned char [OLS2N](#): 1
 - unsigned char [OLS2P](#): 1
 - unsigned char [OLS1N](#): 1
 - unsigned char [OLS1P](#): 1
- } [BIT](#)

5.1017.1 Detailed Description

Definition at line [18693](#) of file [iodefine.h](#).

5.1017.2 Field Documentation

5.1017.2.1 BIT

5.1017.2.2 BYTE

The documentation for this union was generated from the following files:

5.1018 st_mtu_t.TRWERA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [RWE](#): 1
} [BIT](#)

5.1018.1 Detailed Description

Definition at line [18540](#) of file [iodefne.h](#).

5.1018.2 Field Documentation

5.1018.2.1 BIT

5.1018.2.2 BYTE

The documentation for this union was generated from the following files:

5.1019 st_mtu_t.TRWERB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [RWE](#): 1
} [BIT](#)

5.1019.1 Detailed Description

Definition at line [18820](#) of file [iodefne.h](#).

5.1019.2 Field Documentation

5.1019.2.1 BIT

5.1019.2.2 BYTE

The documentation for this union was generated from the following files:

5.1020 st__mtu__t.TSTRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CST4](#): 1
 - unsigned char [CST3](#): 1
 - unsigned [char](#): 2
 - unsigned char [CST8](#): 1
 - unsigned char [CST2](#): 1
 - unsigned char [CST1](#): 1
 - unsigned char [CST0](#): 1
- } [BIT](#)

5.1020.1 Detailed Description

Definition at line [18470](#) of file [iodefine.h](#).

5.1020.2 Field Documentation

5.1020.2.1 BIT

5.1020.2.2 BYTE

The documentation for this union was generated from the following files:

5.1021 st__mtu__t.TSTRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CST7](#): 1
 - unsigned char [CST6](#): 1
 - unsigned [char](#): 6
- } [BIT](#)

5.1021.1 Detailed Description

Definition at line [18789](#) of file [iodefne.h](#).

5.1021.2 Field Documentation

5.1021.2.1 BIT

5.1021.2.2 BYTE

The documentation for this union was generated from the following files:

5.1022 st__mtu__t.TSYRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [SYNC4](#): 1
 - unsigned char [SYNC3](#): 1
 - unsigned [char](#): 3
 - unsigned char [SYNC2](#): 1
 - unsigned char [SYNC1](#): 1
 - unsigned char [SYNC0](#): 1
- } [BIT](#)

5.1022.1 Detailed Description

Definition at line [18493](#) of file [iodefne.h](#).

5.1022.2 Field Documentation

5.1022.2.1 BIT

5.1022.2.2 BYTE

The documentation for this union was generated from the following files:

5.1023 st__mtu__t.TSYRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [SYNC7](#): 1
 - unsigned char [SYNC6](#): 1
 - unsigned [char](#): 6
- } [BIT](#)

5.1023.1 Detailed Description

Definition at line 18804 of file [iodefine.h](#).

5.1023.2 Field Documentation

5.1023.2.1 BIT

5.1023.2.2 BYTE

The documentation for this union was generated from the following files:

5.1024 st_mtu_t.TWCRA Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CCE](#): 1
 - unsigned [char](#): 5
 - unsigned char [SCC](#): 1
 - unsigned char [WRE](#): 1
- } [BIT](#)

5.1024.1 Detailed Description

Definition at line 18438 of file [iodefine.h](#).

5.1024.2 Field Documentation

5.1024.2.1 BIT

5.1024.2.2 BYTE

The documentation for this union was generated from the following files:

5.1025 st_mtu_t.TWCRB Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CCE](#): 1
 - unsigned [char](#): 5
 - unsigned char [SCC](#): 1
 - unsigned char [WRE](#): 1
- } [BIT](#)

5.1025.1 Detailed Description

Definition at line [18757](#) of file [iodefne.h](#).

5.1025.2 Field Documentation

5.1025.2.1 BIT


5.1025.2.2 BYTE

The documentation for this union was generated from the following files:

5.1026 st_ofsm_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_ofsm_t:



Data Fields

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 25
 - unsigned long BANKMD: 3
 - unsigned long MDE: 3

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 3
 - unsigned long [WDTRSTIRQS](#): 1
 - unsigned long [WDTRPSS](#): 2
 - unsigned long [WDTRPES](#): 2
 - unsigned long [WDTCKS](#): 4
 - unsigned long [WDTTOPS](#): 2
 - unsigned long [WDTSTRT](#): 1
 - unsigned long [IWDTSLCSTP](#): 1
 - unsigned long [IWDTRSTIRQS](#): 1
 - unsigned long [IWDTRPSS](#): 2
 - unsigned long [IWDTRPES](#): 2
 - unsigned long [IWDTCKS](#): 4
 - unsigned long [IWDTTOPS](#): 2
 - unsigned long [IWDTSTRT](#): 1
 - } [BIT](#)
 - } [OFS0](#)

- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 23
 - unsigned long [HOCOEN](#): 1
 - unsigned long [LVDAS](#): 1
 - unsigned long [VDSEL](#): 2
 - } [BIT](#)
 - } [OFS1](#)

- char [wk0](#) [4]
- unsigned long [TMINF](#)
- char [wk1](#) [12]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 29
 - unsigned long [BANKSWP](#): 3
 - } [BIT](#)
 - } [BANKSEL](#)

- char [wk2](#) [28]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 4
 - unsigned long [SPE](#): 1
 - } [BIT](#)
 - } [SPCC](#)

- char [wk3](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 1
 - unsigned long [TMEFDB](#): 3
 - unsigned long [TMEF](#): 3
 - } [BIT](#)

```

    } TMEF

    • char wk4 [4]
    • union {
        struct {
            unsigned long ID4:8
            unsigned long ID3:8
            unsigned long ID2:8
            unsigned long ID1:8
            unsigned long ID8:8
            unsigned long ID7:8
            unsigned long ID6:8
            unsigned long ID5:8
            unsigned long ID12:8
            unsigned long ID11:8
            unsigned long ID10:8
            unsigned long ID9:8
            unsigned long ID16:8
            unsigned long ID15:8
            unsigned long ID14:8
            unsigned long ID13:8
        } BIT
    } OSIS

    • char wk5 [4]
    • union {
        unsigned long LONG
        struct {
            unsigned long BTFLG: 1
            unsigned long: 3
            unsigned long FAWE: 12
            unsigned long FSPR: 1
            unsigned long FAWS: 12
        } BIT
    } FAW

    • char wk6 [8]
    • union {
        unsigned long LONG
        struct {
            unsigned long CODE: 32
        } BIT
    } ROMCODE

```

5.1026.1 Detailed Description

Definition at line 20401 of file [iodefine.h](#).

5.1026.2 Field Documentation

5.1026.2.1 [union]

```
union { ... } st_ofsm_t::BANKSEL
```

5.1026.2.2 [union]

```
union { ... } st_ofsm_t::FAW
```

5.1026.2.3 [union]

```
union { ... } st_ofsm_t::MDE
```

5.1026.2.4 [union]

```
union { ... } st_ofsm_t::OFS0
```

5.1026.2.5 [union]

```
union { ... } st_ofsm_t::OFS1
```

5.1026.2.6 [union]

```
union { ... } st_ofsm_t::OSIS
```

5.1026.2.7 [union]

```
union { ... } st_ofsm_t::ROMCODE
```

5.1026.2.8 [union]

```
union { ... } st_ofsm_t::SPCC
```

5.1026.2.9 [union]

```
union { ... } st_ofsm_t::TMEF
```

5.1026.2.10 TMINF

```
unsigned long st_ofsm_t::TMINF
```

Definition at line [20482](#) of file [iodefine.h](#).

5.1026.2.11 wk0

```
char st_ofsm_t::wk0[4]
```

Definition at line [20481](#) of file [iodefine.h](#).

5.1026.2.12 wk1

```
char st_ofsm_t::wk1[12]
```

Definition at line [20483](#) of file [iodefne.h](#).

5.1026.2.13 wk2

```
char st_ofsm_t::wk2[28]
```

Definition at line [20497](#) of file [iodefne.h](#).

5.1026.2.14 wk3

```
char st_ofsm_t::wk3[4]
```

Definition at line [20513](#) of file [iodefne.h](#).

5.1026.2.15 wk4

```
char st_ofsm_t::wk4[4]
```

Definition at line [20533](#) of file [iodefne.h](#).

5.1026.2.16 wk5

```
char st_ofsm_t::wk5[4]
```

Definition at line [20554](#) of file [iodefne.h](#).

5.1026.2.17 wk6

```
char st_ofsm_t::wk6[8]
```

Definition at line [20576](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1027 st_ofsm_t.BANKSEL Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 29
 - unsigned long [BANKSWP](#): 3
- } [BIT](#)

5.1027.1 Detailed Description

Definition at line [20484](#) of file [iodefine.h](#).

5.1027.2 Field Documentation

5.1027.2.1 BIT

5.1027.2.2 LONG

The documentation for this union was generated from the following files:

5.1028 st_ofsm_t.FAW Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [BTFLG](#): 1
 - unsigned [long](#): 3
 - unsigned long [FAWE](#): 12
 - unsigned long [FSPR](#): 1
 - unsigned long [FAWS](#): 12
- } [BIT](#)

5.1028.1 Detailed Description

Definition at line [20555](#) of file [iodefine.h](#).

5.1028.2 Field Documentation

5.1028.2.1 BIT

5.1028.2.2 LONG

The documentation for this union was generated from the following files:

5.1029 st_ofsm_t.MDE Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 25
 - unsigned long [BANKMD](#): 3
 - unsigned long [MDE](#): 3
- } [BIT](#)

5.1029.1 Detailed Description

Definition at line 20402 of file [iodefine.h](#).

5.1029.2 Field Documentation

5.1029.2.1 BIT

5.1029.2.2 LONG

The documentation for this union was generated from the following files:

5.1030 st_ofsm_t.OFS0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 3
 - unsigned long [WDTRSTIRQS](#): 1
 - unsigned long [WDTRPSS](#): 2
 - unsigned long [WDTRPES](#): 2
 - unsigned long [WDTCKS](#): 4
 - unsigned long [WDTTOPS](#): 2
 - unsigned long [WDTSTRT](#): 1
 - unsigned long [IWDTS LCSTP](#): 1
 - unsigned long [IWDTRSTIRQS](#): 1
 - unsigned long [IWDTRPSS](#): 2
 - unsigned long [IWDTRPES](#): 2
 - unsigned long [IWDTCKS](#): 4
 - unsigned long [IWDTTOPS](#): 2
 - unsigned long [IWDTSTRT](#): 1
- } [BIT](#)

5.1030.1 Detailed Description

Definition at line 20419 of file [iodefine.h](#).

5.1030.2 Field Documentation

5.1030.2.1 BIT

5.1030.2.2 LONG

The documentation for this union was generated from the following files:

5.1031 st_ofsm_t.OFS1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 23
 - unsigned long [HOCOEN](#): 1
 - unsigned long [LVDAS](#): 1
 - unsigned long [VDSEL](#): 2
- } [BIT](#)

5.1031.1 Detailed Description

Definition at line [20462](#) of file [iodefine.h](#).

5.1031.2 Field Documentation

5.1031.2.1 BIT

5.1031.2.2 LONG

The documentation for this union was generated from the following files:

5.1032 st_ofsm_t.OSIS Union Reference

Data Fields

- struct {
 - unsigned long [ID4](#):8
 - unsigned long [ID3](#):8
 - unsigned long [ID2](#):8
 - unsigned long [ID1](#):8
 - unsigned long [ID8](#):8
 - unsigned long [ID7](#):8
 - unsigned long [ID6](#):8
 - unsigned long [ID5](#):8
 - unsigned long [ID12](#):8
 - unsigned long [ID11](#):8
 - unsigned long [ID10](#):8
 - unsigned long [ID9](#):8
 - unsigned long [ID16](#):8
 - unsigned long [ID15](#):8
 - unsigned long [ID14](#):8
 - unsigned long [ID13](#):8
- } [BIT](#)

5.1032.1 Detailed Description

Definition at line [20534](#) of file [iodefine.h](#).

5.1032.2 Field Documentation

5.1032.2.1 BIT

The documentation for this union was generated from the following files:

5.1033 st_ofsm_t.ROMCODE Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned long [CODE](#): 32
} [BIT](#)

5.1033.1 Detailed Description

Definition at line [20577](#) of file [iodefine.h](#).

5.1033.2 Field Documentation

5.1033.2.1 BIT

5.1033.2.2 LONG

The documentation for this union was generated from the following files:

5.1034 st_ofsm_t.SPCC Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 4
 unsigned long [SPE](#): 1
} [BIT](#)

5.1034.1 Detailed Description

Definition at line [20498](#) of file [iodefne.h](#).

5.1034.2 Field Documentation

5.1034.2.1 BIT

5.1034.2.2 LONG

The documentation for this union was generated from the following files:

5.1035 st_ofsm_t.TMEF Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 1
 - unsigned long [TMEFDB](#): 3
 - unsigned long [TMEF](#): 3
- } [BIT](#)

5.1035.1 Detailed Description

Definition at line [20514](#) of file [iodefne.h](#).

5.1035.2 Field Documentation

5.1035.2.1 BIT


5.1035.2.2 LONG

The documentation for this union was generated from the following files:

5.1036 st_pdc_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st_pdc_t:



Data Fields

- union {
 - unsigned long LONG
 - struct {
 - unsigned long: 17
 - unsigned long EDS: 1
 - unsigned long PCKDIV: 3
 - unsigned long PCKOE: 1
 - unsigned long HERIE: 1
 - unsigned long VERIE: 1
 - unsigned long UDRIE: 1
 - unsigned long OVIE: 1
 - unsigned long FEIE: 1
 - unsigned long DFIE: 1
 - unsigned long PRST: 1
 - unsigned long HPS: 1
 - unsigned long VPS: 1
 - unsigned long PCKE: 1
 - } BIT
- } PCCR0

- union {
 unsigned long LONG
 struct {
 unsigned long: 31
 unsigned long PCE: 1
 } BIT
 } PCCR1
- union {
 unsigned long LONG
 struct {
 unsigned long: 25
 unsigned long HERF: 1
 unsigned long VERF: 1
 unsigned long UDRF: 1
 unsigned long OVRF: 1
 unsigned long FEF: 1
 unsigned long FEMPF: 1
 unsigned long FBSY: 1
 } BIT
 } PCSR
- union {
 unsigned long LONG
 struct {
 unsigned long: 30
 unsigned long HSYNC: 1
 unsigned long VSYNC: 1
 } BIT
 } PCMONR
- union {
 unsigned long LONG
 } PCDR
- union {
 unsigned long LONG
 struct {
 unsigned long: 4
 unsigned long VSZ: 12
 unsigned long VST: 12
 } BIT
 } VCR
- union {
 unsigned long LONG
 struct {
 unsigned long: 4
 unsigned long HSZ: 12
 unsigned long HST: 12
 } BIT
 } HCR

5.1036.1 Detailed Description

Definition at line 20590 of file [iodefine.h](#).

5.1036.2 Field Documentation

5.1036.2.1 [union]

```
union { ... } st_pdc_t::HCR
```

5.1036.2.2 [union]

```
union { ... } st_pdc_t::PCCR0
```

5.1036.2.3 [union]

```
union { ... } st_pdc_t::PCCR1
```

5.1036.2.4 [union]

```
union { ... } st_pdc_t::PCDR
```

5.1036.2.5 [union]

```
union { ... } st_pdc_t::PCMONR
```

5.1036.2.6 [union]

```
union { ... } st_pdc_t::PCSR
```

5.1036.2.7 [union]

```
union { ... } st_pdc_t::VCR
```

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1037 st_pdc_t.HCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 4
 - unsigned long [HSZ](#): 12
 - unsigned long [HST](#): 12
- [BIT](#)

5.1037.1 Detailed Description

Definition at line [20701](#) of file [iodefine.h](#).

5.1037.2 Field Documentation

5.1037.2.1 BIT

5.1037.2.2 LONG

The documentation for this union was generated from the following files:

5.1038 st_pdc_t.PCCR0 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 17
 - unsigned long [EDS](#): 1
 - unsigned long [PCKDIV](#): 3
 - unsigned long [PCKOE](#): 1
 - unsigned long [HERIE](#): 1
 - unsigned long [VERIE](#): 1
 - unsigned long [UDRIE](#): 1
 - unsigned long [OVIE](#): 1
 - unsigned long [FEIE](#): 1
 - unsigned long [DFIE](#): 1
 - unsigned long [PRST](#): 1
 - unsigned long [HPS](#): 1
 - unsigned long [VPS](#): 1
 - unsigned long [PCKE](#): 1
- } [BIT](#)

5.1038.1 Detailed Description

Definition at line [20591](#) of file [iodefine.h](#).

5.1038.2 Field Documentation

5.1038.2.1 BIT

5.1038.2.2 LONG

The documentation for this union was generated from the following files:

5.1039 st_pdc_t.PCCR1 Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 31
 - unsigned long [PCE](#): 1
- } [BIT](#)

5.1039.1 Detailed Description

Definition at line [20628](#) of file [iodefine.h](#).

5.1039.2 Field Documentation

5.1039.2.1 BIT

5.1039.2.2 LONG

The documentation for this union was generated from the following files:

5.1040 st_pdc_t.PCMONR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 30
 - unsigned long [HSYNC](#): 1
 - unsigned long [VSYNC](#): 1
- } [BIT](#)

5.1040.1 Detailed Description

Definition at line [20666](#) of file [iodefine.h](#).

5.1040.2 Field Documentation

5.1040.2.1 BIT

5.1040.2.2 LONG

The documentation for this union was generated from the following files:

5.1041 st_pdc_t.PCSR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 25
 - unsigned long [HERF](#): 1
 - unsigned long [VERF](#): 1
 - unsigned long [UDRF](#): 1
 - unsigned long [OVRF](#): 1
 - unsigned long [FEF](#): 1
 - unsigned long [FEMPF](#): 1
 - unsigned long [FBSY](#): 1
- } [BIT](#)

5.1041.1 Detailed Description

Definition at line [20641](#) of file [iodefine.h](#).

5.1041.2 Field Documentation

5.1041.2.1 BIT

5.1041.2.2 LONG

The documentation for this union was generated from the following files:

5.1042 st_pdc_t.VCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 4
 - unsigned long [VSZ](#): 12
 - unsigned long [VST](#): 12
- } [BIT](#)

5.1042.1 Detailed Description

Definition at line [20684](#) of file [iodefine.h](#).

5.1042.2 Field Documentation

5.1042.2.1 BIT


5.1042.2.2 LONG

The documentation for this union was generated from the following files:

5.1043 st_pmgi_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st_pmgi_t:



Data Fields

- union {
 unsigned long LONG
 struct {
 unsigned long: 9
 unsigned long PSMCT: 3
 unsigned long PSMHT: 3
 unsigned long PSMDP: 1
 unsigned long PSMCS: 6
 } BIT
 } PMGCR
- union {
 unsigned long LONG
 struct {
 unsigned long PRD: 16
 unsigned long: 3
 unsigned long PRA: 5
 unsigned long PDA: 5
 unsigned long PSMA: 1
 unsigned long PSME: 1
 } BIT
 } PSMR

5.1043.1 Detailed Description

Definition at line [20720](#) of file [iodefne.h](#).

5.1043.2 Field Documentation

5.1043.2.1 [union]

```
union { ... } st_pmg_i_t::PMGCR
```

5.1043.2.2 [union]

```
union { ... } st_pmg_i_t::PSMR
```

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1044 st_pmg_i_t.PMGCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 9
 - unsigned long [PSMCT](#): 3
 - unsigned long [PSMHT](#): 3
 - unsigned long [PSMDP](#): 1
 - unsigned long [PSMCS](#): 6
- } [BIT](#)

5.1044.1 Detailed Description

Definition at line [20721](#) of file [iodefne.h](#).

5.1044.2 Field Documentation

5.1044.2.1 BIT

5.1044.2.2 LONG

The documentation for this union was generated from the following files:

5.1045 st_pmgi_t.PSMR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [PRD](#): 16
 - unsigned [long](#): 3
 - unsigned long [PRA](#): 5
 - unsigned long [PDA](#): 5
 - unsigned long [PSMAD](#): 1
 - unsigned long [PSME](#): 1
- } [BIT](#)

5.1045.1 Detailed Description

Definition at line [20746](#) of file [iodefne.h](#).

5.1045.2 Field Documentation

5.1045.2.1 BIT


5.1045.2.2 LONG

The documentation for this union was generated from the following files:

5.1046 st_poe_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st_poe_t:



Data Fields

- union {
 - unsigned short WORD
 - struct {
 - unsigned short: 3
 - unsigned short POE0F: 1
 - unsigned short PIE1: 1
 - unsigned short POE0M: 2

```

    union {
        unsigned short WORD
        struct {
            unsigned short OSF1: 1
            unsigned short: 5
            unsigned short OCE1: 1
            unsigned short OIE1: 1
        } BIT
    } OCSR1

```

- ```

 union {
 unsigned short WORD
 struct {
 unsigned short: 3
 unsigned short POE4F: 1
 unsigned short PIE2: 1
 unsigned short POE4M: 2
 } BIT
 } ICSR2

```
- ```

    union {
        unsigned short WORD
        struct {
            unsigned short OSF2: 1
            unsigned short: 5
            unsigned short OCE2: 1
            unsigned short OIE2: 1
        } BIT
    } OCSR2

```
- ```

 union {
 unsigned short WORD
 struct {
 unsigned short: 3
 unsigned short POE8F: 1
 unsigned short POE8E: 1
 unsigned short PIE3: 1
 unsigned short POE8M: 2
 } BIT
 } ICSR3

```
- ```

    union {
        unsigned char BYTE
        struct {
            unsigned char: 5
            unsigned char MTUCH0HIZ: 1
            unsigned char MTUCH67HIZ: 1
            unsigned char MTUCH34HIZ: 1
        } BIT
    } SPOER

```
- ```

 union {
 unsigned char BYTE
 struct {
 unsigned char: 4
 unsigned char MTU0DZE: 1

```

```

 unsigned char MTU0CZE: 1
 unsigned char MTU0BZE: 1
 unsigned char MTU0AZE: 1
 } BIT
} POECR1

• union {
 unsigned short WORD
 struct {
 unsigned short: 5
 unsigned short MTU3BDZE: 1
 unsigned short MTU4ACZE: 1
 unsigned short MTU4BDZE: 1
 unsigned short MTU6BDZE: 1
 unsigned short MTU7ACZE: 1
 unsigned short MTU7BDZE: 1
 } BIT
} POECR2

• char wk0 [2]
• union {
 unsigned short WORD
 struct {
 unsigned short: 2
 unsigned short IC5ADDMT67ZE: 1
 unsigned short IC4ADDMT67ZE: 1
 unsigned short IC3ADDMT67ZE: 1
 unsigned short IC1ADDMT67ZE: 1
 unsigned short IC5ADDMT34ZE: 1
 unsigned short IC4ADDMT34ZE: 1
 unsigned short IC3ADDMT34ZE: 1
 unsigned short IC2ADDMT34ZE: 1
 } BIT
} POECR4

• union {
 unsigned short WORD
 struct {
 unsigned short: 10
 unsigned short IC5ADDMT0ZE: 1
 unsigned short IC4ADDMT0ZE: 1
 unsigned short IC2ADDMT0ZE: 1
 unsigned short IC1ADDMT0ZE: 1
 } BIT
} POECR5

• char wk1 [2]
• union {
 unsigned short WORD
 struct {
 unsigned short: 3
 unsigned short POE10F: 1
 unsigned short POE10E: 1
 unsigned short PIE4: 1
 unsigned short POE10M: 2
 } BIT
} ICSR4

```



- union {  
  unsigned short WORD  
  struct {  
    unsigned short: 3  
    unsigned short POE11F: 1  
    unsigned short POE11E: 1  
    unsigned short PIE5: 1  
    unsigned short POE11M: 2  
  } BIT  
} ICSR5
- union {  
  unsigned short WORD  
  struct {  
    unsigned short: 8  
    unsigned short OLSEN: 1  
    unsigned short OLSG2B: 1  
    unsigned short OLSG2A: 1  
    unsigned short OLSG1B: 1  
    unsigned short OLSG1A: 1  
    unsigned short OLSG0B: 1  
    unsigned short OLSG0A: 1  
  } BIT  
} ALR1
- union {  
  unsigned short WORD  
  struct {  
    unsigned short: 3  
    unsigned short OSTSTF: 1  
    unsigned short OSTSTE: 1  
  } BIT  
} ICSR6
- char wk2 [6]
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char M0BSEL: 4  
    unsigned char M0ASEL: 4  
  } BIT  
} M0SELR1
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char M0DSEL: 4  
    unsigned char M0CSEL: 4  
  } BIT  
} M0SELR2
- union {  
  unsigned char BYTE  
  struct {  
    unsigned char M3DSEL: 4  
    unsigned char M3BSEL: 4  
  } BIT  
} M3SELR

- union {  
  unsigned char [BYTE](#)  
    struct {  
      unsigned char [M4CSEL](#): 4  
      unsigned char [M4ASEL](#): 4  
      } [BIT](#)  
    } [M4SELR1](#)
- union {  
  unsigned char [BYTE](#)  
    struct {  
      unsigned char [M4DSEL](#): 4  
      unsigned char [M4BSEL](#): 4  
      } [BIT](#)  
    } [M4SELR2](#)
- char [wk3](#) [1]
- union {  
  unsigned char [BYTE](#)  
    struct {  
      unsigned char [M6DSEL](#): 4  
      unsigned char [M6BSEL](#): 4  
      } [BIT](#)  
    } [M6SELR](#)

### 5.1046.1 Detailed Description

Definition at line [20771](#) of file [iodefine.h](#).

### 5.1046.2 Field Documentation

#### 5.1046.2.1 [union]

```
union { ... } st_poe_t::ALR1
```

#### 5.1046.2.2 [union]

```
union { ... } st_poe_t::ICSR1
```

#### 5.1046.2.3 [union]

```
union { ... } st_poe_t::ICSR2
```

#### 5.1046.2.4 [union]

```
union { ... } st_poe_t::ICSR3
```

## 5.1046.2.5 [union]

```
union { ... } st_poe_t::ICSR4
```

## 5.1046.2.6 [union]

```
union { ... } st_poe_t::ICSR5
```

## 5.1046.2.7 [union]

```
union { ... } st_poe_t::ICSR6
```

## 5.1046.2.8 [union]

```
union { ... } st_poe_t::M0SELR1
```

## 5.1046.2.9 [union]

```
union { ... } st_poe_t::M0SELR2
```

## 5.1046.2.10 [union]

```
union { ... } st_poe_t::M3SELR
```

## 5.1046.2.11 [union]

```
union { ... } st_poe_t::M4SELR1
```

## 5.1046.2.12 [union]

```
union { ... } st_poe_t::M4SELR2
```

## 5.1046.2.13 [union]

```
union { ... } st_poe_t::M6SELR
```

## 5.1046.2.14 [union]

```
union { ... } st_poe_t::OCSR1
```

## 5.1046.2.15 [union]

```
union { ... } st_poe_t::OCSR2
```

## 5.1046.2.16 [union]

```
union { ... } st_poe_t::POECR1
```

## 5.1046.2.17 [union]

```
union { ... } st_poe_t::POECR2
```

## 5.1046.2.18 [union]

```
union { ... } st_poe_t::POECR4
```

## 5.1046.2.19 [union]

```
union { ... } st_poe_t::POECR5
```

## 5.1046.2.20 [union]

```
union { ... } st_poe_t::SPOER
```

## 5.1046.2.21 wk0

```
char st_poe_t::wk0[2]
```

Definition at line [20936](#) of file [iodefine.h](#).

## 5.1046.2.22 wk1

```
char st_poe_t::wk1[2]
```

Definition at line [20993](#) of file [iodefine.h](#).

## 5.1046.2.23 wk2

```
char st_poe_t::wk2[6]
```

Definition at line [21086](#) of file [iodefine.h](#).

## 5.1046.2.24 wk3

```
char st_poe_t::wk3[1]
```

Definition at line 21152 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1047 st\_poe\_t.ALRL Union Reference

## Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [OLSEN](#): 1
  - unsigned short [OLSG2B](#): 1
  - unsigned short [OLSG2A](#): 1
  - unsigned short [OLSG1B](#): 1
  - unsigned short [OLSG1A](#): 1
  - unsigned short [OLSG0B](#): 1
  - unsigned short [OLSG0A](#): 1
- } [BIT](#)

## 5.1047.1 Detailed Description

Definition at line 21040 of file [iodefne.h](#).

## 5.1047.2 Field Documentation

## 5.1047.2.1 BIT

## 5.1047.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1048 st\_poe\_t.ICSR1 Union Reference

## Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [POE0F](#): 1
  - unsigned short [PIE1](#): 1
  - unsigned short [POE0M](#): 2
- } [BIT](#)

### 5.1048.1 Detailed Description

Definition at line [20772](#) of file [iodefne.h](#).

### 5.1048.2 Field Documentation

#### 5.1048.2.1 BIT

#### 5.1048.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1049 st\_poe\_t.ICSR2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [POE4F](#): 1
  - unsigned short [PIE2](#): 1
  - unsigned short [POE4M](#): 2
- } [BIT](#)

### 5.1049.1 Detailed Description

Definition at line [20812](#) of file [iodefne.h](#).

### 5.1049.2 Field Documentation

#### 5.1049.2.1 BIT

#### 5.1049.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1050 st\_poe\_t.ICSR3 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [POE8F](#): 1
  - unsigned short [POE8E](#): 1
  - unsigned short [PIE3](#): 1
  - unsigned short [POE8M](#): 2
- } [BIT](#)

### 5.1050.1 Detailed Description

Definition at line [20852](#) of file [iodefne.h](#).

### 5.1050.2 Field Documentation

#### 5.1050.2.1 BIT

#### 5.1050.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1051 st\_poe\_t.ICSR4 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [POE10F](#): 1
  - unsigned short [POE10E](#): 1
  - unsigned short [PIE4](#): 1
  - unsigned short [POE10M](#): 2
- } [BIT](#)

### 5.1051.1 Detailed Description

Definition at line [20994](#) of file [iodefne.h](#).

### 5.1051.2 Field Documentation

#### 5.1051.2.1 BIT

#### 5.1051.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1052 st\_poe\_t.ICSR5 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [POE11F](#): 1
  - unsigned short [POE11E](#): 1
  - unsigned short [PIE5](#): 1
  - unsigned short [POE11M](#): 2
- } [BIT](#)

### 5.1052.1 Detailed Description

Definition at line [21017](#) of file [iodefne.h](#).

### 5.1052.2 Field Documentation

#### 5.1052.2.1 BIT

#### 5.1052.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1053 st\_poe\_t.ICSR6 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [OSTSTF](#): 1
  - unsigned short [OSTSTE](#): 1
- } [BIT](#)

### 5.1053.1 Detailed Description

Definition at line [21067](#) of file [iodefne.h](#).

### 5.1053.2 Field Documentation

#### 5.1053.2.1 BIT

#### 5.1053.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1054 st\_poe\_t.M0SELR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M0BSEL](#): 4
  - unsigned char [M0ASEL](#): 4
- } [BIT](#)



### 5.1054.1 Detailed Description

Definition at line [21087](#) of file [iodefne.h](#).

### 5.1054.2 Field Documentation

#### 5.1054.2.1 BIT

#### 5.1054.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1055 st\_poe\_t.M0SELR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M0DSEL](#): 4
  - unsigned char [M0CSEL](#): 4
- } [BIT](#)

### 5.1055.1 Detailed Description

Definition at line [21100](#) of file [iodefne.h](#).

### 5.1055.2 Field Documentation

#### 5.1055.2.1 BIT

#### 5.1055.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1056 st\_poe\_t.M3SELR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M3DSEL](#): 4
  - unsigned char [M3BSEL](#): 4
- } [BIT](#)

### 5.1056.1 Detailed Description

Definition at line [21113](#) of file [iodefine.h](#).

### 5.1056.2 Field Documentation

#### 5.1056.2.1 BIT

#### 5.1056.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1057 st\_poe\_t.M4SELR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M4CSEL](#): 4
  - unsigned char [M4ASEL](#): 4
- } [BIT](#)

### 5.1057.1 Detailed Description

Definition at line [21126](#) of file [iodefine.h](#).

### 5.1057.2 Field Documentation

#### 5.1057.2.1 BIT

#### 5.1057.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1058 st\_poe\_t.M4SELR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M4DSEL](#): 4
  - unsigned char [M4BSEL](#): 4
- } [BIT](#)

### 5.1058.1 Detailed Description

Definition at line [21139](#) of file [iodefne.h](#).

### 5.1058.2 Field Documentation

#### 5.1058.2.1 BIT

#### 5.1058.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1059 st\_poe\_t.M6SELR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [M6DSEL](#): 4
  - unsigned char [M6BSEL](#): 4
- } [BIT](#)

### 5.1059.1 Detailed Description

Definition at line [21153](#) of file [iodefne.h](#).

### 5.1059.2 Field Documentation

#### 5.1059.2.1 BIT

#### 5.1059.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1060 st\_poe\_t.OCsR1 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [OSF1](#): 1
  - unsigned [short](#): 5
  - unsigned short [OCE1](#): 1
  - unsigned short [OIE1](#): 1
- } [BIT](#)

### 5.1060.1 Detailed Description

Definition at line [20793](#) of file [iodefine.h](#).

### 5.1060.2 Field Documentation

#### 5.1060.2.1 BIT

#### 5.1060.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1061 st\_poe\_t.OC SR2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [OSF2](#): 1
  - unsigned [short](#): 5
  - unsigned short [OCE2](#): 1
  - unsigned short [OIE2](#): 1
- } [BIT](#)

### 5.1061.1 Detailed Description

Definition at line [20833](#) of file [iodefine.h](#).

### 5.1061.2 Field Documentation

#### 5.1061.2.1 BIT

#### 5.1061.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1062 st\_poe\_t.PO ECR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 4
  - unsigned char [MTU0DZE](#): 1
  - unsigned char [MTU0CZE](#): 1
  - unsigned char [MTU0BZE](#): 1
  - unsigned char [MTU0AZE](#): 1
- } [BIT](#)

### 5.1062.1 Detailed Description

Definition at line [20892](#) of file [iodefine.h](#).

### 5.1062.2 Field Documentation

#### 5.1062.2.1 BIT

#### 5.1062.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1063 st\_poe\_t.POECR2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 5
  - unsigned short [MTU3BDZE](#): 1
  - unsigned short [MTU4ACZE](#): 1
  - unsigned short [MTU4BDZE](#): 1
  - unsigned short [MTU6BDZE](#): 1
  - unsigned short [MTU7ACZE](#): 1
  - unsigned short [MTU7BDZE](#): 1
- } [BIT](#)

### 5.1063.1 Detailed Description

Definition at line [20911](#) of file [iodefine.h](#).

### 5.1063.2 Field Documentation

#### 5.1063.2.1 BIT

#### 5.1063.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1064 st\_poe\_t.POECR4 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 2
  - unsigned short [IC5ADDMT67ZE](#): 1
  - unsigned short [IC4ADDMT67ZE](#): 1
  - unsigned short [IC3ADDMT67ZE](#): 1
  - unsigned short [IC1ADDMT67ZE](#): 1
  - unsigned short [IC5ADDMT34ZE](#): 1
  - unsigned short [IC4ADDMT34ZE](#): 1
  - unsigned short [IC3ADDMT34ZE](#): 1
  - unsigned short [IC2ADDMT34ZE](#): 1

### 5.1064.1 Detailed Description

Definition at line [20937](#) of file [iodefine.h](#).

### 5.1064.2 Field Documentation

#### 5.1064.2.1 BIT

#### 5.1064.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1065 st\_poe\_t.POECR5 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 10
  - unsigned short [IC5ADDMT0ZE](#): 1
  - unsigned short [IC4ADDMT0ZE](#): 1
  - unsigned short [IC2ADDMT0ZE](#): 1
  - unsigned short [IC1ADDMT0ZE](#): 1

### 5.1065.1 Detailed Description

Definition at line [20970](#) of file [iodefine.h](#).

## 5.1065.2 Field Documentation

### 5.1065.2.1 BIT

### 5.1065.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1066 st\_poe\_t.SPOER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [MTUCH0HIZ](#): 1
  - unsigned char [MTUCH67HIZ](#): 1
  - unsigned char [MTUCH34HIZ](#): 1
 } [BIT](#)

### 5.1066.1 Detailed Description

Definition at line [20875](#) of file [iodefne.h](#).

## 5.1066.2 Field Documentation

### 5.1066.2.1 BIT


### 5.1066.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1067 st\_poeg\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_poeg\_t:



## Data Fields

- union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned long [NFCS](#): 2
      - unsigned long [NFEN](#): 1
      - unsigned long [INV](#): 1
      - unsigned [long](#): 11
      - unsigned long [ST](#): 1
      - unsigned long [OSTPE](#): 1
      - unsigned long [IOCE](#): 1
      - unsigned long [PIDE](#): 1
      - unsigned long [SSF](#): 1
      - unsigned long [OSTPF](#): 1
      - unsigned long [IOCF](#): 1
      - unsigned long [PIDF](#): 1
      - } [BIT](#)
  - } [POEGGA](#)
- 
- char [wk0](#) [252]
  - union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned long [NFCS](#): 2
      - unsigned long [NFEN](#): 1
      - unsigned long [INV](#): 1
      - unsigned [long](#): 11
      - unsigned long [ST](#): 1
      - unsigned long [OSTPE](#): 1
      - unsigned long [IOCE](#): 1
      - unsigned long [PIDE](#): 1
      - unsigned long [SSF](#): 1
      - unsigned long [OSTPF](#): 1
      - unsigned long [IOCF](#): 1
      - unsigned long [PIDF](#): 1
      - } [BIT](#)
  - } [POEGGB](#)
- 
- char [wk1](#) [252]
  - union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned long [NFCS](#): 2
      - unsigned long [NFEN](#): 1
      - unsigned long [INV](#): 1
      - unsigned [long](#): 11
      - unsigned long [ST](#): 1
      - unsigned long [OSTPE](#): 1
      - unsigned long [IOCE](#): 1
      - unsigned long [PIDE](#): 1
      - unsigned long [SSF](#): 1
      - unsigned long [OSTPF](#): 1
      - unsigned long [IOCF](#): 1
      - unsigned long [PIDF](#): 1
      - } [BIT](#)
  - } [POEGGC](#)



- char [wk2](#) [252]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned long [NFCS](#): 2
    - unsigned long [NFEN](#): 1
    - unsigned long [INV](#): 1
    - unsigned [long](#): 11
    - unsigned long [ST](#): 1
    - unsigned long [OSTPE](#): 1
    - unsigned long [IOCE](#): 1
    - unsigned long [PIDE](#): 1
    - unsigned long [SSF](#): 1
    - unsigned long [OSTPF](#): 1
    - unsigned long [IOCF](#): 1
    - unsigned long [PIDF](#): 1
  - } [BIT](#)
- } [POEGGD](#)

### 5.1067.1 Detailed Description

Definition at line [21168](#) of file [iodefine.h](#).

### 5.1067.2 Field Documentation

#### 5.1067.2.1 [union]

```
union { ... } st_poeg_t::POEGGA
```

#### 5.1067.2.2 [union]

```
union { ... } st_poeg_t::POEGGB
```

#### 5.1067.2.3 [union]

```
union { ... } st_poeg_t::POEGGC
```

#### 5.1067.2.4 [union]

```
union { ... } st_poeg_t::POEGGD
```

#### 5.1067.2.5 wk0

```
char st_poeg_t::wk0[252]
```

Definition at line [21204](#) of file [iodefine.h](#).

### 5.1067.2.6 wk1

```
char st_poeg_t::wk1[252]
```

Definition at line [21240](#) of file [iodefne.h](#).

### 5.1067.2.7 wk2

```
char st_poeg_t::wk2[252]
```

Definition at line [21276](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1068 st\_poeg\_t.POEGGA Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [NFCS](#): 2
  - unsigned long [NFEN](#): 1
  - unsigned long [INV](#): 1
  - unsigned [long](#): 11
  - unsigned long [ST](#): 1
  - unsigned long [OSTPE](#): 1
  - unsigned long [IOCE](#): 1
  - unsigned long [PIDE](#): 1
  - unsigned long [SSF](#): 1
  - unsigned long [OSTPF](#): 1
  - unsigned long [IOCF](#): 1
  - unsigned long [PIDF](#): 1
- } [BIT](#)

### 5.1068.1 Detailed Description

Definition at line [21169](#) of file [iodefne.h](#).

### 5.1068.2 Field Documentation

#### 5.1068.2.1 BIT

#### 5.1068.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1069 st\_poeg\_t.POEGGB Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [NFCS](#): 2
  - unsigned long [NFEN](#): 1
  - unsigned long [INV](#): 1
  - unsigned [long](#): 11
  - unsigned long [ST](#): 1
  - unsigned long [OSTPE](#): 1
  - unsigned long [IOCE](#): 1
  - unsigned long [PIDE](#): 1
  - unsigned long [SSF](#): 1
  - unsigned long [OSTPF](#): 1
  - unsigned long [IOCF](#): 1
  - unsigned long [PIDF](#): 1
- } [BIT](#)

### 5.1069.1 Detailed Description

Definition at line [21205](#) of file [iodefine.h](#).

### 5.1069.2 Field Documentation

#### 5.1069.2.1 BIT

#### 5.1069.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1070 st\_poeg\_t.POEGGC Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [NFCS](#): 2
  - unsigned long [NFEN](#): 1
  - unsigned long [INV](#): 1
  - unsigned [long](#): 11
  - unsigned long [ST](#): 1
  - unsigned long [OSTPE](#): 1
  - unsigned long [IOCE](#): 1
  - unsigned long [PIDE](#): 1
  - unsigned long [SSF](#): 1
  - unsigned long [OSTPF](#): 1
  - unsigned long [IOCF](#): 1
  - unsigned long [PIDF](#): 1
- } [BIT](#)

### 5.1070.1 Detailed Description

Definition at line [21241](#) of file [iodefine.h](#).

### 5.1070.2 Field Documentation

#### 5.1070.2.1 BIT

#### 5.1070.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1071 st\_poeg\_t.POEGGD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [NFCS](#): 2
  - unsigned long [NFEN](#): 1
  - unsigned long [INV](#): 1
  - unsigned [long](#): 11
  - unsigned long [ST](#): 1
  - unsigned long [OSTPE](#): 1
  - unsigned long [IOCE](#): 1
  - unsigned long [PIDE](#): 1
  - unsigned long [SSF](#): 1
  - unsigned long [OSTPF](#): 1
  - unsigned long [IOCF](#): 1
  - unsigned long [PIDF](#): 1
- } [BIT](#)

### 5.1071.1 Detailed Description

Definition at line [21277](#) of file [iodefine.h](#).

### 5.1071.2 Field Documentation

#### 5.1071.2.1 BIT


#### 5.1071.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1072 st\_port0\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_port0\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
unsigned char B7: 1
unsigned char: 1
unsigned char B5: 1
unsigned char B3: 1
unsigned char B2: 1
unsigned char B1: 1
unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

unsigned char BYTE
 struct {
unsigned char B7: 1
unsigned char: 1
unsigned char B5: 1
unsigned char B3: 1
unsigned char B2: 1
unsigned char B1: 1
unsigned char B0: 1
 } BIT
} PODR

```

- char wk1 [31]
- union {
 

```

unsigned char BYTE
 struct {
unsigned char B7: 1
unsigned char: 1
unsigned char B5: 1
unsigned char B3: 1
unsigned char B2: 1
unsigned char B1: 1
unsigned char B0: 1
 } BIT
} PIDR

```

- char wk2 [31]
- union {
 

```

unsigned char BYTE
 struct {
unsigned char B7: 1
unsigned char: 1
unsigned char B5: 1
unsigned char B3: 1
unsigned char B2: 1
unsigned char B1: 1
unsigned char B0: 1
 } BIT
} PMR

```

- char wk3 [31]
- union {
 

```

unsigned char BYTE
 struct {

```

```

 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B2: 1
 } BIT
 } ODR1

• char wk4 [62]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char: 1
 unsigned char B5: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } DSCR2

```

### 5.1072.1 Detailed Description

Definition at line 21314 of file [iodefine.h](#).

## 5.1072.2 Field Documentation

### 5.1072.2.1 [union]

```
union { ... } st_port0_t::DSCR
```

### 5.1072.2.2 [union]

```
union { ... } st_port0_t::DSCR2
```

### 5.1072.2.3 [union]

```
union { ... } st_port0_t::ODR0
```

### 5.1072.2.4 [union]

```
union { ... } st_port0_t::ODR1
```

### 5.1072.2.5 [union]

```
union { ... } st_port0_t::PCR
```

### 5.1072.2.6 [union]

```
union { ... } st_port0_t::PDR
```

### 5.1072.2.7 [union]

```
union { ... } st_port0_t::PIDR
```

### 5.1072.2.8 [union]

```
union { ... } st_port0_t::PMR
```

### 5.1072.2.9 [union]

```
union { ... } st_port0_t::PODR
```

### 5.1072.2.10 wk0

```
char st_port0_t::wk0[31]
```

Definition at line [21340](#) of file [iodefine.h](#).



## 5.1072.2.11 wk1

```
char st_port0_t::wk1[31]
```

Definition at line [21366](#) of file [iodefne.h](#).

## 5.1072.2.12 wk2

```
char st_port0_t::wk2[31]
```

Definition at line [21392](#) of file [iodefne.h](#).

## 5.1072.2.13 wk3

```
char st_port0_t::wk3[31]
```

Definition at line [21418](#) of file [iodefne.h](#).

## 5.1072.2.14 wk4

```
char st_port0_t::wk4[62]
```

Definition at line [21463](#) of file [iodefne.h](#).

## 5.1072.2.15 wk5

```
char st_port0_t::wk5[31]
```

Definition at line [21489](#) of file [iodefne.h](#).

## 5.1072.2.16 wk6

```
char st_port0_t::wk6[71]
```

Definition at line [21507](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1073 st\_port0\_t.DSCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B2](#): 5
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1073.1 Detailed Description

Definition at line [21490](#) of file [iodefne.h](#).

### 5.1073.2 Field Documentation

#### 5.1073.2.1 BIT

#### 5.1073.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1074 st\_port0\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1074.1 Detailed Description

Definition at line [21508](#) of file [iodefne.h](#).

### 5.1074.2 Field Documentation

#### 5.1074.2.1 BIT

#### 5.1074.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1075 st\_port0\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1075.1 Detailed Description

Definition at line [21419](#) of file [iodefne.h](#).

### 5.1075.2 Field Documentation

#### 5.1075.2.1 BIT

#### 5.1075.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1076 st\_port0\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B2](#): 1
- } [BIT](#)

### 5.1076.1 Detailed Description

Definition at line [21444](#) of file [iodefne.h](#).

### 5.1076.2 Field Documentation

#### 5.1076.2.1 BIT

#### 5.1076.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1077 st\_port0\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char: 1
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1077.1 Detailed Description

Definition at line [21464](#) of file [iodefne.h](#).

### 5.1077.2 Field Documentation

#### 5.1077.2.1 BIT

#### 5.1077.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1078 st\_port0\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1078.1 Detailed Description

Definition at line [21315](#) of file [iodefne.h](#).

### 5.1078.2 Field Documentation

#### 5.1078.2.1 BIT

#### 5.1078.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1079 st\_port0\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1079.1 Detailed Description

Definition at line [21367](#) of file [iodefine.h](#).

### 5.1079.2 Field Documentation

#### 5.1079.2.1 BIT

#### 5.1079.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1080 st\_port0\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1080.1 Detailed Description

Definition at line [21393](#) of file [iodefine.h](#).

## 5.1080.2 Field Documentation

### 5.1080.2.1 BIT

### 5.1080.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1081 st\_port0\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1081.1 Detailed Description

Definition at line [21341](#) of file [iodefine.h](#).

## 5.1081.2 Field Documentation

### 5.1081.2.1 BIT


### 5.1081.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1082 st\_port1\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_port1\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```



- char [wk3](#) [32]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
- } [ODR0](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
- } [ODR1](#)
- char [wk4](#) [61]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
- } [PCR](#)
- char [wk5](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
  - } [BIT](#)
- } [DSCR](#)
- char [wk6](#) [71]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned [char](#): 2
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 } BIT
} DSCR2

```

### 5.1082.1 Detailed Description

Definition at line [21527](#) of file [iodefine.h](#).

### 5.1082.2 Field Documentation

#### 5.1082.2.1 [union]

```
union { ... } st_port1_t::DSCR
```

#### 5.1082.2.2 [union]

```
union { ... } st_port1_t::DSCR2
```

#### 5.1082.2.3 [union]

```
union { ... } st_port1_t::ODR0
```

#### 5.1082.2.4 [union]

```
union { ... } st_port1_t::ODR1
```

#### 5.1082.2.5 [union]

```
union { ... } st_port1_t::PCR
```

#### 5.1082.2.6 [union]

```
union { ... } st_port1_t::PDR
```

#### 5.1082.2.7 [union]

```
union { ... } st_port1_t::PIDR
```

#### 5.1082.2.8 [union]

```
union { ... } st_port1_t::PMR
```

## 5.1082.2.9 [union]

```
union { ... } st_port1_t::PODR
```

## 5.1082.2.10 wk0

```
char st_port1_t::wk0[31]
```

Definition at line [21553](#) of file [iodefne.h](#).

## 5.1082.2.11 wk1

```
char st_port1_t::wk1[31]
```

Definition at line [21579](#) of file [iodefne.h](#).

## 5.1082.2.12 wk2

```
char st_port1_t::wk2[31]
```

Definition at line [21605](#) of file [iodefne.h](#).

## 5.1082.2.13 wk3

```
char st_port1_t::wk3[32]
```

Definition at line [21631](#) of file [iodefne.h](#).

## 5.1082.2.14 wk4

```
char st_port1_t::wk4[61]
```

Definition at line [21682](#) of file [iodefne.h](#).

## 5.1082.2.15 wk5

```
char st_port1_t::wk5[31]
```

Definition at line [21708](#) of file [iodefne.h](#).

## 5.1082.2.16 wk6

```
char st_port1_t::wk6[71]
```

Definition at line [21730](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1083 st\_port1\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
- } [BIT](#)

### 5.1083.1 Detailed Description

Definition at line [21709](#) of file [iodefine.h](#).

### 5.1083.2 Field Documentation

#### 5.1083.2.1 BIT

#### 5.1083.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1084 st\_port1\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 2
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
- } [BIT](#)

### 5.1084.1 Detailed Description

Definition at line [21731](#) of file [iodefine.h](#).

## 5.1084.2 Field Documentation

### 5.1084.2.1 BIT

### 5.1084.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1085 st\_port1\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 1  
  unsigned char [B6](#): 1  
  unsigned char [B4](#): 1  
  unsigned char [B2](#): 1  
  unsigned char [B0](#): 1  
} [BIT](#)

### 5.1085.1 Detailed Description

Definition at line [21632](#) of file [iodefine.h](#).

## 5.1085.2 Field Documentation

### 5.1085.2.1 BIT

### 5.1085.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1086 st\_port1\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 1  
  unsigned char [B6](#): 1  
  unsigned char [B4](#): 1  
  unsigned char [B2](#): 1  
  unsigned char [B0](#): 1  
} [BIT](#)

### 5.1086.1 Detailed Description

Definition at line [21657](#) of file [iodefne.h](#).

### 5.1086.2 Field Documentation

#### 5.1086.2.1 BIT

#### 5.1086.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1087 st\_port1\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1087.1 Detailed Description

Definition at line [21683](#) of file [iodefne.h](#).

### 5.1087.2 Field Documentation

#### 5.1087.2.1 BIT

#### 5.1087.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1088 st\_port1\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1088.1 Detailed Description

Definition at line [21528](#) of file [iodefine.h](#).

### 5.1088.2 Field Documentation

#### 5.1088.2.1 BIT

#### 5.1088.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1089 st\_port1\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1089.1 Detailed Description

Definition at line [21580](#) of file [iodefine.h](#).

## 5.1089.2 Field Documentation

### 5.1089.2.1 BIT

### 5.1089.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1090 st\_port1\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1090.1 Detailed Description

Definition at line [21606](#) of file [iodefne.h](#).

## 5.1090.2 Field Documentation

### 5.1090.2.1 BIT

### 5.1090.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1091 st\_port1\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)



### 5.1091.1 Detailed Description

Definition at line [21554](#) of file [iodefne.h](#).

### 5.1091.2 Field Documentation

#### 5.1091.2.1 BIT


#### 5.1091.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1092 st\_port2\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port2\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
    - struct {
      - unsigned char `B7`: 1
      - unsigned char `B6`: 1
      - unsigned char `B5`: 1
      - unsigned char `B4`: 1
      - unsigned char `B3`: 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [33]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [60]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char: 7
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char: 3
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR2

```

### 5.1092.1 Detailed Description

Definition at line 21756 of file [iodefine.h](#).

## 5.1092.2 Field Documentation

### 5.1092.2.1 [union]

union { ... } st\_port2\_t::DSCR

### 5.1092.2.2 [union]

union { ... } st\_port2\_t::DSCR2

### 5.1092.2.3 [union]

union { ... } st\_port2\_t::ODR0

### 5.1092.2.4 [union]

union { ... } st\_port2\_t::ODR1

### 5.1092.2.5 [union]

union { ... } st\_port2\_t::PCR

### 5.1092.2.6 [union]

union { ... } st\_port2\_t::PDR

### 5.1092.2.7 [union]

union { ... } st\_port2\_t::PIDR

### 5.1092.2.8 [union]

union { ... } st\_port2\_t::PMR

### 5.1092.2.9 [union]

union { ... } st\_port2\_t::PODR

### 5.1092.2.10 wk0

char st\_port2\_t::wk0[31]

Definition at line [21782](#) of file [iodefine.h](#).

#### 5.1092.2.11 wk1

char st\_port2\_t::wk1[31]

Definition at line [21808](#) of file [iodefne.h](#).

#### 5.1092.2.12 wk2

char st\_port2\_t::wk2[31]

Definition at line [21834](#) of file [iodefne.h](#).

#### 5.1092.2.13 wk3

char st\_port2\_t::wk3[33]

Definition at line [21860](#) of file [iodefne.h](#).

#### 5.1092.2.14 wk4

char st\_port2\_t::wk4[60]

Definition at line [21911](#) of file [iodefne.h](#).

#### 5.1092.2.15 wk5

char st\_port2\_t::wk5[31]

Definition at line [21937](#) of file [iodefne.h](#).

#### 5.1092.2.16 wk6

char st\_port2\_t::wk6[71]

Definition at line [21951](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1093 st\_port2\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 7
- } [BIT](#)

### 5.1093.1 Detailed Description

Definition at line [21938](#) of file [iodefine.h](#).

### 5.1093.2 Field Documentation

#### 5.1093.2.1 BIT

#### 5.1093.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1094 st\_port2\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 3
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1094.1 Detailed Description

Definition at line [21952](#) of file [iodefine.h](#).

### 5.1094.2 Field Documentation

#### 5.1094.2.1 BIT

#### 5.1094.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1095 st\_port2\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1095.1 Detailed Description

Definition at line [21861](#) of file [iodefine.h](#).

### 5.1095.2 Field Documentation

#### 5.1095.2.1 BIT

#### 5.1095.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1096 st\_port2\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1096.1 Detailed Description

Definition at line [21886](#) of file [iodefine.h](#).

### 5.1096.2 Field Documentation

#### 5.1096.2.1 BIT

#### 5.1096.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1097 st\_port2\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1097.1 Detailed Description

Definition at line [21912](#) of file [iodefine.h](#).

### 5.1097.2 Field Documentation

#### 5.1097.2.1 BIT

#### 5.1097.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1098 st\_port2\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1098.1 Detailed Description

Definition at line [21757](#) of file [iodefine.h](#).

## 5.1098.2 Field Documentation

### 5.1098.2.1 BIT

### 5.1098.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1099 st\_port2\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1099.1 Detailed Description

Definition at line [21809](#) of file [iodefne.h](#).

## 5.1099.2 Field Documentation

### 5.1099.2.1 BIT

### 5.1099.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1100 st\_port2\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1100.1 Detailed Description

Definition at line [21835](#) of file [iodefine.h](#).

### 5.1100.2 Field Documentation

#### 5.1100.2.1 BIT

#### 5.1100.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1101 st\_port2\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1101.1 Detailed Description

Definition at line [21783](#) of file [iodefine.h](#).

### 5.1101.2 Field Documentation

#### 5.1101.2.1 BIT


#### 5.1101.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1102 st\_port3\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port3\_t:



### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char `B7`: 1
    - unsigned char `B6`: 1
    - unsigned `char`: 1

```

 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```
- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```
- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```
- char wk3 [34]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1

```

```

 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [59]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [103]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR2

```

### 5.1102.1 Detailed Description

Definition at line 21975 of file [iodefne.h](#).

### 5.1102.2 Field Documentation

#### 5.1102.2.1 [union]

```
union { ... } st_port3_t::DSCR2
```

## 5.1102.2.2 [union]

```
union { ... } st_port3_t::ODR0
```

## 5.1102.2.3 [union]

```
union { ... } st_port3_t::ODR1
```

## 5.1102.2.4 [union]

```
union { ... } st_port3_t::PCR
```

## 5.1102.2.5 [union]

```
union { ... } st_port3_t::PDR
```

## 5.1102.2.6 [union]

```
union { ... } st_port3_t::PIDR
```

## 5.1102.2.7 [union]

```
union { ... } st_port3_t::PMR
```

## 5.1102.2.8 [union]

```
union { ... } st_port3_t::PODR
```

## 5.1102.2.9 wk0

```
char st_port3_t::wk0[31]
```

Definition at line [22001](#) of file [iodefine.h](#).

## 5.1102.2.10 wk1

```
char st_port3_t::wk1[31]
```

Definition at line [22027](#) of file [iodefine.h](#).

## 5.1102.2.11 wk2

```
char st_port3_t::wk2[31]
```

Definition at line [22053](#) of file [iodefine.h](#).

#### 5.1102.2.12 wk3

char st\_port3\_t::wk3[34]

Definition at line [22079](#) of file [iodefne.h](#).

#### 5.1102.2.13 wk4

char st\_port3\_t::wk4[59]

Definition at line [22126](#) of file [iodefne.h](#).

#### 5.1102.2.14 wk5

char st\_port3\_t::wk5[103]

Definition at line [22152](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

### 5.1103 st\_port3\_t.DSCR2 Union Reference

#### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 6
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

#### 5.1103.1 Detailed Description

Definition at line [22153](#) of file [iodefne.h](#).

#### 5.1103.2 Field Documentation

##### 5.1103.2.1 BIT

##### 5.1103.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1104 st\_port3\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1104.1 Detailed Description

Definition at line [22080](#) of file [iodefine.h](#).

### 5.1104.2 Field Documentation

#### 5.1104.2.1 BIT

#### 5.1104.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1105 st\_port3\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1105.1 Detailed Description

Definition at line [22105](#) of file [iodefine.h](#).

### 5.1105.2 Field Documentation

#### 5.1105.2.1 BIT

#### 5.1105.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1106 st\_port3\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned [char](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1106.1 Detailed Description

Definition at line [22127](#) of file [iodefine.h](#).

### 5.1106.2 Field Documentation

#### 5.1106.2.1 BIT

#### 5.1106.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1107 st\_port3\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned [char](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1107.1 Detailed Description

Definition at line [21976](#) of file [iodefine.h](#).

## 5.1107.2 Field Documentation

### 5.1107.2.1 BIT

### 5.1107.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1108 st\_port3\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1108.1 Detailed Description

Definition at line [22028](#) of file [iodefne.h](#).

## 5.1108.2 Field Documentation

### 5.1108.2.1 BIT

### 5.1108.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1109 st\_port3\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned [char](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1109.1 Detailed Description

Definition at line [22054](#) of file [iodefne.h](#).

### 5.1109.2 Field Documentation

#### 5.1109.2.1 BIT

#### 5.1109.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1110 st\_port3\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned [char](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1110.1 Detailed Description

Definition at line [22002](#) of file [iodefne.h](#).

### 5.1110.2 Field Documentation

#### 5.1110.2.1 BIT


#### 5.1110.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1111 st\_port4\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port4\_t:



## Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char `B7`: 1
    - unsigned char `B6`: 1
    - unsigned char `B5`: 1
    - unsigned char `B4`: 1
    - unsigned char `B3`: 1
    - unsigned char `B2`: 1
    - unsigned char `B1`: 1
    - unsigned char `B0`: 1
    - } `BIT`
- } `PDR`

- char [wk0](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PODR](#)
  
- char [wk1](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PIDR](#)
  
- char [wk2](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PMR](#)
  
- char [wk3](#) [35]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [ODR0](#)
  
- union {

```

unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

```

- char [wk4](#) [58]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PCR

```

### 5.1111.1 Detailed Description

Definition at line [22170](#) of file [iodefine.h](#).

### 5.1111.2 Field Documentation

#### 5.1111.2.1 [union]

```
union { ... } st_port4_t::ODR0
```

#### 5.1111.2.2 [union]

```
union { ... } st_port4_t::ODR1
```

#### 5.1111.2.3 [union]

```
union { ... } st_port4_t::PCR
```

#### 5.1111.2.4 [union]

```
union { ... } st_port4_t::PDR
```

## 5.1111.2.5 [union]

```
union { ... } st_port4_t::PIDR
```

## 5.1111.2.6 [union]

```
union { ... } st_port4_t::PMR
```

## 5.1111.2.7 [union]

```
union { ... } st_port4_t::PODR
```

## 5.1111.2.8 wk0

```
char st_port4_t::wk0[31]
```

Definition at line [22196](#) of file [iodefne.h](#).

## 5.1111.2.9 wk1

```
char st_port4_t::wk1[31]
```

Definition at line [22222](#) of file [iodefne.h](#).

## 5.1111.2.10 wk2

```
char st_port4_t::wk2[31]
```

Definition at line [22248](#) of file [iodefne.h](#).

## 5.1111.2.11 wk3

```
char st_port4_t::wk3[35]
```

Definition at line [22274](#) of file [iodefne.h](#).

## 5.1111.2.12 wk4

```
char st_port4_t::wk4[58]
```

Definition at line [22325](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)



## 5.1112 st\_port4\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1112.1 Detailed Description

Definition at line [22275](#) of file [iodefine.h](#).

### 5.1112.2 Field Documentation

#### 5.1112.2.1 BIT

#### 5.1112.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1113 st\_port4\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1113.1 Detailed Description

Definition at line [22300](#) of file [iodefine.h](#).

### 5.1113.2 Field Documentation

#### 5.1113.2.1 BIT

#### 5.1113.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1114 st\_port4\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1114.1 Detailed Description

Definition at line [22326](#) of file [iodefine.h](#).

### 5.1114.2 Field Documentation

#### 5.1114.2.1 BIT

#### 5.1114.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1115 st\_port4\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1115.1 Detailed Description

Definition at line [22171](#) of file [iodefne.h](#).

### 5.1115.2 Field Documentation

#### 5.1115.2.1 BIT

#### 5.1115.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1116 st\_port4\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1116.1 Detailed Description

Definition at line [22223](#) of file [iodefne.h](#).

### 5.1116.2 Field Documentation

#### 5.1116.2.1 BIT

#### 5.1116.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1117 st\_port4\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1117.1 Detailed Description

Definition at line [22249](#) of file [iodefine.h](#).

### 5.1117.2 Field Documentation

#### 5.1117.2.1 BIT

#### 5.1117.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1118 st\_port4\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1118.1 Detailed Description

Definition at line [22197](#) of file [iodefine.h](#).

## 5.1118.2 Field Documentation

### 5.1118.2.1 BIT


### 5.1118.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1119 st\_port5\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port5\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
    - struct {
      - unsigned char `B7`: 1
      - unsigned char `B6`: 1
      - unsigned char `B5`: 1
      - unsigned char `B4`: 1
      - unsigned char `B3`: 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [36]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [57]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
```



```
 } BIT
} DSCR2
```

### 5.1119.1 Detailed Description

Definition at line [22353](#) of file [iodefine.h](#).

### 5.1119.2 Field Documentation

#### 5.1119.2.1 [union]

```
union { ... } st_port5_t::DSCR
```

#### 5.1119.2.2 [union]

```
union { ... } st_port5_t::DSCR2
```

#### 5.1119.2.3 [union]

```
union { ... } st_port5_t::ODR0
```

#### 5.1119.2.4 [union]

```
union { ... } st_port5_t::ODR1
```

#### 5.1119.2.5 [union]

```
union { ... } st_port5_t::PCR
```

#### 5.1119.2.6 [union]

```
union { ... } st_port5_t::PDR
```

#### 5.1119.2.7 [union]

```
union { ... } st_port5_t::PIDR
```

#### 5.1119.2.8 [union]

```
union { ... } st_port5_t::PMR
```

## 5.1119.2.9 [union]

```
union { ... } st_port5_t::PODR
```

## 5.1119.2.10 wk0

```
char st_port5_t::wk0[31]
```

Definition at line [22379](#) of file [iodefne.h](#).

## 5.1119.2.11 wk1

```
char st_port5_t::wk1[31]
```

Definition at line [22405](#) of file [iodefne.h](#).

## 5.1119.2.12 wk2

```
char st_port5_t::wk2[31]
```

Definition at line [22431](#) of file [iodefne.h](#).

## 5.1119.2.13 wk3

```
char st_port5_t::wk3[36]
```

Definition at line [22457](#) of file [iodefne.h](#).

## 5.1119.2.14 wk4

```
char st_port5_t::wk4[57]
```

Definition at line [22508](#) of file [iodefne.h](#).

## 5.1119.2.15 wk5

```
char st_port5_t::wk5[31]
```

Definition at line [22534](#) of file [iodefne.h](#).

## 5.1119.2.16 wk6

```
char st_port5_t::wk6[71]
```

Definition at line [22560](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1120 st\_port5\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned [char](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1120.1 Detailed Description

Definition at line [22535](#) of file [iodefine.h](#).

### 5.1120.2 Field Documentation

#### 5.1120.2.1 BIT

#### 5.1120.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1121 st\_port5\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1121.1 Detailed Description

Definition at line [22561](#) of file [iodefine.h](#).

### 5.1121.2 Field Documentation

#### 5.1121.2.1 BIT

#### 5.1121.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1122 st\_port5\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1122.1 Detailed Description

Definition at line [22458](#) of file [iodefine.h](#).

### 5.1122.2 Field Documentation

#### 5.1122.2.1 BIT

#### 5.1122.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1123 st\_port5\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1123.1 Detailed Description

Definition at line [22483](#) of file [iodefne.h](#).

### 5.1123.2 Field Documentation

#### 5.1123.2.1 BIT

#### 5.1123.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1124 st\_port5\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1124.1 Detailed Description

Definition at line [22509](#) of file [iodefne.h](#).

### 5.1124.2 Field Documentation

#### 5.1124.2.1 BIT

#### 5.1124.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1125 st\_port5\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1125.1 Detailed Description

Definition at line [22354](#) of file [iodefine.h](#).

### 5.1125.2 Field Documentation

#### 5.1125.2.1 BIT

#### 5.1125.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1126 st\_port5\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1126.1 Detailed Description

Definition at line [22406](#) of file [iodefine.h](#).

## 5.1126.2 Field Documentation

### 5.1126.2.1 BIT

### 5.1126.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1127 st\_port5\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1127.1 Detailed Description

Definition at line [22432](#) of file [iodefne.h](#).

## 5.1127.2 Field Documentation

### 5.1127.2.1 BIT

### 5.1127.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1128 st\_port5\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1128.1 Detailed Description

Definition at line [22380](#) of file [iodefne.h](#).

### 5.1128.2 Field Documentation

#### 5.1128.2.1 BIT

#### 5.1128.2.2 BYTE


The documentation for this union was generated from the following files:

## 5.1129 st\_port6\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port6\_t:





#### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char `B7`: 1
    - unsigned char `B6`: 1
    - unsigned char `B5`: 1
    - unsigned char `B4`: 1
    - unsigned char `B3`: 1
    - unsigned char `B2`: 1
    - unsigned char `B1`: 1
    - unsigned char `B0`: 1
  - `BIT`
- `PDR`

- char [wk0](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PODR](#)
- char [wk1](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PIDR](#)
- char [wk2](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PMR](#)
- char [wk3](#) [37]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [ODR0](#)
- union {

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [56]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [103]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR2

```

### 5.1129.1 Detailed Description

Definition at line [22588](#) of file [iodefine.h](#).

### 5.1129.2 Field Documentation

#### 5.1129.2.1 [union]

union { ... } st\_port6\_t::DSCR2

#### 5.1129.2.2 [union]

union { ... } st\_port6\_t::ODR0

## 5.1129.2.3 [union]

```
union { ... } st_port6_t::ODR1
```

## 5.1129.2.4 [union]

```
union { ... } st_port6_t::PCR
```

## 5.1129.2.5 [union]

```
union { ... } st_port6_t::PDR
```

## 5.1129.2.6 [union]

```
union { ... } st_port6_t::PIDR
```

## 5.1129.2.7 [union]

```
union { ... } st_port6_t::PMR
```

## 5.1129.2.8 [union]

```
union { ... } st_port6_t::PODR
```

## 5.1129.2.9 wk0

```
char st_port6_t::wk0[31]
```

Definition at line [22614](#) of file [iodefine.h](#).

## 5.1129.2.10 wk1

```
char st_port6_t::wk1[31]
```

Definition at line [22640](#) of file [iodefine.h](#).

## 5.1129.2.11 wk2

```
char st_port6_t::wk2[31]
```

Definition at line [22666](#) of file [iodefine.h](#).

## 5.1129.2.12 wk3

```
char st_port6_t::wk3[37]
```

Definition at line [22692](#) of file [iodefne.h](#).

## 5.1129.2.13 wk4

```
char st_port6_t::wk4[56]
```

Definition at line [22743](#) of file [iodefne.h](#).

## 5.1129.2.14 wk5

```
char st_port6_t::wk5[103]
```

Definition at line [22769](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1130 st\_port6\_t.DSCR2 Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

## 5.1130.1 Detailed Description

Definition at line [22770](#) of file [iodefne.h](#).

## 5.1130.2 Field Documentation

## 5.1130.2.1 BIT

## 5.1130.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1131 st\_port6\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1131.1 Detailed Description

Definition at line [22693](#) of file [iodefine.h](#).

### 5.1131.2 Field Documentation

#### 5.1131.2.1 BIT

#### 5.1131.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1132 st\_port6\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1132.1 Detailed Description

Definition at line [22718](#) of file [iodefine.h](#).

## 5.1132.2 Field Documentation

### 5.1132.2.1 BIT

### 5.1132.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1133 st\_port6\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1133.1 Detailed Description

Definition at line [22744](#) of file [iodefne.h](#).

## 5.1133.2 Field Documentation

### 5.1133.2.1 BIT

### 5.1133.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1134 st\_port6\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1134.1 Detailed Description

Definition at line [22589](#) of file [iodefine.h](#).

### 5.1134.2 Field Documentation

#### 5.1134.2.1 BIT

#### 5.1134.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1135 st\_port6\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1135.1 Detailed Description

Definition at line [22641](#) of file [iodefine.h](#).

### 5.1135.2 Field Documentation

#### 5.1135.2.1 BIT

#### 5.1135.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1136 st\_port6\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1136.1 Detailed Description

Definition at line [22667](#) of file [iodefine.h](#).

### 5.1136.2 Field Documentation

#### 5.1136.2.1 BIT

#### 5.1136.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1137 st\_port6\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1137.1 Detailed Description

Definition at line [22615](#) of file [iodefine.h](#).

## 5.1137.2 Field Documentation

### 5.1137.2.1 BIT


### 5.1137.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1138 st\_port7\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port7\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [38]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [55]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char: 1
 unsigned char B2: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char: 1
 unsigned char B0: 1
 } BIT
} DSCR2

```

### 5.1138.1 Detailed Description

Definition at line [22797](#) of file [iodefine.h](#).

### 5.1138.2 Field Documentation

#### 5.1138.2.1 [union]

```
union { ... } st_port7_t::DSCR
```

#### 5.1138.2.2 [union]

```
union { ... } st_port7_t::DSCR2
```

#### 5.1138.2.3 [union]

```
union { ... } st_port7_t::ODR0
```

#### 5.1138.2.4 [union]

```
union { ... } st_port7_t::ODR1
```

#### 5.1138.2.5 [union]

```
union { ... } st_port7_t::PCR
```

#### 5.1138.2.6 [union]

```
union { ... } st_port7_t::PDR
```

#### 5.1138.2.7 [union]

```
union { ... } st_port7_t::PIDR
```

#### 5.1138.2.8 [union]

```
union { ... } st_port7_t::PMR
```

## 5.1138.2.9 [union]

```
union { ... } st_port7_t::PODR
```

## 5.1138.2.10 wk0

```
char st_port7_t::wk0[31]
```

Definition at line [22823](#) of file [iodefne.h](#).

## 5.1138.2.11 wk1

```
char st_port7_t::wk1[31]
```

Definition at line [22849](#) of file [iodefne.h](#).

## 5.1138.2.12 wk2

```
char st_port7_t::wk2[31]
```

Definition at line [22875](#) of file [iodefne.h](#).

## 5.1138.2.13 wk3

```
char st_port7_t::wk3[38]
```

Definition at line [22901](#) of file [iodefne.h](#).

## 5.1138.2.14 wk4

```
char st_port7_t::wk4[55]
```

Definition at line [22952](#) of file [iodefne.h](#).

## 5.1138.2.15 wk5

```
char st_port7_t::wk5[31]
```

Definition at line [22978](#) of file [iodefne.h](#).

## 5.1138.2.16 wk6

```
char st_port7_t::wk6[71]
```

Definition at line [23002](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1139 st\_port7\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned [char](#): 1
  - unsigned char [B2](#): 1
- } [BIT](#)

### 5.1139.1 Detailed Description

Definition at line [22979](#) of file [iodefine.h](#).

### 5.1139.2 Field Documentation

#### 5.1139.2.1 BIT

#### 5.1139.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1140 st\_port7\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned [char](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1140.1 Detailed Description

Definition at line [23003](#) of file [iodefine.h](#).



## 5.1140.2 Field Documentation

### 5.1140.2.1 BIT

### 5.1140.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1141 st\_port7\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1141.1 Detailed Description

Definition at line [22902](#) of file [iodefine.h](#).

## 5.1141.2 Field Documentation

### 5.1141.2.1 BIT

### 5.1141.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1142 st\_port7\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1142.1 Detailed Description

Definition at line [22927](#) of file [iodefine.h](#).

### 5.1142.2 Field Documentation

#### 5.1142.2.1 BIT

#### 5.1142.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1143 st\_port7\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1143.1 Detailed Description

Definition at line [22953](#) of file [iodefine.h](#).

### 5.1143.2 Field Documentation

#### 5.1143.2.1 BIT

#### 5.1143.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1144 st\_port7\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1144.1 Detailed Description

Definition at line [22798](#) of file [iodefine.h](#).

### 5.1144.2 Field Documentation

#### 5.1144.2.1 BIT

#### 5.1144.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1145 st\_port7\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1145.1 Detailed Description

Definition at line [22850](#) of file [iodefine.h](#).

## 5.1145.2 Field Documentation

### 5.1145.2.1 BIT

### 5.1145.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1146 st\_port7\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1146.1 Detailed Description

Definition at line [22876](#) of file [iodefne.h](#).

## 5.1146.2 Field Documentation

### 5.1146.2.1 BIT

### 5.1146.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1147 st\_port7\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1147.1 Detailed Description

Definition at line [22824](#) of file [iodefne.h](#).

### 5.1147.2 Field Documentation

#### 5.1147.2.1 BIT


#### 5.1147.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1148 st\_port8\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port8\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned char [B7](#): 1
      - unsigned char [B6](#): 1
      - unsigned char [B5](#): 1
      - unsigned char [B4](#): 1
      - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [39]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [54]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT

```



} [DSCR2](#)

### 5.1148.1 Detailed Description

Definition at line [23030](#) of file [iodefine.h](#).

### 5.1148.2 Field Documentation

#### 5.1148.2.1 [union]

union { ... } st\_port8\_t::DSCR

#### 5.1148.2.2 [union]

union { ... } st\_port8\_t::DSCR2

#### 5.1148.2.3 [union]

union { ... } st\_port8\_t::ODR0

#### 5.1148.2.4 [union]

union { ... } st\_port8\_t::ODR1

#### 5.1148.2.5 [union]

union { ... } st\_port8\_t::PCR

#### 5.1148.2.6 [union]

union { ... } st\_port8\_t::PDR

#### 5.1148.2.7 [union]

union { ... } st\_port8\_t::PIDR

#### 5.1148.2.8 [union]

union { ... } st\_port8\_t::PMR

## 5.1148.2.9 [union]

```
union { ... } st_port8_t::PODR
```

## 5.1148.2.10 wk0

```
char st_port8_t::wk0[31]
```

Definition at line [23056](#) of file [iodefne.h](#).

## 5.1148.2.11 wk1

```
char st_port8_t::wk1[31]
```

Definition at line [23082](#) of file [iodefne.h](#).

## 5.1148.2.12 wk2

```
char st_port8_t::wk2[31]
```

Definition at line [23108](#) of file [iodefne.h](#).

## 5.1148.2.13 wk3

```
char st_port8_t::wk3[39]
```

Definition at line [23134](#) of file [iodefne.h](#).

## 5.1148.2.14 wk4

```
char st_port8_t::wk4[54]
```

Definition at line [23185](#) of file [iodefne.h](#).

## 5.1148.2.15 wk5

```
char st_port8_t::wk5[31]
```

Definition at line [23211](#) of file [iodefne.h](#).

## 5.1148.2.16 wk6

```
char st_port8_t::wk6[71]
```

Definition at line [23235](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1149 st\_port8\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1149.1 Detailed Description

Definition at line [23212](#) of file [iodefne.h](#).

### 5.1149.2 Field Documentation

#### 5.1149.2.1 BIT

#### 5.1149.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1150 st\_port8\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned [char](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1150.1 Detailed Description

Definition at line [23236](#) of file [iodefne.h](#).

## 5.1150.2 Field Documentation

### 5.1150.2.1 BIT

### 5.1150.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1151 st\_port8\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1151.1 Detailed Description

Definition at line [23135](#) of file [iodefine.h](#).

## 5.1151.2 Field Documentation

### 5.1151.2.1 BIT

### 5.1151.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1152 st\_port8\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1152.1 Detailed Description

Definition at line [23160](#) of file [iodefne.h](#).

### 5.1152.2 Field Documentation

#### 5.1152.2.1 BIT

#### 5.1152.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1153 st\_port8\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1153.1 Detailed Description

Definition at line [23186](#) of file [iodefne.h](#).

### 5.1153.2 Field Documentation

#### 5.1153.2.1 BIT

#### 5.1153.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1154 st\_port8\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1154.1 Detailed Description

Definition at line [23031](#) of file [iodefine.h](#).

### 5.1154.2 Field Documentation

#### 5.1154.2.1 BIT

#### 5.1154.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1155 st\_port8\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1155.1 Detailed Description

Definition at line [23083](#) of file [iodefine.h](#).

## 5.1155.2 Field Documentation

### 5.1155.2.1 BIT

### 5.1155.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1156 st\_port8\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1156.1 Detailed Description

Definition at line [23109](#) of file [iodefne.h](#).

## 5.1156.2 Field Documentation

### 5.1156.2.1 BIT

### 5.1156.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1157 st\_port8\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1157.1 Detailed Description

Definition at line [23057](#) of file [iodefne.h](#).

### 5.1157.2 Field Documentation

#### 5.1157.2.1 BIT

#### 5.1157.2.2 BYTE


The documentation for this union was generated from the following files:

## 5.1158 st\_port9\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_port9\_t:





#### Data Fields

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [B7](#): 1
 unsigned char [B6](#): 1
 unsigned char [B5](#): 1
 unsigned char [B4](#): 1
 unsigned char [B3](#): 1
 }
 }

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [40]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [53]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
 } DSCR2
```

### 5.1158.1 Detailed Description

Definition at line [23263](#) of file [iodefine.h](#).

### 5.1158.2 Field Documentation

#### 5.1158.2.1 [union]

```
union { ... } st_port9_t::DSCR
```

#### 5.1158.2.2 [union]

```
union { ... } st_port9_t::DSCR2
```

#### 5.1158.2.3 [union]

```
union { ... } st_port9_t::ODR0
```

#### 5.1158.2.4 [union]

```
union { ... } st_port9_t::ODR1
```

#### 5.1158.2.5 [union]

```
union { ... } st_port9_t::PCR
```

#### 5.1158.2.6 [union]

```
union { ... } st_port9_t::PDR
```

#### 5.1158.2.7 [union]

```
union { ... } st_port9_t::PIDR
```

#### 5.1158.2.8 [union]

```
union { ... } st_port9_t::PMR
```

## 5.1158.2.9 [union]

```
union { ... } st_port9_t::PODR
```

## 5.1158.2.10 wk0

```
char st_port9_t::wk0[31]
```

Definition at line [23289](#) of file [iodefne.h](#).

## 5.1158.2.11 wk1

```
char st_port9_t::wk1[31]
```

Definition at line [23315](#) of file [iodefne.h](#).

## 5.1158.2.12 wk2

```
char st_port9_t::wk2[31]
```

Definition at line [23341](#) of file [iodefne.h](#).

## 5.1158.2.13 wk3

```
char st_port9_t::wk3[40]
```

Definition at line [23367](#) of file [iodefne.h](#).

## 5.1158.2.14 wk4

```
char st_port9_t::wk4[53]
```

Definition at line [23418](#) of file [iodefne.h](#).

## 5.1158.2.15 wk5

```
char st_port9_t::wk5[31]
```

Definition at line [23444](#) of file [iodefne.h](#).

## 5.1158.2.16 wk6

```
char st_port9_t::wk6[71]
```

Definition at line [23470](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1159 st\_port9\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1159.1 Detailed Description

Definition at line [23445](#) of file [iodefine.h](#).

### 5.1159.2 Field Documentation

#### 5.1159.2.1 BIT

#### 5.1159.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1160 st\_port9\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1160.1 Detailed Description

Definition at line [23471](#) of file [iodefine.h](#).

## 5.1160.2 Field Documentation

### 5.1160.2.1 BIT

### 5.1160.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1161 st\_port9\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1161.1 Detailed Description

Definition at line [23368](#) of file [iodefine.h](#).

## 5.1161.2 Field Documentation

### 5.1161.2.1 BIT

### 5.1161.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1162 st\_port9\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1162.1 Detailed Description

Definition at line [23393](#) of file [iodefne.h](#).

### 5.1162.2 Field Documentation

#### 5.1162.2.1 BIT

#### 5.1162.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1163 st\_port9\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1163.1 Detailed Description

Definition at line [23419](#) of file [iodefne.h](#).

### 5.1163.2 Field Documentation

#### 5.1163.2.1 BIT

#### 5.1163.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1164 st\_port9\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1164.1 Detailed Description

Definition at line [23264](#) of file [iodefine.h](#).

### 5.1164.2 Field Documentation

#### 5.1164.2.1 BIT

#### 5.1164.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1165 st\_port9\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1165.1 Detailed Description

Definition at line [23316](#) of file [iodefine.h](#).

## 5.1165.2 Field Documentation

### 5.1165.2.1 BIT

### 5.1165.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1166 st\_port9\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1166.1 Detailed Description

Definition at line [23342](#) of file [iodefne.h](#).

## 5.1166.2 Field Documentation

### 5.1166.2.1 BIT

### 5.1166.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1167 st\_port9\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1167.1 Detailed Description

Definition at line [23290](#) of file [iodefne.h](#).

### 5.1167.2 Field Documentation

#### 5.1167.2.1 BIT


#### 5.1167.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1168 st\_porta\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_porta\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned char [B7](#): 1
      - unsigned char [B6](#): 1
      - unsigned char [B5](#): 1
      - unsigned char [B4](#): 1
      - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```
- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```
- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```
- char wk3 [41]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [52]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
```

```
 } BIT
} DSCR2
```

### 5.1168.1 Detailed Description

Definition at line [23498](#) of file [iodefine.h](#).

### 5.1168.2 Field Documentation

#### 5.1168.2.1 [union]

```
union { ... } st_porta_t::DSCR
```

#### 5.1168.2.2 [union]

```
union { ... } st_porta_t::DSCR2
```

#### 5.1168.2.3 [union]

```
union { ... } st_porta_t::ODR0
```

#### 5.1168.2.4 [union]

```
union { ... } st_porta_t::ODR1
```

#### 5.1168.2.5 [union]

```
union { ... } st_porta_t::PCR
```

#### 5.1168.2.6 [union]

```
union { ... } st_porta_t::PDR
```

#### 5.1168.2.7 [union]

```
union { ... } st_porta_t::PIDR
```

#### 5.1168.2.8 [union]

```
union { ... } st_porta_t::PMR
```

## 5.1168.2.9 [union]

```
union { ... } st_porta_t::PODR
```

## 5.1168.2.10 wk0

```
char st_porta_t::wk0[31]
```

Definition at line [23524](#) of file [iodefne.h](#).

## 5.1168.2.11 wk1

```
char st_porta_t::wk1[31]
```

Definition at line [23550](#) of file [iodefne.h](#).

## 5.1168.2.12 wk2

```
char st_porta_t::wk2[31]
```

Definition at line [23576](#) of file [iodefne.h](#).

## 5.1168.2.13 wk3

```
char st_porta_t::wk3[41]
```

Definition at line [23602](#) of file [iodefne.h](#).

## 5.1168.2.14 wk4

```
char st_porta_t::wk4[52]
```

Definition at line [23653](#) of file [iodefne.h](#).

## 5.1168.2.15 wk5

```
char st_porta_t::wk5[31]
```

Definition at line [23679](#) of file [iodefne.h](#).

## 5.1168.2.16 wk6

```
char st_porta_t::wk6[71]
```

Definition at line [23705](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)



## 5.1169 st\_porta\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1169.1 Detailed Description

Definition at line [23680](#) of file [iodefne.h](#).

### 5.1169.2 Field Documentation

#### 5.1169.2.1 BIT

#### 5.1169.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1170 st\_porta\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1170.1 Detailed Description

Definition at line [23706](#) of file [iodefne.h](#).

## 5.1170.2 Field Documentation

### 5.1170.2.1 BIT

### 5.1170.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1171 st\_porta\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1171.1 Detailed Description

Definition at line [23603](#) of file [iodefine.h](#).

## 5.1171.2 Field Documentation

### 5.1171.2.1 BIT

### 5.1171.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1172 st\_porta\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1172.1 Detailed Description

Definition at line [23628](#) of file [iodefne.h](#).

### 5.1172.2 Field Documentation

#### 5.1172.2.1 BIT

#### 5.1172.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1173 st\_porta\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1173.1 Detailed Description

Definition at line [23654](#) of file [iodefne.h](#).

### 5.1173.2 Field Documentation

#### 5.1173.2.1 BIT

#### 5.1173.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1174 st\_\_porta\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1174.1 Detailed Description

Definition at line [23499](#) of file [iodefine.h](#).

### 5.1174.2 Field Documentation

#### 5.1174.2.1 BIT

#### 5.1174.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1175 st\_\_porta\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1175.1 Detailed Description

Definition at line [23551](#) of file [iodefine.h](#).

## 5.1175.2 Field Documentation

### 5.1175.2.1 BIT

### 5.1175.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1176 st\_porta\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1176.1 Detailed Description

Definition at line [23577](#) of file [iodefne.h](#).

## 5.1176.2 Field Documentation

### 5.1176.2.1 BIT

### 5.1176.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1177 st\_porta\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1177.1 Detailed Description

Definition at line [23525](#) of file [iodefne.h](#).

### 5.1177.2 Field Documentation

#### 5.1177.2.1 BIT


#### 5.1177.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1178 st\_portb\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portb\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [42]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```



```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [51]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
} DSCR2
```

### 5.1178.1 Detailed Description

Definition at line [23733](#) of file [iodefine.h](#).

### 5.1178.2 Field Documentation

#### 5.1178.2.1 [union]

```
union { ... } st_portb_t::DSCR
```

#### 5.1178.2.2 [union]

```
union { ... } st_portb_t::DSCR2
```

#### 5.1178.2.3 [union]

```
union { ... } st_portb_t::ODR0
```

#### 5.1178.2.4 [union]

```
union { ... } st_portb_t::ODR1
```

#### 5.1178.2.5 [union]

```
union { ... } st_portb_t::PCR
```

#### 5.1178.2.6 [union]

```
union { ... } st_portb_t::PDR
```

#### 5.1178.2.7 [union]

```
union { ... } st_portb_t::PIDR
```

#### 5.1178.2.8 [union]

```
union { ... } st_portb_t::PMR
```

## 5.1178.2.9 [union]

union { ... } st\_portb\_t::PODR

## 5.1178.2.10 wk0

char st\_portb\_t::wk0[31]

Definition at line 23759 of file [iodefne.h](#).

## 5.1178.2.11 wk1

char st\_portb\_t::wk1[31]

Definition at line 23785 of file [iodefne.h](#).

## 5.1178.2.12 wk2

char st\_portb\_t::wk2[31]

Definition at line 23811 of file [iodefne.h](#).

## 5.1178.2.13 wk3

char st\_portb\_t::wk3[42]

Definition at line 23837 of file [iodefne.h](#).

## 5.1178.2.14 wk4

char st\_portb\_t::wk4[51]

Definition at line 23888 of file [iodefne.h](#).

## 5.1178.2.15 wk5

char st\_portb\_t::wk5[31]

Definition at line 23914 of file [iodefne.h](#).

## 5.1178.2.16 wk6

char st\_portb\_t::wk6[71]

Definition at line 23940 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1179 st\_portb\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1179.1 Detailed Description

Definition at line [23915](#) of file [iodefine.h](#).

### 5.1179.2 Field Documentation

#### 5.1179.2.1 BIT

#### 5.1179.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1180 st\_portb\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1180.1 Detailed Description

Definition at line [23941](#) of file [iodefine.h](#).

## 5.1180.2 Field Documentation

### 5.1180.2.1 BIT

### 5.1180.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1181 st\_portb\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1181.1 Detailed Description

Definition at line [23838](#) of file [iodefine.h](#).

## 5.1181.2 Field Documentation

### 5.1181.2.1 BIT

### 5.1181.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1182 st\_portb\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1182.1 Detailed Description

Definition at line [23863](#) of file [iodefne.h](#).

### 5.1182.2 Field Documentation

#### 5.1182.2.1 BIT

#### 5.1182.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1183 st\_portb\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1183.1 Detailed Description

Definition at line [23889](#) of file [iodefne.h](#).

### 5.1183.2 Field Documentation

#### 5.1183.2.1 BIT

#### 5.1183.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1184 st\_portb\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1184.1 Detailed Description

Definition at line [23734](#) of file [iodefine.h](#).

### 5.1184.2 Field Documentation

#### 5.1184.2.1 BIT

#### 5.1184.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1185 st\_portb\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1185.1 Detailed Description

Definition at line [23786](#) of file [iodefine.h](#).

## 5.1185.2 Field Documentation

### 5.1185.2.1 BIT

### 5.1185.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1186 st\_portb\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1186.1 Detailed Description

Definition at line [23812](#) of file [iodefne.h](#).

## 5.1186.2 Field Documentation

### 5.1186.2.1 BIT

### 5.1186.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1187 st\_portb\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)



### 5.1187.1 Detailed Description

Definition at line [23760](#) of file [iodefne.h](#).

### 5.1187.2 Field Documentation

#### 5.1187.2.1 BIT


#### 5.1187.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1188 st\_portc\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portc\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
    - struct {
      - unsigned char `B7`: 1
      - unsigned char `B6`: 1
      - unsigned char `B5`: 1
      - unsigned char `B4`: 1
      - unsigned char `B3`: 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [43]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [50]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
} DSCR2
```

### 5.1188.1 Detailed Description

Definition at line [23968](#) of file [iodefine.h](#).

### 5.1188.2 Field Documentation

#### 5.1188.2.1 [union]

```
union { ... } st_portc_t::DSCR
```

#### 5.1188.2.2 [union]

```
union { ... } st_portc_t::DSCR2
```

#### 5.1188.2.3 [union]

```
union { ... } st_portc_t::ODR0
```

#### 5.1188.2.4 [union]

```
union { ... } st_portc_t::ODR1
```

#### 5.1188.2.5 [union]

```
union { ... } st_portc_t::PCR
```

#### 5.1188.2.6 [union]

```
union { ... } st_portc_t::PDR
```

#### 5.1188.2.7 [union]

```
union { ... } st_portc_t::PIDR
```

#### 5.1188.2.8 [union]

```
union { ... } st_portc_t::PMR
```

## 5.1188.2.9 [union]

```
union { ... } st_portc_t::PODR
```

## 5.1188.2.10 wk0

```
char st_portc_t::wk0[31]
```

Definition at line [23994](#) of file [iodefne.h](#).

## 5.1188.2.11 wk1

```
char st_portc_t::wk1[31]
```

Definition at line [24020](#) of file [iodefne.h](#).

## 5.1188.2.12 wk2

```
char st_portc_t::wk2[31]
```

Definition at line [24046](#) of file [iodefne.h](#).

## 5.1188.2.13 wk3

```
char st_portc_t::wk3[43]
```

Definition at line [24072](#) of file [iodefne.h](#).

## 5.1188.2.14 wk4

```
char st_portc_t::wk4[50]
```

Definition at line [24123](#) of file [iodefne.h](#).

## 5.1188.2.15 wk5

```
char st_portc_t::wk5[31]
```

Definition at line [24149](#) of file [iodefne.h](#).

## 5.1188.2.16 wk6

```
char st_portc_t::wk6[71]
```

Definition at line [24175](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1189 st\_portc\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1189.1 Detailed Description

Definition at line [24150](#) of file [iodefne.h](#).

### 5.1189.2 Field Documentation

#### 5.1189.2.1 BIT

#### 5.1189.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1190 st\_portc\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1190.1 Detailed Description

Definition at line [24176](#) of file [iodefne.h](#).

## 5.1190.2 Field Documentation

### 5.1190.2.1 BIT

### 5.1190.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1191 st\_portc\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1191.1 Detailed Description

Definition at line [24073](#) of file [iodefine.h](#).

## 5.1191.2 Field Documentation

### 5.1191.2.1 BIT

### 5.1191.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1192 st\_portc\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)



### 5.1192.1 Detailed Description

Definition at line [24098](#) of file [iodefne.h](#).

### 5.1192.2 Field Documentation

#### 5.1192.2.1 BIT

#### 5.1192.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1193 st\_portc\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1193.1 Detailed Description

Definition at line [24124](#) of file [iodefne.h](#).

### 5.1193.2 Field Documentation

#### 5.1193.2.1 BIT

#### 5.1193.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1194 st\_portc\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1194.1 Detailed Description

Definition at line [23969](#) of file [iodefine.h](#).

### 5.1194.2 Field Documentation

#### 5.1194.2.1 BIT

#### 5.1194.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1195 st\_portc\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1195.1 Detailed Description

Definition at line [24021](#) of file [iodefine.h](#).

## 5.1195.2 Field Documentation

### 5.1195.2.1 BIT

### 5.1195.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1196 st\_portc\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1196.1 Detailed Description

Definition at line [24047](#) of file [iodefne.h](#).

## 5.1196.2 Field Documentation

### 5.1196.2.1 BIT

### 5.1196.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1197 st\_portc\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1197.1 Detailed Description

Definition at line [23995](#) of file [iodefne.h](#).

### 5.1197.2 Field Documentation

#### 5.1197.2.1 BIT


#### 5.1197.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1198 st\_portd\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portd\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [44]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

- ```

    unsigned char B2: 1
    unsigned char B0: 1
    } BIT
} ODR0

```
- union {


```

        unsigned char BYTE
        struct {
          unsigned char: 1
          unsigned char B6: 1
          unsigned char B4: 1
          unsigned char B2: 1
          unsigned char B0: 1
          } BIT
        } ODR1
      
```
 - char wk4 [49]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
          } BIT
        } PCR
      
```
 - char wk5 [31]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
          } BIT
        } DSCR
      
```
 - char wk6 [71]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        }
      
```

```
    } BIT  
  } DSCR2
```

5.1198.1 Detailed Description

Definition at line [24203](#) of file [iodefine.h](#).

5.1198.2 Field Documentation

5.1198.2.1 [union]

```
union { ... } st_portd_t::DSCR
```

5.1198.2.2 [union]

```
union { ... } st_portd_t::DSCR2
```

5.1198.2.3 [union]

```
union { ... } st_portd_t::ODR0
```

5.1198.2.4 [union]

```
union { ... } st_portd_t::ODR1
```

5.1198.2.5 [union]

```
union { ... } st_portd_t::PCR
```

5.1198.2.6 [union]

```
union { ... } st_portd_t::PDR
```

5.1198.2.7 [union]

```
union { ... } st_portd_t::PIDR
```

5.1198.2.8 [union]

```
union { ... } st_portd_t::PMR
```


5.1198.2.9 [union]

```
union { ... } st_portd_t::PODR
```

5.1198.2.10 wk0

```
char st_portd_t::wk0[31]
```

Definition at line [24229](#) of file [iodefne.h](#).

5.1198.2.11 wk1

```
char st_portd_t::wk1[31]
```

Definition at line [24255](#) of file [iodefne.h](#).

5.1198.2.12 wk2

```
char st_portd_t::wk2[31]
```

Definition at line [24281](#) of file [iodefne.h](#).

5.1198.2.13 wk3

```
char st_portd_t::wk3[44]
```

Definition at line [24307](#) of file [iodefne.h](#).

5.1198.2.14 wk4

```
char st_portd_t::wk4[49]
```

Definition at line [24358](#) of file [iodefne.h](#).

5.1198.2.15 wk5

```
char st_portd_t::wk5[31]
```

Definition at line [24384](#) of file [iodefne.h](#).

5.1198.2.16 wk6

```
char st_portd_t::wk6[71]
```

Definition at line [24410](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1199 st_portd_t.DSCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1199.1 Detailed Description

Definition at line [24385](#) of file [iodefine.h](#).

5.1199.2 Field Documentation

5.1199.2.1 BIT

5.1199.2.2 BYTE

The documentation for this union was generated from the following files:

5.1200 st_portd_t.DSCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1200.1 Detailed Description

Definition at line [24411](#) of file [iodefine.h](#).

5.1200.2 Field Documentation

5.1200.2.1 BIT

5.1200.2.2 BYTE

The documentation for this union was generated from the following files:

5.1201 st_portd_t.ODR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1201.1 Detailed Description

Definition at line [24308](#) of file [iodefine.h](#).

5.1201.2 Field Documentation

5.1201.2.1 BIT

5.1201.2.2 BYTE

The documentation for this union was generated from the following files:

5.1202 st_portd_t.ODR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1202.1 Detailed Description

Definition at line [24333](#) of file [iodefine.h](#).

5.1202.2 Field Documentation

5.1202.2.1 BIT

5.1202.2.2 BYTE

The documentation for this union was generated from the following files:

5.1203 st_portd_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1203.1 Detailed Description

Definition at line [24359](#) of file [iodefine.h](#).

5.1203.2 Field Documentation

5.1203.2.1 BIT

5.1203.2.2 BYTE

The documentation for this union was generated from the following files:

5.1204 st_portd_t.PDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1204.1 Detailed Description

Definition at line [24204](#) of file [iodefine.h](#).

5.1204.2 Field Documentation

5.1204.2.1 BIT

5.1204.2.2 BYTE

The documentation for this union was generated from the following files:

5.1205 st_portd_t.PIDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1205.1 Detailed Description

Definition at line [24256](#) of file [iodefine.h](#).

5.1205.2 Field Documentation

5.1205.2.1 BIT

5.1205.2.2 BYTE

The documentation for this union was generated from the following files:

5.1206 st_portd_t.PMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1206.1 Detailed Description

Definition at line [24282](#) of file [iodefne.h](#).

5.1206.2 Field Documentation

5.1206.2.1 BIT

5.1206.2.2 BYTE

The documentation for this union was generated from the following files:

5.1207 st_portd_t.PODR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1207.1 Detailed Description

Definition at line [24230](#) of file [iodefne.h](#).

5.1207.2 Field Documentation

5.1207.2.1 BIT


5.1207.2.2 BYTE

The documentation for this union was generated from the following files:

5.1208 st_porte_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_porte_t:



Data Fields

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1


```

    unsigned char B2: 1
    unsigned char B1: 1
    unsigned char B0: 1
    } BIT
} PDR

```

- char wk0 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PODR

```

- char wk1 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PIDR

```

- char wk2 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PMR

```

- char wk3 [45]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char: 1
          unsigned char B6: 1
          unsigned char B4: 1

```

```

    unsigned char B3: 1
    unsigned char B2: 1
    unsigned char B0: 1
    } BIT
} ODR0

• union {
    unsigned char BYTE
    struct {
        unsigned char: 1
        unsigned char B6: 1
        unsigned char B4: 1
        unsigned char B2: 1
        unsigned char B0: 1
    } BIT
} ODR1

• char wk4 [48]
• union {
    unsigned char BYTE
    struct {
        unsigned char B7: 1
        unsigned char B6: 1
        unsigned char B5: 1
        unsigned char B4: 1
        unsigned char B3: 1
        unsigned char B2: 1
        unsigned char B1: 1
        unsigned char B0: 1
    } BIT
} PCR

• char wk5 [31]
• union {
    unsigned char BYTE
    struct {
        unsigned char B7: 1
        unsigned char B6: 1
        unsigned char B5: 1
        unsigned char B4: 1
        unsigned char B3: 1
        unsigned char B2: 1
        unsigned char B1: 1
        unsigned char B0: 1
    } BIT
} DSCR

• char wk6 [71]
• union {
    unsigned char BYTE
    struct {
        unsigned char B7: 1
        unsigned char B6: 1
        unsigned char B5: 1
        unsigned char B4: 1
        unsigned char B3: 1
        unsigned char B2: 1
        unsigned char B1: 1

```

```
    unsigned char B0: 1
    } BIT
} DSCR2
```

5.1208.1 Detailed Description

Definition at line 24438 of file [iodefine.h](#).

5.1208.2 Field Documentation

5.1208.2.1 [union]

union { ... } st_porte_t::DSCR

5.1208.2.2 [union]

union { ... } st_porte_t::DSCR2

5.1208.2.3 [union]

union { ... } st_porte_t::ODR0

5.1208.2.4 [union]

union { ... } st_porte_t::ODR1

5.1208.2.5 [union]

union { ... } st_porte_t::PCR

5.1208.2.6 [union]

union { ... } st_porte_t::PDR

5.1208.2.7 [union]

union { ... } st_porte_t::PIDR

5.1208.2.8 [union]

union { ... } st_porte_t::PMR

5.1208.2.9 [union]

```
union { ... } st_porte_t::PODR
```

5.1208.2.10 wk0

```
char st_porte_t::wk0[31]
```

Definition at line [24464](#) of file [iodefne.h](#).

5.1208.2.11 wk1

```
char st_porte_t::wk1[31]
```

Definition at line [24490](#) of file [iodefne.h](#).

5.1208.2.12 wk2

```
char st_porte_t::wk2[31]
```

Definition at line [24516](#) of file [iodefne.h](#).

5.1208.2.13 wk3

```
char st_porte_t::wk3[45]
```

Definition at line [24542](#) of file [iodefne.h](#).

5.1208.2.14 wk4

```
char st_porte_t::wk4[48]
```

Definition at line [24593](#) of file [iodefne.h](#).

5.1208.2.15 wk5

```
char st_porte_t::wk5[31]
```

Definition at line [24619](#) of file [iodefne.h](#).

5.1208.2.16 wk6

```
char st_porte_t::wk6[71]
```

Definition at line [24645](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1209 st_porte_t.DSCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1209.1 Detailed Description

Definition at line [24620](#) of file [iodefine.h](#).

5.1209.2 Field Documentation

5.1209.2.1 BIT

5.1209.2.2 BYTE

The documentation for this union was generated from the following files:

5.1210 st_porte_t.DSCR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1210.1 Detailed Description

Definition at line [24646](#) of file [iodefine.h](#).

5.1210.2 Field Documentation

5.1210.2.1 BIT

5.1210.2.2 BYTE

The documentation for this union was generated from the following files:

5.1211 st_porte_t.ODR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1211.1 Detailed Description

Definition at line [24543](#) of file [iodefine.h](#).

5.1211.2 Field Documentation

5.1211.2.1 BIT

5.1211.2.2 BYTE

The documentation for this union was generated from the following files:

5.1212 st_porte_t.ODR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1212.1 Detailed Description

Definition at line [24568](#) of file [iodefne.h](#).

5.1212.2 Field Documentation

5.1212.2.1 BIT

5.1212.2.2 BYTE

The documentation for this union was generated from the following files:

5.1213 st_porte_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1213.1 Detailed Description

Definition at line [24594](#) of file [iodefne.h](#).

5.1213.2 Field Documentation

5.1213.2.1 BIT

5.1213.2.2 BYTE

The documentation for this union was generated from the following files:

5.1214 st__porte__t.PDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1214.1 Detailed Description

Definition at line [24439](#) of file [iodefine.h](#).

5.1214.2 Field Documentation

5.1214.2.1 BIT

5.1214.2.2 BYTE

The documentation for this union was generated from the following files:

5.1215 st__porte__t.PIDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1215.1 Detailed Description

Definition at line [24491](#) of file [iodefine.h](#).

5.1215.2 Field Documentation

5.1215.2.1 BIT

5.1215.2.2 BYTE

The documentation for this union was generated from the following files:

5.1216 st_porte_t.PMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1216.1 Detailed Description

Definition at line [24517](#) of file [iodefine.h](#).

5.1216.2 Field Documentation

5.1216.2.1 BIT

5.1216.2.2 BYTE

The documentation for this union was generated from the following files:

5.1217 st_porte_t.PODR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1217.1 Detailed Description

Definition at line [24465](#) of file [iodefine.h](#).

5.1217.2 Field Documentation

5.1217.2.1 BIT


5.1217.2.2 BYTE

The documentation for this union was generated from the following files:

5.1218 st_portf_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_portf_t:



Data Fields

- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PDR
- char wk0 [31]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR
- char wk1 [31]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR
- char wk2 [31]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR
- char wk3 [46]

- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 1
 unsigned char [B6](#): 1
 unsigned char [B4](#): 1
 unsigned char [B2](#): 1
 unsigned char [B0](#): 1
 } [BIT](#)
} [ODR0](#)
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 5
 unsigned char [B2](#): 1
 unsigned char [B0](#): 1
 } [BIT](#)
} [ODR1](#)
- char [wk4](#) [47]
- union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 2
 unsigned char [B5](#): 1
 unsigned char [B4](#): 1
 unsigned char [B3](#): 1
 unsigned char [B2](#): 1
 unsigned char [B1](#): 1
 unsigned char [B0](#): 1
 } [BIT](#)
} [PCR](#)

5.1218.1 Detailed Description

Definition at line [24673](#) of file [iodefine.h](#).

5.1218.2 Field Documentation

5.1218.2.1 [union]

union { ... } st_portf_t::ODR0

5.1218.2.2 [union]

union { ... } st_portf_t::ODR1

5.1218.2.3 [union]

union { ... } st_portf_t::PCR

5.1218.2.4 [union]

```
union { ... } st_portf_t::PDR
```

5.1218.2.5 [union]

```
union { ... } st_portf_t::PIDR
```

5.1218.2.6 [union]

```
union { ... } st_portf_t::PMR
```

5.1218.2.7 [union]

```
union { ... } st_portf_t::PODR
```

5.1218.2.8 wk0

```
char st_portf_t::wk0[31]
```

Definition at line [24697](#) of file [iodefne.h](#).

5.1218.2.9 wk1

```
char st_portf_t::wk1[31]
```

Definition at line [24721](#) of file [iodefne.h](#).

5.1218.2.10 wk2

```
char st_portf_t::wk2[31]
```

Definition at line [24745](#) of file [iodefne.h](#).

5.1218.2.11 wk3

```
char st_portf_t::wk3[46]
```

Definition at line [24769](#) of file [iodefne.h](#).

5.1218.2.12 wk4

```
char st_portf_t::wk4[47]
```

Definition at line [24812](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1219 st_portf_t.ODR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1219.1 Detailed Description

Definition at line [24770](#) of file [iodefne.h](#).

5.1219.2 Field Documentation

5.1219.2.1 BIT

5.1219.2.2 BYTE

The documentation for this union was generated from the following files:

5.1220 st_portf_t.ODR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 5
 - unsigned char [B2](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1220.1 Detailed Description

Definition at line [24795](#) of file [iodefne.h](#).

5.1220.2 Field Documentation

5.1220.2.1 BIT

5.1220.2.2 BYTE

The documentation for this union was generated from the following files:

5.1221 st_portf_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1221.1 Detailed Description

Definition at line [24813](#) of file [iodefne.h](#).

5.1221.2 Field Documentation

5.1221.2.1 BIT

5.1221.2.2 BYTE

The documentation for this union was generated from the following files:

5.1222 st_portf_t.PDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1222.1 Detailed Description

Definition at line [24674](#) of file [iodefine.h](#).

5.1222.2 Field Documentation

5.1222.2.1 BIT

5.1222.2.2 BYTE

The documentation for this union was generated from the following files:

5.1223 st_portf_t.PIDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1223.1 Detailed Description

Definition at line [24722](#) of file [iodefine.h](#).

5.1223.2 Field Documentation

5.1223.2.1 BIT

5.1223.2.2 BYTE

The documentation for this union was generated from the following files:

5.1224 st_portf_t.PMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1224.1 Detailed Description

Definition at line [24746](#) of file [iodefine.h](#).

5.1224.2 Field Documentation

5.1224.2.1 BIT

5.1224.2.2 BYTE

The documentation for this union was generated from the following files:

5.1225 st_portf_t.PODR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1
 - unsigned char [B2](#): 1
 - unsigned char [B1](#): 1
 - unsigned char [B0](#): 1
- } [BIT](#)

5.1225.1 Detailed Description

Definition at line [24698](#) of file [iodefne.h](#).

5.1225.2 Field Documentation

5.1225.2.1 BIT


5.1225.2.2 BYTE

The documentation for this union was generated from the following files:

5.1226 st_portg_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_portg_t:



Data Fields

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [B7](#): 1
 - unsigned char [B6](#): 1
 - unsigned char [B5](#): 1
 - unsigned char [B4](#): 1
 - unsigned char [B3](#): 1

```

    unsigned char B2: 1
    unsigned char B1: 1
    unsigned char B0: 1
    } BIT
} PDR

```

- char wk0 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PODR

```

- char wk1 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PIDR

```

- char wk2 [31]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char B7: 1
          unsigned char B6: 1
          unsigned char B5: 1
          unsigned char B4: 1
          unsigned char B3: 1
          unsigned char B2: 1
          unsigned char B1: 1
          unsigned char B0: 1
        } BIT
      } PMR

```

- char wk3 [47]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char: 1
          unsigned char B6: 1
          unsigned char B4: 1

```

- ```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
 } ODR1

```
  - char wk4 [46]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PCR

```
  - char wk5 [31]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } DSCR

```
  - char wk6 [71]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } DSCR2

```

### 5.1226.1 Detailed Description

Definition at line [24838](#) of file [iodefine.h](#).

### 5.1226.2 Field Documentation

#### 5.1226.2.1 [union]

```
union { ... } st_portg_t::DSCR
```

#### 5.1226.2.2 [union]

```
union { ... } st_portg_t::DSCR2
```

#### 5.1226.2.3 [union]

```
union { ... } st_portg_t::ODR0
```

#### 5.1226.2.4 [union]

```
union { ... } st_portg_t::ODR1
```

#### 5.1226.2.5 [union]

```
union { ... } st_portg_t::PCR
```

#### 5.1226.2.6 [union]

```
union { ... } st_portg_t::PDR
```

#### 5.1226.2.7 [union]

```
union { ... } st_portg_t::PIDR
```

#### 5.1226.2.8 [union]

```
union { ... } st_portg_t::PMR
```

#### 5.1226.2.9 [union]

```
union { ... } st_portg_t::PODR
```

## 5.1226.2.10 wk0

```
char st_portg_t::wk0[31]
```

Definition at line [24864](#) of file [iodefne.h](#).

## 5.1226.2.11 wk1

```
char st_portg_t::wk1[31]
```

Definition at line [24890](#) of file [iodefne.h](#).

## 5.1226.2.12 wk2

```
char st_portg_t::wk2[31]
```

Definition at line [24916](#) of file [iodefne.h](#).

## 5.1226.2.13 wk3

```
char st_portg_t::wk3[47]
```

Definition at line [24942](#) of file [iodefne.h](#).

## 5.1226.2.14 wk4

```
char st_portg_t::wk4[46]
```

Definition at line [24993](#) of file [iodefne.h](#).

## 5.1226.2.15 wk5

```
char st_portg_t::wk5[31]
```

Definition at line [25019](#) of file [iodefne.h](#).

## 5.1226.2.16 wk6

```
char st_portg_t::wk6[71]
```

Definition at line [25035](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1227 st\_portg\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 6
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1227.1 Detailed Description

Definition at line [25020](#) of file [iodefine.h](#).

### 5.1227.2 Field Documentation

#### 5.1227.2.1 BIT

#### 5.1227.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1228 st\_portg\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1228.1 Detailed Description

Definition at line [25036](#) of file [iodefine.h](#).



## 5.1228.2 Field Documentation

### 5.1228.2.1 BIT

### 5.1228.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1229 st\_portg\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1229.1 Detailed Description

Definition at line [24943](#) of file [iodefine.h](#).

## 5.1229.2 Field Documentation

### 5.1229.2.1 BIT

### 5.1229.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1230 st\_portg\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1230.1 Detailed Description

Definition at line [24968](#) of file [iodefne.h](#).

### 5.1230.2 Field Documentation

#### 5.1230.2.1 BIT

#### 5.1230.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1231 st\_portg\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1231.1 Detailed Description

Definition at line [24994](#) of file [iodefne.h](#).

### 5.1231.2 Field Documentation

#### 5.1231.2.1 BIT

#### 5.1231.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1232 st\_portg\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1232.1 Detailed Description

Definition at line [24839](#) of file [iodefine.h](#).

### 5.1232.2 Field Documentation

#### 5.1232.2.1 BIT

#### 5.1232.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1233 st\_portg\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1233.1 Detailed Description

Definition at line [24891](#) of file [iodefine.h](#).

## 5.1233.2 Field Documentation

### 5.1233.2.1 BIT

### 5.1233.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1234 st\_portg\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1234.1 Detailed Description

Definition at line [24917](#) of file [iodefine.h](#).

## 5.1234.2 Field Documentation

### 5.1234.2.1 BIT

### 5.1234.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1235 st\_portg\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1235.1 Detailed Description

Definition at line [24865](#) of file [iodefne.h](#).

### 5.1235.2 Field Documentation

#### 5.1235.2.1 BIT


#### 5.1235.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1236 st\_porth\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_porth\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned char [B7](#): 1
      - unsigned char [B6](#): 1
      - unsigned char [B5](#): 1
      - unsigned char [B4](#): 1
      - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [48]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [45]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```



```
 } BIT
} DSCR2
```

### 5.1236.1 Detailed Description

Definition at line [25063](#) of file [iodefine.h](#).

### 5.1236.2 Field Documentation

#### 5.1236.2.1 [union]

```
union { ... } st_porth_t::DSCR
```

#### 5.1236.2.2 [union]

```
union { ... } st_porth_t::DSCR2
```

#### 5.1236.2.3 [union]

```
union { ... } st_porth_t::ODR0
```

#### 5.1236.2.4 [union]

```
union { ... } st_porth_t::ODR1
```

#### 5.1236.2.5 [union]

```
union { ... } st_porth_t::PCR
```

#### 5.1236.2.6 [union]

```
union { ... } st_porth_t::PDR
```

#### 5.1236.2.7 [union]

```
union { ... } st_porth_t::PIDR
```

#### 5.1236.2.8 [union]

```
union { ... } st_porth_t::PMR
```

## 5.1236.2.9 [union]

```
union { ... } st_porth_t::PODR
```

## 5.1236.2.10 wk0

```
char st_porth_t::wk0[31]
```

Definition at line [25089](#) of file [iodefne.h](#).

## 5.1236.2.11 wk1

```
char st_porth_t::wk1[31]
```

Definition at line [25115](#) of file [iodefne.h](#).

## 5.1236.2.12 wk2

```
char st_porth_t::wk2[31]
```

Definition at line [25141](#) of file [iodefne.h](#).

## 5.1236.2.13 wk3

```
char st_porth_t::wk3[48]
```

Definition at line [25167](#) of file [iodefne.h](#).

## 5.1236.2.14 wk4

```
char st_porth_t::wk4[45]
```

Definition at line [25218](#) of file [iodefne.h](#).

## 5.1236.2.15 wk5

```
char st_porth_t::wk5[31]
```

Definition at line [25244](#) of file [iodefne.h](#).

## 5.1236.2.16 wk6

```
char st_porth_t::wk6[71]
```

Definition at line [25270](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1237 st\_porth\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1237.1 Detailed Description

Definition at line [25245](#) of file [iodefine.h](#).

### 5.1237.2 Field Documentation

#### 5.1237.2.1 BIT

#### 5.1237.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1238 st\_porth\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1238.1 Detailed Description

Definition at line [25271](#) of file [iodefine.h](#).

## 5.1238.2 Field Documentation

### 5.1238.2.1 BIT

### 5.1238.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1239 st\_porth\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1239.1 Detailed Description

Definition at line [25168](#) of file [iodefine.h](#).

## 5.1239.2 Field Documentation

### 5.1239.2.1 BIT

### 5.1239.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1240 st\_porth\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1240.1 Detailed Description

Definition at line [25193](#) of file [iodefne.h](#).

### 5.1240.2 Field Documentation

#### 5.1240.2.1 BIT

#### 5.1240.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1241 st\_porth\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1241.1 Detailed Description

Definition at line [25219](#) of file [iodefne.h](#).

### 5.1241.2 Field Documentation

#### 5.1241.2.1 BIT

#### 5.1241.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1242 st\_porth\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1242.1 Detailed Description

Definition at line [25064](#) of file [iodefine.h](#).

### 5.1242.2 Field Documentation

#### 5.1242.2.1 BIT

#### 5.1242.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1243 st\_porth\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1243.1 Detailed Description

Definition at line [25116](#) of file [iodefine.h](#).

## 5.1243.2 Field Documentation

### 5.1243.2.1 BIT

### 5.1243.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1244 st\_porth\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1244.1 Detailed Description

Definition at line [25142](#) of file [iodefne.h](#).

## 5.1244.2 Field Documentation

### 5.1244.2.1 BIT

### 5.1244.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1245 st\_porth\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1245.1 Detailed Description

Definition at line [25090](#) of file [iodefne.h](#).

### 5.1245.2 Field Documentation

#### 5.1245.2.1 BIT

#### 5.1245.2.2 BYTE


The documentation for this union was generated from the following files:

## 5.1246 st\_portj\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portj\_t:





#### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned `char`: 2
    - unsigned char `B5`: 1
    - unsigned char `B3`: 1
    - unsigned char `B2`: 1
    - unsigned char `B1`: 1

```

 unsigned char B0: 1
 } BIT
} PDR

• char wk0 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PODR

• char wk1 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PIDR

• char wk2 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PMR

• char wk3 [49]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {

```

```

 unsigned char: 5
 unsigned char B2: 1
 } BIT
} ODR1

• char wk4 [44]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR2

```

### 5.1246.1 Detailed Description

Definition at line 25298 of file [iodefine.h](#).

### 5.1246.2 Field Documentation

#### 5.1246.2.1 [union]

```
union { ... } st_portj_t::DSCR
```

#### 5.1246.2.2 [union]

```
union { ... } st_portj_t::DSCR2
```

## 5.1246.2.3 [union]

```
union { ... } st_portj_t::ODR0
```

## 5.1246.2.4 [union]

```
union { ... } st_portj_t::ODR1
```

## 5.1246.2.5 [union]

```
union { ... } st_portj_t::PCR
```

## 5.1246.2.6 [union]

```
union { ... } st_portj_t::PDR
```

## 5.1246.2.7 [union]

```
union { ... } st_portj_t::PIDR
```

## 5.1246.2.8 [union]

```
union { ... } st_portj_t::PMR
```

## 5.1246.2.9 [union]

```
union { ... } st_portj_t::PODR
```

## 5.1246.2.10 wk0

```
char st_portj_t::wk0[31]
```

Definition at line [25322](#) of file [iodefine.h](#).

## 5.1246.2.11 wk1

```
char st_portj_t::wk1[31]
```

Definition at line [25346](#) of file [iodefine.h](#).

## 5.1246.2.12 wk2

```
char st_portj_t::wk2[31]
```

Definition at line [25370](#) of file [iodefine.h](#).

## 5.1246.2.13 wk3

```
char st_portj_t::wk3[49]
```

Definition at line [25394](#) of file [iodefne.h](#).

## 5.1246.2.14 wk4

```
char st_portj_t::wk4[44]
```

Definition at line [25435](#) of file [iodefne.h](#).

## 5.1246.2.15 wk5

```
char st_portj_t::wk5[31]
```

Definition at line [25459](#) of file [iodefne.h](#).

## 5.1246.2.16 wk6

```
char st_portj_t::wk6[71]
```

Definition at line [25477](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1247 st\_portj\_t.DSCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

## 5.1247.1 Detailed Description

Definition at line [25460](#) of file [iodefne.h](#).

## 5.1247.2 Field Documentation

### 5.1247.2.1 BIT

### 5.1247.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1248 st\_portj\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [B2](#): 1  
    unsigned char [B1](#): 1  
    unsigned char [B0](#): 1  
} [BIT](#)

### 5.1248.1 Detailed Description

Definition at line [25478](#) of file [iodefine.h](#).

## 5.1248.2 Field Documentation

### 5.1248.2.1 BIT

### 5.1248.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1249 st\_portj\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [B6](#): 1  
    unsigned char [B4](#): 1  
    unsigned char [B2](#): 1  
    unsigned char [B0](#): 1  
} [BIT](#)

### 5.1249.1 Detailed Description

Definition at line [25395](#) of file [iodefine.h](#).

### 5.1249.2 Field Documentation

#### 5.1249.2.1 BIT

#### 5.1249.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1250 st\_portj\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 5  
    unsigned char [B2](#): 1  
} [BIT](#)

### 5.1250.1 Detailed Description

Definition at line [25420](#) of file [iodefine.h](#).

### 5.1250.2 Field Documentation

#### 5.1250.2.1 BIT

#### 5.1250.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1251 st\_portj\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 2  
    unsigned char [B5](#): 1  
    unsigned char [B3](#): 1  
    unsigned char [B2](#): 1  
    unsigned char [B1](#): 1  
    unsigned char [B0](#): 1  
} [BIT](#)

### 5.1251.1 Detailed Description

Definition at line [25436](#) of file [iodefne.h](#).

### 5.1251.2 Field Documentation

#### 5.1251.2.1 BIT

#### 5.1251.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1252 st\_portj\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1252.1 Detailed Description

Definition at line [25299](#) of file [iodefne.h](#).

### 5.1252.2 Field Documentation

#### 5.1252.2.1 BIT

#### 5.1252.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1253 st\_portj\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1253.1 Detailed Description

Definition at line [25347](#) of file [iodefine.h](#).

### 5.1253.2 Field Documentation

#### 5.1253.2.1 BIT

#### 5.1253.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1254 st\_portj\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1254.1 Detailed Description

Definition at line [25371](#) of file [iodefine.h](#).

## 5.1254.2 Field Documentation

### 5.1254.2.1 BIT

### 5.1254.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1255 st\_portj\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1255.1 Detailed Description

Definition at line [25323](#) of file [iodefne.h](#).

## 5.1255.2 Field Documentation

### 5.1255.2.1 BIT


### 5.1255.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1256 st\_portk\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for `st_portk_t`:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [50]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [43]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
 } DSCR2
```

### 5.1256.1 Detailed Description

Definition at line [25497](#) of file [iodefine.h](#).

### 5.1256.2 Field Documentation

#### 5.1256.2.1 [union]

```
union { ... } st_portk_t::DSCR
```

#### 5.1256.2.2 [union]

```
union { ... } st_portk_t::DSCR2
```

#### 5.1256.2.3 [union]

```
union { ... } st_portk_t::ODR0
```

#### 5.1256.2.4 [union]

```
union { ... } st_portk_t::ODR1
```

#### 5.1256.2.5 [union]

```
union { ... } st_portk_t::PCR
```

#### 5.1256.2.6 [union]

```
union { ... } st_portk_t::PDR
```

#### 5.1256.2.7 [union]

```
union { ... } st_portk_t::PIDR
```

#### 5.1256.2.8 [union]

```
union { ... } st_portk_t::PMR
```

## 5.1256.2.9 [union]

```
union { ... } st_portk_t::PODR
```

## 5.1256.2.10 wk0

```
char st_portk_t::wk0[31]
```

Definition at line [25523](#) of file [iodefne.h](#).

## 5.1256.2.11 wk1

```
char st_portk_t::wk1[31]
```

Definition at line [25549](#) of file [iodefne.h](#).

## 5.1256.2.12 wk2

```
char st_portk_t::wk2[31]
```

Definition at line [25575](#) of file [iodefne.h](#).

## 5.1256.2.13 wk3

```
char st_portk_t::wk3[50]
```

Definition at line [25601](#) of file [iodefne.h](#).

## 5.1256.2.14 wk4

```
char st_portk_t::wk4[43]
```

Definition at line [25652](#) of file [iodefne.h](#).

## 5.1256.2.15 wk5

```
char st_portk_t::wk5[31]
```

Definition at line [25678](#) of file [iodefne.h](#).

## 5.1256.2.16 wk6

```
char st_portk_t::wk6[71]
```

Definition at line [25704](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1257 st\_portk\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1257.1 Detailed Description

Definition at line [25679](#) of file [iodefine.h](#).

### 5.1257.2 Field Documentation

#### 5.1257.2.1 BIT

#### 5.1257.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1258 st\_portk\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1258.1 Detailed Description

Definition at line [25705](#) of file [iodefine.h](#).



## 5.1258.2 Field Documentation

### 5.1258.2.1 BIT

### 5.1258.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1259 st\_portk\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1259.1 Detailed Description

Definition at line [25602](#) of file [iodefine.h](#).

## 5.1259.2 Field Documentation

### 5.1259.2.1 BIT

### 5.1259.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1260 st\_portk\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1260.1 Detailed Description

Definition at line [25627](#) of file [iodefne.h](#).

### 5.1260.2 Field Documentation

#### 5.1260.2.1 BIT

#### 5.1260.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1261 st\_portk\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1261.1 Detailed Description

Definition at line [25653](#) of file [iodefne.h](#).

### 5.1261.2 Field Documentation

#### 5.1261.2.1 BIT

#### 5.1261.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1262 st\_portk\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1262.1 Detailed Description

Definition at line [25498](#) of file [iodefine.h](#).

### 5.1262.2 Field Documentation

#### 5.1262.2.1 BIT

#### 5.1262.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1263 st\_portk\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1263.1 Detailed Description

Definition at line [25550](#) of file [iodefine.h](#).

## 5.1263.2 Field Documentation

### 5.1263.2.1 BIT

### 5.1263.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1264 st\_portk\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1264.1 Detailed Description

Definition at line [25576](#) of file [iodefine.h](#).

## 5.1264.2 Field Documentation

### 5.1264.2.1 BIT

### 5.1264.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1265 st\_portk\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1265.1 Detailed Description

Definition at line [25524](#) of file [iodefne.h](#).

### 5.1265.2 Field Documentation

#### 5.1265.2.1 BIT


#### 5.1265.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1266 st\_portl\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portl\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
    - struct {
      - unsigned char `B7`: 1
      - unsigned char `B6`: 1
      - unsigned char `B5`: 1
      - unsigned char `B4`: 1
      - unsigned char `B3`: 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [51]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [42]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```



```
 } BIT
} DSCR2
```

### 5.1266.1 Detailed Description

Definition at line [25732](#) of file [iodefine.h](#).

### 5.1266.2 Field Documentation

#### 5.1266.2.1 [union]

```
union { ... } st_portl_t::DSCR
```

#### 5.1266.2.2 [union]

```
union { ... } st_portl_t::DSCR2
```

#### 5.1266.2.3 [union]

```
union { ... } st_portl_t::ODR0
```

#### 5.1266.2.4 [union]

```
union { ... } st_portl_t::ODR1
```

#### 5.1266.2.5 [union]

```
union { ... } st_portl_t::PCR
```

#### 5.1266.2.6 [union]

```
union { ... } st_portl_t::PDR
```

#### 5.1266.2.7 [union]

```
union { ... } st_portl_t::PIDR
```

#### 5.1266.2.8 [union]

```
union { ... } st_portl_t::PMR
```

## 5.1266.2.9 [union]

```
union { ... } st_portl_t::PODR
```

## 5.1266.2.10 wk0

```
char st_portl_t::wk0[31]
```

Definition at line [25758](#) of file [iodefne.h](#).

## 5.1266.2.11 wk1

```
char st_portl_t::wk1[31]
```

Definition at line [25784](#) of file [iodefne.h](#).

## 5.1266.2.12 wk2

```
char st_portl_t::wk2[31]
```

Definition at line [25810](#) of file [iodefne.h](#).

## 5.1266.2.13 wk3

```
char st_portl_t::wk3[51]
```

Definition at line [25836](#) of file [iodefne.h](#).

## 5.1266.2.14 wk4

```
char st_portl_t::wk4[42]
```

Definition at line [25887](#) of file [iodefne.h](#).

## 5.1266.2.15 wk5

```
char st_portl_t::wk5[31]
```

Definition at line [25913](#) of file [iodefne.h](#).

## 5.1266.2.16 wk6

```
char st_portl_t::wk6[71]
```

Definition at line [25939](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1267 st\_portl\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1267.1 Detailed Description

Definition at line [25914](#) of file [iodefine.h](#).

### 5.1267.2 Field Documentation

#### 5.1267.2.1 BIT

#### 5.1267.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1268 st\_portl\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1268.1 Detailed Description

Definition at line [25940](#) of file [iodefine.h](#).

## 5.1268.2 Field Documentation

### 5.1268.2.1 BIT

### 5.1268.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1269 st\_portl\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1269.1 Detailed Description

Definition at line [25837](#) of file [iodefine.h](#).

## 5.1269.2 Field Documentation

### 5.1269.2.1 BIT

### 5.1269.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1270 st\_portl\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1270.1 Detailed Description

Definition at line [25862](#) of file [iodefne.h](#).

### 5.1270.2 Field Documentation

#### 5.1270.2.1 BIT

#### 5.1270.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1271 st\_portl\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1271.1 Detailed Description

Definition at line [25888](#) of file [iodefne.h](#).

### 5.1271.2 Field Documentation

#### 5.1271.2.1 BIT

#### 5.1271.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1272 st\_portl\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1272.1 Detailed Description

Definition at line [25733](#) of file [iodefine.h](#).

### 5.1272.2 Field Documentation

#### 5.1272.2.1 BIT

#### 5.1272.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1273 st\_portl\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1273.1 Detailed Description

Definition at line [25785](#) of file [iodefine.h](#).

## 5.1273.2 Field Documentation

### 5.1273.2.1 BIT

### 5.1273.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1274 st\_portl\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1274.1 Detailed Description

Definition at line [25811](#) of file [iodefne.h](#).

## 5.1274.2 Field Documentation

### 5.1274.2.1 BIT

### 5.1274.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1275 st\_portl\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1275.1 Detailed Description

Definition at line [25759](#) of file [iodefne.h](#).

### 5.1275.2 Field Documentation

#### 5.1275.2.1 BIT

#### 5.1275.2.2 BYTE


The documentation for this union was generated from the following files:

## 5.1276 st\_portm\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portm\_t:





#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [52]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```

```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [41]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
 } DSCR2
```

### 5.1276.1 Detailed Description

Definition at line [25967](#) of file [iodefine.h](#).

### 5.1276.2 Field Documentation

#### 5.1276.2.1 [union]

```
union { ... } st_portm_t::DSCR
```

#### 5.1276.2.2 [union]

```
union { ... } st_portm_t::DSCR2
```

#### 5.1276.2.3 [union]

```
union { ... } st_portm_t::ODR0
```

#### 5.1276.2.4 [union]

```
union { ... } st_portm_t::ODR1
```

#### 5.1276.2.5 [union]

```
union { ... } st_portm_t::PCR
```

#### 5.1276.2.6 [union]

```
union { ... } st_portm_t::PDR
```

#### 5.1276.2.7 [union]

```
union { ... } st_portm_t::PIDR
```

#### 5.1276.2.8 [union]

```
union { ... } st_portm_t::PMR
```

## 5.1276.2.9 [union]

```
union { ... } st_portm_t::PODR
```

## 5.1276.2.10 wk0

```
char st_portm_t::wk0[31]
```

Definition at line [25993](#) of file [iodefne.h](#).

## 5.1276.2.11 wk1

```
char st_portm_t::wk1[31]
```

Definition at line [26019](#) of file [iodefne.h](#).

## 5.1276.2.12 wk2

```
char st_portm_t::wk2[31]
```

Definition at line [26045](#) of file [iodefne.h](#).

## 5.1276.2.13 wk3

```
char st_portm_t::wk3[52]
```

Definition at line [26071](#) of file [iodefne.h](#).

## 5.1276.2.14 wk4

```
char st_portm_t::wk4[41]
```

Definition at line [26122](#) of file [iodefne.h](#).

## 5.1276.2.15 wk5

```
char st_portm_t::wk5[31]
```

Definition at line [26148](#) of file [iodefne.h](#).

## 5.1276.2.16 wk6

```
char st_portm_t::wk6[71]
```

Definition at line [26174](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_\\_test\\_\\_fit/iodefne.h](#)

## 5.1277 st\_portm\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1277.1 Detailed Description

Definition at line [26149](#) of file [iodefine.h](#).

### 5.1277.2 Field Documentation

#### 5.1277.2.1 BIT

#### 5.1277.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1278 st\_portm\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1278.1 Detailed Description

Definition at line [26175](#) of file [iodefine.h](#).

## 5.1278.2 Field Documentation

### 5.1278.2.1 BIT

### 5.1278.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1279 st\_portm\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1279.1 Detailed Description

Definition at line [26072](#) of file [iodefine.h](#).

## 5.1279.2 Field Documentation

### 5.1279.2.1 BIT

### 5.1279.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1280 st\_portm\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1280.1 Detailed Description

Definition at line [26097](#) of file [iodefine.h](#).

### 5.1280.2 Field Documentation

#### 5.1280.2.1 BIT

#### 5.1280.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1281 st\_portm\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1281.1 Detailed Description

Definition at line [26123](#) of file [iodefine.h](#).

### 5.1281.2 Field Documentation

#### 5.1281.2.1 BIT

#### 5.1281.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1282 st\_portm\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1282.1 Detailed Description

Definition at line [25968](#) of file [iodefine.h](#).

### 5.1282.2 Field Documentation

#### 5.1282.2.1 BIT

#### 5.1282.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1283 st\_portm\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1283.1 Detailed Description

Definition at line [26020](#) of file [iodefine.h](#).

## 5.1283.2 Field Documentation

### 5.1283.2.1 BIT

### 5.1283.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1284 st\_portm\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1284.1 Detailed Description

Definition at line [26046](#) of file [iodefine.h](#).

## 5.1284.2 Field Documentation

### 5.1284.2.1 BIT

### 5.1284.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1285 st\_portm\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1285.1 Detailed Description

Definition at line [25994](#) of file [iodefne.h](#).

### 5.1285.2 Field Documentation

#### 5.1285.2.1 BIT


#### 5.1285.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1286 st\_portn\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portn\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
    - struct {
      - unsigned `char`: 2
      - unsigned char `B5`: 1
      - unsigned char `B4`: 1
      - unsigned char `B3`: 1
      - unsigned char `B2`: 1

```

 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [53]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
 } ODR0

```

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 5
    - unsigned char [B2](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [ODR1](#)
- char [wk4](#) [40]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [PCR](#)
- char [wk5](#) [31]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [DSCR](#)
- char [wk6](#) [71]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1
    - unsigned char [B2](#): 1
    - unsigned char [B1](#): 1
    - unsigned char [B0](#): 1
  - } [BIT](#)
  - } [DSCR2](#)

### 5.1286.1 Detailed Description

Definition at line [26202](#) of file [iodefne.h](#).

## 5.1286.2 Field Documentation

### 5.1286.2.1 [union]

union { ... } st\_portn\_t::DSCR

### 5.1286.2.2 [union]

union { ... } st\_portn\_t::DSCR2

### 5.1286.2.3 [union]

union { ... } st\_portn\_t::ODR0

### 5.1286.2.4 [union]

union { ... } st\_portn\_t::ODR1

### 5.1286.2.5 [union]

union { ... } st\_portn\_t::PCR

### 5.1286.2.6 [union]

union { ... } st\_portn\_t::PDR

### 5.1286.2.7 [union]

union { ... } st\_portn\_t::PIDR

### 5.1286.2.8 [union]

union { ... } st\_portn\_t::PMR

### 5.1286.2.9 [union]

union { ... } st\_portn\_t::PODR

### 5.1286.2.10 wk0

char st\_portn\_t::wk0[31]

Definition at line [26226](#) of file [iodefine.h](#).

## 5.1286.2.11 wk1

```
char st_portn_t::wk1[31]
```

Definition at line [26250](#) of file [iodefne.h](#).

## 5.1286.2.12 wk2

```
char st_portn_t::wk2[31]
```

Definition at line [26274](#) of file [iodefne.h](#).

## 5.1286.2.13 wk3

```
char st_portn_t::wk3[53]
```

Definition at line [26298](#) of file [iodefne.h](#).

## 5.1286.2.14 wk4

```
char st_portn_t::wk4[40]
```

Definition at line [26341](#) of file [iodefne.h](#).

## 5.1286.2.15 wk5

```
char st_portn_t::wk5[31]
```

Definition at line [26365](#) of file [iodefne.h](#).

## 5.1286.2.16 wk6

```
char st_portn_t::wk6[71]
```

Definition at line [26389](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)



## 5.1287 st\_portn\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1287.1 Detailed Description

Definition at line [26366](#) of file [iodefine.h](#).

### 5.1287.2 Field Documentation

#### 5.1287.2.1 BIT

#### 5.1287.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1288 st\_portn\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1288.1 Detailed Description

Definition at line [26390](#) of file [iodefine.h](#).

## 5.1288.2 Field Documentation

### 5.1288.2.1 BIT

### 5.1288.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1289 st\_portn\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1289.1 Detailed Description

Definition at line [26299](#) of file [iodefine.h](#).

## 5.1289.2 Field Documentation

### 5.1289.2.1 BIT

### 5.1289.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1290 st\_portn\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1290.1 Detailed Description

Definition at line [26324](#) of file [iodefine.h](#).

### 5.1290.2 Field Documentation

#### 5.1290.2.1 BIT

#### 5.1290.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1291 st\_portn\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1291.1 Detailed Description

Definition at line [26342](#) of file [iodefine.h](#).

### 5.1291.2 Field Documentation

#### 5.1291.2.1 BIT

#### 5.1291.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1292 st\_portn\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1292.1 Detailed Description

Definition at line [26203](#) of file [iodefine.h](#).

### 5.1292.2 Field Documentation

#### 5.1292.2.1 BIT

#### 5.1292.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1293 st\_portn\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1293.1 Detailed Description

Definition at line [26251](#) of file [iodefine.h](#).

## 5.1293.2 Field Documentation

### 5.1293.2.1 BIT

### 5.1293.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1294 st\_portn\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1294.1 Detailed Description

Definition at line [26275](#) of file [iodefine.h](#).

## 5.1294.2 Field Documentation

### 5.1294.2.1 BIT

### 5.1294.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1295 st\_portn\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1295.1 Detailed Description

Definition at line [26227](#) of file [iodefne.h](#).

### 5.1295.2 Field Documentation

#### 5.1295.2.1 BIT


#### 5.1295.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1296 st\_portq\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_portq\_t:



#### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [B7](#): 1
    - unsigned char [B6](#): 1
    - unsigned char [B5](#): 1
    - unsigned char [B4](#): 1
    - unsigned char [B3](#): 1

```

 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PDR

```

- char wk0 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PODR

```

- char wk1 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PIDR

```

- char wk2 [31]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
 } PMR

```

- char wk3 [54]
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1

```



```

 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR0

• union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char B6: 1
 unsigned char B4: 1
 unsigned char B2: 1
 unsigned char B0: 1
 } BIT
} ODR1

• char wk4 [39]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} PCR

• char wk5 [31]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1
 } BIT
} DSCR

• char wk6 [71]
• union {
 unsigned char BYTE
 struct {
 unsigned char B7: 1
 unsigned char B6: 1
 unsigned char B5: 1
 unsigned char B4: 1
 unsigned char B3: 1
 unsigned char B2: 1
 unsigned char B1: 1
 unsigned char B0: 1

```

```
 } BIT
 } DSCR2
```

### 5.1296.1 Detailed Description

Definition at line [26415](#) of file [iodefine.h](#).

### 5.1296.2 Field Documentation

#### 5.1296.2.1 [union]

```
union { ... } st_portq_t::DSCR
```

#### 5.1296.2.2 [union]

```
union { ... } st_portq_t::DSCR2
```

#### 5.1296.2.3 [union]

```
union { ... } st_portq_t::ODR0
```

#### 5.1296.2.4 [union]

```
union { ... } st_portq_t::ODR1
```

#### 5.1296.2.5 [union]

```
union { ... } st_portq_t::PCR
```

#### 5.1296.2.6 [union]

```
union { ... } st_portq_t::PDR
```

#### 5.1296.2.7 [union]

```
union { ... } st_portq_t::PIDR
```

#### 5.1296.2.8 [union]

```
union { ... } st_portq_t::PMR
```

## 5.1296.2.9 [union]

```
union { ... } st_portq_t::PODR
```

## 5.1296.2.10 wk0

```
char st_portq_t::wk0[31]
```

Definition at line [26441](#) of file [iodefne.h](#).

## 5.1296.2.11 wk1

```
char st_portq_t::wk1[31]
```

Definition at line [26467](#) of file [iodefne.h](#).

## 5.1296.2.12 wk2

```
char st_portq_t::wk2[31]
```

Definition at line [26493](#) of file [iodefne.h](#).

## 5.1296.2.13 wk3

```
char st_portq_t::wk3[54]
```

Definition at line [26519](#) of file [iodefne.h](#).

## 5.1296.2.14 wk4

```
char st_portq_t::wk4[39]
```

Definition at line [26570](#) of file [iodefne.h](#).

## 5.1296.2.15 wk5

```
char st_portq_t::wk5[31]
```

Definition at line [26596](#) of file [iodefne.h](#).

## 5.1296.2.16 wk6

```
char st_portq_t::wk6[71]
```

Definition at line [26622](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1297 st\_portq\_t.DSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1297.1 Detailed Description

Definition at line [26597](#) of file [iodefne.h](#).

### 5.1297.2 Field Documentation

#### 5.1297.2.1 BIT

#### 5.1297.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1298 st\_portq\_t.DSCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1298.1 Detailed Description

Definition at line [26623](#) of file [iodefne.h](#).

## 5.1298.2 Field Documentation

### 5.1298.2.1 BIT

### 5.1298.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1299 st\_portq\_t.ODR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1299.1 Detailed Description

Definition at line [26520](#) of file [iodefine.h](#).

## 5.1299.2 Field Documentation

### 5.1299.2.1 BIT

### 5.1299.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1300 st\_portq\_t.ODR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1300.1 Detailed Description

Definition at line [26545](#) of file [iodefine.h](#).

### 5.1300.2 Field Documentation

#### 5.1300.2.1 BIT

#### 5.1300.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1301 st\_portq\_t.PCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1301.1 Detailed Description

Definition at line [26571](#) of file [iodefine.h](#).

### 5.1301.2 Field Documentation

#### 5.1301.2.1 BIT

#### 5.1301.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1302 st\_portq\_t.PDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1302.1 Detailed Description

Definition at line [26416](#) of file [iodefne.h](#).

### 5.1302.2 Field Documentation

#### 5.1302.2.1 BIT

#### 5.1302.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1303 st\_portq\_t.PIDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1303.1 Detailed Description

Definition at line [26468](#) of file [iodefne.h](#).

### 5.1303.2 Field Documentation

#### 5.1303.2.1 BIT

#### 5.1303.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1304 st\_portq\_t.PMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)

### 5.1304.1 Detailed Description

Definition at line [26494](#) of file [iodefne.h](#).

### 5.1304.2 Field Documentation

#### 5.1304.2.1 BIT

#### 5.1304.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1305 st\_portq\_t.PODR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [B7](#): 1
  - unsigned char [B6](#): 1
  - unsigned char [B5](#): 1
  - unsigned char [B4](#): 1
  - unsigned char [B3](#): 1
  - unsigned char [B2](#): 1
  - unsigned char [B1](#): 1
  - unsigned char [B0](#): 1
- } [BIT](#)



### 5.1305.1 Detailed Description

Definition at line 26442 of file [iodefne.h](#).

### 5.1305.2 Field Documentation

#### 5.1305.2.1 BIT


#### 5.1305.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1306 st\_ppg0\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_ppg0\_t:



## Data Fields

- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [G3CMS](#): 2  
     unsigned char [G2CMS](#): 2  
     unsigned char [G1CMS](#): 2  
     unsigned char [G0CMS](#): 2  
   } [BIT](#)  
 } [PCR](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [G3INV](#): 1  
     unsigned char [G2INV](#): 1  
     unsigned char [G1INV](#): 1  
     unsigned char [G0INV](#): 1  
     unsigned char [G3NOV](#): 1  
     unsigned char [G2NOV](#): 1  
     unsigned char [G1NOV](#): 1  
     unsigned char [G0NOV](#): 1  
   } [BIT](#)  
 } [PMR](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [NDER15](#): 1  
     unsigned char [NDER14](#): 1  
     unsigned char [NDER13](#): 1  
     unsigned char [NDER12](#): 1  
     unsigned char [NDER11](#): 1  
     unsigned char [NDER10](#): 1  
     unsigned char [NDER9](#): 1  
     unsigned char [NDER8](#): 1  
   } [BIT](#)  
 } [NDERH](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [NDER7](#): 1  
     unsigned char [NDER6](#): 1  
     unsigned char [NDER5](#): 1  
     unsigned char [NDER4](#): 1  
     unsigned char [NDER3](#): 1  
     unsigned char [NDER2](#): 1  
     unsigned char [NDER1](#): 1  
     unsigned char [NDER0](#): 1  
   } [BIT](#)  
 } [NDERL](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [POD15](#): 1  
 } [POD](#)

- ```

    unsigned char POD14: 1
    unsigned char POD13: 1
    unsigned char POD12: 1
    unsigned char POD11: 1
    unsigned char POD10: 1
    unsigned char POD9: 1
    unsigned char POD8: 1
    } BIT
} PODRH

```
- union {


```

        unsigned char BYTE
        struct {
          unsigned char POD7: 1
          unsigned char POD6: 1
          unsigned char POD5: 1
          unsigned char POD4: 1
          unsigned char POD3: 1
          unsigned char POD2: 1
          unsigned char POD1: 1
          unsigned char POD0: 1
        } BIT
      } PODRL
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char NDR15: 1
          unsigned char NDR14: 1
          unsigned char NDR13: 1
          unsigned char NDR12: 1
          unsigned char NDR11: 1
          unsigned char NDR10: 1
          unsigned char NDR9: 1
          unsigned char NDR8: 1
        } BIT
      } NDRH
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char NDR7: 1
          unsigned char NDR6: 1
          unsigned char NDR5: 1
          unsigned char NDR4: 1
          unsigned char NDR3: 1
          unsigned char NDR2: 1
          unsigned char NDR1: 1
          unsigned char NDR0: 1
        } BIT
      } NDRL
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 4
          unsigned char NDR11: 1
          unsigned char NDR10: 1
        }
      
```

```

    unsigned char NDR9: 1
    unsigned char NDR8: 1
    } BIT
} NDRH2

```

- union {


```

        unsigned char BYTE
        struct {
          unsigned char: 4
          unsigned char NDR3: 1
          unsigned char NDR2: 1
          unsigned char NDR1: 1
          unsigned char NDR0: 1
        } BIT
      } NDRL2

```

5.1306.1 Detailed Description

Definition at line [26650](#) of file [iodefine.h](#).

5.1306.2 Field Documentation

5.1306.2.1 [union]

```
union { ... } st_ppg0_t::NDERH
```

5.1306.2.2 [union]

```
union { ... } st_ppg0_t::NDERL
```

5.1306.2.3 [union]

```
union { ... } st_ppg0_t::NDRH
```

5.1306.2.4 [union]

```
union { ... } st_ppg0_t::NDRH2
```

5.1306.2.5 [union]

```
union { ... } st_ppg0_t::NDRL
```

5.1306.2.6 [union]

```
union { ... } st_ppg0_t::NDRL2
```

5.1306.2.7 [union]

```
union { ... } st_ppg0_t::PCR
```

5.1306.2.8 [union]

```
union { ... } st_ppg0_t::PMR
```

5.1306.2.9 [union]

```
union { ... } st_ppg0_t::PODRH
```

5.1306.2.10 [union]

```
union { ... } st_ppg0_t::PODRL
```

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodef.h](#)

5.1307 st_ppg0_t.NDERH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDER15](#): 1
 - unsigned char [NDER14](#): 1
 - unsigned char [NDER13](#): 1
 - unsigned char [NDER12](#): 1
 - unsigned char [NDER11](#): 1
 - unsigned char [NDER10](#): 1
 - unsigned char [NDER9](#): 1
 - unsigned char [NDER8](#): 1
- } [BIT](#)

5.1307.1 Detailed Description

Definition at line [26693](#) of file [iodef.h](#).

5.1307.2 Field Documentation

5.1307.2.1 BIT

5.1307.2.2 BYTE

The documentation for this union was generated from the following files:

5.1308 st_ppg0_t.NDERL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDER7](#): 1
 - unsigned char [NDER6](#): 1
 - unsigned char [NDER5](#): 1
 - unsigned char [NDER4](#): 1
 - unsigned char [NDER3](#): 1
 - unsigned char [NDER2](#): 1
 - unsigned char [NDER1](#): 1
 - unsigned char [NDER0](#): 1
- } [BIT](#)

5.1308.1 Detailed Description

Definition at line [26718](#) of file [iodefine.h](#).

5.1308.2 Field Documentation

5.1308.2.1 BIT

5.1308.2.2 BYTE

The documentation for this union was generated from the following files:

5.1309 st_ppg0_t.NDRH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDR15](#): 1
 - unsigned char [NDR14](#): 1
 - unsigned char [NDR13](#): 1
 - unsigned char [NDR12](#): 1
 - unsigned char [NDR11](#): 1
 - unsigned char [NDR10](#): 1
 - unsigned char [NDR9](#): 1
 - unsigned char [NDR8](#): 1
- } [BIT](#)

5.1309.1 Detailed Description

Definition at line [26793](#) of file [iodefine.h](#).

5.1309.2 Field Documentation

5.1309.2.1 BIT

5.1309.2.2 BYTE

The documentation for this union was generated from the following files:

5.1310 st_ppg0_t.NDRH2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 4
 - unsigned char [NDR11](#): 1
 - unsigned char [NDR10](#): 1
 - unsigned char [NDR9](#): 1
 - unsigned char [NDR8](#): 1
- } [BIT](#)

5.1310.1 Detailed Description

Definition at line [26843](#) of file [iodefine.h](#).

5.1310.2 Field Documentation

5.1310.2.1 BIT

5.1310.2.2 BYTE

The documentation for this union was generated from the following files:

5.1311 st_ppg0_t.NDRL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDR7](#): 1
 - unsigned char [NDR6](#): 1
 - unsigned char [NDR5](#): 1
 - unsigned char [NDR4](#): 1
 - unsigned char [NDR3](#): 1
 - unsigned char [NDR2](#): 1
 - unsigned char [NDR1](#): 1
 - unsigned char [NDR0](#): 1
- } [BIT](#)

5.1311.1 Detailed Description

Definition at line [26818](#) of file [iodefine.h](#).

5.1311.2 Field Documentation

5.1311.2.1 BIT

5.1311.2.2 BYTE

The documentation for this union was generated from the following files:

5.1312 st_ppg0_t.NDRL2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [NDR3](#): 1
 - unsigned char [NDR2](#): 1
 - unsigned char [NDR1](#): 1
 - unsigned char [NDR0](#): 1
- } [BIT](#)

5.1312.1 Detailed Description

Definition at line [26862](#) of file [iodefine.h](#).

5.1312.2 Field Documentation

5.1312.2.1 BIT

5.1312.2.2 BYTE

The documentation for this union was generated from the following files:

5.1313 st_ppg0_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [G3CMS](#): 2
 - unsigned char [G2CMS](#): 2
 - unsigned char [G1CMS](#): 2
 - unsigned char [G0CMS](#): 2
- } [BIT](#)

5.1313.1 Detailed Description

Definition at line [26651](#) of file [iodefne.h](#).

5.1313.2 Field Documentation

5.1313.2.1 BIT

5.1313.2.2 BYTE

The documentation for this union was generated from the following files:

5.1314 st_ppg0_t.PMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [G3INV](#): 1
 - unsigned char [G2INV](#): 1
 - unsigned char [G1INV](#): 1
 - unsigned char [G0INV](#): 1
 - unsigned char [G3NOV](#): 1
 - unsigned char [G2NOV](#): 1
 - unsigned char [G1NOV](#): 1
 - unsigned char [G0NOV](#): 1
- } [BIT](#)

5.1314.1 Detailed Description

Definition at line [26668](#) of file [iodefne.h](#).

5.1314.2 Field Documentation

5.1314.2.1 BIT

5.1314.2.2 BYTE

The documentation for this union was generated from the following files:

5.1315 st_ppg0_t.PODRH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [POD15](#): 1
 - unsigned char [POD14](#): 1
 - unsigned char [POD13](#): 1
 - unsigned char [POD12](#): 1
 - unsigned char [POD11](#): 1
 - unsigned char [POD10](#): 1
 - unsigned char [POD9](#): 1
 - unsigned char [POD8](#): 1
- } [BIT](#)

5.1315.1 Detailed Description

Definition at line [26743](#) of file [iodefine.h](#).

5.1315.2 Field Documentation

5.1315.2.1 BIT

5.1315.2.2 BYTE

The documentation for this union was generated from the following files:

5.1316 st_ppg0_t.PODRL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [POD7](#): 1
 - unsigned char [POD6](#): 1
 - unsigned char [POD5](#): 1
 - unsigned char [POD4](#): 1
 - unsigned char [POD3](#): 1
 - unsigned char [POD2](#): 1
 - unsigned char [POD1](#): 1
 - unsigned char [POD0](#): 1
- } [BIT](#)

5.1316.1 Detailed Description

Definition at line [26768](#) of file [iodefine.h](#).

5.1316.2 Field Documentation

5.1316.2.1 BIT


5.1316.2.2 BYTE

The documentation for this union was generated from the following files:

5.1317 st_ppg1_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_ppg1_t:



Data Fields

- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned `char`: 7
 - unsigned char `PTRSL`: 1
 - } `BIT`
 - } `PTRSLR`
- char `wk0` [5]

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [G3CMS](#): 2
 - unsigned char [G2CMS](#): 2
 - unsigned char [G1CMS](#): 2
 - unsigned char [G0CMS](#): 2
 - } [BIT](#)
} [PCR](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [G3INV](#): 1
 - unsigned char [G2INV](#): 1
 - unsigned char [G1INV](#): 1
 - unsigned char [G0INV](#): 1
 - unsigned char [G3NOV](#): 1
 - unsigned char [G2NOV](#): 1
 - unsigned char [G1NOV](#): 1
 - unsigned char [G0NOV](#): 1
 - } [BIT](#)
} [PMR](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [NDER31](#): 1
 - unsigned char [NDER30](#): 1
 - unsigned char [NDER29](#): 1
 - unsigned char [NDER28](#): 1
 - unsigned char [NDER27](#): 1
 - unsigned char [NDER26](#): 1
 - unsigned char [NDER25](#): 1
 - unsigned char [NDER24](#): 1
 - } [BIT](#)
} [NDERH](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [NDER23](#): 1
 - unsigned char [NDER22](#): 1
 - unsigned char [NDER21](#): 1
 - unsigned char [NDER20](#): 1
 - unsigned char [NDER19](#): 1
 - unsigned char [NDER18](#): 1
 - unsigned char [NDER17](#): 1
 - unsigned char [NDER16](#): 1
 - } [BIT](#)
} [NDERL](#)

- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [POD31](#): 1
 - unsigned char [POD30](#): 1
 - unsigned char [POD29](#): 1

```

unsigned char POD28: 1
unsigned char POD27: 1
unsigned char POD26: 1
unsigned char POD25: 1
unsigned char POD24: 1
    } BIT
} PODRH

```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char POD23: 1
      unsigned char POD22: 1
      unsigned char POD21: 1
      unsigned char POD20: 1
      unsigned char POD19: 1
      unsigned char POD18: 1
      unsigned char POD17: 1
      unsigned char POD16: 1
      } BIT
      } PODRL
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char NDR31: 1
      unsigned char NDR30: 1
      unsigned char NDR29: 1
      unsigned char NDR28: 1
      unsigned char NDR27: 1
      unsigned char NDR26: 1
      unsigned char NDR25: 1
      unsigned char NDR24: 1
      } BIT
      } NDRH
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char NDR23: 1
      unsigned char NDR22: 1
      unsigned char NDR21: 1
      unsigned char NDR20: 1
      unsigned char NDR19: 1
      unsigned char NDR18: 1
      unsigned char NDR17: 1
      unsigned char NDR16: 1
      } BIT
      } NDRL
      
```

- union {


```

      unsigned char BYTE
      struct {
      unsigned char: 4
      unsigned char NDR27: 1
      unsigned char NDR26: 1
      unsigned char NDR25: 1
      unsigned char NDR24: 1
      
```

```

    } BIT
} NDRH2

```

- union {
 unsigned char BYTE
 struct {
 unsigned char: 4
 unsigned char NDR19: 1
 unsigned char NDR18: 1
 unsigned char NDR17: 1
 unsigned char NDR16: 1
 } BIT
 } NDRL2

5.1317.1 Detailed Description

Definition at line 26883 of file [iodefine.h](#).

5.1317.2 Field Documentation

5.1317.2.1 [union]

```
union { ... } st_ppg1_t::NDRH
```

5.1317.2.2 [union]

```
union { ... } st_ppg1_t::NDRL
```

5.1317.2.3 [union]

```
union { ... } st_ppg1_t::NDRH
```

5.1317.2.4 [union]

```
union { ... } st_ppg1_t::NDRH2
```

5.1317.2.5 [union]

```
union { ... } st_ppg1_t::NDRL
```

5.1317.2.6 [union]

```
union { ... } st_ppg1_t::NDRL2
```

5.1317.2.7 [union]

```
union { ... } st_ppg1_t::PCR
```

5.1317.2.8 [union]

```
union { ... } st_ppg1_t::PMR
```

5.1317.2.9 [union]

```
union { ... } st_ppg1_t::PODRH
```

5.1317.2.10 [union]

```
union { ... } st_ppg1_t::PODRL
```

5.1317.2.11 [union]

```
union { ... } st_ppg1_t::PTRSLR
```

5.1317.2.12 wk0

```
char st_ppg1_t::wk0[5]
```

Definition at line [26897](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1318 st_ppg1_t.NDERH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDER31](#): 1
 - unsigned char [NDER30](#): 1
 - unsigned char [NDER29](#): 1
 - unsigned char [NDER28](#): 1
 - unsigned char [NDER27](#): 1
 - unsigned char [NDER26](#): 1
 - unsigned char [NDER25](#): 1
 - unsigned char [NDER24](#): 1
- [BIT](#)

5.1318.1 Detailed Description

Definition at line [26940](#) of file [iodefine.h](#).

5.1318.2 Field Documentation

5.1318.2.1 BIT

5.1318.2.2 BYTE

The documentation for this union was generated from the following files:

5.1319 st_ppg1_t.NDERL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDER23](#): 1
 - unsigned char [NDER22](#): 1
 - unsigned char [NDER21](#): 1
 - unsigned char [NDER20](#): 1
 - unsigned char [NDER19](#): 1
 - unsigned char [NDER18](#): 1
 - unsigned char [NDER17](#): 1
 - unsigned char [NDER16](#): 1
- } [BIT](#)

5.1319.1 Detailed Description

Definition at line [26965](#) of file [iodefine.h](#).

5.1319.2 Field Documentation

5.1319.2.1 BIT

5.1319.2.2 BYTE

The documentation for this union was generated from the following files:

5.1320 st_ppg1_t.NDRH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDR31](#): 1
 - unsigned char [NDR30](#): 1
 - unsigned char [NDR29](#): 1
 - unsigned char [NDR28](#): 1
 - unsigned char [NDR27](#): 1
 - unsigned char [NDR26](#): 1
 - unsigned char [NDR25](#): 1
 - unsigned char [NDR24](#): 1
- } [BIT](#)

5.1320.1 Detailed Description

Definition at line [27040](#) of file [iodefine.h](#).

5.1320.2 Field Documentation

5.1320.2.1 BIT

5.1320.2.2 BYTE

The documentation for this union was generated from the following files:

5.1321 st_ppg1_t.NDRH2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [NDR27](#): 1
 - unsigned char [NDR26](#): 1
 - unsigned char [NDR25](#): 1
 - unsigned char [NDR24](#): 1
- } [BIT](#)

5.1321.1 Detailed Description

Definition at line [27090](#) of file [iodefine.h](#).

5.1321.2 Field Documentation

5.1321.2.1 BIT

5.1321.2.2 BYTE

The documentation for this union was generated from the following files:

5.1322 st_ppg1_t.NDRL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NDR23](#): 1
 - unsigned char [NDR22](#): 1
 - unsigned char [NDR21](#): 1
 - unsigned char [NDR20](#): 1
 - unsigned char [NDR19](#): 1
 - unsigned char [NDR18](#): 1
 - unsigned char [NDR17](#): 1
 - unsigned char [NDR16](#): 1
- } [BIT](#)

5.1322.1 Detailed Description

Definition at line [27065](#) of file [iodefine.h](#).

5.1322.2 Field Documentation

5.1322.2.1 BIT

5.1322.2.2 BYTE

The documentation for this union was generated from the following files:

5.1323 st_ppg1_t.NDRL2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [NDR19](#): 1
 - unsigned char [NDR18](#): 1
 - unsigned char [NDR17](#): 1
 - unsigned char [NDR16](#): 1
- } [BIT](#)

5.1323.1 Detailed Description

Definition at line [27109](#) of file [iodefne.h](#).

5.1323.2 Field Documentation

5.1323.2.1 BIT

5.1323.2.2 BYTE

The documentation for this union was generated from the following files:

5.1324 st_ppg1_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [G3CMS](#): 2
 - unsigned char [G2CMS](#): 2
 - unsigned char [G1CMS](#): 2
 - unsigned char [G0CMS](#): 2
- } [BIT](#)

5.1324.1 Detailed Description

Definition at line [26898](#) of file [iodefne.h](#).

5.1324.2 Field Documentation

5.1324.2.1 BIT

5.1324.2.2 BYTE

The documentation for this union was generated from the following files:

5.1325 st_ppg1_t.PMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [G3INV](#): 1
 - unsigned char [G2INV](#): 1
 - unsigned char [G1INV](#): 1
 - unsigned char [G0INV](#): 1
 - unsigned char [G3NOV](#): 1
 - unsigned char [G2NOV](#): 1
 - unsigned char [G1NOV](#): 1
 - unsigned char [G0NOV](#): 1
- } [BIT](#)

5.1325.1 Detailed Description

Definition at line [26915](#) of file [iodef.h](#).

5.1325.2 Field Documentation

5.1325.2.1 BIT

5.1325.2.2 BYTE

The documentation for this union was generated from the following files:

5.1326 st_ppg1_t.PODRH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [POD31](#): 1
 - unsigned char [POD30](#): 1
 - unsigned char [POD29](#): 1
 - unsigned char [POD28](#): 1
 - unsigned char [POD27](#): 1
 - unsigned char [POD26](#): 1
 - unsigned char [POD25](#): 1
 - unsigned char [POD24](#): 1
- } [BIT](#)

5.1326.1 Detailed Description

Definition at line [26990](#) of file [iodef.h](#).

5.1326.2 Field Documentation

5.1326.2.1 BIT

5.1326.2.2 BYTE

The documentation for this union was generated from the following files:

5.1327 st_ppg1_t.PODRL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [POD23](#): 1
 - unsigned char [POD22](#): 1
 - unsigned char [POD21](#): 1
 - unsigned char [POD20](#): 1
 - unsigned char [POD19](#): 1
 - unsigned char [POD18](#): 1
 - unsigned char [POD17](#): 1
 - unsigned char [POD16](#): 1
- } [BIT](#)

5.1327.1 Detailed Description

Definition at line [27015](#) of file [iodefine.h](#).

5.1327.2 Field Documentation

5.1327.2.1 BIT

5.1327.2.2 BYTE

The documentation for this union was generated from the following files:

5.1328 st_ppg1_t.PTRSLR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 7
 - unsigned char [PTRSL](#): 1
- } [BIT](#)

5.1328.1 Detailed Description

Definition at line [26884](#) of file [iodefine.h](#).

5.1328.2 Field Documentation

5.1328.2.1 BIT


5.1328.2.2 BYTE

The documentation for this union was generated from the following files:

5.1329 st_ptpedmac_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_ptpedmac_t:



Data Fields

- union {
 - unsigned long `LONG`
 - struct {
 - unsigned long `long`: 25
 - unsigned long `DE`: 1
 - unsigned long `DL`: 2
 - unsigned long `SWR`: 1
 - } `BIT`

- char [wk0](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 31
 unsigned long [TR](#): 1
 } [BIT](#)
} [EDTRR](#)
- char [wk1](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 31
 unsigned long [RR](#): 1
 } [BIT](#)
} [EDRRR](#)
- char [wk2](#) [4]
- void * [TDLAR](#)
- char [wk3](#) [4]
- void * [RDLAR](#)
- char [wk4](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 1
 unsigned long [TWB](#): 1
 unsigned long [TABT](#): 1
 unsigned long [RFCOF](#): 1
 unsigned long [TC](#): 1
 unsigned long [TDE](#): 1
 unsigned long [TFUF](#): 1
 unsigned long [FR](#): 1
 unsigned long [RDE](#): 1
 unsigned long [RFOF](#): 1
 unsigned long [MACE](#): 1
 unsigned long [RPORT](#): 1
 unsigned long [PVER](#): 1
 unsigned long [TYPE](#): 4
 } [BIT](#)
} [EESR](#)
- char [wk5](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 1
 unsigned long [TWBIP](#): 1
 unsigned long [TABTIP](#): 1
 unsigned long [RFCOFIP](#): 1
 unsigned long [TCIP](#): 1
 unsigned long [TDEIP](#): 1
 unsigned long [TFUFIP](#): 1
 unsigned long [FRIP](#): 1
 unsigned long [RDEIP](#): 1

- unsigned long [RFOFIP](#): 1
 - unsigned long [MACEIP](#): 1
 - unsigned long [RPORTIP](#): 1
 - unsigned long [PVERIP](#): 1
 - } [BIT](#)
 - } [EESIPR](#)
- char [wk6](#) [12]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [MFC](#): 16
 - } [BIT](#)
 - } [RMFCR](#)
- char [wk7](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 21
 - unsigned long [TFT](#): 11
 - } [BIT](#)
 - } [TFTR](#)
- char [wk8](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 19
 - unsigned long [TFD](#): 5
 - unsigned long [RFD](#): 5
 - } [BIT](#)
 - } [FDR](#)
- char [wk9](#) [4]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 31
 - unsigned long [RNR](#): 1
 - } [BIT](#)
 - } [RMCR](#)
- char [wk10](#) [8]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [UNDER](#): 16
 - } [BIT](#)
 - } [TFUCR](#)
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 16
 - unsigned long [OVER](#): 16

- char [wk11](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 13
 unsigned long [RFFO](#): 3
 unsigned long [RFDO](#): 3
 } [BIT](#)
} [FCFTR](#)
- char [wk12](#) [4]
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 14
 unsigned long [PADS](#): 2
 unsigned long [PADR](#): 6
 } [BIT](#)
} [RPADIR](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 27
 unsigned long [TIM](#): 1
 unsigned long [TIS](#): 1
 } [BIT](#)
} [TRIMD](#)
- char [wk13](#) [72]
- void * [RBWAR](#)
- void * [RDFAR](#)
- char [wk14](#) [4]
- void * [TBRAR](#)
- void * [TDFAR](#)

Definition at line 27130 of file iodef.h.

5.1329.2.1 [union]

5.1329.2.2 [union]

Generated by Doxygen

5.1329.2.3 [union]

union { ... } st_ptpedmac_t::EDTRR

5.1329.2.4 [union]

union { ... } st_ptpedmac_t::EESIPR

5.1329.2.5 [union]

union { ... } st_ptpedmac_t::EESR

5.1329.2.6 [union]

union { ... } st_ptpedmac_t::FCFTR

5.1329.2.7 [union]

union { ... } st_ptpedmac_t::FDR

5.1329.2.8 RBWAR

void* st_ptpedmac_t::RBWAR

Definition at line [27419](#) of file [iodefne.h](#).

5.1329.2.9 RDFAR

void* st_ptpedmac_t::RDFAR

Definition at line [27420](#) of file [iodefne.h](#).

5.1329.2.10 RDLAR

void* st_ptpedmac_t::RDLAR

Definition at line [27181](#) of file [iodefne.h](#).

5.1329.2.11 [union]

union { ... } st_ptpedmac_t::RFOCR

5.1329.2.12 [union]

union { ... } st_ptpedmac_t::RMCR

5.1329.2.13 [union]

union { ... } st_ptpedmac_t::RMFCR

5.1329.2.14 [union]

union { ... } st_ptpedmac_t::RPADIR

5.1329.2.15 TBRAR

void* st_ptpedmac_t::TBRAR

Definition at line 27422 of file [iodefne.h](#).

5.1329.2.16 TDFAR

void* st_ptpedmac_t::TDFAR

Definition at line 27423 of file [iodefne.h](#).

5.1329.2.17 TDLAR

void* st_ptpedmac_t::TDLAR

Definition at line 27179 of file [iodefne.h](#).

5.1329.2.18 [union]

union { ... } st_ptpedmac_t::TFTR

5.1329.2.19 [union]

union { ... } st_ptpedmac_t::TFUCR

5.1329.2.20 [union]

union { ... } st_ptpedmac_t::TRIMD

5.1329.2.21 wk0

```
char st_ptpedmac_t::wk0[4]
```

Definition at line [27150](#) of file [iodefne.h](#).

5.1329.2.22 wk1

```
char st_ptpedmac_t::wk1[4]
```

Definition at line [27164](#) of file [iodefne.h](#).

5.1329.2.23 wk10

```
char st_ptpedmac_t::wk10[8]
```

Definition at line [27338](#) of file [iodefne.h](#).

5.1329.2.24 wk11

```
char st_ptpedmac_t::wk11[4]
```

Definition at line [27365](#) of file [iodefne.h](#).

5.1329.2.25 wk12

```
char st_ptpedmac_t::wk12[4]
```

Definition at line [27383](#) of file [iodefne.h](#).

5.1329.2.26 wk13

```
char st_ptpedmac_t::wk13[72]
```

Definition at line [27418](#) of file [iodefne.h](#).

5.1329.2.27 wk14

```
char st_ptpedmac_t::wk14[4]
```

Definition at line [27421](#) of file [iodefne.h](#).

5.1329.2.28 wk2

```
char st_ptpedmac_t::wk2[4]
```

Definition at line [27178](#) of file [iodefne.h](#).

5.1329.2.29 wk3

```
char st_ptpedmac_t::wk3[4]
```

Definition at line [27180](#) of file [iodefne.h](#).

5.1329.2.30 wk4

```
char st_ptpedmac_t::wk4[4]
```

Definition at line [27182](#) of file [iodefne.h](#).

5.1329.2.31 wk5

```
char st_ptpedmac_t::wk5[4]
```

Definition at line [27230](#) of file [iodefne.h](#).

5.1329.2.32 wk6

```
char st_ptpedmac_t::wk6[12]
```

Definition at line [27278](#) of file [iodefne.h](#).

5.1329.2.33 wk7

```
char st_ptpedmac_t::wk7[4]
```

Definition at line [27292](#) of file [iodefne.h](#).

5.1329.2.34 wk8

```
char st_ptpedmac_t::wk8[4]
```

Definition at line [27306](#) of file [iodefne.h](#).

5.1329.2.35 wk9

```
char st_ptpedmac_t::wk9[4]
```

Definition at line [27324](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm__test__fit/iodefne.h](#)

5.1330 st_ptpedmac_t.EDMR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 25
 - unsigned long [DE](#): 1
 - unsigned long [DL](#): 2
 - unsigned long [SWR](#): 1
- } [BIT](#)

5.1330.1 Detailed Description

Definition at line [27131](#) of file [iodefne.h](#).

5.1330.2 Field Documentation

5.1330.2.1 BIT

5.1330.2.2 LONG

The documentation for this union was generated from the following files:

5.1331 st_ptpedmac_t.EDRRR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long: 31
 - unsigned long [RR](#): 1
- } [BIT](#)

5.1331.1 Detailed Description

Definition at line [27165](#) of file [iodefne.h](#).

5.1331.2 Field Documentation

5.1331.2.1 BIT

5.1331.2.2 LONG

The documentation for this union was generated from the following files:

5.1332 st_ptpedmac_t.EDTRR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [TR](#): 1
} [BIT](#)

5.1332.1 Detailed Description

Definition at line [27151](#) of file [iodefine.h](#).

5.1332.2 Field Documentation

5.1332.2.1 BIT

5.1332.2.2 LONG

The documentation for this union was generated from the following files:

5.1333 st_ptpedmac_t.EESIPR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 1
 unsigned long [TWBIP](#): 1
 unsigned long [TABTIP](#): 1
 unsigned long [RFCOFIP](#): 1
 unsigned long [TCIP](#): 1
 unsigned long [TDEIP](#): 1
 unsigned long [TFUFIP](#): 1
 unsigned long [FRIP](#): 1
 unsigned long [RDEIP](#): 1
 unsigned long [RFOFIP](#): 1
 unsigned long [MACEIP](#): 1
 unsigned long [RPORTIP](#): 1
 unsigned long [PVERIP](#): 1
} [BIT](#)

5.1333.1 Detailed Description

Definition at line [27231](#) of file [iodefine.h](#).

5.1333.2 Field Documentation

5.1333.2.1 BIT

5.1333.2.2 LONG

The documentation for this union was generated from the following files:

5.1334 st_ptpedmac_t.EESR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned long [long](#): 1
 - unsigned long [TWB](#): 1
 - unsigned long [TABT](#): 1
 - unsigned long [RFCOF](#): 1
 - unsigned long [TC](#): 1
 - unsigned long [TDE](#): 1
 - unsigned long [TFUF](#): 1
 - unsigned long [FR](#): 1
 - unsigned long [RDE](#): 1
 - unsigned long [RFOF](#): 1
 - unsigned long [MACE](#): 1
 - unsigned long [RPORT](#): 1
 - unsigned long [PVER](#): 1
 - unsigned long [TYPE](#): 4
- } [BIT](#)

5.1334.1 Detailed Description

Definition at line [27183](#) of file [iodefine.h](#).

5.1334.2 Field Documentation

5.1334.2.1 BIT

5.1334.2.2 LONG

The documentation for this union was generated from the following files:

5.1335 st_ptpedmac_t.FCFTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 13
 unsigned long [RFFO](#): 3
 unsigned long [RFDO](#): 3
} [BIT](#)

5.1335.1 Detailed Description

Definition at line [27366](#) of file [iodefine.h](#).

5.1335.2 Field Documentation

5.1335.2.1 BIT

5.1335.2.2 LONG

The documentation for this union was generated from the following files:

5.1336 st_ptpedmac_t.FDR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 19
 unsigned long [TFD](#): 5
 unsigned long [RFD](#): 5
} [BIT](#)

5.1336.1 Detailed Description

Definition at line [27307](#) of file [iodefine.h](#).

5.1336.2 Field Documentation

5.1336.2.1 BIT

5.1336.2.2 LONG

The documentation for this union was generated from the following files:

5.1337 st_ptpedmac_t.RFOCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 16
 unsigned long [OVER](#): 16
} [BIT](#)

5.1337.1 Detailed Description

Definition at line [27352](#) of file [iodefne.h](#).

5.1337.2 Field Documentation

5.1337.2.1 BIT

5.1337.2.2 LONG

The documentation for this union was generated from the following files:

5.1338 st_ptpedmac_t.RMCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 31
 unsigned long [RNR](#): 1
} [BIT](#)

5.1338.1 Detailed Description

Definition at line [27325](#) of file [iodefne.h](#).

5.1338.2 Field Documentation

5.1338.2.1 BIT

5.1338.2.2 LONG

The documentation for this union was generated from the following files:

5.1339 st_ptpedmac_t.RMFCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 16
 - unsigned long [MFC](#): 16
- } [BIT](#)

5.1339.1 Detailed Description

Definition at line [27279](#) of file [iodefine.h](#).

5.1339.2 Field Documentation

5.1339.2.1 BIT

5.1339.2.2 LONG

The documentation for this union was generated from the following files:

5.1340 st_ptpedmac_t.RPADIR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 14
 - unsigned long [PADS](#): 2
 - unsigned long [PADR](#): 6
- } [BIT](#)

5.1340.1 Detailed Description

Definition at line [27384](#) of file [iodefine.h](#).

5.1340.2 Field Documentation

5.1340.2.1 BIT

5.1340.2.2 LONG

The documentation for this union was generated from the following files:

5.1341 st_ptpedmac_t.TFTR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 21
 unsigned long [TFT](#): 11
} [BIT](#)

5.1341.1 Detailed Description

Definition at line [27293](#) of file [iodefine.h](#).

5.1341.2 Field Documentation

5.1341.2.1 BIT

5.1341.2.2 LONG

The documentation for this union was generated from the following files:

5.1342 st_ptpedmac_t.TFUCR Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 unsigned [long](#): 16
 unsigned long [UNDER](#): 16
} [BIT](#)

5.1342.1 Detailed Description

Definition at line [27339](#) of file [iodefine.h](#).

5.1342.2 Field Documentation

5.1342.2.1 BIT

5.1342.2.2 LONG

The documentation for this union was generated from the following files:

5.1343 st_ptpedmac_t.TRIMD Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 27
 - unsigned long [TIM](#): 1
 - unsigned long [TIS](#): 1
- } [BIT](#)

5.1343.1 Detailed Description

Definition at line [27401](#) of file [iodefne.h](#).

5.1343.2 Field Documentation

5.1343.2.1 BIT


5.1343.2.2 LONG

The documentation for this union was generated from the following files:

5.1344 st_qspi_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st_qspi_t:



Data Fields

- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char `SPRIE`: 1
 - unsigned char `SPE`: 1
 - unsigned char `SPTIE`: 1
 - unsigned `char`: 1
 - unsigned char `MSTR`: 1

- ```

 unsigned char SPSSLIE: 1
 } BIT
} SPCR

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char SSLP: 1
 } BIT
 } SSLP

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char MOIFE: 1
 unsigned char MOIFV: 1
 unsigned char IO3FV: 1
 unsigned char IO2FV: 1
 unsigned char SPLP: 1
 } BIT
 } SPPCR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char SPRFF: 1
 unsigned char TREND: 1
 unsigned char SPTEF: 1
 unsigned char SPSSLF: 1
 unsigned char: 4
 } BIT
 } SPSR

```
  - union {
 

```

 unsigned long LONG
 struct {
 unsigned short H
 } WORD
 struct {
 unsigned char HH
 } BYTE
 } SPDR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char SPSC: 2
 } BIT
 } SPSCR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char SPSS: 2

```

- ```

    } BIT
} SPSSR

```
- union {
 unsigned char BYTE
 struct {
 unsigned char SPBR7: 1
 unsigned char SPBR6: 1
 unsigned char SPBR5: 1
 unsigned char SPBR4: 1
 unsigned char SPBR3: 1
 unsigned char SPBR2: 1
 unsigned char SPBR1: 1
 unsigned char SPBR0: 1
 } BIT
 } SPBR
 - union {
 unsigned char BYTE
 struct {
 unsigned char TXDMY: 1
 unsigned char: 7
 } BIT
 } SPDCR
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SCKDL: 3
 } BIT
 } SPCKD
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SLNDL: 3
 } BIT
 } SSLND
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SPNDL: 3
 } BIT
 } SPND
 - char wk0 [1]
 - union {
 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 }
 }

- ```

 unsigned short SSLKP: 1
 unsigned short SPIMOD: 2
 unsigned short SPRW: 1
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
} SPCMD0

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SPIMOD: 2
 unsigned short SPRW: 1
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD1

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SPIMOD: 2
 unsigned short SPRW: 1
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD2

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SPIMOD: 2
 unsigned short SPRW: 1
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT

```



## 5.1344.2.4 SPBMUL1

unsigned long st\_qspi\_t::SPBMUL1

Definition at line [27782](#) of file [iodefine.h](#).

## 5.1344.2.5 SPBMUL2

unsigned long st\_qspi\_t::SPBMUL2

Definition at line [27783](#) of file [iodefine.h](#).

## 5.1344.2.6 SPBMUL3

unsigned long st\_qspi\_t::SPBMUL3

Definition at line [27784](#) of file [iodefine.h](#).

## 5.1344.2.7 [union]

union { ... } st\_qspi\_t::SPBR

## 5.1344.2.8 [union]

union { ... } st\_qspi\_t::SPCKD

## 5.1344.2.9 [union]

union { ... } st\_qspi\_t::SPCMD0

## 5.1344.2.10 [union]

union { ... } st\_qspi\_t::SPCMD1

## 5.1344.2.11 [union]

union { ... } st\_qspi\_t::SPCMD2

## 5.1344.2.12 [union]

union { ... } st\_qspi\_t::SPCMD3

## 5.1344.2.13 [union]

```
union { ... } st_qspi_t::SPCR
```

## 5.1344.2.14 [union]

```
union { ... } st_qspi_t::SPDCR
```

## 5.1344.2.15 [union]

```
union { ... } st_qspi_t::SPDR
```

## 5.1344.2.16 [union]

```
union { ... } st_qspi_t::SPND
```

## 5.1344.2.17 [union]

```
union { ... } st_qspi_t::SPPCR
```

## 5.1344.2.18 [union]

```
union { ... } st_qspi_t::SPSCR
```

## 5.1344.2.19 [union]

```
union { ... } st_qspi_t::SPSR
```

## 5.1344.2.20 [union]

```
union { ... } st_qspi_t::SPSSR
```

## 5.1344.2.21 [union]

```
union { ... } st_qspi_t::SSLND
```

## 5.1344.2.22 [union]

```
union { ... } st_qspi_t::SSLP
```

## 5.1344.2.23 wk0

```
char st_qspi_t::wk0[1]
```

Definition at line [27619](#) of file [iodefne.h](#).

## 5.1344.2.24 wk1

```
char st_qspi_t::wk1[1]
```

Definition at line [27763](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1345 st\_qspi\_t.SPBD CR Union Reference

## Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 2
  - unsigned short [TXBC](#): 6
  - unsigned short [RXBC](#): 6
- } [BIT](#)

## 5.1345.1 Detailed Description

Definition at line [27764](#) of file [iodefne.h](#).

## 5.1345.2 Field Documentation

## 5.1345.2.1 BIT

## 5.1345.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1346 st\_qspi\_t.SPBFCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TXRST](#): 1
  - unsigned char [RXRST](#): 1
  - unsigned char [TXTRG](#): 2
  - unsigned char [TXTRGEX](#): 1
  - unsigned char [RXTRG](#): 3
- } [BIT](#)

### 5.1346.1 Detailed Description

Definition at line [27744](#) of file [iodefine.h](#).

### 5.1346.2 Field Documentation

#### 5.1346.2.1 BIT

#### 5.1346.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1347 st\_qspi\_t.SPBR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SPBR7](#): 1
  - unsigned char [SPBR6](#): 1
  - unsigned char [SPBR5](#): 1
  - unsigned char [SPBR4](#): 1
  - unsigned char [SPBR3](#): 1
  - unsigned char [SPBR2](#): 1
  - unsigned char [SPBR1](#): 1
  - unsigned char [SPBR0](#): 1
- } [BIT](#)

### 5.1347.1 Detailed Description

Definition at line [27542](#) of file [iodefine.h](#).



## 5.1347.2 Field Documentation

### 5.1347.2.1 BIT

### 5.1347.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1348 st\_qspi\_t.SPCKD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SCKDL](#): 3
- } [BIT](#)

## 5.1348.1 Detailed Description

Definition at line [27580](#) of file [iodefine.h](#).

## 5.1348.2 Field Documentation

### 5.1348.2.1 BIT

### 5.1348.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1349 st\_qspi\_t.SPCMD0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SPIMOD](#): 2
  - unsigned short [SPRW](#): 1
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1349.1 Detailed Description

Definition at line [27620](#) of file [iodefine.h](#).

### 5.1349.2 Field Documentation

#### 5.1349.2.1 BIT

#### 5.1349.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1350 st\_qspi\_t.SPCMD1 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SPIMOD](#): 2
  - unsigned short [SPRW](#): 1
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1350.1 Detailed Description

Definition at line [27651](#) of file [iodefine.h](#).

### 5.1350.2 Field Documentation

#### 5.1350.2.1 BIT

#### 5.1350.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1351 st\_qspi\_t.SPCMD2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SPIMOD](#): 2
  - unsigned short [SPRW](#): 1
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1351.1 Detailed Description

Definition at line [27682](#) of file [iodefine.h](#).

### 5.1351.2 Field Documentation

#### 5.1351.2.1 BIT

#### 5.1351.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1352 st\_qspi\_t.SPCMD3 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SPIMOD](#): 2
  - unsigned short [SPRW](#): 1
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1352.1 Detailed Description

Definition at line [27713](#) of file [iodefine.h](#).

### 5.1352.2 Field Documentation

#### 5.1352.2.1 BIT

#### 5.1352.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1353 st\_qspi\_t.SPCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SPRIE](#): 1
  - unsigned char [SPE](#): 1
  - unsigned char [SPTIE](#): 1
  - unsigned [char](#): 1
  - unsigned char [MSTR](#): 1
  - unsigned char [SPSSLIE](#): 1
- } [BIT](#)

### 5.1353.1 Detailed Description

Definition at line [27427](#) of file [iodefine.h](#).

### 5.1353.2 Field Documentation

#### 5.1353.2.1 BIT

#### 5.1353.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1354 st\_qspi\_t.SPDCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TXDMY](#): 1
  - unsigned [char](#): 7
- } [BIT](#)

### 5.1354.1 Detailed Description

Definition at line [27567](#) of file [iodefne.h](#).

### 5.1354.2 Field Documentation

#### 5.1354.2.1 BIT

#### 5.1354.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1355 st\_qspi\_t.SPDR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned short [H](#)  
} [WORD](#)
- struct {  
  unsigned char [HH](#)  
} [BYTE](#)

### 5.1355.1 Detailed Description

Definition at line [27507](#) of file [iodefne.h](#).

### 5.1355.2 Field Documentation

#### 5.1355.2.1 BYTE

#### 5.1355.2.2 LONG

#### 5.1355.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1356 st\_qspi\_t.SPND Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 5  
  unsigned char [SPNDL](#): 3  
} [BIT](#)

### 5.1356.1 Detailed Description

Definition at line [27606](#) of file [iodefine.h](#).

### 5.1356.2 Field Documentation

#### 5.1356.2.1 BIT

#### 5.1356.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1357 st\_qspi\_t.SPPCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 2
  - unsigned char [MOIFE](#): 1
  - unsigned char [MOIFV](#): 1
  - unsigned char [IO3FV](#): 1
  - unsigned char [IO2FV](#): 1
  - unsigned char [SPLP](#): 1
- } [BIT](#)

### 5.1357.1 Detailed Description

Definition at line [27465](#) of file [iodefine.h](#).

### 5.1357.2 Field Documentation

#### 5.1357.2.1 BIT

#### 5.1357.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1358 st\_qspi\_t.SPSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 6
  - unsigned char [SPSC](#): 2
- } [BIT](#)

### 5.1358.1 Detailed Description

Definition at line [27516](#) of file [iodefne.h](#).

### 5.1358.2 Field Documentation

#### 5.1358.2.1 BIT

#### 5.1358.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1359 st\_qspi\_t.SPSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SPRFF](#): 1
  - unsigned char [TREND](#): 1
  - unsigned char [SPTEF](#): 1
  - unsigned char [SPSSLF](#): 1
  - unsigned [char](#): 4
- } [BIT](#)

### 5.1359.1 Detailed Description

Definition at line [27488](#) of file [iodefne.h](#).

### 5.1359.2 Field Documentation

#### 5.1359.2.1 BIT

#### 5.1359.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1360 st\_qspi\_t.SPSSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 6
  - unsigned char [SPSS](#): 2
- } [BIT](#)

### 5.1360.1 Detailed Description

Definition at line [27529](#) of file [iodefne.h](#).

### 5.1360.2 Field Documentation

#### 5.1360.2.1 BIT

#### 5.1360.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1361 st\_qspi\_t.SSLND Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 5  
  unsigned char [SLNDL](#): 3  
} [BIT](#)

### 5.1361.1 Detailed Description

Definition at line [27593](#) of file [iodefne.h](#).

### 5.1361.2 Field Documentation

#### 5.1361.2.1 BIT

#### 5.1361.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1362 st\_qspi\_t.SSLP Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [SSLP](#): 1  
} [BIT](#)



### 5.1362.1 Detailed Description

Definition at line 27452 of file [iodefine.h](#).

### 5.1362.2 Field Documentation

#### 5.1362.2.1 BIT


#### 5.1362.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1363 st\_ram\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_ram\_t:



## Data Fields

- union {  
   unsigned char BYTE  
     struct {  
       unsigned char: 6  
       unsigned char RAMMODE: 2  
       } BIT  
   } RAMMODE
- union {  
   unsigned char BYTE  
     struct {  
       unsigned char: 7  
       unsigned char RAMERR: 1  
       } BIT  
   } RAMSTS
- char wk0 [2]
- union {  
   unsigned char BYTE  
     struct {  
       unsigned char KW: 7  
       unsigned char RAMPRCR: 1  
       } BIT  
   } RAMPRCR
- char wk1 [3]
- union {  
   unsigned long LONG  
     struct {  
       unsigned long: 13  
       unsigned long READ: 16  
       } BIT  
   } RAMECAD
- char wk2 [52]
- union {  
   unsigned char BYTE  
     struct {  
       unsigned char: 6  
       unsigned char EXRAMMODE: 2  
       } BIT  
   } EXRAMMODE
- union {  
   unsigned char BYTE  
     struct {  
       unsigned char: 7  
       unsigned char EXRAMERR: 1  
       } BIT  
   } EXRAMSTS
- char wk3 [2]
- union {  
   unsigned char BYTE  
     struct {  
       unsigned char KW: 7

```

 unsigned char EXRAMPRCR: 1
 } BIT
} EXRAMPRCR

```

- char wk4 [3]
- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 13
 unsigned long READ: 16
 } BIT
 } EXRAMECAD

```

### 5.1363.1 Detailed Description

Definition at line 27787 of file [iodefne.h](#).

### 5.1363.2 Field Documentation

#### 5.1363.2.1 [union]

```
union { ... } st_ram_t::EXRAMECAD
```

#### 5.1363.2.2 [union]

```
union { ... } st_ram_t::EXRAMMODE
```

#### 5.1363.2.3 [union]

```
union { ... } st_ram_t::EXRAMPRCR
```

#### 5.1363.2.4 [union]

```
union { ... } st_ram_t::EXRAMSTS
```

#### 5.1363.2.5 [union]

```
union { ... } st_ram_t::RAMECAD
```

#### 5.1363.2.6 [union]

```
union { ... } st_ram_t::RAMMODE
```

## 5.1363.2.7 [union]

```
union { ... } st_ram_t::RAMPRCR
```

## 5.1363.2.8 [union]

```
union { ... } st_ram_t::RAMSTS
```

## 5.1363.2.9 wk0

```
char st_ram_t::wk0[2]
```

Definition at line [27814](#) of file [iodefne.h](#).

## 5.1363.2.10 wk1

```
char st_ram_t::wk1[3]
```

Definition at line [27828](#) of file [iodefne.h](#).

## 5.1363.2.11 wk2

```
char st_ram_t::wk2[52]
```

Definition at line [27844](#) of file [iodefne.h](#).

## 5.1363.2.12 wk3

```
char st_ram_t::wk3[2]
```

Definition at line [27871](#) of file [iodefne.h](#).

## 5.1363.2.13 wk4

```
char st_ram_t::wk4[3]
```

Definition at line [27885](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1364 st\_ram\_t.EXRAMECAD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 13  
    unsigned long [READ](#): 16  
} [BIT](#)

### 5.1364.1 Detailed Description

Definition at line [27886](#) of file [iodefne.h](#).

### 5.1364.2 Field Documentation

#### 5.1364.2.1 BIT

#### 5.1364.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1365 st\_ram\_t.EXRAMMODE Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [EXRAMMODE](#): 2  
} [BIT](#)

### 5.1365.1 Detailed Description

Definition at line [27845](#) of file [iodefne.h](#).

### 5.1365.2 Field Documentation

#### 5.1365.2.1 BIT

#### 5.1365.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1366 st\_ram\_t.EXRAMPRCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [KW](#): 7
  - unsigned char [EXRAMPRCR](#): 1
- } [BIT](#)

### 5.1366.1 Detailed Description

Definition at line [27872](#) of file [iodefne.h](#).

### 5.1366.2 Field Documentation

#### 5.1366.2.1 BIT

#### 5.1366.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1367 st\_ram\_t.EXRAMSTS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [EXRAMERR](#): 1
- } [BIT](#)

### 5.1367.1 Detailed Description

Definition at line [27858](#) of file [iodefne.h](#).

### 5.1367.2 Field Documentation

#### 5.1367.2.1 BIT

#### 5.1367.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1368 st\_ram\_t.RAMECAD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned [long](#): 13  
    unsigned long [READ](#): 16  
} [BIT](#)

### 5.1368.1 Detailed Description

Definition at line [27829](#) of file [iodefne.h](#).

### 5.1368.2 Field Documentation

#### 5.1368.2.1 BIT

#### 5.1368.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1369 st\_ram\_t.RAMMODE Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [RAMMODE](#): 2  
} [BIT](#)

### 5.1369.1 Detailed Description

Definition at line [27788](#) of file [iodefne.h](#).

### 5.1369.2 Field Documentation

#### 5.1369.2.1 BIT

#### 5.1369.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1370 st\_ram\_t.RAMPRCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [KW](#): 7
  - unsigned char [RAMPRCR](#): 1
- } [BIT](#)

### 5.1370.1 Detailed Description

Definition at line [27815](#) of file [iodefine.h](#).

### 5.1370.2 Field Documentation

#### 5.1370.2.1 BIT

#### 5.1370.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1371 st\_ram\_t.RAMSTS Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [RAMERR](#): 1
- } [BIT](#)

### 5.1371.1 Detailed Description

Definition at line [27801](#) of file [iodefine.h](#).

### 5.1371.2 Field Documentation

#### 5.1371.2.1 BIT

#### 5.1371.2.2 BYTE


The documentation for this union was generated from the following files:



## 5.1372 st\_riic\_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st\_riic\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char ICE: 1
 unsigned char IICRST: 1
 unsigned char CLO: 1
 unsigned char SOWP: 1
 unsigned char SCLO: 1
 unsigned char SDAO: 1
 unsigned char SCLI: 1
 unsigned char SDAI: 1
 } BIT
} ICCR1

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char BBSY: 1
 unsigned char MST: 1
 unsigned char TRS: 1
 unsigned char: 1
 unsigned char SP: 1
 unsigned char RS: 1
 unsigned char ST: 1
 } BIT
 } ICCR2

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char MTWP: 1
 unsigned char CKS: 3
 unsigned char BCWP: 1
 unsigned char BC: 3
 } BIT
 } ICMR1

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char DLCS: 1
 unsigned char SDDL: 3
 unsigned char: 1
 unsigned char TMOH: 1
 unsigned char TMOL: 1
 unsigned char TMOS: 1
 } BIT
 } ICMR2

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char SMBS: 1
 unsigned char WAIT: 1
 unsigned char RDRFS: 1
 unsigned char ACKWP: 1
 unsigned char ACKBT: 1
 unsigned char ACKBR: 1
 unsigned char NF: 2
 }

```

```
 } BIT
} ICMR3
```

- union {
    - unsigned char BYTE
    - struct {
      - unsigned char FMPE: 1
      - unsigned char SCLE: 1
      - unsigned char NFE: 1
      - unsigned char NACKIE: 1
      - unsigned char SALE: 1
      - unsigned char NALE: 1
      - unsigned char MALE: 1
      - unsigned char TMOE: 1
    - } BIT
- ```
} ICFER
```

- union {
 - unsigned char BYTE
 - struct {
 - unsigned char HOAE: 1
 - unsigned char: 1
 - unsigned char DIDE: 1
 - unsigned char GCAE: 1
 - unsigned char SAR2E: 1
 - unsigned char SAR1E: 1
 - unsigned char SAR0E: 1
 - } BIT
- ```
} ICSEIR
```

- union {
    - unsigned char BYTE
    - struct {
      - unsigned char TIE: 1
      - unsigned char TEIE: 1
      - unsigned char RIE: 1
      - unsigned char NAKIE: 1
      - unsigned char SPIE: 1
      - unsigned char STIE: 1
      - unsigned char ALIE: 1
      - unsigned char TMOIE: 1
    - } BIT
- ```
} ICIEIR
```

- union {
 - unsigned char BYTE
 - struct {
 - unsigned char HOA: 1
 - unsigned char: 1
 - unsigned char DID: 1
 - unsigned char GCA: 1
 - unsigned char AAS2: 1
 - unsigned char AAS1: 1
 - unsigned char AAS0: 1
 - } BIT
- ```
} ICSR1
```

- union {

```

unsigned char BYTE
 struct {
 unsigned char TDRE: 1
 unsigned char TEND: 1
 unsigned char RDRF: 1
 unsigned char NACKF: 1
 unsigned char STOP: 1
 unsigned char START: 1
 unsigned char AL: 1
 unsigned char TMOF: 1
 } BIT
} ICSR2

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char SVA: 7
 unsigned char SVA0: 1
 } BIT
 } SARL0

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SVA: 2
 unsigned char FS: 1
 } BIT
 } SARU0

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char SVA: 7
 unsigned char SVA0: 1
 } BIT
 } SARL1

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SVA: 2
 unsigned char FS: 1
 } BIT
 } SARU1

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char SVA: 7
 unsigned char SVA0: 1
 } BIT
 } SARL2

```

- union {
 

```

 unsigned char BYTE
 struct {

```

```

 unsigned char: 5
 unsigned char SVA: 2
 unsigned char FS: 1
 } BIT
} SARU2

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char BRL: 5
 } BIT
 } ICBRL

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char BRH: 5
 } BIT
 } ICBRH

```
- unsigned char ICDRT
- unsigned char ICDRR

### 5.1372.1 Detailed Description

Definition at line 27903 of file [iodefne.h](#).

### 5.1372.2 Field Documentation

#### 5.1372.2.1 [union]

```
union { ... } st_riic_t::ICBRH
```

#### 5.1372.2.2 [union]

```
union { ... } st_riic_t::ICBRL
```

#### 5.1372.2.3 [union]

```
union { ... } st_riic_t::ICCR1
```

#### 5.1372.2.4 [union]

```
union { ... } st_riic_t::ICCR2
```

#### 5.1372.2.5 ICDRR

unsigned char st\_riic\_t::ICDRR

Definition at line [28251](#) of file [iodefne.h](#).

#### 5.1372.2.6 ICDRT

unsigned char st\_riic\_t::ICDRT

Definition at line [28250](#) of file [iodefne.h](#).

#### 5.1372.2.7 [union]

union { ... } st\_riic\_t::ICFER

#### 5.1372.2.8 [union]

union { ... } st\_riic\_t::ICIER

#### 5.1372.2.9 [union]

union { ... } st\_riic\_t::ICMR1

#### 5.1372.2.10 [union]

union { ... } st\_riic\_t::ICMR2

#### 5.1372.2.11 [union]

union { ... } st\_riic\_t::ICMR3

#### 5.1372.2.12 [union]

union { ... } st\_riic\_t::ICSER

#### 5.1372.2.13 [union]

union { ... } st\_riic\_t::ICSR1

#### 5.1372.2.14 [union]

union { ... } st\_riic\_t::ICSR2

## 5.1372.2.15 [union]

```
union { ... } st_riic_t::SARL0
```

## 5.1372.2.16 [union]

```
union { ... } st_riic_t::SARL1
```

## 5.1372.2.17 [union]

```
union { ... } st_riic_t::SARL2
```

## 5.1372.2.18 [union]

```
union { ... } st_riic_t::SARU0
```

## 5.1372.2.19 [union]

```
union { ... } st_riic_t::SARU1
```

## 5.1372.2.20 [union]

```
union { ... } st_riic_t::SARU2
```

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1373 st\_riic\_t.ICBRH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [BRH](#): 5  
} [BIT](#)

### 5.1373.1 Detailed Description

Definition at line [28237](#) of file [iodefne.h](#).

### 5.1373.2 Field Documentation

#### 5.1373.2.1 BIT

#### 5.1373.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1374 st\_riic\_t.ICBRL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 3  
    unsigned char [BRL](#): 5  
} [BIT](#)

### 5.1374.1 Detailed Description

Definition at line [28224](#) of file [iodefine.h](#).

### 5.1374.2 Field Documentation

#### 5.1374.2.1 BIT

#### 5.1374.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1375 st\_riic\_t.ICCR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ICE](#): 1  
    unsigned char [ICRST](#): 1  
    unsigned char [CLO](#): 1  
    unsigned char [SOWP](#): 1  
    unsigned char [SCLO](#): 1  
    unsigned char [SDAO](#): 1  
    unsigned char [SCLI](#): 1  
    unsigned char [SDAI](#): 1  
} [BIT](#)



### 5.1375.1 Detailed Description

Definition at line [27904](#) of file [iodefne.h](#).

### 5.1375.2 Field Documentation

#### 5.1375.2.1 BIT

#### 5.1375.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1376 st\_riic\_t.ICCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [BBSY](#): 1
  - unsigned char [MST](#): 1
  - unsigned char [TRS](#): 1
  - unsigned [char](#): 1
  - unsigned char [SP](#): 1
  - unsigned char [RS](#): 1
  - unsigned char [ST](#): 1
- } [BIT](#)

### 5.1376.1 Detailed Description

Definition at line [27929](#) of file [iodefne.h](#).

### 5.1376.2 Field Documentation

#### 5.1376.2.1 BIT

#### 5.1376.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1377 st\_riic\_t.ICFER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [FMPE](#): 1
  - unsigned char [SCLE](#): 1
  - unsigned char [NFE](#): 1
  - unsigned char [NACKE](#): 1
  - unsigned char [SALE](#): 1
  - unsigned char [NALE](#): 1
  - unsigned char [MALE](#): 1
  - unsigned char [TMOE](#): 1
- } [BIT](#)

### 5.1377.1 Detailed Description

Definition at line [28015](#) of file [iodefine.h](#).

### 5.1377.2 Field Documentation

#### 5.1377.2.1 BIT

#### 5.1377.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1378 st\_riic\_t.ICIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TIE](#): 1
  - unsigned char [TEIE](#): 1
  - unsigned char [RIE](#): 1
  - unsigned char [NAKIE](#): 1
  - unsigned char [SPIE](#): 1
  - unsigned char [STIE](#): 1
  - unsigned char [ALIE](#): 1
  - unsigned char [TMOIE](#): 1
- } [BIT](#)

### 5.1378.1 Detailed Description

Definition at line [28065](#) of file [iodefine.h](#).

## 5.1378.2 Field Documentation

### 5.1378.2.1 BIT

### 5.1378.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1379 st\_riic\_t.ICMR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [MTWP](#): 1
  - unsigned char [CKS](#): 3
  - unsigned char [BCWP](#): 1
  - unsigned char [BC](#): 3
- } [BIT](#)

### 5.1379.1 Detailed Description

Definition at line [27954](#) of file [iodefine.h](#).

## 5.1379.2 Field Documentation

### 5.1379.2.1 BIT

### 5.1379.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1380 st\_riic\_t.ICMR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DLCS](#): 1
  - unsigned char [SDDL](#): 3
  - unsigned [char](#): 1
  - unsigned char [TMOH](#): 1
  - unsigned char [TMOL](#): 1
  - unsigned char [TMOS](#): 1
- } [BIT](#)

### 5.1380.1 Detailed Description

Definition at line [27971](#) of file [iodefne.h](#).

### 5.1380.2 Field Documentation

#### 5.1380.2.1 BIT

#### 5.1380.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1381 st\_riic\_t.ICMR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SMBS](#): 1
  - unsigned char [WAIT](#): 1
  - unsigned char [RDRFS](#): 1
  - unsigned char [ACKWP](#): 1
  - unsigned char [ACKBT](#): 1
  - unsigned char [ACKBR](#): 1
  - unsigned char [NF](#): 2
- } [BIT](#)

### 5.1381.1 Detailed Description

Definition at line [27992](#) of file [iodefne.h](#).

### 5.1381.2 Field Documentation

#### 5.1381.2.1 BIT

#### 5.1381.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1382 st\_riic\_t.ICSER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [HOAE](#): 1
  - unsigned [char](#): 1
  - unsigned char [DIDE](#): 1
  - unsigned char [GCAE](#): 1
  - unsigned char [SAR2E](#): 1
  - unsigned char [SAR1E](#): 1
  - unsigned char [SAR0E](#): 1
- } [BIT](#)

### 5.1382.1 Detailed Description

Definition at line [28040](#) of file [iodefine.h](#).

### 5.1382.2 Field Documentation

#### 5.1382.2.1 BIT

#### 5.1382.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1383 st\_riic\_t.ICSR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [HOA](#): 1
  - unsigned [char](#): 1
  - unsigned char [DID](#): 1
  - unsigned char [GCA](#): 1
  - unsigned char [AAS2](#): 1
  - unsigned char [AAS1](#): 1
  - unsigned char [AAS0](#): 1
- } [BIT](#)

### 5.1383.1 Detailed Description

Definition at line [28090](#) of file [iodefine.h](#).

## 5.1383.2 Field Documentation

### 5.1383.2.1 BIT

### 5.1383.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1384 st\_riic\_t.ICSR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TDRE](#): 1
  - unsigned char [TEND](#): 1
  - unsigned char [RDRF](#): 1
  - unsigned char [NACKF](#): 1
  - unsigned char [STOP](#): 1
  - unsigned char [START](#): 1
  - unsigned char [AL](#): 1
  - unsigned char [TMOF](#): 1
- } [BIT](#)

### 5.1384.1 Detailed Description

Definition at line [28115](#) of file [iodefine.h](#).

## 5.1384.2 Field Documentation

### 5.1384.2.1 BIT

### 5.1384.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1385 st\_riic\_t.SARL0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SVA](#): 7
  - unsigned char [SVA0](#): 1
- } [BIT](#)

### 5.1385.1 Detailed Description

Definition at line [28140](#) of file [iodefne.h](#).

### 5.1385.2 Field Documentation

#### 5.1385.2.1 BIT

#### 5.1385.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1386 st\_riic\_t.SARL1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [SVA](#): 7  
    unsigned char [SVA0](#): 1  
} [BIT](#)

### 5.1386.1 Detailed Description

Definition at line [28168](#) of file [iodefne.h](#).

### 5.1386.2 Field Documentation

#### 5.1386.2.1 BIT

#### 5.1386.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1387 st\_riic\_t.SARL2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [SVA](#): 7  
    unsigned char [SVA0](#): 1  
} [BIT](#)

### 5.1387.1 Detailed Description

Definition at line [28196](#) of file [iodefne.h](#).

### 5.1387.2 Field Documentation

#### 5.1387.2.1 BIT

#### 5.1387.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1388 st\_riic\_t.SARU0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SVA](#): 2
  - unsigned char [FS](#): 1
- } [BIT](#)

### 5.1388.1 Detailed Description

Definition at line [28153](#) of file [iodefne.h](#).

### 5.1388.2 Field Documentation

#### 5.1388.2.1 BIT

#### 5.1388.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1389 st\_riic\_t.SARU1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SVA](#): 2
  - unsigned char [FS](#): 1
- } [BIT](#)



### 5.1389.1 Detailed Description

Definition at line [28181](#) of file [iodefne.h](#).

### 5.1389.2 Field Documentation

#### 5.1389.2.1 BIT

#### 5.1389.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1390 st\_riic\_t.SARU2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SVA](#): 2
  - unsigned char [FS](#): 1
- } [BIT](#)

### 5.1390.1 Detailed Description

Definition at line [28209](#) of file [iodefne.h](#).

### 5.1390.2 Field Documentation

#### 5.1390.2.1 BIT


#### 5.1390.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1391 st\_rspi\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_rspi\_t:



Data Fields

- union {

- ```

unsigned char BYTE
    struct {
        unsigned char SPRIE: 1
        unsigned char SPE: 1
        unsigned char SPTIE: 1
        unsigned char SPEIE: 1
        unsigned char MSTR: 1
        unsigned char MODFEN: 1
        unsigned char TXMD: 1
        unsigned char SPMS: 1
    } BIT
} SPCR

```
- union {

```

    unsigned char BYTE
        struct {
            unsigned char: 4
            unsigned char SSL3P: 1
            unsigned char SSL2P: 1
            unsigned char SSL1P: 1
            unsigned char SSL0P: 1
        } BIT
    } SSLP

```
 - union {

```

    unsigned char BYTE
        struct {
            unsigned char: 2
            unsigned char MOIFE: 1
            unsigned char MOIFV: 1
            unsigned char SPLP2: 1
            unsigned char SPLP: 1
        } BIT
    } SPPCR

```
 - union {

```

    unsigned char BYTE
        struct {
            unsigned char SPRF: 1
            unsigned char: 1
            unsigned char SPTEF: 1
            unsigned char UDRF: 1
            unsigned char PERF: 1
            unsigned char MODF: 1
            unsigned char IDLNF: 1
            unsigned char OVRF: 1
        } BIT
    } SPSR

```
 - union {

```

    unsigned long LONG
        struct {
            unsigned short H
        } WORD
        struct {
            unsigned char HH
        } BYTE
    } SPDR

```

- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SPSLN: 3
 } BIT
 } SPSCR
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char SPECM: 3
 unsigned char SPCP: 3
 } BIT
 } SPSSR
- unsigned char SPBR
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char SPBYT: 1
 unsigned char SPLW: 1
 unsigned char SPRDTD: 1
 unsigned char SPFC: 2
 } BIT
 } SPDCR
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SCKDL: 3
 } BIT
 } SPCKD
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SLNDL: 3
 } BIT
 } SSLND
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SPNDL: 3
 } BIT
 } SPND
- union {
 unsigned char BYTE
 struct {
 unsigned char: 3

- ```

 unsigned char SCKASE: 1
 unsigned char PTE: 1
 unsigned char SPIIE: 1
 unsigned char SPOE: 1
 unsigned char SPPE: 1
 } BIT
} SPCR2

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD0

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD1

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD2

```
  - union {
 

```

 unsigned short WORD

```

```

 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
} SPCMD3

```

- union {
 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD4

- union {
 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
 } SPCMD5

- union {
 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 }
 }

```

 unsigned short CPHA: 1
 } BIT
} SPCMD6

• union {
 unsigned short WORD
 struct {
 unsigned short SCKDEN: 1
 unsigned short SLNDEN: 1
 unsigned short SPNDEN: 1
 unsigned short LSBF: 1
 unsigned short SPB: 4
 unsigned short SSLKP: 1
 unsigned short SSLA: 3
 unsigned short BRDV: 2
 unsigned short CPOL: 1
 unsigned short CPHA: 1
 } BIT
} SPCMD7

• union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char BYSW: 1
 } BIT
} SPDCR2

```

### 5.1391.1 Detailed Description

Definition at line 28254 of file [iodefine.h](#).

### 5.1391.2 Field Documentation

#### 5.1391.2.1 SPBR

unsigned char st\_rspi\_t::SPBR

Definition at line 28384 of file [iodefine.h](#).

#### 5.1391.2.2 [union]

union { ... } st\_rspi\_t::SPCKD

#### 5.1391.2.3 [union]

union { ... } st\_rspi\_t::SPCMD0

## 5.1391.2.4 [union]

```
union { ... } st_rspi_t::SPCMD1
```

## 5.1391.2.5 [union]

```
union { ... } st_rspi_t::SPCMD2
```

## 5.1391.2.6 [union]

```
union { ... } st_rspi_t::SPCMD3
```

## 5.1391.2.7 [union]

```
union { ... } st_rspi_t::SPCMD4
```

## 5.1391.2.8 [union]

```
union { ... } st_rspi_t::SPCMD5
```

## 5.1391.2.9 [union]

```
union { ... } st_rspi_t::SPCMD6
```

## 5.1391.2.10 [union]

```
union { ... } st_rspi_t::SPCMD7
```

## 5.1391.2.11 [union]

```
union { ... } st_rspi_t::SPCR
```

## 5.1391.2.12 [union]

```
union { ... } st_rspi_t::SPCR2
```

## 5.1391.2.13 [union]

```
union { ... } st_rspi_t::SPDCR
```



## 5.1391.2.14 [union]

```
union { ... } st_rspi_t::SPDCR2
```

## 5.1391.2.15 [union]

```
union { ... } st_rspi_t::SPDR
```

## 5.1391.2.16 [union]

```
union { ... } st_rspi_t::SPND
```

## 5.1391.2.17 [union]

```
union { ... } st_rspi_t::SPPCR
```

## 5.1391.2.18 [union]

```
union { ... } st_rspi_t::SPSCR
```

## 5.1391.2.19 [union]

```
union { ... } st_rspi_t::SPSR
```

## 5.1391.2.20 [union]

```
union { ... } st_rspi_t::SPSSR
```

## 5.1391.2.21 [union]

```
union { ... } st_rspi_t::SSLND
```

## 5.1391.2.22 [union]

```
union { ... } st_rspi_t::SSLP
```

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodef.h](#)

## 5.1392 st\_rspi\_t.SPCKD Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SCKDL](#): 3
- } [BIT](#)

### 5.1392.1 Detailed Description

Definition at line [28406](#) of file [iodefine.h](#).

### 5.1392.2 Field Documentation

#### 5.1392.2.1 BIT

#### 5.1392.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1393 st\_rspi\_t.SPCMD0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1393.1 Detailed Description

Definition at line [28466](#) of file [iodefine.h](#).

### 5.1393.2 Field Documentation

#### 5.1393.2.1 BIT

#### 5.1393.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1394 st\_rspi\_t.SPCMD1 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1394.1 Detailed Description

Definition at line [28495](#) of file [iodefine.h](#).

### 5.1394.2 Field Documentation

#### 5.1394.2.1 BIT

#### 5.1394.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1395 st\_rspi\_t.SPCMD2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1395.1 Detailed Description

Definition at line [28524](#) of file [iodef.h](#).

### 5.1395.2 Field Documentation

#### 5.1395.2.1 BIT

#### 5.1395.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1396 st\_rsipi\_t.SPCMD3 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1396.1 Detailed Description

Definition at line [28553](#) of file [iodef.h](#).

### 5.1396.2 Field Documentation

#### 5.1396.2.1 BIT

#### 5.1396.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1397 st\_rspi\_t.SPCMD4 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1397.1 Detailed Description

Definition at line [28582](#) of file [iodefine.h](#).

### 5.1397.2 Field Documentation

#### 5.1397.2.1 BIT

#### 5.1397.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1398 st\_rspi\_t.SPCMD5 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1398.1 Detailed Description

Definition at line [28611](#) of file [iodef.h](#).

### 5.1398.2 Field Documentation

#### 5.1398.2.1 BIT

#### 5.1398.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1399 st\_rsipi\_t.SPCMD6 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1399.1 Detailed Description

Definition at line [28640](#) of file [iodef.h](#).

### 5.1399.2 Field Documentation

#### 5.1399.2.1 BIT

#### 5.1399.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1400 st\_rspi\_t.SPCMD7 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SCKDEN](#): 1
  - unsigned short [SLNDEN](#): 1
  - unsigned short [SPNDEN](#): 1
  - unsigned short [LSBF](#): 1
  - unsigned short [SPB](#): 4
  - unsigned short [SSLKP](#): 1
  - unsigned short [SSLA](#): 3
  - unsigned short [BRDV](#): 2
  - unsigned short [CPOL](#): 1
  - unsigned short [CPHA](#): 1
- } [BIT](#)

### 5.1400.1 Detailed Description

Definition at line [28669](#) of file [iodefine.h](#).

### 5.1400.2 Field Documentation

#### 5.1400.2.1 BIT

#### 5.1400.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1401 st\_rspi\_t.SPCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SPRIE](#): 1
  - unsigned char [SPE](#): 1
  - unsigned char [SPTIE](#): 1
  - unsigned char [SPEIE](#): 1
  - unsigned char [MSTR](#): 1
  - unsigned char [MODFEN](#): 1
  - unsigned char [TXMD](#): 1
  - unsigned char [SPMS](#): 1
- } [BIT](#)

### 5.1401.1 Detailed Description

Definition at line [28255](#) of file [iodefne.h](#).

### 5.1401.2 Field Documentation

#### 5.1401.2.1 BIT

#### 5.1401.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1402 st\_rsipi\_t.SPCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [SCKASE](#): 1
  - unsigned char [PTE](#): 1
  - unsigned char [SPIIE](#): 1
  - unsigned char [SPOE](#): 1
  - unsigned char [SPPE](#): 1
- } [BIT](#)

### 5.1402.1 Detailed Description

Definition at line [28445](#) of file [iodefne.h](#).

### 5.1402.2 Field Documentation

#### 5.1402.2.1 BIT

#### 5.1402.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1403 st\_rsipi\_t.SPDCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [SPBYT](#): 1
  - unsigned char [SPLW](#): 1
  - unsigned char [SPRDTD](#): 1
  - unsigned char [SPFC](#): 2
- } [BIT](#)



### 5.1403.1 Detailed Description

Definition at line [28385](#) of file [iodefne.h](#).

### 5.1403.2 Field Documentation

#### 5.1403.2.1 BIT

#### 5.1403.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1404 st\_rspi\_t.SPDCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char: 7  
    unsigned char [BYSW](#): 1  
} [BIT](#)

### 5.1404.1 Detailed Description

Definition at line [28698](#) of file [iodefne.h](#).

### 5.1404.2 Field Documentation

#### 5.1404.2.1 BIT

#### 5.1404.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1405 st\_rspi\_t.SPDR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned short [H](#)  
} [WORD](#)
- struct {  
    unsigned char [HH](#)  
} [BYTE](#)

### 5.1405.1 Detailed Description

Definition at line [28345](#) of file [iodefne.h](#).

### 5.1405.2 Field Documentation

#### 5.1405.2.1 BYTE

#### 5.1405.2.2 LONG

#### 5.1405.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1406 st\_rspi\_t.SPND Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [SPNDL](#): 3  
} [BIT](#)

### 5.1406.1 Detailed Description

Definition at line [28432](#) of file [iodefne.h](#).

### 5.1406.2 Field Documentation

#### 5.1406.2.1 BIT

#### 5.1406.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1407 st\_rspi\_t.SPPCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [MOIFE](#): 1  
    unsigned char [MOIFV](#): 1  
    unsigned char [SPLP2](#): 1  
    unsigned char [SPLP](#): 1  
} [BIT](#)

### 5.1407.1 Detailed Description

Definition at line [28299](#) of file [iodefne.h](#).

### 5.1407.2 Field Documentation

#### 5.1407.2.1 BIT

#### 5.1407.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1408 st\_rspi\_t.SPSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [SPSLN](#): 3
- } [BIT](#)

### 5.1408.1 Detailed Description

Definition at line [28354](#) of file [iodefne.h](#).

### 5.1408.2 Field Documentation

#### 5.1408.2.1 BIT

#### 5.1408.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1409 st\_rspi\_t.SPSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [SPRF](#): 1
  - unsigned char: 1
  - unsigned char [SPTEF](#): 1
  - unsigned char [UDRF](#): 1
  - unsigned char [PERF](#): 1
  - unsigned char [MODF](#): 1
  - unsigned char [IDLNF](#): 1
  - unsigned char [OVRF](#): 1
- } [BIT](#)

### 5.1409.1 Detailed Description

Definition at line [28320](#) of file [iodefine.h](#).

### 5.1409.2 Field Documentation

#### 5.1409.2.1 BIT

#### 5.1409.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1410 st\_rspi\_t.SPSSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [SPECM](#): 3  
    unsigned char [SPCP](#): 3  
} [BIT](#)

### 5.1410.1 Detailed Description

Definition at line [28367](#) of file [iodefine.h](#).

### 5.1410.2 Field Documentation

#### 5.1410.2.1 BIT

#### 5.1410.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1411 st\_rspi\_t.SSLND Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [SLNDL](#): 3  
} [BIT](#)

### 5.1411.1 Detailed Description

Definition at line [28419](#) of file [iodefine.h](#).

### 5.1411.2 Field Documentation

#### 5.1411.2.1 BIT

#### 5.1411.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1412 st\_rspi\_t.SSLP Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 4
  - unsigned char [SSL3P](#): 1
  - unsigned char [SSL2P](#): 1
  - unsigned char [SSL1P](#): 1
  - unsigned char [SSL0P](#): 1
- } [BIT](#)

### 5.1412.1 Detailed Description

Definition at line [28280](#) of file [iodefine.h](#).

### 5.1412.2 Field Documentation

#### 5.1412.2.1 BIT


#### 5.1412.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1413 st\_rtc\_t Struct Reference

```
#include <iodef.h>
```

Collaboration diagram for st\_rtc\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char F1HZ: 1
 unsigned char F2HZ: 1
 unsigned char F4HZ: 1
 unsigned char F8HZ: 1
 unsigned char F16HZ: 1
 unsigned char F32HZ: 1
 unsigned char F64HZ: 1
 } BIT
} R64CNT

```

- char wk0 [1]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char SEC10: 3
 unsigned char SEC1: 4
 } BIT
 } RSECCNT
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNT: 8
 } BIT
 } BCNT0
 };

- char wk1 [1]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char MIN10: 3
 unsigned char MIN1: 4
 } BIT
 } RMINCNT
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNT: 8
 } BIT
 } BCNT1
 };

- char wk2 [1]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PM: 1
 unsigned char HR10: 2
 unsigned char HR1: 4
 }
 }
 };

```

 } BIT
 } RHRCNT
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNT: 8
 } BIT
 } BCNT2
};

```

- char [wk3](#) [1]
- union {
  - union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned [char](#): 5
      - unsigned char [DAYW](#): 3
      - } [BIT](#)
  - } [RWKCNT](#)
  - union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned char [BCNT](#): 8
      - } [BIT](#)
  - } [BCNT3](#)

- char [wk4](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [DATE10](#): 2
    - unsigned char [DATE1](#): 4
    - } [BIT](#)
  - } [RDAYCNT](#)

- char [wk5](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [MON10](#): 1
    - unsigned char [MON1](#): 4
    - } [BIT](#)
  - } [RMONCNT](#)

- char [wk6](#) [1]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [YR10](#): 4
    - unsigned short [YR1](#): 4
    - } [BIT](#)
  - } [RYRCNT](#)

- union {



```

 union {
 unsigned char BYTE
 struct {
 unsigned char ENB: 1
 unsigned char SEC10: 3
 unsigned char SEC1: 4
 } BIT
 } RSECAR
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTAR: 8
 } BIT
 } BCNT0AR
};

```

- char wk7 [1]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char ENB: 1
 unsigned char MIN10: 3
 unsigned char MIN1: 4
 } BIT
 } RMINAR
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTAR: 8
 } BIT
 } BCNT1AR
 };

- char wk8 [1]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char ENB: 1
 unsigned char PM: 1
 unsigned char HR10: 2
 unsigned char HR1: 4
 } BIT
 } RHRAR
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTAR: 8
 } BIT
 } BCNT2AR
 };

- char wk9 [1]
- union {
 union {
 unsigned char BYTE
 struct {

```

unsigned char ENB: 1
unsigned char: 4
unsigned char DAYW: 3
 } BIT
 } RWKAR
 union {
unsigned char BYTE
 struct {
unsigned char BCNTAR: 8
 } BIT
 } BCNT3AR
 };

```

- char wk10 [1]
- union {
  - union {
    - unsigned char BYTE
      - struct {
        - unsigned char ENB: 1
        - unsigned char: 1
        - unsigned char DATE10: 2
        - unsigned char DATE1: 4
          - } BIT
    - } RDAYAR
  - union {
    - unsigned char BYTE
      - struct {
        - unsigned char ENB: 8
          - } BIT
      - } BCNT0AER

- char wk11 [1]
- union {
  - union {
    - unsigned char BYTE
      - struct {
        - unsigned char ENB: 1
        - unsigned char: 2
        - unsigned char MON10: 1
        - unsigned char MON1: 4
          - } BIT
    - } RMONAR
  - union {
    - unsigned char BYTE
      - struct {
        - unsigned char ENB: 8
          - } BIT
      - } BCNT1AER

- char wk12 [1]
- union {
  - union {
    - unsigned short WORD
      - struct {
        - unsigned short: 8
        - unsigned short YR10: 4

```

 unsigned short YR1: 4
 } BIT
} RYRAR
union {
 unsigned short WORD
 struct {
 unsigned short: 8
 unsigned short ENB: 8
 } BIT
} BCNT2AER
};

• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char ENB: 1
 unsigned char: 7
 } BIT
 } RYRAREN
 union {
 unsigned char BYTE
 struct {
 unsigned char ENB: 8
 } BIT
 } BCNT3AER
};

• char wk13 [3]
• union {
 unsigned char BYTE
 struct {
 unsigned char PES: 4
 unsigned char RTCOS: 1
 unsigned char PIE: 1
 unsigned char CIE: 1
 unsigned char AIE: 1
 } BIT
} RCR1

• char wk14 [1]
• union {
 unsigned char BYTE
 struct {
 unsigned char CNTMD: 1
 unsigned char HR24: 1
 unsigned char AADJP: 1
 unsigned char AADJE: 1
 unsigned char RTCOE: 1
 unsigned char ADJ30: 1
 unsigned char RESET: 1
 unsigned char START: 1
 } BIT
} RCR2

• char wk15 [1]
• union {
 unsigned char BYTE

```

```

 struct {
 unsigned char: 4
 unsigned char RTCDV: 3
 unsigned char RTCEN: 1
 } BIT
} RCR3

```

- char wk16 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char RCKSEL: 1
 } BIT
 } RCR4
- char wk17 [1]
- union {
 unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short RFC: 1
 } BIT
 } RFRH
- union {
 unsigned short WORD
 struct {
 unsigned short RFC: 16
 } BIT
 } RFRL
- union {
 unsigned char BYTE
 struct {
 unsigned char PMADJ: 2
 unsigned char ADJ: 6
 } BIT
 } RADI
- char wk18 [17]
- union {
 unsigned char BYTE
 struct {
 unsigned char TCEN: 1
 unsigned char: 1
 unsigned char TCNF: 2
 unsigned char TCST: 1
 unsigned char TCCT: 2
 } BIT
 } RTCCR0
- char wk19 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char TCEN: 1
 unsigned char: 1

```

 unsigned char TCNF: 2
 unsigned char TCST: 1
 unsigned char TCCT: 2
 } BIT
} RTCCR1

• char wk20 [1]
• union {
 unsigned char BYTE
 struct {
 unsigned char TCEN: 1
 unsigned char: 1
 unsigned char TCNF: 2
 unsigned char TCST: 1
 unsigned char TCCT: 2
 } BIT
} RTCCR2

• char wk21 [13]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char SEC10: 3
 unsigned char SEC1: 4
 } BIT
 } RSECCP0
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP0: 8
 } BIT
 } BCNT0CP0
};

• char wk22 [1]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char MIN10: 3
 unsigned char MIN1: 4
 } BIT
 } RMINCP0
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP0: 8
 } BIT
 } BCNT1CP0
};

• char wk23 [1]
• union {
 union {
 unsigned char BYTE

```

```

 struct {
 unsigned char: 1
 unsigned char PM: 1
 unsigned char HR10: 2
 unsigned char HR1: 4
 } BIT
 } RHRCPO
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP0: 8
 } BIT
 } BCNT2CP0
};

```

- char wk24 [3]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char DATE10: 2
 unsigned char DATE1: 4
 } BIT
 } RDAYCP0
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP0: 8
 } BIT
 } BCNT3CP0
 }
 };

- char wk25 [1]
- union {
 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char MON10: 1
 unsigned char MON1: 4
 } BIT
 } RMONCP0
 }

- char wk26 [5]
- union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char SEC10: 3
 unsigned char SEC1: 4
 } BIT
 } RSECCP1
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP1: 8
 } BIT
 }
 }
 }

```

 } BCNT0CP1
};

• char wk27 [1]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char MIN10: 3
 unsigned char MIN1: 4
 } BIT
 } RMINCP1
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP1: 8
 } BIT
 } BCNT1CP1
};

• char wk28 [1]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char PM: 1
 unsigned char HR10: 2
 unsigned char HR1: 4
 } BIT
 } RHRC1P1
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP1: 8
 } BIT
 } BCNT2CP1
};

• char wk29 [3]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char DATE10: 2
 unsigned char DATE1: 4
 } BIT
 } RDAYCP1
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP1: 8
 } BIT
 } BCNT3CP1
};

```

- char [wk30](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [MON10](#): 1
    - unsigned char [MON1](#): 4
  - } [BIT](#)
  - } [RMONCP1](#)
  
- char [wk31](#) [5]
- union {
  - union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned [char](#): 1
      - unsigned char [SEC10](#): 3
      - unsigned char [SEC1](#): 4
    - } [BIT](#)
    - } [RSECCP2](#)
    - union {
      - unsigned char [BYTE](#)
      - struct {
        - unsigned char [BCNTCP2](#): 8
      - } [BIT](#)
      - } [BCNT0CP2](#)
  - };
  
  - char [wk32](#) [1]
  - union {
    - union {
      - unsigned char [BYTE](#)
      - struct {
        - unsigned [char](#): 1
        - unsigned char [MIN10](#): 3
        - unsigned char [MIN1](#): 4
      - } [BIT](#)
      - } [RMINCP2](#)
      - union {
        - unsigned char [BYTE](#)
        - struct {
          - unsigned char [BCNTCP2](#): 8
        - } [BIT](#)
        - } [BCNT1CP2](#)
    - };
  
    - char [wk33](#) [1]
    - union {
      - union {
        - unsigned char [BYTE](#)
        - struct {
          - unsigned [char](#): 1
          - unsigned char [PM](#): 1
          - unsigned char [HR10](#): 2
          - unsigned char [HR1](#): 4
        - } [BIT](#)
        - } [RHRCP2](#)
        - union {



```

 unsigned char BYTE
 struct {
 unsigned char BCNTCP2: 8
 } BIT
 } BCNT2CP2
};

• char wk34 [3]
• union {
 union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char DATE10: 2
 unsigned char DATE1: 4
 } BIT
 } RDAYCP2
 union {
 unsigned char BYTE
 struct {
 unsigned char BCNTCP2: 8
 } BIT
 } BCNT3CP2
 }
};

• char wk35 [1]
• union {
 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char MON10: 1
 unsigned char MON1: 4
 } BIT
 } RMONCP2
};

```

### 5.1413.1 Detailed Description

Definition at line [28713](#) of file [iodefine.h](#).

### 5.1413.2 Field Documentation

#### 5.1413.2.1 [union]

union { ... } [st\\_rtc\\_t](#)

#### 5.1413.2.2 [union]

union { ... } [st\\_rtc\\_t](#)

#### 5.1413.2.3 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.4 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.5 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.6 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.7 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.8 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.9 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.10 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.11 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.12 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.13 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.14 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.15 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.16 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.17 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.18 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.19 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.20 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.21 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.22 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.23 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.24 [union]

union { ... } [st\\_rtc\\_t](#)

5.1413.2.25 [union]

union { ... } st\_rtc\_t::R64CNT

5.1413.2.26 [union]

union { ... } st\_rtc\_t::RADJ

5.1413.2.27 [union]

union { ... } st\_rtc\_t::RCR1

5.1413.2.28 [union]

union { ... } st\_rtc\_t::RCR2

5.1413.2.29 [union]

union { ... } st\_rtc\_t::RCR3

5.1413.2.30 [union]

union { ... } st\_rtc\_t::RCR4

5.1413.2.31 [union]

union { ... } st\_rtc\_t::RDAYCNT

5.1413.2.32 [union]

union { ... } st\_rtc\_t::RFRH

5.1413.2.33 [union]

union { ... } st\_rtc\_t::RFRL

## 5.1413.2.34 [union]

```
union { ... } st_rtc_t::RMONCNT
```

## 5.1413.2.35 [union]

```
union { ... } st_rtc_t::RMONCP0
```

## 5.1413.2.36 [union]

```
union { ... } st_rtc_t::RMONCP1
```

## 5.1413.2.37 [union]

```
union { ... } st_rtc_t::RMONCP2
```

## 5.1413.2.38 [union]

```
union { ... } st_rtc_t::RTCCR0
```

## 5.1413.2.39 [union]

```
union { ... } st_rtc_t::RTCCR1
```

## 5.1413.2.40 [union]

```
union { ... } st_rtc_t::RTCCR2
```

## 5.1413.2.41 [union]

```
union { ... } st_rtc_t::RYRCNT
```

## 5.1413.2.42 wk0

```
char st_rtc_t::wk0[1]
```

Definition at line [28739](#) of file [iodefine.h](#).

## 5.1413.2.43 wk1

```
char st_rtc_t::wk1[1]
```

Definition at line [28768](#) of file [iodefine.h](#).

5.1413.2.44 wk10

```
char st_rtc_t::wk10[1]
```

Definition at line [29020](#) of file [iodefne.h](#).

5.1413.2.45 wk11

```
char st_rtc_t::wk11[1]
```

Definition at line [29051](#) of file [iodefne.h](#).

5.1413.2.46 wk12

```
char st_rtc_t::wk12[1]
```

Definition at line [29082](#) of file [iodefne.h](#).

5.1413.2.47 wk13

```
char st_rtc_t::wk13[3]
```

Definition at line [29139](#) of file [iodefne.h](#).

5.1413.2.48 wk14

```
char st_rtc_t::wk14[1]
```

Definition at line [29159](#) of file [iodefne.h](#).

5.1413.2.49 wk15

```
char st_rtc_t::wk15[1]
```

Definition at line [29185](#) of file [iodefne.h](#).

5.1413.2.50 wk16

```
char st_rtc_t::wk16[1]
```

Definition at line [29201](#) of file [iodefne.h](#).

5.1413.2.51 wk17

```
char st_rtc_t::wk17[1]
```

Definition at line [29215](#) of file [iodefne.h](#).

## 5.1413.2.52 wk18

```
char st_rtc_t::wk18[17]
```

Definition at line [29253](#) of file [iodefne.h](#).

## 5.1413.2.53 wk19

```
char st_rtc_t::wk19[1]
```

Definition at line [29275](#) of file [iodefne.h](#).

## 5.1413.2.54 wk2

```
char st_rtc_t::wk2[1]
```

Definition at line [28797](#) of file [iodefne.h](#).

## 5.1413.2.55 wk20

```
char st_rtc_t::wk20[1]
```

Definition at line [29297](#) of file [iodefne.h](#).

## 5.1413.2.56 wk21

```
char st_rtc_t::wk21[13]
```

Definition at line [29319](#) of file [iodefne.h](#).

## 5.1413.2.57 wk22

```
char st_rtc_t::wk22[1]
```

Definition at line [29348](#) of file [iodefne.h](#).

## 5.1413.2.58 wk23

```
char st_rtc_t::wk23[1]
```

Definition at line [29377](#) of file [iodefne.h](#).

## 5.1413.2.59 wk24

```
char st_rtc_t::wk24[3]
```

Definition at line [29408](#) of file [iodefne.h](#).

5.1413.2.60 wk25

```
char st_rtc_t::wk25[1]
```

Definition at line [29437](#) of file [iodefne.h](#).

5.1413.2.61 wk26

```
char st_rtc_t::wk26[5]
```

Definition at line [29453](#) of file [iodefne.h](#).

5.1413.2.62 wk27

```
char st_rtc_t::wk27[1]
```

Definition at line [29482](#) of file [iodefne.h](#).

5.1413.2.63 wk28

```
char st_rtc_t::wk28[1]
```

Definition at line [29511](#) of file [iodefne.h](#).

5.1413.2.64 wk29

```
char st_rtc_t::wk29[3]
```

Definition at line [29542](#) of file [iodefne.h](#).

5.1413.2.65 wk3

```
char st_rtc_t::wk3[1]
```

Definition at line [28828](#) of file [iodefne.h](#).

5.1413.2.66 wk30

```
char st_rtc_t::wk30[1]
```

Definition at line [29571](#) of file [iodefne.h](#).

5.1413.2.67 wk31

```
char st_rtc_t::wk31[5]
```

Definition at line [29587](#) of file [iodefne.h](#).



## 5.1413.2.68 wk32

```
char st_rtc_t::wk32[1]
```

Definition at line [29616](#) of file [iodefne.h](#).

## 5.1413.2.69 wk33

```
char st_rtc_t::wk33[1]
```

Definition at line [29645](#) of file [iodefne.h](#).

## 5.1413.2.70 wk34

```
char st_rtc_t::wk34[3]
```

Definition at line [29676](#) of file [iodefne.h](#).

## 5.1413.2.71 wk35

```
char st_rtc_t::wk35[1]
```

Definition at line [29705](#) of file [iodefne.h](#).

## 5.1413.2.72 wk4

```
char st_rtc_t::wk4[1]
```

Definition at line [28855](#) of file [iodefne.h](#).

## 5.1413.2.73 wk5

```
char st_rtc_t::wk5[1]
```

Definition at line [28871](#) of file [iodefne.h](#).

## 5.1413.2.74 wk6

```
char st_rtc_t::wk6[1]
```

Definition at line [28887](#) of file [iodefne.h](#).

## 5.1413.2.75 wk7

```
char st_rtc_t::wk7[1]
```

Definition at line [28931](#) of file [iodefne.h](#).

## 5.1413.2.76 wk8

```
char st_rtc_t::wk8[1]
```

Definition at line [28960](#) of file [iodefne.h](#).

## 5.1413.2.77 wk9

```
char st_rtc_t::wk9[1]
```

Definition at line [28991](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1414 st\_rtc\_t.\_\_unnamed0\_\_ Union Reference

## Data Fields

- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 1  
     unsigned char [SEC10](#): 3  
     unsigned char [SEC1](#): 4  
   } [BIT](#)  
  } [RSECCNT](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [BCNT](#): 8  
   } [BIT](#)  
  } [BCNT0](#)

## 5.1414.1 Detailed Description

Definition at line [28740](#) of file [iodefne.h](#).

## 5.1414.2 Field Documentation

## 5.1414.2.1 BCNT0

## 5.1414.2.2 RSECCNT

The documentation for this union was generated from the following files:

## 5.1415 st\_rtc\_t.\_\_unnamed0\_\_.BCNT0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNT](#): 8  
} [BIT](#)

### 5.1415.1 Detailed Description

Definition at line [28756](#) of file [iodefine.h](#).

### 5.1415.2 Field Documentation

#### 5.1415.2.1 BIT

#### 5.1415.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1416 st\_rtc\_t.\_\_unnamed0\_\_.RSECCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
} [BIT](#)

### 5.1416.1 Detailed Description

Definition at line [28741](#) of file [iodefine.h](#).

### 5.1416.2 Field Documentation

#### 5.1416.2.1 BIT

#### 5.1416.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1417 `st_rtc_t.____unnamed10____` Union Reference

### Data Fields

- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [YR10](#): 4
    - unsigned short [YR1](#): 4
    - } [BIT](#)
- } [RYRAR](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [ENB](#): 8
    - } [BIT](#)
- } [BCNT2AER](#)

### 5.1417.1 Detailed Description

Definition at line [29083](#) of file [iodefne.h](#).

### 5.1417.2 Field Documentation

#### 5.1417.2.1 [BCNT2AER](#)

#### 5.1417.2.2 [RYRAR](#)

The documentation for this union was generated from the following files:

## 5.1418 `st_rtc_t.____unnamed10____.BCNT2AER` Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [ENB](#): 8
  - } [BIT](#)

### 5.1418.1 Detailed Description

Definition at line [29099](#) of file [iodefne.h](#).

## 5.1418.2 Field Documentation

### 5.1418.2.1 BIT

### 5.1418.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1419 st\_rtc\_t.\_\_unnamed10\_\_.RYRAR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [YR10](#): 4
  - unsigned short [YR1](#): 4
 } [BIT](#)

### 5.1419.1 Detailed Description

Definition at line [29084](#) of file [iodefine.h](#).

## 5.1419.2 Field Documentation

### 5.1419.2.1 BIT

### 5.1419.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1420 st\_rtc\_t.\_\_unnamed11\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [ENB](#): 1
    - unsigned [char](#): 7
 } [BIT](#)
 } [RYRAREN](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [ENB](#): 8
 } [BIT](#)
 } [BCNT3AER](#)

### 5.1420.1 Detailed Description

Definition at line [29113](#) of file [iodefine.h](#).

### 5.1420.2 Field Documentation

#### 5.1420.2.1 BCNT3AER

#### 5.1420.2.2 RYRAREN

The documentation for this union was generated from the following files:

## 5.1421 st\_rtc\_t.\_\_unnamed11\_\_.BCNT3AER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 8  
} [BIT](#)

### 5.1421.1 Detailed Description

Definition at line [29127](#) of file [iodefine.h](#).

### 5.1421.2 Field Documentation

#### 5.1421.2.1 BIT

#### 5.1421.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1422 st\_rtc\_t.\_\_unnamed11\_\_.RYRAREN Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 1  
    unsigned [char](#): 7  
} [BIT](#)

### 5.1422.1 Detailed Description

Definition at line [29114](#) of file [iodefine.h](#).

### 5.1422.2 Field Documentation

#### 5.1422.2.1 BIT

#### 5.1422.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1423 st\_rtc\_t.\_\_\_\_unnamed12\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
  } [BIT](#)  
} [RSECCP0](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTTCP0](#): 8  
  } [BIT](#)  
} [BCNT0CP0](#)

### 5.1423.1 Detailed Description

Definition at line [29320](#) of file [iodefine.h](#).

### 5.1423.2 Field Documentation

#### 5.1423.2.1 BCNT0CP0

#### 5.1423.2.2 RSECCP0

The documentation for this union was generated from the following files:

## 5.1424 `st_rtc_t.____unnamed12____.BCNT0CP0` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP0](#): 8  
} [BIT](#)

### 5.1424.1 Detailed Description

Definition at line [29336](#) of file [iodefine.h](#).

### 5.1424.2 Field Documentation

#### 5.1424.2.1 BIT

#### 5.1424.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1425 `st_rtc_t.____unnamed12____.RSECCP0` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
} [BIT](#)

### 5.1425.1 Detailed Description

Definition at line [29321](#) of file [iodefine.h](#).

### 5.1425.2 Field Documentation

#### 5.1425.2.1 BIT

#### 5.1425.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1426 st\_rtc\_t.\_\_\_\_unnamed13\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char: 1  
    unsigned char [MIN10](#): 3  
    unsigned char [MIN1](#): 4  
    } [BIT](#)  
  } [RMINCP0](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP0](#): 8  
    } [BIT](#)  
  } [BCNT1CP0](#)

### 5.1426.1 Detailed Description

Definition at line [29349](#) of file [iodefine.h](#).

### 5.1426.2 Field Documentation

#### 5.1426.2.1 BCNT1CP0

#### 5.1426.2.2 RMINCP0

The documentation for this union was generated from the following files:

## 5.1427 st\_rtc\_t.\_\_\_\_unnamed13\_\_\_\_.BCNT1CP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTCP0](#): 8  
  } [BIT](#)

### 5.1427.1 Detailed Description

Definition at line [29365](#) of file [iodefine.h](#).

## 5.1427.2 Field Documentation

### 5.1427.2.1 BIT

### 5.1427.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1428 st\_rtc\_t.\_\_unnamed13\_\_.RMINCP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [MIN10](#): 3
  - unsigned char [MIN1](#): 4
 } [BIT](#)

### 5.1428.1 Detailed Description

Definition at line [29350](#) of file [iodefne.h](#).

## 5.1428.2 Field Documentation

### 5.1428.2.1 BIT

### 5.1428.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1429 st\_rtc\_t.\_\_unnamed14\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [PM](#): 1
    - unsigned char [HR10](#): 2
    - unsigned char [HR1](#): 4
 } [BIT](#)
 } [RHRCPO](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCNTCP0](#): 8
 } [BIT](#)
 } [BCNT2CP0](#)

### 5.1429.1 Detailed Description

Definition at line 29378 of file [iodefne.h](#).

### 5.1429.2 Field Documentation

#### 5.1429.2.1 BCNT2CP0

#### 5.1429.2.2 RHRCP0

The documentation for this union was generated from the following files:

## 5.1430 st\_rtc\_t.\_\_unnamed14\_\_.BCNT2CP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP0](#): 8  
} [BIT](#)

### 5.1430.1 Detailed Description

Definition at line 29396 of file [iodefne.h](#).

### 5.1430.2 Field Documentation

#### 5.1430.2.1 BIT

#### 5.1430.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1431 st\_rtc\_t.\_\_unnamed14\_\_.RHRCP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
} [BIT](#)

### 5.1431.1 Detailed Description

Definition at line [29379](#) of file [iodefine.h](#).

### 5.1431.2 Field Documentation

#### 5.1431.2.1 BIT

#### 5.1431.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1432 st\_rtc\_t.\_\_\_\_unnamed15\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 2  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
  } [BIT](#)  
} [RDAYCP0](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP0](#): 8  
  } [BIT](#)  
} [BCNT3CP0](#)

### 5.1432.1 Detailed Description

Definition at line [29409](#) of file [iodefine.h](#).

### 5.1432.2 Field Documentation

#### 5.1432.2.1 BCNT3CP0

#### 5.1432.2.2 RDAYCP0

The documentation for this union was generated from the following files:

## 5.1433 st\_rtc\_t.\_\_unnamed15\_\_.BCNT3CP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP0](#): 8  
} [BIT](#)

### 5.1433.1 Detailed Description

Definition at line [29425](#) of file [iodefine.h](#).

### 5.1433.2 Field Documentation

#### 5.1433.2.1 BIT

#### 5.1433.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1434 st\_rtc\_t.\_\_unnamed15\_\_.RDAYCP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
} [BIT](#)

### 5.1434.1 Detailed Description

Definition at line [29410](#) of file [iodefine.h](#).

### 5.1434.2 Field Documentation

#### 5.1434.2.1 BIT

#### 5.1434.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1435 st\_rtc\_t.\_\_unnamed16\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char: 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
  } [BIT](#)  
} [RSECCP1](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP1](#): 8  
  } [BIT](#)  
} [BCNT0CP1](#)

### 5.1435.1 Detailed Description

Definition at line [29454](#) of file [iodefine.h](#).

### 5.1435.2 Field Documentation

#### 5.1435.2.1 BCNT0CP1

#### 5.1435.2.2 RSECCP1

The documentation for this union was generated from the following files:

## 5.1436 st\_rtc\_t.\_\_unnamed16\_\_.BCNT0CP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTCP1](#): 8  
} [BIT](#)

### 5.1436.1 Detailed Description

Definition at line [29470](#) of file [iodefine.h](#).

## 5.1436.2 Field Documentation

### 5.1436.2.1 BIT

### 5.1436.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1437 st\_rtc\_t.\_\_unnamed16\_\_.RSECCP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [SEC10](#): 3
  - unsigned char [SEC1](#): 4
 } [BIT](#)

### 5.1437.1 Detailed Description

Definition at line [29455](#) of file [iodefine.h](#).

## 5.1437.2 Field Documentation

### 5.1437.2.1 BIT

### 5.1437.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1438 st\_rtc\_t.\_\_unnamed17\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char: 1
    - unsigned char [MIN10](#): 3
    - unsigned char [MIN1](#): 4
 } [BIT](#)
 } [RMINCP1](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCNTCP1](#): 8
 } [BIT](#)
 } [BCNT1CP1](#)

### 5.1438.1 Detailed Description

Definition at line [29483](#) of file [iodefne.h](#).

### 5.1438.2 Field Documentation

#### 5.1438.2.1 BCNT1CP1

#### 5.1438.2.2 RMINCP1

The documentation for this union was generated from the following files:

## 5.1439 st\_rtc\_t.\_\_unnamed17\_\_.BCNT1CP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP1](#): 8  
} [BIT](#)

### 5.1439.1 Detailed Description

Definition at line [29499](#) of file [iodefne.h](#).

### 5.1439.2 Field Documentation

#### 5.1439.2.1 BIT

#### 5.1439.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1440 st\_rtc\_t.\_\_unnamed17\_\_.RMINCP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [MIN10](#): 3  
    unsigned char [MIN1](#): 4  
} [BIT](#)



### 5.1440.1 Detailed Description

Definition at line 29484 of file [iodefine.h](#).

### 5.1440.2 Field Documentation

#### 5.1440.2.1 BIT

#### 5.1440.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1441 st\_rtc\_t.\_\_\_\_unnamed18\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
  } [BIT](#)  
} [RHRC1](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP1](#): 8  
  } [BIT](#)  
} [BCNT2CP1](#)

### 5.1441.1 Detailed Description

Definition at line 29512 of file [iodefine.h](#).

### 5.1441.2 Field Documentation

#### 5.1441.2.1 BCNT2CP1

#### 5.1441.2.2 RHRC1

The documentation for this union was generated from the following files:

## 5.1442 `st_rtc_t.____unnamed18____.BCNT2CP1` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP1](#): 8  
} [BIT](#)

### 5.1442.1 Detailed Description

Definition at line [29530](#) of file [iodefine.h](#).

### 5.1442.2 Field Documentation

#### 5.1442.2.1 BIT

#### 5.1442.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1443 `st_rtc_t.____unnamed18____.RHRCP1` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
} [BIT](#)

### 5.1443.1 Detailed Description

Definition at line [29513](#) of file [iodefine.h](#).

### 5.1443.2 Field Documentation

#### 5.1443.2.1 BIT

#### 5.1443.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1444 st\_rtc\_t.\_\_\_\_unnamed19\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 2  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
  } [BIT](#)  
} [RDAYCP1](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP1](#): 8  
  } [BIT](#)  
} [BCNT3CP1](#)

### 5.1444.1 Detailed Description

Definition at line [29543](#) of file [iodefine.h](#).

### 5.1444.2 Field Documentation

#### 5.1444.2.1 BCNT3CP1

#### 5.1444.2.2 RDAYCP1

The documentation for this union was generated from the following files:

## 5.1445 st\_rtc\_t.\_\_\_\_unnamed19\_\_\_\_.BCNT3CP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTCP1](#): 8  
} [BIT](#)

### 5.1445.1 Detailed Description

Definition at line [29559](#) of file [iodefine.h](#).

## 5.1445.2 Field Documentation

### 5.1445.2.1 BIT

### 5.1445.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1446 st\_rtc\_t.\_\_unnamed19\_\_.RDAYCP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [DATE10](#): 2
  - unsigned char [DATE1](#): 4
 } [BIT](#)

### 5.1446.1 Detailed Description

Definition at line [29544](#) of file [iodefine.h](#).

## 5.1446.2 Field Documentation

### 5.1446.2.1 BIT

### 5.1446.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1447 st\_rtc\_t.\_\_unnamed1\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [MIN10](#): 3
    - unsigned char [MIN1](#): 4
 } [BIT](#)
 } [RMINCNT](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCNT](#): 8
 } [BIT](#)
 } [BCNT1](#)

### 5.1447.1 Detailed Description

Definition at line [28769](#) of file [iodefne.h](#).

### 5.1447.2 Field Documentation

#### 5.1447.2.1 BCNT1

#### 5.1447.2.2 RMINCNT

The documentation for this union was generated from the following files:

## 5.1448 st\_rtc\_t.\_\_\_\_unnamed1\_\_\_\_.BCNT1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNT](#): 8  
} [BIT](#)

### 5.1448.1 Detailed Description

Definition at line [28785](#) of file [iodefne.h](#).

### 5.1448.2 Field Documentation

#### 5.1448.2.1 BIT

#### 5.1448.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1449 st\_rtc\_t.\_\_\_\_unnamed1\_\_\_\_.RMINCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [MIN10](#): 3  
    unsigned char [MIN1](#): 4  
} [BIT](#)

### 5.1449.1 Detailed Description

Definition at line [28770](#) of file [iodefine.h](#).

### 5.1449.2 Field Documentation

#### 5.1449.2.1 BIT

#### 5.1449.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1450 st\_rtc\_t.\_\_\_\_unnamed20\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
  } [BIT](#)  
} [RSECCP2](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP2](#): 8  
  } [BIT](#)  
} [BCNT0CP2](#)

### 5.1450.1 Detailed Description

Definition at line [29588](#) of file [iodefine.h](#).

### 5.1450.2 Field Documentation

#### 5.1450.2.1 BCNT0CP2

#### 5.1450.2.2 RSECCP2

The documentation for this union was generated from the following files:

## 5.1451 st\_rtc\_t.\_\_\_\_unnamed20\_\_\_\_.BCNT0CP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP2](#): 8  
} [BIT](#)

### 5.1451.1 Detailed Description

Definition at line [29604](#) of file [iodefne.h](#).

### 5.1451.2 Field Documentation

#### 5.1451.2.1 BIT

#### 5.1451.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1452 st\_rtc\_t.\_\_\_\_unnamed20\_\_\_\_.RSECCP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
} [BIT](#)

### 5.1452.1 Detailed Description

Definition at line [29589](#) of file [iodefne.h](#).

### 5.1452.2 Field Documentation

#### 5.1452.2.1 BIT

#### 5.1452.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1453 st\_rtc\_t.\_\_unnamed21\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char: 1  
    unsigned char [MIN10](#): 3  
    unsigned char [MIN1](#): 4  
    } [BIT](#)  
  } [RMINCP2](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP2](#): 8  
    } [BIT](#)  
  } [BCNT1CP2](#)

### 5.1453.1 Detailed Description

Definition at line [29617](#) of file [iodefine.h](#).

### 5.1453.2 Field Documentation

#### 5.1453.2.1 BCNT1CP2

#### 5.1453.2.2 RMINCP2

The documentation for this union was generated from the following files:

## 5.1454 st\_rtc\_t.\_\_unnamed21\_\_.BCNT1CP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTCP2](#): 8  
  } [BIT](#)

### 5.1454.1 Detailed Description

Definition at line [29633](#) of file [iodefine.h](#).



## 5.1454.2 Field Documentation

### 5.1454.2.1 BIT

### 5.1454.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1455 st\_rtc\_t.\_\_unnamed21\_\_.RMINCP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [MIN10](#): 3
  - unsigned char [MIN1](#): 4
 } [BIT](#)

### 5.1455.1 Detailed Description

Definition at line [29618](#) of file [iodefine.h](#).

## 5.1455.2 Field Documentation

### 5.1455.2.1 BIT

### 5.1455.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1456 st\_rtc\_t.\_\_unnamed22\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char: 1
    - unsigned char [PM](#): 1
    - unsigned char [HR10](#): 2
    - unsigned char [HR1](#): 4
  - } [BIT](#)
 } [RHRCP2](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCNTCP2](#): 8
  - } [BIT](#)
 } [BCNT2CP2](#)

### 5.1456.1 Detailed Description

Definition at line [29646](#) of file [iodefne.h](#).

### 5.1456.2 Field Documentation

#### 5.1456.2.1 BCNT2CP2

#### 5.1456.2.2 RHRCP2

The documentation for this union was generated from the following files:

## 5.1457 st\_rtc\_t.\_\_unnamed22\_\_.BCNT2CP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTCP2](#): 8  
} [BIT](#)

### 5.1457.1 Detailed Description

Definition at line [29664](#) of file [iodefne.h](#).

### 5.1457.2 Field Documentation

#### 5.1457.2.1 BIT

#### 5.1457.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1458 st\_rtc\_t.\_\_unnamed22\_\_.RHRCP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
} [BIT](#)

### 5.1458.1 Detailed Description

Definition at line [29647](#) of file [iodefine.h](#).

### 5.1458.2 Field Documentation

#### 5.1458.2.1 BIT

#### 5.1458.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1459 st\_rtc\_t.\_\_\_\_unnamed23\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 2  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
  } [BIT](#)  
} [RDAYCP2](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTCP2](#): 8  
  } [BIT](#)  
} [BCNT3CP2](#)

### 5.1459.1 Detailed Description

Definition at line [29677](#) of file [iodefine.h](#).

### 5.1459.2 Field Documentation

#### 5.1459.2.1 BCNT3CP2

#### 5.1459.2.2 RDAYCP2

The documentation for this union was generated from the following files:

## 5.1460 `st_rtc_t.____unnamed23____.BCNT3CP2` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTCP2](#): 8  
} [BIT](#)

### 5.1460.1 Detailed Description

Definition at line [29693](#) of file [iodefine.h](#).

### 5.1460.2 Field Documentation

#### 5.1460.2.1 BIT

#### 5.1460.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1461 `st_rtc_t.____unnamed23____.RDAYCP2` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 2  
  unsigned char [DATE10](#): 2  
  unsigned char [DATE1](#): 4  
} [BIT](#)

### 5.1461.1 Detailed Description

Definition at line [29678](#) of file [iodefine.h](#).

### 5.1461.2 Field Documentation

#### 5.1461.2.1 BIT

#### 5.1461.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1462 st\_rtc\_t.\_\_\_\_unnamed2\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned [char](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
  } [BIT](#)  
} [RHRCNT](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNT](#): 8  
  } [BIT](#)  
} [BCNT2](#)

### 5.1462.1 Detailed Description

Definition at line [28798](#) of file [iodefine.h](#).

### 5.1462.2 Field Documentation

#### 5.1462.2.1 BCNT2

#### 5.1462.2.2 RHRCNT

The documentation for this union was generated from the following files:

## 5.1463 st\_rtc\_t.\_\_\_\_unnamed2\_\_\_\_.BCNT2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNT](#): 8  
} [BIT](#)

### 5.1463.1 Detailed Description

Definition at line [28816](#) of file [iodefine.h](#).

## 5.1463.2 Field Documentation

### 5.1463.2.1 BIT

### 5.1463.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1464 st\_rtc\_t.\_\_unnamed2\_\_.RHRCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [PM](#): 1
  - unsigned char [HR10](#): 2
  - unsigned char [HR1](#): 4
- } [BIT](#)

### 5.1464.1 Detailed Description

Definition at line [28799](#) of file [iodefine.h](#).

## 5.1464.2 Field Documentation

### 5.1464.2.1 BIT

### 5.1464.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1465 st\_rtc\_t.\_\_unnamed3\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 5
    - unsigned char [DAYW](#): 3
  - } [BIT](#)
- } [RWKCNT](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCNT](#): 8
  - } [BIT](#)
- } [BCNT3](#)

### 5.1465.1 Detailed Description

Definition at line 28829 of file [iodefne.h](#).

### 5.1465.2 Field Documentation

#### 5.1465.2.1 BCNT3

#### 5.1465.2.2 RWKCNT

The documentation for this union was generated from the following files:

## 5.1466 st\_rtc\_t.\_\_\_\_unnamed3\_\_\_\_.BCNT3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNT](#): 8  
} [BIT](#)

### 5.1466.1 Detailed Description

Definition at line 28843 of file [iodefne.h](#).

### 5.1466.2 Field Documentation

#### 5.1466.2.1 BIT

#### 5.1466.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1467 st\_rtc\_t.\_\_\_\_unnamed3\_\_\_\_.RWKCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [DAYW](#): 3  
} [BIT](#)

### 5.1467.1 Detailed Description

Definition at line [28830](#) of file [iodefine.h](#).

### 5.1467.2 Field Documentation

#### 5.1467.2.1 BIT

#### 5.1467.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1468 st\_rtc\_t.\_\_\_\_unnamed4\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [ENB](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
  } [BIT](#)  
} [RSECAR](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTAR](#): 8  
  } [BIT](#)  
} [BCNT0AR](#)

### 5.1468.1 Detailed Description

Definition at line [28903](#) of file [iodefine.h](#).

### 5.1468.2 Field Documentation

#### 5.1468.2.1 BCNT0AR

#### 5.1468.2.2 RSECAR

The documentation for this union was generated from the following files:



## 5.1469 st\_rtc\_t.\_\_\_\_unnamed4\_\_\_\_.BCNT0AR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTAR](#): 8  
} [BIT](#)

### 5.1469.1 Detailed Description

Definition at line [28919](#) of file [iodefine.h](#).

### 5.1469.2 Field Documentation

#### 5.1469.2.1 BIT

#### 5.1469.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1470 st\_rtc\_t.\_\_\_\_unnamed4\_\_\_\_.RSECAR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 1  
    unsigned char [SEC10](#): 3  
    unsigned char [SEC1](#): 4  
} [BIT](#)

### 5.1470.1 Detailed Description

Definition at line [28904](#) of file [iodefine.h](#).

### 5.1470.2 Field Documentation

#### 5.1470.2.1 BIT

#### 5.1470.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1471 st\_rtc\_t.\_\_unnamed5\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [ENB](#): 1  
    unsigned char [MIN10](#): 3  
    unsigned char [MIN1](#): 4  
  } [BIT](#)  
} [RMINAR](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTAR](#): 8  
  } [BIT](#)  
} [BCNT1AR](#)

### 5.1471.1 Detailed Description

Definition at line [28932](#) of file [iodefine.h](#).

### 5.1471.2 Field Documentation

#### 5.1471.2.1 BCNT1AR

#### 5.1471.2.2 RMINAR

The documentation for this union was generated from the following files:

## 5.1472 st\_rtc\_t.\_\_unnamed5\_\_.BCNT1AR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [BCNTAR](#): 8  
} [BIT](#)

### 5.1472.1 Detailed Description

Definition at line [28948](#) of file [iodefine.h](#).

## 5.1472.2 Field Documentation

### 5.1472.2.1 BIT

### 5.1472.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1473 st\_rtc\_t.\_\_unnamed5\_\_.RMINAR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ENB](#): 1
  - unsigned char [MIN10](#): 3
  - unsigned char [MIN1](#): 4
 } [BIT](#)

### 5.1473.1 Detailed Description

Definition at line [28933](#) of file [iodefine.h](#).

## 5.1473.2 Field Documentation

### 5.1473.2.1 BIT

### 5.1473.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1474 st\_rtc\_t.\_\_unnamed6\_\_ Union Reference

### Data Fields

- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned char [ENB](#): 1
      - unsigned char [PM](#): 1
      - unsigned char [HR10](#): 2
      - unsigned char [HR1](#): 4
  - } [BIT](#)
- } [RHRAR](#)
- union {
  - unsigned char [BYTE](#)
    - struct {
      - unsigned char [BCNTAR](#): 8
  - } [BIT](#)
- } [BCNT2AR](#)

### 5.1474.1 Detailed Description

Definition at line [28961](#) of file [iodefine.h](#).

### 5.1474.2 Field Documentation

#### 5.1474.2.1 BCNT2AR

#### 5.1474.2.2 RHRAR

The documentation for this union was generated from the following files:

## 5.1475 st\_rtc\_t.\_\_unnamed6\_\_.BCNT2AR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTAR](#): 8  
} [BIT](#)

### 5.1475.1 Detailed Description

Definition at line [28979](#) of file [iodefine.h](#).

### 5.1475.2 Field Documentation

#### 5.1475.2.1 BIT

#### 5.1475.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1476 st\_rtc\_t.\_\_unnamed6\_\_.RHRAR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 1  
    unsigned char [PM](#): 1  
    unsigned char [HR10](#): 2  
    unsigned char [HR1](#): 4  
} [BIT](#)

### 5.1476.1 Detailed Description

Definition at line [28962](#) of file [iodefine.h](#).

### 5.1476.2 Field Documentation

#### 5.1476.2.1 BIT

#### 5.1476.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1477 st\_rtc\_t.\_\_unnamed7\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [ENB](#): 1  
    unsigned [char](#): 4  
    unsigned char [DAYW](#): 3  
  } [BIT](#)  
} [RWKAR](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [BCNTAR](#): 8  
  } [BIT](#)  
} [BCNT3AR](#)

### 5.1477.1 Detailed Description

Definition at line [28992](#) of file [iodefine.h](#).

### 5.1477.2 Field Documentation

#### 5.1477.2.1 BCNT3AR

#### 5.1477.2.2 RWKAR

The documentation for this union was generated from the following files:

## 5.1478 `st_rtc_t.____unnamed7____.BCNT3AR` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [BCNTAR](#): 8  
} [BIT](#)

### 5.1478.1 Detailed Description

Definition at line [29008](#) of file [iodefine.h](#).

### 5.1478.2 Field Documentation

#### 5.1478.2.1 BIT

#### 5.1478.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1479 `st_rtc_t.____unnamed7____.RWKAR` Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 1  
    unsigned [char](#): 4  
    unsigned char [DAYW](#): 3  
} [BIT](#)

### 5.1479.1 Detailed Description

Definition at line [28993](#) of file [iodefine.h](#).

### 5.1479.2 Field Documentation

#### 5.1479.2.1 BIT

#### 5.1479.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1480 st\_rtc\_t.\_\_\_\_unnamed8\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [ENB](#): 1  
    unsigned [char](#): 1  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
  } [BIT](#)  
} [RDAYAR](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [ENB](#): 8  
  } [BIT](#)  
} [BCNT0AER](#)

### 5.1480.1 Detailed Description

Definition at line [29021](#) of file [iodefine.h](#).

### 5.1480.2 Field Documentation

#### 5.1480.2.1 BCNT0AER

#### 5.1480.2.2 RDAYAR

The documentation for this union was generated from the following files:

## 5.1481 st\_rtc\_t.\_\_\_\_unnamed8\_\_\_\_.BCNT0AER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [ENB](#): 8  
} [BIT](#)

### 5.1481.1 Detailed Description

Definition at line [29039](#) of file [iodefine.h](#).

## 5.1481.2 Field Documentation

### 5.1481.2.1 BIT

### 5.1481.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1482 st\_rtc\_t.\_\_unnamed8\_\_.RDAYAR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ENB](#): 1
  - unsigned [char](#): 1
  - unsigned char [DATE10](#): 2
  - unsigned char [DATE1](#): 4

} [BIT](#)

### 5.1482.1 Detailed Description

Definition at line [29022](#) of file [iodefine.h](#).

## 5.1482.2 Field Documentation

### 5.1482.2.1 BIT

### 5.1482.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1483 st\_rtc\_t.\_\_unnamed9\_\_ Union Reference

### Data Fields

- union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned char [ENB](#): 1
      - unsigned [char](#): 2
      - unsigned char [MON10](#): 1
      - unsigned char [MON1](#): 4
- } [BIT](#)
- } [RMONAR](#)
- union {
    - unsigned char [BYTE](#)
    - struct {
      - unsigned char [ENB](#): 8
- } [BIT](#)
- } [BCNT1AER](#)



### 5.1483.1 Detailed Description

Definition at line [29052](#) of file [iodefine.h](#).

### 5.1483.2 Field Documentation

#### 5.1483.2.1 BCNT1AER

#### 5.1483.2.2 RMONAR

The documentation for this union was generated from the following files:

## 5.1484 st\_rtc\_t.\_\_\_\_unnamed9\_\_\_\_.BCNT1AER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 8  
} [BIT](#)

### 5.1484.1 Detailed Description

Definition at line [29070](#) of file [iodefine.h](#).

### 5.1484.2 Field Documentation

#### 5.1484.2.1 BIT

#### 5.1484.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1485 st\_rtc\_t.\_\_\_\_unnamed9\_\_\_\_.RMONAR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [ENB](#): 1  
    unsigned [char](#): 2  
    unsigned char [MON10](#): 1  
    unsigned char [MON1](#): 4  
} [BIT](#)

### 5.1485.1 Detailed Description

Definition at line [29053](#) of file [iodefne.h](#).

### 5.1485.2 Field Documentation

#### 5.1485.2.1 BIT

#### 5.1485.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1486 st\_rtc\_t.R64CNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [F1HZ](#): 1
  - unsigned char [F2HZ](#): 1
  - unsigned char [F4HZ](#): 1
  - unsigned char [F8HZ](#): 1
  - unsigned char [F16HZ](#): 1
  - unsigned char [F32HZ](#): 1
  - unsigned char [F64HZ](#): 1
- } [BIT](#)

### 5.1486.1 Detailed Description

Definition at line [28714](#) of file [iodefne.h](#).

### 5.1486.2 Field Documentation

#### 5.1486.2.1 BIT

#### 5.1486.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1487 st\_rtc\_t.RADJ Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [PMADJ](#): 2
  - unsigned char [ADJ](#): 6
- } [BIT](#)

### 5.1487.1 Detailed Description

Definition at line [29240](#) of file [iodefne.h](#).

### 5.1487.2 Field Documentation

#### 5.1487.2.1 BIT

#### 5.1487.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1488 st\_rtc\_t.RCR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [PES](#): 4
  - unsigned char [RTCOS](#): 1
  - unsigned char [PIE](#): 1
  - unsigned char [CIE](#): 1
  - unsigned char [AIE](#): 1
- } [BIT](#)

### 5.1488.1 Detailed Description

Definition at line [29140](#) of file [iodefne.h](#).

### 5.1488.2 Field Documentation

#### 5.1488.2.1 BIT

#### 5.1488.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1489 st\_rtc\_t.RCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CNTMD](#): 1
  - unsigned char [HR24](#): 1
  - unsigned char [AADJP](#): 1
  - unsigned char [AADJE](#): 1
  - unsigned char [RTCOE](#): 1
  - unsigned char [ADJ30](#): 1
  - unsigned char [RESET](#): 1
  - unsigned char [START](#): 1
- } [BIT](#)

### 5.1489.1 Detailed Description

Definition at line [29160](#) of file [iodefine.h](#).

### 5.1489.2 Field Documentation

#### 5.1489.2.1 BIT

#### 5.1489.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1490 st\_rtc\_t.RCR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 4
  - unsigned char [RTCDV](#): 3
  - unsigned char [RTCEN](#): 1
- } [BIT](#)

### 5.1490.1 Detailed Description

Definition at line [29186](#) of file [iodefine.h](#).

## 5.1490.2 Field Documentation

### 5.1490.2.1 BIT

### 5.1490.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1491 st\_rtc\_t.RCR4 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [RCKSEL](#): 1  
} [BIT](#)

### 5.1491.1 Detailed Description

Definition at line [29202](#) of file [iodefine.h](#).

## 5.1491.2 Field Documentation

### 5.1491.2.1 BIT

### 5.1491.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1492 st\_rtc\_t.RDAYCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 2  
    unsigned char [DATE10](#): 2  
    unsigned char [DATE1](#): 4  
} [BIT](#)

### 5.1492.1 Detailed Description

Definition at line [28856](#) of file [iodefine.h](#).

## 5.1492.2 Field Documentation

### 5.1492.2.1 BIT

### 5.1492.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1493 st\_rtc\_t.RFRH Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned [short](#): 15  
    unsigned short [RFC](#): 1  
} [BIT](#)

### 5.1493.1 Detailed Description

Definition at line [29216](#) of file [iodefine.h](#).

## 5.1493.2 Field Documentation

### 5.1493.2.1 BIT

### 5.1493.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1494 st\_rtc\_t.RFRL Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned short [RFC](#): 16  
} [BIT](#)

### 5.1494.1 Detailed Description

Definition at line [29229](#) of file [iodefine.h](#).

## 5.1494.2 Field Documentation

### 5.1494.2.1 BIT

### 5.1494.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1495 st\_rtc\_t.RMONCNT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [MON10](#): 1
  - unsigned char [MON1](#): 4
- } [BIT](#)

### 5.1495.1 Detailed Description

Definition at line [28872](#) of file [iodefine.h](#).

## 5.1495.2 Field Documentation

### 5.1495.2.1 BIT

### 5.1495.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1496 st\_rtc\_t.RMONCP0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [MON10](#): 1
  - unsigned char [MON1](#): 4
- } [BIT](#)

### 5.1496.1 Detailed Description

Definition at line [29438](#) of file [iodefne.h](#).

### 5.1496.2 Field Documentation

#### 5.1496.2.1 BIT

#### 5.1496.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1497 st\_rtc\_t.RMONCP1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [MON10](#): 1
  - unsigned char [MON1](#): 4
- } [BIT](#)

### 5.1497.1 Detailed Description

Definition at line [29572](#) of file [iodefne.h](#).

### 5.1497.2 Field Documentation

#### 5.1497.2.1 BIT

#### 5.1497.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1498 st\_rtc\_t.RMONCP2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [MON10](#): 1
  - unsigned char [MON1](#): 4
- } [BIT](#)



### 5.1498.1 Detailed Description

Definition at line [29706](#) of file [iodefne.h](#).

### 5.1498.2 Field Documentation

#### 5.1498.2.1 BIT

#### 5.1498.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1499 st\_rtc\_t.RTCCR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCEN](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCNF](#): 2
  - unsigned char [TCST](#): 1
  - unsigned char [TCCT](#): 2
- } [BIT](#)

### 5.1499.1 Detailed Description

Definition at line [29254](#) of file [iodefne.h](#).

### 5.1499.2 Field Documentation

#### 5.1499.2.1 BIT

#### 5.1499.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1500 st\_rtc\_t.RTCCR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCEN](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCNF](#): 2
  - unsigned char [TCST](#): 1
  - unsigned char [TCCT](#): 2
- } [BIT](#)

### 5.1500.1 Detailed Description

Definition at line [29276](#) of file [iodefine.h](#).

### 5.1500.2 Field Documentation

#### 5.1500.2.1 BIT

#### 5.1500.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1501 st\_rtc\_t.RTCCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCEN](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCNF](#): 2
  - unsigned char [TCST](#): 1
  - unsigned char [TCCT](#): 2
- } [BIT](#)

### 5.1501.1 Detailed Description

Definition at line [29298](#) of file [iodefine.h](#).

### 5.1501.2 Field Documentation

#### 5.1501.2.1 BIT

#### 5.1501.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1502 st\_rtc\_t.RYRCNT Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [YR10](#): 4
  - unsigned short [YR1](#): 4
- } [BIT](#)

### 5.1502.1 Detailed Description

Definition at line [28888](#) of file [iodefne.h](#).

### 5.1502.2 Field Documentation

#### 5.1502.2.1 BIT


#### 5.1502.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1503 st\_s12ad1\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_s12ad1\_t:



- 
- Generated by Doxygen

```

unsigned short EXTRG: 1
unsigned short DBLE: 1
unsigned short GBADIE: 1
unsigned short DBLANS: 5
 } BIT
} ADCSR

```

- char wk0 [2]
- union {
 

```

unsigned short WORD
 struct {
unsigned short ANSA015: 1
unsigned short ANSA014: 1
unsigned short ANSA013: 1
unsigned short ANSA012: 1
unsigned short ANSA011: 1
unsigned short ANSA010: 1
unsigned short ANSA009: 1
unsigned short ANSA008: 1
unsigned short ANSA007: 1
unsigned short ANSA006: 1
unsigned short ANSA005: 1
unsigned short ANSA004: 1
unsigned short ANSA003: 1
unsigned short ANSA002: 1
unsigned short ANSA001: 1
unsigned short ANSA000: 1
 } BIT
} ADANSA0

```
- union {
 

```

unsigned short WORD
 struct {
unsigned short: 11
unsigned short ANSA104: 1
unsigned short ANSA103: 1
unsigned short ANSA102: 1
unsigned short ANSA101: 1
unsigned short ANSA100: 1
 } BIT
} ADANSA1

```
- union {
 

```

unsigned short WORD
 struct {
unsigned short ADS015: 1
unsigned short ADS014: 1
unsigned short ADS013: 1
unsigned short ADS012: 1
unsigned short ADS011: 1
unsigned short ADS010: 1
unsigned short ADS009: 1
unsigned short ADS008: 1
unsigned short ADS007: 1
unsigned short ADS006: 1
unsigned short ADS005: 1
unsigned short ADS004: 1
unsigned short ADS003: 1

```

- ```

    unsigned short ADS002: 1
    unsigned short ADS001: 1
    unsigned short ADS000: 1
    } BIT
} ADADS0

```
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 11
          unsigned short ADS104: 1
          unsigned short ADS103: 1
          unsigned short ADS102: 1
          unsigned short ADS101: 1
          unsigned short ADS100: 1
        } BIT
      } ADADS1

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char AVEE: 1
          unsigned char: 4
          unsigned char ADC: 3
        } BIT
      } ADADC

```
 - char wk1 [1]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short ADRFMT: 1
          unsigned short: 3
          unsigned short DIAGM: 1
          unsigned short DIAGLD: 1
          unsigned short DIAGVAL: 2
          unsigned short ACE: 1
          unsigned short ADPRC: 2
        } BIT
      } ADCER

```
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 2
          unsigned short TRSA: 6
          unsigned short TRSB: 6
        } BIT
      } ADSTRGR

```
 - union {


```

        unsigned short WORD
        struct {
          unsigned short EXOEN: 1
          unsigned short EXSEL: 2
          unsigned short: 1
          unsigned short OCSB: 1
          unsigned short TSSB: 1

```

- unsigned short [OCSA](#): 1
 - unsigned short [TSSA](#): 1
 - unsigned short [OCSAD](#): 1
 - unsigned short [TSSAD](#): 1
 - } [BIT](#)
 - } [ADEXICR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [ANSB015](#): 1
 - unsigned short [ANSB014](#): 1
 - unsigned short [ANSB013](#): 1
 - unsigned short [ANSB012](#): 1
 - unsigned short [ANSB011](#): 1
 - unsigned short [ANSB010](#): 1
 - unsigned short [ANSB009](#): 1
 - unsigned short [ANSB008](#): 1
 - unsigned short [ANSB007](#): 1
 - unsigned short [ANSB006](#): 1
 - unsigned short [ANSB005](#): 1
 - unsigned short [ANSB004](#): 1
 - unsigned short [ANSB003](#): 1
 - unsigned short [ANSB002](#): 1
 - unsigned short [ANSB001](#): 1
 - unsigned short [ANSB000](#): 1
 - } [BIT](#)
 - } [ADANSB0](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 11
 - unsigned short [ANSB104](#): 1
 - unsigned short [ANSB103](#): 1
 - unsigned short [ANSB102](#): 1
 - unsigned short [ANSB101](#): 1
 - unsigned short [ANSB100](#): 1
 - } [BIT](#)
 - } [ADANSB1](#)
- unsigned short [ADDBLDR](#)
- unsigned short [ADTSDR](#)
- unsigned short [ADOCDR](#)
- union {
 - unsigned short [WORD](#)
 - union {
 - struct {
 - unsigned short [DIAGST](#): 2
 - unsigned [short](#): 2
 - unsigned short [AD](#): 12
 - } [RIGHT](#)
 - struct {
 - unsigned short [AD](#): 12
 - unsigned [short](#): 2
 - unsigned short [DIAGST](#): 2
 - } [LEFT](#)
 - } [BIT](#)

} [ADDRD](#)

- unsigned short [ADDR0](#)
- unsigned short [ADDR1](#)
- unsigned short [ADDR2](#)
- unsigned short [ADDR3](#)
- unsigned short [ADDR4](#)
- unsigned short [ADDR5](#)
- unsigned short [ADDR6](#)
- unsigned short [ADDR7](#)
- unsigned short [ADDR8](#)
- unsigned short [ADDR9](#)
- unsigned short [ADDR10](#)
- unsigned short [ADDR11](#)
- unsigned short [ADDR12](#)
- unsigned short [ADDR13](#)
- unsigned short [ADDR14](#)
- unsigned short [ADDR15](#)
- unsigned short [ADDR16](#)
- unsigned short [ADDR17](#)
- unsigned short [ADDR18](#)
- unsigned short [ADDR19](#)
- unsigned short [ADDR20](#)
- char [wk2](#) [25]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [PRO](#): 2
 - } [BIT](#)
- } [ADSAMPR](#)
- char [wk3](#) [10]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 10
 - unsigned short [SAM](#): 1
 - } [BIT](#)
- } [ADSAM](#)
- char [wk4](#) [10]
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 3
 - unsigned char [ADNDIS](#): 5
 - } [BIT](#)
- } [ADDISCR](#)
- char [wk5](#) [5]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [GBRP](#): 1
 - unsigned short [LGRS](#): 1

- ```

 unsigned short: 12
 unsigned short GBRSCN: 1
 unsigned short PGS: 1
 } BIT
} ADGSPCR

```
- char wk6 [2]
  - unsigned short ADDBLDRA
  - unsigned short ADDBLDRB
  - char wk7 [4]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char MONCMPB: 1
 unsigned char MONCMPA: 1
 unsigned char MONCOMB: 1
 } BIT
 } ADWINMON

```
  - char wk8 [3]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short CMPAIE: 1
 unsigned short WCMPE: 1
 unsigned short CMPBIE: 1
 unsigned short: 1
 unsigned short CMPAE: 1
 unsigned short CMPBE: 1
 unsigned short CMPAB: 2
 } BIT
 } ADCMPPCR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char CMPSOC: 1
 unsigned char CMPSTS: 1
 } BIT
 } ADCMPANSER

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char CMPLOC: 1
 unsigned char CMPLTS: 1
 } BIT
 } ADCMPLER

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short CMPCHA015: 1
 unsigned short CMPCHA014: 1
 unsigned short CMPCHA013: 1

```

```

unsigned short CMPCHA012: 1
unsigned short CMPCHA011: 1
unsigned short CMPCHA010: 1
unsigned short CMPCHA009: 1
unsigned short CMPCHA008: 1
unsigned short CMPCHA007: 1
unsigned short CMPCHA006: 1
unsigned short CMPCHA005: 1
unsigned short CMPCHA004: 1
unsigned short CMPCHA003: 1
unsigned short CMPCHA002: 1
unsigned short CMPCHA001: 1
unsigned short CMPCHA000: 1
 } BIT
} ADCMPANSR0

```

- union {
 

```

unsigned short WORD
 struct {
 unsigned short: 11
 unsigned short CMPCHA104: 1
 unsigned short CMPCHA103: 1
 unsigned short CMPCHA102: 1
 unsigned short CMPCHA101: 1
 unsigned short CMPCHA100: 1
 } BIT
 } ADCMPANSR1

```
- union {
 

```

unsigned short WORD
 struct {
 unsigned short CMPLCHA015: 1
 unsigned short CMPLCHA014: 1
 unsigned short CMPLCHA013: 1
 unsigned short CMPLCHA012: 1
 unsigned short CMPLCHA011: 1
 unsigned short CMPLCHA010: 1
 unsigned short CMPLCHA009: 1
 unsigned short CMPLCHA008: 1
 unsigned short CMPLCHA007: 1
 unsigned short CMPLCHA006: 1
 unsigned short CMPLCHA005: 1
 unsigned short CMPLCHA004: 1
 unsigned short CMPLCHA003: 1
 unsigned short CMPLCHA002: 1
 unsigned short CMPLCHA001: 1
 unsigned short CMPLCHA000: 1
 } BIT
 } ADCMPLR0

```
- union {
 

```

unsigned short WORD
 struct {
 unsigned short: 11
 unsigned short CMPLCHA104: 1
 unsigned short CMPLCHA103: 1
 unsigned short CMPLCHA102: 1
 unsigned short CMPLCHA101: 1

```

- ```

    unsigned short CMPLCHA100: 1
    } BIT
} ADCMPLR1

```
- unsigned short [ADCMPDR0](#)
 - unsigned short [ADCMPDR1](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned short [CMPSTCHA015](#): 1
 unsigned short [CMPSTCHA014](#): 1
 unsigned short [CMPSTCHA013](#): 1
 unsigned short [CMPSTCHA012](#): 1
 unsigned short [CMPSTCHA011](#): 1
 unsigned short [CMPSTCHA010](#): 1
 unsigned short [CMPSTCHA009](#): 1
 unsigned short [CMPSTCHA008](#): 1
 unsigned short [CMPSTCHA007](#): 1
 unsigned short [CMPSTCHA006](#): 1
 unsigned short [CMPSTCHA005](#): 1
 unsigned short [CMPSTCHA004](#): 1
 unsigned short [CMPSTCHA003](#): 1
 unsigned short [CMPSTCHA002](#): 1
 unsigned short [CMPSTCHA001](#): 1
 unsigned short [CMPSTCHA000](#): 1
 } [BIT](#)
 } [ADCMPSR0](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned [short](#): 11
 unsigned short [CMPSTCHA104](#): 1
 unsigned short [CMPSTCHA103](#): 1
 unsigned short [CMPSTCHA102](#): 1
 unsigned short [CMPSTCHA101](#): 1
 unsigned short [CMPSTCHA100](#): 1
 } [BIT](#)
 } [ADCMPSR1](#)
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned [char](#): 6
 unsigned char [CMPFOC](#): 1
 unsigned char [CMPFTS](#): 1
 } [BIT](#)
 } [ADCMPSER](#)
 - char [wk9](#) [1]
 - union {
 unsigned char [BYTE](#)
 struct {
 unsigned char [CMPLB](#): 1
 unsigned [char](#): 1
 unsigned char [CMPCHB](#): 6
 } [BIT](#)
 } [ADCMPBNSR](#)

- char [wk10](#) [1]
- unsigned short [ADWINLLB](#)
- unsigned short [ADWINULB](#)
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 7
 - unsigned char [CMPSTB](#): 1
 - } [BIT](#)
} [ADCMPBSR](#)
- char [wk11](#) [39]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [ANSC015](#): 1
 - unsigned short [ANSC014](#): 1
 - unsigned short [ANSC013](#): 1
 - unsigned short [ANSC012](#): 1
 - unsigned short [ANSC011](#): 1
 - unsigned short [ANSC010](#): 1
 - unsigned short [ANSC009](#): 1
 - unsigned short [ANSC008](#): 1
 - unsigned short [ANSC007](#): 1
 - unsigned short [ANSC006](#): 1
 - unsigned short [ANSC005](#): 1
 - unsigned short [ANSC004](#): 1
 - unsigned short [ANSC003](#): 1
 - unsigned short [ANSC002](#): 1
 - unsigned short [ANSC001](#): 1
 - unsigned short [ANSC000](#): 1
 - } [BIT](#)
} [ADANSC0](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 11
 - unsigned short [ANSC104](#): 1
 - unsigned short [ANSC103](#): 1
 - unsigned short [ANSC102](#): 1
 - unsigned short [ANSC101](#): 1
 - unsigned short [ANSC100](#): 1
 - } [BIT](#)
} [ADANSC1](#)
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned [char](#): 6
 - unsigned char [OCSC](#): 1
 - unsigned char [TSSC](#): 1
 - } [BIT](#)
} [ADGCEXCR](#)
- union {
 - unsigned char [BYTE](#)

```

    struct {
        unsigned char GRCE: 1
        unsigned char GCADIE: 1
        unsigned char TRSC: 6
    } BIT
} ADGCTRGR

```

- char [wk12](#) [3]
- unsigned char [ADSSTRL](#)
- unsigned char [ADSSTRT](#)
- unsigned char [ADSSTRO](#)
- unsigned char [ADSSTR0](#)
- unsigned char [ADSSTR1](#)
- unsigned char [ADSSTR2](#)
- unsigned char [ADSSTR3](#)
- unsigned char [ADSSTR4](#)
- unsigned char [ADSSTR5](#)
- unsigned char [ADSSTR6](#)
- unsigned char [ADSSTR7](#)
- unsigned char [ADSSTR8](#)
- unsigned char [ADSSTR9](#)
- unsigned char [ADSSTR10](#)
- unsigned char [ADSSTR11](#)
- unsigned char [ADSSTR12](#)
- unsigned char [ADSSTR13](#)
- unsigned char [ADSSTR14](#)
- unsigned char [ADSSTR15](#)

5.1503.1 Detailed Description

Definition at line [30260](#) of file [iodefine.h](#).

5.1503.2 Field Documentation

5.1503.2.1 [union]

```
union { ... } st_s12ad1_t::ADADC
```

5.1503.2.2 [union]

```
union { ... } st_s12ad1_t::ADADS0
```

5.1503.2.3 [union]

```
union { ... } st_s12ad1_t::ADADS1
```

5.1503.2.4 [union]

```
union { ... } st_s12ad1_t::ADANSA0
```

5.1503.2.5 [union]

```
union { ... } st_s12ad1_t::ADANSA1
```

5.1503.2.6 [union]

```
union { ... } st_s12ad1_t::ADANSB0
```

5.1503.2.7 [union]

```
union { ... } st_s12ad1_t::ADANSB1
```

5.1503.2.8 [union]

```
union { ... } st_s12ad1_t::ADANSC0
```

5.1503.2.9 [union]

```
union { ... } st_s12ad1_t::ADANSC1
```

5.1503.2.10 [union]

```
union { ... } st_s12ad1_t::ADCER
```

5.1503.2.11 [union]

```
union { ... } st_s12ad1_t::ADCMPANSER
```

5.1503.2.12 [union]

```
union { ... } st_s12ad1_t::ADCMPANSR0
```

5.1503.2.13 [union]

```
union { ... } st_s12ad1_t::ADCMPANSR1
```

5.1503.2.14 [union]

```
union { ... } st_s12ad1_t::ADCMPBNSR
```

5.1503.2.15 [union]

```
union { ... } st_s12ad1_t::ADCMPBSR
```

5.1503.2.16 [union]

```
union { ... } st_s12ad1_t::ADCMPCR
```

5.1503.2.17 ADCMPDR0

```
unsigned short st_s12ad1_t::ADCMPDR0
```

Definition at line [30890](#) of file [iodefine.h](#).

5.1503.2.18 ADCMPDR1

```
unsigned short st_s12ad1_t::ADCMPDR1
```

Definition at line [30891](#) of file [iodefine.h](#).

5.1503.2.19 [union]

```
union { ... } st_s12ad1_t::ADCMPLER
```

5.1503.2.20 [union]

```
union { ... } st_s12ad1_t::ADCMPLR0
```

5.1503.2.21 [union]

```
union { ... } st_s12ad1_t::ADCMPLR1
```

5.1503.2.22 [union]

```
union { ... } st_s12ad1_t::ADCMPSER
```

5.1503.2.23 [union]

```
union { ... } st_s12ad1_t::ADCMPSR0
```

5.1503.2.24 [union]

```
union { ... } st_s12ad1_t::ADCMPSR1
```

5.1503.2.25 [union]

```
union { ... } st_s12ad1_t::ADCSR
```

5.1503.2.26 ADDBLDR

```
unsigned short st_s12ad1_t::ADDBLDR
```

Definition at line [30568](#) of file [iodefine.h](#).

5.1503.2.27 ADDBLDRA

```
unsigned short st_s12ad1_t::ADDBLDRA
```

Definition at line [30686](#) of file [iodefine.h](#).

5.1503.2.28 ADDBLDRB

```
unsigned short st_s12ad1_t::ADDBLDRB
```

Definition at line [30687](#) of file [iodefine.h](#).

5.1503.2.29 [union]

```
union { ... } st_s12ad1_t::ADDISCR
```

5.1503.2.30 ADDR0

```
unsigned short st_s12ad1_t::ADDR0
```

Definition at line [30600](#) of file [iodefine.h](#).

5.1503.2.31 ADDR1

```
unsigned short st_s12ad1_t::ADDR1
```

Definition at line [30601](#) of file [iodefine.h](#).

5.1503.2.32 ADDR10

```
unsigned short st_s12ad1_t::ADDR10
```

Definition at line [30610](#) of file [iodefine.h](#).

5.1503.2.33 ADDR11

unsigned short st_s12ad1_t::ADDR11

Definition at line [30611](#) of file [iodefne.h](#).

5.1503.2.34 ADDR12

unsigned short st_s12ad1_t::ADDR12

Definition at line [30612](#) of file [iodefne.h](#).

5.1503.2.35 ADDR13

unsigned short st_s12ad1_t::ADDR13

Definition at line [30613](#) of file [iodefne.h](#).

5.1503.2.36 ADDR14

unsigned short st_s12ad1_t::ADDR14

Definition at line [30614](#) of file [iodefne.h](#).

5.1503.2.37 ADDR15

unsigned short st_s12ad1_t::ADDR15

Definition at line [30615](#) of file [iodefne.h](#).

5.1503.2.38 ADDR16

unsigned short st_s12ad1_t::ADDR16

Definition at line [30616](#) of file [iodefne.h](#).

5.1503.2.39 ADDR17

unsigned short st_s12ad1_t::ADDR17

Definition at line [30617](#) of file [iodefne.h](#).

5.1503.2.40 ADDR18

unsigned short st_s12ad1_t::ADDR18

Definition at line [30618](#) of file [iodefne.h](#).

5.1503.2.41 ADDR19

unsigned short st_s12ad1_t::ADDR19

Definition at line [30619](#) of file [iodefne.h](#).

5.1503.2.42 ADDR2

unsigned short st_s12ad1_t::ADDR2

Definition at line [30602](#) of file [iodefne.h](#).

5.1503.2.43 ADDR20

unsigned short st_s12ad1_t::ADDR20

Definition at line [30620](#) of file [iodefne.h](#).

5.1503.2.44 ADDR3

unsigned short st_s12ad1_t::ADDR3

Definition at line [30603](#) of file [iodefne.h](#).

5.1503.2.45 ADDR4

unsigned short st_s12ad1_t::ADDR4

Definition at line [30604](#) of file [iodefne.h](#).

5.1503.2.46 ADDR5

unsigned short st_s12ad1_t::ADDR5

Definition at line [30605](#) of file [iodefne.h](#).

5.1503.2.47 ADDR6

unsigned short st_s12ad1_t::ADDR6

Definition at line [30606](#) of file [iodefne.h](#).

5.1503.2.48 ADDR7

unsigned short st_s12ad1_t::ADDR7

Definition at line [30607](#) of file [iodefne.h](#).

5.1503.2.49 ADDR8

unsigned short st_s12ad1_t::ADDR8

Definition at line [30608](#) of file [iodefine.h](#).

5.1503.2.50 ADDR9

unsigned short st_s12ad1_t::ADDR9

Definition at line [30609](#) of file [iodefine.h](#).

5.1503.2.51 [union]

union { ... } st_s12ad1_t::ADEXICR

5.1503.2.52 [union]

union { ... } st_s12ad1_t::ADGCEXCR

5.1503.2.53 [union]

union { ... } st_s12ad1_t::ADGCTRGR

5.1503.2.54 [union]

union { ... } st_s12ad1_t::ADGSPCR

5.1503.2.55 ADOCDR

unsigned short st_s12ad1_t::ADOCDR

Definition at line [30570](#) of file [iodefine.h](#).

5.1503.2.56 [union]

union { ... } st_s12ad1_t::ADRD

5.1503.2.57 [union]

union { ... } st_s12ad1_t::ADSAM

5.1503.2.58 [union]

```
union { ... } st_s12ad1_t::ADSAMP_R
```

5.1503.2.59 ADSSTR0

```
unsigned char st_s12ad1_t::ADSSTR0
```

Definition at line [31098](#) of file [iodefine.h](#).

5.1503.2.60 ADSSTR1

```
unsigned char st_s12ad1_t::ADSSTR1
```

Definition at line [31099](#) of file [iodefine.h](#).

5.1503.2.61 ADSSTR10

```
unsigned char st_s12ad1_t::ADSSTR10
```

Definition at line [31108](#) of file [iodefine.h](#).

5.1503.2.62 ADSSTR11

```
unsigned char st_s12ad1_t::ADSSTR11
```

Definition at line [31109](#) of file [iodefine.h](#).

5.1503.2.63 ADSSTR12

```
unsigned char st_s12ad1_t::ADSSTR12
```

Definition at line [31110](#) of file [iodefine.h](#).

5.1503.2.64 ADSSTR13

```
unsigned char st_s12ad1_t::ADSSTR13
```

Definition at line [31111](#) of file [iodefine.h](#).

5.1503.2.65 ADSSTR14

```
unsigned char st_s12ad1_t::ADSSTR14
```

Definition at line [31112](#) of file [iodefine.h](#).

5.1503.2.66 ADSSTR15

unsigned char st_s12ad1_t::ADSSTR15

Definition at line [31113](#) of file [iodefne.h](#).

5.1503.2.67 ADSSTR2

unsigned char st_s12ad1_t::ADSSTR2

Definition at line [31100](#) of file [iodefne.h](#).

5.1503.2.68 ADSSTR3

unsigned char st_s12ad1_t::ADSSTR3

Definition at line [31101](#) of file [iodefne.h](#).

5.1503.2.69 ADSSTR4

unsigned char st_s12ad1_t::ADSSTR4

Definition at line [31102](#) of file [iodefne.h](#).

5.1503.2.70 ADSSTR5

unsigned char st_s12ad1_t::ADSSTR5

Definition at line [31103](#) of file [iodefne.h](#).

5.1503.2.71 ADSSTR6

unsigned char st_s12ad1_t::ADSSTR6

Definition at line [31104](#) of file [iodefne.h](#).

5.1503.2.72 ADSSTR7

unsigned char st_s12ad1_t::ADSSTR7

Definition at line [31105](#) of file [iodefne.h](#).

5.1503.2.73 ADSSTR8

unsigned char st_s12ad1_t::ADSSTR8

Definition at line [31106](#) of file [iodefne.h](#).

5.1503.2.74 ADSSTR9

unsigned char st_s12ad1_t::ADSSTR9

Definition at line [31107](#) of file [iodefine.h](#).

5.1503.2.75 ADSSTRL

unsigned char st_s12ad1_t::ADSSTRL

Definition at line [31095](#) of file [iodefine.h](#).

5.1503.2.76 ADSSTRO

unsigned char st_s12ad1_t::ADSSTRO

Definition at line [31097](#) of file [iodefine.h](#).

5.1503.2.77 ADSSTRT

unsigned char st_s12ad1_t::ADSSTRT

Definition at line [31096](#) of file [iodefine.h](#).

5.1503.2.78 [union]

union { ... } st_s12ad1_t::ADSTRGR

5.1503.2.79 ADTSDR

unsigned short st_s12ad1_t::ADTSDR

Definition at line [30569](#) of file [iodefine.h](#).

5.1503.2.80 ADWINLLB

unsigned short st_s12ad1_t::ADWINLLB

Definition at line [30986](#) of file [iodefine.h](#).

5.1503.2.81 [union]

union { ... } st_s12ad1_t::ADWINMON

5.1503.2.82 ADWINULB

unsigned short st_s12ad1_t::ADWINULB

Definition at line [30987](#) of file [iodefne.h](#).

5.1503.2.83 wk0

char st_s12ad1_t::wk0[2]

Definition at line [30290](#) of file [iodefne.h](#).

5.1503.2.84 wk1

char st_s12ad1_t::wk1[1]

Definition at line [30430](#) of file [iodefne.h](#).

5.1503.2.85 wk10

char st_s12ad1_t::wk10[1]

Definition at line [30985](#) of file [iodefne.h](#).

5.1503.2.86 wk11

char st_s12ad1_t::wk11[39]

Definition at line [31001](#) of file [iodefne.h](#).

5.1503.2.87 wk12

char st_s12ad1_t::wk12[3]

Definition at line [31094](#) of file [iodefne.h](#).

5.1503.2.88 wk2

char st_s12ad1_t::wk2[25]

Definition at line [30621](#) of file [iodefne.h](#).

5.1503.2.89 wk3

char st_s12ad1_t::wk3[10]

Definition at line [30635](#) of file [iodefne.h](#).

5.1503.2.90 wk4

```
char st_s12ad1_t::wk4[10]
```

Definition at line [30651](#) of file [iodefne.h](#).

5.1503.2.91 wk5

```
char st_s12ad1_t::wk5[5]
```

Definition at line [30665](#) of file [iodefne.h](#).

5.1503.2.92 wk6

```
char st_s12ad1_t::wk6[2]
```

Definition at line [30685](#) of file [iodefne.h](#).

5.1503.2.93 wk7

```
char st_s12ad1_t::wk7[4]
```

Definition at line [30688](#) of file [iodefne.h](#).

5.1503.2.94 wk8

```
char st_s12ad1_t::wk8[3]
```

Definition at line [30708](#) of file [iodefne.h](#).

5.1503.2.95 wk9

```
char st_s12ad1_t::wk9[1]
```

Definition at line [30969](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1504 st_s12ad1_t.ADADC Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [AVEE](#): 1
 - unsigned [char](#): 4
 - unsigned char [ADC](#): 3
- } [BIT](#)

5.1504.1 Detailed Description

Definition at line [30415](#) of file [iodefine.h](#).

5.1504.2 Field Documentation

5.1504.2.1 BIT

5.1504.2.2 BYTE

The documentation for this union was generated from the following files:

5.1505 st_s12ad1_t.ADADS0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ADS015](#): 1
 - unsigned short [ADS014](#): 1
 - unsigned short [ADS013](#): 1
 - unsigned short [ADS012](#): 1
 - unsigned short [ADS011](#): 1
 - unsigned short [ADS010](#): 1
 - unsigned short [ADS009](#): 1
 - unsigned short [ADS008](#): 1
 - unsigned short [ADS007](#): 1
 - unsigned short [ADS006](#): 1
 - unsigned short [ADS005](#): 1
 - unsigned short [ADS004](#): 1
 - unsigned short [ADS003](#): 1
 - unsigned short [ADS002](#): 1
 - unsigned short [ADS001](#): 1
 - unsigned short [ADS000](#): 1
- } [BIT](#)

5.1505.1 Detailed Description

Definition at line [30353](#) of file [iodefine.h](#).

5.1505.2 Field Documentation

5.1505.2.1 BIT

5.1505.2.2 WORD

The documentation for this union was generated from the following files:

5.1506 st_s12ad1_t.ADADS1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [ADS104](#): 1
 - unsigned short [ADS103](#): 1
 - unsigned short [ADS102](#): 1
 - unsigned short [ADS101](#): 1
 - unsigned short [ADS100](#): 1
- } [BIT](#)

5.1506.1 Detailed Description

Definition at line [30394](#) of file [iodefine.h](#).

5.1506.2 Field Documentation

5.1506.2.1 BIT

5.1506.2.2 WORD

The documentation for this union was generated from the following files:

5.1507 st_s12ad1_t.ADANSA0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ANSA015](#): 1
 - unsigned short [ANSA014](#): 1
 - unsigned short [ANSA013](#): 1
 - unsigned short [ANSA012](#): 1
 - unsigned short [ANSA011](#): 1
 - unsigned short [ANSA010](#): 1
 - unsigned short [ANSA009](#): 1
 - unsigned short [ANSA008](#): 1
 - unsigned short [ANSA007](#): 1
 - unsigned short [ANSA006](#): 1
 - unsigned short [ANSA005](#): 1
 - unsigned short [ANSA004](#): 1
 - unsigned short [ANSA003](#): 1
 - unsigned short [ANSA002](#): 1
 - unsigned short [ANSA001](#): 1
 - unsigned short [ANSA000](#): 1
- } [BIT](#)

5.1507.1 Detailed Description

Definition at line [30291](#) of file [iodefine.h](#).

5.1507.2 Field Documentation

5.1507.2.1 BIT

5.1507.2.2 WORD

The documentation for this union was generated from the following files:

5.1508 st_s12ad1_t.ADANSA1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [ANSA104](#): 1
 - unsigned short [ANSA103](#): 1
 - unsigned short [ANSA102](#): 1
 - unsigned short [ANSA101](#): 1
 - unsigned short [ANSA100](#): 1
- } [BIT](#)

5.1508.1 Detailed Description

Definition at line [30332](#) of file [iodefine.h](#).

5.1508.2 Field Documentation

5.1508.2.1 BIT

5.1508.2.2 WORD

The documentation for this union was generated from the following files:

5.1509 st_s12ad1_t.ADANSB0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ANSB015](#): 1
 - unsigned short [ANSB014](#): 1
 - unsigned short [ANSB013](#): 1
 - unsigned short [ANSB012](#): 1
 - unsigned short [ANSB011](#): 1
 - unsigned short [ANSB010](#): 1
 - unsigned short [ANSB009](#): 1
 - unsigned short [ANSB008](#): 1
 - unsigned short [ANSB007](#): 1
 - unsigned short [ANSB006](#): 1
 - unsigned short [ANSB005](#): 1
 - unsigned short [ANSB004](#): 1
 - unsigned short [ANSB003](#): 1
 - unsigned short [ANSB002](#): 1
 - unsigned short [ANSB001](#): 1
 - unsigned short [ANSB000](#): 1
- } [BIT](#)

5.1509.1 Detailed Description

Definition at line [30506](#) of file [iodefine.h](#).

5.1509.2 Field Documentation

5.1509.2.1 BIT

5.1509.2.2 WORD

The documentation for this union was generated from the following files:

5.1510 st_s12ad1_t.ADANSB1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [ANSB104](#): 1
 - unsigned short [ANSB103](#): 1
 - unsigned short [ANSB102](#): 1
 - unsigned short [ANSB101](#): 1
 - unsigned short [ANSB100](#): 1
- } [BIT](#)

5.1510.1 Detailed Description

Definition at line [30547](#) of file [iodefine.h](#).

5.1510.2 Field Documentation

5.1510.2.1 BIT

5.1510.2.2 WORD

The documentation for this union was generated from the following files:

5.1511 st_s12ad1_t.ADANSC0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ANSC015](#): 1
 - unsigned short [ANSC014](#): 1
 - unsigned short [ANSC013](#): 1
 - unsigned short [ANSC012](#): 1
 - unsigned short [ANSC011](#): 1
 - unsigned short [ANSC010](#): 1
 - unsigned short [ANSC009](#): 1
 - unsigned short [ANSC008](#): 1
 - unsigned short [ANSC007](#): 1
 - unsigned short [ANSC006](#): 1
 - unsigned short [ANSC005](#): 1
 - unsigned short [ANSC004](#): 1
 - unsigned short [ANSC003](#): 1
 - unsigned short [ANSC002](#): 1
 - unsigned short [ANSC001](#): 1
 - unsigned short [ANSC000](#): 1
- } [BIT](#)

5.1511.1 Detailed Description

Definition at line [31002](#) of file [iodefine.h](#).

5.1511.2 Field Documentation

5.1511.2.1 BIT

5.1511.2.2 WORD

The documentation for this union was generated from the following files:

5.1512 st_s12ad1_t.ADANSC1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [ANSC104](#): 1
 - unsigned short [ANSC103](#): 1
 - unsigned short [ANSC102](#): 1
 - unsigned short [ANSC101](#): 1
 - unsigned short [ANSC100](#): 1
- } [BIT](#)

5.1512.1 Detailed Description

Definition at line [31043](#) of file [iodefine.h](#).

5.1512.2 Field Documentation

5.1512.2.1 BIT

5.1512.2.2 WORD

The documentation for this union was generated from the following files:

5.1513 st_s12ad1_t.ADCER Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ADRFMT](#): 1
 - unsigned [short](#): 3
 - unsigned short [DIAGM](#): 1
 - unsigned short [DIAGLD](#): 1
 - unsigned short [DIAGVAL](#): 2
 - unsigned short [ACE](#): 1
 - unsigned short [ADPRC](#): 2
- } [BIT](#)

5.1513.1 Detailed Description

Definition at line [30431](#) of file [iodefine.h](#).

5.1513.2 Field Documentation

5.1513.2.1 BIT

5.1513.2.2 WORD

The documentation for this union was generated from the following files:

5.1514 st_s12ad1_t.ADCMPANSER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 6
 - unsigned char [CMPSOC](#): 1
 - unsigned char [CMPSTS](#): 1
- } [BIT](#)

5.1514.1 Detailed Description

Definition at line [30736](#) of file [iodefine.h](#).

5.1514.2 Field Documentation

5.1514.2.1 BIT

5.1514.2.2 BYTE

The documentation for this union was generated from the following files:

5.1515 st_s12ad1_t.ADCMPANSR0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CMPCHA015](#): 1
 - unsigned short [CMPCHA014](#): 1
 - unsigned short [CMPCHA013](#): 1
 - unsigned short [CMPCHA012](#): 1
 - unsigned short [CMPCHA011](#): 1
 - unsigned short [CMPCHA010](#): 1
 - unsigned short [CMPCHA009](#): 1
 - unsigned short [CMPCHA008](#): 1
 - unsigned short [CMPCHA007](#): 1
 - unsigned short [CMPCHA006](#): 1
 - unsigned short [CMPCHA005](#): 1
 - unsigned short [CMPCHA004](#): 1
 - unsigned short [CMPCHA003](#): 1
 - unsigned short [CMPCHA002](#): 1
 - unsigned short [CMPCHA001](#): 1
 - unsigned short [CMPCHA000](#): 1
- } [BIT](#)

5.1515.1 Detailed Description

Definition at line [30766](#) of file [iodefine.h](#).

5.1515.2 Field Documentation

5.1515.2.1 BIT

5.1515.2.2 WORD

The documentation for this union was generated from the following files:

5.1516 st_s12ad1_t.ADCMPANSR1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [CMPCHA104](#): 1
 - unsigned short [CMPCHA103](#): 1
 - unsigned short [CMPCHA102](#): 1
 - unsigned short [CMPCHA101](#): 1
 - unsigned short [CMPCHA100](#): 1
- } [BIT](#)

5.1516.1 Detailed Description

Definition at line [30807](#) of file [iodefine.h](#).

5.1516.2 Field Documentation

5.1516.2.1 BIT

5.1516.2.2 WORD

The documentation for this union was generated from the following files:

5.1517 st_s12ad1_t.ADCMPBNSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CMPLB](#): 1
 - unsigned [char](#): 1
 - unsigned char [CMPCHB](#): 6
- } [BIT](#)

5.1517.1 Detailed Description

Definition at line [30970](#) of file [iodefine.h](#).

5.1517.2 Field Documentation

5.1517.2.1 BIT

5.1517.2.2 BYTE

The documentation for this union was generated from the following files:

5.1518 st_s12ad1_t.ADCMPBSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [CMPSTB](#): 1
} [BIT](#)

5.1518.1 Detailed Description

Definition at line [30988](#) of file [iodefine.h](#).

5.1518.2 Field Documentation

5.1518.2.1 BIT

5.1518.2.2 BYTE

The documentation for this union was generated from the following files:

5.1519 st_s12ad1_t.ADCMPCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned short [CMPAIE](#): 1
 unsigned short [WCMPE](#): 1
 unsigned short [CMPBIE](#): 1
 unsigned [short](#): 1
 unsigned short [CMPAE](#): 1
 unsigned short [CMPBE](#): 1
 unsigned short [CMPAB](#): 2
} [BIT](#)

5.1519.1 Detailed Description

Definition at line [30709](#) of file [iodefne.h](#).

5.1519.2 Field Documentation

5.1519.2.1 BIT

5.1519.2.2 WORD

The documentation for this union was generated from the following files:

5.1520 st_s12ad1_t.ADCMPLER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [CMPLOC](#): 1
 - unsigned char [CMPLTS](#): 1
- } [BIT](#)

5.1520.1 Detailed Description

Definition at line [30751](#) of file [iodefne.h](#).

5.1520.2 Field Documentation

5.1520.2.1 BIT

5.1520.2.2 BYTE

The documentation for this union was generated from the following files:

5.1521 st_s12ad1_t.ADCMPLR0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CMPLCHA015](#): 1
 - unsigned short [CMPLCHA014](#): 1
 - unsigned short [CMPLCHA013](#): 1
 - unsigned short [CMPLCHA012](#): 1
 - unsigned short [CMPLCHA011](#): 1
 - unsigned short [CMPLCHA010](#): 1
 - unsigned short [CMPLCHA009](#): 1
 - unsigned short [CMPLCHA008](#): 1
 - unsigned short [CMPLCHA007](#): 1
 - unsigned short [CMPLCHA006](#): 1
 - unsigned short [CMPLCHA005](#): 1
 - unsigned short [CMPLCHA004](#): 1
 - unsigned short [CMPLCHA003](#): 1
 - unsigned short [CMPLCHA002](#): 1
 - unsigned short [CMPLCHA001](#): 1
 - unsigned short [CMPLCHA000](#): 1
- } [BIT](#)

5.1521.1 Detailed Description

Definition at line [30828](#) of file [iodefine.h](#).

5.1521.2 Field Documentation

5.1521.2.1 BIT

5.1521.2.2 WORD

The documentation for this union was generated from the following files:

5.1522 st_s12ad1_t.ADCMPLR1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [CMPLCHA104](#): 1
 - unsigned short [CMPLCHA103](#): 1
 - unsigned short [CMPLCHA102](#): 1
 - unsigned short [CMPLCHA101](#): 1
 - unsigned short [CMPLCHA100](#): 1
- } [BIT](#)

5.1522.1 Detailed Description

Definition at line [30869](#) of file [iodefne.h](#).

5.1522.2 Field Documentation

5.1522.2.1 BIT

5.1522.2.2 WORD

The documentation for this union was generated from the following files:

5.1523 st_s12ad1_t.ADCMPSER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 6
 - unsigned char [CMPFOC](#): 1
 - unsigned char [CMPFTS](#): 1
- } [BIT](#)

5.1523.1 Detailed Description

Definition at line [30954](#) of file [iodefne.h](#).

5.1523.2 Field Documentation

5.1523.2.1 BIT

5.1523.2.2 BYTE

The documentation for this union was generated from the following files:

5.1524 st_s12ad1_t.ADCMPSR0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [CMPSTCHA015](#): 1
 - unsigned short [CMPSTCHA014](#): 1
 - unsigned short [CMPSTCHA013](#): 1
 - unsigned short [CMPSTCHA012](#): 1
 - unsigned short [CMPSTCHA011](#): 1
 - unsigned short [CMPSTCHA010](#): 1
 - unsigned short [CMPSTCHA009](#): 1
 - unsigned short [CMPSTCHA008](#): 1
 - unsigned short [CMPSTCHA007](#): 1
 - unsigned short [CMPSTCHA006](#): 1
 - unsigned short [CMPSTCHA005](#): 1
 - unsigned short [CMPSTCHA004](#): 1
 - unsigned short [CMPSTCHA003](#): 1
 - unsigned short [CMPSTCHA002](#): 1
 - unsigned short [CMPSTCHA001](#): 1
 - unsigned short [CMPSTCHA000](#): 1
- } [BIT](#)

5.1524.1 Detailed Description

Definition at line [30892](#) of file [iodefine.h](#).

5.1524.2 Field Documentation

5.1524.2.1 BIT

5.1524.2.2 WORD

The documentation for this union was generated from the following files:

5.1525 st_s12ad1_t.ADCMPSR1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 11
 - unsigned short [CMPSTCHA104](#): 1
 - unsigned short [CMPSTCHA103](#): 1
 - unsigned short [CMPSTCHA102](#): 1
 - unsigned short [CMPSTCHA101](#): 1
 - unsigned short [CMPSTCHA100](#): 1
- } [BIT](#)

5.1525.1 Detailed Description

Definition at line [30933](#) of file [iodefne.h](#).

5.1525.2 Field Documentation

5.1525.2.1 BIT

5.1525.2.2 WORD

The documentation for this union was generated from the following files:

5.1526 st_s12ad1_t.ADCSR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [ADST](#): 1
 - unsigned short [ADCS](#): 2
 - unsigned short [ADIE](#): 1
 - unsigned [short](#): 2
 - unsigned short [TRGE](#): 1
 - unsigned short [EXTRG](#): 1
 - unsigned short [DBLE](#): 1
 - unsigned short [GBADIE](#): 1
 - unsigned short [DBLANS](#): 5
- } [BIT](#)

5.1526.1 Detailed Description

Definition at line [30261](#) of file [iodefne.h](#).

5.1526.2 Field Documentation

5.1526.2.1 BIT

5.1526.2.2 WORD

The documentation for this union was generated from the following files:

5.1527 st_s12ad1_t.ADDISCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 3
 - unsigned char [ADNDIS](#): 5
- } [BIT](#)

5.1527.1 Detailed Description

Definition at line [30652](#) of file [iodefine.h](#).

5.1527.2 Field Documentation

5.1527.2.1 BIT

5.1527.2.2 BYTE

The documentation for this union was generated from the following files:

5.1528 st_s12ad1_t.ADEXICR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [EXOEN](#): 1
 - unsigned short [EXSEL](#): 2
 - unsigned [short](#): 1
 - unsigned short [OCSB](#): 1
 - unsigned short [TSSB](#): 1
 - unsigned short [OCSA](#): 1
 - unsigned short [TSSA](#): 1
 - unsigned short [OCSAD](#): 1
 - unsigned short [TSSAD](#): 1
- } [BIT](#)

5.1528.1 Detailed Description

Definition at line [30477](#) of file [iodefine.h](#).

5.1528.2 Field Documentation

5.1528.2.1 BIT

5.1528.2.2 WORD

The documentation for this union was generated from the following files:

5.1529 st_s12ad1_t.ADGCEXCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 6
 - unsigned char [OCSC](#): 1
 - unsigned char [TSSC](#): 1
- } [BIT](#)

5.1529.1 Detailed Description

Definition at line [31064](#) of file [iodefine.h](#).

5.1529.2 Field Documentation

5.1529.2.1 BIT

5.1529.2.2 BYTE

The documentation for this union was generated from the following files:

5.1530 st_s12ad1_t.ADGCTRGR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [GRCE](#): 1
 - unsigned char [GCADIE](#): 1
 - unsigned char [TRSC](#): 6
- } [BIT](#)

5.1530.1 Detailed Description

Definition at line [31079](#) of file [iodefne.h](#).

5.1530.2 Field Documentation

5.1530.2.1 BIT

5.1530.2.2 BYTE

The documentation for this union was generated from the following files:

5.1531 st_s12ad1_t.ADGSPCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [GBRP](#): 1
 - unsigned short [LGRRS](#): 1
 - unsigned [short](#): 12
 - unsigned short [GBRSCN](#): 1
 - unsigned short [PGS](#): 1
- } [BIT](#)

5.1531.1 Detailed Description

Definition at line [30666](#) of file [iodefne.h](#).

5.1531.2 Field Documentation

5.1531.2.1 BIT

5.1531.2.2 WORD

The documentation for this union was generated from the following files:

5.1532 st_s12ad1_t.ADRD Union Reference

Data Fields

- unsigned short [WORD](#)
- union {
 - struct {
 - unsigned short [DIAGST](#): 2
 - unsigned [short](#): 2
 - unsigned short [AD](#): 12
 - } [RIGHT](#)
 - struct {
 - unsigned short [AD](#): 12
 - unsigned [short](#): 2
 - unsigned short [DIAGST](#): 2
 - } [LEFT](#)
 - } [BIT](#)

5.1532.1 Detailed Description

Definition at line [30571](#) of file [iodefine.h](#).

5.1532.2 Field Documentation

5.1532.2.1 BIT

5.1532.2.2 WORD

The documentation for this union was generated from the following files:

5.1533 st_s12ad1_t.ADRD.BIT Union Reference

Data Fields

- struct {
 - unsigned short [DIAGST](#): 2
 - unsigned [short](#): 2
 - unsigned short [AD](#): 12
 - } [RIGHT](#)
- struct {
 - unsigned short [AD](#): 12
 - unsigned [short](#): 2
 - unsigned short [DIAGST](#): 2
 - } [LEFT](#)

5.1533.1 Detailed Description

Definition at line [30573](#) of file [iodefine.h](#).

5.1533.2 Field Documentation

5.1533.2.1 LEFT

5.1533.2.2 RIGHT

The documentation for this union was generated from the following files:

5.1534 st_s12ad1_t.ADSAM Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 10
 unsigned short [SAM](#): 1
} [BIT](#)

5.1534.1 Detailed Description

Definition at line [30636](#) of file [iodefine.h](#).

5.1534.2 Field Documentation

5.1534.2.1 BIT

5.1534.2.2 WORD

The documentation for this union was generated from the following files:

5.1535 st_s12ad1_t.ADSAMPR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 6
 unsigned char [PRO](#): 2
} [BIT](#)

5.1535.1 Detailed Description

Definition at line [30622](#) of file [iodefne.h](#).

5.1535.2 Field Documentation

5.1535.2.1 BIT

5.1535.2.2 BYTE

The documentation for this union was generated from the following files:

5.1536 st_s12ad1_t.ADSTRGR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 2
 - unsigned short [TRSA](#): 6
 - unsigned short [TRSB](#): 6
- } [BIT](#)

5.1536.1 Detailed Description

Definition at line [30460](#) of file [iodefne.h](#).

5.1536.2 Field Documentation

5.1536.2.1 BIT

5.1536.2.2 WORD

The documentation for this union was generated from the following files:

5.1537 st_s12ad1_t.ADWINMON Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [MONCMPB](#): 1
 - unsigned char [MONCMPA](#): 1
 - unsigned char [MONCOMB](#): 1
- } [BIT](#)

5.1537.1 Detailed Description

Definition at line [30689](#) of file [iodefne.h](#).

5.1537.2 Field Documentation

5.1537.2.1 BIT


5.1537.2.2 BYTE

The documentation for this union was generated from the following files:

5.1538 st_s12ad_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_s12ad_t:



-
- Generated by Doxygen

```

    unsigned short EXTRG: 1
    unsigned short DBLE: 1
    unsigned short GBADIE: 1
    unsigned short DBLANS: 5
    } BIT
} ADCSR

```

- char wk0 [2]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 8
          unsigned short ANSA007: 1
          unsigned short ANSA006: 1
          unsigned short ANSA005: 1
          unsigned short ANSA004: 1
          unsigned short ANSA003: 1
          unsigned short ANSA002: 1
          unsigned short ANSA001: 1
          unsigned short ANSA000: 1
        } BIT
      } ADANSA0

```

- char wk1 [2]
- union {


```

        unsigned short WORD
        struct {
          unsigned short: 8
          unsigned short ADS007: 1
          unsigned short ADS006: 1
          unsigned short ADS005: 1
          unsigned short ADS004: 1
          unsigned short ADS003: 1
          unsigned short ADS002: 1
          unsigned short ADS001: 1
          unsigned short ADS000: 1
        } BIT
      } ADADS0

```

- char wk2 [2]
- union {


```

        unsigned char BYTE
        struct {
          unsigned char AVEE: 1
          unsigned char: 4
          unsigned char ADC: 3
        } BIT
      } ADADC

```

- char wk3 [1]
- union {


```

        unsigned short WORD
        struct {
          unsigned short ADRFMT: 1
          unsigned short: 3
          unsigned short DIAGM: 1
          unsigned short DIAGLD: 1
          unsigned short DIAGVAL: 2

```

- ```

 unsigned short ACE: 1
 unsigned short ADPRC: 2
 } BIT
} ADCER

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 2
 unsigned short TRSA: 6
 unsigned short TRSB: 6
 } BIT
 } ADSTRGR

```
  - char [wk4](#) [2]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 8
 unsigned short ANSB007: 1
 unsigned short ANSB006: 1
 unsigned short ANSB005: 1
 unsigned short ANSB004: 1
 unsigned short ANSB003: 1
 unsigned short ANSB002: 1
 unsigned short ANSB001: 1
 unsigned short ANSB000: 1
 } BIT
 } ADANSB0

```
  - char [wk5](#) [2]
  - union {
 

```

 unsigned short WORD
 } ADDBLDR

```
  - char [wk6](#) [4]
  - union {
 

```

 unsigned short WORD
 union {
 struct {
 unsigned short DIAGST: 2
 unsigned short: 2
 unsigned short AD: 12
 } RIGHT
 struct {
 unsigned short AD: 12
 unsigned short: 2
 unsigned short DIAGST: 2
 } LEFT
 } BIT
 } ADRD

```
  - unsigned short [ADDR0](#)
  - unsigned short [ADDR1](#)
  - unsigned short [ADDR2](#)
  - unsigned short [ADDR3](#)
  - unsigned short [ADDR4](#)
  - unsigned short [ADDR5](#)



- unsigned short [ADDR6](#)
- unsigned short [ADDR7](#)
- char [wk7](#) [51]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 6
  - unsigned char [PRO](#): 2
  - } [BIT](#)
  - } [ADSAMPR](#)
- char [wk8](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {
  - unsigned [short](#): 5
  - unsigned short [SHANS](#): 3
  - unsigned short [SSTSH](#): 8
  - } [BIT](#)
  - } [ADSHCR](#)
- char [wk9](#) [6]
- union {
  - unsigned short [WORD](#)
  - struct {
  - unsigned [short](#): 10
  - unsigned short [SAM](#): 1
  - } [BIT](#)
  - } [ADSAM](#)
- char [wk10](#) [10]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 3
  - unsigned char [ADNDIS](#): 5
  - } [BIT](#)
  - } [ADDISCR](#)
- char [wk11](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [SHMD](#): 1
  - } [BIT](#)
  - } [ADSHMSR](#)
- char [wk12](#) [3]
- union {
  - unsigned short [WORD](#)
  - struct {
  - unsigned short [GBRP](#): 1
  - unsigned short [LGRRS](#): 1
  - unsigned [short](#): 12
  - unsigned short [GBRSCN](#): 1
  - unsigned short [PGS](#): 1
  - } [BIT](#)

- } [ADGSPCR](#)
- char [wk13](#) [2]
- unsigned short [ADDBLDRA](#)
- unsigned short [ADDBLDRB](#)
- char [wk14](#) [4]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [MONCMPB](#): 1
    - unsigned char [MONCMPA](#): 1
    - unsigned char [MONCOMB](#): 1
    - } [BIT](#)
- } [ADWINMON](#)
- char [wk15](#) [3]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [CMPAIE](#): 1
    - unsigned short [WCMPE](#): 1
    - unsigned short [CMPBIE](#): 1
    - unsigned [short](#): 1
    - unsigned short [CMPAE](#): 1
    - unsigned short [CMPBE](#): 1
    - unsigned short [CMPAB](#): 2
    - } [BIT](#)
- } [ADCMPPCR](#)
- char [wk16](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [CMPCHA007](#): 1
    - unsigned short [CMPCHA006](#): 1
    - unsigned short [CMPCHA005](#): 1
    - unsigned short [CMPCHA004](#): 1
    - unsigned short [CMPCHA003](#): 1
    - unsigned short [CMPCHA002](#): 1
    - unsigned short [CMPCHA001](#): 1
    - unsigned short [CMPCHA000](#): 1
    - } [BIT](#)
- } [ADCMPANSR0](#)
- char [wk17](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [CMPLCHA007](#): 1
    - unsigned short [CMPLCHA006](#): 1
    - unsigned short [CMPLCHA005](#): 1
    - unsigned short [CMPLCHA004](#): 1
    - unsigned short [CMPLCHA003](#): 1
    - unsigned short [CMPLCHA002](#): 1
    - unsigned short [CMPLCHA001](#): 1

```

 unsigned short CMPLCHA000: 1
 } BIT
} ADCMPLR0

• char wk18 [2]
• unsigned short ADCMPDR0
• unsigned short ADCMPDR1
• union {
 unsigned short WORD
 struct {
 unsigned short: 8
 unsigned short CMPSTCHA007: 1
 unsigned short CMPSTCHA006: 1
 unsigned short CMPSTCHA005: 1
 unsigned short CMPSTCHA004: 1
 unsigned short CMPSTCHA003: 1
 unsigned short CMPSTCHA002: 1
 unsigned short CMPSTCHA001: 1
 unsigned short CMPSTCHA000: 1
 } BIT
} ADCMPSR0

• char wk19 [4]
• union {
 unsigned char BYTE
 struct {
 unsigned char CMPLB: 1
 unsigned char: 1
 unsigned char CMPCHB: 6
 } BIT
} ADCMPBNSR

• char wk20 [1]
• unsigned short ADWINLLB
• unsigned short ADWINULB
• union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char CMPSTB: 1
 } BIT
} ADCMPBSR

• char wk21 [39]
• union {
 unsigned short WORD
 struct {
 unsigned short: 8
 unsigned short ANSC007: 1
 unsigned short ANSC006: 1
 unsigned short ANSC005: 1
 unsigned short ANSC004: 1
 unsigned short ANSC003: 1
 unsigned short ANSC002: 1
 unsigned short ANSC001: 1
 unsigned short ANSC000: 1
 } BIT
} ADANSC0

```

- char [wk22](#) [3]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [GRCE](#): 1
    - unsigned char [GCADIE](#): 1
    - unsigned char [TRSC](#): 6
  - } [BIT](#)
- } [ADGCTRGR](#)
- char [wk23](#) [6]
- unsigned char [ADSSTR0](#)
- unsigned char [ADSSTR1](#)
- unsigned char [ADSSTR2](#)
- unsigned char [ADSSTR3](#)
- unsigned char [ADSSTR4](#)
- unsigned char [ADSSTR5](#)
- unsigned char [ADSSTR6](#)
- unsigned char [ADSSTR7](#)

### 5.1538.1 Detailed Description

Definition at line [29723](#) of file [iodefine.h](#).

### 5.1538.2 Field Documentation

#### 5.1538.2.1 [union]

```
union { ... } st_s12ad_t::ADADC
```

#### 5.1538.2.2 [union]

```
union { ... } st_s12ad_t::ADADS0
```

#### 5.1538.2.3 [union]

```
union { ... } st_s12ad_t::ADANSA0
```

#### 5.1538.2.4 [union]

```
union { ... } st_s12ad_t::ADANSB0
```

#### 5.1538.2.5 [union]

```
union { ... } st_s12ad_t::ADANSC0
```

## 5.1538.2.6 [union]

```
union { ... } st_s12ad_t::ADCER
```

## 5.1538.2.7 [union]

```
union { ... } st_s12ad_t::ADCMPANSR0
```

## 5.1538.2.8 [union]

```
union { ... } st_s12ad_t::ADCMPBNSR
```

## 5.1538.2.9 [union]

```
union { ... } st_s12ad_t::ADCMPBSR
```

## 5.1538.2.10 [union]

```
union { ... } st_s12ad_t::ADCMPCR
```

## 5.1538.2.11 ADCMPDR0

```
unsigned short st_s12ad_t::ADCMPDR0
```

Definition at line [30144](#) of file [iodefne.h](#).

## 5.1538.2.12 ADCMPDR1

```
unsigned short st_s12ad_t::ADCMPDR1
```

Definition at line [30145](#) of file [iodefne.h](#).

## 5.1538.2.13 [union]

```
union { ... } st_s12ad_t::ADCMPLR0
```

## 5.1538.2.14 [union]

```
union { ... } st_s12ad_t::ADCMPSR0
```

## 5.1538.2.15 [union]

```
union { ... } st_s12ad_t::ADCSR
```

## 5.1538.2.16 [union]

```
union { ... } st_s12ad_t::ADDBLDR
```

## 5.1538.2.17 ADDBLDRA

```
unsigned short st_s12ad_t::ADDBLDRA
```

Definition at line [30037](#) of file [iodefine.h](#).

## 5.1538.2.18 ADDBLDRB

```
unsigned short st_s12ad_t::ADDBLDRB
```

Definition at line [30038](#) of file [iodefine.h](#).

## 5.1538.2.19 [union]

```
union { ... } st_s12ad_t::ADDISCR
```

## 5.1538.2.20 ADDR0

```
unsigned short st_s12ad_t::ADDR0
```

Definition at line [29934](#) of file [iodefine.h](#).

## 5.1538.2.21 ADDR1

```
unsigned short st_s12ad_t::ADDR1
```

Definition at line [29935](#) of file [iodefine.h](#).

## 5.1538.2.22 ADDR2

```
unsigned short st_s12ad_t::ADDR2
```

Definition at line [29936](#) of file [iodefine.h](#).

## 5.1538.2.23 ADDR3

```
unsigned short st_s12ad_t::ADDR3
```

Definition at line [29937](#) of file [iodefine.h](#).

## 5.1538.2.24 ADDR4

unsigned short st\_s12ad\_t::ADDR4

Definition at line 29938 of file [iodefne.h](#).

## 5.1538.2.25 ADDR5

unsigned short st\_s12ad\_t::ADDR5

Definition at line 29939 of file [iodefne.h](#).

## 5.1538.2.26 ADDR6

unsigned short st\_s12ad\_t::ADDR6

Definition at line 29940 of file [iodefne.h](#).

## 5.1538.2.27 ADDR7

unsigned short st\_s12ad\_t::ADDR7

Definition at line 29941 of file [iodefne.h](#).

## 5.1538.2.28 [union]

union { ... } st\_s12ad\_t::ADGCTRGR

## 5.1538.2.29 [union]

union { ... } st\_s12ad\_t::ADGSPCR

## 5.1538.2.30 [union]

union { ... } st\_s12ad\_t::ADRD

## 5.1538.2.31 [union]

union { ... } st\_s12ad\_t::ADSAM

## 5.1538.2.32 [union]

union { ... } st\_s12ad\_t::ADSAMPR

## 5.1538.2.33 [union]

```
union { ... } st_s12ad_t::ADSHCR
```

## 5.1538.2.34 [union]

```
union { ... } st_s12ad_t::ADSHMSR
```

## 5.1538.2.35 ADSSTR0

```
unsigned char st_s12ad_t::ADSSTR0
```

Definition at line [30250](#) of file [idefine.h](#).

## 5.1538.2.36 ADSSTR1

```
unsigned char st_s12ad_t::ADSSTR1
```

Definition at line [30251](#) of file [idefine.h](#).

## 5.1538.2.37 ADSSTR2

```
unsigned char st_s12ad_t::ADSSTR2
```

Definition at line [30252](#) of file [idefine.h](#).

## 5.1538.2.38 ADSSTR3

```
unsigned char st_s12ad_t::ADSSTR3
```

Definition at line [30253](#) of file [idefine.h](#).

## 5.1538.2.39 ADSSTR4

```
unsigned char st_s12ad_t::ADSSTR4
```

Definition at line [30254](#) of file [idefine.h](#).

## 5.1538.2.40 ADSSTR5

```
unsigned char st_s12ad_t::ADSSTR5
```

Definition at line [30255](#) of file [idefine.h](#).



## 5.1538.2.41 ADSSTR6

unsigned char st\_s12ad\_t::ADSSTR6

Definition at line [30256](#) of file [iodefne.h](#).

## 5.1538.2.42 ADSSTR7

unsigned char st\_s12ad\_t::ADSSTR7

Definition at line [30257](#) of file [iodefne.h](#).

## 5.1538.2.43 [union]

union { ... } st\_s12ad\_t::ADSTRGR

## 5.1538.2.44 ADWINLLB

unsigned short st\_s12ad\_t::ADWINLLB

Definition at line [30190](#) of file [iodefne.h](#).

## 5.1538.2.45 [union]

union { ... } st\_s12ad\_t::ADWINMON

## 5.1538.2.46 ADWINULB

unsigned short st\_s12ad\_t::ADWINULB

Definition at line [30191](#) of file [iodefne.h](#).

## 5.1538.2.47 wk0

char st\_s12ad\_t::wk0[2]

Definition at line [29753](#) of file [iodefne.h](#).

## 5.1538.2.48 wk1

char st\_s12ad\_t::wk1[2]

Definition at line [29781](#) of file [iodefne.h](#).

5.1538.2.49 wk10

```
char st_s12ad_t::wk10[10]
```

Definition at line [29988](#) of file [iodefne.h](#).

5.1538.2.50 wk11

```
char st_s12ad_t::wk11[1]
```

Definition at line [30002](#) of file [iodefne.h](#).

5.1538.2.51 wk12

```
char st_s12ad_t::wk12[3]
```

Definition at line [30016](#) of file [iodefne.h](#).

5.1538.2.52 wk13

```
char st_s12ad_t::wk13[2]
```

Definition at line [30036](#) of file [iodefne.h](#).

5.1538.2.53 wk14

```
char st_s12ad_t::wk14[4]
```

Definition at line [30039](#) of file [iodefne.h](#).

5.1538.2.54 wk15

```
char st_s12ad_t::wk15[3]
```

Definition at line [30059](#) of file [iodefne.h](#).

5.1538.2.55 wk16

```
char st_s12ad_t::wk16[2]
```

Definition at line [30087](#) of file [iodefne.h](#).

5.1538.2.56 wk17

```
char st_s12ad_t::wk17[2]
```

Definition at line [30115](#) of file [iodefne.h](#).

## 5.1538.2.57 wk18

```
char st_s12ad_t::wk18[2]
```

Definition at line [30143](#) of file [iodefne.h](#).

## 5.1538.2.58 wk19

```
char st_s12ad_t::wk19[4]
```

Definition at line [30173](#) of file [iodefne.h](#).

## 5.1538.2.59 wk2

```
char st_s12ad_t::wk2[2]
```

Definition at line [29809](#) of file [iodefne.h](#).

## 5.1538.2.60 wk20

```
char st_s12ad_t::wk20[1]
```

Definition at line [30189](#) of file [iodefne.h](#).

## 5.1538.2.61 wk21

```
char st_s12ad_t::wk21[39]
```

Definition at line [30205](#) of file [iodefne.h](#).

## 5.1538.2.62 wk22

```
char st_s12ad_t::wk22[3]
```

Definition at line [30233](#) of file [iodefne.h](#).

## 5.1538.2.63 wk23

```
char st_s12ad_t::wk23[6]
```

Definition at line [30249](#) of file [iodefne.h](#).

## 5.1538.2.64 wk3

```
char st_s12ad_t::wk3[1]
```

Definition at line [29825](#) of file [iodefne.h](#).

## 5.1538.2.65 wk4

```
char st_s12ad_t::wk4[2]
```

Definition at line [29872](#) of file [iodefne.h](#).

## 5.1538.2.66 wk5

```
char st_s12ad_t::wk5[2]
```

Definition at line [29900](#) of file [iodefne.h](#).

## 5.1538.2.67 wk6

```
char st_s12ad_t::wk6[4]
```

Definition at line [29904](#) of file [iodefne.h](#).

## 5.1538.2.68 wk7

```
char st_s12ad_t::wk7[51]
```

Definition at line [29942](#) of file [iodefne.h](#).

## 5.1538.2.69 wk8

```
char st_s12ad_t::wk8[2]
```

Definition at line [29956](#) of file [iodefne.h](#).

## 5.1538.2.70 wk9

```
char st_s12ad_t::wk9[6]
```

Definition at line [29972](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1539 st\_s12ad\_t.ADADC Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [AVEE](#): 1
  - unsigned [char](#): 4
  - unsigned char [ADC](#): 3
- } [BIT](#)

### 5.1539.1 Detailed Description

Definition at line [29810](#) of file [iodefine.h](#).

### 5.1539.2 Field Documentation

#### 5.1539.2.1 BIT

#### 5.1539.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1540 st\_s12ad\_t.ADADS0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [ADS007](#): 1
  - unsigned short [ADS006](#): 1
  - unsigned short [ADS005](#): 1
  - unsigned short [ADS004](#): 1
  - unsigned short [ADS003](#): 1
  - unsigned short [ADS002](#): 1
  - unsigned short [ADS001](#): 1
  - unsigned short [ADS000](#): 1
- } [BIT](#)

### 5.1540.1 Detailed Description

Definition at line [29782](#) of file [iodefine.h](#).

### 5.1540.2 Field Documentation

#### 5.1540.2.1 BIT

#### 5.1540.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1541 st\_s12ad\_t.ADANSA0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [ANSA007](#): 1
  - unsigned short [ANSA006](#): 1
  - unsigned short [ANSA005](#): 1
  - unsigned short [ANSA004](#): 1
  - unsigned short [ANSA003](#): 1
  - unsigned short [ANSA002](#): 1
  - unsigned short [ANSA001](#): 1
  - unsigned short [ANSA000](#): 1
- } [BIT](#)

### 5.1541.1 Detailed Description

Definition at line [29754](#) of file [iodefine.h](#).

### 5.1541.2 Field Documentation

#### 5.1541.2.1 BIT

#### 5.1541.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1542 st\_s12ad\_t.ADANSB0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [ANSB007](#): 1
  - unsigned short [ANSB006](#): 1
  - unsigned short [ANSB005](#): 1
  - unsigned short [ANSB004](#): 1
  - unsigned short [ANSB003](#): 1
  - unsigned short [ANSB002](#): 1
  - unsigned short [ANSB001](#): 1
  - unsigned short [ANSB000](#): 1
- } [BIT](#)

### 5.1542.1 Detailed Description

Definition at line [29873](#) of file [iodefine.h](#).

### 5.1542.2 Field Documentation

#### 5.1542.2.1 BIT

#### 5.1542.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1543 st\_s12ad\_t.ADANSC0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [ANSC007](#): 1
  - unsigned short [ANSC006](#): 1
  - unsigned short [ANSC005](#): 1
  - unsigned short [ANSC004](#): 1
  - unsigned short [ANSC003](#): 1
  - unsigned short [ANSC002](#): 1
  - unsigned short [ANSC001](#): 1
  - unsigned short [ANSC000](#): 1
- } [BIT](#)

### 5.1543.1 Detailed Description

Definition at line [30206](#) of file [iodefine.h](#).

### 5.1543.2 Field Documentation

#### 5.1543.2.1 BIT

#### 5.1543.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1544 st\_s12ad\_t.ADCER Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [ADRFMT](#): 1
  - unsigned [short](#): 3
  - unsigned short [DIAGM](#): 1
  - unsigned short [DIAGLD](#): 1
  - unsigned short [DIAGVAL](#): 2
  - unsigned short [ACE](#): 1
  - unsigned short [ADPRC](#): 2
- } [BIT](#)

### 5.1544.1 Detailed Description

Definition at line [29826](#) of file [iodefine.h](#).

### 5.1544.2 Field Documentation

#### 5.1544.2.1 BIT

#### 5.1544.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1545 st\_s12ad\_t.ADCMPANSR0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [CMPCHA007](#): 1
  - unsigned short [CMPCHA006](#): 1
  - unsigned short [CMPCHA005](#): 1
  - unsigned short [CMPCHA004](#): 1
  - unsigned short [CMPCHA003](#): 1
  - unsigned short [CMPCHA002](#): 1
  - unsigned short [CMPCHA001](#): 1
  - unsigned short [CMPCHA000](#): 1
- } [BIT](#)

### 5.1545.1 Detailed Description

Definition at line [30088](#) of file [iodefine.h](#).



## 5.1545.2 Field Documentation

### 5.1545.2.1 BIT

### 5.1545.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1546 st\_s12ad\_t.ADCMPBNSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CMPLB](#): 1
  - unsigned [char](#): 1
  - unsigned char [CMPCHB](#): 6
- } [BIT](#)

### 5.1546.1 Detailed Description

Definition at line [30174](#) of file [iodefine.h](#).

## 5.1546.2 Field Documentation

### 5.1546.2.1 BIT

### 5.1546.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1547 st\_s12ad\_t.ADCMPBSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [CMPSTB](#): 1
- } [BIT](#)

### 5.1547.1 Detailed Description

Definition at line [30192](#) of file [iodefine.h](#).

## 5.1547.2 Field Documentation

### 5.1547.2.1 BIT

### 5.1547.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1548 st\_s12ad\_t.ADCMPCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [CMPAIE](#): 1
  - unsigned short [WCMPE](#): 1
  - unsigned short [CMPBIE](#): 1
  - unsigned [short](#): 1
  - unsigned short [CMPAE](#): 1
  - unsigned short [CMPBE](#): 1
  - unsigned short [CMPAB](#): 2
- } [BIT](#)

### 5.1548.1 Detailed Description

Definition at line [30060](#) of file [iodefine.h](#).

## 5.1548.2 Field Documentation

### 5.1548.2.1 BIT

### 5.1548.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1549 st\_s12ad\_t.ADCMPLR0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [CMPLCHA007](#): 1
  - unsigned short [CMPLCHA006](#): 1
  - unsigned short [CMPLCHA005](#): 1
  - unsigned short [CMPLCHA004](#): 1
  - unsigned short [CMPLCHA003](#): 1
  - unsigned short [CMPLCHA002](#): 1
  - unsigned short [CMPLCHA001](#): 1
  - unsigned short [CMPLCHA000](#): 1
- } [BIT](#)

### 5.1549.1 Detailed Description

Definition at line [30116](#) of file [iodefine.h](#).

### 5.1549.2 Field Documentation

#### 5.1549.2.1 BIT

#### 5.1549.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1550 st\_s12ad\_t.ADCMPSR0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [CMPSTCHA007](#): 1
  - unsigned short [CMPSTCHA006](#): 1
  - unsigned short [CMPSTCHA005](#): 1
  - unsigned short [CMPSTCHA004](#): 1
  - unsigned short [CMPSTCHA003](#): 1
  - unsigned short [CMPSTCHA002](#): 1
  - unsigned short [CMPSTCHA001](#): 1
  - unsigned short [CMPSTCHA000](#): 1
- } [BIT](#)

### 5.1550.1 Detailed Description

Definition at line [30146](#) of file [iodefine.h](#).

### 5.1550.2 Field Documentation

#### 5.1550.2.1 BIT

#### 5.1550.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1551 st\_s12ad\_t.ADCSR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [ADST](#): 1
  - unsigned short [ADCS](#): 2
  - unsigned short [ADIE](#): 1
  - unsigned [short](#): 2
  - unsigned short [TRGE](#): 1
  - unsigned short [EXTRG](#): 1
  - unsigned short [DBLE](#): 1
  - unsigned short [GBADIE](#): 1
  - unsigned short [DBLANS](#): 5
- } [BIT](#)

### 5.1551.1 Detailed Description

Definition at line [29724](#) of file [iodefine.h](#).

### 5.1551.2 Field Documentation

#### 5.1551.2.1 BIT

#### 5.1551.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1552 st\_s12ad\_t.ADDISCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [ADNDIS](#): 5
- } [BIT](#)

### 5.1552.1 Detailed Description

Definition at line [29989](#) of file [iodefine.h](#).

## 5.1552.2 Field Documentation

### 5.1552.2.1 BIT

### 5.1552.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1553 st\_s12ad\_t.ADGCTRGR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [GRCE](#): 1
  - unsigned char [GCADIE](#): 1
  - unsigned char [TRSC](#): 6
- } [BIT](#)

### 5.1553.1 Detailed Description

Definition at line [30234](#) of file [iodefine.h](#).

## 5.1553.2 Field Documentation

### 5.1553.2.1 BIT

### 5.1553.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1554 st\_s12ad\_t.ADGSPCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [GBRP](#): 1
  - unsigned short [LGRRS](#): 1
  - unsigned [short](#): 12
  - unsigned short [GBRSCN](#): 1
  - unsigned short [PGS](#): 1
- } [BIT](#)

### 5.1554.1 Detailed Description

Definition at line [30017](#) of file [iodefine.h](#).

### 5.1554.2 Field Documentation

#### 5.1554.2.1 BIT

#### 5.1554.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1555 st\_s12ad\_t.ADRD Union Reference

### Data Fields

- unsigned short [WORD](#)
- union {
  - struct {  
unsigned short [DIAGST](#): 2  
unsigned [short](#): 2  
unsigned short [AD](#): 12  
} [RIGHT](#)
  - struct {  
unsigned short [AD](#): 12  
unsigned [short](#): 2  
unsigned short [DIAGST](#): 2  
} [LEFT](#)
- } [BIT](#)

### 5.1555.1 Detailed Description

Definition at line [29905](#) of file [iodefine.h](#).

### 5.1555.2 Field Documentation

#### 5.1555.2.1 BIT

#### 5.1555.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1556 st\_s12ad\_t.ADRD.BIT Union Reference

### Data Fields

- struct {  
  unsigned short [DIAGST](#): 2  
  unsigned [short](#): 2  
  unsigned short [AD](#): 12  
} [RIGHT](#)
- struct {  
  unsigned short [AD](#): 12  
  unsigned [short](#): 2  
  unsigned short [DIAGST](#): 2  
} [LEFT](#)

### 5.1556.1 Detailed Description

Definition at line [29907](#) of file [iodefine.h](#).

### 5.1556.2 Field Documentation

#### 5.1556.2.1 LEFT

#### 5.1556.2.2 RIGHT

The documentation for this union was generated from the following files:

## 5.1557 st\_s12ad\_t.ADSAM Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
  unsigned [short](#): 10  
  unsigned short [SAM](#): 1  
} [BIT](#)

### 5.1557.1 Detailed Description

Definition at line [29973](#) of file [iodefine.h](#).

## 5.1557.2 Field Documentation

### 5.1557.2.1 BIT

### 5.1557.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1558 st\_s12ad\_t.ADSAMPR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [PRO](#): 2  
} [BIT](#)

### 5.1558.1 Detailed Description

Definition at line [29943](#) of file [iodefine.h](#).

## 5.1558.2 Field Documentation

### 5.1558.2.1 BIT

### 5.1558.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1559 st\_s12ad\_t.ADSHCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned [short](#): 5  
    unsigned short [SHANS](#): 3  
    unsigned short [SSTSH](#): 8  
} [BIT](#)

### 5.1559.1 Detailed Description

Definition at line [29957](#) of file [iodefine.h](#).



## 5.1559.2 Field Documentation

### 5.1559.2.1 BIT

### 5.1559.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1560 st\_s12ad\_t.ADSHMSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [SHMD](#): 1  
} [BIT](#)

### 5.1560.1 Detailed Description

Definition at line [30003](#) of file [iodefine.h](#).

## 5.1560.2 Field Documentation

### 5.1560.2.1 BIT

### 5.1560.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1561 st\_s12ad\_t.ADSTRGR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
  unsigned [short](#): 2  
  unsigned short [TRSA](#): 6  
  unsigned short [TRSB](#): 6  
} [BIT](#)

### 5.1561.1 Detailed Description

Definition at line [29855](#) of file [iodefine.h](#).

## 5.1561.2 Field Documentation

### 5.1561.2.1 BIT

### 5.1561.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1562 st\_s12ad\_t.ADWINMON Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [MONCMPB](#): 1
  - unsigned char [MONCMPA](#): 1
  - unsigned char [MONCOMB](#): 1
- } [BIT](#)

### 5.1562.1 Detailed Description

Definition at line [30040](#) of file [iodefine.h](#).

## 5.1562.2 Field Documentation

### 5.1562.2.1 BIT


### 5.1562.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1563 st\_sci0\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_sci0\_t:



### Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [CM](#): 1
    - unsigned char [CHR](#): 1
    - unsigned char [PE](#): 1
    - unsigned char [PM](#): 1
    - unsigned char [STOP](#): 1

```

unsigned char MP: 1
unsigned char CKS: 2
} BIT
} SMR

```

- unsigned char BRR
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TIE: 1
 unsigned char RIE: 1
 unsigned char TE: 1
 unsigned char RE: 1
 unsigned char MPIE: 1
 unsigned char TEIE: 1
 unsigned char CKE: 2
 } BIT
 } SCR

```

- unsigned char TDR
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TDRE: 1
 unsigned char RDRF: 1
 unsigned char ORER: 1
 unsigned char FER: 1
 unsigned char PER: 1
 unsigned char TEND: 1
 unsigned char MPB: 1
 unsigned char MPBT: 1
 } BIT
 } SSR

```

- unsigned char RDR
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char BCP2: 1
 unsigned char: 2
 unsigned char CHR1: 1
 unsigned char SDIR: 1
 unsigned char SINV: 1
 unsigned char SMIF: 1
 } BIT
 } SCMR

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char RXDESEL: 1
 unsigned char BGDM: 1
 unsigned char NFEN: 1
 unsigned char ABCS: 1
 unsigned char ABCSE: 1
 unsigned char BRME: 1
 unsigned char: 1
 unsigned char ACS0: 1

```

- ```

    } BIT
} SEMR

```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char NFCS: 3
 } BIT
 } SNFR
 - union {
 unsigned char BYTE
 struct {
 unsigned char IICDL: 5
 unsigned char: 2
 unsigned char IICM: 1
 } BIT
 } SIMR1
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char IICACKT: 1
 unsigned char IICCSC: 1
 unsigned char IICINTM: 1
 } BIT
 } SIMR2
 - union {
 unsigned char BYTE
 struct {
 unsigned char IICSCLS: 2
 unsigned char IICSDAS: 2
 unsigned char IICSTIF: 1
 unsigned char IICSTPREQ: 1
 unsigned char IICRSTAREQ: 1
 unsigned char IICSTAREQ: 1
 } BIT
 } SIMR3
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char IICACKR: 1
 } BIT
 } SISR
 - union {
 unsigned char BYTE
 struct {
 unsigned char CKPH: 1
 unsigned char CKPOL: 1
 unsigned char: 1
 unsigned char MFF: 1
 unsigned char MSS: 1

- ```

 unsigned char CTSE: 1
 unsigned char SSE: 1
 } BIT
} SPMR

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned char TDRH
 unsigned char TDRL
 } BYTE
 } TDRHL

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned char RDRH
 unsigned char RDRL
 } BYTE
 } RDRHL

```
  - unsigned char MDDR
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char DCME: 1
 unsigned char IDSEL: 1
 unsigned char: 1
 unsigned char DFER: 1
 unsigned char DPER: 1
 unsigned char DCMF: 1
 } BIT
 } DCCR

```
  - char wk0 [6]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned char H
 unsigned char L
 } BYTE
 struct {
 unsigned short: 7
 unsigned short CMPD: 9
 } BIT
 } CDR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char SPB2IO: 1
 unsigned char SPB2DT: 1
 unsigned char RXDMON: 1
 } BIT
 } SPTR

```

### 5.1563.1 Detailed Description

Definition at line [31116](#) of file [iodefne.h](#).

### 5.1563.2 Field Documentation

#### 5.1563.2.1 BRR

unsigned char st\_sci0\_t::BRR

Definition at line [31140](#) of file [iodefne.h](#).

#### 5.1563.2.2 [union]

union { ... } st\_sci0\_t::CDR

#### 5.1563.2.3 [union]

union { ... } st\_sci0\_t::DCCR

#### 5.1563.2.4 MDDR

unsigned char st\_sci0\_t::MDDR

Definition at line [31359](#) of file [iodefne.h](#).

#### 5.1563.2.5 RDR

unsigned char st\_sci0\_t::RDR

Definition at line [31190](#) of file [iodefne.h](#).

#### 5.1563.2.6 [union]

union { ... } st\_sci0\_t::RDRHL

#### 5.1563.2.7 [union]

union { ... } st\_sci0\_t::SCMR

#### 5.1563.2.8 [union]

union { ... } st\_sci0\_t::SCR

## 5.1563.2.9 [union]

```
union { ... } st_sci0_t::SEMR
```

## 5.1563.2.10 [union]

```
union { ... } st_sci0_t::SIMR1
```

## 5.1563.2.11 [union]

```
union { ... } st_sci0_t::SIMR2
```

## 5.1563.2.12 [union]

```
union { ... } st_sci0_t::SIMR3
```

## 5.1563.2.13 [union]

```
union { ... } st_sci0_t::SISR
```

## 5.1563.2.14 [union]

```
union { ... } st_sci0_t::SMR
```

## 5.1563.2.15 [union]

```
union { ... } st_sci0_t::SNFR
```

## 5.1563.2.16 [union]

```
union { ... } st_sci0_t::SPMR
```

## 5.1563.2.17 [union]

```
union { ... } st_sci0_t::SPTR
```

## 5.1563.2.18 [union]

```
union { ... } st_sci0_t::SSR
```



#### 5.1563.2.19 TDR

unsigned char st\_sci0\_t::TDR

Definition at line 31164 of file [iodefne.h](#).

#### 5.1563.2.20 [union]

union { ... } st\_sci0\_t::TDRHL

#### 5.1563.2.21 wk0

char st\_sci0\_t::wk0[6]

Definition at line 31383 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

### 5.1564 st\_sci0\_t.CDR Union Reference

#### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned char [H](#)  
    unsigned char [L](#)  
} [BYTE](#)
- struct {  
    unsigned [short](#): 7  
    unsigned short [CMPD](#): 9  
} [BIT](#)

#### 5.1564.1 Detailed Description

Definition at line 31384 of file [iodefne.h](#).

#### 5.1564.2 Field Documentation

##### 5.1564.2.1 BIT

##### 5.1564.2.2 BYTE

##### 5.1564.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1565 st\_sci0\_t.DCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DCME](#): 1
  - unsigned char [IDSEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [DFER](#): 1
  - unsigned char [DPER](#): 1
  - unsigned char [DCMF](#): 1
- } [BIT](#)

### 5.1565.1 Detailed Description

Definition at line [31360](#) of file [iodefine.h](#).

### 5.1565.2 Field Documentation

#### 5.1565.2.1 BIT

#### 5.1565.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1566 st\_sci0\_t.RDRHL Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [RDRH](#)
  - unsigned char [RDRL](#)
- } [BYTE](#)

### 5.1566.1 Detailed Description

Definition at line [31352](#) of file [iodefine.h](#).

### 5.1566.2 Field Documentation

#### 5.1566.2.1 BYTE

#### 5.1566.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1567 st\_sci0\_t.SCMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [BCP2](#): 1
  - unsigned [char](#): 2
  - unsigned char [CHR1](#): 1
  - unsigned char [SDIR](#): 1
  - unsigned char [SINV](#): 1
  - unsigned char [SMIF](#): 1
- } [BIT](#)

### 5.1567.1 Detailed Description

Definition at line [31191](#) of file [iodefne.h](#).

### 5.1567.2 Field Documentation

#### 5.1567.2.1 BIT

#### 5.1567.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1568 st\_sci0\_t.SCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TIE](#): 1
  - unsigned char [RIE](#): 1
  - unsigned char [TE](#): 1
  - unsigned char [RE](#): 1
  - unsigned char [MPIE](#): 1
  - unsigned char [TEIE](#): 1
  - unsigned char [CKE](#): 2
- } [BIT](#)

### 5.1568.1 Detailed Description

Definition at line [31141](#) of file [iodefne.h](#).

## 5.1568.2 Field Documentation

### 5.1568.2.1 BIT

### 5.1568.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1569 st\_sci0\_t.SEMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [RXDESEL](#): 1
  - unsigned char [BGDM](#): 1
  - unsigned char [NFEN](#): 1
  - unsigned char [ABCS](#): 1
  - unsigned char [ABCSE](#): 1
  - unsigned char [BRME](#): 1
  - unsigned [char](#): 1
  - unsigned char [ACS0](#): 1
- } [BIT](#)

### 5.1569.1 Detailed Description

Definition at line [31214](#) of file [iodefine.h](#).

## 5.1569.2 Field Documentation

### 5.1569.2.1 BIT

### 5.1569.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1570 st\_sci0\_t.SIMR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IICDL](#): 5
  - unsigned [char](#): 2
  - unsigned char [IICM](#): 1
- } [BIT](#)

### 5.1570.1 Detailed Description

Definition at line [31252](#) of file [iodefne.h](#).

### 5.1570.2 Field Documentation

#### 5.1570.2.1 BIT

#### 5.1570.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1571 st\_sci0\_t.SIMR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 2
  - unsigned char [IICACKT](#): 1
  - unsigned char [IICCSC](#): 1
  - unsigned char [IICINTM](#): 1
- } [BIT](#)

### 5.1571.1 Detailed Description

Definition at line [31267](#) of file [iodefne.h](#).

### 5.1571.2 Field Documentation

#### 5.1571.2.1 BIT

#### 5.1571.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1572 st\_sci0\_t.SIMR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IICSCLS](#): 2
  - unsigned char [IICSDAS](#): 2
  - unsigned char [IICSTIF](#): 1
  - unsigned char [IICSTPREQ](#): 1
  - unsigned char [IICRSTAREQ](#): 1
  - unsigned char [IICSTAREQ](#): 1
- } [BIT](#)

### 5.1572.1 Detailed Description

Definition at line [31286](#) of file [iodefine.h](#).

### 5.1572.2 Field Documentation

#### 5.1572.2.1 BIT

#### 5.1572.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1573 st\_sci0\_t.SISR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [IICACKR](#): 1  
} [BIT](#)

### 5.1573.1 Detailed Description

Definition at line [31307](#) of file [iodefine.h](#).

### 5.1573.2 Field Documentation

#### 5.1573.2.1 BIT

#### 5.1573.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1574 st\_sci0\_t.SMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [CM](#): 1  
  unsigned char [CHR](#): 1  
  unsigned char [PE](#): 1  
  unsigned char [PM](#): 1  
  unsigned char [STOP](#): 1  
  unsigned char [MP](#): 1  
  unsigned char [CKS](#): 2  
} [BIT](#)

### 5.1574.1 Detailed Description

Definition at line [31117](#) of file [iodefne.h](#).

### 5.1574.2 Field Documentation

#### 5.1574.2.1 BIT

#### 5.1574.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1575 st\_sci0\_t.SNFR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 5  
  unsigned char [NFCS](#): 3  
} [BIT](#)

### 5.1575.1 Detailed Description

Definition at line [31239](#) of file [iodefne.h](#).

### 5.1575.2 Field Documentation

#### 5.1575.2.1 BIT

#### 5.1575.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1576 st\_sci0\_t.SPMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [CKPH](#): 1  
  unsigned char [CKPOL](#): 1  
  unsigned [char](#): 1  
  unsigned char [MFF](#): 1  
  unsigned char [MSS](#): 1  
  unsigned char [CTSE](#): 1  
  unsigned char [SSE](#): 1  
} [BIT](#)

### 5.1576.1 Detailed Description

Definition at line [31320](#) of file [iodefne.h](#).

### 5.1576.2 Field Documentation

#### 5.1576.2.1 BIT

#### 5.1576.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1577 st\_sci0\_t.SPTR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [char](#): 5
  - unsigned char [SPB2IO](#): 1
  - unsigned char [SPB2DT](#): 1
  - unsigned char [RXDMON](#): 1
- } [BIT](#)

### 5.1577.1 Detailed Description

Definition at line [31401](#) of file [iodefne.h](#).

### 5.1577.2 Field Documentation

#### 5.1577.2.1 BIT

#### 5.1577.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1578 st\_sci0\_t.SSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TDRE](#): 1
  - unsigned char [RDRF](#): 1
  - unsigned char [ORER](#): 1
  - unsigned char [FER](#): 1
  - unsigned char [PER](#): 1
  - unsigned char [TEND](#): 1
  - unsigned char [MPB](#): 1
  - unsigned char [MPBT](#): 1
- } [BIT](#)



### 5.1578.1 Detailed Description

Definition at line [31165](#) of file [iodefne.h](#).

### 5.1578.2 Field Documentation

#### 5.1578.2.1 BIT

#### 5.1578.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1579 st\_sci0\_t.TDRHL Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [TDRH](#)
  - unsigned char [TDRL](#)
- } [BYTE](#)

### 5.1579.1 Detailed Description

Definition at line [31345](#) of file [iodefne.h](#).

### 5.1579.2 Field Documentation

#### 5.1579.2.1 BYTE


#### 5.1579.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1580 st\_sci12\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_sci12\_t:



Data Fields

- union {

```

unsigned char BYTE
 struct {
 unsigned char CM: 1
 unsigned char CHR: 1
 unsigned char PE: 1
 unsigned char PM: 1
 unsigned char STOP: 1
 unsigned char MP: 1
 unsigned char CKS: 2
 } BIT
} SMR

```

- unsigned char [BRR](#)
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TIE: 1
 unsigned char RIE: 1
 unsigned char TE: 1
 unsigned char RE: 1
 unsigned char MPIE: 1
 unsigned char TEIE: 1
 unsigned char CKE: 2
 } BIT
 } SCR

```

- unsigned char [TDR](#)
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char TDRE: 1
 unsigned char RDRF: 1
 unsigned char ORER: 1
 unsigned char FER: 1
 unsigned char PER: 1
 unsigned char TEND: 1
 unsigned char MPB: 1
 unsigned char MPBT: 1
 } BIT
 } SSR

```

- unsigned char [RDR](#)
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char BCP2: 1
 unsigned char: 2
 unsigned char CHR1: 1
 unsigned char SDIR: 1
 unsigned char SINV: 1
 unsigned char SMIF: 1
 } BIT
 } SCMR

```

- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char RXDESEL: 1

```

- ```

unsigned char BGDM: 1
unsigned char NFEN: 1
unsigned char ABCS: 1
unsigned char: 1
unsigned char BRME: 1
unsigned char ACS0: 1
    } BIT
} SEMR

```
- union {


```

unsigned char BYTE
    struct {
unsigned char: 5
unsigned char NFCS: 3
    } BIT
} SNFR

```
 - union {


```

unsigned char BYTE
    struct {
unsigned char IICDL: 5
unsigned char: 2
unsigned char IICM: 1
    } BIT
} SIMR1

```
 - union {


```

unsigned char BYTE
    struct {
unsigned char: 2
unsigned char IICACKT: 1
unsigned char IICCSC: 1
unsigned char IICINTM: 1
    } BIT
} SIMR2

```
 - union {


```

unsigned char BYTE
    struct {
unsigned char IICSCLS: 2
unsigned char IICSDAS: 2
unsigned char IICSTIF: 1
unsigned char IICSTPREQ: 1
unsigned char IICRSTAREQ: 1
unsigned char IICSTAREQ: 1
    } BIT
} SIMR3

```
 - union {


```

unsigned char BYTE
    struct {
unsigned char: 7
unsigned char IICACKR: 1
    } BIT
} SISR

```
 - union {


```

unsigned char BYTE

```

- ```

 struct {
 unsigned char CKPH: 1
 unsigned char CKPOL: 1
 unsigned char: 1
 unsigned char MFF: 1
 unsigned char MSS: 1
 unsigned char CTSE: 1
 unsigned char SSE: 1
 } BIT
} SPMR

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned char TDRH
 unsigned char TDRL
 } BYTE
 } TDRHL

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned char RDRH
 unsigned char RDRL
 } BYTE
 } RDRHL

```
  - unsigned char MDDR
  - char wk0 [13]
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char ESME: 1
 } BIT
 } ESMER

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 4
 unsigned char BRME: 1
 unsigned char RXDSF: 1
 unsigned char SFSF: 1
 } BIT
 } CR0

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char PIBS: 3
 unsigned char PIPE: 1
 unsigned char CF1DS: 2
 unsigned char CF0RE: 1
 unsigned char BFE: 1
 } BIT
 } CR1

```

- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned char [RTS](#): 2  
     unsigned char [BCCS](#): 2  
     unsigned [char](#): 1  
     unsigned char [DFCS](#): 3  
   } [BIT](#)  
 } [CR2](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 7  
     unsigned char [SDST](#): 1  
   } [BIT](#)  
 } [CR3](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 3  
     unsigned char [SHARPS](#): 1  
     unsigned char [RXDXPS](#): 1  
     unsigned char [TXDXPS](#): 1  
   } [BIT](#)  
 } [PCR](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 2  
     unsigned char [AEDIE](#): 1  
     unsigned char [BCDIE](#): 1  
     unsigned char [PIBDIE](#): 1  
     unsigned char [CF1MIE](#): 1  
     unsigned char [CF0MIE](#): 1  
     unsigned char [BFDIE](#): 1  
   } [BIT](#)  
 } [ICR](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 2  
     unsigned char [AEDF](#): 1  
     unsigned char [BCDF](#): 1  
     unsigned char [PIBDF](#): 1  
     unsigned char [CF1MF](#): 1  
     unsigned char [CF0MF](#): 1  
     unsigned char [BFDF](#): 1  
   } [BIT](#)  
 } [STR](#)
  
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 2

- ```

    unsigned char AEDCL: 1
    unsigned char BCDCL: 1
    unsigned char PIBDCL: 1
    unsigned char CF1MCL: 1
    unsigned char CF0MCL: 1
    unsigned char BFDCL: 1
    } BIT
} STCR

```
- unsigned char CF0DR
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char CF0CE7: 1
          unsigned char CF0CE6: 1
          unsigned char CF0CE5: 1
          unsigned char CF0CE4: 1
          unsigned char CF0CE3: 1
          unsigned char CF0CE2: 1
          unsigned char CF0CE1: 1
          unsigned char CF0CE0: 1
        } BIT
      } CF0CR

```
 - unsigned char CF0RR
 - unsigned char PCF1DR
 - unsigned char SCF1DR
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char CF1CE7: 1
          unsigned char CF1CE6: 1
          unsigned char CF1CE5: 1
          unsigned char CF1CE4: 1
          unsigned char CF1CE3: 1
          unsigned char CF1CE2: 1
          unsigned char CF1CE1: 1
          unsigned char CF1CE0: 1
        } BIT
      } CF1CR

```
 - unsigned char CF1RR
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 7
          unsigned char TCST: 1
        } BIT
      } TCR

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 1
          unsigned char TCSS: 3
          unsigned char TWRC: 1
          unsigned char TOMS: 2
        } BIT

```

} [TMR](#)

- unsigned char [TPRE](#)
- unsigned char [TCNT](#)

5.1580.1 Detailed Description

Definition at line [31875](#) of file [iodefne.h](#).

5.1580.2 Field Documentation

5.1580.2.1 BRR

unsigned char st_sci12_t::BRR

Definition at line [31899](#) of file [iodefne.h](#).

5.1580.2.2 [union]

union { ... } st_sci12_t::CF0CR

5.1580.2.3 CF0DR

unsigned char st_sci12_t::CF0DR

Definition at line [32289](#) of file [iodefne.h](#).

5.1580.2.4 CF0RR

unsigned char st_sci12_t::CF0RR

Definition at line [32315](#) of file [iodefne.h](#).

5.1580.2.5 [union]

union { ... } st_sci12_t::CF1CR

5.1580.2.6 CF1RR

unsigned char st_sci12_t::CF1RR

Definition at line [32343](#) of file [iodefne.h](#).

5.1580.2.7 [union]

```
union { ... } st_sci12_t::CR0
```

5.1580.2.8 [union]

```
union { ... } st_sci12_t::CR1
```

5.1580.2.9 [union]

```
union { ... } st_sci12_t::CR2
```

5.1580.2.10 [union]

```
union { ... } st_sci12_t::CR3
```

5.1580.2.11 [union]

```
union { ... } st_sci12_t::ESMER
```

5.1580.2.12 [union]

```
union { ... } st_sci12_t::ICR
```

5.1580.2.13 MDDR

```
unsigned char st_sci12_t::MDDR
```

Definition at line [32118](#) of file [iodefine.h](#).

5.1580.2.14 PCF1DR

```
unsigned char st_sci12_t::PCF1DR
```

Definition at line [32316](#) of file [iodefine.h](#).

5.1580.2.15 [union]

```
union { ... } st_sci12_t::PCR
```

5.1580.2.16 RDR

```
unsigned char st_sci12_t::RDR
```

Definition at line [31949](#) of file [iodefine.h](#).

5.1580.2.17 [union]

```
union { ... } st_sci12_t::RDRHL
```

5.1580.2.18 SCF1DR

```
unsigned char st_sci12_t::SCF1DR
```

Definition at line [32317](#) of file [iodefne.h](#).

5.1580.2.19 [union]

```
union { ... } st_sci12_t::SCMR
```

5.1580.2.20 [union]

```
union { ... } st_sci12_t::SCR
```

5.1580.2.21 [union]

```
union { ... } st_sci12_t::SEMR
```

5.1580.2.22 [union]

```
union { ... } st_sci12_t::SIMR1
```

5.1580.2.23 [union]

```
union { ... } st_sci12_t::SIMR2
```

5.1580.2.24 [union]

```
union { ... } st_sci12_t::SIMR3
```

5.1580.2.25 [union]

```
union { ... } st_sci12_t::SISR
```

5.1580.2.26 [union]

```
union { ... } st_sci12_t::SMR
```

5.1580.2.27 [union]

```
union { ... } st_sci12_t::SNFR
```

5.1580.2.28 [union]

```
union { ... } st_sci12_t::SPMR
```

5.1580.2.29 [union]

```
union { ... } st_sci12_t::SSR
```

5.1580.2.30 [union]

```
union { ... } st_sci12_t::STCR
```

5.1580.2.31 [union]

```
union { ... } st_sci12_t::STR
```

5.1580.2.32 TCNT

```
unsigned char st_sci12_t::TCNT
```

Definition at line [32377](#) of file [iodefine.h](#).

5.1580.2.33 [union]

```
union { ... } st_sci12_t::TCR
```

5.1580.2.34 TDR

```
unsigned char st_sci12_t::TDR
```

Definition at line [31923](#) of file [iodefine.h](#).

5.1580.2.35 [union]

```
union { ... } st_sci12_t::TDRHL
```

5.1580.2.36 [union]

```
union { ... } st_sci12_t::TMR
```

5.1580.2.37 TPRES

unsigned char st_sci12_t::TPRES

Definition at line [32376](#) of file [iodefine.h](#).

5.1580.2.38 wk0

char st_sci12_t::wk0[13]

Definition at line [32119](#) of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.1581 st_sci12_t.CF0CR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CF0CE7](#): 1
 - unsigned char [CF0CE6](#): 1
 - unsigned char [CF0CE5](#): 1
 - unsigned char [CF0CE4](#): 1
 - unsigned char [CF0CE3](#): 1
 - unsigned char [CF0CE2](#): 1
 - unsigned char [CF0CE1](#): 1
 - unsigned char [CF0CE0](#): 1
- } [BIT](#)

5.1581.1 Detailed Description

Definition at line [32290](#) of file [iodefine.h](#).

5.1581.2 Field Documentation

5.1581.2.1 BIT

5.1581.2.2 BYTE

The documentation for this union was generated from the following files:

5.1582 st_sci12_t.CF1CR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CF1CE7](#): 1
 - unsigned char [CF1CE6](#): 1
 - unsigned char [CF1CE5](#): 1
 - unsigned char [CF1CE4](#): 1
 - unsigned char [CF1CE3](#): 1
 - unsigned char [CF1CE2](#): 1
 - unsigned char [CF1CE1](#): 1
 - unsigned char [CF1CE0](#): 1
- } [BIT](#)

5.1582.1 Detailed Description

Definition at line [32318](#) of file [iodefine.h](#).

5.1582.2 Field Documentation

5.1582.2.1 BIT

5.1582.2.2 BYTE

The documentation for this union was generated from the following files:

5.1583 st_sci12_t.CR0 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 4
 - unsigned char [BRME](#): 1
 - unsigned char [RXDSF](#): 1
 - unsigned char [SFSF](#): 1
- } [BIT](#)

5.1583.1 Detailed Description

Definition at line [32133](#) of file [iodefine.h](#).

5.1583.2 Field Documentation

5.1583.2.1 BIT

5.1583.2.2 BYTE

The documentation for this union was generated from the following files:

5.1584 st_sci12_t.CR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [PIBS](#): 3
 - unsigned char [PIBE](#): 1
 - unsigned char [CF1DS](#): 2
 - unsigned char [CF0RE](#): 1
 - unsigned char [BFE](#): 1
- } [BIT](#)

5.1584.1 Detailed Description

Definition at line [32152](#) of file [iodefine.h](#).

5.1584.2 Field Documentation

5.1584.2.1 BIT

5.1584.2.2 BYTE

The documentation for this union was generated from the following files:

5.1585 st_sci12_t.CR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [RTS](#): 2
 - unsigned char [BCCS](#): 2
 - unsigned [char](#): 1
 - unsigned char [DFCS](#): 3
- } [BIT](#)

5.1585.1 Detailed Description

Definition at line [32171](#) of file [iodefne.h](#).

5.1585.2 Field Documentation

5.1585.2.1 BIT

5.1585.2.2 BYTE

The documentation for this union was generated from the following files:

5.1586 st_sci12_t.CR3 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [SDST](#): 1
} [BIT](#)

5.1586.1 Detailed Description

Definition at line [32188](#) of file [iodefne.h](#).

5.1586.2 Field Documentation

5.1586.2.1 BIT

5.1586.2.2 BYTE

The documentation for this union was generated from the following files:

5.1587 st_sci12_t.ESMER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [ESME](#): 1
} [BIT](#)

5.1587.1 Detailed Description

Definition at line [32120](#) of file [iodefine.h](#).

5.1587.2 Field Documentation

5.1587.2.1 BIT

5.1587.2.2 BYTE

The documentation for this union was generated from the following files:

5.1588 st_sci12_t.ICR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned [char](#): 2
 - unsigned char [AEDIE](#): 1
 - unsigned char [BCDIE](#): 1
 - unsigned char [PIBDIE](#): 1
 - unsigned char [CF1MIE](#): 1
 - unsigned char [CF0MIE](#): 1
 - unsigned char [BFDIE](#): 1
- } [BIT](#)

5.1588.1 Detailed Description

Definition at line [32220](#) of file [iodefine.h](#).

5.1588.2 Field Documentation

5.1588.2.1 BIT

5.1588.2.2 BYTE

The documentation for this union was generated from the following files:

5.1589 st_sci12_t.PCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 3
 - unsigned char [SHARPS](#): 1
 - unsigned char [RXDXPS](#): 1
 - unsigned char [TXDXPS](#): 1
- } [BIT](#)

5.1589.1 Detailed Description

Definition at line [32201](#) of file [iodefine.h](#).

5.1589.2 Field Documentation

5.1589.2.1 BIT

5.1589.2.2 BYTE

The documentation for this union was generated from the following files:

5.1590 st_sci12_t.RDRHL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned char [RDRH](#)
 - unsigned char [RDRL](#)
- } [BYTE](#)

5.1590.1 Detailed Description

Definition at line [32111](#) of file [iodefine.h](#).

5.1590.2 Field Documentation

5.1590.2.1 BYTE

5.1590.2.2 WORD

The documentation for this union was generated from the following files:

5.1591 st_sci12_t.SCMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [BCP2](#): 1
 - unsigned [char](#): 2
 - unsigned char [CHR1](#): 1
 - unsigned char [SDIR](#): 1
 - unsigned char [SINV](#): 1
 - unsigned char [SMIF](#): 1
- } [BIT](#)

5.1591.1 Detailed Description

Definition at line [31950](#) of file [iodefine.h](#).

5.1591.2 Field Documentation

5.1591.2.1 BIT

5.1591.2.2 BYTE

The documentation for this union was generated from the following files:

5.1592 st_sci12_t.SCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TIE](#): 1
 - unsigned char [RIE](#): 1
 - unsigned char [TE](#): 1
 - unsigned char [RE](#): 1
 - unsigned char [MPIE](#): 1
 - unsigned char [TEIE](#): 1
 - unsigned char [CKE](#): 2
- } [BIT](#)

5.1592.1 Detailed Description

Definition at line [31900](#) of file [iodefine.h](#).

5.1592.2 Field Documentation

5.1592.2.1 BIT

5.1592.2.2 BYTE

The documentation for this union was generated from the following files:

5.1593 st_sci12_t.SEMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [RXDESEL](#): 1
 - unsigned char [BGDM](#): 1
 - unsigned char [NFEN](#): 1
 - unsigned char [ABCS](#): 1
 - unsigned char: 1
 - unsigned char [BRME](#): 1
 - unsigned char [ACS0](#): 1
- } [BIT](#)

5.1593.1 Detailed Description

Definition at line [31973](#) of file [iodefine.h](#).

5.1593.2 Field Documentation

5.1593.2.1 BIT

5.1593.2.2 BYTE

The documentation for this union was generated from the following files:

5.1594 st_sci12_t.SIMR1 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IICDL](#): 5
 - unsigned char: 2
 - unsigned char [IICM](#): 1
- } [BIT](#)

5.1594.1 Detailed Description

Definition at line [32011](#) of file [iodefne.h](#).

5.1594.2 Field Documentation

5.1594.2.1 BIT

5.1594.2.2 BYTE

The documentation for this union was generated from the following files:

5.1595 st_sci12_t.SIMR2 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 2
 - unsigned char [IICACKT](#): 1
 - unsigned char [IICCSC](#): 1
 - unsigned char [IICINTM](#): 1
- } [BIT](#)

5.1595.1 Detailed Description

Definition at line [32026](#) of file [iodefne.h](#).

5.1595.2 Field Documentation

5.1595.2.1 BIT

5.1595.2.2 BYTE

The documentation for this union was generated from the following files:

5.1596 st_sci12_t.SIMR3 Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IICSCLS](#): 2
 - unsigned char [IICSDAS](#): 2
 - unsigned char [IICSTIF](#): 1
 - unsigned char [IICSTPREQ](#): 1
 - unsigned char [IICRSTAREQ](#): 1
 - unsigned char [IICSTAREQ](#): 1
- } [BIT](#)

5.1596.1 Detailed Description

Definition at line [32045](#) of file [iodefne.h](#).

5.1596.2 Field Documentation

5.1596.2.1 BIT

5.1596.2.2 BYTE

The documentation for this union was generated from the following files:

5.1597 st_sci12_t.SISR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 7
 unsigned char [IICACKR](#): 1
} [BIT](#)

5.1597.1 Detailed Description

Definition at line [32066](#) of file [iodefne.h](#).

5.1597.2 Field Documentation

5.1597.2.1 BIT

5.1597.2.2 BYTE

The documentation for this union was generated from the following files:

5.1598 st_sci12_t.SMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [CM](#): 1
 unsigned char [CHR](#): 1
 unsigned char [PE](#): 1
 unsigned char [PM](#): 1
 unsigned char [STOP](#): 1
 unsigned char [MP](#): 1
 unsigned char [CKS](#): 2
} [BIT](#)

5.1598.1 Detailed Description

Definition at line [31876](#) of file [iodefine.h](#).

5.1598.2 Field Documentation

5.1598.2.1 BIT

5.1598.2.2 BYTE

The documentation for this union was generated from the following files:

5.1599 st_sci12_t.SNFR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned [char](#): 5
 unsigned char [NFCS](#): 3
} [BIT](#)

5.1599.1 Detailed Description

Definition at line [31998](#) of file [iodefine.h](#).

5.1599.2 Field Documentation

5.1599.2.1 BIT

5.1599.2.2 BYTE

The documentation for this union was generated from the following files:

5.1600 st_sci12_t.SPMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [CKPH](#): 1
 unsigned char [CKPOL](#): 1
 unsigned [char](#): 1
 unsigned char [MFF](#): 1
 unsigned char [MSS](#): 1
 unsigned char [CTSE](#): 1
 unsigned char [SSE](#): 1
} [BIT](#)

5.1600.1 Detailed Description

Definition at line [32079](#) of file [iodef.h](#).

5.1600.2 Field Documentation

5.1600.2.1 BIT

5.1600.2.2 BYTE

The documentation for this union was generated from the following files:

5.1601 st_sci12_t.SSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TDRE](#): 1
 - unsigned char [RDRF](#): 1
 - unsigned char [ORER](#): 1
 - unsigned char [FER](#): 1
 - unsigned char [PER](#): 1
 - unsigned char [TEND](#): 1
 - unsigned char [MPB](#): 1
 - unsigned char [MPBT](#): 1
- } [BIT](#)

5.1601.1 Detailed Description

Definition at line [31924](#) of file [iodef.h](#).

5.1601.2 Field Documentation

5.1601.2.1 BIT

5.1601.2.2 BYTE

The documentation for this union was generated from the following files:

5.1602 st_sci12_t.STCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 2
 - unsigned char [AEDCL](#): 1
 - unsigned char [BCDCL](#): 1
 - unsigned char [PIBDCL](#): 1
 - unsigned char [CF1MCL](#): 1
 - unsigned char [CF0MCL](#): 1
 - unsigned char [BFDCL](#): 1
- } [BIT](#)

5.1602.1 Detailed Description

Definition at line [32266](#) of file [iodefine.h](#).

5.1602.2 Field Documentation

5.1602.2.1 BIT

5.1602.2.2 BYTE

The documentation for this union was generated from the following files:

5.1603 st_sci12_t.STR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 2
 - unsigned char [AEDF](#): 1
 - unsigned char [BCDF](#): 1
 - unsigned char [PIBDF](#): 1
 - unsigned char [CF1MF](#): 1
 - unsigned char [CF0MF](#): 1
 - unsigned char [BFDF](#): 1
- } [BIT](#)

5.1603.1 Detailed Description

Definition at line [32243](#) of file [iodefine.h](#).

5.1603.2 Field Documentation

5.1603.2.1 BIT

5.1603.2.2 BYTE

The documentation for this union was generated from the following files:

5.1604 st_sci12_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char: 7
 unsigned char [TCST](#): 1
} [BIT](#)

5.1604.1 Detailed Description

Definition at line [32344](#) of file [iodefine.h](#).

5.1604.2 Field Documentation

5.1604.2.1 BIT

5.1604.2.2 BYTE

The documentation for this union was generated from the following files:

5.1605 st_sci12_t.TDRHL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned char [TDRH](#)
 unsigned char [TDRL](#)
} [BYTE](#)

5.1605.1 Detailed Description

Definition at line [32104](#) of file [iodefine.h](#).

5.1605.2 Field Documentation

5.1605.2.1 BYTE

5.1605.2.2 WORD

The documentation for this union was generated from the following files:

5.1606 st_sci12_t.TMR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char: 1
 - unsigned char [TCSS](#): 3
 - unsigned char [TWRC](#): 1
 - unsigned char [TOMS](#): 2
- } [BIT](#)

5.1606.1 Detailed Description

Definition at line [32357](#) of file [iodefne.h](#).

5.1606.2 Field Documentation

5.1606.2.1 BIT


5.1606.2.2 BYTE

The documentation for this union was generated from the following files:

5.1607 st_sci7_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_sci7_t:



Data Fields

- union {
 unsigned char **BYTE**
 struct {
 unsigned char **CM**: 1
 unsigned char **CHR**: 1
 unsigned char **PE**: 1
 unsigned char **PM**: 1
 unsigned char **STOP**: 1
 unsigned char **MP**: 1
 unsigned char **CKS**: 2
 } **BIT**
 } **SMR**
- unsigned char **BRR**
- union {
 unsigned char **BYTE**
 struct {

```

    unsigned char TIE: 1
    unsigned char RIE: 1
    unsigned char TE: 1
    unsigned char RE: 1
    unsigned char MPIE: 1
    unsigned char TEIE: 1
    unsigned char CKE: 2
    } BIT
} SCR

• unsigned char TDR
• union {
    union {
        unsigned char BYTE
        struct {
            unsigned char TDRE: 1
            unsigned char RDRF: 1
            unsigned char ORER: 1
            unsigned char FER: 1
            unsigned char PER: 1
            unsigned char TEND: 1
            unsigned char MPB: 1
            unsigned char MPBT: 1
        } BIT
    } SSR
    union {
        unsigned char BYTE
        struct {
            unsigned char TDFE: 1
            unsigned char RDF: 1
            unsigned char ORER: 1
            unsigned char FER: 1
            unsigned char PER: 1
            unsigned char TEND: 1
            unsigned char: 1
            unsigned char DR: 1
        } BIT
    } SSRFIFO
};

• unsigned char RDR
• union {
    unsigned char BYTE
    struct {
        unsigned char BCP2: 1
        unsigned char: 2
        unsigned char CHR1: 1
        unsigned char SDIR: 1
        unsigned char SINV: 1
        unsigned char SMIF: 1
    } BIT
} SCMR

• union {
    unsigned char BYTE
    struct {
        unsigned char RXDESEL: 1
        unsigned char BGDM: 1

```

- ```

 unsigned char NFEN: 1
 unsigned char ABCS: 1
 unsigned char ABCSE: 1
 unsigned char BRME: 1
 unsigned char char: 1
 unsigned char ACS0: 1
 } BIT
} SEMR

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 5
 unsigned char NFCS: 3
 } BIT
 } SNFR

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IICDL: 5
 unsigned char: 2
 unsigned char IICM: 1
 } BIT
 } SIMR1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char IICACKT: 1
 unsigned char IICCSC: 1
 unsigned char IICINTM: 1
 } BIT
 } SIMR2

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char IICSCLS: 2
 unsigned char IICSDAS: 2
 unsigned char IICSTIF: 1
 unsigned char IICSTPREQ: 1
 unsigned char IICRSTAREQ: 1
 unsigned char IICSTAREQ: 1
 } BIT
 } SIMR3

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char IICACKR: 1
 } BIT
 } SISR

```
  - union {
 

```

 unsigned char BYTE

```

```

 struct {
 unsigned char CKPH: 1
 unsigned char CKPOL: 1
 unsigned char: 1
 unsigned char MFF: 1
 unsigned char MSS: 1
 unsigned char CTSE: 1
 unsigned char SSE: 1
 } BIT
} SPMR

• union {
 union {
 unsigned short WORD
 struct {
 unsigned char TDRH
 unsigned char TDRL
 } BYTE
 } TDRHL
 union {
 unsigned short WORD
 struct {
 unsigned char H
 unsigned char L
 } BYTE
 struct {
 unsigned short: 6
 unsigned short MPBT: 1
 unsigned short TDAT: 9
 } BIT
 } FTDR
};

• union {
 union {
 unsigned short WORD
 struct {
 unsigned char RDRH
 unsigned char RDRL
 } BYTE
 } RDRHL
 union {
 unsigned short WORD
 struct {
 unsigned char H
 unsigned char L
 } BYTE
 struct {
 unsigned short: 1
 unsigned short RDF: 1
 unsigned short ORER: 1
 unsigned short FER: 1
 unsigned short PER: 1
 unsigned short DR: 1
 unsigned short MPB: 1
 unsigned short RDAT: 9
 } BIT
 } FRDR
}

```

```
};
```

- unsigned char [MDDR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [DCME](#): 1
    - unsigned char [IDSEL](#): 1
    - unsigned [char](#): 1
    - unsigned char [DFER](#): 1
    - unsigned char [DPER](#): 1
    - unsigned char [DCMF](#): 1
  - } [BIT](#)
- } [DCCR](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned char [H](#)
    - unsigned char [L](#)
  - } [BYTE](#)
  - struct {
    - unsigned short [RSTRG](#): 4
    - unsigned short [RTRG](#): 4
    - unsigned short [TTRG](#): 4
    - unsigned short [DRES](#): 1
    - unsigned short [TFRST](#): 1
    - unsigned short [RFRST](#): 1
    - unsigned short [FM](#): 1
  - } [BIT](#)
- } [FCR](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned char [H](#)
    - unsigned char [L](#)
  - } [BYTE](#)
  - struct {
    - unsigned [short](#): 3
    - unsigned short [T](#): 5
    - unsigned short [R](#): 5
  - } [BIT](#)
- } [FDR](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned char [H](#)
    - unsigned char [L](#)
  - } [BYTE](#)
  - struct {
    - unsigned [short](#): 3
    - unsigned short [PNUM](#): 5
    - unsigned short [FNUM](#): 5
    - unsigned short [ORER](#): 1
  - } [BIT](#)
- } [LSR](#)

- union {  
     unsigned short [WORD](#)  
     struct {  
         unsigned char [H](#)  
         unsigned char [L](#)  
     } [BYTE](#)  
     struct {  
         unsigned [short](#): 7  
         unsigned short [CMPD](#): 9  
     } [BIT](#)  
   } [CDR](#)
- union {  
     unsigned char [BYTE](#)  
     struct {  
         unsigned [char](#): 5  
         unsigned char [SPB2IO](#): 1  
         unsigned char [SPB2DT](#): 1  
         unsigned char [RXDMON](#): 1  
     } [BIT](#)  
   } [SPTR](#)

### 5.1607.1 Detailed Description

Definition at line [31420](#) of file [iodefine.h](#).

### 5.1607.2 Field Documentation

#### 5.1607.2.1 [union]

```
union { ... } st_sci7_t
```

#### 5.1607.2.2 [union]

```
union { ... } st_sci7_t
```

#### 5.1607.2.3 [union]

```
union { ... } st_sci7_t
```

#### 5.1607.2.4 BRR

```
unsigned char st_sci7_t::BRR
```

Definition at line [31444](#) of file [iodefine.h](#).



## 5.1607.2.5 [union]

```
union { ... } st_sci7_t::CDR
```

## 5.1607.2.6 [union]

```
union { ... } st_sci7_t::DCCR
```

## 5.1607.2.7 [union]

```
union { ... } st_sci7_t::FCR
```

## 5.1607.2.8 [union]

```
union { ... } st_sci7_t::FDR
```

## 5.1607.2.9 [union]

```
union { ... } st_sci7_t::LSR
```

## 5.1607.2.10 MDDR

```
unsigned char st_sci7_t::MDDR
```

Definition at line [31742](#) of file [iodefne.h](#).

## 5.1607.2.11 RDR

```
unsigned char st_sci7_t::RDR
```

Definition at line [31521](#) of file [iodefne.h](#).

## 5.1607.2.12 [union]

```
union { ... } st_sci7_t::SCMR
```

## 5.1607.2.13 [union]

```
union { ... } st_sci7_t::SCR
```

## 5.1607.2.14 [union]

```
union { ... } st_sci7_t::SEMR
```

## 5.1607.2.15 [union]

```
union { ... } st_sci7_t::SIMR1
```

## 5.1607.2.16 [union]

```
union { ... } st_sci7_t::SIMR2
```

## 5.1607.2.17 [union]

```
union { ... } st_sci7_t::SIMR3
```

## 5.1607.2.18 [union]

```
union { ... } st_sci7_t::SISR
```

## 5.1607.2.19 [union]

```
union { ... } st_sci7_t::SMR
```

## 5.1607.2.20 [union]

```
union { ... } st_sci7_t::SNFR
```

## 5.1607.2.21 [union]

```
union { ... } st_sci7_t::SPMR
```

## 5.1607.2.22 [union]

```
union { ... } st_sci7_t::SPTR
```

## 5.1607.2.23 TDR

```
unsigned char st_sci7_t::TDR
```

Definition at line [31468](#) of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefine.h](#)

## 5.1608 st\_sci7\_t.\_\_\_\_unnamed0\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [TDRE](#): 1  
    unsigned char [RDRF](#): 1  
    unsigned char [ORER](#): 1  
    unsigned char [FER](#): 1  
    unsigned char [PER](#): 1  
    unsigned char [TEND](#): 1  
    unsigned char [MPB](#): 1  
    unsigned char [MPBT](#): 1  
  } [BIT](#)  
} [SSR](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [TDFE](#): 1  
    unsigned char [RDF](#): 1  
    unsigned char [ORER](#): 1  
    unsigned char [FER](#): 1  
    unsigned char [PER](#): 1  
    unsigned char [TEND](#): 1  
    unsigned [char](#): 1  
    unsigned char [DR](#): 1  
  } [BIT](#)  
} [SSRFIFO](#)

### 5.1608.1 Detailed Description

Definition at line [31469](#) of file [iodefine.h](#).

### 5.1608.2 Field Documentation

#### 5.1608.2.1 SSR

#### 5.1608.2.2 SSRFIFO

The documentation for this union was generated from the following files:

## 5.1609 st\_sci7\_t.\_\_unnamed0\_\_.SSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TDRE](#): 1
  - unsigned char [RDRF](#): 1
  - unsigned char [ORER](#): 1
  - unsigned char [FER](#): 1
  - unsigned char [PER](#): 1
  - unsigned char [TEND](#): 1
  - unsigned char [MPB](#): 1
  - unsigned char [MPBT](#): 1
- } [BIT](#)

### 5.1609.1 Detailed Description

Definition at line [31470](#) of file [iodefine.h](#).

### 5.1609.2 Field Documentation

#### 5.1609.2.1 BIT

#### 5.1609.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1610 st\_sci7\_t.\_\_unnamed0\_\_.SSRFIFO Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TDFE](#): 1
  - unsigned char [RDF](#): 1
  - unsigned char [ORER](#): 1
  - unsigned char [FER](#): 1
  - unsigned char [PER](#): 1
  - unsigned char [TEND](#): 1
  - unsigned [char](#): 1
  - unsigned char [DR](#): 1
- } [BIT](#)

### 5.1610.1 Detailed Description

Definition at line [31495](#) of file [iodefine.h](#).

## 5.1610.2 Field Documentation

### 5.1610.2.1 BIT

### 5.1610.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1611 st\_sci7\_t.\_\_\_\_unnamed1\_\_\_\_ Union Reference

### Data Fields

- union {  
  unsigned short [WORD](#)  
  struct {  
    unsigned char [TDRH](#)  
    unsigned char [TDRL](#)  
  } [BYTE](#)  
} [TDRHL](#)
- union {  
  unsigned short [WORD](#)  
  struct {  
    unsigned char [H](#)  
    unsigned char [L](#)  
  } [BYTE](#)  
  struct {  
    unsigned [short](#): 6  
    unsigned short [MPBT](#): 1  
    unsigned short [TDAT](#): 9  
  } [BIT](#)  
} [FTDR](#)

### 5.1611.1 Detailed Description

Definition at line [31676](#) of file [iodefine.h](#).

## 5.1611.2 Field Documentation

### 5.1611.2.1 FTDR

### 5.1611.2.2 TDRHL

The documentation for this union was generated from the following files:

## 5.1612 st\_sci7\_t.\_\_unnamed1\_\_.FTDR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [H](#)
  - unsigned char [L](#) } [BYTE](#)
- struct {
  - unsigned [short](#): 6
  - unsigned short [MPBT](#): 1
  - unsigned short [TDAT](#): 9 } [BIT](#)

### 5.1612.1 Detailed Description

Definition at line [31684](#) of file [iodefine.h](#).

### 5.1612.2 Field Documentation

#### 5.1612.2.1 BIT

#### 5.1612.2.2 BYTE

#### 5.1612.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1613 st\_sci7\_t.\_\_unnamed1\_\_.TDRHL Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [TDRH](#)
  - unsigned char [TDRL](#) } [BYTE](#)

### 5.1613.1 Detailed Description

Definition at line [31677](#) of file [iodefine.h](#).

## 5.1613.2 Field Documentation

### 5.1613.2.1 BYTE

### 5.1613.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1614 st\_sci7\_t.\_\_\_\_unnamed2\_\_\_\_ Union Reference

### Data Fields

- union {  
     unsigned short [WORD](#)  
     struct {  
         unsigned char [RDRH](#)  
         unsigned char [RDRL](#)  
     } [BYTE](#)  
     } [RDRHL](#)
- union {  
     unsigned short [WORD](#)  
     struct {  
         unsigned char [H](#)  
         unsigned char [L](#)  
     } [BYTE](#)  
     struct {  
         unsigned [short](#): 1  
         unsigned short [RDF](#): 1  
         unsigned short [ORER](#): 1  
         unsigned short [FER](#): 1  
         unsigned short [PER](#): 1  
         unsigned short [DR](#): 1  
         unsigned short [MPB](#): 1  
         unsigned short [RDAT](#): 9  
     } [BIT](#)  
     } [FRDR](#)

## 5.1614.1 Detailed Description

Definition at line [31704](#) of file [iodefine.h](#).

## 5.1614.2 Field Documentation

### 5.1614.2.1 FRDR

### 5.1614.2.2 RDRHL

The documentation for this union was generated from the following files:

## 5.1615 st\_sci7\_t.\_\_unnamed2\_\_.FRDR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [H](#)
  - unsigned char [L](#) } [BYTE](#)
- struct {
  - unsigned [short](#): 1
  - unsigned short [RDF](#): 1
  - unsigned short [ORER](#): 1
  - unsigned short [FER](#): 1
  - unsigned short [PER](#): 1
  - unsigned short [DR](#): 1
  - unsigned short [MPB](#): 1
  - unsigned short [RDAT](#): 9 } [BIT](#)

### 5.1615.1 Detailed Description

Definition at line [31712](#) of file [iodefine.h](#).

### 5.1615.2 Field Documentation

#### 5.1615.2.1 BIT

#### 5.1615.2.2 BYTE

#### 5.1615.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1616 st\_sci7\_t.\_\_unnamed2\_\_.RDRHL Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [RDRH](#)
  - unsigned char [RDRL](#) } [BYTE](#)



### 5.1616.1 Detailed Description

Definition at line [31705](#) of file [iodefine.h](#).

### 5.1616.2 Field Documentation

#### 5.1616.2.1 BYTE

#### 5.1616.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1617 st\_sci7\_t.CDR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned char [H](#)  
    unsigned char [L](#)  
} [BYTE](#)
- struct {  
    unsigned [short](#): 7  
    unsigned short [CMPD](#): 9  
} [BIT](#)

### 5.1617.1 Detailed Description

Definition at line [31839](#) of file [iodefine.h](#).

### 5.1617.2 Field Documentation

#### 5.1617.2.1 BIT

#### 5.1617.2.2 BYTE

#### 5.1617.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1618 st\_sci7\_t.DCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DCME](#): 1
  - unsigned char [IDSEL](#): 1
  - unsigned [char](#): 1
  - unsigned char [DFER](#): 1
  - unsigned char [DPER](#): 1
  - unsigned char [DCMF](#): 1
- } [BIT](#)

### 5.1618.1 Detailed Description

Definition at line [31743](#) of file [iodefine.h](#).

### 5.1618.2 Field Documentation

#### 5.1618.2.1 BIT

#### 5.1618.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1619 st\_sci7\_t.FCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [H](#)
  - unsigned char [L](#)
- } [BYTE](#)
- struct {
  - unsigned short [RSTRG](#): 4
  - unsigned short [RTRG](#): 4
  - unsigned short [TTRG](#): 4
  - unsigned short [DRES](#): 1
  - unsigned short [TFRST](#): 1
  - unsigned short [RFRST](#): 1
  - unsigned short [FM](#): 1
- } [BIT](#)

### 5.1619.1 Detailed Description

Definition at line [31766](#) of file [iodefne.h](#).

### 5.1619.2 Field Documentation

#### 5.1619.2.1 BIT

#### 5.1619.2.2 BYTE

#### 5.1619.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1620 st\_sci7\_t.FDR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned char [H](#)  
    unsigned char [L](#)  
} [BYTE](#)
- struct {  
    unsigned [short](#): 3  
    unsigned short [T](#): 5  
    unsigned short [R](#): 5  
} [BIT](#)

### 5.1620.1 Detailed Description

Definition at line [31793](#) of file [iodefne.h](#).

### 5.1620.2 Field Documentation

#### 5.1620.2.1 BIT

#### 5.1620.2.2 BYTE

#### 5.1620.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1621 st\_sci7\_t.LSR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned char [H](#)
  - unsigned char [L](#) } [BYTE](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [PNUM](#): 5
  - unsigned short [FNUM](#): 5
  - unsigned short [ORER](#): 1 } [BIT](#)

### 5.1621.1 Detailed Description

Definition at line [31814](#) of file [iodefine.h](#).

### 5.1621.2 Field Documentation

#### 5.1621.2.1 BIT

#### 5.1621.2.2 BYTE

#### 5.1621.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1622 st\_sci7\_t.SCMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [BCP2](#): 1
  - unsigned [char](#): 2
  - unsigned char [CHR1](#): 1
  - unsigned char [SDIR](#): 1
  - unsigned char [SINV](#): 1
  - unsigned char [SMIF](#): 1 } [BIT](#)

### 5.1622.1 Detailed Description

Definition at line [31522](#) of file [iodefne.h](#).

### 5.1622.2 Field Documentation

#### 5.1622.2.1 BIT

#### 5.1622.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1623 st\_sci7\_t.SCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TIE](#): 1
  - unsigned char [RIE](#): 1
  - unsigned char [TE](#): 1
  - unsigned char [RE](#): 1
  - unsigned char [MPIE](#): 1
  - unsigned char [TEIE](#): 1
  - unsigned char [CKE](#): 2
- } [BIT](#)

### 5.1623.1 Detailed Description

Definition at line [31445](#) of file [iodefne.h](#).

### 5.1623.2 Field Documentation

#### 5.1623.2.1 BIT

#### 5.1623.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1624 st\_sci7\_t.SEMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [RXDESEL](#): 1
  - unsigned char [BGDM](#): 1
  - unsigned char [NFEN](#): 1
  - unsigned char [ABCS](#): 1
  - unsigned char [ABCSE](#): 1
  - unsigned char [BRME](#): 1
  - unsigned [char](#): 1
  - unsigned char [ACS0](#): 1
- } [BIT](#)

### 5.1624.1 Detailed Description

Definition at line [31545](#) of file [iodefine.h](#).

### 5.1624.2 Field Documentation

#### 5.1624.2.1 BIT

#### 5.1624.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1625 st\_sci7\_t.SIMR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IICDL](#): 5
  - unsigned [char](#): 2
  - unsigned char [IICM](#): 1
- } [BIT](#)

### 5.1625.1 Detailed Description

Definition at line [31583](#) of file [iodefine.h](#).

## 5.1625.2 Field Documentation

### 5.1625.2.1 BIT

### 5.1625.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1626 st\_sci7\_t.SIMR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 2
  - unsigned char [IICACKT](#): 1
  - unsigned char [IICCSC](#): 1
  - unsigned char [IICINTM](#): 1
- } [BIT](#)

### 5.1626.1 Detailed Description

Definition at line [31598](#) of file [iodefine.h](#).

## 5.1626.2 Field Documentation

### 5.1626.2.1 BIT

### 5.1626.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1627 st\_sci7\_t.SIMR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IICSCLS](#): 2
  - unsigned char [IICSDAS](#): 2
  - unsigned char [IICSTIF](#): 1
  - unsigned char [IICSTPREQ](#): 1
  - unsigned char [IICRSTAREQ](#): 1
  - unsigned char [IICSTAREQ](#): 1
- } [BIT](#)

### 5.1627.1 Detailed Description

Definition at line [31617](#) of file [iodefine.h](#).

### 5.1627.2 Field Documentation

#### 5.1627.2.1 BIT

#### 5.1627.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1628 st\_sci7\_t.SISR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [IICACKR](#): 1  
} [BIT](#)

### 5.1628.1 Detailed Description

Definition at line [31638](#) of file [iodefine.h](#).

### 5.1628.2 Field Documentation

#### 5.1628.2.1 BIT

#### 5.1628.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1629 st\_sci7\_t.SMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [CM](#): 1  
  unsigned char [CHR](#): 1  
  unsigned char [PE](#): 1  
  unsigned char [PM](#): 1  
  unsigned char [STOP](#): 1  
  unsigned char [MP](#): 1  
  unsigned char [CKS](#): 2  
} [BIT](#)



### 5.1629.1 Detailed Description

Definition at line [31421](#) of file [iodefne.h](#).

### 5.1629.2 Field Documentation

#### 5.1629.2.1 BIT

#### 5.1629.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1630 st\_sci7\_t.SNFR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 5  
    unsigned char [NFCS](#): 3  
} [BIT](#)

### 5.1630.1 Detailed Description

Definition at line [31570](#) of file [iodefne.h](#).

### 5.1630.2 Field Documentation

#### 5.1630.2.1 BIT

#### 5.1630.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1631 st\_sci7\_t.SPMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [CKPH](#): 1  
    unsigned char [CKPOL](#): 1  
    unsigned [char](#): 1  
    unsigned char [MFF](#): 1  
    unsigned char [MSS](#): 1  
    unsigned char [CTSE](#): 1  
    unsigned char [SSE](#): 1  
} [BIT](#)

### 5.1631.1 Detailed Description

Definition at line [31651](#) of file [iodefne.h](#).

### 5.1631.2 Field Documentation

#### 5.1631.2.1 BIT

#### 5.1631.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1632 st\_sci7\_t.SPTR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [SPB2IO](#): 1
  - unsigned char [SPB2DT](#): 1
  - unsigned char [RXDMON](#): 1
- } [BIT](#)

### 5.1632.1 Detailed Description

Definition at line [31856](#) of file [iodefne.h](#).

### 5.1632.2 Field Documentation

#### 5.1632.2.1 BIT


#### 5.1632.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1633 st\_sdhi\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_sdhi\_t:



### Data Fields

- union {

- unsigned long [LONG](#)
  - } [SDCMD](#)
- char [wk0](#) [4]
- unsigned long [SDARG](#)
- char [wk1](#) [4]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 23
  - unsigned long [SDBLKNTEN](#): 1
  - unsigned long [STP](#): 1
  - } [BIT](#)
  - } [SDSTOP](#)
- unsigned long [SDBLKCNT](#)
- unsigned long [SDRSP10](#)
- char [wk2](#) [4]
- unsigned long [SDRSP32](#)
- char [wk3](#) [4]
- unsigned long [SDRSP54](#)
- char [wk4](#) [4]
- unsigned long [SDRSP76](#)
- char [wk5](#) [4]
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 21
  - unsigned long [SDD3MON](#): 1
  - unsigned long [SDD3IN](#): 1
  - unsigned long [SDD3RM](#): 1
  - unsigned long [SDWPMON](#): 1
  - unsigned long [SDCDMON](#): 1
  - unsigned long [SDCDIN](#): 1
  - unsigned long [SDCDRM](#): 1
  - unsigned long [ACEND](#): 1
  - unsigned long [RSPEND](#): 1
  - } [BIT](#)
  - } [SDSTS1](#)
- union {
  - unsigned long [LONG](#)
  - struct {
  - unsigned [long](#): 16
  - unsigned long [ILA](#): 1
  - unsigned long [CBSY](#): 1
  - unsigned long [SDCLKCREN](#): 1
  - unsigned long [BWE](#): 1
  - unsigned long [BRE](#): 1
  - unsigned long [SDD0MON](#): 1
  - unsigned long [RSPTO](#): 1
  - unsigned long [ILR](#): 1
  - unsigned long [ILW](#): 1
  - unsigned long [DTO](#): 1
  - unsigned long [ENDE](#): 1
  - unsigned long [CRCE](#): 1
  - unsigned long [CMDE](#): 1

- ```

    } BIT
} SDSTS2

```
- union {
 unsigned long LONG
 struct {
 unsigned long: 22
 unsigned long SDD3INM: 1
 unsigned long SDD3RMM: 1
 unsigned long SDCDINM: 1
 unsigned long SDCDRMM: 1
 unsigned long ACENDM: 1
 unsigned long RSPENDM: 1
 } BIT
 } SDIMSK1
 - union {
 unsigned long LONG
 struct {
 unsigned long: 16
 unsigned long ILAM: 1
 unsigned long BWEM: 1
 unsigned long BREM: 1
 unsigned long RSPTOM: 1
 unsigned long ILRM: 1
 unsigned long ILWM: 1
 unsigned long DTTOM: 1
 unsigned long ENDEM: 1
 unsigned long CRCM: 1
 unsigned long CMDEM: 1
 } BIT
 } SDIMSK2
 - union {
 unsigned long LONG
 struct {
 unsigned long: 22
 unsigned long CLKCTRLN: 1
 unsigned long CLKEN: 1
 unsigned long CLKSEL: 8
 } BIT
 } SDCLKCR
 - union {
 unsigned long LONG
 struct {
 unsigned long: 22
 unsigned long LEN: 10
 } BIT
 } SDSIZE
 - union {
 unsigned long LONG
 struct {
 unsigned long: 16
 unsigned long WIDTH: 1
 unsigned long TOP: 4
 unsigned long CTOP: 4
 }
 }
-

- ```

 } BIT
} SDOPT

```
- char [wk6](#) [4]
  - union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned [long](#): 17
      - unsigned long [CRCTK](#): 3
      - unsigned long [CRCTKE](#): 1
      - unsigned long [RDCRCE](#): 1
      - unsigned long [RSPCRCE1](#): 1
      - unsigned long [RSPCRCE0](#): 1
      - unsigned long [CRCLENE](#): 1
      - unsigned long [RDLENE](#): 1
      - unsigned long [RSPLENE1](#): 1
      - unsigned long [RSPLENE0](#): 1
      - unsigned long [CMDE1](#): 1
      - unsigned long [CMDE0](#): 1
    - } [BIT](#)
  - } [SDERSTS1](#)
- 
- union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned [long](#): 25
      - unsigned long [CRCBSYTO](#): 1
      - unsigned long [CRCTO](#): 1
      - unsigned long [RDTO](#): 1
      - unsigned long [BSYTO1](#): 1
      - unsigned long [BSYTO0](#): 1
      - unsigned long [RSPTO1](#): 1
      - unsigned long [RSPTO0](#): 1
    - } [BIT](#)
  - } [SDERSTS2](#)
- 
- unsigned long [SDBUFR](#)
  - char [wk7](#) [4]
  - union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned [long](#): 22
      - unsigned long [C52PUB](#): 1
      - unsigned long [IOABT](#): 1
      - unsigned long [RWREQ](#): 1
      - unsigned long [INTEN](#): 1
    - } [BIT](#)
  - } [SDIOMD](#)
- 
- union {
    - unsigned long [LONG](#)
    - struct {
      - unsigned [long](#): 16
      - unsigned long [EXWT](#): 1
      - unsigned long [EXPUB52](#): 1
      - unsigned long [IOIRQ](#): 1
    - } [BIT](#)
  - } [SDIOSTS](#)

- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 16
    - unsigned long [EXWTM](#): 1
    - unsigned long [EXPUB52M](#): 1
    - unsigned long [IOIRQM](#): 1
  - } [BIT](#)
- } [SDIOIMSK](#)
  
- char [wk8](#) [316]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 30
    - unsigned long [DMAEN](#): 1
  - } [BIT](#)
- } [SDDMAEN](#)
  
- char [wk9](#) [12]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 31
    - unsigned long [SDRST](#): 1
  - } [BIT](#)
- } [SDRST](#)
  
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 16
    - unsigned long [CPRM](#): 1
    - unsigned long [CLKRAT](#): 1
    - unsigned long [IP2](#): 4
    - unsigned long [IP1](#): 8
  - } [BIT](#)
- } [SDVER](#)
  
- char [wk10](#) [24]
- union {
  - unsigned long [LONG](#)
  - struct {
    - unsigned [long](#): 24
    - unsigned long [BRSWP](#): 1
    - unsigned long [BWSWP](#): 1
  - } [BIT](#)
- } [SDSWAP](#)

### 5.1633.1 Detailed Description

Definition at line [32380](#) of file [iodefine.h](#).

## 5.1633.2 Field Documentation

### 5.1633.2.1 SDARG

unsigned long st\_sdhi\_t::SDARG

Definition at line [32409](#) of file [iodefine.h](#).

### 5.1633.2.2 SDBLKCNT

unsigned long st\_sdhi\_t::SDBLKCNT

Definition at line [32428](#) of file [iodefine.h](#).

### 5.1633.2.3 SDBUFR

unsigned long st\_sdhi\_t::SDBUFR

Definition at line [32681](#) of file [iodefine.h](#).

### 5.1633.2.4 [union]

union { ... } st\_sdhi\_t::SDCLKCR

### 5.1633.2.5 [union]

union { ... } st\_sdhi\_t::SDCMD

### 5.1633.2.6 [union]

union { ... } st\_sdhi\_t::SDDMAEN

### 5.1633.2.7 [union]

union { ... } st\_sdhi\_t::SDERSTS1

### 5.1633.2.8 [union]

union { ... } st\_sdhi\_t::SDERSTS2

### 5.1633.2.9 [union]

union { ... } st\_sdhi\_t::SDIMSK1



## 5.1633.2.10 [union]

```
union { ... } st_sdhi_t::SDIMSK2
```

## 5.1633.2.11 [union]

```
union { ... } st_sdhi_t::SDIOIMSK
```

## 5.1633.2.12 [union]

```
union { ... } st_sdhi_t::SDIOMD
```

## 5.1633.2.13 [union]

```
union { ... } st_sdhi_t::SDIOSTS
```

## 5.1633.2.14 [union]

```
union { ... } st_sdhi_t::SDOPT
```

## 5.1633.2.15 SDRSP10

```
unsigned long st_sdhi_t::SDRSP10
```

Definition at line [32429](#) of file [iodefine.h](#).

## 5.1633.2.16 SDRSP32

```
unsigned long st_sdhi_t::SDRSP32
```

Definition at line [32431](#) of file [iodefine.h](#).

## 5.1633.2.17 SDRSP54

```
unsigned long st_sdhi_t::SDRSP54
```

Definition at line [32433](#) of file [iodefine.h](#).

## 5.1633.2.18 SDRSP76

```
unsigned long st_sdhi_t::SDRSP76
```

Definition at line [32435](#) of file [iodefine.h](#).

## 5.1633.2.19 [union]

```
union { ... } st_sdhi_t::SDRST
```

## 5.1633.2.20 [union]

```
union { ... } st_sdhi_t::SDSIZE
```

## 5.1633.2.21 [union]

```
union { ... } st_sdhi_t::SDSTOP
```

## 5.1633.2.22 [union]

```
union { ... } st_sdhi_t::SDSTS1
```

## 5.1633.2.23 [union]

```
union { ... } st_sdhi_t::SDSTS2
```

## 5.1633.2.24 [union]

```
union { ... } st_sdhi_t::SDSWAP
```

## 5.1633.2.25 [union]

```
union { ... } st_sdhi_t::SDVER
```

## 5.1633.2.26 wk0

```
char st_sdhi_t::wk0[4]
```

Definition at line [32408](#) of file [iodefine.h](#).

## 5.1633.2.27 wk1

```
char st_sdhi_t::wk1[4]
```

Definition at line [32410](#) of file [iodefine.h](#).

## 5.1633.2.28 wk10

```
char st_sdhi_t::wk10[24]
```

Definition at line [32795](#) of file [iodefine.h](#).

## 5.1633.2.29 wk2

```
char st_sdhi_t::wk2[4]
```

Definition at line [32430](#) of file [iodefne.h](#).

## 5.1633.2.30 wk3

```
char st_sdhi_t::wk3[4]
```

Definition at line [32432](#) of file [iodefne.h](#).

## 5.1633.2.31 wk4

```
char st_sdhi_t::wk4[4]
```

Definition at line [32434](#) of file [iodefne.h](#).

## 5.1633.2.32 wk5

```
char st_sdhi_t::wk5[4]
```

Definition at line [32436](#) of file [iodefne.h](#).

## 5.1633.2.33 wk6

```
char st_sdhi_t::wk6[4]
```

Definition at line [32620](#) of file [iodefne.h](#).

## 5.1633.2.34 wk7

```
char st_sdhi_t::wk7[4]
```

Definition at line [32682](#) of file [iodefne.h](#).

## 5.1633.2.35 wk8

```
char st_sdhi_t::wk8[316]
```

Definition at line [32744](#) of file [iodefne.h](#).

## 5.1633.2.36 wk9

```
char st_sdhi_t::wk9[12]
```

Definition at line [32760](#) of file [iodefine.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefine.h](#)

## 5.1634 st\_sdhi\_t.SDCLKCR Union Reference

## Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 22
  - unsigned long [CLKCTRLLEN](#): 1
  - unsigned long [CLKEN](#): 1
  - unsigned long [CLKSEL](#): 8
- } [BIT](#)

## 5.1634.1 Detailed Description

Definition at line [32571](#) of file [iodefine.h](#).

## 5.1634.2 Field Documentation

## 5.1634.2.1 BIT

## 5.1634.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1635 st\_sdhi\_t.SDDMAEN Union Reference

## Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 30
  - unsigned long [DMAEN](#): 1
- } [BIT](#)

### 5.1635.1 Detailed Description

Definition at line [32745](#) of file [iodefine.h](#).

### 5.1635.2 Field Documentation

#### 5.1635.2.1 BIT

#### 5.1635.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1636 st\_sdhi\_t.SDERSTS1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 17
  - unsigned long [CRCTK](#): 3
  - unsigned long [CRCTKE](#): 1
  - unsigned long [RDCRCE](#): 1
  - unsigned long [RSPCRCE1](#): 1
  - unsigned long [RSPCRCE0](#): 1
  - unsigned long [CRCLENE](#): 1
  - unsigned long [RDLENE](#): 1
  - unsigned long [RSPLENE1](#): 1
  - unsigned long [RSPLENE0](#): 1
  - unsigned long [CMDE1](#): 1
  - unsigned long [CMDE0](#): 1
- } [BIT](#)

### 5.1636.1 Detailed Description

Definition at line [32621](#) of file [iodefine.h](#).

### 5.1636.2 Field Documentation

#### 5.1636.2.1 BIT

#### 5.1636.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1637 st\_sdhi\_t.SDERSTS2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 25
  - unsigned long [CRCBSYTO](#): 1
  - unsigned long [CRCTO](#): 1
  - unsigned long [RDTO](#): 1
  - unsigned long [BSYTO1](#): 1
  - unsigned long [BSYTO0](#): 1
  - unsigned long [RSPTO1](#): 1
  - unsigned long [RSPTO0](#): 1
- } [BIT](#)

### 5.1637.1 Detailed Description

Definition at line [32656](#) of file [iodefine.h](#).

### 5.1637.2 Field Documentation

#### 5.1637.2.1 BIT

#### 5.1637.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1638 st\_sdhi\_t.SDIMSK1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 22
  - unsigned long [SDD3INM](#): 1
  - unsigned long [SDD3RMM](#): 1
  - unsigned long [SDCDINM](#): 1
  - unsigned long [SDCDRMM](#): 1
  - unsigned long [ACENDM](#): 1
  - unsigned long [RSPENDM](#): 1
- } [BIT](#)

### 5.1638.1 Detailed Description

Definition at line [32509](#) of file [iodefine.h](#).

## 5.1638.2 Field Documentation

### 5.1638.2.1 BIT

### 5.1638.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1639 st\_sdhi\_t.SDIMSK2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 16
  - unsigned long [ILAM](#): 1
  - unsigned long [BWEM](#): 1
  - unsigned long [BREM](#): 1
  - unsigned long [RSPTOM](#): 1
  - unsigned long [ILRM](#): 1
  - unsigned long [ILWM](#): 1
  - unsigned long [DTTOM](#): 1
  - unsigned long [ENDEM](#): 1
  - unsigned long [CRCEM](#): 1
  - unsigned long [CMDEM](#): 1
- } [BIT](#)

## 5.1639.1 Detailed Description

Definition at line [32536](#) of file [iodefine.h](#).

## 5.1639.2 Field Documentation

### 5.1639.2.1 BIT

### 5.1639.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1640 st\_sdhi\_t.SDIOIMSK Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 16
  - unsigned long [EXWTM](#): 1
  - unsigned long [EXPUB52M](#): 1
  - unsigned long [IOIRQM](#): 1
- } [BIT](#)

### 5.1640.1 Detailed Description

Definition at line [32725](#) of file [iodefine.h](#).

### 5.1640.2 Field Documentation

#### 5.1640.2.1 BIT

#### 5.1640.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1641 st\_sdhi\_t.SDIOMD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 22
  - unsigned long [C52PUB](#): 1
  - unsigned long [IOABT](#): 1
  - unsigned long [RWREQ](#): 1
  - unsigned long [INTEN](#): 1
- } [BIT](#)

### 5.1641.1 Detailed Description

Definition at line [32683](#) of file [iodefine.h](#).

### 5.1641.2 Field Documentation

#### 5.1641.2.1 BIT

#### 5.1641.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1642 st\_sdhi\_t.SDIOSTS Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 16
  - unsigned long [EXWT](#): 1
  - unsigned long [EXPUB52](#): 1
  - unsigned long [IOIRQ](#): 1
- } [BIT](#)



### 5.1642.1 Detailed Description

Definition at line [32706](#) of file [iodefine.h](#).

### 5.1642.2 Field Documentation

#### 5.1642.2.1 BIT

#### 5.1642.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1643 st\_sdhi\_t.SDOPT Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 16
  - unsigned long [WIDTH](#): 1
  - unsigned long [TOP](#): 4
  - unsigned long [CTOP](#): 4
- } [BIT](#)

### 5.1643.1 Detailed Description

Definition at line [32601](#) of file [iodefine.h](#).

### 5.1643.2 Field Documentation

#### 5.1643.2.1 BIT

#### 5.1643.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1644 st\_sdhi\_t.SDRST Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 31
  - unsigned long [SDRST](#): 1
- } [BIT](#)

### 5.1644.1 Detailed Description

Definition at line [32761](#) of file [iodefne.h](#).

### 5.1644.2 Field Documentation

#### 5.1644.2.1 BIT

#### 5.1644.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1645 st\_sdhi\_t.SDSIZE Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 22  
  unsigned long [LEN](#): 10  
} [BIT](#)

### 5.1645.1 Detailed Description

Definition at line [32588](#) of file [iodefne.h](#).

### 5.1645.2 Field Documentation

#### 5.1645.2.1 BIT

#### 5.1645.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1646 st\_sdhi\_t.SDSTOP Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
  unsigned [long](#): 23  
  unsigned long [SDBLKCNTEN](#): 1  
  unsigned long [STP](#): 1  
} [BIT](#)

### 5.1646.1 Detailed Description

Definition at line [32411](#) of file [iodefine.h](#).

### 5.1646.2 Field Documentation

#### 5.1646.2.1 BIT

#### 5.1646.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1647 st\_sdhi\_t.SDSTS1 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 21
  - unsigned long [SDD3MON](#): 1
  - unsigned long [SDD3IN](#): 1
  - unsigned long [SDD3RM](#): 1
  - unsigned long [SDWPMON](#): 1
  - unsigned long [SDCDMON](#): 1
  - unsigned long [SDCDIN](#): 1
  - unsigned long [SDCDRM](#): 1
  - unsigned long [ACEND](#): 1
  - unsigned long [RSPEND](#): 1
- } [BIT](#)

### 5.1647.1 Detailed Description

Definition at line [32437](#) of file [iodefine.h](#).

### 5.1647.2 Field Documentation

#### 5.1647.2.1 BIT

#### 5.1647.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1648 st\_sdhi\_t.SDSTS2 Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 16
  - unsigned long [ILA](#): 1
  - unsigned long [CBSY](#): 1
  - unsigned long [SDCLKCREN](#): 1
  - unsigned long [BWE](#): 1
  - unsigned long [BRE](#): 1
  - unsigned long [SDD0MON](#): 1
  - unsigned long [RSPTO](#): 1
  - unsigned long [ILR](#): 1
  - unsigned long [ILW](#): 1
  - unsigned long [DTO](#): 1
  - unsigned long [ENDE](#): 1
  - unsigned long [CRCE](#): 1
  - unsigned long [CMDE](#): 1
- } [BIT](#)

### 5.1648.1 Detailed Description

Definition at line [32470](#) of file [iodefine.h](#).

### 5.1648.2 Field Documentation

#### 5.1648.2.1 BIT

#### 5.1648.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1649 st\_sdhi\_t.SDSWAP Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 24
  - unsigned long [BRSWP](#): 1
  - unsigned long [BWSWP](#): 1
- } [BIT](#)

### 5.1649.1 Detailed Description

Definition at line [32796](#) of file [iodefine.h](#).

## 5.1649.2 Field Documentation

### 5.1649.2.1 BIT

### 5.1649.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1650 st\_sdhi\_t.SDVER Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 16
  - unsigned long [CPRM](#): 1
  - unsigned long [CLKRAT](#): 1
  - unsigned long [IP2](#): 4
  - unsigned long [IP1](#): 8
 } [BIT](#)

### 5.1650.1 Detailed Description

Definition at line [32774](#) of file [iodefine.h](#).

## 5.1650.2 Field Documentation

### 5.1650.2.1 BIT


### 5.1650.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1651 st\_smci\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_smci\_t:



## Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [GM](#): 1
    - unsigned char [BLK](#): 1
    - unsigned char [PE](#): 1
    - unsigned char [PM](#): 1
    - unsigned char [BCP](#): 2
    - unsigned char [CKS](#): 2
  - } [BIT](#)
- } [SMR](#)
- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TIE](#): 1
    - unsigned char [RIE](#): 1
    - unsigned char [TE](#): 1
    - unsigned char [RE](#): 1
    - unsigned char [MPIE](#): 1
    - unsigned char [TEIE](#): 1
    - unsigned char [CKE](#): 2
  - } [BIT](#)
- } [SCR](#)
- char [wk1](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TDRE](#): 1
    - unsigned char [RDRF](#): 1
    - unsigned char [ORER](#): 1
    - unsigned char [ERS](#): 1
    - unsigned char [PER](#): 1
    - unsigned char [TEND](#): 1
    - unsigned char [MPB](#): 1
    - unsigned char [MPBT](#): 1
  - } [BIT](#)
- } [SSR](#)
- char [wk2](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [BCP2](#): 1
    - unsigned [char](#): 2
    - unsigned char [CHR1](#): 1
    - unsigned char [SDIR](#): 1
    - unsigned char [SINV](#): 1
    - unsigned char [SMIF](#): 1
  - } [BIT](#)
- } [SCMR](#)

## 5.1651.1 Detailed Description

Definition at line [32815](#) of file [iodefne.h](#).

## 5.1651.2 Field Documentation

### 5.1651.2.1 [union]

```
union { ... } st_smci_t::SCMR
```

### 5.1651.2.2 [union]

```
union { ... } st_smci_t::SCR
```

### 5.1651.2.3 [union]

```
union { ... } st_smci_t::SMR
```

### 5.1651.2.4 [union]

```
union { ... } st_smci_t::SSR
```

### 5.1651.2.5 wk0

```
char st_smci_t::wk0[1]
```

Definition at line [32837](#) of file [iodefne.h](#).

### 5.1651.2.6 wk1

```
char st_smci_t::wk1[1]
```

Definition at line [32861](#) of file [iodefne.h](#).

### 5.1651.2.7 wk2

```
char st_smci_t::wk2[1]
```

Definition at line [32887](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1652 st\_smci\_t.SCMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [BCP2](#): 1
  - unsigned [char](#): 2
  - unsigned char [CHR1](#): 1
  - unsigned char [SDIR](#): 1
  - unsigned char [SINV](#): 1
  - unsigned char [SMIF](#): 1
- } [BIT](#)

### 5.1652.1 Detailed Description

Definition at line [32888](#) of file [iodefine.h](#).

### 5.1652.2 Field Documentation

#### 5.1652.2.1 BIT

#### 5.1652.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1653 st\_smci\_t.SCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TIE](#): 1
  - unsigned char [RIE](#): 1
  - unsigned char [TE](#): 1
  - unsigned char [RE](#): 1
  - unsigned char [MPIE](#): 1
  - unsigned char [TEIE](#): 1
  - unsigned char [CKE](#): 2
- } [BIT](#)

### 5.1653.1 Detailed Description

Definition at line [32838](#) of file [iodefine.h](#).



### 5.1653.2 Field Documentation

#### 5.1653.2.1 BIT

#### 5.1653.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1654 st\_smci\_t.SMR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [GM](#): 1
  - unsigned char [BLK](#): 1
  - unsigned char [PE](#): 1
  - unsigned char [PM](#): 1
  - unsigned char [BCP](#): 2
  - unsigned char [CKS](#): 2
- } [BIT](#)

### 5.1654.1 Detailed Description

Definition at line [32816](#) of file [iodefine.h](#).

### 5.1654.2 Field Documentation

#### 5.1654.2.1 BIT

#### 5.1654.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1655 st\_smci\_t.SSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TDRE](#): 1
  - unsigned char [RDRF](#): 1
  - unsigned char [ORER](#): 1
  - unsigned char [ERS](#): 1
  - unsigned char [PER](#): 1
  - unsigned char [TEND](#): 1
  - unsigned char [MPB](#): 1
  - unsigned char [MPBT](#): 1
- } [BIT](#)

### 5.1655.1 Detailed Description

Definition at line [32862](#) of file [iodefine.h](#).

### 5.1655.2 Field Documentation

#### 5.1655.2.1 BIT


#### 5.1655.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1656 st\_ssie\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_ssie\_t:



## Data Fields

- union {
    - unsigned long LONG
    - struct {
      - unsigned long: 2
      - unsigned long TUIEN: 1
      - unsigned long TOIEN: 1
      - unsigned long RUIEN: 1
      - unsigned long ROIEN: 1
      - unsigned long IHEN: 1
      - unsigned long FRM: 2
      - unsigned long DWL: 3
      - unsigned long SWL: 3
      - unsigned long MST: 1
      - unsigned long BCKP: 1
      - unsigned long LRCKP: 1
      - unsigned long SPDP: 1
      - unsigned long SDTA: 1
      - unsigned long PDTA: 1
      - unsigned long DEL: 1
      - unsigned long CKDV: 4
      - unsigned long MUEN: 1
      - unsigned long TEN: 1
      - unsigned long REN: 1
    - } BIT
  - } SSICR
- 
- union {
    - unsigned long LONG
    - struct {
      - unsigned long: 2
      - unsigned long TUIRQ: 1
      - unsigned long TOIRQ: 1
      - unsigned long RUIRQ: 1
      - unsigned long ROIRQ: 1
      - unsigned long IIRQ: 1
    - } BIT
  - } SSISR
- 
- char wk0 [8]
  - union {
    - unsigned long LONG
    - struct {
      - unsigned long AUCKE: 1
      - unsigned long: 14
      - unsigned long SSIRST: 1
      - unsigned long BSW: 1
      - unsigned long TIE: 1
      - unsigned long RIE: 1
      - unsigned long TFRST: 1
      - unsigned long RFRST: 1
    - } BIT
  - } SSIFCR
- 
- union {
    - unsigned long LONG
    - struct {

```

unsigned long: 2
unsigned long TDC: 6
unsigned long TDE: 1
unsigned long RDC: 6
unsigned long RDF: 1
 } BIT
} SSIFSR

```

- union {
 unsigned long LONG
 struct {
 unsigned short H
 } WORD
 struct {
 unsigned char HH
 } BYTE
 } SSIFTDR

- union {
 unsigned long LONG
 struct {
 unsigned short H
 } WORD
 struct {
 unsigned char HH
 } BYTE
 } SSIFRDR

- union {
 unsigned long LONG
 struct {
 unsigned long: 22
 unsigned long BCKASTP: 1
 unsigned long LRCONT: 1
 unsigned long OMOD: 2
 } BIT
 } SSIOFR

- union {
 unsigned long LONG
 struct {
 unsigned long: 19
 unsigned long TDES: 5
 unsigned long RDFS: 5
 } BIT
 } SSISCR

### 5.1656.1 Detailed Description

Definition at line 32913 of file [iodefine.h](#).

### 5.1656.2 Field Documentation

#### 5.1656.2.1 [union]

```
union { ... } st_ssie_t::SSICR
```

## 5.1656.2.2 [union]

```
union { ... } st_ssie_t::SSIFCR
```

## 5.1656.2.3 [union]

```
union { ... } st_ssie_t::SSIFRDR
```

## 5.1656.2.4 [union]

```
union { ... } st_ssie_t::SSIFSR
```

## 5.1656.2.5 [union]

```
union { ... } st_ssie_t::SSIFTDR
```

## 5.1656.2.6 [union]

```
union { ... } st_ssie_t::SSIOFR
```

## 5.1656.2.7 [union]

```
union { ... } st_ssie_t::SSISCR
```

## 5.1656.2.8 [union]

```
union { ... } st_ssie_t::SSISR
```

## 5.1656.2.9 wk0

```
char st_ssie_t::wk0[8]
```

Definition at line 32992 of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1657 st\_ssie\_t.SSICR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 2
  - unsigned long [TUIEN](#): 1
  - unsigned long [TOIEN](#): 1
  - unsigned long [RUIEN](#): 1
  - unsigned long [ROIEN](#): 1
  - unsigned long [IIEN](#): 1
  - unsigned long [FRM](#): 2
  - unsigned long [DWL](#): 3
  - unsigned long [SWL](#): 3
  - unsigned long [MST](#): 1
  - unsigned long [BCKP](#): 1
  - unsigned long [LRCKP](#): 1
  - unsigned long [SPDP](#): 1
  - unsigned long [SDTA](#): 1
  - unsigned long [PDTA](#): 1
  - unsigned long [DEL](#): 1
  - unsigned long [CKDV](#): 4
  - unsigned long [MUEN](#): 1
  - unsigned long [TEN](#): 1
  - unsigned long [REN](#): 1
- } [BIT](#)

### 5.1657.1 Detailed Description

Definition at line [32914](#) of file [iodefine.h](#).

### 5.1657.2 Field Documentation

#### 5.1657.2.1 BIT

#### 5.1657.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1658 st\_ssie\_t.SSIFCR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [AUCKE](#): 1
  - unsigned [long](#): 14
  - unsigned long [SSIRST](#): 1
  - unsigned long [BSW](#): 1
  - unsigned long [TIE](#): 1
  - unsigned long [RIE](#): 1
  - unsigned long [TFRST](#): 1
  - unsigned long [RFRST](#): 1
- } [BIT](#)

### 5.1658.1 Detailed Description

Definition at line [32993](#) of file [iodefine.h](#).

### 5.1658.2 Field Documentation

#### 5.1658.2.1 BIT

#### 5.1658.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1659 st\_ssie\_t.SSIFRDR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {  
    unsigned short [H](#)  
} [WORD](#)
- struct {  
    unsigned char [HH](#)  
} [BYTE](#)

### 5.1659.1 Detailed Description

Definition at line [33056](#) of file [iodefine.h](#).

### 5.1659.2 Field Documentation

#### 5.1659.2.1 BYTE

#### 5.1659.2.2 LONG

#### 5.1659.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1660 st\_ssie\_t.SSIFSR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 2
  - unsigned long [TDC](#): 6
  - unsigned long [TDE](#): 1
  - unsigned long [RDC](#): 6
  - unsigned long [RDF](#): 1
- } [BIT](#)

### 5.1660.1 Detailed Description

Definition at line [33022](#) of file [iodefine.h](#).

### 5.1660.2 Field Documentation

#### 5.1660.2.1 BIT

#### 5.1660.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1661 st\_ssie\_t.SSIFTDR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned short [H](#)
- } [WORD](#)
- struct {
  - unsigned char [HH](#)
- } [BYTE](#)

### 5.1661.1 Detailed Description

Definition at line [33047](#) of file [iodefine.h](#).



## 5.1661.2 Field Documentation

### 5.1661.2.1 BYTE

### 5.1661.2.2 LONG

### 5.1661.2.3 WORD

The documentation for this union was generated from the following files:

## 5.1662 st\_ssie\_t.SSIOFR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 22
  - unsigned long [BCKASTP](#): 1
  - unsigned long [LRCONT](#): 1
  - unsigned long [OMOD](#): 2
- } [BIT](#)

### 5.1662.1 Detailed Description

Definition at line [33065](#) of file [iodefine.h](#).

## 5.1662.2 Field Documentation

### 5.1662.2.1 BIT

### 5.1662.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1663 st\_ssie\_t.SSISCR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 19
  - unsigned long [TDES](#): 5
  - unsigned long [RDFS](#): 5
- } [BIT](#)

### 5.1663.1 Detailed Description

Definition at line [33084](#) of file [iodefne.h](#).

### 5.1663.2 Field Documentation

#### 5.1663.2.1 BIT

#### 5.1663.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1664 st\_ssie\_t.SSISR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned [long](#): 2
  - unsigned long [TUIRQ](#): 1
  - unsigned long [TOIRQ](#): 1
  - unsigned long [RUIRQ](#): 1
  - unsigned long [ROIRQ](#): 1
  - unsigned long [IIRQ](#): 1
- } [BIT](#)

### 5.1664.1 Detailed Description

Definition at line [32969](#) of file [iodefne.h](#).

### 5.1664.2 Field Documentation

#### 5.1664.2.1 BIT

#### 5.1664.2.2 LONG

The documentation for this union was generated from the following files:



```

unsigned short WORD
 struct {
 unsigned short: 15
 unsigned short MD: 1
 } BIT
} MDMONR

```

- char wk0 [4]
- union {
 

```

unsigned short WORD
 struct {
 unsigned short KEY: 8
 unsigned short: 6
 unsigned short EXBE: 1
 unsigned short ROME: 1
 } BIT
} SYSCR0

```
- union {
 

```

unsigned short WORD
 struct {
 unsigned short: 8
 unsigned short SBYRAME: 1
 unsigned short ECCRAME: 1
 unsigned short RAME: 1
 } BIT
} SYSCR1

```
- char wk1 [2]
- union {
 

```

unsigned short WORD
 struct {
 unsigned short SSBY: 1
 unsigned short OPE: 1
 unsigned short: 14
 } BIT
} SBYCR

```
- char wk2 [2]
- union {
 

```

unsigned long LONG
 struct {
 unsigned long ACSE: 1
 unsigned long: 1
 unsigned long MSTPA29: 1
 unsigned long MSTPA28: 1
 unsigned long MSTPA27: 1
 unsigned long MSTPA24: 1
 unsigned long MSTPA19: 1
 unsigned long MSTPA17: 1
 unsigned long MSTPA16: 1
 unsigned long MSTPA15: 1
 unsigned long MSTPA14: 1
 unsigned long MSTPA13: 1
 unsigned long MSTPA11: 1
 unsigned long MSTPA10: 1
 unsigned long MSTPA9: 1
 unsigned long MSTPA7: 1
 }

```

```

unsigned long MSTPA5: 1
unsigned long MSTPA4: 1
unsigned long MSTPA1: 1
unsigned long MSTPA0: 1
 } BIT
} MSTPCRA

```

- union {
 

```

 unsigned long LONG
 struct {
 unsigned long MSTPB31: 1
 unsigned long MSTPB30: 1
 unsigned long MSTPB29: 1
 unsigned long MSTPB28: 1
 unsigned long MSTPB27: 1
 unsigned long MSTPB26: 1
 unsigned long MSTPB25: 1
 unsigned long MSTPB24: 1
 unsigned long MSTPB23: 1
 unsigned long MSTPB22: 1
 unsigned long MSTPB21: 1
 unsigned long MSTPB20: 1
 unsigned long MSTPB19: 1
 unsigned long: 1
 unsigned long MSTPB17: 1
 unsigned long MSTPB16: 1
 unsigned long MSTPB15: 1
 unsigned long MSTPB14: 1
 unsigned long MSTPB13: 1
 unsigned long MSTPB9: 1
 unsigned long MSTPB8: 1
 unsigned long MSTPB6: 1
 unsigned long MSTPB4: 1
 unsigned long MSTPB2: 1
 unsigned long MSTPB1: 1
 unsigned long MSTPB0: 1
 } BIT
 } MSTPCRB

```

- union {
 

```

 unsigned long LONG
 struct {
 unsigned long: 2
 unsigned long MSTPC29: 1
 unsigned long MSTPC28: 1
 unsigned long MSTPC27: 1
 unsigned long MSTPC26: 1
 unsigned long MSTPC25: 1
 unsigned long MSTPC24: 1
 unsigned long MSTPC23: 1
 unsigned long MSTPC22: 1
 unsigned long MSTPC19: 1
 unsigned long MSTPC17: 1
 unsigned long MSTPC7: 1
 unsigned long MSTPC6: 1
 unsigned long MSTPC2: 1
 unsigned long MSTPC0: 1
 } BIT

```

} [MSTPCRC](#)

- union {  
 unsigned long [LONG](#)  
   struct {  
 unsigned [long](#): 4  
 unsigned long [MSTPD27](#): 1  
 unsigned long [MSTPD21](#): 1  
 unsigned long [MSTPD19](#): 1  
 unsigned long [MSTPD15](#): 1  
 unsigned long [MSTPD14](#): 1  
 unsigned long [MSTPD7](#): 1  
 unsigned long [MSTPD6](#): 1  
 unsigned long [MSTPD5](#): 1  
 unsigned long [MSTPD4](#): 1  
 unsigned long [MSTPD3](#): 1  
 unsigned long [MSTPD2](#): 1  
 unsigned long [MSTPD1](#): 1  
 unsigned long [MSTPD0](#): 1  
   } [BIT](#)  
 } [MSTPCRD](#)

- union {  
 unsigned long [LONG](#)  
   struct {  
 unsigned long [FCK](#): 4  
 unsigned long [ICK](#): 4  
 unsigned long [PSTOP1](#): 1  
 unsigned long [PSTOP0](#): 1  
 unsigned [long](#): 2  
 unsigned long [BCK](#): 4  
 unsigned long [PCKA](#): 4  
 unsigned long [PCKB](#): 4  
 unsigned long [PCKC](#): 4  
 unsigned long [PCKD](#): 4  
   } [BIT](#)  
 } [SCKCR](#)

- union {  
 unsigned short [WORD](#)  
   struct {  
 unsigned [short](#): 8  
 unsigned short [UCK](#): 4  
   } [BIT](#)  
 } [SCKCR2](#)

- union {  
 unsigned short [WORD](#)  
   struct {  
 unsigned [short](#): 5  
 unsigned short [CKSEL](#): 3  
   } [BIT](#)  
 } [SCKCR3](#)

- union {  
 unsigned short [WORD](#)  
   struct {  
 unsigned [short](#): 2

- unsigned short [STC](#): 6
  - unsigned short [PLLSRCSEL](#): 1
  - unsigned short [PLIDIV](#): 2
  - } [BIT](#)
  - } [PLLCR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [PLEN](#): 1
  - } [BIT](#)
  - } [PLLCR2](#)
- char [wk3](#) [5]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [BCLKDIV](#): 1
  - } [BIT](#)
  - } [BCKCR](#)
- char [wk4](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [MOSTP](#): 1
  - } [BIT](#)
  - } [MOSCCR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [SOSTP](#): 1
  - } [BIT](#)
  - } [SOSCCR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [LCSTP](#): 1
  - } [BIT](#)
  - } [LOOCR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
  - unsigned [char](#): 7
  - unsigned char [ILCSTP](#): 1
  - } [BIT](#)
  - } [ILOOCR](#)
- union {
  - unsigned char [BYTE](#)

- ```

    struct {
    unsigned char: 7
    unsigned char HCSTP: 1
    } BIT
} HOCOCR

```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 6
 unsigned char HCFRQ: 2
 } BIT
 } HOCOCR2
 - char wk5 [4]
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 2
 unsigned char PPLOVF: 1
 unsigned char ILCOVF: 1
 unsigned char HCOVF: 1
 unsigned char PLOVF: 1
 unsigned char SOOVF: 1
 unsigned char MOOVF: 1
 } BIT
 } OSCOVFSR
 - char wk6 [1]
 - union {
 unsigned short WORD
 struct {
 unsigned short CKOSTP: 1
 unsigned short CKODIV: 3
 unsigned short: 1
 unsigned short CKOSEL: 3
 } BIT
 } CKOCR
 - union {
 unsigned char BYTE
 struct {
 unsigned char OSTDE: 1
 unsigned char: 6
 unsigned char OSTDIE: 1
 } BIT
 } OSTDCR
 - union {
 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char OSTDF: 1
 } BIT
 } OSTDSR
 - char wk7 [2]
 - union {

- ```

 unsigned short WORD
 struct {
 unsigned short: 3
 unsigned short UPLLSEL: 1
 unsigned short OUTCKSEL: 1
 } BIT
} PACKCR

```
- char wk8 [2]
  - union {

```

 unsigned short WORD
 struct {
 unsigned short: 2
 unsigned short PPLSTC: 6
 unsigned short PPLIDIV: 2
 } BIT
} PLLCR

```
  - union {

```

 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char PPLEN: 1
 } BIT
} PLLCR2

```
  - union {

```

 unsigned char BYTE
 struct {
 unsigned char: 4
 unsigned char PPLCK: 4
 } BIT
} PLLCR3

```
  - char wk9 [84]
  - union {

```

 unsigned char BYTE
 struct {
 unsigned char: 3
 unsigned char OPCMTSF: 1
 unsigned char OPCM: 3
 } BIT
} OPCCR

```
  - union {

```

 unsigned char BYTE
 struct {
 unsigned char RSTCKEN: 1
 unsigned char: 4
 unsigned char RSTCKSEL: 3
 } BIT
} RSTCKCR

```
  - union {

```

 unsigned char BYTE
 struct {
 unsigned char MSTs: 8
 } BIT

```



- char [wk13](#) [794]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [PRKEY](#): 8
    - unsigned [short](#): 4
    - unsigned short [PRC3](#): 1
    - unsigned short [PRC1](#): 1
    - unsigned short [PRC0](#): 1
    - } [BIT](#)
- } [PRCR](#)
  
- char [wk14](#) [3100]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [MEMWAIT](#): 1
    - } [BIT](#)
- } [MEMWAIT](#)
  
- char [wk15](#) [45667]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [DPSBY](#): 1
    - unsigned char [IOKEEP](#): 1
    - unsigned [char](#): 4
    - unsigned char [DEEPCUT](#): 2
    - } [BIT](#)
- } [DPSBYCR](#)
  
- char [wk16](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [DIRQ7E](#): 1
    - unsigned char [DIRQ6E](#): 1
    - unsigned char [DIRQ5E](#): 1
    - unsigned char [DIRQ4E](#): 1
    - unsigned char [DIRQ3E](#): 1
    - unsigned char [DIRQ2E](#): 1
    - unsigned char [DIRQ1E](#): 1
    - unsigned char [DIRQ0E](#): 1
    - } [BIT](#)
- } [DPSIER0](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [DIRQ15E](#): 1
    - unsigned char [DIRQ14E](#): 1
    - unsigned char [DIRQ13E](#): 1
    - unsigned char [DIRQ12E](#): 1
    - unsigned char [DIRQ11E](#): 1
    - unsigned char [DIRQ10E](#): 1
    - unsigned char [DIRQ9E](#): 1

- ```

    unsigned char DIRQ8E: 1
    } BIT
} DPSIER1

```
- union {


```

        unsigned char BYTE
        struct {
          unsigned char DUSBIE: 1
          unsigned char DRIICCIE: 1
          unsigned char DRIICDIE: 1
          unsigned char DNMIE: 1
          unsigned char DRTCAIE: 1
          unsigned char DRTCIE: 1
          unsigned char DLVD2IE: 1
          unsigned char DLVD1IE: 1
        } BIT
      } DPSIER2
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char: 7
          unsigned char DCANIE: 1
        } BIT
      } DPSIER3
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char DIRQ7F: 1
          unsigned char DIRQ6F: 1
          unsigned char DIRQ5F: 1
          unsigned char DIRQ4F: 1
          unsigned char DIRQ3F: 1
          unsigned char DIRQ2F: 1
          unsigned char DIRQ1F: 1
          unsigned char DIRQ0F: 1
        } BIT
      } DPSIFR0
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char DIRQ15F: 1
          unsigned char DIRQ14F: 1
          unsigned char DIRQ13F: 1
          unsigned char DIRQ12F: 1
          unsigned char DIRQ11F: 1
          unsigned char DIRQ10F: 1
          unsigned char DIRQ9F: 1
          unsigned char DIRQ8F: 1
        } BIT
      } DPSIFR1
      
```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char DUSBIF: 1
        }
      
```

- ```

 unsigned char DRIICCIF: 1
 unsigned char DRIICDIF: 1
 unsigned char DNMIIF: 1
 unsigned char DRTCAIF: 1
 unsigned char DRTCIIIF: 1
 unsigned char DLVD2IF: 1
 unsigned char DLVD1IF: 1
 } BIT
} DPSIFR2

```
- union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 7
 unsigned char DCANIF: 1
 } BIT
 } DPSIFR3

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char DIRQ7EG: 1
 unsigned char DIRQ6EG: 1
 unsigned char DIRQ5EG: 1
 unsigned char DIRQ4EG: 1
 unsigned char DIRQ3EG: 1
 unsigned char DIRQ2EG: 1
 unsigned char DIRQ1EG: 1
 unsigned char DIRQ0EG: 1
 } BIT
 } DPSIEGR0

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char DIRQ15EG: 1
 unsigned char DIRQ14EG: 1
 unsigned char DIRQ13EG: 1
 unsigned char DIRQ12EG: 1
 unsigned char DIRQ11EG: 1
 unsigned char DIRQ10EG: 1
 unsigned char DIRQ9EG: 1
 unsigned char DIRQ8EG: 1
 } BIT
 } DPSIEGR1

```
  - union {
 

```

 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char DRIICCEG: 1
 unsigned char DRIICDEG: 1
 unsigned char DNMIIEG: 1
 unsigned char DLVD2EG: 1
 unsigned char DLVD1EG: 1
 } BIT
 } DPSIEGR2

```

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [DCANIEG](#): 1
    - } [BIT](#)
} [DPSIEGR3](#)
  
- char [wk17](#) [2]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [DPSRSTF](#): 1
    - unsigned [char](#): 3
    - unsigned char [LVD2RF](#): 1
    - unsigned char [LVD1RF](#): 1
    - unsigned char [LVD0RF](#): 1
    - unsigned char [PORF](#): 1
    - } [BIT](#)
} [RSTSR0](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [CWSF](#): 1
    - } [BIT](#)
} [RSTSR1](#)
  
- char [wk18](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [MOSEL](#): 1
    - unsigned char [MODRV2](#): 2
    - unsigned char [MOFXIN](#): 1
    - } [BIT](#)
} [MOFCR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [HOCOPCNT](#): 1
    - } [BIT](#)
} [HOCOPCR](#)
  
- char [wk19](#) [2]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [LVD2E](#): 1
    - unsigned char [LVD1E](#): 1
    - } [BIT](#)
} [LVCMPCR](#)

- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [LVD2LVL](#): 4  
    unsigned char [LVD1LVL](#): 4  
  } [BIT](#)  
} [LVDLVLR](#)
- char [wk20](#) [1]
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [LVD1RN](#): 1  
    unsigned char [LVD1RI](#): 1  
    unsigned char [LVD1FSAMP](#): 2  
    unsigned [char](#): 1  
    unsigned char [LVD1CMPE](#): 1  
    unsigned char [LVD1DFDIS](#): 1  
    unsigned char [LVD1RIE](#): 1  
  } [BIT](#)  
} [LVD1CR0](#)
- union {  
  unsigned char [BYTE](#)  
  struct {  
    unsigned char [LVD2RN](#): 1  
    unsigned char [LVD2RI](#): 1  
    unsigned char [LVD2FSAMP](#): 2  
    unsigned [char](#): 1  
    unsigned char [LVD2CMPE](#): 1  
    unsigned char [LVD2DFDIS](#): 1  
    unsigned char [LVD2RIE](#): 1  
  } [BIT](#)  
} [LVD2CR0](#)
- char [wk21](#) [4]
- unsigned char [DPSBKR](#) [32]

### 5.1665.1 Detailed Description

Definition at line [33103](#) of file [iodefine.h](#).

### 5.1665.2 Field Documentation

#### 5.1665.2.1 [union]

union { ... } st\_system\_t::BCKCR

#### 5.1665.2.2 [union]

union { ... } st\_system\_t::CKOCR

### 5.1665.2.3 DPSBKR

unsigned char st\_system\_t::DPSBKR[32]

Definition at line [34319](#) of file [iodefine.h](#).

### 5.1665.2.4 [union]

union { ... } st\_system\_t::DPSBYCR

### 5.1665.2.5 [union]

union { ... } st\_system\_t::DPSIEGR0

### 5.1665.2.6 [union]

union { ... } st\_system\_t::DPSIEGR1

### 5.1665.2.7 [union]

union { ... } st\_system\_t::DPSIEGR2

### 5.1665.2.8 [union]

union { ... } st\_system\_t::DPSIEGR3

### 5.1665.2.9 [union]

union { ... } st\_system\_t::DPSIER0

### 5.1665.2.10 [union]

union { ... } st\_system\_t::DPSIER1

### 5.1665.2.11 [union]

union { ... } st\_system\_t::DPSIER2

### 5.1665.2.12 [union]

union { ... } st\_system\_t::DPSIER3



## 5.1665.2.13 [union]

```
union { ... } st_system_t::DPSIFR0
```

## 5.1665.2.14 [union]

```
union { ... } st_system_t::DPSIFR1
```

## 5.1665.2.15 [union]

```
union { ... } st_system_t::DPSIFR2
```

## 5.1665.2.16 [union]

```
union { ... } st_system_t::DPSIFR3
```

## 5.1665.2.17 [union]

```
union { ... } st_system_t::HOCOCCR
```

## 5.1665.2.18 [union]

```
union { ... } st_system_t::HOCOCCR2
```

## 5.1665.2.19 [union]

```
union { ... } st_system_t::HOCOPCR
```

## 5.1665.2.20 [union]

```
union { ... } st_system_t::ILOCCR
```

## 5.1665.2.21 [union]

```
union { ... } st_system_t::LOCCR
```

## 5.1665.2.22 [union]

```
union { ... } st_system_t::LVCMPCR
```

5.1665.2.23 [union]

union { ... } st\_system\_t::LVD1CR0

5.1665.2.24 [union]

union { ... } st\_system\_t::LVD1CR1

5.1665.2.25 [union]

union { ... } st\_system\_t::LVD1SR

5.1665.2.26 [union]

union { ... } st\_system\_t::LVD2CR0

5.1665.2.27 [union]

union { ... } st\_system\_t::LVD2CR1

5.1665.2.28 [union]

union { ... } st\_system\_t::LVD2SR

5.1665.2.29 [union]

union { ... } st\_system\_t::LVDLVLRL

5.1665.2.30 [union]

union { ... } st\_system\_t::MDMONR

5.1665.2.31 [union]

union { ... } st\_system\_t::MEMWAIT

5.1665.2.32 [union]

union { ... } st\_system\_t::MOFCR

## 5.1665.2.33 [union]

```
union { ... } st_system_t::MOSCCR
```

## 5.1665.2.34 [union]

```
union { ... } st_system_t::MOSCWTCR
```

## 5.1665.2.35 [union]

```
union { ... } st_system_t::MSTPCRA
```

## 5.1665.2.36 [union]

```
union { ... } st_system_t::MSTPCRB
```

## 5.1665.2.37 [union]

```
union { ... } st_system_t::MSTPCRC
```

## 5.1665.2.38 [union]

```
union { ... } st_system_t::MSTPCRD
```

## 5.1665.2.39 [union]

```
union { ... } st_system_t::OPCCR
```

## 5.1665.2.40 [union]

```
union { ... } st_system_t::OSCOVFSR
```

## 5.1665.2.41 [union]

```
union { ... } st_system_t::OSTDCR
```

## 5.1665.2.42 [union]

```
union { ... } st_system_t::OSTDSR
```

5.1665.2.43 [union]

union { ... } st\_system\_t::PACKCR

5.1665.2.44 [union]

union { ... } st\_system\_t::PLLCR

5.1665.2.45 [union]

union { ... } st\_system\_t::PLLCR2

5.1665.2.46 [union]

union { ... } st\_system\_t::PPLLCR

5.1665.2.47 [union]

union { ... } st\_system\_t::PPLLCR2

5.1665.2.48 [union]

union { ... } st\_system\_t::PPLLCR3

5.1665.2.49 [union]

union { ... } st\_system\_t::PRCR

5.1665.2.50 [union]

union { ... } st\_system\_t::RSTCKCR

5.1665.2.51 [union]

union { ... } st\_system\_t::RSTSR0

5.1665.2.52 [union]

union { ... } st\_system\_t::RSTSR1

## 5.1665.2.53 [union]

```
union { ... } st_system_t::RSTSR2
```

## 5.1665.2.54 [union]

```
union { ... } st_system_t::SBYCR
```

## 5.1665.2.55 [union]

```
union { ... } st_system_t::SCKCR
```

## 5.1665.2.56 [union]

```
union { ... } st_system_t::SCKCR2
```

## 5.1665.2.57 [union]

```
union { ... } st_system_t::SCKCR3
```

## 5.1665.2.58 [union]

```
union { ... } st_system_t::SOSCCR
```

## 5.1665.2.59 [union]

```
union { ... } st_system_t::SOSCWTCR
```

## 5.1665.2.60 SWRR

```
unsigned short st_system_t::SWRR
```

Definition at line [33793](#) of file [iodefine.h](#).

## 5.1665.2.61 [union]

```
union { ... } st_system_t::SYSCR0
```

## 5.1665.2.62 [union]

```
union { ... } st_system_t::SYSCR1
```

5.1665.2.63 wk0

char st\_system\_t::wk0[4]

Definition at line [33117](#) of file [iodefne.h](#).

5.1665.2.64 wk1

char st\_system\_t::wk1[2]

Definition at line [33154](#) of file [iodefne.h](#).

5.1665.2.65 wk10

char st\_system\_t::wk10[28]

Definition at line [33774](#) of file [iodefne.h](#).

5.1665.2.66 wk11

char st\_system\_t::wk11[1]

Definition at line [33792](#) of file [iodefne.h](#).

5.1665.2.67 wk12

char st\_system\_t::wk12[28]

Definition at line [33794](#) of file [iodefne.h](#).

5.1665.2.68 wk13

char st\_system\_t::wk13[794]

Definition at line [33855](#) of file [iodefne.h](#).

5.1665.2.69 wk14

char st\_system\_t::wk14[3100]

Definition at line [33877](#) of file [iodefne.h](#).

5.1665.2.70 wk15

char st\_system\_t::wk15[45667]

Definition at line [33891](#) of file [iodefne.h](#).

## 5.1665.2.71 wk16

```
char st_system_t::wk16[1]
```

Definition at line [33909](#) of file [iodefine.h](#).

## 5.1665.2.72 wk17

```
char st_system_t::wk17[2]
```

Definition at line [34172](#) of file [iodefine.h](#).

## 5.1665.2.73 wk18

```
char st_system_t::wk18[1]
```

Definition at line [34207](#) of file [iodefine.h](#).

## 5.1665.2.74 wk19

```
char st_system_t::wk19[2]
```

Definition at line [34240](#) of file [iodefine.h](#).

## 5.1665.2.75 wk2

```
char st_system_t::wk2[2]
```

Definition at line [33170](#) of file [iodefine.h](#).

## 5.1665.2.76 wk20

```
char st_system_t::wk20[1]
```

Definition at line [34271](#) of file [iodefine.h](#).

## 5.1665.2.77 wk21

```
char st_system_t::wk21[4]
```

Definition at line [34318](#) of file [iodefine.h](#).

## 5.1665.2.78 wk3

```
char st_system_t::wk3[5]
```

Definition at line [33490](#) of file [iodefine.h](#).

5.1665.2.79 wk4

char st\_system\_t::wk4[1]

Definition at line [33504](#) of file [iodefne.h](#).

5.1665.2.80 wk5

char st\_system\_t::wk5[4]

Definition at line [33583](#) of file [iodefne.h](#).

5.1665.2.81 wk6

char st\_system\_t::wk6[1]

Definition at line [33607](#) of file [iodefne.h](#).

5.1665.2.82 wk7

char st\_system\_t::wk7[2]

Definition at line [33655](#) of file [iodefne.h](#).

5.1665.2.83 wk8

char st\_system\_t::wk8[2]

Definition at line [33675](#) of file [iodefne.h](#).

5.1665.2.84 wk9

char st\_system\_t::wk9[84]

Definition at line [33719](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1666 st\_system\_t.BCKCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 7
  - unsigned char [BCLKDIV](#): 1
- } [BIT](#)



### 5.1666.1 Detailed Description

Definition at line [33491](#) of file [iodefine.h](#).

### 5.1666.2 Field Documentation

#### 5.1666.2.1 BIT

#### 5.1666.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1667 st\_system\_t.CKOCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [CKOSTP](#): 1
  - unsigned short [CKODIV](#): 3
  - unsigned [short](#): 1
  - unsigned short [CKOSEL](#): 3
- } [BIT](#)

### 5.1667.1 Detailed Description

Definition at line [33608](#) of file [iodefine.h](#).

### 5.1667.2 Field Documentation

#### 5.1667.2.1 BIT

#### 5.1667.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1668 st\_system\_t.DPSBYCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DPSBY](#): 1
  - unsigned char [IOKEEP](#): 1
  - unsigned [char](#): 4
  - unsigned char [DEEPCUT](#): 2
- } [BIT](#)

### 5.1668.1 Detailed Description

Definition at line [33892](#) of file [iodefne.h](#).

### 5.1668.2 Field Documentation

#### 5.1668.2.1 BIT

#### 5.1668.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1669 st\_system\_t.DPSIEGR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DIRQ7EG](#): 1
  - unsigned char [DIRQ6EG](#): 1
  - unsigned char [DIRQ5EG](#): 1
  - unsigned char [DIRQ4EG](#): 1
  - unsigned char [DIRQ3EG](#): 1
  - unsigned char [DIRQ2EG](#): 1
  - unsigned char [DIRQ1EG](#): 1
  - unsigned char [DIRQ0EG](#): 1
- [BIT](#)

### 5.1669.1 Detailed Description

Definition at line [34086](#) of file [iodefne.h](#).

### 5.1669.2 Field Documentation

#### 5.1669.2.1 BIT

#### 5.1669.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1670 st\_system\_t.DPSIEGR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DIRQ15EG](#): 1
  - unsigned char [DIRQ14EG](#): 1
  - unsigned char [DIRQ13EG](#): 1
  - unsigned char [DIRQ12EG](#): 1
  - unsigned char [DIRQ11EG](#): 1
  - unsigned char [DIRQ10EG](#): 1
  - unsigned char [DIRQ9EG](#): 1
  - unsigned char [DIRQ8EG](#): 1
- } [BIT](#)

### 5.1670.1 Detailed Description

Definition at line [34111](#) of file [iodefine.h](#).

### 5.1670.2 Field Documentation

#### 5.1670.2.1 BIT

#### 5.1670.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1671 st\_system\_t.DPSIEGR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [DRIICCEG](#): 1
  - unsigned char [DRIICDEG](#): 1
  - unsigned char [DNMIEG](#): 1
  - unsigned char [DLVD2EG](#): 1
  - unsigned char [DLVD1EG](#): 1
- } [BIT](#)

### 5.1671.1 Detailed Description

Definition at line [34136](#) of file [iodefine.h](#).

## 5.1671.2 Field Documentation

### 5.1671.2.1 BIT

### 5.1671.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1672 st\_system\_t.DPSIEGR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char: 7  
  unsigned char [DCANIEG](#): 1  
} [BIT](#)

### 5.1672.1 Detailed Description

Definition at line [34159](#) of file [iodefine.h](#).

## 5.1672.2 Field Documentation

### 5.1672.2.1 BIT

### 5.1672.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1673 st\_system\_t.DPSIER0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [DIRQ7E](#): 1  
  unsigned char [DIRQ6E](#): 1  
  unsigned char [DIRQ5E](#): 1  
  unsigned char [DIRQ4E](#): 1  
  unsigned char [DIRQ3E](#): 1  
  unsigned char [DIRQ2E](#): 1  
  unsigned char [DIRQ1E](#): 1  
  unsigned char [DIRQ0E](#): 1  
} [BIT](#)

### 5.1673.1 Detailed Description

Definition at line [33910](#) of file [iodefine.h](#).

### 5.1673.2 Field Documentation

#### 5.1673.2.1 BIT

#### 5.1673.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1674 st\_system\_t.DPSIER1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DIRQ15E](#): 1
  - unsigned char [DIRQ14E](#): 1
  - unsigned char [DIRQ13E](#): 1
  - unsigned char [DIRQ12E](#): 1
  - unsigned char [DIRQ11E](#): 1
  - unsigned char [DIRQ10E](#): 1
  - unsigned char [DIRQ9E](#): 1
  - unsigned char [DIRQ8E](#): 1
- } [BIT](#)

### 5.1674.1 Detailed Description

Definition at line [33935](#) of file [iodefine.h](#).

### 5.1674.2 Field Documentation

#### 5.1674.2.1 BIT

#### 5.1674.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1675 st\_\_system\_\_t.DPSIER2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DUSBIE](#): 1
  - unsigned char [DRIICCIE](#): 1
  - unsigned char [DRIICDIE](#): 1
  - unsigned char [DNMIE](#): 1
  - unsigned char [DRTCAIE](#): 1
  - unsigned char [DRTCIE](#): 1
  - unsigned char [DLVD2IE](#): 1
  - unsigned char [DLVD1IE](#): 1
- } [BIT](#)

### 5.1675.1 Detailed Description

Definition at line [33960](#) of file [iodefine.h](#).

### 5.1675.2 Field Documentation

#### 5.1675.2.1 BIT

#### 5.1675.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1676 st\_\_system\_\_t.DPSIER3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [DCANIE](#): 1
- } [BIT](#)

### 5.1676.1 Detailed Description

Definition at line [33985](#) of file [iodefine.h](#).

## 5.1676.2 Field Documentation

### 5.1676.2.1 BIT

### 5.1676.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1677 st\_system\_t.DPSIFR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DIRQ7F](#): 1
  - unsigned char [DIRQ6F](#): 1
  - unsigned char [DIRQ5F](#): 1
  - unsigned char [DIRQ4F](#): 1
  - unsigned char [DIRQ3F](#): 1
  - unsigned char [DIRQ2F](#): 1
  - unsigned char [DIRQ1F](#): 1
  - unsigned char [DIRQ0F](#): 1
- } [BIT](#)

### 5.1677.1 Detailed Description

Definition at line [33998](#) of file [iodefine.h](#).

## 5.1677.2 Field Documentation

### 5.1677.2.1 BIT

### 5.1677.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1678 st\_system\_t.DPSIFR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DIRQ15F](#): 1
  - unsigned char [DIRQ14F](#): 1
  - unsigned char [DIRQ13F](#): 1
  - unsigned char [DIRQ12F](#): 1
  - unsigned char [DIRQ11F](#): 1
  - unsigned char [DIRQ10F](#): 1
  - unsigned char [DIRQ9F](#): 1
  - unsigned char [DIRQ8F](#): 1
- } [BIT](#)

### 5.1678.1 Detailed Description

Definition at line [34023](#) of file [iodefine.h](#).

### 5.1678.2 Field Documentation

#### 5.1678.2.1 BIT

#### 5.1678.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1679 st\_system\_t.DPSIFR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DUSBIF](#): 1
  - unsigned char [DRIICCIF](#): 1
  - unsigned char [DRIICDIF](#): 1
  - unsigned char [DNMIF](#): 1
  - unsigned char [DRTCAIF](#): 1
  - unsigned char [DRTCIIF](#): 1
  - unsigned char [DLVD2IF](#): 1
  - unsigned char [DLVD1IF](#): 1
- [BIT](#)

### 5.1679.1 Detailed Description

Definition at line [34048](#) of file [iodefine.h](#).

### 5.1679.2 Field Documentation

#### 5.1679.2.1 BIT

#### 5.1679.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1680 st\_system\_t.DPSIFR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [DCANIF](#): 1  
} [BIT](#)

### 5.1680.1 Detailed Description

Definition at line [34073](#) of file [iodefine.h](#).

### 5.1680.2 Field Documentation

#### 5.1680.2.1 BIT

#### 5.1680.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1681 st\_system\_t.HOCOOCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [HCSTP](#): 1  
} [BIT](#)

### 5.1681.1 Detailed Description

Definition at line [33557](#) of file [iodefine.h](#).

### 5.1681.2 Field Documentation

#### 5.1681.2.1 BIT

#### 5.1681.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1682 st\_system\_t.HOCOOCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 6  
    unsigned char [HCFRQ](#): 2  
} [BIT](#)

### 5.1682.1 Detailed Description

Definition at line [33570](#) of file [iodefine.h](#).

### 5.1682.2 Field Documentation

#### 5.1682.2.1 BIT

#### 5.1682.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1683 st\_system\_t.HOCOPCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [HOCOPCNT](#): 1  
} [BIT](#)

### 5.1683.1 Detailed Description

Definition at line [34227](#) of file [iodefine.h](#).

### 5.1683.2 Field Documentation

#### 5.1683.2.1 BIT

#### 5.1683.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1684 st\_system\_t.ILOCOCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [ILCSTP](#): 1  
} [BIT](#)

### 5.1684.1 Detailed Description

Definition at line [33544](#) of file [iodefine.h](#).

### 5.1684.2 Field Documentation

#### 5.1684.2.1 BIT

#### 5.1684.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1685 st\_system\_t.LOCOCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [LCSTP](#): 1  
} [BIT](#)

### 5.1685.1 Detailed Description

Definition at line [33531](#) of file [iodefine.h](#).

### 5.1685.2 Field Documentation

#### 5.1685.2.1 BIT

#### 5.1685.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1686 st\_\_system\_\_t.LVCMPCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [LVD2E](#): 1
  - unsigned char [LVD1E](#): 1
- } [BIT](#)

### 5.1686.1 Detailed Description

Definition at line [34241](#) of file [iodefine.h](#).

### 5.1686.2 Field Documentation

#### 5.1686.2.1 BIT

#### 5.1686.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1687 st\_\_system\_\_t.LVD1CR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [LVD1RN](#): 1
  - unsigned char [LVD1RI](#): 1
  - unsigned char [LVD1FSAMP](#): 2
  - unsigned char: 1
  - unsigned char [LVD1CMPE](#): 1
  - unsigned char [LVD1DFDIS](#): 1
  - unsigned char [LVD1RIE](#): 1
- } [BIT](#)

### 5.1687.1 Detailed Description

Definition at line [34272](#) of file [iodefine.h](#).

## 5.1687.2 Field Documentation

### 5.1687.2.1 BIT

### 5.1687.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1688 st\_system\_t.LVD1CR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [LVD1IRQSEL](#): 1
  - unsigned char [LVD1IDTSEL](#): 2
- } [BIT](#)

## 5.1688.1 Detailed Description

Definition at line [33795](#) of file [iodefine.h](#).

## 5.1688.2 Field Documentation

### 5.1688.2.1 BIT

### 5.1688.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1689 st\_system\_t.LVD1SR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 6
  - unsigned char [LVD1MON](#): 1
  - unsigned char [LVD1DET](#): 1
- } [BIT](#)

### 5.1689.1 Detailed Description

Definition at line [33810](#) of file [iodefine.h](#).

### 5.1689.2 Field Documentation

#### 5.1689.2.1 BIT

#### 5.1689.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1690 st\_system\_t.LVD2CR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [LVD2RN](#): 1
  - unsigned char [LVD2RI](#): 1
  - unsigned char [LVD2FSAMP](#): 2
  - unsigned [char](#): 1
  - unsigned char [LVD2CMPE](#): 1
  - unsigned char [LVD2DFDIS](#): 1
  - unsigned char [LVD2RIE](#): 1
- } [BIT](#)

### 5.1690.1 Detailed Description

Definition at line [34295](#) of file [iodefine.h](#).

### 5.1690.2 Field Documentation

#### 5.1690.2.1 BIT

#### 5.1690.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1691 st\_system\_t.LVD2CR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 5
  - unsigned char [LVD2IRQSEL](#): 1
  - unsigned char [LVD2IDTSEL](#): 2
- } [BIT](#)

### 5.1691.1 Detailed Description

Definition at line 33825 of file [iodefine.h](#).

### 5.1691.2 Field Documentation

#### 5.1691.2.1 BIT

#### 5.1691.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1692 st\_system\_t.LVD2SR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 6
  - unsigned char [LVD2MON](#): 1
  - unsigned char [LVD2DET](#): 1
- } [BIT](#)

### 5.1692.1 Detailed Description

Definition at line 33840 of file [iodefine.h](#).

### 5.1692.2 Field Documentation

#### 5.1692.2.1 BIT

#### 5.1692.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1693 st\_system\_t.LVDLVLRL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [LVD2LVL](#): 4
  - unsigned char [LVD1LVL](#): 4
- } [BIT](#)

### 5.1693.1 Detailed Description

Definition at line [34258](#) of file [iodefine.h](#).

### 5.1693.2 Field Documentation

#### 5.1693.2.1 BIT

#### 5.1693.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1694 st\_system\_t.MDMONR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
  unsigned [short](#): 15  
  unsigned short [MD](#): 1  
} [BIT](#)

### 5.1694.1 Detailed Description

Definition at line [33104](#) of file [iodefine.h](#).

### 5.1694.2 Field Documentation

#### 5.1694.2.1 BIT

#### 5.1694.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1695 st\_system\_t.MEMWAIT Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 7  
  unsigned char [MEMWAIT](#): 1  
} [BIT](#)



### 5.1695.1 Detailed Description

Definition at line [33878](#) of file [iodefine.h](#).

### 5.1695.2 Field Documentation

#### 5.1695.2.1 BIT

#### 5.1695.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1696 st\_system\_t.MOFCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [MOSEL](#): 1
  - unsigned char [MODRV2](#): 2
  - unsigned char [MOFXIN](#): 1
- } [BIT](#)

### 5.1696.1 Detailed Description

Definition at line [34208](#) of file [iodefine.h](#).

### 5.1696.2 Field Documentation

#### 5.1696.2.1 BIT

#### 5.1696.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1697 st\_system\_t.MOSCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [MOSTP](#): 1
- } [BIT](#)

### 5.1697.1 Detailed Description

Definition at line [33505](#) of file [iodefine.h](#).

### 5.1697.2 Field Documentation

#### 5.1697.2.1 BIT

#### 5.1697.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1698 st\_system\_t.MOSCWTCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [MSTS](#): 8  
} [BIT](#)

### 5.1698.1 Detailed Description

Definition at line [33752](#) of file [iodefine.h](#).

### 5.1698.2 Field Documentation

#### 5.1698.2.1 BIT

#### 5.1698.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1699 st\_system\_t.MSTPCRA Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [ACSE](#): 1
  - unsigned [long](#): 1
  - unsigned long [MSTPA29](#): 1
  - unsigned long [MSTPA28](#): 1
  - unsigned long [MSTPA27](#): 1
  - unsigned long [MSTPA24](#): 1
  - unsigned long [MSTPA19](#): 1
  - unsigned long [MSTPA17](#): 1
  - unsigned long [MSTPA16](#): 1
  - unsigned long [MSTPA15](#): 1
  - unsigned long [MSTPA14](#): 1
  - unsigned long [MSTPA13](#): 1
  - unsigned long [MSTPA11](#): 1
  - unsigned long [MSTPA10](#): 1
  - unsigned long [MSTPA9](#): 1
  - unsigned long [MSTPA7](#): 1
  - unsigned long [MSTPA5](#): 1
  - unsigned long [MSTPA4](#): 1
  - unsigned long [MSTPA1](#): 1
  - unsigned long [MSTPA0](#): 1
- } [BIT](#)

### 5.1699.1 Detailed Description

Definition at line [33171](#) of file [iodefine.h](#).

### 5.1699.2 Field Documentation

#### 5.1699.2.1 BIT

#### 5.1699.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1700 st\_system\_t.MSTPCRB Union Reference

### Data Fields

- unsigned long [LONG](#)

- struct {
  - unsigned long [MSTPB31](#): 1
  - unsigned long [MSTPB30](#): 1
  - unsigned long [MSTPB29](#): 1
  - unsigned long [MSTPB28](#): 1
  - unsigned long [MSTPB27](#): 1
  - unsigned long [MSTPB26](#): 1
  - unsigned long [MSTPB25](#): 1
  - unsigned long [MSTPB24](#): 1
  - unsigned long [MSTPB23](#): 1
  - unsigned long [MSTPB22](#): 1
  - unsigned long [MSTPB21](#): 1
  - unsigned long [MSTPB20](#): 1
  - unsigned long [MSTPB19](#): 1
  - unsigned [long](#): 1
  - unsigned long [MSTPB17](#): 1
  - unsigned long [MSTPB16](#): 1
  - unsigned long [MSTPB15](#): 1
  - unsigned long [MSTPB14](#): 1
  - unsigned long [MSTPB13](#): 1
  - unsigned long [MSTPB9](#): 1
  - unsigned long [MSTPB8](#): 1
  - unsigned long [MSTPB6](#): 1
  - unsigned long [MSTPB4](#): 1
  - unsigned long [MSTPB2](#): 1
  - unsigned long [MSTPB1](#): 1
  - unsigned long [MSTPB0](#): 1
- } [BIT](#)

### 5.1700.1 Detailed Description

Definition at line [33234](#) of file [iodefine.h](#).

### 5.1700.2 Field Documentation

#### 5.1700.2.1 BIT

#### 5.1700.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1701 st\_system\_t.MSTPCRC Union Reference

### Data Fields

- unsigned long [LONG](#)

- struct {
  - unsigned long: 2
  - unsigned long [MSTPC29](#): 1
  - unsigned long [MSTPC28](#): 1
  - unsigned long [MSTPC27](#): 1
  - unsigned long [MSTPC26](#): 1
  - unsigned long [MSTPC25](#): 1
  - unsigned long [MSTPC24](#): 1
  - unsigned long [MSTPC23](#): 1
  - unsigned long [MSTPC22](#): 1
  - unsigned long [MSTPC19](#): 1
  - unsigned long [MSTPC17](#): 1
  - unsigned long [MSTPC7](#): 1
  - unsigned long [MSTPC6](#): 1
  - unsigned long [MSTPC2](#): 1
  - unsigned long [MSTPC0](#): 1
- } [BIT](#)

### 5.1701.1 Detailed Description

Definition at line [33303](#) of file [iodefine.h](#).

### 5.1701.2 Field Documentation

#### 5.1701.2.1 BIT

#### 5.1701.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1702 st\_system\_t.MSTPCRD Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long: 4
  - unsigned long [MSTPD27](#): 1
  - unsigned long [MSTPD21](#): 1
  - unsigned long [MSTPD19](#): 1
  - unsigned long [MSTPD15](#): 1
  - unsigned long [MSTPD14](#): 1
  - unsigned long [MSTPD7](#): 1
  - unsigned long [MSTPD6](#): 1
  - unsigned long [MSTPD5](#): 1
  - unsigned long [MSTPD4](#): 1
  - unsigned long [MSTPD3](#): 1
  - unsigned long [MSTPD2](#): 1
  - unsigned long [MSTPD1](#): 1
  - unsigned long [MSTPD0](#): 1
- } [BIT](#)

### 5.1702.1 Detailed Description

Definition at line [33352](#) of file [iodefne.h](#).

### 5.1702.2 Field Documentation

#### 5.1702.2.1 BIT

#### 5.1702.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1703 st\_system\_t.OPCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 3
  - unsigned char [OPCMTSF](#): 1
  - unsigned char [OPCM](#): 3
- } [BIT](#)

### 5.1703.1 Detailed Description

Definition at line [33720](#) of file [iodefne.h](#).

### 5.1703.2 Field Documentation

#### 5.1703.2.1 BIT

#### 5.1703.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1704 st\_system\_t.OSCOVFSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 2
  - unsigned char [PPLOVF](#): 1
  - unsigned char [ILCOVF](#): 1
  - unsigned char [HCOVF](#): 1
  - unsigned char [PLOVF](#): 1
  - unsigned char [SOOVF](#): 1
  - unsigned char [MOOVF](#): 1
- } [BIT](#)

### 5.1704.1 Detailed Description

Definition at line [33584](#) of file [iodefne.h](#).

### 5.1704.2 Field Documentation

#### 5.1704.2.1 BIT

#### 5.1704.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1705 st\_system\_t.OSTDCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [OSTDE](#): 1
  - unsigned [char](#): 6
  - unsigned char [OSTDIE](#): 1
- } [BIT](#)

### 5.1705.1 Detailed Description

Definition at line [33627](#) of file [iodefne.h](#).

### 5.1705.2 Field Documentation

#### 5.1705.2.1 BIT

#### 5.1705.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1706 st\_system\_t.OSTDSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [OSTDF](#): 1
- } [BIT](#)

### 5.1706.1 Detailed Description

Definition at line [33642](#) of file [iodefne.h](#).

### 5.1706.2 Field Documentation

#### 5.1706.2.1 BIT

#### 5.1706.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1707 st\_system\_t.PACKCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 3
  - unsigned short [UPLLSEL](#): 1
  - unsigned short [OUTCKSEL](#): 1
- } [BIT](#)

### 5.1707.1 Detailed Description

Definition at line [33656](#) of file [iodefne.h](#).

### 5.1707.2 Field Documentation

#### 5.1707.2.1 BIT

#### 5.1707.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1708 st\_system\_t.PLLCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 2
  - unsigned short [STC](#): 6
  - unsigned short [PLLSRCSEL](#): 1
  - unsigned short [PLIDIV](#): 2
- } [BIT](#)



### 5.1708.1 Detailed Description

Definition at line [33456](#) of file [iodefne.h](#).

### 5.1708.2 Field Documentation

#### 5.1708.2.1 BIT

#### 5.1708.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1709 st\_system\_t.PLLCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [PLEN](#): 1  
} [BIT](#)

### 5.1709.1 Detailed Description

Definition at line [33477](#) of file [iodefne.h](#).

### 5.1709.2 Field Documentation

#### 5.1709.2.1 BIT

#### 5.1709.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1710 st\_system\_t.PPLLCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned [short](#): 2  
    unsigned short [PPLSTC](#): 6  
    unsigned short [PPLDIV](#): 2  
} [BIT](#)

### 5.1710.1 Detailed Description

Definition at line [33676](#) of file [iodefine.h](#).

### 5.1710.2 Field Documentation

#### 5.1710.2.1 BIT

#### 5.1710.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1711 st\_system\_t.PLLCR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [PPLLEN](#): 1  
} [BIT](#)

### 5.1711.1 Detailed Description

Definition at line [33693](#) of file [iodefine.h](#).

### 5.1711.2 Field Documentation

#### 5.1711.2.1 BIT

#### 5.1711.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1712 st\_system\_t.PLLCR3 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 4  
    unsigned char [PPLCK](#): 4  
} [BIT](#)

### 5.1712.1 Detailed Description

Definition at line [33706](#) of file [iodefine.h](#).

### 5.1712.2 Field Documentation

#### 5.1712.2.1 BIT

#### 5.1712.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1713 st\_system\_t.PRCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [PRKEY](#): 8
  - unsigned [short](#): 4
  - unsigned short [PRC3](#): 1
  - unsigned short [PRC1](#): 1
  - unsigned short [PRC0](#): 1
- } [BIT](#)

### 5.1713.1 Detailed Description

Definition at line [33856](#) of file [iodefine.h](#).

### 5.1713.2 Field Documentation

#### 5.1713.2.1 BIT

#### 5.1713.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1714 st\_system\_t.RSTCKCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [RSTCKEN](#): 1
  - unsigned [char](#): 4
  - unsigned char [RSTCKSEL](#): 3
- } [BIT](#)

### 5.1714.1 Detailed Description

Definition at line [33737](#) of file [iodefine.h](#).

### 5.1714.2 Field Documentation

#### 5.1714.2.1 BIT

#### 5.1714.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1715 st\_system\_t.RSTSR0 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [DPSRSTF](#): 1
  - unsigned [char](#): 3
  - unsigned char [LVD2RF](#): 1
  - unsigned char [LVD1RF](#): 1
  - unsigned char [LVD0RF](#): 1
  - unsigned char [PORF](#): 1
- } [BIT](#)

### 5.1715.1 Detailed Description

Definition at line [34173](#) of file [iodefine.h](#).

### 5.1715.2 Field Documentation

#### 5.1715.2.1 BIT

#### 5.1715.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1716 st\_system\_t.RSTSR1 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 7
  - unsigned char [CWSF](#): 1
- } [BIT](#)

### 5.1716.1 Detailed Description

Definition at line 34194 of file [iodefne.h](#).

### 5.1716.2 Field Documentation

#### 5.1716.2.1 BIT

#### 5.1716.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1717 st\_system\_t.RSTSR2 Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 5
  - unsigned char [SWRF](#): 1
  - unsigned char [WDTRF](#): 1
  - unsigned char [IWDTRF](#): 1
- } [BIT](#)

### 5.1717.1 Detailed Description

Definition at line 33775 of file [iodefne.h](#).

### 5.1717.2 Field Documentation

#### 5.1717.2.1 BIT

#### 5.1717.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1718 st\_system\_t.SBYCR Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [SSBY](#): 1
  - unsigned short [OPE](#): 1
  - unsigned [short](#): 14
- } [BIT](#)

### 5.1718.1 Detailed Description

Definition at line [33155](#) of file [iodefine.h](#).

### 5.1718.2 Field Documentation

#### 5.1718.2.1 BIT

#### 5.1718.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1719 st\_system\_t.SCKCR Union Reference

### Data Fields

- unsigned long [LONG](#)
- struct {
  - unsigned long [FCK](#): 4
  - unsigned long [ICK](#): 4
  - unsigned long [PSTOP1](#): 1
  - unsigned long [PSTOP0](#): 1
  - unsigned [long](#): 2
  - unsigned long [BCK](#): 4
  - unsigned long [PCKA](#): 4
  - unsigned long [PCKB](#): 4
  - unsigned long [PCKC](#): 4
  - unsigned long [PCKD](#): 4
- } [BIT](#)

### 5.1719.1 Detailed Description

Definition at line [33397](#) of file [iodefine.h](#).

### 5.1719.2 Field Documentation

#### 5.1719.2.1 BIT

#### 5.1719.2.2 LONG

The documentation for this union was generated from the following files:

## 5.1720 st\_system\_t.SCKCR2 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned [short](#): 8  
    unsigned short [UCK](#): 4  
} [BIT](#)

### 5.1720.1 Detailed Description

Definition at line [33426](#) of file [iodefne.h](#).

### 5.1720.2 Field Documentation

#### 5.1720.2.1 BIT

#### 5.1720.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1721 st\_system\_t.SCKCR3 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {  
    unsigned [short](#): 5  
    unsigned short [CKSEL](#): 3  
} [BIT](#)

### 5.1721.1 Detailed Description

Definition at line [33441](#) of file [iodefne.h](#).

### 5.1721.2 Field Documentation

#### 5.1721.2.1 BIT

#### 5.1721.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1722 st\_system\_t.SOSCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [SOSTP](#): 1  
} [BIT](#)

### 5.1722.1 Detailed Description

Definition at line [33518](#) of file [iodefine.h](#).

### 5.1722.2 Field Documentation

#### 5.1722.2.1 BIT

#### 5.1722.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1723 st\_system\_t.SOSCWTCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned char [SSTS](#): 8  
} [BIT](#)

### 5.1723.1 Detailed Description

Definition at line [33763](#) of file [iodefine.h](#).

### 5.1723.2 Field Documentation

#### 5.1723.2.1 BIT

#### 5.1723.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1724 st\_system\_t.SYSCR0 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned short [KEY](#): 8
  - unsigned [short](#): 6
  - unsigned short [EXBE](#): 1
  - unsigned short [ROME](#): 1
- } [BIT](#)

### 5.1724.1 Detailed Description

Definition at line [33118](#) of file [iodefine.h](#).

### 5.1724.2 Field Documentation

#### 5.1724.2.1 BIT

#### 5.1724.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1725 st\_system\_t.SYSCR1 Union Reference

### Data Fields

- unsigned short [WORD](#)
- struct {
  - unsigned [short](#): 8
  - unsigned short [SBYRAME](#): 1
  - unsigned short [ECCRAME](#): 1
  - unsigned short [RAME](#): 1
- } [BIT](#)

### 5.1725.1 Detailed Description

Definition at line [33135](#) of file [iodefine.h](#).

### 5.1725.2 Field Documentation

#### 5.1725.2.1 BIT


#### 5.1725.2.2 WORD

The documentation for this union was generated from the following files:

## 5.1726 st\_temps\_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st\_temps\_t:



### Data Fields

- union {
 unsigned char `BYTE`
 struct {
 unsigned char `TSEN`: 1
 unsigned char: 2
 unsigned char `TSOE`: 1
 } `BIT`
 } `TSCR`

### 5.1726.1 Detailed Description

Definition at line [34322](#) of file [iodefne.h](#).

### 5.1726.2 Field Documentation

#### 5.1726.2.1 [union]

union { ... } st\_temps\_t::TSCR

The documentation for this struct was generated from the following file:

- pwm\_test\_fit/[iodefne.h](#)

## 5.1727 st\_temps\_t.TSCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TSEN](#): 1
  - unsigned [char](#): 2
  - unsigned char [TSOE](#): 1
- } [BIT](#)

### 5.1727.1 Detailed Description

Definition at line [34323](#) of file [iodefine.h](#).

### 5.1727.2 Field Documentation

#### 5.1727.2.1 BIT


#### 5.1727.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1728 st\_tmr0\_t Struct Reference

#include <iodefine.h>

Collaboration diagram for st\_tmr0\_t:



## Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [CMIEB](#): 1
    - unsigned char [CMIEA](#): 1
    - unsigned char [OVIE](#): 1
    - unsigned char [CCLR](#): 2
    - unsigned [char](#): 3
    - } [BIT](#)
- } [TCR](#)
  
- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [ADTE](#): 1
    - unsigned char [OSB](#): 2
    - unsigned char [OSA](#): 2
    - } [BIT](#)
- } [TCSR](#)
  
- char [wk1](#) [1]
- unsigned char [TCORA](#)
- char [wk2](#) [1]
- unsigned char [TCORB](#)
- char [wk3](#) [1]
- unsigned char [TCNT](#)
- char [wk4](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TMRIS](#): 1
    - unsigned [char](#): 2
    - unsigned char [CSS](#): 2
    - unsigned char [CKS](#): 3
    - } [BIT](#)
- } [TCCR](#)
  
- char [wk5](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [TCS](#): 1
    - } [BIT](#)
- } [TCSTR](#)

## 5.1728.1 Detailed Description

Definition at line [34342](#) of file [iodefine.h](#).

## 5.1728.2 Field Documentation

### 5.1728.2.1 [union]

union { ... } st\_tmr0\_t::TCCR

### 5.1728.2.2 TCNT

unsigned char st\_tmr0\_t::TCNT

Definition at line [34385](#) of file [iodefine.h](#).

### 5.1728.2.3 TCORA

unsigned char st\_tmr0\_t::TCORA

Definition at line [34381](#) of file [iodefine.h](#).

### 5.1728.2.4 TCORB

unsigned char st\_tmr0\_t::TCORB

Definition at line [34383](#) of file [iodefine.h](#).

### 5.1728.2.5 [union]

union { ... } st\_tmr0\_t::TCR

### 5.1728.2.6 [union]

union { ... } st\_tmr0\_t::TCSR

### 5.1728.2.7 [union]

union { ... } st\_tmr0\_t::TCSTR

### 5.1728.2.8 wk0

char st\_tmr0\_t::wk0[1]

Definition at line [34362](#) of file [iodefine.h](#).

#### 5.1728.2.9 wk1

```
char st_tmr0_t::wk1[1]
```

Definition at line [34380](#) of file [iodefne.h](#).

#### 5.1728.2.10 wk2

```
char st_tmr0_t::wk2[1]
```

Definition at line [34382](#) of file [iodefne.h](#).

#### 5.1728.2.11 wk3

```
char st_tmr0_t::wk3[1]
```

Definition at line [34384](#) of file [iodefne.h](#).

#### 5.1728.2.12 wk4

```
char st_tmr0_t::wk4[1]
```

Definition at line [34386](#) of file [iodefne.h](#).

#### 5.1728.2.13 wk5

```
char st_tmr0_t::wk5[1]
```

Definition at line [34404](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1729 st\_tmr0\_t.TCCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TMRIS](#): 1
  - unsigned [char](#): 2
  - unsigned char [CSS](#): 2
  - unsigned char [CKS](#): 3
- } [BIT](#)

### 5.1729.1 Detailed Description

Definition at line [34387](#) of file [iodefine.h](#).

### 5.1729.2 Field Documentation

#### 5.1729.2.1 BIT

#### 5.1729.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1730 st\_tmr0\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CMIEB](#): 1
  - unsigned char [CMIEA](#): 1
  - unsigned char [OVIE](#): 1
  - unsigned char [CCLR](#): 2
  - unsigned [char](#): 3
- } [BIT](#)

### 5.1730.1 Detailed Description

Definition at line [34343](#) of file [iodefine.h](#).

### 5.1730.2 Field Documentation

#### 5.1730.2.1 BIT

#### 5.1730.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1731 st\_tmr0\_t.TCSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 3
  - unsigned char [ADTE](#): 1
  - unsigned char [OSB](#): 2
  - unsigned char [OSA](#): 2
- } [BIT](#)

### 5.1731.1 Detailed Description

Definition at line [34363](#) of file [iodefine.h](#).

### 5.1731.2 Field Documentation

#### 5.1731.2.1 BIT

#### 5.1731.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1732 st\_tmr0\_t.TCSTR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 7
  - unsigned char [TCS](#): 1
 } [BIT](#)

### 5.1732.1 Detailed Description

Definition at line [34405](#) of file [iodefine.h](#).

### 5.1732.2 Field Documentation

#### 5.1732.2.1 BIT


#### 5.1732.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1733 st\_tmr1\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_tmr1\_t:





## Data Fields

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [CMIEB](#): 1
    - unsigned char [CMIEA](#): 1
    - unsigned char [OVIE](#): 1
    - unsigned char [CCLR](#): 2
    - unsigned [char](#): 3
    - } [BIT](#)
- } [TCR](#)
  
- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 4
    - unsigned char [OSB](#): 2
    - unsigned char [OSA](#): 2
    - } [BIT](#)
- } [TCSR](#)
  
- char [wk1](#) [1]
- unsigned char [TCORA](#)
- char [wk2](#) [1]
- unsigned char [TCORB](#)
- char [wk3](#) [1]
- unsigned char [TCNT](#)
- char [wk4](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TMRIS](#): 1
    - unsigned [char](#): 2
    - unsigned char [CSS](#): 2
    - unsigned char [CKS](#): 3
    - } [BIT](#)
- } [TCCR](#)
  
- char [wk5](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 7
    - unsigned char [TCS](#): 1
    - } [BIT](#)
- } [TCSTR](#)

## 5.1733.1 Detailed Description

Definition at line [34420](#) of file [iodefine.h](#).

## 5.1733.2 Field Documentation

### 5.1733.2.1 [union]

`union { ... } st_tmr1_t::TCCR`

### 5.1733.2.2 TCNT

`unsigned char st_tmr1_t::TCNT`

Definition at line [34461](#) of file [iodefine.h](#).

### 5.1733.2.3 TCORA

`unsigned char st_tmr1_t::TCORA`

Definition at line [34457](#) of file [iodefine.h](#).

### 5.1733.2.4 TCORB

`unsigned char st_tmr1_t::TCORB`

Definition at line [34459](#) of file [iodefine.h](#).

### 5.1733.2.5 [union]

`union { ... } st_tmr1_t::TCR`

### 5.1733.2.6 [union]

`union { ... } st_tmr1_t::TCSR`

### 5.1733.2.7 [union]

`union { ... } st_tmr1_t::TCSTR`

### 5.1733.2.8 wk0

`char st_tmr1_t::wk0[1]`

Definition at line [34440](#) of file [iodefine.h](#).

## 5.1733.2.9 wk1

```
char st_tmr1_t::wk1[1]
```

Definition at line [34456](#) of file [iodefne.h](#).

## 5.1733.2.10 wk2

```
char st_tmr1_t::wk2[1]
```

Definition at line [34458](#) of file [iodefne.h](#).

## 5.1733.2.11 wk3

```
char st_tmr1_t::wk3[1]
```

Definition at line [34460](#) of file [iodefne.h](#).

## 5.1733.2.12 wk4

```
char st_tmr1_t::wk4[1]
```

Definition at line [34462](#) of file [iodefne.h](#).

## 5.1733.2.13 wk5

```
char st_tmr1_t::wk5[1]
```

Definition at line [34480](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1734 st\_tmr1\_t.TCCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TMRIS](#): 1
  - unsigned [char](#): 2
  - unsigned char [CSS](#): 2
  - unsigned char [CKS](#): 3
- } [BIT](#)

### 5.1734.1 Detailed Description

Definition at line [34463](#) of file [iodefine.h](#).

### 5.1734.2 Field Documentation

#### 5.1734.2.1 BIT

#### 5.1734.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1735 st\_tmr1\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CMIEB](#): 1
  - unsigned char [CMIEA](#): 1
  - unsigned char [OVIE](#): 1
  - unsigned char [CCLR](#): 2
  - unsigned [char](#): 3
- } [BIT](#)

### 5.1735.1 Detailed Description

Definition at line [34421](#) of file [iodefine.h](#).

### 5.1735.2 Field Documentation

#### 5.1735.2.1 BIT

#### 5.1735.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1736 st\_tmr1\_t.TCSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 4
  - unsigned char [OSB](#): 2
  - unsigned char [OSA](#): 2
- } [BIT](#)

### 5.1736.1 Detailed Description

Definition at line [34441](#) of file [iodefine.h](#).

### 5.1736.2 Field Documentation

#### 5.1736.2.1 BIT

#### 5.1736.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1737 st\_tmr1\_t.TCSTR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
    unsigned [char](#): 7  
    unsigned char [TCS](#): 1  
} [BIT](#)

### 5.1737.1 Detailed Description

Definition at line [34481](#) of file [iodefine.h](#).

### 5.1737.2 Field Documentation

#### 5.1737.2.1 BIT


#### 5.1737.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1738 st\_tpu0\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_tpu0\_t:



### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned `char`: 2
    - unsigned char `NFCS`: 2
    - unsigned char `NFDEN`: 1
    - unsigned char `NFCEN`: 1

- ```

    unsigned char NFBEN: 1
    unsigned char NFAEN: 1
    } BIT
} NFCR

```
- char wk0 [7]
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char CCLR: 3
          unsigned char CKEG: 2
          unsigned char TPSC: 3
        } BIT
      } TCR

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char ICSELD: 1
          unsigned char ICSELB: 1
          unsigned char BFB: 1
          unsigned char BFA: 1
          unsigned char MD: 4
        } BIT
      } TMDR

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char IOB: 4
          unsigned char IOA: 4
        } BIT
      } TIORH

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char IOD: 4
          unsigned char IOC: 4
        } BIT
      } TIORL

```
 - union {


```

        unsigned char BYTE
        struct {
          unsigned char TTGE: 1
          unsigned char: 2
          unsigned char TCIEV: 1
          unsigned char TGIED: 1
          unsigned char TGIEC: 1
          unsigned char TGIEB: 1
          unsigned char TGIEA: 1
        } BIT
      } TIER

```
 - union {


```

        unsigned char BYTE
        struct {

```

```

    unsigned char: 3
    unsigned char TCFV: 1
    unsigned char TGFD: 1
    unsigned char TGFC: 1
    unsigned char TGFB: 1
    unsigned char TGFA: 1
    } BIT
} TSR

```

- unsigned short [TCNT](#)
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)
- unsigned short [TGRC](#)
- unsigned short [TGRD](#)

5.1738.1 Detailed Description

Definition at line [34503](#) of file [iodefne.h](#).

5.1738.2 Field Documentation

5.1738.2.1 [union]

```
union { ... } st_tpu0_t::NFCR
```

5.1738.2.2 TCNT

```
unsigned short st_tpu0_t::TCNT
```

Definition at line [34630](#) of file [iodefne.h](#).

5.1738.2.3 [union]

```
union { ... } st_tpu0_t::TCR
```

5.1738.2.4 TGRA

```
unsigned short st_tpu0_t::TGRA
```

Definition at line [34631](#) of file [iodefne.h](#).

5.1738.2.5 TGRB

```
unsigned short st_tpu0_t::TGRB
```

Definition at line [34632](#) of file [iodefne.h](#).

5.1738.2.6 TGRC

```
unsigned short st_tpu0_t::TGRC
```

Definition at line [34633](#) of file [iodefne.h](#).

5.1738.2.7 TGRD

```
unsigned short st_tpu0_t::TGRD
```

Definition at line [34634](#) of file [iodefne.h](#).

5.1738.2.8 [union]

```
union { ... } st_tpu0_t::TIER
```

5.1738.2.9 [union]

```
union { ... } st_tpu0_t::TIORH
```

5.1738.2.10 [union]

```
union { ... } st_tpu0_t::TIORL
```

5.1738.2.11 [union]

```
union { ... } st_tpu0_t::TMDR
```

5.1738.2.12 [union]

```
union { ... } st_tpu0_t::TSR
```

5.1738.2.13 wk0

```
char st_tpu0_t::wk0[7]
```

Definition at line [34525](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1739 st_tpu0_t.NFCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [NFCS](#): 2
 - unsigned char [NFDEN](#): 1
 - unsigned char [NFCEN](#): 1
 - unsigned char [NFBEN](#): 1
 - unsigned char [NFAEN](#): 1
- } [BIT](#)

5.1739.1 Detailed Description

Definition at line [34504](#) of file [iodefine.h](#).

5.1739.2 Field Documentation

5.1739.2.1 BIT

5.1739.2.2 BYTE

The documentation for this union was generated from the following files:

5.1740 st_tpu0_t.TCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [CCLR](#): 3
 - unsigned char [CKEG](#): 2
 - unsigned char [TPSC](#): 3
- } [BIT](#)

5.1740.1 Detailed Description

Definition at line [34526](#) of file [iodefine.h](#).

5.1740.2 Field Documentation

5.1740.2.1 BIT

5.1740.2.2 BYTE

The documentation for this union was generated from the following files:

5.1741 st_tpu0_t.TIER Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TTGE](#): 1
 - unsigned [char](#): 2
 - unsigned char [TCIEV](#): 1
 - unsigned char [TGIED](#): 1
 - unsigned char [TGIEC](#): 1
 - unsigned char [TGIEB](#): 1
 - unsigned char [TGIEA](#): 1
- } [BIT](#)

5.1741.1 Detailed Description

Definition at line [34586](#) of file [iodefine.h](#).

5.1741.2 Field Documentation

5.1741.2.1 BIT

5.1741.2.2 BYTE

The documentation for this union was generated from the following files:

5.1742 st_tpu0_t.TIORH Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IOB](#): 4
 - unsigned char [IOA](#): 4
- } [BIT](#)

5.1742.1 Detailed Description

Definition at line [34560](#) of file [iodefine.h](#).

5.1742.2 Field Documentation

5.1742.2.1 BIT

5.1742.2.2 BYTE

The documentation for this union was generated from the following files:

5.1743 st_tpu0_t.TIORL Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [IOD](#): 4
 - unsigned char [IOC](#): 4
- } [BIT](#)

5.1743.1 Detailed Description

Definition at line [34573](#) of file [iodefne.h](#).

5.1743.2 Field Documentation

5.1743.2.1 BIT

5.1743.2.2 BYTE

The documentation for this union was generated from the following files:

5.1744 st_tpu0_t.TMDR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [ICSELD](#): 1
 - unsigned char [ICSELB](#): 1
 - unsigned char [BFB](#): 1
 - unsigned char [BFA](#): 1
 - unsigned char [MD](#): 4
- } [BIT](#)

5.1744.1 Detailed Description

Definition at line [34541](#) of file [iodefne.h](#).

5.1744.2 Field Documentation

5.1744.2.1 BIT

5.1744.2.2 BYTE

The documentation for this union was generated from the following files:

5.1745 st_tpu0_t.TSR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 - unsigned char [TCFV](#): 1
 - unsigned char [TGFD](#): 1
 - unsigned char [TGFC](#): 1
 - unsigned char [TGFB](#): 1
 - unsigned char [TGFA](#): 1
- } [BIT](#)

5.1745.1 Detailed Description

Definition at line [34609](#) of file [iodefne.h](#).

5.1745.2 Field Documentation

5.1745.2.1 BIT


5.1745.2.2 BYTE

The documentation for this union was generated from the following files:

5.1746 st_tpu1_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st_tpu1_t:



Data Fields

- char `wk0` [1]
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char: 2
 - unsigned char `NFCS`: 2
 - unsigned char `NFBEN`: 1
 - unsigned char `NFAEN`: 1
 - } `BIT`
 - } `NFCR`
- char `wk1` [22]
- union {
 - unsigned char `BYTE`
 - struct {
 - unsigned char: 1
 - unsigned char `CCLR`: 2
 - unsigned char `CKEG`: 2
 - unsigned char `TPSC`: 3

- ```

 } BIT
} TCR

```
- union {
 unsigned char BYTE
 struct {
 unsigned char: 1
 unsigned char ICSELB: 1
 unsigned char MD: 4
 } BIT
 } TMDR
  - union {
 unsigned char BYTE
 struct {
 unsigned char IOB: 4
 unsigned char IOA: 4
 } BIT
 } TIOR
  - char wk2 [1]
  - union {
 unsigned char BYTE
 struct {
 unsigned char TTGE: 1
 unsigned char: 1
 unsigned char TCIEU: 1
 unsigned char TCIEV: 1
 unsigned char TGIEB: 1
 unsigned char TGIEA: 1
 } BIT
 } TIER
  - union {
 unsigned char BYTE
 struct {
 unsigned char TCFD: 1
 unsigned char: 1
 unsigned char TCFU: 1
 unsigned char TCFV: 1
 unsigned char TGFB: 1
 unsigned char TGFA: 1
 } BIT
 } TSR
  - unsigned short TCNT
  - unsigned short TGRA
  - unsigned short TGRB

### 5.1746.1 Detailed Description

Definition at line 34637 of file [iodefine.h](#).

## 5.1746.2 Field Documentation

### 5.1746.2.1 [union]

`union { ... } st_tpu1_t::NFCR`

### 5.1746.2.2 TCNT

`unsigned short st_tpu1_t::TCNT`

Definition at line [34753](#) of file [iodefine.h](#).

### 5.1746.2.3 [union]

`union { ... } st_tpu1_t::TCR`

### 5.1746.2.4 TGRA

`unsigned short st_tpu1_t::TGRA`

Definition at line [34754](#) of file [iodefine.h](#).

### 5.1746.2.5 TGRB

`unsigned short st_tpu1_t::TGRB`

Definition at line [34755](#) of file [iodefine.h](#).

### 5.1746.2.6 [union]

`union { ... } st_tpu1_t::TIER`

### 5.1746.2.7 [union]

`union { ... } st_tpu1_t::TIOR`

### 5.1746.2.8 [union]

`union { ... } st_tpu1_t::TMDR`

### 5.1746.2.9 [union]

`union { ... } st_tpu1_t::TSR`



## 5.1746.2.10 wk0

```
char st_tpu1_t::wk0[1]
```

Definition at line [34638](#) of file [iodefne.h](#).

## 5.1746.2.11 wk1

```
char st_tpu1_t::wk1[22]
```

Definition at line [34658](#) of file [iodefne.h](#).

## 5.1746.2.12 wk2

```
char st_tpu1_t::wk2[1]
```

Definition at line [34706](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1747 st\_tpu1\_t.NFCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

## 5.1747.1 Detailed Description

Definition at line [34639](#) of file [iodefne.h](#).

## 5.1747.2 Field Documentation

## 5.1747.2.1 BIT

## 5.1747.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1748 st\_tpu1\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char: 1
  - unsigned char [CCLR](#): 2
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.1748.1 Detailed Description

Definition at line [34659](#) of file [iodefine.h](#).

### 5.1748.2 Field Documentation

#### 5.1748.2.1 BIT

#### 5.1748.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1749 st\_tpu1\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned char: 1
  - unsigned char [TCIEU](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.1749.1 Detailed Description

Definition at line [34707](#) of file [iodefine.h](#).

## 5.1749.2 Field Documentation

### 5.1749.2.1 BIT

### 5.1749.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1750 st\_tpu1\_t.TIOR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.1750.1 Detailed Description

Definition at line [34693](#) of file [iodefine.h](#).

## 5.1750.2 Field Documentation

### 5.1750.2.1 BIT

### 5.1750.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1751 st\_tpu1\_t.TMDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ICSELB](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.1751.1 Detailed Description

Definition at line [34676](#) of file [iodefine.h](#).

## 5.1751.2 Field Documentation

### 5.1751.2.1 BIT

### 5.1751.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1752 st\_tpu1\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCFU](#): 1
  - unsigned char [TCFV](#): 1
  - unsigned char [TGFB](#): 1
  - unsigned char [TGFA](#): 1
- } [BIT](#)

### 5.1752.1 Detailed Description

Definition at line [34730](#) of file [iodefine.h](#).

## 5.1752.2 Field Documentation

### 5.1752.2.1 BIT


### 5.1752.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1753 st\_tpu2\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for `st_tpu2_t`:



#### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char: 2
    - unsigned char `NFCS`: 2
    - unsigned char `NFBEN`: 1
    - unsigned char `NFAEN`: 1
    - } `BIT`
- } `NFCR`
- char `wk0` [37]
- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char: 1
    - unsigned char `CCLR`: 2
    - unsigned char `CKEG`: 2
    - unsigned char `TPSC`: 3
    - } `BIT`
- } `TCR`

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [ICSELB](#): 1
    - unsigned char [MD](#): 4
    - } [BIT](#)
} [TMDR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
    - } [BIT](#)
} [TIOR](#)
  
- char [wk1](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TTGE](#): 1
    - unsigned [char](#): 1
    - unsigned char [TCIEU](#): 1
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
    - } [BIT](#)
} [TIER](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TCFD](#): 1
    - unsigned [char](#): 1
    - unsigned char [TCFU](#): 1
    - unsigned char [TCFV](#): 1
    - unsigned char [TGFB](#): 1
    - unsigned char [TGFA](#): 1
    - } [BIT](#)
} [TSR](#)
  
- unsigned short [TCNT](#)
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)

### 5.1753.1 Detailed Description

Definition at line [34758](#) of file [iodefine.h](#).

### 5.1753.2 Field Documentation

#### 5.1753.2.1 [union]

union { ... } st\_tpu2\_t::NFCR

## 5.1753.2.2 TCNT

unsigned short st\_tpu2\_t::TCNT

Definition at line [34873](#) of file [iodefine.h](#).

## 5.1753.2.3 [union]

union { ... } st\_tpu2\_t::TCR

## 5.1753.2.4 TGRA

unsigned short st\_tpu2\_t::TGRA

Definition at line [34874](#) of file [iodefine.h](#).

## 5.1753.2.5 TGRB

unsigned short st\_tpu2\_t::TGRB

Definition at line [34875](#) of file [iodefine.h](#).

## 5.1753.2.6 [union]

union { ... } st\_tpu2\_t::TIER

## 5.1753.2.7 [union]

union { ... } st\_tpu2\_t::TIOR

## 5.1753.2.8 [union]

union { ... } st\_tpu2\_t::TMDR

## 5.1753.2.9 [union]

union { ... } st\_tpu2\_t::TSR

## 5.1753.2.10 wk0

char st\_tpu2\_t::wk0[37]

Definition at line [34778](#) of file [iodefine.h](#).

### 5.1753.2.11 wk1

char st\_tpu2\_t::wk1[1]

Definition at line [34826](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1754 st\_tpu2\_t.NFCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.1754.1 Detailed Description

Definition at line [34759](#) of file [iodefne.h](#).

### 5.1754.2 Field Documentation

#### 5.1754.2.1 BIT

#### 5.1754.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1755 st\_tpu2\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [CCLR](#): 2
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)



### 5.1755.1 Detailed Description

Definition at line [34779](#) of file [iodefine.h](#).

### 5.1755.2 Field Documentation

#### 5.1755.2.1 BIT

#### 5.1755.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1756 st\_tpu2\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCIEU](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.1756.1 Detailed Description

Definition at line [34827](#) of file [iodefine.h](#).

### 5.1756.2 Field Documentation

#### 5.1756.2.1 BIT

#### 5.1756.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1757 st\_tpu2\_t.TIOR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.1757.1 Detailed Description

Definition at line [34813](#) of file [iodefine.h](#).

### 5.1757.2 Field Documentation

#### 5.1757.2.1 BIT

#### 5.1757.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1758 st\_tpu2\_t.TMDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ICSELB](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.1758.1 Detailed Description

Definition at line [34796](#) of file [iodefine.h](#).

### 5.1758.2 Field Documentation

#### 5.1758.2.1 BIT

#### 5.1758.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1759 st\_tpu2\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCFU](#): 1
  - unsigned char [TCFV](#): 1
  - unsigned char [TGFB](#): 1
  - unsigned char [TGFA](#): 1
- } [BIT](#)

### 5.1759.1 Detailed Description

Definition at line [34850](#) of file [iodefne.h](#).

### 5.1759.2 Field Documentation

#### 5.1759.2.1 BIT


#### 5.1759.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1760 st\_tpu3\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_tpu3\_t:



#### Data Fields

- `char wk0` [1]
- `union` {
  - `unsigned char BYTE`
    - `struct` {
      - `unsigned char`: 2
      - `unsigned char NFCS`: 2
      - `unsigned char NFDEN`: 1
      - `unsigned char NFCEN`: 1
      - `unsigned char NFBEN`: 1
      - `unsigned char NFAEN`: 1
    - `BIT`
  - `NFCR`
- `char wk1` [52]

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [CCLR](#): 3
    - unsigned char [CKEG](#): 2
    - unsigned char [TPSC](#): 3
    - } [BIT](#)
} [TCR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [ICSELD](#): 1
    - unsigned char [ICSELB](#): 1
    - unsigned char [BFB](#): 1
    - unsigned char [BFA](#): 1
    - unsigned char [MD](#): 4
    - } [BIT](#)
} [TMDR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
    - } [BIT](#)
} [TIORH](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOD](#): 4
    - unsigned char [IOC](#): 4
    - } [BIT](#)
} [TIORL](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TTGE](#): 1
    - unsigned [char](#): 2
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIED](#): 1
    - unsigned char [TGIEC](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
    - } [BIT](#)
} [TIER](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 3
    - unsigned char [TCFV](#): 1
    - unsigned char [TGFD](#): 1
    - unsigned char [TGFC](#): 1
    - unsigned char [TGFB](#): 1
    - unsigned char [TGFA](#): 1

```

 } BIT
} TSR

```

- unsigned short [TCNT](#)
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)
- unsigned short [TGRC](#)
- unsigned short [TGRD](#)

### 5.1760.1 Detailed Description

Definition at line [34878](#) of file [iodefne.h](#).

### 5.1760.2 Field Documentation

#### 5.1760.2.1 [union]

```
union { ... } st_tpu3_t::NFCR
```

#### 5.1760.2.2 TCNT

```
unsigned short st_tpu3_t::TCNT
```

Definition at line [35006](#) of file [iodefne.h](#).

#### 5.1760.2.3 [union]

```
union { ... } st_tpu3_t::TCR
```

#### 5.1760.2.4 TGRA

```
unsigned short st_tpu3_t::TGRA
```

Definition at line [35007](#) of file [iodefne.h](#).

#### 5.1760.2.5 TGRB

```
unsigned short st_tpu3_t::TGRB
```

Definition at line [35008](#) of file [iodefne.h](#).

#### 5.1760.2.6 TGRC

```
unsigned short st_tpu3_t::TGRC
```

Definition at line [35009](#) of file [iodefne.h](#).

## 5.1760.2.7 TGRD

unsigned short st\_tpu3\_t::TGRD

Definition at line [35010](#) of file [iodefne.h](#).

## 5.1760.2.8 [union]

union { ... } st\_tpu3\_t::TIER

## 5.1760.2.9 [union]

union { ... } st\_tpu3\_t::TIORH

## 5.1760.2.10 [union]

union { ... } st\_tpu3\_t::TIORL

## 5.1760.2.11 [union]

union { ... } st\_tpu3\_t::TMDR

## 5.1760.2.12 [union]

union { ... } st\_tpu3\_t::TSR

## 5.1760.2.13 wk0

char st\_tpu3\_t::wk0[1]

Definition at line [34879](#) of file [iodefne.h](#).

## 5.1760.2.14 wk1

char st\_tpu3\_t::wk1[52]

Definition at line [34901](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1761 st\_tpu3\_t.NFCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [NFCS](#): 2
  - unsigned char [NFDEN](#): 1
  - unsigned char [NFCEN](#): 1
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.1761.1 Detailed Description

Definition at line [34880](#) of file [iodefine.h](#).

### 5.1761.2 Field Documentation

#### 5.1761.2.1 BIT

#### 5.1761.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1762 st\_tpu3\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [CCLR](#): 3
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.1762.1 Detailed Description

Definition at line [34902](#) of file [iodefine.h](#).

### 5.1762.2 Field Documentation

#### 5.1762.2.1 BIT

#### 5.1762.2.2 BYTE

The documentation for this union was generated from the following files:



## 5.1763 st\_tpu3\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned [char](#): 2
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIED](#): 1
  - unsigned char [TGIEC](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.1763.1 Detailed Description

Definition at line [34962](#) of file [iodefine.h](#).

### 5.1763.2 Field Documentation

#### 5.1763.2.1 BIT

#### 5.1763.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1764 st\_tpu3\_t.TIORH Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)

### 5.1764.1 Detailed Description

Definition at line [34936](#) of file [iodefine.h](#).

### 5.1764.2 Field Documentation

#### 5.1764.2.1 BIT

#### 5.1764.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1765 st\_tpu3\_t.TIORL Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOD](#): 4
  - unsigned char [IOC](#): 4
- } [BIT](#)

### 5.1765.1 Detailed Description

Definition at line [34949](#) of file [iodefne.h](#).

### 5.1765.2 Field Documentation

#### 5.1765.2.1 BIT

#### 5.1765.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1766 st\_tpu3\_t.TMDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [ICSELD](#): 1
  - unsigned char [ICSELB](#): 1
  - unsigned char [BFB](#): 1
  - unsigned char [BFA](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.1766.1 Detailed Description

Definition at line [34917](#) of file [iodefne.h](#).

### 5.1766.2 Field Documentation

#### 5.1766.2.1 BIT

#### 5.1766.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1767 st\_tpu3\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFV](#): 1
  - unsigned char [TGFD](#): 1
  - unsigned char [TGFC](#): 1
  - unsigned char [TGFB](#): 1
  - unsigned char [TGFA](#): 1
- } [BIT](#)

### 5.1767.1 Detailed Description

Definition at line [34985](#) of file [iodefne.h](#).

### 5.1767.2 Field Documentation

#### 5.1767.2.1 BIT


#### 5.1767.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1768 st\_tpu4\_t Struct Reference

#include <iodefne.h>

Collaboration diagram for st\_tpu4\_t:



#### Data Fields

- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char: 2
    - unsigned char `NFCS`: 2
    - unsigned char `NFBEN`: 1
    - unsigned char `NFAEN`: 1
    - } `BIT`
- } `NFCR`
- char `wk0` [67]
- union {
  - unsigned char `BYTE`
  - struct {
    - unsigned char: 1
    - unsigned char `CCLR`: 2
    - unsigned char `CKEG`: 2
    - unsigned char `TPSC`: 3
    - } `BIT`
- } `TCR`

- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [ICSELB](#): 1
    - unsigned char [MD](#): 4
    - } [BIT](#)
- } [TMDR](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
    - } [BIT](#)
- } [TIOR](#)
  
- char [wk1](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TTGE](#): 1
    - unsigned [char](#): 1
    - unsigned char [TCIEU](#): 1
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
    - } [BIT](#)
- } [TIER](#)
  
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TCFD](#): 1
    - unsigned [char](#): 1
    - unsigned char [TCFU](#): 1
    - unsigned char [TCFV](#): 1
    - unsigned char [TGFB](#): 1
    - unsigned char [TGFA](#): 1
    - } [BIT](#)
- } [TSR](#)
  
- unsigned short [TCNT](#)
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)

## 5.1768.1 Detailed Description

Definition at line [35013](#) of file [iodefine.h](#).

## 5.1768.2 Field Documentation

### 5.1768.2.1 [union]

union { ... } st\_tpu4\_t::NFCR

### 5.1768.2.2 TCNT

unsigned short st\_tpu4\_t::TCNT

Definition at line [35128](#) of file [iodefine.h](#).

### 5.1768.2.3 [union]

union { ... } st\_tpu4\_t::TCR

### 5.1768.2.4 TGRA

unsigned short st\_tpu4\_t::TGRA

Definition at line [35129](#) of file [iodefine.h](#).

### 5.1768.2.5 TGRB

unsigned short st\_tpu4\_t::TGRB

Definition at line [35130](#) of file [iodefine.h](#).

### 5.1768.2.6 [union]

union { ... } st\_tpu4\_t::TIER

### 5.1768.2.7 [union]

union { ... } st\_tpu4\_t::TIOR

### 5.1768.2.8 [union]

union { ... } st\_tpu4\_t::TMDR

### 5.1768.2.9 [union]

union { ... } st\_tpu4\_t::TSR

### 5.1768.2.10 wk0

char st\_tpu4\_t::wk0[67]

Definition at line [35033](#) of file [iodefine.h](#).

## 5.1768.2.11 wk1

```
char st_tpu4_t::wk1[1]
```

Definition at line [35081](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1769 st\_tpu4\_t.NFCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [NFCS](#): 2
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

## 5.1769.1 Detailed Description

Definition at line [35014](#) of file [iodefne.h](#).

## 5.1769.2 Field Documentation

## 5.1769.2.1 BIT

## 5.1769.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1770 st\_tpu4\_t.TCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [CCLR](#): 2
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.1770.1 Detailed Description

Definition at line [35034](#) of file [iodefine.h](#).

### 5.1770.2 Field Documentation

#### 5.1770.2.1 BIT

#### 5.1770.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1771 st\_tpu4\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TTGE](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCIEU](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.1771.1 Detailed Description

Definition at line [35082](#) of file [iodefine.h](#).

### 5.1771.2 Field Documentation

#### 5.1771.2.1 BIT

#### 5.1771.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1772 st\_tpu4\_t.TIOR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [IOB](#): 4
  - unsigned char [IOA](#): 4
- } [BIT](#)



### 5.1772.1 Detailed Description

Definition at line [35068](#) of file [iodefne.h](#).

### 5.1772.2 Field Documentation

#### 5.1772.2.1 BIT

#### 5.1772.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1773 st\_tpu4\_t.TMDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [ICSELB](#): 1
  - unsigned char [MD](#): 4
- } [BIT](#)

### 5.1773.1 Detailed Description

Definition at line [35051](#) of file [iodefne.h](#).

### 5.1773.2 Field Documentation

#### 5.1773.2.1 BIT

#### 5.1773.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1774 st\_tpu4\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCFU](#): 1
  - unsigned char [TCFV](#): 1
  - unsigned char [TGFB](#): 1
  - unsigned char [TGFA](#): 1
- } [BIT](#)

### 5.1774.1 Detailed Description

Definition at line [35105](#) of file [iodefine.h](#).

### 5.1774.2 Field Documentation

#### 5.1774.2.1 BIT


#### 5.1774.2.2 BYTE

The documentation for this union was generated from the following files:

### 5.1775 st\_tpu5\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_tpu5\_t:



## Data Fields

- char [wk0](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [NFCS](#): 2
    - unsigned char [NFBEN](#): 1
    - unsigned char [NFAEN](#): 1
  - } [BIT](#)
  - } [NFCR](#)
- char [wk1](#) [82]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [CCLR](#): 2
    - unsigned char [CKEG](#): 2
    - unsigned char [TPSC](#): 3
  - } [BIT](#)
  - } [TCR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 1
    - unsigned char [ICSELB](#): 1
    - unsigned char [MD](#): 4
  - } [BIT](#)
  - } [TMDR](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [IOB](#): 4
    - unsigned char [IOA](#): 4
  - } [BIT](#)
  - } [TIOR](#)
- char [wk2](#) [1]
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned [char](#): 2
    - unsigned char [TCIEU](#): 1
    - unsigned char [TCIEV](#): 1
    - unsigned char [TGIEB](#): 1
    - unsigned char [TGIEA](#): 1
  - } [BIT](#)
  - } [TIER](#)
- union {
  - unsigned char [BYTE](#)
  - struct {
    - unsigned char [TCFD](#): 1
    - unsigned [char](#): 1

```

 unsigned char TCFU: 1
 unsigned char TCFV: 1
 unsigned char TGFB: 1
 unsigned char TGFA: 1
 } BIT
} TSR

```

- unsigned short [TCNT](#)
- unsigned short [TGRA](#)
- unsigned short [TGRB](#)

### 5.1775.1 Detailed Description

Definition at line [35133](#) of file [iodefine.h](#).

### 5.1775.2 Field Documentation

#### 5.1775.2.1 [union]

```
union { ... } st_tpu5_t::NFCR
```

#### 5.1775.2.2 TCNT

```
unsigned short st_tpu5_t::TCNT
```

Definition at line [35247](#) of file [iodefine.h](#).

#### 5.1775.2.3 [union]

```
union { ... } st_tpu5_t::TCR
```

#### 5.1775.2.4 TGRA

```
unsigned short st_tpu5_t::TGRA
```

Definition at line [35248](#) of file [iodefine.h](#).

#### 5.1775.2.5 TGRB

```
unsigned short st_tpu5_t::TGRB
```

Definition at line [35249](#) of file [iodefine.h](#).

#### 5.1775.2.6 [union]

```
union { ... } st_tpu5_t::TIER
```

## 5.1775.2.7 [union]

```
union { ... } st_tpu5_t::TIOR
```

## 5.1775.2.8 [union]

```
union { ... } st_tpu5_t::TMDR
```

## 5.1775.2.9 [union]

```
union { ... } st_tpu5_t::TSR
```

## 5.1775.2.10 wk0

```
char st_tpu5_t::wk0[1]
```

Definition at line [35134](#) of file [iodefne.h](#).

## 5.1775.2.11 wk1

```
char st_tpu5_t::wk1[82]
```

Definition at line [35154](#) of file [iodefne.h](#).

## 5.1775.2.12 wk2

```
char st_tpu5_t::wk2[1]
```

Definition at line [35202](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1776 st\_tpu5\_t.NFCR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [NFCS](#): 2
  - unsigned char [NFBEN](#): 1
  - unsigned char [NFAEN](#): 1
- } [BIT](#)

### 5.1776.1 Detailed Description

Definition at line [35135](#) of file [iodefine.h](#).

### 5.1776.2 Field Documentation

#### 5.1776.2.1 BIT

#### 5.1776.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1777 st\_tpu5\_t.TCR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 1
  - unsigned char [CCLR](#): 2
  - unsigned char [CKEG](#): 2
  - unsigned char [TPSC](#): 3
- } [BIT](#)

### 5.1777.1 Detailed Description

Definition at line [35155](#) of file [iodefine.h](#).

### 5.1777.2 Field Documentation

#### 5.1777.2.1 BIT

#### 5.1777.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1778 st\_tpu5\_t.TIER Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [TCIEU](#): 1
  - unsigned char [TCIEV](#): 1
  - unsigned char [TGIEB](#): 1
  - unsigned char [TGIEA](#): 1
- } [BIT](#)

### 5.1778.1 Detailed Description

Definition at line [35203](#) of file [iodefne.h](#).

### 5.1778.2 Field Documentation

#### 5.1778.2.1 BIT

#### 5.1778.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1779 st\_tpu5\_t.TIOR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned char [IOB](#): 4  
  unsigned char [IOA](#): 4  
} [BIT](#)

### 5.1779.1 Detailed Description

Definition at line [35189](#) of file [iodefne.h](#).

### 5.1779.2 Field Documentation

#### 5.1779.2.1 BIT

#### 5.1779.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1780 st\_tpu5\_t.TMDR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {  
  unsigned [char](#): 1  
  unsigned char [ICSELB](#): 1  
  unsigned char [MD](#): 4  
} [BIT](#)

### 5.1780.1 Detailed Description

Definition at line [35172](#) of file [iodefne.h](#).

### 5.1780.2 Field Documentation

#### 5.1780.2.1 BIT

#### 5.1780.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1781 st\_tpu5\_t.TSR Union Reference

### Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned char [TCFD](#): 1
  - unsigned [char](#): 1
  - unsigned char [TCFU](#): 1
  - unsigned char [TCFV](#): 1
  - unsigned char [TGFB](#): 1
  - unsigned char [TGFA](#): 1
- } [BIT](#)

### 5.1781.1 Detailed Description

Definition at line [35224](#) of file [iodefne.h](#).

### 5.1781.2 Field Documentation

#### 5.1781.2.1 BIT

#### 5.1781.2.2 BYTE


The documentation for this union was generated from the following files:



## 5.1782 st\_tpua\_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st\_tpua\_t:



### Data Fields

- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 2  
     unsigned char [CST5](#): 1  
     unsigned char [CST4](#): 1  
     unsigned char [CST3](#): 1  
     unsigned char [CST2](#): 1  
     unsigned char [CST1](#): 1  
     unsigned char [CST0](#): 1  
   } [BIT](#)  
  } [TSTR](#)
- union {  
   unsigned char [BYTE](#)  
   struct {  
     unsigned [char](#): 2  
     unsigned char [SYNC5](#): 1  
     unsigned char [SYNC4](#): 1  
     unsigned char [SYNC3](#): 1  
     unsigned char [SYNC2](#): 1  
     unsigned char [SYNC1](#): 1  
     unsigned char [SYNC0](#): 1  
   } [BIT](#)  
  } [TSYR](#)

### 5.1782.1 Detailed Description

Definition at line [35252](#) of file [iodefine.h](#).

### 5.1782.2 Field Documentation

#### 5.1782.2.1 [union]

union { ... } st\_tpua\_t::TSTR

## 5.1782.2.2 [union]

```
union { ... } st_tpua_t::TSYR
```

The documentation for this struct was generated from the following file:

- [pwm\\_test\\_fit/iodefne.h](#)

## 5.1783 st\_tpua\_t.TSTR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [CST5](#): 1
  - unsigned char [CST4](#): 1
  - unsigned char [CST3](#): 1
  - unsigned char [CST2](#): 1
  - unsigned char [CST1](#): 1
  - unsigned char [CST0](#): 1
- } [BIT](#)

## 5.1783.1 Detailed Description

Definition at line [35253](#) of file [iodefne.h](#).

## 5.1783.2 Field Documentation

## 5.1783.2.1 BIT

## 5.1783.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1784 st\_tpua\_t.TSYR Union Reference

## Data Fields

- unsigned char [BYTE](#)
- struct {
  - unsigned [char](#): 2
  - unsigned char [SYNC5](#): 1
  - unsigned char [SYNC4](#): 1
  - unsigned char [SYNC3](#): 1
  - unsigned char [SYNC2](#): 1
  - unsigned char [SYNC1](#): 1
  - unsigned char [SYNC0](#): 1
- } [BIT](#)

### 5.1784.1 Detailed Description

Definition at line [35276](#) of file [iodefne.h](#).

### 5.1784.2 Field Documentation

#### 5.1784.2.1 BIT


#### 5.1784.2.2 BYTE

The documentation for this union was generated from the following files:

## 5.1785 st\_usb0\_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st\_usb0\_t:



- 
- Generated by Doxygen

```

 unsigned short USBE: 1
 } BIT
} SYSCFG

• char wk0 [2]
• union {
 unsigned short WORD
 struct {
 unsigned short OVCMON: 2
 unsigned short: 7
 unsigned short HTACT: 1
 unsigned short SOFEA: 1
 unsigned short IDMON: 1
 unsigned short LNST: 2
 } BIT
} SYSSTS0

• char wk1 [2]
• union {
 unsigned short WORD
 struct {
 unsigned short: 4
 unsigned short HNPBTOA: 1
 unsigned short EXICEN: 1
 unsigned short VBUSEN: 1
 unsigned short WKUP: 1
 unsigned short RWUPE: 1
 unsigned short USBRST: 1
 unsigned short RESUME: 1
 unsigned short UACT: 1
 unsigned short RHST: 3
 } BIT
} DVSTCTR0

• char wk2 [10]
• union {
 unsigned short WORD
 struct {
 unsigned char L
 unsigned char H
 } BYTE
} CFIFO

• char wk3 [2]
• union {
 unsigned short WORD
 struct {
 unsigned char L
 unsigned char H
 } BYTE
} D0FIFO

• char wk4 [2]
• union {
 unsigned short WORD
 struct {
 unsigned char L
 unsigned char H

```

```

 } BYTE
} D1FIFO

```

- char [wk5](#) [2]
- union {
  - unsigned short [WORD](#)
    - struct {
      - unsigned short [RCNT](#): 1
      - unsigned short [REW](#): 1
      - unsigned [short](#): 3
      - unsigned short [MBW](#): 1
      - unsigned short [BIGEND](#): 1
      - unsigned short [ISEL](#): 1
      - unsigned short [CURPIPE](#): 4
  - } [BIT](#)
- } [CFIFOSEL](#)

- union {
  - unsigned short [WORD](#)
    - struct {
      - unsigned short [BVAL](#): 1
      - unsigned short [BCLR](#): 1
      - unsigned short [FRDY](#): 1
      - unsigned [short](#): 4
      - unsigned short [DTLN](#): 9
    - } [BIT](#)
  - } [CFIFOCTR](#)

- char [wk6](#) [4]
- union {
  - unsigned short [WORD](#)
    - struct {
      - unsigned short [RCNT](#): 1
      - unsigned short [REW](#): 1
      - unsigned short [DCLRM](#): 1
      - unsigned short [DREQE](#): 1
      - unsigned [short](#): 1
      - unsigned short [MBW](#): 1
      - unsigned short [BIGEND](#): 1
      - unsigned short [CURPIPE](#): 4
    - } [BIT](#)
  - } [D0FIFOSEL](#)

- union {
  - unsigned short [WORD](#)
    - struct {
      - unsigned short [BVAL](#): 1
      - unsigned short [BCLR](#): 1
      - unsigned short [FRDY](#): 1
      - unsigned [short](#): 4
      - unsigned short [DTLN](#): 9
    - } [BIT](#)
  - } [D0FIFOCTR](#)

- union {
  - unsigned short [WORD](#)
    - struct {
      - unsigned short [RCNT](#): 1

- ```

    unsigned short REW: 1
    unsigned short DCLRM: 1
    unsigned short DREQE: 1
    unsigned short: 1
    unsigned short MBW: 1
    unsigned short BIGEND: 1
    unsigned short CURPIPE: 4
    } BIT
} D1FIFOSEL

```
- union {


```

        unsigned short WORD
        struct {
          unsigned short BVAL: 1
          unsigned short BCLR: 1
          unsigned short FRDY: 1
          unsigned short: 4
          unsigned short DTLN: 9
        } BIT
      } D1FIFOCTR

```
 - union {


```

        unsigned short WORD
        struct {
          unsigned short VBSE: 1
          unsigned short RSME: 1
          unsigned short SOFE: 1
          unsigned short DVSE: 1
          unsigned short CTRE: 1
          unsigned short BEMPE: 1
          unsigned short NRDYE: 1
          unsigned short BRDYE: 1
          unsigned short: 8
        } BIT
      } INTENB0

```
 - union {


```

        unsigned short WORD
        struct {
          unsigned short OVRCRE: 1
          unsigned short BCHGE: 1
          unsigned short: 1
          unsigned short DTCHE: 1
          unsigned short ATTCHE: 1
          unsigned short EOFERRE: 1
          unsigned short SIGNE: 1
          unsigned short SACKE: 1
        } BIT
      } INTENB1

```
 - char [wk7](#) [2]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 6
          unsigned short PIPE9BRDYE: 1
          unsigned short PIPE8BRDYE: 1
          unsigned short PIPE7BRDYE: 1

```

- ```

unsigned short PIPE6BRDYE: 1
unsigned short PIPE5BRDYE: 1
unsigned short PIPE4BRDYE: 1
unsigned short PIPE3BRDYE: 1
unsigned short PIPE2BRDYE: 1
unsigned short PIPE1BRDYE: 1
unsigned short PIPE0BRDYE: 1
 } BIT
} BRDYENB

```
- union {
 

```

unsigned short WORD
 struct {
unsigned short: 6
unsigned short PIPE9NRDYE: 1
unsigned short PIPE8NRDYE: 1
unsigned short PIPE7NRDYE: 1
unsigned short PIPE6NRDYE: 1
unsigned short PIPE5NRDYE: 1
unsigned short PIPE4NRDYE: 1
unsigned short PIPE3NRDYE: 1
unsigned short PIPE2NRDYE: 1
unsigned short PIPE1NRDYE: 1
unsigned short PIPE0NRDYE: 1
 } BIT
 } NRDYENB

```
  - union {
 

```

unsigned short WORD
 struct {
unsigned short: 6
unsigned short PIPE9BEMPE: 1
unsigned short PIPE8BEMPE: 1
unsigned short PIPE7BEMPE: 1
unsigned short PIPE6BEMPE: 1
unsigned short PIPE5BEMPE: 1
unsigned short PIPE4BEMPE: 1
unsigned short PIPE3BEMPE: 1
unsigned short PIPE2BEMPE: 1
unsigned short PIPE1BEMPE: 1
unsigned short PIPE0BEMPE: 1
 } BIT
 } BEMPENB

```
  - union {
 

```

unsigned short WORD
 struct {
unsigned short: 7
unsigned short TRNENSEL: 1
unsigned short BRDYM: 1
unsigned short EDGESTS: 1
 } BIT
 } SOFCFG

```
  - char wk8 [2]
  - union {
 

```

unsigned short WORD
 struct {

```



- ```

    unsigned short VBINT: 1
    unsigned short RESM: 1
    unsigned short SOFR: 1
    unsigned short DVST: 1
    unsigned short CTRT: 1
    unsigned short BEMP: 1
    unsigned short NRDY: 1
    unsigned short BRDY: 1
    unsigned short VBSTS: 1
    unsigned short DVSQ: 3
    unsigned short VALID: 1
    unsigned short CTSQ: 3
    } BIT
} INTSTS0

```
- union {


```

        unsigned short WORD
        struct {
          unsigned short OVRCR: 1
          unsigned short BCHG: 1
          unsigned short: 1
          unsigned short DTCH: 1
          unsigned short ATTCH: 1
          unsigned short EOFERR: 1
          unsigned short SIGN: 1
          unsigned short SACK: 1
        } BIT
      } INTSTS1

```
 - char wk9 [2]
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 6
          unsigned short PIPE9BRDY: 1
          unsigned short PIPE8BRDY: 1
          unsigned short PIPE7BRDY: 1
          unsigned short PIPE6BRDY: 1
          unsigned short PIPE5BRDY: 1
          unsigned short PIPE4BRDY: 1
          unsigned short PIPE3BRDY: 1
          unsigned short PIPE2BRDY: 1
          unsigned short PIPE1BRDY: 1
          unsigned short PIPE0BRDY: 1
        } BIT
      } BRDYSTS

```
 - union {


```

        unsigned short WORD
        struct {
          unsigned short: 6
          unsigned short PIPE9NRDY: 1
          unsigned short PIPE8NRDY: 1
          unsigned short PIPE7NRDY: 1
          unsigned short PIPE6NRDY: 1
          unsigned short PIPE5NRDY: 1
          unsigned short PIPE4NRDY: 1
          unsigned short PIPE3NRDY: 1

```

- ```

 unsigned short PIPE2NRDY: 1
 unsigned short PIPE1NRDY: 1
 unsigned short PIPE0NRDY: 1
 } BIT
} NRDYSTS

```
- union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 6
 unsigned short PIPE9BEMP: 1
 unsigned short PIPE8BEMP: 1
 unsigned short PIPE7BEMP: 1
 unsigned short PIPE6BEMP: 1
 unsigned short PIPE5BEMP: 1
 unsigned short PIPE4BEMP: 1
 unsigned short PIPE3BEMP: 1
 unsigned short PIPE2BEMP: 1
 unsigned short PIPE1BEMP: 1
 unsigned short PIPE0BEMP: 1
 } BIT
 } BEMPSTS

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short OVRN: 1
 unsigned short CRCE: 1
 unsigned short: 3
 unsigned short FRNM: 11
 } BIT
 } FRMNUM

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short DVCHG: 1
 unsigned short: 15
 } BIT
 } DVCHGR

```
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short: 4
 unsigned short STSRECOV: 4
 unsigned short USBADDR: 7
 } BIT
 } USBADDR

```
  - char wk10 [2]
  - union {
 

```

 unsigned short WORD
 struct {
 unsigned short BREQUEST: 8
 unsigned short BMREQUESTTYPE: 8
 } BIT
 } USBREQ

```

- unsigned short [USBVAL](#)
- unsigned short [USBINDX](#)
- unsigned short [USBLENG](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 8
    - unsigned short [SHTNAK](#): 1
    - unsigned short [DIR](#): 1
    - } [BIT](#)
- } [DCPCFG](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [DEVSEL](#): 4
    - unsigned [short](#): 5
    - unsigned short [MXPS](#): 7
    - } [BIT](#)
- } [DCPMAXP](#)
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [BSTS](#): 1
    - unsigned short [SUREQ](#): 1
    - unsigned [short](#): 2
    - unsigned short [SUREQCLR](#): 1
    - unsigned short [SQCLR](#): 1
    - unsigned short [SQSET](#): 1
    - unsigned short [SQMON](#): 1
    - unsigned short [PBUSY](#): 1
    - unsigned short [CCPL](#): 1
    - unsigned short [PID](#): 2
    - } [BIT](#)
- } [DCPCTR](#)
- char [wk11](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned [short](#): 12
    - unsigned short [PIPESEL](#): 4
    - } [BIT](#)
- } [PIPESEL](#)
- char [wk12](#) [2]
- union {
  - unsigned short [WORD](#)
  - struct {
    - unsigned short [TYPE](#): 2
    - unsigned [short](#): 3
    - unsigned short [BFRE](#): 1
    - unsigned short [DBLB](#): 1
    - unsigned short [SHTNAK](#): 1
    - unsigned short [DIR](#): 1
    - unsigned short [EPNUM](#): 4

- ```

    } BIT
} PIPECFG

```
- char [wk13](#) [2]
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned short [DEVSEL](#): 4
 unsigned [short](#): 3
 unsigned short [MXPS](#): 9
 } [BIT](#)
 } [PIPEMAXP](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned [short](#): 3
 unsigned short [IFIS](#): 1
 unsigned short [IITV](#): 3
 } [BIT](#)
 } [PIPEPERI](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned short [BSTS](#): 1
 unsigned short [INBUFM](#): 1
 unsigned [short](#): 3
 unsigned short [ATREPM](#): 1
 unsigned short [ACLRM](#): 1
 unsigned short [SQCLR](#): 1
 unsigned short [SQSET](#): 1
 unsigned short [SQMON](#): 1
 unsigned short [PBUSY](#): 1
 unsigned short [PID](#): 2
 } [BIT](#)
 } [PIPE1CTR](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned short [BSTS](#): 1
 unsigned short [INBUFM](#): 1
 unsigned [short](#): 3
 unsigned short [ATREPM](#): 1
 unsigned short [ACLRM](#): 1
 unsigned short [SQCLR](#): 1
 unsigned short [SQSET](#): 1
 unsigned short [SQMON](#): 1
 unsigned short [PBUSY](#): 1
 unsigned short [PID](#): 2
 } [BIT](#)
 } [PIPE2CTR](#)
 - union {
 unsigned short [WORD](#)
 struct {
 unsigned short [BSTS](#): 1

- unsigned short [INBUFM](#): 1
- unsigned [short](#): 3
- unsigned short [ATREPM](#): 1
- unsigned short [ACLRM](#): 1
- unsigned short [SQCLR](#): 1
- unsigned short [SQSET](#): 1
- unsigned short [SQMON](#): 1
- unsigned short [PBUSY](#): 1
- unsigned short [PID](#): 2
- } [BIT](#)
- } [PIPE3CTR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
 - } [BIT](#)
 - } [PIPE4CTR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
 - } [BIT](#)
 - } [PIPE5CTR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [BSTS](#): 1
 - unsigned [short](#): 5
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
 - } [BIT](#)
 - } [PIPE6CTR](#)

- union {
 unsigned short WORD
 struct {
 unsigned short BSTS: 1
 unsigned short: 5
 unsigned short ACLRM: 1
 unsigned short SQCLR: 1
 unsigned short SQSET: 1
 unsigned short SQMON: 1
 unsigned short PBUSY: 1
 unsigned short PID: 2
 } BIT
 } PIPE7CTR
- union {
 unsigned short WORD
 struct {
 unsigned short BSTS: 1
 unsigned short: 5
 unsigned short ACLRM: 1
 unsigned short SQCLR: 1
 unsigned short SQSET: 1
 unsigned short SQMON: 1
 unsigned short PBUSY: 1
 unsigned short PID: 2
 } BIT
 } PIPE8CTR
- union {
 unsigned short WORD
 struct {
 unsigned short BSTS: 1
 unsigned short: 5
 unsigned short ACLRM: 1
 unsigned short SQCLR: 1
 unsigned short SQSET: 1
 unsigned short SQMON: 1
 unsigned short PBUSY: 1
 unsigned short PID: 2
 } BIT
 } PIPE9CTR
- char wk14 [14]
- union {
 unsigned short WORD
 struct {
 unsigned short: 6
 unsigned short TRENb: 1
 unsigned short TRCLR: 1
 } BIT
 } PIPE1TRE
- unsigned short PIPE1TRN
- union {
 unsigned short WORD
 struct {
 unsigned short: 6
 unsigned short TRENb: 1
 }
 }

- unsigned short [TRCLR](#): 1
 - } [BIT](#)
 - } [PIPE2TRE](#)
- unsigned short [PIPE2TRN](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 6
 - unsigned short [TRENb](#): 1
 - unsigned short [TRCLR](#): 1
 - } [BIT](#)
 - } [PIPE3TRE](#)
- unsigned short [PIPE3TRN](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 6
 - unsigned short [TRENb](#): 1
 - unsigned short [TRCLR](#): 1
 - } [BIT](#)
 - } [PIPE4TRE](#)
- unsigned short [PIPE4TRN](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 6
 - unsigned short [TRENb](#): 1
 - unsigned short [TRCLR](#): 1
 - } [BIT](#)
 - } [PIPE5TRE](#)
- unsigned short [PIPE5TRN](#)
- char [wk15](#) [44]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)
 - } [DEVADD0](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)
 - } [DEVADD1](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)

- } [DEVADD2](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)
 - } [DEVADD3](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)
 - } [DEVADD4](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
 - } [BIT](#)
 - } [DEVADD5](#)
- char [wk16](#) [20]
- union {
 - unsigned long [LONG](#)
 - struct {
 - unsigned [long](#): 28
 - unsigned long [SLEWF01](#): 1
 - unsigned long [SLEWF00](#): 1
 - unsigned long [SLEWR01](#): 1
 - unsigned long [SLEWR00](#): 1
 - } [BIT](#)
- } [PHYSLEW](#)

5.1785.1 Detailed Description

Definition at line [35382](#) of file [iodefine.h](#).

5.1785.2 Field Documentation

5.1785.2.1 [union]

```
union { ... } st_usb0_t::BEMPENB
```

5.1785.2.2 [union]

```
union { ... } st_usb0_t::BEMPSTS
```


5.1785.2.3 [union]

```
union { ... } st_usb0_t::BRDYENB
```

5.1785.2.4 [union]

```
union { ... } st_usb0_t::BRDYSTS
```

5.1785.2.5 [union]

```
union { ... } st_usb0_t::CFIFO
```

5.1785.2.6 [union]

```
union { ... } st_usb0_t::CFIFOCTR
```

5.1785.2.7 [union]

```
union { ... } st_usb0_t::CFIFOSEL
```

5.1785.2.8 [union]

```
union { ... } st_usb0_t::D0FIFO
```

5.1785.2.9 [union]

```
union { ... } st_usb0_t::D0FIFOCTR
```

5.1785.2.10 [union]

```
union { ... } st_usb0_t::D0FIFOSEL
```

5.1785.2.11 [union]

```
union { ... } st_usb0_t::D1FIFO
```

5.1785.2.12 [union]

```
union { ... } st_usb0_t::D1FIFOCTR
```

5.1785.2.13 [union]

```
union { ... } st_usb0_t::D1FIFOSEL
```

5.1785.2.14 [union]

```
union { ... } st_usb0_t::DCPCFG
```

5.1785.2.15 [union]

```
union { ... } st_usb0_t::DCPCTR
```

5.1785.2.16 [union]

```
union { ... } st_usb0_t::DCPMAXP
```

5.1785.2.17 [union]

```
union { ... } st_usb0_t::DEVADD0
```

5.1785.2.18 [union]

```
union { ... } st_usb0_t::DEVADD1
```

5.1785.2.19 [union]

```
union { ... } st_usb0_t::DEVADD2
```

5.1785.2.20 [union]

```
union { ... } st_usb0_t::DEVADD3
```

5.1785.2.21 [union]

```
union { ... } st_usb0_t::DEVADD4
```

5.1785.2.22 [union]

```
union { ... } st_usb0_t::DEVADD5
```

5.1785.2.23 [union]

```
union { ... } st_usb0_t::DVCHGR
```

5.1785.2.24 [union]

```
union { ... } st_usb0_t::DVSTCTR0
```

5.1785.2.25 [union]

```
union { ... } st_usb0_t::FRMNUM
```

5.1785.2.26 [union]

```
union { ... } st_usb0_t::INTENB0
```

5.1785.2.27 [union]

```
union { ... } st_usb0_t::INTENB1
```

5.1785.2.28 [union]

```
union { ... } st_usb0_t::INTSTS0
```

5.1785.2.29 [union]

```
union { ... } st_usb0_t::INTSTS1
```

5.1785.2.30 [union]

```
union { ... } st_usb0_t::NRDYENB
```

5.1785.2.31 [union]

```
union { ... } st_usb0_t::NRDYSTS
```

5.1785.2.32 [union]

```
union { ... } st_usb0_t::PHYSLEW
```

5.1785.2.33 [union]

```
union { ... } st_usb0_t::PIPE1CTR
```

5.1785.2.34 [union]

```
union { ... } st_usb0_t::PIPE1TRE
```

5.1785.2.35 PIPE1TRN

```
unsigned short st_usb0_t::PIPE1TRN
```

Definition at line [36451](#) of file [iodefine.h](#).

5.1785.2.36 [union]

```
union { ... } st_usb0_t::PIPE2CTR
```

5.1785.2.37 [union]

```
union { ... } st_usb0_t::PIPE2TRE
```

5.1785.2.38 PIPE2TRN

```
unsigned short st_usb0_t::PIPE2TRN
```

Definition at line [36469](#) of file [iodefine.h](#).

5.1785.2.39 [union]

```
union { ... } st_usb0_t::PIPE3CTR
```

5.1785.2.40 [union]

```
union { ... } st_usb0_t::PIPE3TRE
```

5.1785.2.41 PIPE3TRN

```
unsigned short st_usb0_t::PIPE3TRN
```

Definition at line [36487](#) of file [iodefine.h](#).

5.1785.2.42 [union]

```
union { ... } st_usb0_t::PIPE4CTR
```

5.1785.2.43 [union]

```
union { ... } st_usb0_t::PIPE4TRE
```

5.1785.2.44 PIPE4TRN

```
unsigned short st_usb0_t::PIPE4TRN
```

Definition at line [36505](#) of file [iodefne.h](#).

5.1785.2.45 [union]

```
union { ... } st_usb0_t::PIPE5CTR
```

5.1785.2.46 [union]

```
union { ... } st_usb0_t::PIPE5TRE
```

5.1785.2.47 PIPE5TRN

```
unsigned short st_usb0_t::PIPE5TRN
```

Definition at line [36523](#) of file [iodefne.h](#).

5.1785.2.48 [union]

```
union { ... } st_usb0_t::PIPE6CTR
```

5.1785.2.49 [union]

```
union { ... } st_usb0_t::PIPE7CTR
```

5.1785.2.50 [union]

```
union { ... } st_usb0_t::PIPE8CTR
```

5.1785.2.51 [union]

```
union { ... } st_usb0_t::PIPE9CTR
```

5.1785.2.52 [union]

```
union { ... } st_usb0_t::PIPECFG
```

5.1785.2.53 [union]

```
union { ... } st_usb0_t::PIPEMAXP
```

5.1785.2.54 [union]

```
union { ... } st_usb0_t::PIPEPERI
```

5.1785.2.55 [union]

```
union { ... } st_usb0_t::PIPESEL
```

5.1785.2.56 [union]

```
union { ... } st_usb0_t::SOFCFG
```

5.1785.2.57 [union]

```
union { ... } st_usb0_t::SYSCFG
```

5.1785.2.58 [union]

```
union { ... } st_usb0_t::SYSSTS0
```

5.1785.2.59 [union]

```
union { ... } st_usb0_t::USBADDR
```

5.1785.2.60 USBINDX

```
unsigned short st_usb0_t::USBINDX
```

Definition at line [36026](#) of file [iodefine.h](#).

5.1785.2.61 USBLENG

```
unsigned short st_usb0_t::USBLENG
```

Definition at line [36027](#) of file [iodefine.h](#).

5.1785.2.62 [union]

union { ... } st_usb0_t::USBREQ

5.1785.2.63 USBVAL

unsigned short st_usb0_t::USBVAL

Definition at line [36025](#) of file [iodefne.h](#).

5.1785.2.64 wk0

char st_usb0_t::wk0[2]

Definition at line [35408](#) of file [iodefne.h](#).

5.1785.2.65 wk1

char st_usb0_t::wk1[2]

Definition at line [35432](#) of file [iodefne.h](#).

5.1785.2.66 wk10

char st_usb0_t::wk10[2]

Definition at line [36011](#) of file [iodefne.h](#).

5.1785.2.67 wk11

char st_usb0_t::wk11[2]

Definition at line [36095](#) of file [iodefne.h](#).

5.1785.2.68 wk12

char st_usb0_t::wk12[2]

Definition at line [36109](#) of file [iodefne.h](#).

5.1785.2.69 wk13

char st_usb0_t::wk13[2]

Definition at line [36137](#) of file [iodefne.h](#).

5.1785.2.70 wk14

char st_usb0_t::wk14[14]

Definition at line [36433](#) of file [iodefne.h](#).

5.1785.2.71 wk15

char st_usb0_t::wk15[44]

Definition at line [36524](#) of file [iodefne.h](#).

5.1785.2.72 wk16

char st_usb0_t::wk16[20]

Definition at line [36615](#) of file [iodefne.h](#).

5.1785.2.73 wk2

char st_usb0_t::wk2[10]

Definition at line [35464](#) of file [iodefne.h](#).

5.1785.2.74 wk3

char st_usb0_t::wk3[2]

Definition at line [35472](#) of file [iodefne.h](#).

5.1785.2.75 wk4

char st_usb0_t::wk4[2]

Definition at line [35480](#) of file [iodefne.h](#).

5.1785.2.76 wk5

char st_usb0_t::wk5[2]

Definition at line [35488](#) of file [iodefne.h](#).

5.1785.2.77 wk6

char st_usb0_t::wk6[4]

Definition at line [35537](#) of file [iodefne.h](#).

5.1785.2.78 wk7

```
char st_usb0_t::wk7[2]
```

Definition at line [35690](#) of file [iodefne.h](#).

5.1785.2.79 wk8

```
char st_usb0_t::wk8[2]
```

Definition at line [35807](#) of file [iodefne.h](#).

5.1785.2.80 wk9

```
char st_usb0_t::wk9[2]
```

Definition at line [35870](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1786 st_usb0_t.BEMPENB Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9BEMPE](#): 1
 - unsigned short [PIPE8BEMPE](#): 1
 - unsigned short [PIPE7BEMPE](#): 1
 - unsigned short [PIPE6BEMPE](#): 1
 - unsigned short [PIPE5BEMPE](#): 1
 - unsigned short [PIPE4BEMPE](#): 1
 - unsigned short [PIPE3BEMPE](#): 1
 - unsigned short [PIPE2BEMPE](#): 1
 - unsigned short [PIPE1BEMPE](#): 1
 - unsigned short [PIPE0BEMPE](#): 1
- } [BIT](#)

5.1786.1 Detailed Description

Definition at line [35753](#) of file [iodefne.h](#).

5.1786.2 Field Documentation

5.1786.2.1 BIT

5.1786.2.2 WORD

The documentation for this union was generated from the following files:

5.1787 st_usb0_t.BEMPSTS Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9BEMP](#): 1
 - unsigned short [PIPE8BEMP](#): 1
 - unsigned short [PIPE7BEMP](#): 1
 - unsigned short [PIPE6BEMP](#): 1
 - unsigned short [PIPE5BEMP](#): 1
 - unsigned short [PIPE4BEMP](#): 1
 - unsigned short [PIPE3BEMP](#): 1
 - unsigned short [PIPE2BEMP](#): 1
 - unsigned short [PIPE1BEMP](#): 1
 - unsigned short [PIPE0BEMP](#): 1
- } [BIT](#)

5.1787.1 Detailed Description

Definition at line [35933](#) of file [iodefine.h](#).

5.1787.2 Field Documentation

5.1787.2.1 BIT

5.1787.2.2 WORD

The documentation for this union was generated from the following files:

5.1788 st_usb0_t.BRDYENB Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9BRDYE](#): 1
 - unsigned short [PIPE8BRDYE](#): 1
 - unsigned short [PIPE7BRDYE](#): 1
 - unsigned short [PIPE6BRDYE](#): 1
 - unsigned short [PIPE5BRDYE](#): 1
 - unsigned short [PIPE4BRDYE](#): 1
 - unsigned short [PIPE3BRDYE](#): 1
 - unsigned short [PIPE2BRDYE](#): 1
 - unsigned short [PIPE1BRDYE](#): 1
 - unsigned short [PIPE0BRDYE](#): 1
- } [BIT](#)

5.1788.1 Detailed Description

Definition at line [35691](#) of file [iodefine.h](#).

5.1788.2 Field Documentation

5.1788.2.1 BIT

5.1788.2.2 WORD

The documentation for this union was generated from the following files:

5.1789 st_usb0_t.BRDYSTS Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9BRDY](#): 1
 - unsigned short [PIPE8BRDY](#): 1
 - unsigned short [PIPE7BRDY](#): 1
 - unsigned short [PIPE6BRDY](#): 1
 - unsigned short [PIPE5BRDY](#): 1
 - unsigned short [PIPE4BRDY](#): 1
 - unsigned short [PIPE3BRDY](#): 1
 - unsigned short [PIPE2BRDY](#): 1
 - unsigned short [PIPE1BRDY](#): 1
 - unsigned short [PIPE0BRDY](#): 1
- } [BIT](#)

5.1789.1 Detailed Description

Definition at line [35871](#) of file [iodefine.h](#).

5.1789.2 Field Documentation

5.1789.2.1 BIT

5.1789.2.2 WORD

The documentation for this union was generated from the following files:

5.1790 st_usb0_t.CFIFO Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned char [L](#)
 - unsigned char [H](#)
- } [BYTE](#)

5.1790.1 Detailed Description

Definition at line [35465](#) of file [iodefine.h](#).

5.1790.2 Field Documentation

5.1790.2.1 BYTE

5.1790.2.2 WORD

The documentation for this union was generated from the following files:

5.1791 st_usb0_t.CFIFOCTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BVAL](#): 1
 - unsigned short [BCLR](#): 1
 - unsigned short [FRDY](#): 1
 - unsigned [short](#): 4
 - unsigned short [DTLN](#): 9
- } [BIT](#)

5.1791.1 Detailed Description

Definition at line [35518](#) of file [iodefne.h](#).

5.1791.2 Field Documentation

5.1791.2.1 BIT

5.1791.2.2 WORD

The documentation for this union was generated from the following files:

5.1792 st_usb0_t.CFIFOSEL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [RCNT](#): 1
 - unsigned short [REW](#): 1
 - unsigned [short](#): 3
 - unsigned short [MBW](#): 1
 - unsigned short [BIGEND](#): 1
 - unsigned short [ISEL](#): 1
 - unsigned short [CURPIPE](#): 4
- } [BIT](#)

5.1792.1 Detailed Description

Definition at line [35489](#) of file [iodefne.h](#).

5.1792.2 Field Documentation

5.1792.2.1 BIT

5.1792.2.2 WORD

The documentation for this union was generated from the following files:

5.1793 st_usb0_t.D0FIFO Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned char [L](#)
 - unsigned char [H](#)
- } [BYTE](#)

5.1793.1 Detailed Description

Definition at line [35473](#) of file [iodefne.h](#).

5.1793.2 Field Documentation

5.1793.2.1 BYTE

5.1793.2.2 WORD

The documentation for this union was generated from the following files:

5.1794 st_usb0_t.D0FIFOCTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BVAL](#): 1
 - unsigned short [BCLR](#): 1
 - unsigned short [FRDY](#): 1
 - unsigned [short](#): 4
 - unsigned short [DTLN](#): 9
- } [BIT](#)

5.1794.1 Detailed Description

Definition at line [35567](#) of file [iodefne.h](#).

5.1794.2 Field Documentation

5.1794.2.1 BIT

5.1794.2.2 WORD

The documentation for this union was generated from the following files:

5.1795 st_usb0_t.D0FIFOSEL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [RCNT](#): 1
 - unsigned short [REW](#): 1
 - unsigned short [DCLRM](#): 1
 - unsigned short [DREQE](#): 1
 - unsigned [short](#): 1
 - unsigned short [MBW](#): 1
 - unsigned short [BIGEND](#): 1
 - unsigned short [CURPIPE](#): 4
- } [BIT](#)

5.1795.1 Detailed Description

Definition at line [35538](#) of file [iodefine.h](#).

5.1795.2 Field Documentation

5.1795.2.1 BIT

5.1795.2.2 WORD

The documentation for this union was generated from the following files:

5.1796 st_usb0_t.D1FIFO Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned char [L](#)
 - unsigned char [H](#)
- } [BYTE](#)

5.1796.1 Detailed Description

Definition at line [35481](#) of file [iodefine.h](#).

5.1796.2 Field Documentation

5.1796.2.1 BYTE

5.1796.2.2 WORD

The documentation for this union was generated from the following files:

5.1797 st_usb0__t.D1FIFOCTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BVAL](#): 1
 - unsigned short [BCLR](#): 1
 - unsigned short [FRDY](#): 1
 - unsigned [short](#): 4
 - unsigned short [DTLN](#): 9
- } [BIT](#)

5.1797.1 Detailed Description

Definition at line [35615](#) of file [iodefine.h](#).

5.1797.2 Field Documentation

5.1797.2.1 BIT

5.1797.2.2 WORD

The documentation for this union was generated from the following files:

5.1798 st_usb0__t.D1FIFOSEL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [RCNT](#): 1
 - unsigned short [REW](#): 1
 - unsigned short [DCLRM](#): 1
 - unsigned short [DREQE](#): 1
 - unsigned [short](#): 1
 - unsigned short [MBW](#): 1
 - unsigned short [BIGEND](#): 1
 - unsigned short [CURPIPE](#): 4
- } [BIT](#)

5.1798.1 Detailed Description

Definition at line [35586](#) of file [iodefine.h](#).

5.1798.2 Field Documentation

5.1798.2.1 BIT

5.1798.2.2 WORD

The documentation for this union was generated from the following files:

5.1799 st_usb0_t.DCPCFG Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 8
 - unsigned short [SHTNAK](#): 1
 - unsigned short [DIR](#): 1
- } [BIT](#)

5.1799.1 Detailed Description

Definition at line [36028](#) of file [iodefine.h](#).

5.1799.2 Field Documentation

5.1799.2.1 BIT

5.1799.2.2 WORD

The documentation for this union was generated from the following files:

5.1800 st_usb0_t.DCPCTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [SUREQ](#): 1
 - unsigned [short](#): 2
 - unsigned short [SUREQCLR](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [CCPL](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1800.1 Detailed Description

Definition at line [36062](#) of file [iodefne.h](#).

5.1800.2 Field Documentation

5.1800.2.1 BIT

5.1800.2.2 WORD

The documentation for this union was generated from the following files:

5.1801 st_usb0_t.DCPMAXP Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [DEVSEL](#): 4
 - unsigned [short](#): 5
 - unsigned short [MXPS](#): 7
- } [BIT](#)

5.1801.1 Detailed Description

Definition at line [36047](#) of file [iodefne.h](#).

5.1801.2 Field Documentation

5.1801.2.1 BIT

5.1801.2.2 WORD

The documentation for this union was generated from the following files:

5.1802 st_usb0_t.DEVADD0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 8
 - unsigned short [USBSPD](#): 2
- } [BIT](#)

5.1802.1 Detailed Description

Definition at line [36525](#) of file [iodefine.h](#).

5.1802.2 Field Documentation

5.1802.2.1 BIT

5.1802.2.2 WORD

The documentation for this union was generated from the following files:

5.1803 st_usb0_t.DEVADD1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 8
 unsigned short [USBSPD](#): 2
} [BIT](#)

5.1803.1 Detailed Description

Definition at line [36540](#) of file [iodefine.h](#).

5.1803.2 Field Documentation

5.1803.2.1 BIT

5.1803.2.2 WORD

The documentation for this union was generated from the following files:

5.1804 st_usb0_t.DEVADD2 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 8
 unsigned short [USBSPD](#): 2
} [BIT](#)

5.1804.1 Detailed Description

Definition at line [36555](#) of file [iodefne.h](#).

5.1804.2 Field Documentation

5.1804.2.1 BIT

5.1804.2.2 WORD

The documentation for this union was generated from the following files:

5.1805 st_usb0_t.DEVADD3 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 8
 unsigned short [USBSPD](#): 2
} [BIT](#)

5.1805.1 Detailed Description

Definition at line [36570](#) of file [iodefne.h](#).

5.1805.2 Field Documentation

5.1805.2.1 BIT

5.1805.2.2 WORD

The documentation for this union was generated from the following files:

5.1806 st_usb0_t.DEVADD4 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 8
 unsigned short [USBSPD](#): 2
} [BIT](#)

5.1806.1 Detailed Description

Definition at line [36585](#) of file [iodefne.h](#).

5.1806.2 Field Documentation

5.1806.2.1 BIT

5.1806.2.2 WORD

The documentation for this union was generated from the following files:

5.1807 st_usb0_t.DEVADD5 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned [short](#): 8
 unsigned short [USBSPD](#): 2
} [BIT](#)

5.1807.1 Detailed Description

Definition at line [36600](#) of file [iodefne.h](#).

5.1807.2 Field Documentation

5.1807.2.1 BIT

5.1807.2.2 WORD

The documentation for this union was generated from the following files:

5.1808 st_usb0_t.DVCHGR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned short [DVCHG](#): 1
 unsigned [short](#): 15
} [BIT](#)

5.1808.1 Detailed Description

Definition at line [35981](#) of file [iodefine.h](#).

5.1808.2 Field Documentation

5.1808.2.1 BIT

5.1808.2.2 WORD

The documentation for this union was generated from the following files:

5.1809 st_usb0_t.DVSTCTR0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [HNPBTOA](#): 1
 - unsigned short [EXICEN](#): 1
 - unsigned short [VBUSEN](#): 1
 - unsigned short [WKUP](#): 1
 - unsigned short [RWUPE](#): 1
 - unsigned short [USBRST](#): 1
 - unsigned short [RESUME](#): 1
 - unsigned short [UACT](#): 1
 - unsigned short [RHST](#): 3
- } [BIT](#)

5.1809.1 Detailed Description

Definition at line [35433](#) of file [iodefine.h](#).

5.1809.2 Field Documentation

5.1809.2.1 BIT

5.1809.2.2 WORD

The documentation for this union was generated from the following files:

5.1810 st_usb0_t.FRMNUM Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [OVRN](#): 1
 - unsigned short [CRCE](#): 1
 - unsigned [short](#): 3
 - unsigned short [FRNM](#): 11

} [BIT](#)

5.1810.1 Detailed Description

Definition at line [35964](#) of file [iodefine.h](#).

5.1810.2 Field Documentation

5.1810.2.1 BIT

5.1810.2.2 WORD

The documentation for this union was generated from the following files:

5.1811 st_usb0_t.INTENB0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [VBSE](#): 1
 - unsigned short [RSME](#): 1
 - unsigned short [SOFE](#): 1
 - unsigned short [DVSE](#): 1
 - unsigned short [CTRE](#): 1
 - unsigned short [BEMPE](#): 1
 - unsigned short [NRDYE](#): 1
 - unsigned short [BRDYE](#): 1
 - unsigned [short](#): 8

} [BIT](#)

5.1811.1 Detailed Description

Definition at line [35634](#) of file [iodefine.h](#).

5.1811.2 Field Documentation

5.1811.2.1 BIT

5.1811.2.2 WORD

The documentation for this union was generated from the following files:

5.1812 st_usb0_t.INTENB1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [OVRCRE](#): 1
 - unsigned short [BCHGE](#): 1
 - unsigned [short](#): 1
 - unsigned short [DTCHE](#): 1
 - unsigned short [ATTCHE](#): 1
 - unsigned short [EOFERRE](#): 1
 - unsigned short [SIGNE](#): 1
 - unsigned short [SACKE](#): 1
- } [BIT](#)

5.1812.1 Detailed Description

Definition at line [35661](#) of file [iodefine.h](#).

5.1812.2 Field Documentation

5.1812.2.1 BIT

5.1812.2.2 WORD

The documentation for this union was generated from the following files:

5.1813 st_usb0_t.INTSTS0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [VBINT](#): 1
 - unsigned short [RESM](#): 1
 - unsigned short [SOFR](#): 1
 - unsigned short [DVST](#): 1
 - unsigned short [CTRT](#): 1
 - unsigned short [BEMP](#): 1
 - unsigned short [NRDY](#): 1
 - unsigned short [BRDY](#): 1
 - unsigned short [VBSTS](#): 1
 - unsigned short [DVSQ](#): 3
 - unsigned short [VALID](#): 1
 - unsigned short [CTSQ](#): 3
- } [BIT](#)

5.1813.1 Detailed Description

Definition at line [35808](#) of file [iodefine.h](#).

5.1813.2 Field Documentation

5.1813.2.1 BIT

5.1813.2.2 WORD

The documentation for this union was generated from the following files:

5.1814 st_usb0_t.INTSTS1 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [OVRCR](#): 1
 - unsigned short [BCHG](#): 1
 - unsigned [short](#): 1
 - unsigned short [DTCH](#): 1
 - unsigned short [ATTCH](#): 1
 - unsigned short [EOFERR](#): 1
 - unsigned short [SIGN](#): 1
 - unsigned short [SACK](#): 1
- } [BIT](#)

5.1814.1 Detailed Description

Definition at line [35841](#) of file [iodefine.h](#).

5.1814.2 Field Documentation

5.1814.2.1 BIT

5.1814.2.2 WORD

The documentation for this union was generated from the following files:

5.1815 st_usb0_t.NRDYENB Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9NRDYE](#): 1
 - unsigned short [PIPE8NRDYE](#): 1
 - unsigned short [PIPE7NRDYE](#): 1
 - unsigned short [PIPE6NRDYE](#): 1
 - unsigned short [PIPE5NRDYE](#): 1
 - unsigned short [PIPE4NRDYE](#): 1
 - unsigned short [PIPE3NRDYE](#): 1
 - unsigned short [PIPE2NRDYE](#): 1
 - unsigned short [PIPE1NRDYE](#): 1
 - unsigned short [PIPE0NRDYE](#): 1
- } [BIT](#)

5.1815.1 Detailed Description

Definition at line [35722](#) of file [iodefine.h](#).

5.1815.2 Field Documentation

5.1815.2.1 BIT

5.1815.2.2 WORD

The documentation for this union was generated from the following files:

5.1816 st_usb0_t.NRDYSTS Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [PIPE9NRDY](#): 1
 - unsigned short [PIPE8NRDY](#): 1
 - unsigned short [PIPE7NRDY](#): 1
 - unsigned short [PIPE6NRDY](#): 1
 - unsigned short [PIPE5NRDY](#): 1
 - unsigned short [PIPE4NRDY](#): 1
 - unsigned short [PIPE3NRDY](#): 1
 - unsigned short [PIPE2NRDY](#): 1
 - unsigned short [PIPE1NRDY](#): 1
 - unsigned short [PIPE0NRDY](#): 1
- } [BIT](#)

5.1816.1 Detailed Description

Definition at line [35902](#) of file [iodefne.h](#).

5.1816.2 Field Documentation

5.1816.2.1 BIT

5.1816.2.2 WORD

The documentation for this union was generated from the following files:

5.1817 st_usb0_t.PHYSLEW Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 28
 - unsigned long [SLEWF01](#): 1
 - unsigned long [SLEWF00](#): 1
 - unsigned long [SLEWR01](#): 1
 - unsigned long [SLEWR00](#): 1
- } [BIT](#)

5.1817.1 Detailed Description

Definition at line [36616](#) of file [iodefne.h](#).

5.1817.2 Field Documentation

5.1817.2.1 BIT

5.1817.2.2 LONG

The documentation for this union was generated from the following files:

5.1818 st_usb0_t.PIPE1CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1818.1 Detailed Description

Definition at line [36170](#) of file [iodefine.h](#).

5.1818.2 Field Documentation

5.1818.2.1 BIT

5.1818.2.2 WORD

The documentation for this union was generated from the following files:

5.1819 st_usb0_t.PIPE1TRE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [TRENB](#): 1
 - unsigned short [TRCLR](#): 1
- } [BIT](#)

5.1819.1 Detailed Description

Definition at line [36434](#) of file [iodefine.h](#).

5.1819.2 Field Documentation

5.1819.2.1 BIT

5.1819.2.2 WORD

The documentation for this union was generated from the following files:

5.1820 st_usb0_t.PIPE2CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1820.1 Detailed Description

Definition at line [36201](#) of file [iodefine.h](#).

5.1820.2 Field Documentation

5.1820.2.1 BIT

5.1820.2.2 WORD

The documentation for this union was generated from the following files:

5.1821 st_usb0_t.PIPE2TRE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [TRENB](#): 1
 - unsigned short [TRCLR](#): 1
- } [BIT](#)

5.1821.1 Detailed Description

Definition at line [36452](#) of file [iodef.h](#).

5.1821.2 Field Documentation

5.1821.2.1 BIT

5.1821.2.2 WORD

The documentation for this union was generated from the following files:

5.1822 st_usb0_t.PIPE3CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1822.1 Detailed Description

Definition at line [36232](#) of file [iodef.h](#).

5.1822.2 Field Documentation

5.1822.2.1 BIT

5.1822.2.2 WORD

The documentation for this union was generated from the following files:

5.1823 st_usb0_t.PIPE3TRE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [TREN](#): 1
 - unsigned short [TRCLR](#): 1
- } [BIT](#)

5.1823.1 Detailed Description

Definition at line [36470](#) of file [iodefine.h](#).

5.1823.2 Field Documentation

5.1823.2.1 BIT

5.1823.2.2 WORD

The documentation for this union was generated from the following files:

5.1824 st_usb0_t.PIPE4CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1824.1 Detailed Description

Definition at line [36263](#) of file [iodefine.h](#).

5.1824.2 Field Documentation

5.1824.2.1 BIT

5.1824.2.2 WORD

The documentation for this union was generated from the following files:

5.1825 st_usb0__t.PIPE4TRE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [TRENB](#): 1
 - unsigned short [TRCLR](#): 1
- } [BIT](#)

5.1825.1 Detailed Description

Definition at line [36488](#) of file [iodefine.h](#).

5.1825.2 Field Documentation

5.1825.2.1 BIT

5.1825.2.2 WORD

The documentation for this union was generated from the following files:

5.1826 st_usb0__t.PIPE5CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned short [INBUFM](#): 1
 - unsigned [short](#): 3
 - unsigned short [ATREPM](#): 1
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1826.1 Detailed Description

Definition at line [36294](#) of file [iodefne.h](#).

5.1826.2 Field Documentation

5.1826.2.1 BIT

5.1826.2.2 WORD

The documentation for this union was generated from the following files:

5.1827 st_usb0_t.PIPE5TRE Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 6
 - unsigned short [TRENB](#): 1
 - unsigned short [TRCLR](#): 1
- } [BIT](#)

5.1827.1 Detailed Description

Definition at line [36506](#) of file [iodefne.h](#).

5.1827.2 Field Documentation

5.1827.2.1 BIT

5.1827.2.2 WORD

The documentation for this union was generated from the following files:

5.1828 st_usb0_t.PIPE6CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned [short](#): 5
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1828.1 Detailed Description

Definition at line [36325](#) of file [iodefne.h](#).

5.1828.2 Field Documentation

5.1828.2.1 BIT

5.1828.2.2 WORD

The documentation for this union was generated from the following files:

5.1829 st_usb0_t.PIPE7CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned [short](#): 5
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1829.1 Detailed Description

Definition at line [36352](#) of file [iodefne.h](#).

5.1829.2 Field Documentation

5.1829.2.1 BIT

5.1829.2.2 WORD

The documentation for this union was generated from the following files:

5.1830 st_usb0_t.PIPE8CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned [short](#): 5
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1830.1 Detailed Description

Definition at line [36379](#) of file [iodefine.h](#).

5.1830.2 Field Documentation

5.1830.2.1 BIT

5.1830.2.2 WORD

The documentation for this union was generated from the following files:

5.1831 st_usb0_t.PIPE9CTR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BSTS](#): 1
 - unsigned [short](#): 5
 - unsigned short [ACLRM](#): 1
 - unsigned short [SQCLR](#): 1
 - unsigned short [SQSET](#): 1
 - unsigned short [SQMON](#): 1
 - unsigned short [PBUSY](#): 1
 - unsigned short [PID](#): 2
- } [BIT](#)

5.1831.1 Detailed Description

Definition at line [36406](#) of file [iodefine.h](#).

5.1831.2 Field Documentation

5.1831.2.1 BIT

5.1831.2.2 WORD

The documentation for this union was generated from the following files:

5.1832 st_usb0_t.PIPECFG Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [TYPE](#): 2
 - unsigned [short](#): 3
 - unsigned short [BFRE](#): 1
 - unsigned short [DBLB](#): 1
 - unsigned short [SHTNAK](#): 1
 - unsigned short [DIR](#): 1
 - unsigned short [EPNUM](#): 4
- } [BIT](#)

5.1832.1 Detailed Description

Definition at line [36110](#) of file [iodefine.h](#).

5.1832.2 Field Documentation

5.1832.2.1 BIT

5.1832.2.2 WORD

The documentation for this union was generated from the following files:

5.1833 st_usb0_t.PIPEMAXP Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [DEVSEL](#): 4
 - unsigned [short](#): 3
 - unsigned short [MXPS](#): 9
- } [BIT](#)

5.1833.1 Detailed Description

Definition at line [36138](#) of file [iodefne.h](#).

5.1833.2 Field Documentation

5.1833.2.1 BIT

5.1833.2.2 WORD

The documentation for this union was generated from the following files:

5.1834 st_usb0_t.PIPEPERI Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 3
 - unsigned short [IFIS](#): 1
 - unsigned short [IITV](#): 3
- } [BIT](#)

5.1834.1 Detailed Description

Definition at line [36153](#) of file [iodefne.h](#).

5.1834.2 Field Documentation

5.1834.2.1 BIT

5.1834.2.2 WORD

The documentation for this union was generated from the following files:

5.1835 st_usb0_t.PIPESEL Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 12
 - unsigned short [PIPESEL](#): 4
- } [BIT](#)

5.1835.1 Detailed Description

Definition at line [36096](#) of file [iodefne.h](#).

5.1835.2 Field Documentation

5.1835.2.1 BIT

5.1835.2.2 WORD

The documentation for this union was generated from the following files:

5.1836 st_usb0_t.SOFCFG Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 7
 - unsigned short [TRNENSEL](#): 1
 - unsigned short [BRDYM](#): 1
 - unsigned short [EDGESTS](#): 1
- } [BIT](#)

5.1836.1 Detailed Description

Definition at line [35784](#) of file [iodefne.h](#).

5.1836.2 Field Documentation

5.1836.2.1 BIT

5.1836.2.2 WORD

The documentation for this union was generated from the following files:

5.1837 st_usb0_t.SYSCFG Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 5
 - unsigned short [SCKE](#): 1
 - unsigned short [DCFM](#): 1
 - unsigned short [DRPD](#): 1
 - unsigned short [DPRPU](#): 1
 - unsigned short [USBE](#): 1
- } [BIT](#)

5.1837.1 Detailed Description

Definition at line [35383](#) of file [iodefne.h](#).

5.1837.2 Field Documentation

5.1837.2.1 BIT

5.1837.2.2 WORD

The documentation for this union was generated from the following files:

5.1838 st_usb0_t.SYSSTS0 Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [OVCMON](#): 2
 - unsigned [short](#): 7
 - unsigned short [HTACT](#): 1
 - unsigned short [SOFEA](#): 1
 - unsigned short [IDMON](#): 1
 - unsigned short [LNST](#): 2
- } [BIT](#)

5.1838.1 Detailed Description

Definition at line [35409](#) of file [iodefne.h](#).

5.1838.2 Field Documentation

5.1838.2.1 BIT

5.1838.2.2 WORD

The documentation for this union was generated from the following files:

5.1839 st_usb0_t.USBADDR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 4
 - unsigned short [STSRECOV](#): 4
 - unsigned short [USBADDR](#): 7
- } [BIT](#)

5.1839.1 Detailed Description

Definition at line [35994](#) of file [iodefne.h](#).

5.1839.2 Field Documentation

5.1839.2.1 BIT

5.1839.2.2 WORD

The documentation for this union was generated from the following files:

5.1840 st_usb0_t.USBREQ Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned short [BREQUEST](#): 8
 - unsigned short [BMREQUESTTYPE](#): 8
 } [BIT](#)

5.1840.1 Detailed Description

Definition at line [36012](#) of file [iodefne.h](#).

5.1840.2 Field Documentation

5.1840.2.1 BIT


5.1840.2.2 WORD

The documentation for this union was generated from the following files:

5.1841 st_usb_t Struct Reference

```
#include <iodefne.h>
```

Collaboration diagram for st_usb_t:



Data Fields

- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 8
 unsigned long [DVBSTS0](#): 1
 unsigned long [DOVCB0](#): 1
 unsigned long [DOVCA0](#): 1
 unsigned long [DM0](#): 1
 unsigned long [DP0](#): 1
 unsigned long [FIXPHY0](#): 1
 unsigned long [DRPD0](#): 1
 unsigned long [RPUE0](#): 1
 unsigned long [SRPC0](#): 1
 } [BIT](#)
 } [DPUSR0R](#)
- union {
 unsigned long [LONG](#)
 struct {
 unsigned [long](#): 8
 unsigned long [DVBINT0](#): 1
 unsigned long [DOVRCRB0](#): 1
 unsigned long [DOVRCRA0](#): 1
 unsigned long [DMINT0](#): 1
 unsigned long [DPINT0](#): 1
 unsigned long [DVBSE0](#): 1
 unsigned long [DOVRCRBE0](#): 1
 unsigned long [DOVRCRAE0](#): 1
 unsigned long [DMINTE0](#): 1
 unsigned long [DPINTE0](#): 1
 } [BIT](#)
 } [DPUSR1R](#)

5.1841.1 Detailed Description

Definition at line [35301](#) of file [iodefine.h](#).

5.1841.2 Field Documentation

5.1841.2.1 [union]

union { ... } st_usb_t::DPUSR0R

5.1841.2.2 [union]

union { ... } st_usb_t::DPUSR1R

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefine.h](#)

5.1842 st_usb_t.DPUSR0R Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 8
 - unsigned long [DVBSTS0](#): 1
 - unsigned long [DOVCB0](#): 1
 - unsigned long [DOVCA0](#): 1
 - unsigned long [DM0](#): 1
 - unsigned long [DP0](#): 1
 - unsigned long [FIXPHY0](#): 1
 - unsigned long [DRPD0](#): 1
 - unsigned long [RPUE0](#): 1
 - unsigned long [SRPC0](#): 1
- } [BIT](#)

5.1842.1 Detailed Description

Definition at line [35302](#) of file [iodefine.h](#).

5.1842.2 Field Documentation

5.1842.2.1 BIT

5.1842.2.2 LONG

The documentation for this union was generated from the following files:

5.1843 st_usb_t.DPUSR1R Union Reference

Data Fields

- unsigned long [LONG](#)
- struct {
 - unsigned [long](#): 8
 - unsigned long [DVBINT0](#): 1
 - unsigned long [DOVRCRB0](#): 1
 - unsigned long [DOVRCRA0](#): 1
 - unsigned long [DMINT0](#): 1
 - unsigned long [DPINT0](#): 1
 - unsigned long [DVBSE0](#): 1
 - unsigned long [DOVRCRBE0](#): 1
 - unsigned long [DOVRCRAE0](#): 1
 - unsigned long [DMINTE0](#): 1
 - unsigned long [DPINTE0](#): 1
- } [BIT](#)

5.1843.1 Detailed Description

Definition at line 35339 of file [iodefine.h](#).

5.1843.2 Field Documentation

5.1843.2.1 BIT


5.1843.2.2 LONG

The documentation for this union was generated from the following files:

5.1844 st_wdt_t Struct Reference

```
#include <iodefine.h>
```

Collaboration diagram for st_wdt_t:



Data Fields

- unsigned char [WDTRR](#)
- char [wk0](#) [1]
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned [short](#): 2
 - unsigned short [RPSS](#): 2
 - unsigned short [RPES](#): 2
 - unsigned short [CKS](#): 4
 - unsigned short [TOPS](#): 2
 - } [BIT](#)
- } [WDTCR](#)
- union {
 - unsigned short [WORD](#)
 - struct {
 - unsigned short [REFEF](#): 1
 - unsigned short [UNDFE](#): 1
 - unsigned short [CNTVAL](#): 14
 - } [BIT](#)
- } [WDTSR](#)
- union {
 - unsigned char [BYTE](#)
 - struct {
 - unsigned char [RSTIRQS](#): 1
 - unsigned [char](#): 7
 - } [BIT](#)
- } [WDTRCR](#)

5.1844.1 Detailed Description

Definition at line [36637](#) of file [iodefne.h](#).

5.1844.2 Field Documentation

5.1844.2.1 [union]

```
union { ... } st_wdt_t::WDTCR
```

5.1844.2.2 [union]

```
union { ... } st_wdt_t::WDTRCR
```

5.1844.2.3 WDTRR

```
unsigned char st_wdt_t::WDTRR
```

Definition at line [36638](#) of file [iodefne.h](#).

5.1844.2.4 [union]

```
union { ... } st_wdt_t::WDTSR
```

5.1844.2.5 wk0

```
char st_wdt_t::wk0[1]
```

Definition at line [36639](#) of file [iodefne.h](#).

The documentation for this struct was generated from the following file:

- [pwm_test_fit/iodefne.h](#)

5.1845 st_wdt_t.WDTCR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 - unsigned [short](#): 2
 - unsigned short [RPSS](#): 2
 - unsigned short [RPES](#): 2
 - unsigned short [CKS](#): 4
 - unsigned short [TOPS](#): 2
- } [BIT](#)

5.1845.1 Detailed Description

Definition at line [36640](#) of file [iodefine.h](#).

5.1845.2 Field Documentation

5.1845.2.1 BIT

5.1845.2.2 WORD

The documentation for this union was generated from the following files:

5.1846 st_wdt_t.WDTRCR Union Reference

Data Fields

- unsigned char [BYTE](#)
- struct {
 unsigned char [RSTIRQS](#): 1
 unsigned char: 7
} [BIT](#)

5.1846.1 Detailed Description

Definition at line [36678](#) of file [iodefine.h](#).

5.1846.2 Field Documentation

5.1846.2.1 BIT

5.1846.2.2 BYTE

The documentation for this union was generated from the following files:

5.1847 st_wdt_t.WDTSR Union Reference

Data Fields

- unsigned short [WORD](#)
- struct {
 unsigned short [REFEF](#): 1
 unsigned short [UNDFE](#): 1
 unsigned short [CNTVAL](#): 14
} [BIT](#)

5.1847.1 Detailed Description

Definition at line [36663](#) of file [iodefine.h](#).

5.1847.2 Field Documentation

5.1847.2.1 BIT

5.1847.2.2 WORD

The documentation for this union was generated from the following files:

Chapter 6


File Documentation

6.1 pwm_test_fit/clock.c File Reference

RX72N clock init using Renesas [iodefine.h](#) register structs.

```
#include <stdint.h>
#include "iodefine.h"
```

Include dependency graph for clock.c:



Macros

- `#define PRCR\_KEY\_UNLOCK\_PRC0\_PRC1 ((uint16_t)0xA503U)`
- `#define PRCR\_KEY\_LOCK ((uint16_t)0xA500U)`
- `#define PACKCR\_ADDR (0x00080044U)`
- `#define MEMWAIT\_ADDR (0x0008101CU)`

Functions

- `void clock\_init (void)`

6.1.1 Detailed Description

RX72N clock init using Renesas [iodefine.h](#) register structs.

HOCO 16 MHz -> PLL 192 -> ICLK 96 MHz, PCKA 96 MHz, PCKB 48 MHz. Identical register writes to pwm_test/clock.c but via [iodefine.h](#) instead of STAR's rx72n_regs.h. This lets us share the same iodefine with the GPTW-bringup code in [main.c](#) and guarantees addresses/bitfields come straight from the authoritative Renesas BSP.

No external crystal – HOCO is the PLL source.

SPDX-License-Identifier: MIT

Copyright

Copyright (c) 2026 Locked Inc.

Definition in file [clock.c](#).

6.1.2 Macro Definition Documentation

6.1.2.1 MEMWAIT_ADDR

```
#define MEMWAIT_ADDR (0x0008101CU)
```

Definition at line [31](#) of file [clock.c](#).

Referenced by [clock_init\(\)](#).

6.1.2.2 PACKCR_ADDR

```
#define PACKCR_ADDR (0x00080044U)
```

Definition at line [27](#) of file [clock.c](#).

Referenced by [clock_init\(\)](#).

6.1.2.3 PRCR_KEY_LOCK

```
#define PRCR_KEY_LOCK ((uint16_t)0xA500U)
```

Definition at line [24](#) of file [clock.c](#).

Referenced by [clock_init\(\)](#).

6.1.2.4 PRCR_KEY_UNLOCK_PRC0_PRC1

```
#define PRCR_KEY_UNLOCK_PRC0_PRC1 ((uint16_t)0xA503U)
```

Definition at line [23](#) of file [clock.c](#).

Referenced by [clock_init\(\)](#).

6.1.3 Function Documentation

6.1.3.1 clock_init()

```
void clock_init (
    void )
```


Definition at line 33 of file [clock.c](#).

```
00034 {
00035     volatile uint16_t * const prcr = (volatile uint16_t *)&SYSTEM.PRCR.WORD;
00036     volatile uint8_t * const memwait = (volatile uint8_t *)MEMWAIT_ADDR;
00037     volatile uint16_t * const packcr = (volatile uint16_t *)PACKCR_ADDR;
00038
00039     /* Unlock PRC0 (clock) + PRC1 (module stop). */
00040     *prcr = PRCR_KEY_UNLOCK_PRC0_PRC1;
00041
00042     /* Start HOCO. */
00043     SYSTEM.HOCOCR.BYTE = 0x00U;
00044     while (SYSTEM.OSCOVFSR.BIT.HCOVF == 0U) { __asm__ volatile("nop"); }
00045
00046     /* PLL: HOCO 16 MHz / 1 * 12 = 192 MHz (PLIDIV=00, PLLSRCSEL=1, STC=23). */
00047     SYSTEM.PLLCR.WORD = 0x1710U;
00048     SYSTEM.PLLCR2.BYTE = 0x00U;
00049     while (SYSTEM.OSCOVFSR.BIT.PLOVF == 0U) { __asm__ volatile("nop"); }
00050
00051     /* MEMWAIT = 1 (required for ICLK > 120 MHz; harmless for us). */
00052     *memwait = 0x01U;
00053
00054     /* SCKCR: FCK=/4, ICK=/2, PSTOP1=1, PSTOP0=1, BCK=/4,
00055      *      PCKA=/2 (96 MHz), PCKB=/4 (48 MHz), PCKC=/2, PCKD=/2. */
00056     SYSTEM.SCKCR.LONG = 0x21C21211U;
00057
00058     /* UPLLSEL = 0 : route UCLK divider input from main PLL. */
00059     *packcr = 0x0000U;
00060
00061     /* SCKCR2: UCK = /4 (48 MHz), bits [3:0] reserved = 1. */
00062     SYSTEM.SCKCR2.WORD = 0x0031U;
00063
00064     /* SCKCR3: select PLL as system clock source. */
00065     SYSTEM.SCKCR3.WORD = 0x0400U;
00066
00067     /* Relock PRCR. */
00068     *prcr = PRCR_KEY_LOCK;
00069 }
```

References [MEMWAIT_ADDR](#), [PACKCR_ADDR](#), [PRCR_KEY_LOCK](#), [PRCR_KEY_UNLOCK_PRC0_PRC1](#), and [SYSTEM](#).

Referenced by [main\(\)](#).

Here is the caller graph for this function:



6.2 clock.c

[Go to the documentation of this file.](#)

```
00001 /**
00002  * @file clock.c
00003  * @brief RX72N clock init using Renesas iodef.h register structs.
00004  *
00005  * HOCO 16 MHz -> PLL 192 -> ICLK 96 MHz, PCKA 96 MHz, PCKB 48 MHz.
00006  * Identical register writes to pwm_test/clock.c but via iodef.h instead
00007  * of STAR's rx72n_regs.h. This lets us share the same iodef with the
00008  * GPTW-bringup code in main.c and guarantees addresses/bitfields come
00009  * straight from the authoritative Renesas BSP.
00010  */
```


```

00011 * No external crystal -- HOCO is the PLL source.
00012 *
00013 * SPDX-License-Identifier: MIT
00014 * @copyright Copyright (c) 2026 Locked Inc.
00015 */
00016
00017 #include <stdint.h>
00018
00019 #include "iodefine.h"
00020
00021 /* PRCR key/enable constants (PRCR is a 16-bit write-only control register
00022 * and cannot be expressed via the iodefine bitfield union on writes). */
00023 #define PRCR_KEY_UNLOCK_PRC0_PRC1 ((uint16_t)0xA503U)
00024 #define PRCR_KEY_LOCK ((uint16_t)0xA500U)
00025
00026 /* PACKCR is not modeled as a standalone field in iodefine; address from manual. */
00027 #define PACKCR_ADDR (0x00080044U)
00028
00029 /* MEMWAIT address and value (used for ICLK > 120 MHz). Our ICLK is 96 MHz
00030 * so this write is defensive; replicate pwm_test/clock.c for determinism. */
00031 #define MEMWAIT_ADDR (0x0008101CU)
00032
00033 void clock_init(void)
00034 {
00035     volatile uint16_t * const prcr = (volatile uint16_t *)&SYSTEM.PRCR.WORD;
00036     volatile uint8_t * const memwait = (volatile uint8_t *)&MEMWAIT_ADDR;
00037     volatile uint16_t * const packcr = (volatile uint16_t *)&PACKCR_ADDR;
00038
00039     /* Unlock PRC0 (clock) + PRC1 (module stop). */
00040     *prcr = PRCR_KEY_UNLOCK_PRC0_PRC1;
00041
00042     /* Start HOCO. */
00043     SYSTEM.HOCOCR.BYTE = 0x00U;
00044     while (SYSTEM.OSCOVFSR.BIT.HCOVF == 0U) { __asm__ volatile("nop"); }
00045
00046     /* PLL: HOCO 16 MHz / 1 * 12 = 192 MHz (PLIDIV=00, PLLSRCSEL=1, STC=23). */
00047     SYSTEM.PLLCR.WORD = 0x1710U;
00048     SYSTEM.PLLCR2.BYTE = 0x00U;
00049     while (SYSTEM.OSCOVFSR.BIT.PLOVF == 0U) { __asm__ volatile("nop"); }
00050
00051     /* MEMWAIT = 1 (required for ICLK > 120 MHz; harmless for us). */
00052     *memwait = 0x01U;
00053
00054     /* SCKCR: FCK=/4, ICK=/2, PSTOP1=1, PSTOP0=1, BCK=/4,
00055     * PCKA=/2 (96 MHz), PCKB=/4 (48 MHz), PCKC=/2, PCKD=/2. */
00056     SYSTEM.SCKCR.LONG = 0x21C21211U;
00057
00058     /* UPLLSEL = 0 : route UCLK divider input from main PLL. */
00059     *packcr = 0x0000U;
00060
00061     /* SCKCR2: UCK = /4 (48 MHz), bits [3:0] reserved = 1. */
00062     SYSTEM.SCKCR2.WORD = 0x0031U;
00063
00064     /* SCKCR3: select PLL as system clock source. */
00065     SYSTEM.SCKCR3.WORD = 0x0400U;
00066
00067     /* Relock PRCR. */
00068     *prcr = PRCR_KEY_LOCK;
00069 }

```

6.3 pwm_test_fit/iodefine.h File Reference

This graph shows which files directly or indirectly include this file:



Data Structures

- struct [st_bsc_t](#)
- struct [st_cac_t](#)
- struct [st_can_t](#)
- struct [st_cmt_t](#)
- struct [st_cmt0_t](#)
- struct [st_cmtw_t](#)
- struct [st_crc_t](#)
- struct [st_da_t](#)
- struct [st_dmac_t](#)
- struct [st_dmac0_t](#)
- struct [st_dmac1_t](#)
- struct [st_doc_t](#)
- struct [st_drw2d_t](#)
- struct [st_dtc_t](#)
- struct [st_eccram_t](#)
- struct [st_edmac_t](#)
- struct [st_elc_t](#)
- struct [st_eptpc_t](#)
- struct [st_eptpc0_t](#)
- struct [st_etherc_t](#)
- struct [st_exdmac_t](#)
- struct [st_exdmac0_t](#)
- struct [st_exdmac1_t](#)
- struct [st_flash_t](#)
- struct [st_glcdc_t](#)
- struct [st_gptw_t](#)
- struct [st_icu_t](#)
- struct [st_iwdt_t](#)
- struct [st_mmcif_t](#)
- struct [st_mpc_t](#)
- struct [st_mpu_t](#)
- struct [st_mtu_t](#)
- struct [st_mtu0_t](#)
- struct [st_mtu1_t](#)
- struct [st_mtu2_t](#)
- struct [st_mtu3_t](#)
- struct [st_mtu4_t](#)
- struct [st_mtu5_t](#)
- struct [st_mtu6_t](#)
- struct [st_mtu7_t](#)
- struct [st_mtu8_t](#)
- struct [st_ofsm_t](#)
- struct [st_pdc_t](#)
- struct [st_pmgi_t](#)
- struct [st_poe_t](#)
- struct [st_poeg_t](#)
- struct [st_port0_t](#)
- struct [st_port1_t](#)
- struct [st_port2_t](#)
- struct [st_port3_t](#)
- struct [st_port4_t](#)
- struct [st_port5_t](#)
- struct [st_port6_t](#)

- struct [st_port7_t](#)
- struct [st_port8_t](#)
- struct [st_port9_t](#)
- struct [st_porta_t](#)
- struct [st_portb_t](#)
- struct [st_portc_t](#)
- struct [st_portd_t](#)
- struct [st_porte_t](#)
- struct [st_portf_t](#)
- struct [st_portg_t](#)
- struct [st_porth_t](#)
- struct [st_portj_t](#)
- struct [st_portk_t](#)
- struct [st_portl_t](#)
- struct [st_portm_t](#)
- struct [st_portn_t](#)
- struct [st_portq_t](#)
- struct [st_ppg0_t](#)
- struct [st_ppg1_t](#)
- struct [st_ptpedmac_t](#)
- struct [st_qspi_t](#)
- struct [st_ram_t](#)
- struct [st_riic_t](#)
- struct [st_rspi_t](#)
- struct [st_rtc_t](#)
- struct [st_s12ad_t](#)
- struct [st_s12ad1_t](#)
- struct [st_sci0_t](#)
- struct [st_sci7_t](#)
- struct [st_sci12_t](#)
- struct [st_sdhi_t](#)
- struct [st_smci_t](#)
- struct [st_ssie_t](#)
- struct [st_system_t](#)
- struct [st_temps_t](#)
- struct [st_tmr0_t](#)
- struct [st_tmr1_t](#)
- struct [st_tmr01_t](#)
- struct [st_tpu0_t](#)
- struct [st_tpu1_t](#)
- struct [st_tpu2_t](#)
- struct [st_tpu3_t](#)
- struct [st_tpu4_t](#)
- struct [st_tpu5_t](#)
- struct [st_tpua_t](#)
- struct [st_usb_t](#)
- struct [st_usb0_t](#)
- struct [st_wdt_t](#)
- struct [st_flashconst_t](#)
- struct [st_tempsconst_t](#)
- union [st_bsc_t.BERCLR](#)
- struct [st_bsc_t.BERCLR.BIT](#)
- union [st_bsc_t.BEREN](#)
- struct [st_bsc_t.BEREN.BIT](#)
- union [st_bsc_t.BERSR1](#)

- struct [st_bsc_t.BERSR1.BIT](#)
- union [st_bsc_t.BERSR2](#)
- struct [st_bsc_t.BERSR2.BIT](#)
- union [st_bsc_t.BUSPRI](#)
- struct [st_bsc_t.BUSPRI.BIT](#)
- union [st_bsc_t.CS0MOD](#)
- struct [st_bsc_t.CS0MOD.BIT](#)
- union [st_bsc_t.CS0WCR1](#)
- struct [st_bsc_t.CS0WCR1.BIT](#)
- union [st_bsc_t.CS0WCR2](#)
- struct [st_bsc_t.CS0WCR2.BIT](#)
- union [st_bsc_t.CS1MOD](#)
- struct [st_bsc_t.CS1MOD.BIT](#)
- union [st_bsc_t.CS1WCR1](#)
- struct [st_bsc_t.CS1WCR1.BIT](#)
- union [st_bsc_t.CS1WCR2](#)
- struct [st_bsc_t.CS1WCR2.BIT](#)
- union [st_bsc_t.CS2MOD](#)
- struct [st_bsc_t.CS2MOD.BIT](#)
- union [st_bsc_t.CS2WCR1](#)
- struct [st_bsc_t.CS2WCR1.BIT](#)
- union [st_bsc_t.CS2WCR2](#)
- struct [st_bsc_t.CS2WCR2.BIT](#)
- union [st_bsc_t.CS3MOD](#)
- struct [st_bsc_t.CS3MOD.BIT](#)
- union [st_bsc_t.CS3WCR1](#)
- struct [st_bsc_t.CS3WCR1.BIT](#)
- union [st_bsc_t.CS3WCR2](#)
- struct [st_bsc_t.CS3WCR2.BIT](#)
- union [st_bsc_t.CS4MOD](#)
- struct [st_bsc_t.CS4MOD.BIT](#)
- union [st_bsc_t.CS4WCR1](#)
- struct [st_bsc_t.CS4WCR1.BIT](#)
- union [st_bsc_t.CS4WCR2](#)
- struct [st_bsc_t.CS4WCR2.BIT](#)
- union [st_bsc_t.CS5MOD](#)
- struct [st_bsc_t.CS5MOD.BIT](#)
- union [st_bsc_t.CS5WCR1](#)
- struct [st_bsc_t.CS5WCR1.BIT](#)
- union [st_bsc_t.CS5WCR2](#)
- struct [st_bsc_t.CS5WCR2.BIT](#)
- union [st_bsc_t.CS6MOD](#)
- struct [st_bsc_t.CS6MOD.BIT](#)
- union [st_bsc_t.CS6WCR1](#)
- struct [st_bsc_t.CS6WCR1.BIT](#)
- union [st_bsc_t.CS6WCR2](#)
- struct [st_bsc_t.CS6WCR2.BIT](#)
- union [st_bsc_t.CS7MOD](#)
- struct [st_bsc_t.CS7MOD.BIT](#)
- union [st_bsc_t.CS7WCR1](#)
- struct [st_bsc_t.CS7WCR1.BIT](#)
- union [st_bsc_t.CS7WCR2](#)
- struct [st_bsc_t.CS7WCR2.BIT](#)
- union [st_bsc_t.CS0CR](#)
- struct [st_bsc_t.CS0CR.BIT](#)

- union [st_bsc_t.CS0REC](#)
- struct [st_bsc_t.CS0REC.BIT](#)
- union [st_bsc_t.CS1CR](#)
- struct [st_bsc_t.CS1CR.BIT](#)
- union [st_bsc_t.CS1REC](#)
- struct [st_bsc_t.CS1REC.BIT](#)
- union [st_bsc_t.CS2CR](#)
- struct [st_bsc_t.CS2CR.BIT](#)
- union [st_bsc_t.CS2REC](#)
- struct [st_bsc_t.CS2REC.BIT](#)
- union [st_bsc_t.CS3CR](#)
- struct [st_bsc_t.CS3CR.BIT](#)
- union [st_bsc_t.CS3REC](#)
- struct [st_bsc_t.CS3REC.BIT](#)
- union [st_bsc_t.CS4CR](#)
- struct [st_bsc_t.CS4CR.BIT](#)
- union [st_bsc_t.CS4REC](#)
- struct [st_bsc_t.CS4REC.BIT](#)
- union [st_bsc_t.CS5CR](#)
- struct [st_bsc_t.CS5CR.BIT](#)
- union [st_bsc_t.CS5REC](#)
- struct [st_bsc_t.CS5REC.BIT](#)
- union [st_bsc_t.CS6CR](#)
- struct [st_bsc_t.CS6CR.BIT](#)
- union [st_bsc_t.CS6REC](#)
- struct [st_bsc_t.CS6REC.BIT](#)
- union [st_bsc_t.CS7CR](#)
- struct [st_bsc_t.CS7CR.BIT](#)
- union [st_bsc_t.CS7REC](#)
- struct [st_bsc_t.CS7REC.BIT](#)
- union [st_bsc_t.CSRECEN](#)
- struct [st_bsc_t.CSRECEN.BIT](#)
- union [st_bsc_t.SDCCR](#)
- struct [st_bsc_t.SDCCR.BIT](#)
- union [st_bsc_t.SDCMOD](#)
- struct [st_bsc_t.SDCMOD.BIT](#)
- union [st_bsc_t.SDAMOD](#)
- struct [st_bsc_t.SDAMOD.BIT](#)
- union [st_bsc_t.SDSELF](#)
- struct [st_bsc_t.SDSELF.BIT](#)
- union [st_bsc_t.SDRFCR](#)
- struct [st_bsc_t.SDRFCR.BIT](#)
- union [st_bsc_t.SDRFEN](#)
- struct [st_bsc_t.SDRFEN.BIT](#)
- union [st_bsc_t.SDICR](#)
- struct [st_bsc_t.SDICR.BIT](#)
- union [st_bsc_t.SDIR](#)
- struct [st_bsc_t.SDIR.BIT](#)
- union [st_bsc_t.SDADR](#)
- struct [st_bsc_t.SDADR.BIT](#)
- union [st_bsc_t.SDTR](#)
- struct [st_bsc_t.SDTR.BIT](#)
- union [st_bsc_t.SDMOD](#)
- struct [st_bsc_t.SDMOD.BIT](#)
- union [st_bsc_t.SDSR](#)

- struct [st_bsc_t.SDSR.BIT](#)
- union [st_bsc_t.EBMAPCR](#)
- struct [st_bsc_t.EBMAPCR.BIT](#)
- union [st_cac_t.CACR0](#)
- struct [st_cac_t.CACR0.BIT](#)
- union [st_cac_t.CACR1](#)
- struct [st_cac_t.CACR1.BIT](#)
- union [st_cac_t.CACR2](#)
- struct [st_cac_t.CACR2.BIT](#)
- union [st_cac_t.CAICR](#)
- struct [st_cac_t.CAICR.BIT](#)
- union [st_cac_t.CASTR](#)
- struct [st_cac_t.CASTR.BIT](#)
- struct [st_can_t.MB](#)
- union [st_can_t.MB.ID](#)
- struct [st_can_t.MB.ID.WORD](#)
- struct [st_can_t.MB.ID.BYTE](#)
- struct [st_can_t.MB.ID.BIT](#)
- union [st_can_t.MKR](#)
- struct [st_can_t.MKR.WORD](#)
- struct [st_can_t.MKR.BYTE](#)
- struct [st_can_t.MKR.BIT](#)
- union [st_can_t.FIDCR0](#)
- struct [st_can_t.FIDCR0.WORD](#)
- struct [st_can_t.FIDCR0.BYTE](#)
- struct [st_can_t.FIDCR0.BIT](#)
- union [st_can_t.FIDCR1](#)
- struct [st_can_t.FIDCR1.WORD](#)
- struct [st_can_t.FIDCR1.BYTE](#)
- struct [st_can_t.FIDCR1.BIT](#)
- union [st_can_t.MKIVLR](#)
- struct [st_can_t.MKIVLR.WORD](#)
- struct [st_can_t.MKIVLR.BYTE](#)
- struct [st_can_t.MKIVLR.BIT](#)
- union [st_can_t.MIER](#)
- struct [st_can_t.MIER.WORD](#)
- struct [st_can_t.MIER.BYTE](#)
- struct [st_can_t.MIER.BIT](#)
- union [st_can_t.MCTL](#)
- union [st_can_t.MCTL.BIT](#)
- struct [st_can_t.MCTL.BIT.TX](#)
- struct [st_can_t.MCTL.BIT.RX](#)
- union [st_can_t.CTLR](#)
- struct [st_can_t.CTLR.BYTE](#)
- struct [st_can_t.CTLR.BIT](#)
- union [st_can_t.STR](#)
- struct [st_can_t.STR.BYTE](#)
- struct [st_can_t.STR.BIT](#)
- union [st_can_t.BCR](#)
- struct [st_can_t.BCR.WORD](#)
- struct [st_can_t.BCR.BYTE](#)
- struct [st_can_t.BCR.BIT](#)
- union [st_can_t.RFCR](#)
- struct [st_can_t.RFCR.BIT](#)
- union [st_can_t.TFCR](#)

- struct [st_can_t.TFCR.BIT](#)
- union [st_can_t.EIER](#)
- struct [st_can_t.EIER.BIT](#)
- union [st_can_t.EIFR](#)
- struct [st_can_t.EIFR.BIT](#)
- union [st_can_t.ECSR](#)
- struct [st_can_t.ECSR.BIT](#)
- union [st_can_t.MSSR](#)
- struct [st_can_t.MSSR.BIT](#)
- union [st_can_t.MSMR](#)
- struct [st_can_t.MSMR.BIT](#)
- union [st_can_t.TCR](#)
- struct [st_can_t.TCR.BIT](#)
- union [st_cmt_t.CMSTR0](#)
- struct [st_cmt_t.CMSTR0.BIT](#)
- union [st_cmt_t.CMSTR1](#)
- struct [st_cmt_t.CMSTR1.BIT](#)
- union [st_cmt0_t.CMCR](#)
- struct [st_cmt0_t.CMCR.BIT](#)
- union [st_cmtw_t.CMWSTR](#)
- struct [st_cmtw_t.CMWSTR.BIT](#)
- union [st_cmtw_t.CMWCR](#)
- struct [st_cmtw_t.CMWCR.BIT](#)
- union [st_cmtw_t.CMWIOR](#)
- struct [st_cmtw_t.CMWIOR.BIT](#)
- union [st_crc_t.CRCCR](#)
- struct [st_crc_t.CRCCR.BIT](#)
- union [st_crc_t.CRCDIR](#)
- union [st_crc_t.CRCDOR](#)
- union [st_da_t.DACR](#)
- struct [st_da_t.DACR.BIT](#)
- union [st_da_t.DADPR](#)
- struct [st_da_t.DADPR.BIT](#)
- union [st_da_t.DAADSCR](#)
- struct [st_da_t.DAADSCR.BIT](#)
- union [st_da_t.DAAMPCR](#)
- struct [st_da_t.DAAMPCR.BIT](#)
- union [st_da_t.DAASWCR](#)
- struct [st_da_t.DAASWCR.BIT](#)
- union [st_da_t.DAADUSR](#)
- struct [st_da_t.DAADUSR.BIT](#)
- union [st_dmac_t.DMAST](#)
- struct [st_dmac_t.DMAST.BIT](#)
- union [st_dmac_t.DMIST](#)
- struct [st_dmac_t.DMIST.BIT](#)
- union [st_dmac0_t.DMTMD](#)
- struct [st_dmac0_t.DMTMD.BIT](#)
- union [st_dmac0_t.DMINT](#)
- struct [st_dmac0_t.DMINT.BIT](#)
- union [st_dmac0_t.DMAMD](#)
- struct [st_dmac0_t.DMAMD.BIT](#)
- union [st_dmac0_t.DMCNT](#)
- struct [st_dmac0_t.DMCNT.BIT](#)
- union [st_dmac0_t.DMREQ](#)
- struct [st_dmac0_t.DMREQ.BIT](#)

- union [st_dmac0_t.DMSTS](#)
- struct [st_dmac0_t.DMSTS.BIT](#)
- union [st_dmac0_t.DMCSL](#)
- struct [st_dmac0_t.DMCSL.BIT](#)
- union [st_dmac1_t.DMTMD](#)
- struct [st_dmac1_t.DMTMD.BIT](#)
- union [st_dmac1_t.DMINT](#)
- struct [st_dmac1_t.DMINT.BIT](#)
- union [st_dmac1_t.DMAMD](#)
- struct [st_dmac1_t.DMAMD.BIT](#)
- union [st_dmac1_t.DMCNT](#)
- struct [st_dmac1_t.DMCNT.BIT](#)
- union [st_dmac1_t.DMREQ](#)
- struct [st_dmac1_t.DMREQ.BIT](#)
- union [st_dmac1_t.DMSTS](#)
- struct [st_dmac1_t.DMSTS.BIT](#)
- union [st_dmac1_t.DMCSL](#)
- struct [st_dmac1_t.DMCSL.BIT](#)
- union [st_doc_t.DOCR](#)
- struct [st_doc_t.DOCR.BIT](#)
- union [st_drw2d_t.__unnamed0__](#)
- union [st_drw2d_t.__unnamed0__.CONTROL](#)
- struct [st_drw2d_t.__unnamed0__.CONTROL.BIT](#)
- union [st_drw2d_t.__unnamed0__.STATUS](#)
- struct [st_drw2d_t.__unnamed0__.STATUS.BIT](#)
- union [st_drw2d_t.__unnamed1__](#)
- union [st_drw2d_t.__unnamed1__.CONTROL2](#)
- struct [st_drw2d_t.__unnamed1__.CONTROL2.BIT](#)
- union [st_drw2d_t.__unnamed1__.HWVER](#)
- struct [st_drw2d_t.__unnamed1__.HWVER.BIT](#)
- union [st_drw2d_t.COLOR1](#)
- struct [st_drw2d_t.COLOR1.BIT](#)
- union [st_drw2d_t.COLOR2](#)
- struct [st_drw2d_t.COLOR2.BIT](#)
- union [st_drw2d_t.SIZE](#)
- struct [st_drw2d_t.SIZE.BIT](#)
- union [st_drw2d_t.PITCH](#)
- struct [st_drw2d_t.PITCH.BIT](#)
- union [st_drw2d_t.LVYXADDF](#)
- struct [st_drw2d_t.LVYXADDF.BIT](#)
- union [st_drw2d_t.TEXTMSK](#)
- struct [st_drw2d_t.TEXTMSK.BIT](#)
- union [st_drw2d_t.IRQCTL](#)
- struct [st_drw2d_t.IRQCTL.BIT](#)
- union [st_drw2d_t.CACHECTL](#)
- struct [st_drw2d_t.CACHECTL.BIT](#)
- union [st_drw2d_t.PERFTRG](#)
- struct [st_drw2d_t.PERFTRG.BIT](#)
- union [st_drw2d_t.COLKEY](#)
- struct [st_drw2d_t.COLKEY.BIT](#)
- union [st_dtc_t.DTCCR](#)
- struct [st_dtc_t.DTCCR.BIT](#)
- union [st_dtc_t.DTCADMOD](#)
- struct [st_dtc_t.DTCADMOD.BIT](#)
- union [st_dtc_t.DTCST](#)

- struct `st_dtc_t.DTCST.BIT`
- union `st_dtc_t.DTCSTS`
- struct `st_dtc_t.DTCSTS.BIT`
- union `st_dtc_t.DTCOR`
- struct `st_dtc_t.DTCOR.BIT`
- union `st_dtc_t.DTCSQE`
- struct `st_dtc_t.DTCSQE.BIT`
- union `st_eccram_t.ECCRAMMODE`
- struct `st_eccram_t.ECCRAMMODE.BIT`
- union `st_eccram_t.ECCRAM2STS`
- struct `st_eccram_t.ECCRAM2STS.BIT`
- union `st_eccram_t.ECCRAM1STSEN`
- struct `st_eccram_t.ECCRAM1STSEN.BIT`
- union `st_eccram_t.ECCRAM1STS`
- struct `st_eccram_t.ECCRAM1STS.BIT`
- union `st_eccram_t.ECCRAMPRCR`
- struct `st_eccram_t.ECCRAMPRCR.BIT`
- union `st_eccram_t.ECCRAM2ECAD`
- struct `st_eccram_t.ECCRAM2ECAD.BIT`
- union `st_eccram_t.ECCRAM1ECAD`
- struct `st_eccram_t.ECCRAM1ECAD.BIT`
- union `st_eccram_t.ECCRAMPRCR2`
- struct `st_eccram_t.ECCRAMPRCR2.BIT`
- union `st_eccram_t.ECCRAMETST`
- struct `st_eccram_t.ECCRAMETST.BIT`
- union `st_edmac_t.EDMR`
- struct `st_edmac_t.EDMR.BIT`
- union `st_edmac_t.EDTRR`
- struct `st_edmac_t.EDTRR.BIT`
- union `st_edmac_t.EDRRR`
- struct `st_edmac_t.EDRRR.BIT`
- union `st_edmac_t.EESR`
- struct `st_edmac_t.EESR.BIT`
- union `st_edmac_t.EESIPR`
- struct `st_edmac_t.EESIPR.BIT`
- union `st_edmac_t.TRSCER`
- struct `st_edmac_t.TRSCER.BIT`
- union `st_edmac_t.RMFCR`
- struct `st_edmac_t.RMFCR.BIT`
- union `st_edmac_t.TFTR`
- struct `st_edmac_t.TFTR.BIT`
- union `st_edmac_t.FDR`
- struct `st_edmac_t.FDR.BIT`
- union `st_edmac_t.RMCR`
- struct `st_edmac_t.RMCR.BIT`
- union `st_edmac_t.TFUCR`
- struct `st_edmac_t.TFUCR.BIT`
- union `st_edmac_t.RFOCR`
- struct `st_edmac_t.RFOCR.BIT`
- union `st_edmac_t.IOSR`
- struct `st_edmac_t.IOSR.BIT`
- union `st_edmac_t.FCFTR`
- struct `st_edmac_t.FCFTR.BIT`
- union `st_edmac_t.RPADIR`
- struct `st_edmac_t.RPADIR.BIT`

- union [st_edmac_t.TRIMD](#)
- struct [st_edmac_t.TRIMD.BIT](#)
- union [st_elc_t.ELCR](#)
- struct [st_elc_t.ELCR.BIT](#)
- union [st_elc_t.ELSR0](#)
- struct [st_elc_t.ELSR0.BIT](#)
- union [st_elc_t.ELSR3](#)
- struct [st_elc_t.ELSR3.BIT](#)
- union [st_elc_t.ELSR4](#)
- struct [st_elc_t.ELSR4.BIT](#)
- union [st_elc_t.ELSR7](#)
- struct [st_elc_t.ELSR7.BIT](#)
- union [st_elc_t.ELSR10](#)
- struct [st_elc_t.ELSR10.BIT](#)
- union [st_elc_t.ELSR11](#)
- struct [st_elc_t.ELSR11.BIT](#)
- union [st_elc_t.ELSR12](#)
- struct [st_elc_t.ELSR12.BIT](#)
- union [st_elc_t.ELSR13](#)
- struct [st_elc_t.ELSR13.BIT](#)
- union [st_elc_t.ELSR15](#)
- struct [st_elc_t.ELSR15.BIT](#)
- union [st_elc_t.ELSR16](#)
- struct [st_elc_t.ELSR16.BIT](#)
- union [st_elc_t.ELSR18](#)
- struct [st_elc_t.ELSR18.BIT](#)
- union [st_elc_t.ELSR19](#)
- struct [st_elc_t.ELSR19.BIT](#)
- union [st_elc_t.ELSR20](#)
- struct [st_elc_t.ELSR20.BIT](#)
- union [st_elc_t.ELSR21](#)
- struct [st_elc_t.ELSR21.BIT](#)
- union [st_elc_t.ELSR22](#)
- struct [st_elc_t.ELSR22.BIT](#)
- union [st_elc_t.ELSR23](#)
- struct [st_elc_t.ELSR23.BIT](#)
- union [st_elc_t.ELSR24](#)
- struct [st_elc_t.ELSR24.BIT](#)
- union [st_elc_t.ELSR25](#)
- struct [st_elc_t.ELSR25.BIT](#)
- union [st_elc_t.ELSR26](#)
- struct [st_elc_t.ELSR26.BIT](#)
- union [st_elc_t.ELSR27](#)
- struct [st_elc_t.ELSR27.BIT](#)
- union [st_elc_t.ELSR28](#)
- struct [st_elc_t.ELSR28.BIT](#)
- union [st_elc_t.ELOPA](#)
- struct [st_elc_t.ELOPA.BIT](#)
- union [st_elc_t.ELOPB](#)
- struct [st_elc_t.ELOPB.BIT](#)
- union [st_elc_t.ELOPC](#)
- struct [st_elc_t.ELOPC.BIT](#)
- union [st_elc_t.ELOPD](#)
- struct [st_elc_t.ELOPD.BIT](#)
- union [st_elc_t.PGR1](#)

- struct [st_elc_t.PGR1.BIT](#)
- union [st_elc_t.PGR2](#)
- struct [st_elc_t.PGR2.BIT](#)
- union [st_elc_t.PGC1](#)
- struct [st_elc_t.PGC1.BIT](#)
- union [st_elc_t.PGC2](#)
- struct [st_elc_t.PGC2.BIT](#)
- union [st_elc_t.PDBF1](#)
- struct [st_elc_t.PDBF1.BIT](#)
- union [st_elc_t.PDBF2](#)
- struct [st_elc_t.PDBF2.BIT](#)
- union [st_elc_t.PEL0](#)
- struct [st_elc_t.PEL0.BIT](#)
- union [st_elc_t.PEL1](#)
- struct [st_elc_t.PEL1.BIT](#)
- union [st_elc_t.PEL2](#)
- struct [st_elc_t.PEL2.BIT](#)
- union [st_elc_t.PEL3](#)
- struct [st_elc_t.PEL3.BIT](#)
- union [st_elc_t.ELSEGR](#)
- union [st_elc_t.ELSR33](#)
- struct [st_elc_t.ELSR33.BIT](#)
- union [st_elc_t.ELSR35](#)
- struct [st_elc_t.ELSR35.BIT](#)
- union [st_elc_t.ELSR36](#)
- struct [st_elc_t.ELSR36.BIT](#)
- union [st_elc_t.ELSR37](#)
- struct [st_elc_t.ELSR37.BIT](#)
- union [st_elc_t.ELSR38](#)
- struct [st_elc_t.ELSR38.BIT](#)
- union [st_elc_t.ELSR45](#)
- struct [st_elc_t.ELSR45.BIT](#)
- union [st_elc_t.ELOPF](#)
- struct [st_elc_t.ELOPF.BIT](#)
- union [st_elc_t.ELOPH](#)
- struct [st_elc_t.ELOPH.BIT](#)
- union [st_elc_t.ELSR48](#)
- struct [st_elc_t.ELSR48.BIT](#)
- union [st_elc_t.ELSR49](#)
- struct [st_elc_t.ELSR49.BIT](#)
- union [st_elc_t.ELSR50](#)
- struct [st_elc_t.ELSR50.BIT](#)
- union [st_elc_t.ELSR51](#)
- struct [st_elc_t.ELSR51.BIT](#)
- union [st_elc_t.ELSR52](#)
- struct [st_elc_t.ELSR52.BIT](#)
- union [st_elc_t.ELSR53](#)
- struct [st_elc_t.ELSR53.BIT](#)
- union [st_elc_t.ELSR54](#)
- struct [st_elc_t.ELSR54.BIT](#)
- union [st_elc_t.ELSR55](#)
- struct [st_elc_t.ELSR55.BIT](#)
- union [st_elc_t.ELSR56](#)
- struct [st_elc_t.ELSR56.BIT](#)
- union [st_elc_t.ELSR57](#)

- struct [st_elc_t.ELSR57.BIT](#)
- union [st_eptpc_t.PTRSTR](#)
- struct [st_eptpc_t.PTRSTR.BIT](#)
- union [st_eptpc_t.STCSELR](#)
- struct [st_eptpc_t.STCSELR.BIT](#)
- union [st_eptpc_t.SYBYPSTR](#)
- struct [st_eptpc_t.SYBYPSTR.BIT](#)
- union [st_eptpc_t.MIEIPR](#)
- struct [st_eptpc_t.MIEIPR.BIT](#)
- union [st_eptpc_t.ELIPPR](#)
- struct [st_eptpc_t.ELIPPR.BIT](#)
- union [st_eptpc_t.ELIPACR](#)
- struct [st_eptpc_t.ELIPACR.BIT](#)
- union [st_eptpc_t.STIPR](#)
- struct [st_eptpc_t.STIPR.BIT](#)
- union [st_eptpc_t.STCFR](#)
- struct [st_eptpc_t.STCFR.BIT](#)
- union [st_eptpc_t.STMR](#)
- struct [st_eptpc_t.STMR.BIT](#)
- union [st_eptpc_t.IPTSELR](#)
- struct [st_eptpc_t.IPTSELR.BIT](#)
- union [st_eptpc_t.MITSELR](#)
- struct [st_eptpc_t.MITSELR.BIT](#)
- union [st_eptpc_t.ELTSELR](#)
- struct [st_eptpc_t.ELTSELR.BIT](#)
- union [st_eptpc_t.STCHSELR](#)
- struct [st_eptpc_t.STCHSELR.BIT](#)
- union [st_eptpc_t.SYNSTARTR](#)
- struct [st_eptpc_t.SYNSTARTR.BIT](#)
- union [st_eptpc_t.LCIVLDR](#)
- struct [st_eptpc_t.LCIVLDR.BIT](#)
- union [st_eptpc_t.LCIVRU](#)
- struct [st_eptpc_t.LCIVRU.BIT](#)
- union [st_eptpc_t.GETW10R](#)
- struct [st_eptpc_t.GETW10R.BIT](#)
- union [st_eptpc_t.PLIMITRU](#)
- struct [st_eptpc_t.PLIMITRU.BIT](#)
- union [st_eptpc_t.MLIMITRU](#)
- struct [st_eptpc_t.MLIMITRU.BIT](#)
- union [st_eptpc_t.GETINFOR](#)
- struct [st_eptpc_t.GETINFOR.BIT](#)
- union [st_eptpc_t.LCCVRU](#)
- struct [st_eptpc_t.LCCVRU.BIT](#)
- union [st_eptpc_t.TMCYCR0](#)
- struct [st_eptpc_t.TMCYCR0.BIT](#)
- union [st_eptpc_t.TMPLSR0](#)
- struct [st_eptpc_t.TMPLSR0.BIT](#)
- union [st_eptpc_t.TMCYCR1](#)
- struct [st_eptpc_t.TMCYCR1.BIT](#)
- union [st_eptpc_t.TMPLSR1](#)
- struct [st_eptpc_t.TMPLSR1.BIT](#)
- union [st_eptpc_t.TMCYCR2](#)
- struct [st_eptpc_t.TMCYCR2.BIT](#)
- union [st_eptpc_t.TMPLSR2](#)
- struct [st_eptpc_t.TMPLSR2.BIT](#)

- union `st_eptpc_t.TMCYCR3`
- struct `st_eptpc_t.TMCYCR3.BIT`
- union `st_eptpc_t.TMPLSR3`
- struct `st_eptpc_t.TMPLSR3.BIT`
- union `st_eptpc_t.TMCYCR4`
- struct `st_eptpc_t.TMCYCR4.BIT`
- union `st_eptpc_t.TMPLSR4`
- struct `st_eptpc_t.TMPLSR4.BIT`
- union `st_eptpc_t.TMCYCR5`
- struct `st_eptpc_t.TMCYCR5.BIT`
- union `st_eptpc_t.TMPLSR5`
- struct `st_eptpc_t.TMPLSR5.BIT`
- union `st_eptpc_t.TMSTARTR`
- struct `st_eptpc_t.TMSTARTR.BIT`
- union `st_eptpc_t.PRIPR`
- struct `st_eptpc_t.PRIPR.BIT`
- union `st_eptpc_t.PRMACRU0`
- struct `st_eptpc_t.PRMACRU0.BIT`
- union `st_eptpc_t.PRMACRL0`
- struct `st_eptpc_t.PRMACRL0.BIT`
- union `st_eptpc_t.PRMACRU1`
- struct `st_eptpc_t.PRMACRU1.BIT`
- union `st_eptpc_t.PRMACRL1`
- struct `st_eptpc_t.PRMACRL1.BIT`
- union `st_eptpc_t.TRNDISR`
- struct `st_eptpc_t.TRNDISR.BIT`
- union `st_eptpc_t.TRNMR`
- struct `st_eptpc_t.TRNMR.BIT`
- union `st_eptpc_t.TRNCTTDR`
- struct `st_eptpc_t.TRNCTTDR.BIT`
- union `st_eptpc0_t.SYIPR`
- struct `st_eptpc0_t.SYIPR.BIT`
- union `st_eptpc0_t.SYMACRU`
- struct `st_eptpc0_t.SYMACRU.BIT`
- union `st_eptpc0_t.SYMACRL`
- struct `st_eptpc0_t.SYMACRL.BIT`
- union `st_eptpc0_t.SYSPVRR`
- struct `st_eptpc0_t.SYSPVRR.BIT`
- union `st_eptpc0_t.SYDOMR`
- struct `st_eptpc0_t.SYDOMR.BIT`
- union `st_eptpc0_t.ANFR`
- struct `st_eptpc0_t.ANFR.BIT`
- union `st_eptpc0_t.SYNFR`
- struct `st_eptpc0_t.SYNFR.BIT`
- union `st_eptpc0_t.DYRQFR`
- struct `st_eptpc0_t.DYRQFR.BIT`
- union `st_eptpc0_t.DYRPFR`
- struct `st_eptpc0_t.DYRPFR.BIT`
- union `st_eptpc0_t.SYPNUMR`
- struct `st_eptpc0_t.SYPNUMR.BIT`
- union `st_eptpc0_t.SYRVLDR`
- struct `st_eptpc0_t.SYRVLDR.BIT`
- union `st_eptpc0_t.SYRFL1R`
- struct `st_eptpc0_t.SYRFL1R.BIT`
- union `st_eptpc0_t.SYRFL2R`

- struct [st_eptpc0_t.SYRFL2R.BIT](#)
- union [st_eptpc0_t.SYTREN](#)
- struct [st_eptpc0_t.SYTREN.BIT](#)
- union [st_eptpc0_t.MTPID](#)
- struct [st_eptpc0_t.MTPID.BIT](#)
- union [st_eptpc0_t.SYTLIR](#)
- struct [st_eptpc0_t.SYTLIR.BIT](#)
- union [st_eptpc0_t.SYRLIR](#)
- struct [st_eptpc0_t.SYRLIR.BIT](#)
- union [st_eptpc0_t.GMPR](#)
- struct [st_eptpc0_t.GMPR.BIT](#)
- union [st_eptpc0_t.CUOTSR](#)
- struct [st_eptpc0_t.CUOTSR.BIT](#)
- union [st_eptpc0_t.SRR](#)
- struct [st_eptpc0_t.SRR.BIT](#)
- union [st_eptpc0_t.PPMACRU](#)
- struct [st_eptpc0_t.PPMACRU.BIT](#)
- union [st_eptpc0_t.PPMACRL](#)
- struct [st_eptpc0_t.PPMACRL.BIT](#)
- union [st_eptpc0_t.PDMACRU](#)
- struct [st_eptpc0_t.PDMACRU.BIT](#)
- union [st_eptpc0_t.PDMACRL](#)
- struct [st_eptpc0_t.PDMACRL.BIT](#)
- union [st_eptpc0_t.PETYP](#)
- struct [st_eptpc0_t.PETYP.BIT](#)
- union [st_eptpc0_t.PETOSR](#)
- struct [st_eptpc0_t.PETOSR.BIT](#)
- union [st_eptpc0_t.PGTOSR](#)
- struct [st_eptpc0_t.PGTOSR.BIT](#)
- union [st_eptpc0_t.PTTTLR](#)
- struct [st_eptpc0_t.PTTTLR.BIT](#)
- union [st_eptpc0_t.PDTTLR](#)
- struct [st_eptpc0_t.PDTTLR.BIT](#)
- union [st_eptpc0_t.PEUDPR](#)
- struct [st_eptpc0_t.PEUDPR.BIT](#)
- union [st_eptpc0_t.PGUDPR](#)
- struct [st_eptpc0_t.PGUDPR.BIT](#)
- union [st_eptpc0_t.FFLTR](#)
- struct [st_eptpc0_t.FFLTR.BIT](#)
- union [st_eptpc0_t.FMAC0RU](#)
- struct [st_eptpc0_t.FMAC0RU.BIT](#)
- union [st_eptpc0_t.FMAC0RL](#)
- struct [st_eptpc0_t.FMAC0RL.BIT](#)
- union [st_eptpc0_t.FMAC1RU](#)
- struct [st_eptpc0_t.FMAC1RU.BIT](#)
- union [st_eptpc0_t.FMAC1RL](#)
- struct [st_eptpc0_t.FMAC1RL.BIT](#)
- union [st_eptpc0_t.DASYMRU](#)
- struct [st_eptpc0_t.DASYMRU.BIT](#)
- union [st_eptpc0_t.TSLATR](#)
- struct [st_eptpc0_t.TSLATR.BIT](#)
- union [st_eptpc0_t.SYCONFR](#)
- struct [st_eptpc0_t.SYCONFR.BIT](#)
- union [st_eptpc0_t.SYFORMR](#)
- struct [st_eptpc0_t.SYFORMR.BIT](#)

- union `st_etherc_t.ECMR`
- struct `st_etherc_t.ECMR.BIT`
- union `st_etherc_t.RFLR`
- struct `st_etherc_t.RFLR.BIT`
- union `st_etherc_t.ECSR`
- struct `st_etherc_t.ECSR.BIT`
- union `st_etherc_t.ECSIPR`
- struct `st_etherc_t.ECSIPR.BIT`
- union `st_etherc_t.PIR`
- struct `st_etherc_t.PIR.BIT`
- union `st_etherc_t.PSR`
- struct `st_etherc_t.PSR.BIT`
- union `st_etherc_t.RDMLR`
- struct `st_etherc_t.RDMLR.BIT`
- union `st_etherc_t.IPGR`
- struct `st_etherc_t.IPGR.BIT`
- union `st_etherc_t.APR`
- struct `st_etherc_t.APR.BIT`
- union `st_etherc_t.MPR`
- struct `st_etherc_t.MPR.BIT`
- union `st_etherc_t.RFCF`
- struct `st_etherc_t.RFCF.BIT`
- union `st_etherc_t.TPAUSER`
- struct `st_etherc_t.TPAUSER.BIT`
- union `st_etherc_t.TPAUSECR`
- struct `st_etherc_t.TPAUSECR.BIT`
- union `st_etherc_t.BCFRR`
- struct `st_etherc_t.BCFRR.BIT`
- union `st_etherc_t.MALR`
- struct `st_etherc_t.MALR.BIT`
- union `st_exdmac_t.EDMAST`
- struct `st_exdmac_t.EDMAST.BIT`
- union `st_exdmac0_t.EDMTMD`
- struct `st_exdmac0_t.EDMTMD.BIT`
- union `st_exdmac0_t.EDMOMD`
- struct `st_exdmac0_t.EDMOMD.BIT`
- union `st_exdmac0_t.EDMINT`
- struct `st_exdmac0_t.EDMINT.BIT`
- union `st_exdmac0_t.EDMAMD`
- struct `st_exdmac0_t.EDMAMD.BIT`
- union `st_exdmac0_t.EDMCNT`
- struct `st_exdmac0_t.EDMCNT.BIT`
- union `st_exdmac0_t.EDMREQ`
- struct `st_exdmac0_t.EDMREQ.BIT`
- union `st_exdmac0_t.EDMSTS`
- struct `st_exdmac0_t.EDMSTS.BIT`
- union `st_exdmac0_t.EDMRMD`
- struct `st_exdmac0_t.EDMRMD.BIT`
- union `st_exdmac0_t.EDMERF`
- struct `st_exdmac0_t.EDMERF.BIT`
- union `st_exdmac0_t.EDMPRF`
- struct `st_exdmac0_t.EDMPRF.BIT`
- union `st_exdmac1_t.EDMTMD`
- struct `st_exdmac1_t.EDMTMD.BIT`
- union `st_exdmac1_t.EDMOMD`

- struct [st_exdmac1_t](#).EDMOMD.BIT
- union [st_exdmac1_t](#).EDMINT
- struct [st_exdmac1_t](#).EDMINT.BIT
- union [st_exdmac1_t](#).EDMAMD
- struct [st_exdmac1_t](#).EDMAMD.BIT
- union [st_exdmac1_t](#).EDMCNT
- struct [st_exdmac1_t](#).EDMCNT.BIT
- union [st_exdmac1_t](#).EDMREQ
- struct [st_exdmac1_t](#).EDMREQ.BIT
- union [st_exdmac1_t](#).EDMSTS
- struct [st_exdmac1_t](#).EDMSTS.BIT
- union [st_exdmac1_t](#).EDMRMD
- struct [st_exdmac1_t](#).EDMRMD.BIT
- union [st_exdmac1_t](#).EDMERF
- struct [st_exdmac1_t](#).EDMERF.BIT
- union [st_exdmac1_t](#).EDMPRF
- struct [st_exdmac1_t](#).EDMPRF.BIT
- union [st_flash_t](#).ROMCE
- struct [st_flash_t](#).ROMCE.BIT
- union [st_flash_t](#).ROMCIV
- struct [st_flash_t](#).ROMCIV.BIT
- union [st_flash_t](#).NCRC0
- struct [st_flash_t](#).NCRC0.BIT
- union [st_flash_t](#).NCRC1
- struct [st_flash_t](#).NCRC1.BIT
- union [st_flash_t](#).FWEPROR
- struct [st_flash_t](#).FWEPROR.BIT
- union [st_flash_t](#).FASTAT
- struct [st_flash_t](#).FASTAT.BIT
- union [st_flash_t](#).FAEINT
- struct [st_flash_t](#).FAEINT.BIT
- union [st_flash_t](#).FRDYIE
- struct [st_flash_t](#).FRDYIE.BIT
- union [st_flash_t](#).FSADDR
- struct [st_flash_t](#).FSADDR.BIT
- union [st_flash_t](#).FEADDR
- struct [st_flash_t](#).FEADDR.BIT
- union [st_flash_t](#).FSTATR
- struct [st_flash_t](#).FSTATR.BIT
- union [st_flash_t](#).FENTRYR
- struct [st_flash_t](#).FENTRYR.BIT
- union [st_flash_t](#).FSUINTR
- struct [st_flash_t](#).FSUINTR.BIT
- union [st_flash_t](#).FCMDR
- struct [st_flash_t](#).FCMDR.BIT
- union [st_flash_t](#).FBCCNT
- struct [st_flash_t](#).FBCCNT.BIT
- union [st_flash_t](#).FBCSTAT
- struct [st_flash_t](#).FBCSTAT.BIT
- union [st_flash_t](#).FPSADDR
- struct [st_flash_t](#).FPSADDR.BIT
- union [st_flash_t](#).FAWMON
- struct [st_flash_t](#).FAWMON.BIT
- union [st_flash_t](#).FCPSR
- struct [st_flash_t](#).FCPSR.BIT

- union [st_flash_t.FPCKAR](#)
- struct [st_flash_t.FPCKAR.BIT](#)
- union [st_flash_t.FSUACR](#)
- struct [st_flash_t.FSUACR.BIT](#)
- union [st_glcdc_t.GR1CLUT0](#)
- struct [st_glcdc_t.GR1CLUT0.BIT](#)
- union [st_glcdc_t.GR1CLUT1](#)
- struct [st_glcdc_t.GR1CLUT1.BIT](#)
- union [st_glcdc_t.GR2CLUT0](#)
- struct [st_glcdc_t.GR2CLUT0.BIT](#)
- union [st_glcdc_t.GR2CLUT1](#)
- struct [st_glcdc_t.GR2CLUT1.BIT](#)
- union [st_glcdc_t.BGEN](#)
- struct [st_glcdc_t.BGEN.BIT](#)
- union [st_glcdc_t.BGPERI](#)
- struct [st_glcdc_t.BGPERI.BIT](#)
- union [st_glcdc_t.BGSYNC](#)
- struct [st_glcdc_t.BGSYNC.BIT](#)
- union [st_glcdc_t.BGVSIZE](#)
- struct [st_glcdc_t.BGVSIZE.BIT](#)
- union [st_glcdc_t.BGHSIZE](#)
- struct [st_glcdc_t.BGHSIZE.BIT](#)
- union [st_glcdc_t.BGCOLOR](#)
- struct [st_glcdc_t.BGCOLOR.BIT](#)
- union [st_glcdc_t.BGMON](#)
- struct [st_glcdc_t.BGMON.BIT](#)
- union [st_glcdc_t.GR1VEN](#)
- struct [st_glcdc_t.GR1VEN.BIT](#)
- union [st_glcdc_t.GR1FLMRD](#)
- struct [st_glcdc_t.GR1FLMRD.BIT](#)
- union [st_glcdc_t.GR1FLM3](#)
- struct [st_glcdc_t.GR1FLM3.BIT](#)
- union [st_glcdc_t.GR1FLM5](#)
- struct [st_glcdc_t.GR1FLM5.BIT](#)
- union [st_glcdc_t.GR1FLM6](#)
- struct [st_glcdc_t.GR1FLM6.BIT](#)
- union [st_glcdc_t.GR1AB1](#)
- struct [st_glcdc_t.GR1AB1.BIT](#)
- union [st_glcdc_t.GR1AB2](#)
- struct [st_glcdc_t.GR1AB2.BIT](#)
- union [st_glcdc_t.GR1AB3](#)
- struct [st_glcdc_t.GR1AB3.BIT](#)
- union [st_glcdc_t.GR1AB4](#)
- struct [st_glcdc_t.GR1AB4.BIT](#)
- union [st_glcdc_t.GR1AB5](#)
- struct [st_glcdc_t.GR1AB5.BIT](#)
- union [st_glcdc_t.GR1AB6](#)
- struct [st_glcdc_t.GR1AB6.BIT](#)
- union [st_glcdc_t.GR1AB7](#)
- struct [st_glcdc_t.GR1AB7.BIT](#)
- union [st_glcdc_t.GR1AB8](#)
- struct [st_glcdc_t.GR1AB8.BIT](#)
- union [st_glcdc_t.GR1AB9](#)
- struct [st_glcdc_t.GR1AB9.BIT](#)
- union [st_glcdc_t.GR1BASE](#)

- struct [st_glcdc_t.GR1BASE.BIT](#)
- union [st_glcdc_t.GR1CLUTINT](#)
- struct [st_glcdc_t.GR1CLUTINT.BIT](#)
- union [st_glcdc_t.GR1MON](#)
- struct [st_glcdc_t.GR1MON.BIT](#)
- union [st_glcdc_t.GR2VEN](#)
- struct [st_glcdc_t.GR2VEN.BIT](#)
- union [st_glcdc_t.GR2FLMRD](#)
- struct [st_glcdc_t.GR2FLMRD.BIT](#)
- union [st_glcdc_t.GR2FLM3](#)
- struct [st_glcdc_t.GR2FLM3.BIT](#)
- union [st_glcdc_t.GR2FLM5](#)
- struct [st_glcdc_t.GR2FLM5.BIT](#)
- union [st_glcdc_t.GR2FLM6](#)
- struct [st_glcdc_t.GR2FLM6.BIT](#)
- union [st_glcdc_t.GR2AB1](#)
- struct [st_glcdc_t.GR2AB1.BIT](#)
- union [st_glcdc_t.GR2AB2](#)
- struct [st_glcdc_t.GR2AB2.BIT](#)
- union [st_glcdc_t.GR2AB3](#)
- struct [st_glcdc_t.GR2AB3.BIT](#)
- union [st_glcdc_t.GR2AB4](#)
- struct [st_glcdc_t.GR2AB4.BIT](#)
- union [st_glcdc_t.GR2AB5](#)
- struct [st_glcdc_t.GR2AB5.BIT](#)
- union [st_glcdc_t.GR2AB6](#)
- struct [st_glcdc_t.GR2AB6.BIT](#)
- union [st_glcdc_t.GR2AB7](#)
- struct [st_glcdc_t.GR2AB7.BIT](#)
- union [st_glcdc_t.GR2AB8](#)
- struct [st_glcdc_t.GR2AB8.BIT](#)
- union [st_glcdc_t.GR2AB9](#)
- struct [st_glcdc_t.GR2AB9.BIT](#)
- union [st_glcdc_t.GR2BASE](#)
- struct [st_glcdc_t.GR2BASE.BIT](#)
- union [st_glcdc_t.GR2CLUTINT](#)
- struct [st_glcdc_t.GR2CLUTINT.BIT](#)
- union [st_glcdc_t.GR2MON](#)
- struct [st_glcdc_t.GR2MON.BIT](#)
- union [st_glcdc_t.GAMGVEN](#)
- struct [st_glcdc_t.GAMGVEN.BIT](#)
- union [st_glcdc_t.GAMSW](#)
- struct [st_glcdc_t.GAMSW.BIT](#)
- union [st_glcdc_t.GAMGLUT1](#)
- struct [st_glcdc_t.GAMGLUT1.BIT](#)
- union [st_glcdc_t.GAMGLUT2](#)
- struct [st_glcdc_t.GAMGLUT2.BIT](#)
- union [st_glcdc_t.GAMGLUT3](#)
- struct [st_glcdc_t.GAMGLUT3.BIT](#)
- union [st_glcdc_t.GAMGLUT4](#)
- struct [st_glcdc_t.GAMGLUT4.BIT](#)
- union [st_glcdc_t.GAMGLUT5](#)
- struct [st_glcdc_t.GAMGLUT5.BIT](#)
- union [st_glcdc_t.GAMGLUT6](#)
- struct [st_glcdc_t.GAMGLUT6.BIT](#)

- [union `st\_glcdc\_t`.`GAMGLUT7`](#)
- [struct `st\_glcdc\_t`.`GAMGLUT7.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGLUT8`](#)
- [struct `st\_glcdc\_t`.`GAMGLUT8.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGAREA1`](#)
- [struct `st\_glcdc\_t`.`GAMGAREA1.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGAREA2`](#)
- [struct `st\_glcdc\_t`.`GAMGAREA2.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGAREA3`](#)
- [struct `st\_glcdc\_t`.`GAMGAREA3.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGAREA4`](#)
- [struct `st\_glcdc\_t`.`GAMGAREA4.BIT`](#)
- [union `st\_glcdc\_t`.`GAMGAREA5`](#)
- [struct `st\_glcdc\_t`.`GAMGAREA5.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBVEN`](#)
- [struct `st\_glcdc\_t`.`GAMBVEN.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT1`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT1.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT2`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT2.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT3`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT3.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT4`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT4.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT5`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT5.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT6`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT6.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT7`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT7.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBLUT8`](#)
- [struct `st\_glcdc\_t`.`GAMBLUT8.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBAREA1`](#)
- [struct `st\_glcdc\_t`.`GAMBAREA1.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBAREA2`](#)
- [struct `st\_glcdc\_t`.`GAMBAREA2.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBAREA3`](#)
- [struct `st\_glcdc\_t`.`GAMBAREA3.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBAREA4`](#)
- [struct `st\_glcdc\_t`.`GAMBAREA4.BIT`](#)
- [union `st\_glcdc\_t`.`GAMBAREA5`](#)
- [struct `st\_glcdc\_t`.`GAMBAREA5.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRVEN`](#)
- [struct `st\_glcdc\_t`.`GAMRVEN.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT1`](#)
- [struct `st\_glcdc\_t`.`GAMRLUT1.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT2`](#)
- [struct `st\_glcdc\_t`.`GAMRLUT2.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT3`](#)
- [struct `st\_glcdc\_t`.`GAMRLUT3.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT4`](#)
- [struct `st\_glcdc\_t`.`GAMRLUT4.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT5`](#)
- [struct `st\_glcdc\_t`.`GAMRLUT5.BIT`](#)
- [union `st\_glcdc\_t`.`GAMRLUT6`](#)

- struct `st_glcdc_t.GAMRLUT6.BIT`
- union `st_glcdc_t.GAMRLUT7`
- struct `st_glcdc_t.GAMRLUT7.BIT`
- union `st_glcdc_t.GAMRLUT8`
- struct `st_glcdc_t.GAMRLUT8.BIT`
- union `st_glcdc_t.GAMRAREA1`
- struct `st_glcdc_t.GAMRAREA1.BIT`
- union `st_glcdc_t.GAMRAREA2`
- struct `st_glcdc_t.GAMRAREA2.BIT`
- union `st_glcdc_t.GAMRAREA3`
- struct `st_glcdc_t.GAMRAREA3.BIT`
- union `st_glcdc_t.GAMRAREA4`
- struct `st_glcdc_t.GAMRAREA4.BIT`
- union `st_glcdc_t.GAMRAREA5`
- struct `st_glcdc_t.GAMRAREA5.BIT`
- union `st_glcdc_t.OUTVEN`
- struct `st_glcdc_t.OUTVEN.BIT`
- union `st_glcdc_t.OUTSET`
- struct `st_glcdc_t.OUTSET.BIT`
- union `st_glcdc_t.BRIGHT1`
- struct `st_glcdc_t.BRIGHT1.BIT`
- union `st_glcdc_t.BRIGHT2`
- struct `st_glcdc_t.BRIGHT2.BIT`
- union `st_glcdc_t.CONTRAST`
- struct `st_glcdc_t.CONTRAST.BIT`
- union `st_glcdc_t.PANELDTHA`
- struct `st_glcdc_t.PANELDTHA.BIT`
- union `st_glcdc_t.CLKPHASE`
- struct `st_glcdc_t.CLKPHASE.BIT`
- union `st_glcdc_t.TCONTIM`
- struct `st_glcdc_t.TCONTIM.BIT`
- union `st_glcdc_t.TCONSTVA1`
- struct `st_glcdc_t.TCONSTVA1.BIT`
- union `st_glcdc_t.TCONSTVA2`
- struct `st_glcdc_t.TCONSTVA2.BIT`
- union `st_glcdc_t.TCONSTVB1`
- struct `st_glcdc_t.TCONSTVB1.BIT`
- union `st_glcdc_t.TCONSTVB2`
- struct `st_glcdc_t.TCONSTVB2.BIT`
- union `st_glcdc_t.TCONSTHA1`
- struct `st_glcdc_t.TCONSTHA1.BIT`
- union `st_glcdc_t.TCONSTHA2`
- struct `st_glcdc_t.TCONSTHA2.BIT`
- union `st_glcdc_t.TCONSTHB1`
- struct `st_glcdc_t.TCONSTHB1.BIT`
- union `st_glcdc_t.TCONSTHB2`
- struct `st_glcdc_t.TCONSTHB2.BIT`
- union `st_glcdc_t.TCONDE`
- struct `st_glcdc_t.TCONDE.BIT`
- union `st_glcdc_t.DTCTEN`
- struct `st_glcdc_t.DTCTEN.BIT`
- union `st_glcdc_t.INTEN`
- struct `st_glcdc_t.INTEN.BIT`
- union `st_glcdc_t.STCLR`
- struct `st_glcdc_t.STCLR.BIT`

- union `st_glcde_t`.STMON
- struct `st_glcde_t`.STMON.BIT
- union `st_glcde_t`.PANELCLK
- struct `st_glcde_t`.PANELCLK.BIT
- union `st_gptw_t`.GTWP
- struct `st_gptw_t`.GTWP.BIT
- union `st_gptw_t`.GTSTR
- struct `st_gptw_t`.GTSTR.BIT
- union `st_gptw_t`.GTSTP
- struct `st_gptw_t`.GTSTP.BIT
- union `st_gptw_t`.GTCLR
- struct `st_gptw_t`.GTCLR.BIT
- union `st_gptw_t`.GTSSR
- struct `st_gptw_t`.GTSSR.BIT
- union `st_gptw_t`.GTPSR
- struct `st_gptw_t`.GTPSR.BIT
- union `st_gptw_t`.GTCSR
- struct `st_gptw_t`.GTCSR.BIT
- union `st_gptw_t`.GTUPSR
- struct `st_gptw_t`.GTUPSR.BIT
- union `st_gptw_t`.GTDNSR
- struct `st_gptw_t`.GTDNSR.BIT
- union `st_gptw_t`.GTICASR
- struct `st_gptw_t`.GTICASR.BIT
- union `st_gptw_t`.GTICBSR
- struct `st_gptw_t`.GTICBSR.BIT
- union `st_gptw_t`.GTCR
- struct `st_gptw_t`.GTCR.BIT
- union `st_gptw_t`.GTUDDTYC
- struct `st_gptw_t`.GTUDDTYC.BIT
- union `st_gptw_t`.GTIOR
- struct `st_gptw_t`.GTIOR.BIT
- union `st_gptw_t`.GTINTAD
- struct `st_gptw_t`.GTINTAD.BIT
- union `st_gptw_t`.GTST
- struct `st_gptw_t`.GTST.BIT
- union `st_gptw_t`.GTBER
- struct `st_gptw_t`.GTBER.BIT
- union `st_gptw_t`.GTITC
- struct `st_gptw_t`.GTITC.BIT
- union `st_gptw_t`.GTDTCR
- struct `st_gptw_t`.GTDTCR.BIT
- union `st_gptw_t`.GTSOS
- struct `st_gptw_t`.GTSOS.BIT
- union `st_gptw_t`.GTSOTR
- struct `st_gptw_t`.GTSOTR.BIT
- union `st_gptw_t`.GTADSMR
- struct `st_gptw_t`.GTADSMR.BIT
- union `st_gptw_t`.GTEITC
- struct `st_gptw_t`.GTEITC.BIT
- union `st_gptw_t`.GTEITLI1
- struct `st_gptw_t`.GTEITLI1.BIT
- union `st_gptw_t`.GTEITLI2
- struct `st_gptw_t`.GTEITLI2.BIT
- union `st_gptw_t`.GTEITLB

- struct [st_gptw_t.GTEITLB.BIT](#)
- union [st_gptw_t.GTSECSR](#)
- struct [st_gptw_t.GTSECSR.BIT](#)
- union [st_gptw_t.GTSECR](#)
- struct [st_gptw_t.GTSECR.BIT](#)
- union [st_icu_t.IR](#)
- struct [st_icu_t.IR.BIT](#)
- union [st_icu_t.DTCER](#)
- struct [st_icu_t.DTCER.BIT](#)
- union [st_icu_t.IER](#)
- struct [st_icu_t.IER.BIT](#)
- union [st_icu_t.SWINTR](#)
- struct [st_icu_t.SWINTR.BIT](#)
- union [st_icu_t.SWINT2R](#)
- struct [st_icu_t.SWINT2R.BIT](#)
- union [st_icu_t.FIR](#)
- struct [st_icu_t.FIR.BIT](#)
- union [st_icu_t.IPR](#)
- struct [st_icu_t.IPR.BIT](#)
- union [st_icu_t.IRQCR](#)
- struct [st_icu_t.IRQCR.BIT](#)
- union [st_icu_t.IRQFLTE0](#)
- struct [st_icu_t.IRQFLTE0.BIT](#)
- union [st_icu_t.IRQFLTE1](#)
- struct [st_icu_t.IRQFLTE1.BIT](#)
- union [st_icu_t.IRQFLTC0](#)
- struct [st_icu_t.IRQFLTC0.BIT](#)
- union [st_icu_t.IRQFLTC1](#)
- struct [st_icu_t.IRQFLTC1.BIT](#)
- union [st_icu_t.NMISR](#)
- struct [st_icu_t.NMISR.BIT](#)
- union [st_icu_t.NMIER](#)
- struct [st_icu_t.NMIER.BIT](#)
- union [st_icu_t.NMICLR](#)
- struct [st_icu_t.NMICLR.BIT](#)
- union [st_icu_t.NMICR](#)
- struct [st_icu_t.NMICR.BIT](#)
- union [st_icu_t.EXNMISR](#)
- struct [st_icu_t.EXNMISR.BIT](#)
- union [st_icu_t.EXNMIER](#)
- struct [st_icu_t.EXNMIER.BIT](#)
- union [st_icu_t.EXNMICLR](#)
- struct [st_icu_t.EXNMICLR.BIT](#)
- union [st_icu_t.NMIFLTE](#)
- struct [st_icu_t.NMIFLTE.BIT](#)
- union [st_icu_t.NMIFLTC](#)
- struct [st_icu_t.NMIFLTC.BIT](#)
- union [st_icu_t.GRPIE0](#)
- struct [st_icu_t.GRPIE0.BIT](#)
- union [st_icu_t.GENIE0](#)
- struct [st_icu_t.GENIE0.BIT](#)
- union [st_icu_t.GCRIE0](#)
- struct [st_icu_t.GCRIE0.BIT](#)
- union [st_icu_t.GRPBE0](#)
- struct [st_icu_t.GRPBE0.BIT](#)

- union [st_icu_t.GRPBL0](#)
- struct [st_icu_t.GRPBL0.BIT](#)
- union [st_icu_t.GRPBL1](#)
- struct [st_icu_t.GRPBL1.BIT](#)
- union [st_icu_t.GRPBL2](#)
- struct [st_icu_t.GRPBL2.BIT](#)
- union [st_icu_t.GENBE0](#)
- struct [st_icu_t.GENBE0.BIT](#)
- union [st_icu_t.GENBL0](#)
- struct [st_icu_t.GENBL0.BIT](#)
- union [st_icu_t.GENBL1](#)
- struct [st_icu_t.GENBL1.BIT](#)
- union [st_icu_t.GENBL2](#)
- struct [st_icu_t.GENBL2.BIT](#)
- union [st_icu_t.GCRBE0](#)
- struct [st_icu_t.GCRBE0.BIT](#)
- union [st_icu_t.PIBR0](#)
- struct [st_icu_t.PIBR0.BIT](#)
- union [st_icu_t.PIBR1](#)
- struct [st_icu_t.PIBR1.BIT](#)
- union [st_icu_t.PIBR2](#)
- struct [st_icu_t.PIBR2.BIT](#)
- union [st_icu_t.PIBR3](#)
- struct [st_icu_t.PIBR3.BIT](#)
- union [st_icu_t.PIBR4](#)
- struct [st_icu_t.PIBR4.BIT](#)
- union [st_icu_t.PIBR5](#)
- struct [st_icu_t.PIBR5.BIT](#)
- union [st_icu_t.PIBR6](#)
- struct [st_icu_t.PIBR6.BIT](#)
- union [st_icu_t.PIBR7](#)
- struct [st_icu_t.PIBR7.BIT](#)
- union [st_icu_t.PIBR8](#)
- struct [st_icu_t.PIBR8.BIT](#)
- union [st_icu_t.PIBR9](#)
- struct [st_icu_t.PIBR9.BIT](#)
- union [st_icu_t.PIBRA](#)
- struct [st_icu_t.PIBRA.BIT](#)
- union [st_icu_t.PIBRB](#)
- struct [st_icu_t.PIBRB.BIT](#)
- union [st_icu_t.SLIBXR128](#)
- struct [st_icu_t.SLIBXR128.BIT](#)
- union [st_icu_t.SLIBXR129](#)
- struct [st_icu_t.SLIBXR129.BIT](#)
- union [st_icu_t.SLIBXR130](#)
- struct [st_icu_t.SLIBXR130.BIT](#)
- union [st_icu_t.SLIBXR131](#)
- struct [st_icu_t.SLIBXR131.BIT](#)
- union [st_icu_t.SLIBXR132](#)
- struct [st_icu_t.SLIBXR132.BIT](#)
- union [st_icu_t.SLIBXR133](#)
- struct [st_icu_t.SLIBXR133.BIT](#)
- union [st_icu_t.SLIBXR134](#)
- struct [st_icu_t.SLIBXR134.BIT](#)
- union [st_icu_t.SLIBXR135](#)

- struct [st_icu_t.SLIBXR135.BIT](#)
- union [st_icu_t.SLIBXR136](#)
- struct [st_icu_t.SLIBXR136.BIT](#)
- union [st_icu_t.SLIBXR137](#)
- struct [st_icu_t.SLIBXR137.BIT](#)
- union [st_icu_t.SLIBXR138](#)
- struct [st_icu_t.SLIBXR138.BIT](#)
- union [st_icu_t.SLIBXR139](#)
- struct [st_icu_t.SLIBXR139.BIT](#)
- union [st_icu_t.SLIBXR140](#)
- struct [st_icu_t.SLIBXR140.BIT](#)
- union [st_icu_t.SLIBXR141](#)
- struct [st_icu_t.SLIBXR141.BIT](#)
- union [st_icu_t.SLIBXR142](#)
- struct [st_icu_t.SLIBXR142.BIT](#)
- union [st_icu_t.SLIBXR143](#)
- struct [st_icu_t.SLIBXR143.BIT](#)
- union [st_icu_t.SLIBR144](#)
- struct [st_icu_t.SLIBR144.BIT](#)
- union [st_icu_t.SLIBR145](#)
- struct [st_icu_t.SLIBR145.BIT](#)
- union [st_icu_t.SLIBR146](#)
- struct [st_icu_t.SLIBR146.BIT](#)
- union [st_icu_t.SLIBR147](#)
- struct [st_icu_t.SLIBR147.BIT](#)
- union [st_icu_t.SLIBR148](#)
- struct [st_icu_t.SLIBR148.BIT](#)
- union [st_icu_t.SLIBR149](#)
- struct [st_icu_t.SLIBR149.BIT](#)
- union [st_icu_t.SLIBR150](#)
- struct [st_icu_t.SLIBR150.BIT](#)
- union [st_icu_t.SLIBR151](#)
- struct [st_icu_t.SLIBR151.BIT](#)
- union [st_icu_t.SLIBR152](#)
- struct [st_icu_t.SLIBR152.BIT](#)
- union [st_icu_t.SLIBR153](#)
- struct [st_icu_t.SLIBR153.BIT](#)
- union [st_icu_t.SLIBR154](#)
- struct [st_icu_t.SLIBR154.BIT](#)
- union [st_icu_t.SLIBR155](#)
- struct [st_icu_t.SLIBR155.BIT](#)
- union [st_icu_t.SLIBR156](#)
- struct [st_icu_t.SLIBR156.BIT](#)
- union [st_icu_t.SLIBR157](#)
- struct [st_icu_t.SLIBR157.BIT](#)
- union [st_icu_t.SLIBR158](#)
- struct [st_icu_t.SLIBR158.BIT](#)
- union [st_icu_t.SLIBR159](#)
- struct [st_icu_t.SLIBR159.BIT](#)
- union [st_icu_t.SLIBR160](#)
- struct [st_icu_t.SLIBR160.BIT](#)
- union [st_icu_t.SLIBR161](#)
- struct [st_icu_t.SLIBR161.BIT](#)
- union [st_icu_t.SLIBR162](#)
- struct [st_icu_t.SLIBR162.BIT](#)

- [union `st\_icu\_t`.SLIBR163](#)
- [struct `st\_icu\_t`.SLIBR163.BIT](#)
- [union `st\_icu\_t`.SLIBR164](#)
- [struct `st\_icu\_t`.SLIBR164.BIT](#)
- [union `st\_icu\_t`.SLIBR165](#)
- [struct `st\_icu\_t`.SLIBR165.BIT](#)
- [union `st\_icu\_t`.SLIBR166](#)
- [struct `st\_icu\_t`.SLIBR166.BIT](#)
- [union `st\_icu\_t`.SLIBR167](#)
- [struct `st\_icu\_t`.SLIBR167.BIT](#)
- [union `st\_icu\_t`.SLIBR168](#)
- [struct `st\_icu\_t`.SLIBR168.BIT](#)
- [union `st\_icu\_t`.SLIBR169](#)
- [struct `st\_icu\_t`.SLIBR169.BIT](#)
- [union `st\_icu\_t`.SLIBR170](#)
- [struct `st\_icu\_t`.SLIBR170.BIT](#)
- [union `st\_icu\_t`.SLIBR171](#)
- [struct `st\_icu\_t`.SLIBR171.BIT](#)
- [union `st\_icu\_t`.SLIBR172](#)
- [struct `st\_icu\_t`.SLIBR172.BIT](#)
- [union `st\_icu\_t`.SLIBR173](#)
- [struct `st\_icu\_t`.SLIBR173.BIT](#)
- [union `st\_icu\_t`.SLIBR174](#)
- [struct `st\_icu\_t`.SLIBR174.BIT](#)
- [union `st\_icu\_t`.SLIBR175](#)
- [struct `st\_icu\_t`.SLIBR175.BIT](#)
- [union `st\_icu\_t`.SLIBR176](#)
- [struct `st\_icu\_t`.SLIBR176.BIT](#)
- [union `st\_icu\_t`.SLIBR177](#)
- [struct `st\_icu\_t`.SLIBR177.BIT](#)
- [union `st\_icu\_t`.SLIBR178](#)
- [struct `st\_icu\_t`.SLIBR178.BIT](#)
- [union `st\_icu\_t`.SLIBR179](#)
- [struct `st\_icu\_t`.SLIBR179.BIT](#)
- [union `st\_icu\_t`.SLIBR180](#)
- [struct `st\_icu\_t`.SLIBR180.BIT](#)
- [union `st\_icu\_t`.SLIBR181](#)
- [struct `st\_icu\_t`.SLIBR181.BIT](#)
- [union `st\_icu\_t`.SLIBR182](#)
- [struct `st\_icu\_t`.SLIBR182.BIT](#)
- [union `st\_icu\_t`.SLIBR183](#)
- [struct `st\_icu\_t`.SLIBR183.BIT](#)
- [union `st\_icu\_t`.SLIBR184](#)
- [struct `st\_icu\_t`.SLIBR184.BIT](#)
- [union `st\_icu\_t`.SLIBR185](#)
- [struct `st\_icu\_t`.SLIBR185.BIT](#)
- [union `st\_icu\_t`.SLIBR186](#)
- [struct `st\_icu\_t`.SLIBR186.BIT](#)
- [union `st\_icu\_t`.SLIBR187](#)
- [struct `st\_icu\_t`.SLIBR187.BIT](#)
- [union `st\_icu\_t`.SLIBR188](#)
- [struct `st\_icu\_t`.SLIBR188.BIT](#)
- [union `st\_icu\_t`.SLIBR189](#)
- [struct `st\_icu\_t`.SLIBR189.BIT](#)
- [union `st\_icu\_t`.SLIBR190](#)

- struct [st_icu_t.SLIBR190.BIT](#)
- union [st_icu_t.SLIBR191](#)
- struct [st_icu_t.SLIBR191.BIT](#)
- union [st_icu_t.SLIBR192](#)
- struct [st_icu_t.SLIBR192.BIT](#)
- union [st_icu_t.SLIBR193](#)
- struct [st_icu_t.SLIBR193.BIT](#)
- union [st_icu_t.SLIBR194](#)
- struct [st_icu_t.SLIBR194.BIT](#)
- union [st_icu_t.SLIBR195](#)
- struct [st_icu_t.SLIBR195.BIT](#)
- union [st_icu_t.SLIBR196](#)
- struct [st_icu_t.SLIBR196.BIT](#)
- union [st_icu_t.SLIBR197](#)
- struct [st_icu_t.SLIBR197.BIT](#)
- union [st_icu_t.SLIBR198](#)
- struct [st_icu_t.SLIBR198.BIT](#)
- union [st_icu_t.SLIBR199](#)
- struct [st_icu_t.SLIBR199.BIT](#)
- union [st_icu_t.SLIBR200](#)
- struct [st_icu_t.SLIBR200.BIT](#)
- union [st_icu_t.SLIBR201](#)
- struct [st_icu_t.SLIBR201.BIT](#)
- union [st_icu_t.SLIBR202](#)
- struct [st_icu_t.SLIBR202.BIT](#)
- union [st_icu_t.SLIBR203](#)
- struct [st_icu_t.SLIBR203.BIT](#)
- union [st_icu_t.SLIBR204](#)
- struct [st_icu_t.SLIBR204.BIT](#)
- union [st_icu_t.SLIBR205](#)
- struct [st_icu_t.SLIBR205.BIT](#)
- union [st_icu_t.SLIBR206](#)
- struct [st_icu_t.SLIBR206.BIT](#)
- union [st_icu_t.SLIBR207](#)
- struct [st_icu_t.SLIBR207.BIT](#)
- union [st_icu_t.GRPAL0](#)
- struct [st_icu_t.GRPAL0.BIT](#)
- union [st_icu_t.GRPAL1](#)
- struct [st_icu_t.GRPAL1.BIT](#)
- union [st_icu_t.GENAL0](#)
- struct [st_icu_t.GENAL0.BIT](#)
- union [st_icu_t.GENAL1](#)
- struct [st_icu_t.GENAL1.BIT](#)
- union [st_icu_t.PIAR0](#)
- struct [st_icu_t.PIAR0.BIT](#)
- union [st_icu_t.PIAR1](#)
- struct [st_icu_t.PIAR1.BIT](#)
- union [st_icu_t.PIAR2](#)
- struct [st_icu_t.PIAR2.BIT](#)
- union [st_icu_t.PIAR3](#)
- struct [st_icu_t.PIAR3.BIT](#)
- union [st_icu_t.PIAR4](#)
- struct [st_icu_t.PIAR4.BIT](#)
- union [st_icu_t.PIAR5](#)
- struct [st_icu_t.PIAR5.BIT](#)

- [union `st\_icu\_t`.PIAR6](#)
- [struct `st\_icu\_t`.PIAR6.BIT](#)
- [union `st\_icu\_t`.PIAR7](#)
- [struct `st\_icu\_t`.PIAR7.BIT](#)
- [union `st\_icu\_t`.PIAR8](#)
- [struct `st\_icu\_t`.PIAR8.BIT](#)
- [union `st\_icu\_t`.PIAR9](#)
- [struct `st\_icu\_t`.PIAR9.BIT](#)
- [union `st\_icu\_t`.PIARA](#)
- [struct `st\_icu\_t`.PIARA.BIT](#)
- [union `st\_icu\_t`.PIARC](#)
- [struct `st\_icu\_t`.PIARC.BIT](#)
- [union `st\_icu\_t`.SLIAR208](#)
- [union `st\_icu\_t`.SLIAR209](#)
- [union `st\_icu\_t`.SLIAR210](#)
- [union `st\_icu\_t`.SLIAR211](#)
- [union `st\_icu\_t`.SLIAR212](#)
- [union `st\_icu\_t`.SLIAR213](#)
- [union `st\_icu\_t`.SLIAR214](#)
- [union `st\_icu\_t`.SLIAR215](#)
- [union `st\_icu\_t`.SLIAR216](#)
- [union `st\_icu\_t`.SLIAR217](#)
- [union `st\_icu\_t`.SLIAR218](#)
- [union `st\_icu\_t`.SLIAR219](#)
- [union `st\_icu\_t`.SLIAR220](#)
- [union `st\_icu\_t`.SLIAR221](#)
- [union `st\_icu\_t`.SLIAR222](#)
- [union `st\_icu\_t`.SLIAR223](#)
- [union `st\_icu\_t`.SLIAR224](#)
- [union `st\_icu\_t`.SLIAR225](#)
- [union `st\_icu\_t`.SLIAR226](#)
- [union `st\_icu\_t`.SLIAR227](#)
- [union `st\_icu\_t`.SLIAR228](#)
- [union `st\_icu\_t`.SLIAR229](#)
- [union `st\_icu\_t`.SLIAR230](#)
- [union `st\_icu\_t`.SLIAR231](#)
- [union `st\_icu\_t`.SLIAR232](#)
- [union `st\_icu\_t`.SLIAR233](#)
- [union `st\_icu\_t`.SLIAR234](#)
- [union `st\_icu\_t`.SLIAR235](#)
- [union `st\_icu\_t`.SLIAR236](#)
- [union `st\_icu\_t`.SLIAR237](#)
- [union `st\_icu\_t`.SLIAR238](#)
- [union `st\_icu\_t`.SLIAR239](#)
- [union `st\_icu\_t`.SLIAR240](#)
- [union `st\_icu\_t`.SLIAR241](#)
- [union `st\_icu\_t`.SLIAR242](#)
- [union `st\_icu\_t`.SLIAR243](#)
- [union `st\_icu\_t`.SLIAR244](#)
- [union `st\_icu\_t`.SLIAR245](#)
- [union `st\_icu\_t`.SLIAR246](#)
- [union `st\_icu\_t`.SLIAR247](#)
- [union `st\_icu\_t`.SLIAR248](#)
- [union `st\_icu\_t`.SLIAR249](#)
- [union `st\_icu\_t`.SLIAR250](#)

- union [st_icu_t.SLIAR251](#)
- union [st_icu_t.SLIAR252](#)
- union [st_icu_t.SLIAR253](#)
- union [st_icu_t.SLIAR254](#)
- union [st_icu_t.SLIAR255](#)
- union [st_icu_t.SLIPRCR](#)
- struct [st_icu_t.SLIPRCR.BIT](#)
- union [st_icu_t.SELEXDR](#)
- struct [st_icu_t.SELEXDR.BIT](#)
- union [st_iwdt_t.IWDTCR](#)
- struct [st_iwdt_t.IWDTCR.BIT](#)
- union [st_iwdt_t.IWDTSR](#)
- struct [st_iwdt_t.IWDTSR.BIT](#)
- union [st_iwdt_t.IWDTRCR](#)
- struct [st_iwdt_t.IWDTRCR.BIT](#)
- union [st_iwdt_t.IWDTCSTPR](#)
- struct [st_iwdt_t.IWDTCSTPR.BIT](#)
- union [st_mmcif_t.CECMDSET](#)
- union [st_mmcif_t.CEARG](#)
- union [st_mmcif_t.CEARGCMD12](#)
- struct [st_mmcif_t.CEARGCMD12.BIT](#)
- union [st_mmcif_t.CECMDCTRL](#)
- struct [st_mmcif_t.CECMDCTRL.BIT](#)
- union [st_mmcif_t.CEBLOCKSET](#)
- struct [st_mmcif_t.CEBLOCKSET.BIT](#)
- union [st_mmcif_t.CECLKCTRL](#)
- struct [st_mmcif_t.CECLKCTRL.BIT](#)
- union [st_mmcif_t.CEBUFACC](#)
- struct [st_mmcif_t.CEBUFACC.BIT](#)
- union [st_mmcif_t.CERESPCMD12](#)
- struct [st_mmcif_t.CERESPCMD12.BIT](#)
- union [st_mmcif_t.CEBOOT](#)
- struct [st_mmcif_t.CEBOOT.BIT](#)
- union [st_mmcif_t.CEINT](#)
- struct [st_mmcif_t.CEINT.BIT](#)
- union [st_mmcif_t.CEINTEN](#)
- struct [st_mmcif_t.CEINTEN.BIT](#)
- union [st_mmcif_t.CEHOSTSTS1](#)
- struct [st_mmcif_t.CEHOSTSTS1.BIT](#)
- union [st_mmcif_t.CEHOSTSTS2](#)
- struct [st_mmcif_t.CEHOSTSTS2.BIT](#)
- union [st_mmcif_t.CEDETECT](#)
- struct [st_mmcif_t.CEDETECT.BIT](#)
- union [st_mmcif_t.CEADDMODE](#)
- struct [st_mmcif_t.CEADDMODE.BIT](#)
- union [st_mmcif_t.CEVERSION](#)
- struct [st_mmcif_t.CEVERSION.BIT](#)
- union [st_mpc_t.PFCSE](#)
- struct [st_mpc_t.PFCSE.BIT](#)
- union [st_mpc_t.PFCSS0](#)
- struct [st_mpc_t.PFCSS0.BIT](#)
- union [st_mpc_t.PFCSS1](#)
- struct [st_mpc_t.PFCSS1.BIT](#)
- union [st_mpc_t.PFAOE0](#)
- struct [st_mpc_t.PFAOE0.BIT](#)

- union [st_mpc_t.PFAOE1](#)
- struct [st_mpc_t.PFAOE1.BIT](#)
- union [st_mpc_t.PFBCR0](#)
- struct [st_mpc_t.PFBCR0.BIT](#)
- union [st_mpc_t.PFBCR1](#)
- struct [st_mpc_t.PFBCR1.BIT](#)
- union [st_mpc_t.PFBCR2](#)
- struct [st_mpc_t.PFBCR2.BIT](#)
- union [st_mpc_t.PFBCR3](#)
- struct [st_mpc_t.PFBCR3.BIT](#)
- union [st_mpc_t.PFENET](#)
- struct [st_mpc_t.PFENET.BIT](#)
- union [st_mpc_t.PWPR](#)
- struct [st_mpc_t.PWPR.BIT](#)
- union [st_mpc_t.P00PFS](#)
- struct [st_mpc_t.P00PFS.BIT](#)
- union [st_mpc_t.P01PFS](#)
- struct [st_mpc_t.P01PFS.BIT](#)
- union [st_mpc_t.P02PFS](#)
- struct [st_mpc_t.P02PFS.BIT](#)
- union [st_mpc_t.P03PFS](#)
- struct [st_mpc_t.P03PFS.BIT](#)
- union [st_mpc_t.P05PFS](#)
- struct [st_mpc_t.P05PFS.BIT](#)
- union [st_mpc_t.P07PFS](#)
- struct [st_mpc_t.P07PFS.BIT](#)
- union [st_mpc_t.P10PFS](#)
- struct [st_mpc_t.P10PFS.BIT](#)
- union [st_mpc_t.P11PFS](#)
- struct [st_mpc_t.P11PFS.BIT](#)
- union [st_mpc_t.P12PFS](#)
- struct [st_mpc_t.P12PFS.BIT](#)
- union [st_mpc_t.P13PFS](#)
- struct [st_mpc_t.P13PFS.BIT](#)
- union [st_mpc_t.P14PFS](#)
- struct [st_mpc_t.P14PFS.BIT](#)
- union [st_mpc_t.P15PFS](#)
- struct [st_mpc_t.P15PFS.BIT](#)
- union [st_mpc_t.P16PFS](#)
- struct [st_mpc_t.P16PFS.BIT](#)
- union [st_mpc_t.P17PFS](#)
- struct [st_mpc_t.P17PFS.BIT](#)
- union [st_mpc_t.P20PFS](#)
- struct [st_mpc_t.P20PFS.BIT](#)
- union [st_mpc_t.P21PFS](#)
- struct [st_mpc_t.P21PFS.BIT](#)
- union [st_mpc_t.P22PFS](#)
- struct [st_mpc_t.P22PFS.BIT](#)
- union [st_mpc_t.P23PFS](#)
- struct [st_mpc_t.P23PFS.BIT](#)
- union [st_mpc_t.P24PFS](#)
- struct [st_mpc_t.P24PFS.BIT](#)
- union [st_mpc_t.P25PFS](#)
- struct [st_mpc_t.P25PFS.BIT](#)
- union [st_mpc_t.P26PFS](#)

- struct [st_mpc_t.P26PFS.BIT](#)
- union [st_mpc_t.P27PFS](#)
- struct [st_mpc_t.P27PFS.BIT](#)
- union [st_mpc_t.P30PFS](#)
- struct [st_mpc_t.P30PFS.BIT](#)
- union [st_mpc_t.P31PFS](#)
- struct [st_mpc_t.P31PFS.BIT](#)
- union [st_mpc_t.P32PFS](#)
- struct [st_mpc_t.P32PFS.BIT](#)
- union [st_mpc_t.P33PFS](#)
- struct [st_mpc_t.P33PFS.BIT](#)
- union [st_mpc_t.P34PFS](#)
- struct [st_mpc_t.P34PFS.BIT](#)
- union [st_mpc_t.P40PFS](#)
- struct [st_mpc_t.P40PFS.BIT](#)
- union [st_mpc_t.P41PFS](#)
- struct [st_mpc_t.P41PFS.BIT](#)
- union [st_mpc_t.P42PFS](#)
- struct [st_mpc_t.P42PFS.BIT](#)
- union [st_mpc_t.P43PFS](#)
- struct [st_mpc_t.P43PFS.BIT](#)
- union [st_mpc_t.P44PFS](#)
- struct [st_mpc_t.P44PFS.BIT](#)
- union [st_mpc_t.P45PFS](#)
- struct [st_mpc_t.P45PFS.BIT](#)
- union [st_mpc_t.P46PFS](#)
- struct [st_mpc_t.P46PFS.BIT](#)
- union [st_mpc_t.P47PFS](#)
- struct [st_mpc_t.P47PFS.BIT](#)
- union [st_mpc_t.P50PFS](#)
- struct [st_mpc_t.P50PFS.BIT](#)
- union [st_mpc_t.P51PFS](#)
- struct [st_mpc_t.P51PFS.BIT](#)
- union [st_mpc_t.P52PFS](#)
- struct [st_mpc_t.P52PFS.BIT](#)
- union [st_mpc_t.P54PFS](#)
- struct [st_mpc_t.P54PFS.BIT](#)
- union [st_mpc_t.P55PFS](#)
- struct [st_mpc_t.P55PFS.BIT](#)
- union [st_mpc_t.P56PFS](#)
- struct [st_mpc_t.P56PFS.BIT](#)
- union [st_mpc_t.P57PFS](#)
- struct [st_mpc_t.P57PFS.BIT](#)
- union [st_mpc_t.P60PFS](#)
- struct [st_mpc_t.P60PFS.BIT](#)
- union [st_mpc_t.P61PFS](#)
- struct [st_mpc_t.P61PFS.BIT](#)
- union [st_mpc_t.P62PFS](#)
- struct [st_mpc_t.P62PFS.BIT](#)
- union [st_mpc_t.P63PFS](#)
- struct [st_mpc_t.P63PFS.BIT](#)
- union [st_mpc_t.P64PFS](#)
- struct [st_mpc_t.P64PFS.BIT](#)
- union [st_mpc_t.P66PFS](#)
- struct [st_mpc_t.P66PFS.BIT](#)

- [union st_mpc_t.P67PFS](#)
- [struct st_mpc_t.P67PFS.BIT](#)
- [union st_mpc_t.P71PFS](#)
- [struct st_mpc_t.P71PFS.BIT](#)
- [union st_mpc_t.P72PFS](#)
- [struct st_mpc_t.P72PFS.BIT](#)
- [union st_mpc_t.P73PFS](#)
- [struct st_mpc_t.P73PFS.BIT](#)
- [union st_mpc_t.P74PFS](#)
- [struct st_mpc_t.P74PFS.BIT](#)
- [union st_mpc_t.P75PFS](#)
- [struct st_mpc_t.P75PFS.BIT](#)
- [union st_mpc_t.P76PFS](#)
- [struct st_mpc_t.P76PFS.BIT](#)
- [union st_mpc_t.P77PFS](#)
- [struct st_mpc_t.P77PFS.BIT](#)
- [union st_mpc_t.P80PFS](#)
- [struct st_mpc_t.P80PFS.BIT](#)
- [union st_mpc_t.P81PFS](#)
- [struct st_mpc_t.P81PFS.BIT](#)
- [union st_mpc_t.P82PFS](#)
- [struct st_mpc_t.P82PFS.BIT](#)
- [union st_mpc_t.P83PFS](#)
- [struct st_mpc_t.P83PFS.BIT](#)
- [union st_mpc_t.P84PFS](#)
- [struct st_mpc_t.P84PFS.BIT](#)
- [union st_mpc_t.P85PFS](#)
- [struct st_mpc_t.P85PFS.BIT](#)
- [union st_mpc_t.P86PFS](#)
- [struct st_mpc_t.P86PFS.BIT](#)
- [union st_mpc_t.P87PFS](#)
- [struct st_mpc_t.P87PFS.BIT](#)
- [union st_mpc_t.P90PFS](#)
- [struct st_mpc_t.P90PFS.BIT](#)
- [union st_mpc_t.P91PFS](#)
- [struct st_mpc_t.P91PFS.BIT](#)
- [union st_mpc_t.P92PFS](#)
- [struct st_mpc_t.P92PFS.BIT](#)
- [union st_mpc_t.P93PFS](#)
- [struct st_mpc_t.P93PFS.BIT](#)
- [union st_mpc_t.P94PFS](#)
- [struct st_mpc_t.P94PFS.BIT](#)
- [union st_mpc_t.P95PFS](#)
- [struct st_mpc_t.P95PFS.BIT](#)
- [union st_mpc_t.P96PFS](#)
- [struct st_mpc_t.P96PFS.BIT](#)
- [union st_mpc_t.P97PFS](#)
- [struct st_mpc_t.P97PFS.BIT](#)
- [union st_mpc_t.PA0PFS](#)
- [struct st_mpc_t.PA0PFS.BIT](#)
- [union st_mpc_t.PA1PFS](#)
- [struct st_mpc_t.PA1PFS.BIT](#)
- [union st_mpc_t.PA2PFS](#)
- [struct st_mpc_t.PA2PFS.BIT](#)
- [union st_mpc_t.PA3PFS](#)

- struct [st_mpc_t.PA3PFS.BIT](#)
- union [st_mpc_t.PA4PFS](#)
- struct [st_mpc_t.PA4PFS.BIT](#)
- union [st_mpc_t.PA5PFS](#)
- struct [st_mpc_t.PA5PFS.BIT](#)
- union [st_mpc_t.PA6PFS](#)
- struct [st_mpc_t.PA6PFS.BIT](#)
- union [st_mpc_t.PA7PFS](#)
- struct [st_mpc_t.PA7PFS.BIT](#)
- union [st_mpc_t.PB0PFS](#)
- struct [st_mpc_t.PB0PFS.BIT](#)
- union [st_mpc_t.PB1PFS](#)
- struct [st_mpc_t.PB1PFS.BIT](#)
- union [st_mpc_t.PB2PFS](#)
- struct [st_mpc_t.PB2PFS.BIT](#)
- union [st_mpc_t.PB3PFS](#)
- struct [st_mpc_t.PB3PFS.BIT](#)
- union [st_mpc_t.PB4PFS](#)
- struct [st_mpc_t.PB4PFS.BIT](#)
- union [st_mpc_t.PB5PFS](#)
- struct [st_mpc_t.PB5PFS.BIT](#)
- union [st_mpc_t.PB6PFS](#)
- struct [st_mpc_t.PB6PFS.BIT](#)
- union [st_mpc_t.PB7PFS](#)
- struct [st_mpc_t.PB7PFS.BIT](#)
- union [st_mpc_t.PC0PFS](#)
- struct [st_mpc_t.PC0PFS.BIT](#)
- union [st_mpc_t.PC1PFS](#)
- struct [st_mpc_t.PC1PFS.BIT](#)
- union [st_mpc_t.PC2PFS](#)
- struct [st_mpc_t.PC2PFS.BIT](#)
- union [st_mpc_t.PC3PFS](#)
- struct [st_mpc_t.PC3PFS.BIT](#)
- union [st_mpc_t.PC4PFS](#)
- struct [st_mpc_t.PC4PFS.BIT](#)
- union [st_mpc_t.PC5PFS](#)
- struct [st_mpc_t.PC5PFS.BIT](#)
- union [st_mpc_t.PC6PFS](#)
- struct [st_mpc_t.PC6PFS.BIT](#)
- union [st_mpc_t.PC7PFS](#)
- struct [st_mpc_t.PC7PFS.BIT](#)
- union [st_mpc_t.PD0PFS](#)
- struct [st_mpc_t.PD0PFS.BIT](#)
- union [st_mpc_t.PD1PFS](#)
- struct [st_mpc_t.PD1PFS.BIT](#)
- union [st_mpc_t.PD2PFS](#)
- struct [st_mpc_t.PD2PFS.BIT](#)
- union [st_mpc_t.PD3PFS](#)
- struct [st_mpc_t.PD3PFS.BIT](#)
- union [st_mpc_t.PD4PFS](#)
- struct [st_mpc_t.PD4PFS.BIT](#)
- union [st_mpc_t.PD5PFS](#)
- struct [st_mpc_t.PD5PFS.BIT](#)
- union [st_mpc_t.PD6PFS](#)
- struct [st_mpc_t.PD6PFS.BIT](#)

- union [st_mpc_t.PD7PFS](#)
- struct [st_mpc_t.PD7PFS.BIT](#)
- union [st_mpc_t.PE0PFS](#)
- struct [st_mpc_t.PE0PFS.BIT](#)
- union [st_mpc_t.PE1PFS](#)
- struct [st_mpc_t.PE1PFS.BIT](#)
- union [st_mpc_t.PE2PFS](#)
- struct [st_mpc_t.PE2PFS.BIT](#)
- union [st_mpc_t.PE3PFS](#)
- struct [st_mpc_t.PE3PFS.BIT](#)
- union [st_mpc_t.PE4PFS](#)
- struct [st_mpc_t.PE4PFS.BIT](#)
- union [st_mpc_t.PE5PFS](#)
- struct [st_mpc_t.PE5PFS.BIT](#)
- union [st_mpc_t.PE6PFS](#)
- struct [st_mpc_t.PE6PFS.BIT](#)
- union [st_mpc_t.PE7PFS](#)
- struct [st_mpc_t.PE7PFS.BIT](#)
- union [st_mpc_t.PF0PFS](#)
- struct [st_mpc_t.PF0PFS.BIT](#)
- union [st_mpc_t.PF1PFS](#)
- struct [st_mpc_t.PF1PFS.BIT](#)
- union [st_mpc_t.PF2PFS](#)
- struct [st_mpc_t.PF2PFS.BIT](#)
- union [st_mpc_t.PF5PFS](#)
- struct [st_mpc_t.PF5PFS.BIT](#)
- union [st_mpc_t.PG0PFS](#)
- struct [st_mpc_t.PG0PFS.BIT](#)
- union [st_mpc_t.PG1PFS](#)
- struct [st_mpc_t.PG1PFS.BIT](#)
- union [st_mpc_t.PG2PFS](#)
- struct [st_mpc_t.PG2PFS.BIT](#)
- union [st_mpc_t.PG3PFS](#)
- struct [st_mpc_t.PG3PFS.BIT](#)
- union [st_mpc_t.PG4PFS](#)
- struct [st_mpc_t.PG4PFS.BIT](#)
- union [st_mpc_t.PG5PFS](#)
- struct [st_mpc_t.PG5PFS.BIT](#)
- union [st_mpc_t.PG6PFS](#)
- struct [st_mpc_t.PG6PFS.BIT](#)
- union [st_mpc_t.PG7PFS](#)
- struct [st_mpc_t.PG7PFS.BIT](#)
- union [st_mpc_t.PH0PFS](#)
- struct [st_mpc_t.PH0PFS.BIT](#)
- union [st_mpc_t.PH1PFS](#)
- struct [st_mpc_t.PH1PFS.BIT](#)
- union [st_mpc_t.PH2PFS](#)
- struct [st_mpc_t.PH2PFS.BIT](#)
- union [st_mpc_t.PH3PFS](#)
- struct [st_mpc_t.PH3PFS.BIT](#)
- union [st_mpc_t.PH4PFS](#)
- struct [st_mpc_t.PH4PFS.BIT](#)
- union [st_mpc_t.PH5PFS](#)
- struct [st_mpc_t.PH5PFS.BIT](#)
- union [st_mpc_t.PH6PFS](#)

- struct [st_mpc_t.PH6PFS.BIT](#)
- union [st_mpc_t.PH7PFS](#)
- struct [st_mpc_t.PH7PFS.BIT](#)
- union [st_mpc_t.PJ0PFS](#)
- struct [st_mpc_t.PJ0PFS.BIT](#)
- union [st_mpc_t.PJ1PFS](#)
- struct [st_mpc_t.PJ1PFS.BIT](#)
- union [st_mpc_t.PJ2PFS](#)
- struct [st_mpc_t.PJ2PFS.BIT](#)
- union [st_mpc_t.PJ3PFS](#)
- struct [st_mpc_t.PJ3PFS.BIT](#)
- union [st_mpc_t.PJ5PFS](#)
- struct [st_mpc_t.PJ5PFS.BIT](#)
- union [st_mpc_t.PK0PFS](#)
- struct [st_mpc_t.PK0PFS.BIT](#)
- union [st_mpc_t.PK1PFS](#)
- struct [st_mpc_t.PK1PFS.BIT](#)
- union [st_mpc_t.PK2PFS](#)
- struct [st_mpc_t.PK2PFS.BIT](#)
- union [st_mpc_t.PK3PFS](#)
- struct [st_mpc_t.PK3PFS.BIT](#)
- union [st_mpc_t.PK4PFS](#)
- struct [st_mpc_t.PK4PFS.BIT](#)
- union [st_mpc_t.PK5PFS](#)
- struct [st_mpc_t.PK5PFS.BIT](#)
- union [st_mpc_t.PK6PFS](#)
- struct [st_mpc_t.PK6PFS.BIT](#)
- union [st_mpc_t.PK7PFS](#)
- struct [st_mpc_t.PK7PFS.BIT](#)
- union [st_mpc_t.PL0PFS](#)
- struct [st_mpc_t.PL0PFS.BIT](#)
- union [st_mpc_t.PL1PFS](#)
- struct [st_mpc_t.PL1PFS.BIT](#)
- union [st_mpc_t.PL2PFS](#)
- struct [st_mpc_t.PL2PFS.BIT](#)
- union [st_mpc_t.PL3PFS](#)
- struct [st_mpc_t.PL3PFS.BIT](#)
- union [st_mpc_t.PL4PFS](#)
- struct [st_mpc_t.PL4PFS.BIT](#)
- union [st_mpc_t.PL5PFS](#)
- struct [st_mpc_t.PL5PFS.BIT](#)
- union [st_mpc_t.PL6PFS](#)
- struct [st_mpc_t.PL6PFS.BIT](#)
- union [st_mpc_t.PL7PFS](#)
- struct [st_mpc_t.PL7PFS.BIT](#)
- union [st_mpc_t.PM0PFS](#)
- struct [st_mpc_t.PM0PFS.BIT](#)
- union [st_mpc_t.PM1PFS](#)
- struct [st_mpc_t.PM1PFS.BIT](#)
- union [st_mpc_t.PM2PFS](#)
- struct [st_mpc_t.PM2PFS.BIT](#)
- union [st_mpc_t.PM3PFS](#)
- struct [st_mpc_t.PM3PFS.BIT](#)
- union [st_mpc_t.PM4PFS](#)
- struct [st_mpc_t.PM4PFS.BIT](#)

- union `st_mpc_t.PM5PFS`
- struct `st_mpc_t.PM5PFS.BIT`
- union `st_mpc_t.PM6PFS`
- struct `st_mpc_t.PM6PFS.BIT`
- union `st_mpc_t.PM7PFS`
- struct `st_mpc_t.PM7PFS.BIT`
- union `st_mpc_t.PN0PFS`
- struct `st_mpc_t.PN0PFS.BIT`
- union `st_mpc_t.PN1PFS`
- struct `st_mpc_t.PN1PFS.BIT`
- union `st_mpc_t.PN2PFS`
- struct `st_mpc_t.PN2PFS.BIT`
- union `st_mpc_t.PN3PFS`
- struct `st_mpc_t.PN3PFS.BIT`
- union `st_mpc_t.PN4PFS`
- struct `st_mpc_t.PN4PFS.BIT`
- union `st_mpc_t.PN5PFS`
- struct `st_mpc_t.PN5PFS.BIT`
- union `st_mpc_t.PQ0PFS`
- struct `st_mpc_t.PQ0PFS.BIT`
- union `st_mpc_t.PQ1PFS`
- struct `st_mpc_t.PQ1PFS.BIT`
- union `st_mpc_t.PQ2PFS`
- struct `st_mpc_t.PQ2PFS.BIT`
- union `st_mpc_t.PQ3PFS`
- struct `st_mpc_t.PQ3PFS.BIT`
- union `st_mpc_t.PQ4PFS`
- struct `st_mpc_t.PQ4PFS.BIT`
- union `st_mpc_t.PQ5PFS`
- struct `st_mpc_t.PQ5PFS.BIT`
- union `st_mpc_t.PQ6PFS`
- struct `st_mpc_t.PQ6PFS.BIT`
- union `st_mpc_t.PQ7PFS`
- struct `st_mpc_t.PQ7PFS.BIT`
- union `st_mpu_t.RSPAGE0`
- struct `st_mpu_t.RSPAGE0.BIT`
- union `st_mpu_t.REPAGE0`
- struct `st_mpu_t.REPAGE0.BIT`
- union `st_mpu_t.RSPAGE1`
- struct `st_mpu_t.RSPAGE1.BIT`
- union `st_mpu_t.REPAGE1`
- struct `st_mpu_t.REPAGE1.BIT`
- union `st_mpu_t.RSPAGE2`
- struct `st_mpu_t.RSPAGE2.BIT`
- union `st_mpu_t.REPAGE2`
- struct `st_mpu_t.REPAGE2.BIT`
- union `st_mpu_t.RSPAGE3`
- struct `st_mpu_t.RSPAGE3.BIT`
- union `st_mpu_t.REPAGE3`
- struct `st_mpu_t.REPAGE3.BIT`
- union `st_mpu_t.RSPAGE4`
- struct `st_mpu_t.RSPAGE4.BIT`
- union `st_mpu_t.REPAGE4`
- struct `st_mpu_t.REPAGE4.BIT`
- union `st_mpu_t.RSPAGE5`

- struct [st_mpu_t.RSPAGE5.BIT](#)
- union [st_mpu_t.REPAGE5](#)
- struct [st_mpu_t.REPAGE5.BIT](#)
- union [st_mpu_t.RSPAGE6](#)
- struct [st_mpu_t.RSPAGE6.BIT](#)
- union [st_mpu_t.REPAGE6](#)
- struct [st_mpu_t.REPAGE6.BIT](#)
- union [st_mpu_t.RSPAGE7](#)
- struct [st_mpu_t.RSPAGE7.BIT](#)
- union [st_mpu_t.REPAGE7](#)
- struct [st_mpu_t.REPAGE7.BIT](#)
- union [st_mpu_t.MPEN](#)
- struct [st_mpu_t.MPEN.BIT](#)
- union [st_mpu_t.MPBAC](#)
- struct [st_mpu_t.MPBAC.BIT](#)
- union [st_mpu_t.MPECLR](#)
- struct [st_mpu_t.MPECLR.BIT](#)
- union [st_mpu_t.MPESTS](#)
- struct [st_mpu_t.MPESTS.BIT](#)
- union [st_mpu_t.MPDEA](#)
- struct [st_mpu_t.MPDEA.BIT](#)
- union [st_mpu_t.MPSA](#)
- struct [st_mpu_t.MPSA.BIT](#)
- union [st_mpu_t.MPOPS](#)
- struct [st_mpu_t.MPOPS.BIT](#)
- union [st_mpu_t.MPOPI](#)
- struct [st_mpu_t.MPOPI.BIT](#)
- union [st_mpu_t.MHITI](#)
- struct [st_mpu_t.MHITI.BIT](#)
- union [st_mpu_t.MHITD](#)
- struct [st_mpu_t.MHITD.BIT](#)
- union [st_mtu_t.TOERA](#)
- struct [st_mtu_t.TOERA.BIT](#)
- union [st_mtu_t.TGCRA](#)
- struct [st_mtu_t.TGCRA.BIT](#)
- union [st_mtu_t.TOOCR1A](#)
- struct [st_mtu_t.TOOCR1A.BIT](#)
- union [st_mtu_t.TOOCR2A](#)
- struct [st_mtu_t.TOOCR2A.BIT](#)
- union [st_mtu_t.TITCR1A](#)
- struct [st_mtu_t.TITCR1A.BIT](#)
- union [st_mtu_t.TITCNT1A](#)
- struct [st_mtu_t.TITCNT1A.BIT](#)
- union [st_mtu_t.TBTERA](#)
- struct [st_mtu_t.TBTERA.BIT](#)
- union [st_mtu_t.TDERA](#)
- struct [st_mtu_t.TDERA.BIT](#)
- union [st_mtu_t.TOLBRA](#)
- struct [st_mtu_t.TOLBRA.BIT](#)
- union [st_mtu_t.TITMRA](#)
- struct [st_mtu_t.TITMRA.BIT](#)
- union [st_mtu_t.TITCR2A](#)
- struct [st_mtu_t.TITCR2A.BIT](#)
- union [st_mtu_t.TITCNT2A](#)
- struct [st_mtu_t.TITCNT2A.BIT](#)

- union `st_mtu_t.TWCRA`
- struct `st_mtu_t.TWCRA.BIT`
- union `st_mtu_t.TMDR2A`
- struct `st_mtu_t.TMDR2A.BIT`
- union `st_mtu_t.TSTRA`
- struct `st_mtu_t.TSTRA.BIT`
- union `st_mtu_t.TSYRA`
- struct `st_mtu_t.TSYRA.BIT`
- union `st_mtu_t.TCSYSTR`
- struct `st_mtu_t.TCSYSTR.BIT`
- union `st_mtu_t.TRWERA`
- struct `st_mtu_t.TRWERA.BIT`
- union `st_mtu_t.TOERB`
- struct `st_mtu_t.TOERB.BIT`
- union `st_mtu_t.TOCR1B`
- struct `st_mtu_t.TOCR1B.BIT`
- union `st_mtu_t.TOCR2B`
- struct `st_mtu_t.TOCR2B.BIT`
- union `st_mtu_t.TITCR1B`
- struct `st_mtu_t.TITCR1B.BIT`
- union `st_mtu_t.TITCNT1B`
- struct `st_mtu_t.TITCNT1B.BIT`
- union `st_mtu_t.TBTERB`
- struct `st_mtu_t.TBTERB.BIT`
- union `st_mtu_t.TDERB`
- struct `st_mtu_t.TDERB.BIT`
- union `st_mtu_t.TOLBRB`
- struct `st_mtu_t.TOLBRB.BIT`
- union `st_mtu_t.TITMRB`
- struct `st_mtu_t.TITMRB.BIT`
- union `st_mtu_t.TITCR2B`
- struct `st_mtu_t.TITCR2B.BIT`
- union `st_mtu_t.TITCNT2B`
- struct `st_mtu_t.TITCNT2B.BIT`
- union `st_mtu_t.TWCRB`
- struct `st_mtu_t.TWCRB.BIT`
- union `st_mtu_t.TMDR2B`
- struct `st_mtu_t.TMDR2B.BIT`
- union `st_mtu_t.TSTRB`
- struct `st_mtu_t.TSTRB.BIT`
- union `st_mtu_t.TSYRB`
- struct `st_mtu_t.TSYRB.BIT`
- union `st_mtu_t.TRWERB`
- struct `st_mtu_t.TRWERB.BIT`
- union `st_mtu0_t.NFCR0`
- struct `st_mtu0_t.NFCR0.BIT`
- union `st_mtu0_t.NFCRC`
- struct `st_mtu0_t.NFCRC.BIT`
- union `st_mtu0_t.TCR`
- struct `st_mtu0_t.TCR.BIT`
- union `st_mtu0_t.TMDR1`
- struct `st_mtu0_t.TMDR1.BIT`
- union `st_mtu0_t.TIORH`
- struct `st_mtu0_t.TIORH.BIT`
- union `st_mtu0_t.TIORL`

- struct [st_mtu0_t.TIORL.BIT](#)
- union [st_mtu0_t.TIER](#)
- struct [st_mtu0_t.TIER.BIT](#)
- union [st_mtu0_t.TIER2](#)
- struct [st_mtu0_t.TIER2.BIT](#)
- union [st_mtu0_t.TBTM](#)
- struct [st_mtu0_t.TBTM.BIT](#)
- union [st_mtu0_t.TCR2](#)
- struct [st_mtu0_t.TCR2.BIT](#)
- union [st_mtu1_t.NFCR1](#)
- struct [st_mtu1_t.NFCR1.BIT](#)
- union [st_mtu1_t.TCR](#)
- struct [st_mtu1_t.TCR.BIT](#)
- union [st_mtu1_t.TMDR1](#)
- struct [st_mtu1_t.TMDR1.BIT](#)
- union [st_mtu1_t.TIOR](#)
- struct [st_mtu1_t.TIOR.BIT](#)
- union [st_mtu1_t.TIER](#)
- struct [st_mtu1_t.TIER.BIT](#)
- union [st_mtu1_t.TSR](#)
- struct [st_mtu1_t.TSR.BIT](#)
- union [st_mtu1_t.TICCR](#)
- struct [st_mtu1_t.TICCR.BIT](#)
- union [st_mtu1_t.TMDR3](#)
- struct [st_mtu1_t.TMDR3.BIT](#)
- union [st_mtu1_t.TCR2](#)
- struct [st_mtu1_t.TCR2.BIT](#)
- union [st_mtu2_t.NFCR2](#)
- struct [st_mtu2_t.NFCR2.BIT](#)
- union [st_mtu2_t.TCR](#)
- struct [st_mtu2_t.TCR.BIT](#)
- union [st_mtu2_t.TMDR1](#)
- struct [st_mtu2_t.TMDR1.BIT](#)
- union [st_mtu2_t.TIOR](#)
- struct [st_mtu2_t.TIOR.BIT](#)
- union [st_mtu2_t.TIER](#)
- struct [st_mtu2_t.TIER.BIT](#)
- union [st_mtu2_t.TSR](#)
- struct [st_mtu2_t.TSR.BIT](#)
- union [st_mtu2_t.TCR2](#)
- struct [st_mtu2_t.TCR2.BIT](#)
- union [st_mtu3_t.TCR](#)
- struct [st_mtu3_t.TCR.BIT](#)
- union [st_mtu3_t.TMDR1](#)
- struct [st_mtu3_t.TMDR1.BIT](#)
- union [st_mtu3_t.TIORH](#)
- struct [st_mtu3_t.TIORH.BIT](#)
- union [st_mtu3_t.TIORL](#)
- struct [st_mtu3_t.TIORL.BIT](#)
- union [st_mtu3_t.TIER](#)
- struct [st_mtu3_t.TIER.BIT](#)
- union [st_mtu3_t.TSR](#)
- struct [st_mtu3_t.TSR.BIT](#)
- union [st_mtu3_t.TBTM](#)
- struct [st_mtu3_t.TBTM.BIT](#)

- union [st_mtu3_t.TCR2](#)
- struct [st_mtu3_t.TCR2.BIT](#)
- union [st_mtu3_t.NFCR3](#)
- struct [st_mtu3_t.NFCR3.BIT](#)
- union [st_mtu4_t.TCR](#)
- struct [st_mtu4_t.TCR.BIT](#)
- union [st_mtu4_t.TMDR1](#)
- struct [st_mtu4_t.TMDR1.BIT](#)
- union [st_mtu4_t.TIORH](#)
- struct [st_mtu4_t.TIORH.BIT](#)
- union [st_mtu4_t.TIORL](#)
- struct [st_mtu4_t.TIORL.BIT](#)
- union [st_mtu4_t.TIER](#)
- struct [st_mtu4_t.TIER.BIT](#)
- union [st_mtu4_t.TSR](#)
- struct [st_mtu4_t.TSR.BIT](#)
- union [st_mtu4_t.TBTM](#)
- struct [st_mtu4_t.TBTM.BIT](#)
- union [st_mtu4_t.TADCR](#)
- struct [st_mtu4_t.TADCR.BIT](#)
- union [st_mtu4_t.TCR2](#)
- struct [st_mtu4_t.TCR2.BIT](#)
- union [st_mtu4_t.NFCR4](#)
- struct [st_mtu4_t.NFCR4.BIT](#)
- union [st_mtu5_t.NFCR5](#)
- struct [st_mtu5_t.NFCR5.BIT](#)
- union [st_mtu5_t.TCRU](#)
- struct [st_mtu5_t.TCRU.BIT](#)
- union [st_mtu5_t.TCR2U](#)
- struct [st_mtu5_t.TCR2U.BIT](#)
- union [st_mtu5_t.TIORU](#)
- struct [st_mtu5_t.TIORU.BIT](#)
- union [st_mtu5_t.TCRV](#)
- struct [st_mtu5_t.TCRV.BIT](#)
- union [st_mtu5_t.TCR2V](#)
- struct [st_mtu5_t.TCR2V.BIT](#)
- union [st_mtu5_t.TIORV](#)
- struct [st_mtu5_t.TIORV.BIT](#)
- union [st_mtu5_t.TCRW](#)
- struct [st_mtu5_t.TCRW.BIT](#)
- union [st_mtu5_t.TCR2W](#)
- struct [st_mtu5_t.TCR2W.BIT](#)
- union [st_mtu5_t.TIORW](#)
- struct [st_mtu5_t.TIORW.BIT](#)
- union [st_mtu5_t.TIER](#)
- struct [st_mtu5_t.TIER.BIT](#)
- union [st_mtu5_t.TSTR](#)
- struct [st_mtu5_t.TSTR.BIT](#)
- union [st_mtu5_t.TCNTCMPCLR](#)
- struct [st_mtu5_t.TCNTCMPCLR.BIT](#)
- union [st_mtu6_t.TCR](#)
- struct [st_mtu6_t.TCR.BIT](#)
- union [st_mtu6_t.TMDR1](#)
- struct [st_mtu6_t.TMDR1.BIT](#)
- union [st_mtu6_t.TIORH](#)

- struct [st_mtu6_t.TIORH.BIT](#)
- union [st_mtu6_t.TIORL](#)
- struct [st_mtu6_t.TIORL.BIT](#)
- union [st_mtu6_t.TIER](#)
- struct [st_mtu6_t.TIER.BIT](#)
- union [st_mtu6_t.TSR](#)
- struct [st_mtu6_t.TSR.BIT](#)
- union [st_mtu6_t.TBTM](#)
- struct [st_mtu6_t.TBTM.BIT](#)
- union [st_mtu6_t.TCR2](#)
- struct [st_mtu6_t.TCR2.BIT](#)
- union [st_mtu6_t.TSYCR](#)
- struct [st_mtu6_t.TSYCR.BIT](#)
- union [st_mtu6_t.NFCR6](#)
- struct [st_mtu6_t.NFCR6.BIT](#)
- union [st_mtu7_t.TCR](#)
- struct [st_mtu7_t.TCR.BIT](#)
- union [st_mtu7_t.TMDR1](#)
- struct [st_mtu7_t.TMDR1.BIT](#)
- union [st_mtu7_t.TIORH](#)
- struct [st_mtu7_t.TIORH.BIT](#)
- union [st_mtu7_t.TIORL](#)
- struct [st_mtu7_t.TIORL.BIT](#)
- union [st_mtu7_t.TIER](#)
- struct [st_mtu7_t.TIER.BIT](#)
- union [st_mtu7_t.TSR](#)
- struct [st_mtu7_t.TSR.BIT](#)
- union [st_mtu7_t.TBTM](#)
- struct [st_mtu7_t.TBTM.BIT](#)
- union [st_mtu7_t.TADCR](#)
- struct [st_mtu7_t.TADCR.BIT](#)
- union [st_mtu7_t.TCR2](#)
- struct [st_mtu7_t.TCR2.BIT](#)
- union [st_mtu7_t.NFCR7](#)
- struct [st_mtu7_t.NFCR7.BIT](#)
- union [st_mtu8_t.NFCR8](#)
- struct [st_mtu8_t.NFCR8.BIT](#)
- union [st_mtu8_t.TCR](#)
- struct [st_mtu8_t.TCR.BIT](#)
- union [st_mtu8_t.TMDR1](#)
- struct [st_mtu8_t.TMDR1.BIT](#)
- union [st_mtu8_t.TIORH](#)
- struct [st_mtu8_t.TIORH.BIT](#)
- union [st_mtu8_t.TIORL](#)
- struct [st_mtu8_t.TIORL.BIT](#)
- union [st_mtu8_t.TIER](#)
- struct [st_mtu8_t.TIER.BIT](#)
- union [st_mtu8_t.TCR2](#)
- struct [st_mtu8_t.TCR2.BIT](#)
- union [st_ofsm_t.MDE](#)
- struct [st_ofsm_t.MDE.BIT](#)
- union [st_ofsm_t.OFS0](#)
- struct [st_ofsm_t.OFS0.BIT](#)
- union [st_ofsm_t.OFS1](#)
- struct [st_ofsm_t.OFS1.BIT](#)

- union `st_ofsm_t.BANKSEL`
- struct `st_ofsm_t.BANKSEL.BIT`
- union `st_ofsm_t.SPCC`
- struct `st_ofsm_t.SPCC.BIT`
- union `st_ofsm_t.TMEF`
- struct `st_ofsm_t.TMEF.BIT`
- union `st_ofsm_t.OSIS`
- struct `st_ofsm_t.OSIS.BIT`
- union `st_ofsm_t.FAW`
- struct `st_ofsm_t.FAW.BIT`
- union `st_ofsm_t.ROMCODE`
- struct `st_ofsm_t.ROMCODE.BIT`
- union `st_pdc_t.PCCR0`
- struct `st_pdc_t.PCCR0.BIT`
- union `st_pdc_t.PCCR1`
- struct `st_pdc_t.PCCR1.BIT`
- union `st_pdc_t.PCSR`
- struct `st_pdc_t.PCSR.BIT`
- union `st_pdc_t.PCMONR`
- struct `st_pdc_t.PCMONR.BIT`
- union `st_pdc_t.PCDR`
- union `st_pdc_t.VCR`
- struct `st_pdc_t.VCR.BIT`
- union `st_pdc_t.HCR`
- struct `st_pdc_t.HCR.BIT`
- union `st_pmg_t.PMGCR`
- struct `st_pmg_t.PMGCR.BIT`
- union `st_pmg_t.PSMR`
- struct `st_pmg_t.PSMR.BIT`
- union `st_poe_t.ICSR1`
- struct `st_poe_t.ICSR1.BIT`
- union `st_poe_t.OC1SR1`
- struct `st_poe_t.OC1SR1.BIT`
- union `st_poe_t.ICSR2`
- struct `st_poe_t.ICSR2.BIT`
- union `st_poe_t.OC2SR2`
- struct `st_poe_t.OC2SR2.BIT`
- union `st_poe_t.ICSR3`
- struct `st_poe_t.ICSR3.BIT`
- union `st_poe_t.SPOER`
- struct `st_poe_t.SPOER.BIT`
- union `st_poe_t.POECR1`
- struct `st_poe_t.POECR1.BIT`
- union `st_poe_t.POECR2`
- struct `st_poe_t.POECR2.BIT`
- union `st_poe_t.POECR4`
- struct `st_poe_t.POECR4.BIT`
- union `st_poe_t.POECR5`
- struct `st_poe_t.POECR5.BIT`
- union `st_poe_t.ICSR4`
- struct `st_poe_t.ICSR4.BIT`
- union `st_poe_t.ICSR5`
- struct `st_poe_t.ICSR5.BIT`
- union `st_poe_t.ALR1`
- struct `st_poe_t.ALR1.BIT`

- union `st_poe_t.ICSR6`
- struct `st_poe_t.ICSR6.BIT`
- union `st_poe_t.M0SELR1`
- struct `st_poe_t.M0SELR1.BIT`
- union `st_poe_t.M0SELR2`
- struct `st_poe_t.M0SELR2.BIT`
- union `st_poe_t.M3SELR`
- struct `st_poe_t.M3SELR.BIT`
- union `st_poe_t.M4SELR1`
- struct `st_poe_t.M4SELR1.BIT`
- union `st_poe_t.M4SELR2`
- struct `st_poe_t.M4SELR2.BIT`
- union `st_poe_t.M6SELR`
- struct `st_poe_t.M6SELR.BIT`
- union `st_poeg_t.POEGGA`
- struct `st_poeg_t.POEGGA.BIT`
- union `st_poeg_t.POEGGB`
- struct `st_poeg_t.POEGGB.BIT`
- union `st_poeg_t.POEGGC`
- struct `st_poeg_t.POEGGC.BIT`
- union `st_poeg_t.POEGGD`
- struct `st_poeg_t.POEGGD.BIT`
- union `st_port0_t.PDR`
- struct `st_port0_t.PDR.BIT`
- union `st_port0_t.PODR`
- struct `st_port0_t.PODR.BIT`
- union `st_port0_t.PIDR`
- struct `st_port0_t.PIDR.BIT`
- union `st_port0_t.PMR`
- struct `st_port0_t.PMR.BIT`
- union `st_port0_t.ODR0`
- struct `st_port0_t.ODR0.BIT`
- union `st_port0_t.ODR1`
- struct `st_port0_t.ODR1.BIT`
- union `st_port0_t.PCR`
- struct `st_port0_t.PCR.BIT`
- union `st_port0_t.DSCR`
- struct `st_port0_t.DSCR.BIT`
- union `st_port0_t.DSCR2`
- struct `st_port0_t.DSCR2.BIT`
- union `st_port1_t.PDR`
- struct `st_port1_t.PDR.BIT`
- union `st_port1_t.PODR`
- struct `st_port1_t.PODR.BIT`
- union `st_port1_t.PIDR`
- struct `st_port1_t.PIDR.BIT`
- union `st_port1_t.PMR`
- struct `st_port1_t.PMR.BIT`
- union `st_port1_t.ODR0`
- struct `st_port1_t.ODR0.BIT`
- union `st_port1_t.ODR1`
- struct `st_port1_t.ODR1.BIT`
- union `st_port1_t.PCR`
- struct `st_port1_t.PCR.BIT`
- union `st_port1_t.DSCR`

- struct [st_port1_t.DSCR.BIT](#)
- union [st_port1_t.DSCR2](#)
- struct [st_port1_t.DSCR2.BIT](#)
- union [st_port2_t.PDR](#)
- struct [st_port2_t.PDR.BIT](#)
- union [st_port2_t.PODR](#)
- struct [st_port2_t.PODR.BIT](#)
- union [st_port2_t.PIDR](#)
- struct [st_port2_t.PIDR.BIT](#)
- union [st_port2_t.PMR](#)
- struct [st_port2_t.PMR.BIT](#)
- union [st_port2_t.ODR0](#)
- struct [st_port2_t.ODR0.BIT](#)
- union [st_port2_t.ODR1](#)
- struct [st_port2_t.ODR1.BIT](#)
- union [st_port2_t.PCR](#)
- struct [st_port2_t.PCR.BIT](#)
- union [st_port2_t.DSCR](#)
- struct [st_port2_t.DSCR.BIT](#)
- union [st_port2_t.DSCR2](#)
- struct [st_port2_t.DSCR2.BIT](#)
- union [st_port3_t.PDR](#)
- struct [st_port3_t.PDR.BIT](#)
- union [st_port3_t.PODR](#)
- struct [st_port3_t.PODR.BIT](#)
- union [st_port3_t.PIDR](#)
- struct [st_port3_t.PIDR.BIT](#)
- union [st_port3_t.PMR](#)
- struct [st_port3_t.PMR.BIT](#)
- union [st_port3_t.ODR0](#)
- struct [st_port3_t.ODR0.BIT](#)
- union [st_port3_t.ODR1](#)
- struct [st_port3_t.ODR1.BIT](#)
- union [st_port3_t.PCR](#)
- struct [st_port3_t.PCR.BIT](#)
- union [st_port3_t.DSCR2](#)
- struct [st_port3_t.DSCR2.BIT](#)
- union [st_port4_t.PDR](#)
- struct [st_port4_t.PDR.BIT](#)
- union [st_port4_t.PODR](#)
- struct [st_port4_t.PODR.BIT](#)
- union [st_port4_t.PIDR](#)
- struct [st_port4_t.PIDR.BIT](#)
- union [st_port4_t.PMR](#)
- struct [st_port4_t.PMR.BIT](#)
- union [st_port4_t.ODR0](#)
- struct [st_port4_t.ODR0.BIT](#)
- union [st_port4_t.ODR1](#)
- struct [st_port4_t.ODR1.BIT](#)
- union [st_port4_t.PCR](#)
- struct [st_port4_t.PCR.BIT](#)
- union [st_port5_t.PDR](#)
- struct [st_port5_t.PDR.BIT](#)
- union [st_port5_t.PODR](#)
- struct [st_port5_t.PODR.BIT](#)

- union `st_port5_t.PIDR`
- struct `st_port5_t.PIDR.BIT`
- union `st_port5_t.PMR`
- struct `st_port5_t.PMR.BIT`
- union `st_port5_t.ODR0`
- struct `st_port5_t.ODR0.BIT`
- union `st_port5_t.ODR1`
- struct `st_port5_t.ODR1.BIT`
- union `st_port5_t.PCR`
- struct `st_port5_t.PCR.BIT`
- union `st_port5_t.DSCR`
- struct `st_port5_t.DSCR.BIT`
- union `st_port5_t.DSCR2`
- struct `st_port5_t.DSCR2.BIT`
- union `st_port6_t.PDR`
- struct `st_port6_t.PDR.BIT`
- union `st_port6_t.PODR`
- struct `st_port6_t.PODR.BIT`
- union `st_port6_t.PIDR`
- struct `st_port6_t.PIDR.BIT`
- union `st_port6_t.PMR`
- struct `st_port6_t.PMR.BIT`
- union `st_port6_t.ODR0`
- struct `st_port6_t.ODR0.BIT`
- union `st_port6_t.ODR1`
- struct `st_port6_t.ODR1.BIT`
- union `st_port6_t.PCR`
- struct `st_port6_t.PCR.BIT`
- union `st_port6_t.DSCR2`
- struct `st_port6_t.DSCR2.BIT`
- union `st_port7_t.PDR`
- struct `st_port7_t.PDR.BIT`
- union `st_port7_t.PODR`
- struct `st_port7_t.PODR.BIT`
- union `st_port7_t.PIDR`
- struct `st_port7_t.PIDR.BIT`
- union `st_port7_t.PMR`
- struct `st_port7_t.PMR.BIT`
- union `st_port7_t.ODR0`
- struct `st_port7_t.ODR0.BIT`
- union `st_port7_t.ODR1`
- struct `st_port7_t.ODR1.BIT`
- union `st_port7_t.PCR`
- struct `st_port7_t.PCR.BIT`
- union `st_port7_t.DSCR`
- struct `st_port7_t.DSCR.BIT`
- union `st_port7_t.DSCR2`
- struct `st_port7_t.DSCR2.BIT`
- union `st_port8_t.PDR`
- struct `st_port8_t.PDR.BIT`
- union `st_port8_t.PODR`
- struct `st_port8_t.PODR.BIT`
- union `st_port8_t.PIDR`
- struct `st_port8_t.PIDR.BIT`
- union `st_port8_t.PMR`

- struct [st_port8_t.PMR.BIT](#)
- union [st_port8_t.ODR0](#)
- struct [st_port8_t.ODR0.BIT](#)
- union [st_port8_t.ODR1](#)
- struct [st_port8_t.ODR1.BIT](#)
- union [st_port8_t.PCR](#)
- struct [st_port8_t.PCR.BIT](#)
- union [st_port8_t.DSCR](#)
- struct [st_port8_t.DSCR.BIT](#)
- union [st_port8_t.DSCR2](#)
- struct [st_port8_t.DSCR2.BIT](#)
- union [st_port9_t.PDR](#)
- struct [st_port9_t.PDR.BIT](#)
- union [st_port9_t.PODR](#)
- struct [st_port9_t.PODR.BIT](#)
- union [st_port9_t.PIDR](#)
- struct [st_port9_t.PIDR.BIT](#)
- union [st_port9_t.PMR](#)
- struct [st_port9_t.PMR.BIT](#)
- union [st_port9_t.ODR0](#)
- struct [st_port9_t.ODR0.BIT](#)
- union [st_port9_t.ODR1](#)
- struct [st_port9_t.ODR1.BIT](#)
- union [st_port9_t.PCR](#)
- struct [st_port9_t.PCR.BIT](#)
- union [st_port9_t.DSCR](#)
- struct [st_port9_t.DSCR.BIT](#)
- union [st_port9_t.DSCR2](#)
- struct [st_port9_t.DSCR2.BIT](#)
- union [st_porta_t.PDR](#)
- struct [st_porta_t.PDR.BIT](#)
- union [st_porta_t.PODR](#)
- struct [st_porta_t.PODR.BIT](#)
- union [st_porta_t.PIDR](#)
- struct [st_porta_t.PIDR.BIT](#)
- union [st_porta_t.PMR](#)
- struct [st_porta_t.PMR.BIT](#)
- union [st_porta_t.ODR0](#)
- struct [st_porta_t.ODR0.BIT](#)
- union [st_porta_t.ODR1](#)
- struct [st_porta_t.ODR1.BIT](#)
- union [st_porta_t.PCR](#)
- struct [st_porta_t.PCR.BIT](#)
- union [st_porta_t.DSCR](#)
- struct [st_porta_t.DSCR.BIT](#)
- union [st_porta_t.DSCR2](#)
- struct [st_porta_t.DSCR2.BIT](#)
- union [st_portb_t.PDR](#)
- struct [st_portb_t.PDR.BIT](#)
- union [st_portb_t.PODR](#)
- struct [st_portb_t.PODR.BIT](#)
- union [st_portb_t.PIDR](#)
- struct [st_portb_t.PIDR.BIT](#)
- union [st_portb_t.PMR](#)
- struct [st_portb_t.PMR.BIT](#)

- union [st_portb_t.ODR0](#)
- struct [st_portb_t.ODR0.BIT](#)
- union [st_portb_t.ODR1](#)
- struct [st_portb_t.ODR1.BIT](#)
- union [st_portb_t.PCR](#)
- struct [st_portb_t.PCR.BIT](#)
- union [st_portb_t.DSCR](#)
- struct [st_portb_t.DSCR.BIT](#)
- union [st_portb_t.DSCR2](#)
- struct [st_portb_t.DSCR2.BIT](#)
- union [st_portc_t.PDR](#)
- struct [st_portc_t.PDR.BIT](#)
- union [st_portc_t.PODR](#)
- struct [st_portc_t.PODR.BIT](#)
- union [st_portc_t.PIDR](#)
- struct [st_portc_t.PIDR.BIT](#)
- union [st_portc_t.PMR](#)
- struct [st_portc_t.PMR.BIT](#)
- union [st_portc_t.ODR0](#)
- struct [st_portc_t.ODR0.BIT](#)
- union [st_portc_t.ODR1](#)
- struct [st_portc_t.ODR1.BIT](#)
- union [st_portc_t.PCR](#)
- struct [st_portc_t.PCR.BIT](#)
- union [st_portc_t.DSCR](#)
- struct [st_portc_t.DSCR.BIT](#)
- union [st_portc_t.DSCR2](#)
- struct [st_portc_t.DSCR2.BIT](#)
- union [st_portd_t.PDR](#)
- struct [st_portd_t.PDR.BIT](#)
- union [st_portd_t.PODR](#)
- struct [st_portd_t.PODR.BIT](#)
- union [st_portd_t.PIDR](#)
- struct [st_portd_t.PIDR.BIT](#)
- union [st_portd_t.PMR](#)
- struct [st_portd_t.PMR.BIT](#)
- union [st_portd_t.ODR0](#)
- struct [st_portd_t.ODR0.BIT](#)
- union [st_portd_t.ODR1](#)
- struct [st_portd_t.ODR1.BIT](#)
- union [st_portd_t.PCR](#)
- struct [st_portd_t.PCR.BIT](#)
- union [st_portd_t.DSCR](#)
- struct [st_portd_t.DSCR.BIT](#)
- union [st_portd_t.DSCR2](#)
- struct [st_portd_t.DSCR2.BIT](#)
- union [st_porte_t.PDR](#)
- struct [st_porte_t.PDR.BIT](#)
- union [st_porte_t.PODR](#)
- struct [st_porte_t.PODR.BIT](#)
- union [st_porte_t.PIDR](#)
- struct [st_porte_t.PIDR.BIT](#)
- union [st_porte_t.PMR](#)
- struct [st_porte_t.PMR.BIT](#)
- union [st_porte_t.ODR0](#)

- struct [st_porte_t.ODR0.BIT](#)
- union [st_porte_t.ODR1](#)
- struct [st_porte_t.ODR1.BIT](#)
- union [st_porte_t.PCR](#)
- struct [st_porte_t.PCR.BIT](#)
- union [st_porte_t.DSCR](#)
- struct [st_porte_t.DSCR.BIT](#)
- union [st_porte_t.DSCR2](#)
- struct [st_porte_t.DSCR2.BIT](#)
- union [st_portf_t.PDR](#)
- struct [st_portf_t.PDR.BIT](#)
- union [st_portf_t.PODR](#)
- struct [st_portf_t.PODR.BIT](#)
- union [st_portf_t.PIDR](#)
- struct [st_portf_t.PIDR.BIT](#)
- union [st_portf_t.PMR](#)
- struct [st_portf_t.PMR.BIT](#)
- union [st_portf_t.ODR0](#)
- struct [st_portf_t.ODR0.BIT](#)
- union [st_portf_t.ODR1](#)
- struct [st_portf_t.ODR1.BIT](#)
- union [st_portf_t.PCR](#)
- struct [st_portf_t.PCR.BIT](#)
- union [st_portg_t.PDR](#)
- struct [st_portg_t.PDR.BIT](#)
- union [st_portg_t.PODR](#)
- struct [st_portg_t.PODR.BIT](#)
- union [st_portg_t.PIDR](#)
- struct [st_portg_t.PIDR.BIT](#)
- union [st_portg_t.PMR](#)
- struct [st_portg_t.PMR.BIT](#)
- union [st_portg_t.ODR0](#)
- struct [st_portg_t.ODR0.BIT](#)
- union [st_portg_t.ODR1](#)
- struct [st_portg_t.ODR1.BIT](#)
- union [st_portg_t.PCR](#)
- struct [st_portg_t.PCR.BIT](#)
- union [st_portg_t.DSCR](#)
- struct [st_portg_t.DSCR.BIT](#)
- union [st_portg_t.DSCR2](#)
- struct [st_portg_t.DSCR2.BIT](#)
- union [st_porth_t.PDR](#)
- struct [st_porth_t.PDR.BIT](#)
- union [st_porth_t.PODR](#)
- struct [st_porth_t.PODR.BIT](#)
- union [st_porth_t.PIDR](#)
- struct [st_porth_t.PIDR.BIT](#)
- union [st_porth_t.PMR](#)
- struct [st_porth_t.PMR.BIT](#)
- union [st_porth_t.ODR0](#)
- struct [st_porth_t.ODR0.BIT](#)
- union [st_porth_t.ODR1](#)
- struct [st_porth_t.ODR1.BIT](#)
- union [st_porth_t.PCR](#)
- struct [st_porth_t.PCR.BIT](#)

- union [st_porth_t.DSCR](#)
- struct [st_porth_t.DSCR.BIT](#)
- union [st_porth_t.DSCR2](#)
- struct [st_porth_t.DSCR2.BIT](#)
- union [st_portj_t.PDR](#)
- struct [st_portj_t.PDR.BIT](#)
- union [st_portj_t.PODR](#)
- struct [st_portj_t.PODR.BIT](#)
- union [st_portj_t.PIDR](#)
- struct [st_portj_t.PIDR.BIT](#)
- union [st_portj_t.PMR](#)
- struct [st_portj_t.PMR.BIT](#)
- union [st_portj_t.ODR0](#)
- struct [st_portj_t.ODR0.BIT](#)
- union [st_portj_t.ODR1](#)
- struct [st_portj_t.ODR1.BIT](#)
- union [st_portj_t.PCR](#)
- struct [st_portj_t.PCR.BIT](#)
- union [st_portj_t.DSCR](#)
- struct [st_portj_t.DSCR.BIT](#)
- union [st_portj_t.DSCR2](#)
- struct [st_portj_t.DSCR2.BIT](#)
- union [st_portk_t.PDR](#)
- struct [st_portk_t.PDR.BIT](#)
- union [st_portk_t.PODR](#)
- struct [st_portk_t.PODR.BIT](#)
- union [st_portk_t.PIDR](#)
- struct [st_portk_t.PIDR.BIT](#)
- union [st_portk_t.PMR](#)
- struct [st_portk_t.PMR.BIT](#)
- union [st_portk_t.ODR0](#)
- struct [st_portk_t.ODR0.BIT](#)
- union [st_portk_t.ODR1](#)
- struct [st_portk_t.ODR1.BIT](#)
- union [st_portk_t.PCR](#)
- struct [st_portk_t.PCR.BIT](#)
- union [st_portk_t.DSCR](#)
- struct [st_portk_t.DSCR.BIT](#)
- union [st_portk_t.DSCR2](#)
- struct [st_portk_t.DSCR2.BIT](#)
- union [st_portl_t.PDR](#)
- struct [st_portl_t.PDR.BIT](#)
- union [st_portl_t.PODR](#)
- struct [st_portl_t.PODR.BIT](#)
- union [st_portl_t.PIDR](#)
- struct [st_portl_t.PIDR.BIT](#)
- union [st_portl_t.PMR](#)
- struct [st_portl_t.PMR.BIT](#)
- union [st_portl_t.ODR0](#)
- struct [st_portl_t.ODR0.BIT](#)
- union [st_portl_t.ODR1](#)
- struct [st_portl_t.ODR1.BIT](#)
- union [st_portl_t.PCR](#)
- struct [st_portl_t.PCR.BIT](#)
- union [st_portl_t.DSCR](#)

- struct [st_portl_t.DSCR.BIT](#)
- union [st_portl_t.DSCR2](#)
- struct [st_portl_t.DSCR2.BIT](#)
- union [st_portm_t.PDR](#)
- struct [st_portm_t.PDR.BIT](#)
- union [st_portm_t.PODR](#)
- struct [st_portm_t.PODR.BIT](#)
- union [st_portm_t.PIDR](#)
- struct [st_portm_t.PIDR.BIT](#)
- union [st_portm_t.PMR](#)
- struct [st_portm_t.PMR.BIT](#)
- union [st_portm_t.ODR0](#)
- struct [st_portm_t.ODR0.BIT](#)
- union [st_portm_t.ODR1](#)
- struct [st_portm_t.ODR1.BIT](#)
- union [st_portm_t.PCR](#)
- struct [st_portm_t.PCR.BIT](#)
- union [st_portm_t.DSCR](#)
- struct [st_portm_t.DSCR.BIT](#)
- union [st_portm_t.DSCR2](#)
- struct [st_portm_t.DSCR2.BIT](#)
- union [st_portn_t.PDR](#)
- struct [st_portn_t.PDR.BIT](#)
- union [st_portn_t.PODR](#)
- struct [st_portn_t.PODR.BIT](#)
- union [st_portn_t.PIDR](#)
- struct [st_portn_t.PIDR.BIT](#)
- union [st_portn_t.PMR](#)
- struct [st_portn_t.PMR.BIT](#)
- union [st_portn_t.ODR0](#)
- struct [st_portn_t.ODR0.BIT](#)
- union [st_portn_t.ODR1](#)
- struct [st_portn_t.ODR1.BIT](#)
- union [st_portn_t.PCR](#)
- struct [st_portn_t.PCR.BIT](#)
- union [st_portn_t.DSCR](#)
- struct [st_portn_t.DSCR.BIT](#)
- union [st_portn_t.DSCR2](#)
- struct [st_portn_t.DSCR2.BIT](#)
- union [st_portq_t.PDR](#)
- struct [st_portq_t.PDR.BIT](#)
- union [st_portq_t.PODR](#)
- struct [st_portq_t.PODR.BIT](#)
- union [st_portq_t.PIDR](#)
- struct [st_portq_t.PIDR.BIT](#)
- union [st_portq_t.PMR](#)
- struct [st_portq_t.PMR.BIT](#)
- union [st_portq_t.ODR0](#)
- struct [st_portq_t.ODR0.BIT](#)
- union [st_portq_t.ODR1](#)
- struct [st_portq_t.ODR1.BIT](#)
- union [st_portq_t.PCR](#)
- struct [st_portq_t.PCR.BIT](#)
- union [st_portq_t.DSCR](#)
- struct [st_portq_t.DSCR.BIT](#)

- union [st_portq_t.DSCR2](#)
- struct [st_portq_t.DSCR2.BIT](#)
- union [st_ppg0_t.PCR](#)
- struct [st_ppg0_t.PCR.BIT](#)
- union [st_ppg0_t.PMR](#)
- struct [st_ppg0_t.PMR.BIT](#)
- union [st_ppg0_t.NDERH](#)
- struct [st_ppg0_t.NDERH.BIT](#)
- union [st_ppg0_t.NDERL](#)
- struct [st_ppg0_t.NDERL.BIT](#)
- union [st_ppg0_t.PODRH](#)
- struct [st_ppg0_t.PODRH.BIT](#)
- union [st_ppg0_t.PODRL](#)
- struct [st_ppg0_t.PODRL.BIT](#)
- union [st_ppg0_t.NDRH](#)
- struct [st_ppg0_t.NDRH.BIT](#)
- union [st_ppg0_t.NDRL](#)
- struct [st_ppg0_t.NDRL.BIT](#)
- union [st_ppg0_t.NDRH2](#)
- struct [st_ppg0_t.NDRH2.BIT](#)
- union [st_ppg0_t.NDRL2](#)
- struct [st_ppg0_t.NDRL2.BIT](#)
- union [st_ppg1_t.PTRSLR](#)
- struct [st_ppg1_t.PTRSLR.BIT](#)
- union [st_ppg1_t.PCR](#)
- struct [st_ppg1_t.PCR.BIT](#)
- union [st_ppg1_t.PMR](#)
- struct [st_ppg1_t.PMR.BIT](#)
- union [st_ppg1_t.NDERH](#)
- struct [st_ppg1_t.NDERH.BIT](#)
- union [st_ppg1_t.NDERL](#)
- struct [st_ppg1_t.NDERL.BIT](#)
- union [st_ppg1_t.PODRH](#)
- struct [st_ppg1_t.PODRH.BIT](#)
- union [st_ppg1_t.PODRL](#)
- struct [st_ppg1_t.PODRL.BIT](#)
- union [st_ppg1_t.NDRH](#)
- struct [st_ppg1_t.NDRH.BIT](#)
- union [st_ppg1_t.NDRL](#)
- struct [st_ppg1_t.NDRL.BIT](#)
- union [st_ppg1_t.NDRH2](#)
- struct [st_ppg1_t.NDRH2.BIT](#)
- union [st_ppg1_t.NDRL2](#)
- struct [st_ppg1_t.NDRL2.BIT](#)
- union [st_ptpedmac_t.EDMR](#)
- struct [st_ptpedmac_t.EDMR.BIT](#)
- union [st_ptpedmac_t.EDTRR](#)
- struct [st_ptpedmac_t.EDTRR.BIT](#)
- union [st_ptpedmac_t.EDRRR](#)
- struct [st_ptpedmac_t.EDRRR.BIT](#)
- union [st_ptpedmac_t.EESR](#)
- struct [st_ptpedmac_t.EESR.BIT](#)
- union [st_ptpedmac_t.EESIPR](#)
- struct [st_ptpedmac_t.EESIPR.BIT](#)
- union [st_ptpedmac_t.RMFCR](#)

- struct [st_ptpedmac_t.RMFCR.BIT](#)
- union [st_ptpedmac_t.TFTR](#)
- struct [st_ptpedmac_t.TFTR.BIT](#)
- union [st_ptpedmac_t.FDR](#)
- struct [st_ptpedmac_t.FDR.BIT](#)
- union [st_ptpedmac_t.RMCR](#)
- struct [st_ptpedmac_t.RMCR.BIT](#)
- union [st_ptpedmac_t.TFUCR](#)
- struct [st_ptpedmac_t.TFUCR.BIT](#)
- union [st_ptpedmac_t.RFOCR](#)
- struct [st_ptpedmac_t.RFOCR.BIT](#)
- union [st_ptpedmac_t.FCFTR](#)
- struct [st_ptpedmac_t.FCFTR.BIT](#)
- union [st_ptpedmac_t.RPADIR](#)
- struct [st_ptpedmac_t.RPADIR.BIT](#)
- union [st_ptpedmac_t.TRIMD](#)
- struct [st_ptpedmac_t.TRIMD.BIT](#)
- union [st_qspi_t.SPCR](#)
- struct [st_qspi_t.SPCR.BIT](#)
- union [st_qspi_t.SSLP](#)
- struct [st_qspi_t.SSLP.BIT](#)
- union [st_qspi_t.SPPCR](#)
- struct [st_qspi_t.SPPCR.BIT](#)
- union [st_qspi_t.SPSR](#)
- struct [st_qspi_t.SPSR.BIT](#)
- union [st_qspi_t.SPDR](#)
- struct [st_qspi_t.SPDR.WORD](#)
- struct [st_qspi_t.SPDR.BYTE](#)
- union [st_qspi_t.SPSCR](#)
- struct [st_qspi_t.SPSCR.BIT](#)
- union [st_qspi_t.SPSSR](#)
- struct [st_qspi_t.SPSSR.BIT](#)
- union [st_qspi_t.SPBR](#)
- struct [st_qspi_t.SPBR.BIT](#)
- union [st_qspi_t.SPDCR](#)
- struct [st_qspi_t.SPDCR.BIT](#)
- union [st_qspi_t.SPCKD](#)
- struct [st_qspi_t.SPCKD.BIT](#)
- union [st_qspi_t.SSLND](#)
- struct [st_qspi_t.SSLND.BIT](#)
- union [st_qspi_t.SPND](#)
- struct [st_qspi_t.SPND.BIT](#)
- union [st_qspi_t.SPCMD0](#)
- struct [st_qspi_t.SPCMD0.BIT](#)
- union [st_qspi_t.SPCMD1](#)
- struct [st_qspi_t.SPCMD1.BIT](#)
- union [st_qspi_t.SPCMD2](#)
- struct [st_qspi_t.SPCMD2.BIT](#)
- union [st_qspi_t.SPCMD3](#)
- struct [st_qspi_t.SPCMD3.BIT](#)
- union [st_qspi_t.SPBFCR](#)
- struct [st_qspi_t.SPBFCR.BIT](#)
- union [st_qspi_t.SPBDCR](#)
- struct [st_qspi_t.SPBDCR.BIT](#)
- union [st_ram_t.RAMMODE](#)

- struct [st_ram_t.RAMMODE.BIT](#)
- union [st_ram_t.RAMSTS](#)
- struct [st_ram_t.RAMSTS.BIT](#)
- union [st_ram_t.RAMPRCR](#)
- struct [st_ram_t.RAMPRCR.BIT](#)
- union [st_ram_t.RAMECAD](#)
- struct [st_ram_t.RAMECAD.BIT](#)
- union [st_ram_t.EXRAMMODE](#)
- struct [st_ram_t.EXRAMMODE.BIT](#)
- union [st_ram_t.EXRAMSTS](#)
- struct [st_ram_t.EXRAMSTS.BIT](#)
- union [st_ram_t.EXRAMPRCR](#)
- struct [st_ram_t.EXRAMPRCR.BIT](#)
- union [st_ram_t.EXRAMECAD](#)
- struct [st_ram_t.EXRAMECAD.BIT](#)
- union [st_riic_t.ICCR1](#)
- struct [st_riic_t.ICCR1.BIT](#)
- union [st_riic_t.ICCR2](#)
- struct [st_riic_t.ICCR2.BIT](#)
- union [st_riic_t.ICMR1](#)
- struct [st_riic_t.ICMR1.BIT](#)
- union [st_riic_t.ICMR2](#)
- struct [st_riic_t.ICMR2.BIT](#)
- union [st_riic_t.ICMR3](#)
- struct [st_riic_t.ICMR3.BIT](#)
- union [st_riic_t.ICFER](#)
- struct [st_riic_t.ICFER.BIT](#)
- union [st_riic_t.ICSER](#)
- struct [st_riic_t.ICSER.BIT](#)
- union [st_riic_t.ICIER](#)
- struct [st_riic_t.ICIER.BIT](#)
- union [st_riic_t.ICSR1](#)
- struct [st_riic_t.ICSR1.BIT](#)
- union [st_riic_t.ICSR2](#)
- struct [st_riic_t.ICSR2.BIT](#)
- union [st_riic_t.SARL0](#)
- struct [st_riic_t.SARL0.BIT](#)
- union [st_riic_t.SARU0](#)
- struct [st_riic_t.SARU0.BIT](#)
- union [st_riic_t.SARL1](#)
- struct [st_riic_t.SARL1.BIT](#)
- union [st_riic_t.SARU1](#)
- struct [st_riic_t.SARU1.BIT](#)
- union [st_riic_t.SARL2](#)
- struct [st_riic_t.SARL2.BIT](#)
- union [st_riic_t.SARU2](#)
- struct [st_riic_t.SARU2.BIT](#)
- union [st_riic_t.ICBRL](#)
- struct [st_riic_t.ICBRL.BIT](#)
- union [st_riic_t.ICBRH](#)
- struct [st_riic_t.ICBRH.BIT](#)
- union [st_rspi_t.SPCR](#)
- struct [st_rspi_t.SPCR.BIT](#)
- union [st_rspi_t.SSLP](#)
- struct [st_rspi_t.SSLP.BIT](#)

- union `st_rspi_t`.SPPCR
- struct `st_rspi_t`.SPPCR.BIT
- union `st_rspi_t`.SPSR
- struct `st_rspi_t`.SPSR.BIT
- union `st_rspi_t`.SPDR
- struct `st_rspi_t`.SPDR.WORD
- struct `st_rspi_t`.SPDR.BYTE
- union `st_rspi_t`.SPSCR
- struct `st_rspi_t`.SPSCR.BIT
- union `st_rspi_t`.SPSSR
- struct `st_rspi_t`.SPSSR.BIT
- union `st_rspi_t`.SPDCR
- struct `st_rspi_t`.SPDCR.BIT
- union `st_rspi_t`.SPCKD
- struct `st_rspi_t`.SPCKD.BIT
- union `st_rspi_t`.SSLND
- struct `st_rspi_t`.SSLND.BIT
- union `st_rspi_t`.SPND
- struct `st_rspi_t`.SPND.BIT
- union `st_rspi_t`.SPCR2
- struct `st_rspi_t`.SPCR2.BIT
- union `st_rspi_t`.SPCMD0
- struct `st_rspi_t`.SPCMD0.BIT
- union `st_rspi_t`.SPCMD1
- struct `st_rspi_t`.SPCMD1.BIT
- union `st_rspi_t`.SPCMD2
- struct `st_rspi_t`.SPCMD2.BIT
- union `st_rspi_t`.SPCMD3
- struct `st_rspi_t`.SPCMD3.BIT
- union `st_rspi_t`.SPCMD4
- struct `st_rspi_t`.SPCMD4.BIT
- union `st_rspi_t`.SPCMD5
- struct `st_rspi_t`.SPCMD5.BIT
- union `st_rspi_t`.SPCMD6
- struct `st_rspi_t`.SPCMD6.BIT
- union `st_rspi_t`.SPCMD7
- struct `st_rspi_t`.SPCMD7.BIT
- union `st_rspi_t`.SPDCR2
- struct `st_rspi_t`.SPDCR2.BIT
- union `st_rtc_t`.R64CNT
- struct `st_rtc_t`.R64CNT.BIT
- union `st_rtc_t`.__unnamed0__
- union `st_rtc_t`.__unnamed0__.RSECCNT
- struct `st_rtc_t`.__unnamed0__.RSECCNT.BIT
- union `st_rtc_t`.__unnamed0__.BCNT0
- struct `st_rtc_t`.__unnamed0__.BCNT0.BIT
- union `st_rtc_t`.__unnamed1__
- union `st_rtc_t`.__unnamed1__.RMINCNT
- struct `st_rtc_t`.__unnamed1__.RMINCNT.BIT
- union `st_rtc_t`.__unnamed1__.BCNT1
- struct `st_rtc_t`.__unnamed1__.BCNT1.BIT
- union `st_rtc_t`.__unnamed2__
- union `st_rtc_t`.__unnamed2__.RHRCNT
- struct `st_rtc_t`.__unnamed2__.RHRCNT.BIT
- union `st_rtc_t`.__unnamed2__.BCNT2

- struct `st_rtc_t.____unnamed2____.BCNT2.BIT`
- union `st_rtc_t.____unnamed3____`
- union `st_rtc_t.____unnamed3____.RWKCNT`
- struct `st_rtc_t.____unnamed3____.RWKCNT.BIT`
- union `st_rtc_t.____unnamed3____.BCNT3`
- struct `st_rtc_t.____unnamed3____.BCNT3.BIT`
- union `st_rtc_t.RDAYCNT`
- struct `st_rtc_t.RDAYCNT.BIT`
- union `st_rtc_t.RMONCNT`
- struct `st_rtc_t.RMONCNT.BIT`
- union `st_rtc_t.RYRCNT`
- struct `st_rtc_t.RYRCNT.BIT`
- union `st_rtc_t.____unnamed4____`
- union `st_rtc_t.____unnamed4____.RSECAR`
- struct `st_rtc_t.____unnamed4____.RSECAR.BIT`
- union `st_rtc_t.____unnamed4____.BCNT0AR`
- struct `st_rtc_t.____unnamed4____.BCNT0AR.BIT`
- union `st_rtc_t.____unnamed5____`
- union `st_rtc_t.____unnamed5____.RMINAR`
- struct `st_rtc_t.____unnamed5____.RMINAR.BIT`
- union `st_rtc_t.____unnamed5____.BCNT1AR`
- struct `st_rtc_t.____unnamed5____.BCNT1AR.BIT`
- union `st_rtc_t.____unnamed6____`
- union `st_rtc_t.____unnamed6____.RHRAR`
- struct `st_rtc_t.____unnamed6____.RHRAR.BIT`
- union `st_rtc_t.____unnamed6____.BCNT2AR`
- struct `st_rtc_t.____unnamed6____.BCNT2AR.BIT`
- union `st_rtc_t.____unnamed7____`
- union `st_rtc_t.____unnamed7____.RWKAR`
- struct `st_rtc_t.____unnamed7____.RWKAR.BIT`
- union `st_rtc_t.____unnamed7____.BCNT3AR`
- struct `st_rtc_t.____unnamed7____.BCNT3AR.BIT`
- union `st_rtc_t.____unnamed8____`
- union `st_rtc_t.____unnamed8____.RDAYAR`
- struct `st_rtc_t.____unnamed8____.RDAYAR.BIT`
- union `st_rtc_t.____unnamed8____.BCNT0AER`
- struct `st_rtc_t.____unnamed8____.BCNT0AER.BIT`
- union `st_rtc_t.____unnamed9____`
- union `st_rtc_t.____unnamed9____.RMONAR`
- struct `st_rtc_t.____unnamed9____.RMONAR.BIT`
- union `st_rtc_t.____unnamed9____.BCNT1AER`
- struct `st_rtc_t.____unnamed9____.BCNT1AER.BIT`
- union `st_rtc_t.____unnamed10____`
- union `st_rtc_t.____unnamed10____.RYRAR`
- struct `st_rtc_t.____unnamed10____.RYRAR.BIT`
- union `st_rtc_t.____unnamed10____.BCNT2AER`
- struct `st_rtc_t.____unnamed10____.BCNT2AER.BIT`
- union `st_rtc_t.____unnamed11____`
- union `st_rtc_t.____unnamed11____.RYRAREN`
- struct `st_rtc_t.____unnamed11____.RYRAREN.BIT`
- union `st_rtc_t.____unnamed11____.BCNT3AER`
- struct `st_rtc_t.____unnamed11____.BCNT3AER.BIT`
- union `st_rtc_t.RCR1`
- struct `st_rtc_t.RCR1.BIT`
- union `st_rtc_t.RCR2`

- struct `st_rtc_t.RCR2.BIT`
- union `st_rtc_t.RCR3`
- struct `st_rtc_t.RCR3.BIT`
- union `st_rtc_t.RCR4`
- struct `st_rtc_t.RCR4.BIT`
- union `st_rtc_t.RFRH`
- struct `st_rtc_t.RFRH.BIT`
- union `st_rtc_t.RFRL`
- struct `st_rtc_t.RFRL.BIT`
- union `st_rtc_t.RADJ`
- struct `st_rtc_t.RADJ.BIT`
- union `st_rtc_t.RTCCR0`
- struct `st_rtc_t.RTCCR0.BIT`
- union `st_rtc_t.RTCCR1`
- struct `st_rtc_t.RTCCR1.BIT`
- union `st_rtc_t.RTCCR2`
- struct `st_rtc_t.RTCCR2.BIT`
- union `st_rtc_t.__unnamed12__`
- union `st_rtc_t.__unnamed12__.RSECCP0`
- struct `st_rtc_t.__unnamed12__.RSECCP0.BIT`
- union `st_rtc_t.__unnamed12__.BCNT0CP0`
- struct `st_rtc_t.__unnamed12__.BCNT0CP0.BIT`
- union `st_rtc_t.__unnamed13__`
- union `st_rtc_t.__unnamed13__.RMINCP0`
- struct `st_rtc_t.__unnamed13__.RMINCP0.BIT`
- union `st_rtc_t.__unnamed13__.BCNT1CP0`
- struct `st_rtc_t.__unnamed13__.BCNT1CP0.BIT`
- union `st_rtc_t.__unnamed14__`
- union `st_rtc_t.__unnamed14__.RHRCP0`
- struct `st_rtc_t.__unnamed14__.RHRCP0.BIT`
- union `st_rtc_t.__unnamed14__.BCNT2CP0`
- struct `st_rtc_t.__unnamed14__.BCNT2CP0.BIT`
- union `st_rtc_t.__unnamed15__`
- union `st_rtc_t.__unnamed15__.RDAYCP0`
- struct `st_rtc_t.__unnamed15__.RDAYCP0.BIT`
- union `st_rtc_t.__unnamed15__.BCNT3CP0`
- struct `st_rtc_t.__unnamed15__.BCNT3CP0.BIT`
- union `st_rtc_t.RMONCP0`
- struct `st_rtc_t.RMONCP0.BIT`
- union `st_rtc_t.__unnamed16__`
- union `st_rtc_t.__unnamed16__.RSECCP1`
- struct `st_rtc_t.__unnamed16__.RSECCP1.BIT`
- union `st_rtc_t.__unnamed16__.BCNT0CP1`
- struct `st_rtc_t.__unnamed16__.BCNT0CP1.BIT`
- union `st_rtc_t.__unnamed17__`
- union `st_rtc_t.__unnamed17__.RMINCP1`
- struct `st_rtc_t.__unnamed17__.RMINCP1.BIT`
- union `st_rtc_t.__unnamed17__.BCNT1CP1`
- struct `st_rtc_t.__unnamed17__.BCNT1CP1.BIT`
- union `st_rtc_t.__unnamed18__`
- union `st_rtc_t.__unnamed18__.RHRCP1`
- struct `st_rtc_t.__unnamed18__.RHRCP1.BIT`
- union `st_rtc_t.__unnamed18__.BCNT2CP1`
- struct `st_rtc_t.__unnamed18__.BCNT2CP1.BIT`
- union `st_rtc_t.__unnamed19__`

- union `st_rtc_t.__unnamed19__`.RDAYCP1
- struct `st_rtc_t.__unnamed19__`.RDAYCP1.BIT
- union `st_rtc_t.__unnamed19__`.BCNT3CP1
- struct `st_rtc_t.__unnamed19__`.BCNT3CP1.BIT
- union `st_rtc_t`.RMONCP1
- struct `st_rtc_t`.RMONCP1.BIT
- union `st_rtc_t.__unnamed20__`
- union `st_rtc_t.__unnamed20__`.RSECCP2
- struct `st_rtc_t.__unnamed20__`.RSECCP2.BIT
- union `st_rtc_t.__unnamed20__`.BCNT0CP2
- struct `st_rtc_t.__unnamed20__`.BCNT0CP2.BIT
- union `st_rtc_t.__unnamed21__`
- union `st_rtc_t.__unnamed21__`.RMINCP2
- struct `st_rtc_t.__unnamed21__`.RMINCP2.BIT
- union `st_rtc_t.__unnamed21__`.BCNT1CP2
- struct `st_rtc_t.__unnamed21__`.BCNT1CP2.BIT
- union `st_rtc_t.__unnamed22__`
- union `st_rtc_t.__unnamed22__`.RHRCP2
- struct `st_rtc_t.__unnamed22__`.RHRCP2.BIT
- union `st_rtc_t.__unnamed22__`.BCNT2CP2
- struct `st_rtc_t.__unnamed22__`.BCNT2CP2.BIT
- union `st_rtc_t.__unnamed23__`
- union `st_rtc_t.__unnamed23__`.RDAYCP2
- struct `st_rtc_t.__unnamed23__`.RDAYCP2.BIT
- union `st_rtc_t.__unnamed23__`.BCNT3CP2
- struct `st_rtc_t.__unnamed23__`.BCNT3CP2.BIT
- union `st_rtc_t`.RMONCP2
- struct `st_rtc_t`.RMONCP2.BIT
- union `st_s12ad_t`.ADCSR
- struct `st_s12ad_t`.ADCSR.BIT
- union `st_s12ad_t`.ADANSA0
- struct `st_s12ad_t`.ADANSA0.BIT
- union `st_s12ad_t`.ADADS0
- struct `st_s12ad_t`.ADADS0.BIT
- union `st_s12ad_t`.ADADC
- struct `st_s12ad_t`.ADADC.BIT
- union `st_s12ad_t`.ADCER
- struct `st_s12ad_t`.ADCER.BIT
- union `st_s12ad_t`.ADSTRGR
- struct `st_s12ad_t`.ADSTRGR.BIT
- union `st_s12ad_t`.ADANSB0
- struct `st_s12ad_t`.ADANSB0.BIT
- union `st_s12ad_t`.ADDBLDR
- union `st_s12ad_t`.ADRD
- union `st_s12ad_t`.ADRD.BIT
- struct `st_s12ad_t`.ADRD.BIT.RIGHT
- struct `st_s12ad_t`.ADRD.BIT.LEFT
- union `st_s12ad_t`.ADSAMPR
- struct `st_s12ad_t`.ADSAMPR.BIT
- union `st_s12ad_t`.ADSHCR
- struct `st_s12ad_t`.ADSHCR.BIT
- union `st_s12ad_t`.ADSAM
- struct `st_s12ad_t`.ADSAM.BIT
- union `st_s12ad_t`.ADDISCR
- struct `st_s12ad_t`.ADDISCR.BIT

- union `st_s12ad_t.ADSHMSR`
- struct `st_s12ad_t.ADSHMSR.BIT`
- union `st_s12ad_t.ADGSPCR`
- struct `st_s12ad_t.ADGSPCR.BIT`
- union `st_s12ad_t.ADWINMON`
- struct `st_s12ad_t.ADWINMON.BIT`
- union `st_s12ad_t.ADCMPCR`
- struct `st_s12ad_t.ADCMPCR.BIT`
- union `st_s12ad_t.ADCMPANSR0`
- struct `st_s12ad_t.ADCMPANSR0.BIT`
- union `st_s12ad_t.ADCMPLR0`
- struct `st_s12ad_t.ADCMPLR0.BIT`
- union `st_s12ad_t.ADCMPSR0`
- struct `st_s12ad_t.ADCMPSR0.BIT`
- union `st_s12ad_t.ADCMPBNSR`
- struct `st_s12ad_t.ADCMPBNSR.BIT`
- union `st_s12ad_t.ADCMPBSR`
- struct `st_s12ad_t.ADCMPBSR.BIT`
- union `st_s12ad_t.ADANSC0`
- struct `st_s12ad_t.ADANSC0.BIT`
- union `st_s12ad_t.ADGCTRGR`
- struct `st_s12ad_t.ADGCTRGR.BIT`
- union `st_s12ad1_t.ADCSR`
- struct `st_s12ad1_t.ADCSR.BIT`
- union `st_s12ad1_t.ADANSA0`
- struct `st_s12ad1_t.ADANSA0.BIT`
- union `st_s12ad1_t.ADANSA1`
- struct `st_s12ad1_t.ADANSA1.BIT`
- union `st_s12ad1_t.ADADS0`
- struct `st_s12ad1_t.ADADS0.BIT`
- union `st_s12ad1_t.ADADS1`
- struct `st_s12ad1_t.ADADS1.BIT`
- union `st_s12ad1_t.ADADC`
- struct `st_s12ad1_t.ADADC.BIT`
- union `st_s12ad1_t.ADCER`
- struct `st_s12ad1_t.ADCER.BIT`
- union `st_s12ad1_t.ADSTRGR`
- struct `st_s12ad1_t.ADSTRGR.BIT`
- union `st_s12ad1_t.ADEXICR`
- struct `st_s12ad1_t.ADEXICR.BIT`
- union `st_s12ad1_t.ADANSB0`
- struct `st_s12ad1_t.ADANSB0.BIT`
- union `st_s12ad1_t.ADANSB1`
- struct `st_s12ad1_t.ADANSB1.BIT`
- union `st_s12ad1_t.ADRD`
- union `st_s12ad1_t.ADRD.BIT`
- struct `st_s12ad1_t.ADRD.BIT.RIGHT`
- struct `st_s12ad1_t.ADRD.BIT.LEFT`
- union `st_s12ad1_t.ADSAMPR`
- struct `st_s12ad1_t.ADSAMPR.BIT`
- union `st_s12ad1_t.ADSAM`
- struct `st_s12ad1_t.ADSAM.BIT`
- union `st_s12ad1_t.ADDISCR`
- struct `st_s12ad1_t.ADDISCR.BIT`
- union `st_s12ad1_t.ADGSPCR`

- struct [st_s12ad1_t.ADGSPCR.BIT](#)
- union [st_s12ad1_t.ADWINMON](#)
- struct [st_s12ad1_t.ADWINMON.BIT](#)
- union [st_s12ad1_t.ADCMPCR](#)
- struct [st_s12ad1_t.ADCMPCR.BIT](#)
- union [st_s12ad1_t.ADCMPANSER](#)
- struct [st_s12ad1_t.ADCMPANSER.BIT](#)
- union [st_s12ad1_t.ADCMPLER](#)
- struct [st_s12ad1_t.ADCMPLER.BIT](#)
- union [st_s12ad1_t.ADCMPANSR0](#)
- struct [st_s12ad1_t.ADCMPANSR0.BIT](#)
- union [st_s12ad1_t.ADCMPANSR1](#)
- struct [st_s12ad1_t.ADCMPANSR1.BIT](#)
- union [st_s12ad1_t.ADCMPLR0](#)
- struct [st_s12ad1_t.ADCMPLR0.BIT](#)
- union [st_s12ad1_t.ADCMPLR1](#)
- struct [st_s12ad1_t.ADCMPLR1.BIT](#)
- union [st_s12ad1_t.ADCMPSR0](#)
- struct [st_s12ad1_t.ADCMPSR0.BIT](#)
- union [st_s12ad1_t.ADCMPSR1](#)
- struct [st_s12ad1_t.ADCMPSR1.BIT](#)
- union [st_s12ad1_t.ADCMPSER](#)
- struct [st_s12ad1_t.ADCMPSER.BIT](#)
- union [st_s12ad1_t.ADCMPBNSR](#)
- struct [st_s12ad1_t.ADCMPBNSR.BIT](#)
- union [st_s12ad1_t.ADCMPBSR](#)
- struct [st_s12ad1_t.ADCMPBSR.BIT](#)
- union [st_s12ad1_t.ADANSC0](#)
- struct [st_s12ad1_t.ADANSC0.BIT](#)
- union [st_s12ad1_t.ADANSC1](#)
- struct [st_s12ad1_t.ADANSC1.BIT](#)
- union [st_s12ad1_t.ADGCEXCR](#)
- struct [st_s12ad1_t.ADGCEXCR.BIT](#)
- union [st_s12ad1_t.ADGCTRGR](#)
- struct [st_s12ad1_t.ADGCTRGR.BIT](#)
- union [st_sci0_t.SMR](#)
- struct [st_sci0_t.SMR.BIT](#)
- union [st_sci0_t.SCR](#)
- struct [st_sci0_t.SCR.BIT](#)
- union [st_sci0_t.SSR](#)
- struct [st_sci0_t.SSR.BIT](#)
- union [st_sci0_t.SCMR](#)
- struct [st_sci0_t.SCMR.BIT](#)
- union [st_sci0_t.SEMR](#)
- struct [st_sci0_t.SEMR.BIT](#)
- union [st_sci0_t.SNFR](#)
- struct [st_sci0_t.SNFR.BIT](#)
- union [st_sci0_t.SIMR1](#)
- struct [st_sci0_t.SIMR1.BIT](#)
- union [st_sci0_t.SIMR2](#)
- struct [st_sci0_t.SIMR2.BIT](#)
- union [st_sci0_t.SIMR3](#)
- struct [st_sci0_t.SIMR3.BIT](#)
- union [st_sci0_t.SISR](#)
- struct [st_sci0_t.SISR.BIT](#)

- union `st_sci0_t.SPMR`
- struct `st_sci0_t.SPMR.BIT`
- union `st_sci0_t.TDRHL`
- struct `st_sci0_t.TDRHL.BYTE`
- union `st_sci0_t.RDRHL`
- struct `st_sci0_t.RDRHL.BYTE`
- union `st_sci0_t.DCCR`
- struct `st_sci0_t.DCCR.BIT`
- union `st_sci0_t.CDR`
- struct `st_sci0_t.CDR.BYTE`
- struct `st_sci0_t.CDR.BIT`
- union `st_sci0_t.SPTR`
- struct `st_sci0_t.SPTR.BIT`
- union `st_sci7_t.SMR`
- struct `st_sci7_t.SMR.BIT`
- union `st_sci7_t.SCR`
- struct `st_sci7_t.SCR.BIT`
- union `st_sci7_t.__unnamed0__`
- union `st_sci7_t.__unnamed0__.SSR`
- struct `st_sci7_t.__unnamed0__.SSR.BIT`
- union `st_sci7_t.__unnamed0__.SSRFIFO`
- struct `st_sci7_t.__unnamed0__.SSRFIFO.BIT`
- union `st_sci7_t.SCMR`
- struct `st_sci7_t.SCMR.BIT`
- union `st_sci7_t.SEMR`
- struct `st_sci7_t.SEMR.BIT`
- union `st_sci7_t.SNFR`
- struct `st_sci7_t.SNFR.BIT`
- union `st_sci7_t.SIMR1`
- struct `st_sci7_t.SIMR1.BIT`
- union `st_sci7_t.SIMR2`
- struct `st_sci7_t.SIMR2.BIT`
- union `st_sci7_t.SIMR3`
- struct `st_sci7_t.SIMR3.BIT`
- union `st_sci7_t.SISR`
- struct `st_sci7_t.SISR.BIT`
- union `st_sci7_t.SPMR`
- struct `st_sci7_t.SPMR.BIT`
- union `st_sci7_t.__unnamed1__`
- union `st_sci7_t.__unnamed1__.TDRHL`
- struct `st_sci7_t.__unnamed1__.TDRHL.BYTE`
- union `st_sci7_t.__unnamed1__.FTDR`
- struct `st_sci7_t.__unnamed1__.FTDR.BYTE`
- struct `st_sci7_t.__unnamed1__.FTDR.BIT`
- union `st_sci7_t.__unnamed2__`
- union `st_sci7_t.__unnamed2__.RDRHL`
- struct `st_sci7_t.__unnamed2__.RDRHL.BYTE`
- union `st_sci7_t.__unnamed2__.FRDR`
- struct `st_sci7_t.__unnamed2__.FRDR.BYTE`
- struct `st_sci7_t.__unnamed2__.FRDR.BIT`
- union `st_sci7_t.DCCR`
- struct `st_sci7_t.DCCR.BIT`
- union `st_sci7_t.FCR`
- struct `st_sci7_t.FCR.BYTE`
- struct `st_sci7_t.FCR.BIT`

- union [st_sci7_t.FDR](#)
- struct [st_sci7_t.FDR.BYTE](#)
- struct [st_sci7_t.FDR.BIT](#)
- union [st_sci7_t.LSR](#)
- struct [st_sci7_t.LSR.BYTE](#)
- struct [st_sci7_t.LSR.BIT](#)
- union [st_sci7_t.CDR](#)
- struct [st_sci7_t.CDR.BYTE](#)
- struct [st_sci7_t.CDR.BIT](#)
- union [st_sci7_t.SPTR](#)
- struct [st_sci7_t.SPTR.BIT](#)
- union [st_sci12_t.SMR](#)
- struct [st_sci12_t.SMR.BIT](#)
- union [st_sci12_t.SCR](#)
- struct [st_sci12_t.SCR.BIT](#)
- union [st_sci12_t.SSR](#)
- struct [st_sci12_t.SSR.BIT](#)
- union [st_sci12_t.SCMR](#)
- struct [st_sci12_t.SCMR.BIT](#)
- union [st_sci12_t.SEMR](#)
- struct [st_sci12_t.SEMR.BIT](#)
- union [st_sci12_t.SNFR](#)
- struct [st_sci12_t.SNFR.BIT](#)
- union [st_sci12_t.SIMR1](#)
- struct [st_sci12_t.SIMR1.BIT](#)
- union [st_sci12_t.SIMR2](#)
- struct [st_sci12_t.SIMR2.BIT](#)
- union [st_sci12_t.SIMR3](#)
- struct [st_sci12_t.SIMR3.BIT](#)
- union [st_sci12_t.SISR](#)
- struct [st_sci12_t.SISR.BIT](#)
- union [st_sci12_t.SPMR](#)
- struct [st_sci12_t.SPMR.BIT](#)
- union [st_sci12_t.TDRHL](#)
- struct [st_sci12_t.TDRHL.BYTE](#)
- union [st_sci12_t.RDRHL](#)
- struct [st_sci12_t.RDRHL.BYTE](#)
- union [st_sci12_t.ESMER](#)
- struct [st_sci12_t.ESMER.BIT](#)
- union [st_sci12_t.CR0](#)
- struct [st_sci12_t.CR0.BIT](#)
- union [st_sci12_t.CR1](#)
- struct [st_sci12_t.CR1.BIT](#)
- union [st_sci12_t.CR2](#)
- struct [st_sci12_t.CR2.BIT](#)
- union [st_sci12_t.CR3](#)
- struct [st_sci12_t.CR3.BIT](#)
- union [st_sci12_t.PCR](#)
- struct [st_sci12_t.PCR.BIT](#)
- union [st_sci12_t.ICR](#)
- struct [st_sci12_t.ICR.BIT](#)
- union [st_sci12_t.STR](#)
- struct [st_sci12_t.STR.BIT](#)
- union [st_sci12_t.STCR](#)
- struct [st_sci12_t.STCR.BIT](#)

- union `st_sci12_t.CF0CR`
- struct `st_sci12_t.CF0CR.BIT`
- union `st_sci12_t.CF1CR`
- struct `st_sci12_t.CF1CR.BIT`
- union `st_sci12_t.TCR`
- struct `st_sci12_t.TCR.BIT`
- union `st_sci12_t.TMR`
- struct `st_sci12_t.TMR.BIT`
- union `st_sdhi_t.SDCMD`
- struct `st_sdhi_t.SDSTOP.BIT`
- union `st_sdhi_t.SDSTS1`
- struct `st_sdhi_t.SDSTS1.BIT`
- union `st_sdhi_t.SDSTS2`
- struct `st_sdhi_t.SDSTS2.BIT`
- union `st_sdhi_t.SDIMSK1`
- struct `st_sdhi_t.SDIMSK1.BIT`
- union `st_sdhi_t.SDIMSK2`
- struct `st_sdhi_t.SDIMSK2.BIT`
- union `st_sdhi_t.SDCLKCR`
- struct `st_sdhi_t.SDCLKCR.BIT`
- union `st_sdhi_t.SDSIZE`
- struct `st_sdhi_t.SDSIZE.BIT`
- union `st_sdhi_t.SDOPT`
- struct `st_sdhi_t.SDOPT.BIT`
- union `st_sdhi_t.SDERSTS1`
- struct `st_sdhi_t.SDERSTS1.BIT`
- union `st_sdhi_t.SDERSTS2`
- struct `st_sdhi_t.SDERSTS2.BIT`
- union `st_sdhi_t.SDIOMD`
- struct `st_sdhi_t.SDIOMD.BIT`
- union `st_sdhi_t.SDIOSTS`
- struct `st_sdhi_t.SDIOSTS.BIT`
- union `st_sdhi_t.SDIOIMSK`
- struct `st_sdhi_t.SDIOIMSK.BIT`
- union `st_sdhi_t.SDDMAEN`
- struct `st_sdhi_t.SDDMAEN.BIT`
- union `st_sdhi_t.SDRST`
- struct `st_sdhi_t.SDRST.BIT`
- union `st_sdhi_t.SDVER`
- struct `st_sdhi_t.SDVER.BIT`
- union `st_sdhi_t.SDSWAP`
- struct `st_sdhi_t.SDSWAP.BIT`
- union `st_smci_t.SMR`
- struct `st_smci_t.SMR.BIT`
- union `st_smci_t.SCR`
- struct `st_smci_t.SCR.BIT`
- union `st_smci_t.SSR`
- struct `st_smci_t.SSR.BIT`
- union `st_smci_t.SCMR`
- struct `st_smci_t.SCMR.BIT`
- union `st_ssie_t.SSICR`
- struct `st_ssie_t.SSICR.BIT`
- union `st_ssie_t.SSISR`
- struct `st_ssie_t.SSISR.BIT`

- union [st_ssie_t.SSIFCR](#)
- struct [st_ssie_t.SSIFCR.BIT](#)
- union [st_ssie_t.SSIFSR](#)
- struct [st_ssie_t.SSIFSR.BIT](#)
- union [st_ssie_t.SSIFTDR](#)
- struct [st_ssie_t.SSIFTDR.WORD](#)
- struct [st_ssie_t.SSIFTDR.BYTE](#)
- union [st_ssie_t.SSIFRDR](#)
- struct [st_ssie_t.SSIFRDR.WORD](#)
- struct [st_ssie_t.SSIFRDR.BYTE](#)
- union [st_ssie_t.SSIOFR](#)
- struct [st_ssie_t.SSIOFR.BIT](#)
- union [st_ssie_t.SSISCR](#)
- struct [st_ssie_t.SSISCR.BIT](#)
- union [st_system_t.MDMONR](#)
- struct [st_system_t.MDMONR.BIT](#)
- union [st_system_t.SYSCR0](#)
- struct [st_system_t.SYSCR0.BIT](#)
- union [st_system_t.SYSCR1](#)
- struct [st_system_t.SYSCR1.BIT](#)
- union [st_system_t.SBYCR](#)
- struct [st_system_t.SBYCR.BIT](#)
- union [st_system_t.MSTPCRA](#)
- struct [st_system_t.MSTPCRA.BIT](#)
- union [st_system_t.MSTPCRB](#)
- struct [st_system_t.MSTPCRB.BIT](#)
- union [st_system_t.MSTPCRC](#)
- struct [st_system_t.MSTPCRC.BIT](#)
- union [st_system_t.MSTPCRD](#)
- struct [st_system_t.MSTPCRD.BIT](#)
- union [st_system_t.SCKCR](#)
- struct [st_system_t.SCKCR.BIT](#)
- union [st_system_t.SCKCR2](#)
- struct [st_system_t.SCKCR2.BIT](#)
- union [st_system_t.SCKCR3](#)
- struct [st_system_t.SCKCR3.BIT](#)
- union [st_system_t.PLLCR](#)
- struct [st_system_t.PLLCR.BIT](#)
- union [st_system_t.PLLCR2](#)
- struct [st_system_t.PLLCR2.BIT](#)
- union [st_system_t.BCKCR](#)
- struct [st_system_t.BCKCR.BIT](#)
- union [st_system_t.MOSCCR](#)
- struct [st_system_t.MOSCCR.BIT](#)
- union [st_system_t.SOSCCR](#)
- struct [st_system_t.SOSCCR.BIT](#)
- union [st_system_t.LOCOCR](#)
- struct [st_system_t.LOCOCR.BIT](#)
- union [st_system_t.ILOCOCR](#)
- struct [st_system_t.ILOCOCR.BIT](#)
- union [st_system_t.HOCOCR](#)
- struct [st_system_t.HOCOCR.BIT](#)
- union [st_system_t.HOCOCR2](#)
- struct [st_system_t.HOCOCR2.BIT](#)
- union [st_system_t.OSCOVFSR](#)

- struct [st_system_t.OSCOVFSR.BIT](#)
- union [st_system_t.CKOCR](#)
- struct [st_system_t.CKOCR.BIT](#)
- union [st_system_t.OSTDCR](#)
- struct [st_system_t.OSTDCR.BIT](#)
- union [st_system_t.OSTDSR](#)
- struct [st_system_t.OSTDSR.BIT](#)
- union [st_system_t.PACKCR](#)
- struct [st_system_t.PACKCR.BIT](#)
- union [st_system_t.PLLCR](#)
- struct [st_system_t.PLLCR.BIT](#)
- union [st_system_t.PLLCR2](#)
- struct [st_system_t.PLLCR2.BIT](#)
- union [st_system_t.PLLCR3](#)
- struct [st_system_t.PLLCR3.BIT](#)
- union [st_system_t.OPCCR](#)
- struct [st_system_t.OPCCR.BIT](#)
- union [st_system_t.RSTCKCR](#)
- struct [st_system_t.RSTCKCR.BIT](#)
- union [st_system_t.MOSCWTCR](#)
- struct [st_system_t.MOSCWTCR.BIT](#)
- union [st_system_t.SOSCWTCR](#)
- struct [st_system_t.SOSCWTCR.BIT](#)
- union [st_system_t.RSTSR2](#)
- struct [st_system_t.RSTSR2.BIT](#)
- union [st_system_t.LVD1CR1](#)
- struct [st_system_t.LVD1CR1.BIT](#)
- union [st_system_t.LVD1SR](#)
- struct [st_system_t.LVD1SR.BIT](#)
- union [st_system_t.LVD2CR1](#)
- struct [st_system_t.LVD2CR1.BIT](#)
- union [st_system_t.LVD2SR](#)
- struct [st_system_t.LVD2SR.BIT](#)
- union [st_system_t.PRCR](#)
- struct [st_system_t.PRCR.BIT](#)
- union [st_system_t.MEMWAIT](#)
- struct [st_system_t.MEMWAIT.BIT](#)
- union [st_system_t.DPSBYCR](#)
- struct [st_system_t.DPSBYCR.BIT](#)
- union [st_system_t.DPSIER0](#)
- struct [st_system_t.DPSIER0.BIT](#)
- union [st_system_t.DPSIER1](#)
- struct [st_system_t.DPSIER1.BIT](#)
- union [st_system_t.DPSIER2](#)
- struct [st_system_t.DPSIER2.BIT](#)
- union [st_system_t.DPSIER3](#)
- struct [st_system_t.DPSIER3.BIT](#)
- union [st_system_t.DPSIFR0](#)
- struct [st_system_t.DPSIFR0.BIT](#)
- union [st_system_t.DPSIFR1](#)
- struct [st_system_t.DPSIFR1.BIT](#)
- union [st_system_t.DPSIFR2](#)
- struct [st_system_t.DPSIFR2.BIT](#)
- union [st_system_t.DPSIFR3](#)
- struct [st_system_t.DPSIFR3.BIT](#)

- union `st_system_t.DPSIEGR0`
- struct `st_system_t.DPSIEGR0.BIT`
- union `st_system_t.DPSIEGR1`
- struct `st_system_t.DPSIEGR1.BIT`
- union `st_system_t.DPSIEGR2`
- struct `st_system_t.DPSIEGR2.BIT`
- union `st_system_t.DPSIEGR3`
- struct `st_system_t.DPSIEGR3.BIT`
- union `st_system_t.RSTSR0`
- struct `st_system_t.RSTSR0.BIT`
- union `st_system_t.RSTSR1`
- struct `st_system_t.RSTSR1.BIT`
- union `st_system_t.MOFCR`
- struct `st_system_t.MOFCR.BIT`
- union `st_system_t.HOCOPCR`
- struct `st_system_t.HOCOPCR.BIT`
- union `st_system_t.LVCMPCR`
- struct `st_system_t.LVCMPCR.BIT`
- union `st_system_t.LVDLVLRL`
- struct `st_system_t.LVDLVLRL.BIT`
- union `st_system_t.LVD1CR0`
- struct `st_system_t.LVD1CR0.BIT`
- union `st_system_t.LVD2CR0`
- struct `st_system_t.LVD2CR0.BIT`
- union `st_temps_t.TSCR`
- struct `st_temps_t.TSCR.BIT`
- union `st_tmr0_t.TCR`
- struct `st_tmr0_t.TCR.BIT`
- union `st_tmr0_t.TCSR`
- struct `st_tmr0_t.TCSR.BIT`
- union `st_tmr0_t.TCCR`
- struct `st_tmr0_t.TCCR.BIT`
- union `st_tmr0_t.TCSTR`
- struct `st_tmr0_t.TCSTR.BIT`
- union `st_tmr1_t.TCR`
- struct `st_tmr1_t.TCR.BIT`
- union `st_tmr1_t.TCSR`
- struct `st_tmr1_t.TCSR.BIT`
- union `st_tmr1_t.TCCR`
- struct `st_tmr1_t.TCCR.BIT`
- union `st_tmr1_t.TCSTR`
- struct `st_tmr1_t.TCSTR.BIT`
- union `st_tpu0_t.NFCR`
- struct `st_tpu0_t.NFCR.BIT`
- union `st_tpu0_t.TCR`
- struct `st_tpu0_t.TCR.BIT`
- union `st_tpu0_t.TMDR`
- struct `st_tpu0_t.TMDR.BIT`
- union `st_tpu0_t.TIORH`
- struct `st_tpu0_t.TIORH.BIT`
- union `st_tpu0_t.TIORL`
- struct `st_tpu0_t.TIORL.BIT`
- union `st_tpu0_t.TIER`
- struct `st_tpu0_t.TIER.BIT`
- union `st_tpu0_t.TSR`

- struct `st_tpu0_t.TSR.BIT`
- union `st_tpu1_t.NFCR`
- struct `st_tpu1_t.NFCR.BIT`
- union `st_tpu1_t.TCR`
- struct `st_tpu1_t.TCR.BIT`
- union `st_tpu1_t.TMDR`
- struct `st_tpu1_t.TMDR.BIT`
- union `st_tpu1_t.TIOR`
- struct `st_tpu1_t.TIOR.BIT`
- union `st_tpu1_t.TIER`
- struct `st_tpu1_t.TIER.BIT`
- union `st_tpu1_t.TSR`
- struct `st_tpu1_t.TSR.BIT`
- union `st_tpu2_t.NFCR`
- struct `st_tpu2_t.NFCR.BIT`
- union `st_tpu2_t.TCR`
- struct `st_tpu2_t.TCR.BIT`
- union `st_tpu2_t.TMDR`
- struct `st_tpu2_t.TMDR.BIT`
- union `st_tpu2_t.TIOR`
- struct `st_tpu2_t.TIOR.BIT`
- union `st_tpu2_t.TIER`
- struct `st_tpu2_t.TIER.BIT`
- union `st_tpu2_t.TSR`
- struct `st_tpu2_t.TSR.BIT`
- union `st_tpu3_t.NFCR`
- struct `st_tpu3_t.NFCR.BIT`
- union `st_tpu3_t.TCR`
- struct `st_tpu3_t.TCR.BIT`
- union `st_tpu3_t.TMDR`
- struct `st_tpu3_t.TMDR.BIT`
- union `st_tpu3_t.TIORH`
- struct `st_tpu3_t.TIORH.BIT`
- union `st_tpu3_t.TIORL`
- struct `st_tpu3_t.TIORL.BIT`
- union `st_tpu3_t.TIER`
- struct `st_tpu3_t.TIER.BIT`
- union `st_tpu3_t.TSR`
- struct `st_tpu3_t.TSR.BIT`
- union `st_tpu4_t.NFCR`
- struct `st_tpu4_t.NFCR.BIT`
- union `st_tpu4_t.TCR`
- struct `st_tpu4_t.TCR.BIT`
- union `st_tpu4_t.TMDR`
- struct `st_tpu4_t.TMDR.BIT`
- union `st_tpu4_t.TIOR`
- struct `st_tpu4_t.TIOR.BIT`
- union `st_tpu4_t.TIER`
- struct `st_tpu4_t.TIER.BIT`
- union `st_tpu4_t.TSR`
- struct `st_tpu4_t.TSR.BIT`
- union `st_tpu5_t.NFCR`
- struct `st_tpu5_t.NFCR.BIT`
- union `st_tpu5_t.TCR`
- struct `st_tpu5_t.TCR.BIT`

- union [st_tpu5_t.TMDR](#)
- struct [st_tpu5_t.TMDR.BIT](#)
- union [st_tpu5_t.TIOR](#)
- struct [st_tpu5_t.TIOR.BIT](#)
- union [st_tpu5_t.TIER](#)
- struct [st_tpu5_t.TIER.BIT](#)
- union [st_tpu5_t.TSR](#)
- struct [st_tpu5_t.TSR.BIT](#)
- union [st_tpua_t.TSTR](#)
- struct [st_tpua_t.TSTR.BIT](#)
- union [st_tpua_t.TSYR](#)
- struct [st_tpua_t.TSYR.BIT](#)
- union [st_usb_t.DPUSR0R](#)
- struct [st_usb_t.DPUSR0R.BIT](#)
- union [st_usb_t.DPUSR1R](#)
- struct [st_usb_t.DPUSR1R.BIT](#)
- union [st_usb0_t.SYSCFG](#)
- struct [st_usb0_t.SYSCFG.BIT](#)
- union [st_usb0_t.SYSSTS0](#)
- struct [st_usb0_t.SYSSTS0.BIT](#)
- union [st_usb0_t.DVSTCTR0](#)
- struct [st_usb0_t.DVSTCTR0.BIT](#)
- union [st_usb0_t.CFIFO](#)
- struct [st_usb0_t.CFIFO.BYTE](#)
- union [st_usb0_t.D0FIFO](#)
- struct [st_usb0_t.D0FIFO.BYTE](#)
- union [st_usb0_t.D1FIFO](#)
- struct [st_usb0_t.D1FIFO.BYTE](#)
- union [st_usb0_t.CFIFOSEL](#)
- struct [st_usb0_t.CFIFOSEL.BIT](#)
- union [st_usb0_t.CFIFOCTR](#)
- struct [st_usb0_t.CFIFOCTR.BIT](#)
- union [st_usb0_t.D0FIFOSEL](#)
- struct [st_usb0_t.D0FIFOSEL.BIT](#)
- union [st_usb0_t.D0FIFOCTR](#)
- struct [st_usb0_t.D0FIFOCTR.BIT](#)
- union [st_usb0_t.D1FIFOSEL](#)
- struct [st_usb0_t.D1FIFOSEL.BIT](#)
- union [st_usb0_t.D1FIFOCTR](#)
- struct [st_usb0_t.D1FIFOCTR.BIT](#)
- union [st_usb0_t.INTENB0](#)
- struct [st_usb0_t.INTENB0.BIT](#)
- union [st_usb0_t.INTENB1](#)
- struct [st_usb0_t.INTENB1.BIT](#)
- union [st_usb0_t.BRDYENB](#)
- struct [st_usb0_t.BRDYENB.BIT](#)
- union [st_usb0_t.NRDYENB](#)
- struct [st_usb0_t.NRDYENB.BIT](#)
- union [st_usb0_t.BEMPENB](#)
- struct [st_usb0_t.BEMPENB.BIT](#)
- union [st_usb0_t.SOFCFG](#)
- struct [st_usb0_t.SOFCFG.BIT](#)
- union [st_usb0_t.INTSTS0](#)
- struct [st_usb0_t.INTSTS0.BIT](#)
- union [st_usb0_t.INTSTS1](#)

- struct [st_usb0_t.INTSTS1.BIT](#)
- union [st_usb0_t.BRDYSTS](#)
- struct [st_usb0_t.BRDYSTS.BIT](#)
- union [st_usb0_t.NRDYSTS](#)
- struct [st_usb0_t.NRDYSTS.BIT](#)
- union [st_usb0_t.BEMPSTS](#)
- struct [st_usb0_t.BEMPSTS.BIT](#)
- union [st_usb0_t.FRMNUM](#)
- struct [st_usb0_t.FRMNUM.BIT](#)
- union [st_usb0_t.DVCHGR](#)
- struct [st_usb0_t.DVCHGR.BIT](#)
- union [st_usb0_t.USBADDR](#)
- struct [st_usb0_t.USBADDR.BIT](#)
- union [st_usb0_t.USBREQ](#)
- struct [st_usb0_t.USBREQ.BIT](#)
- union [st_usb0_t.DCPCFG](#)
- struct [st_usb0_t.DCPCFG.BIT](#)
- union [st_usb0_t.DCPMAXP](#)
- struct [st_usb0_t.DCPMAXP.BIT](#)
- union [st_usb0_t.DCPCTR](#)
- struct [st_usb0_t.DCPCTR.BIT](#)
- union [st_usb0_t.PIPESEL](#)
- struct [st_usb0_t.PIPESEL.BIT](#)
- union [st_usb0_t.PIPECFG](#)
- struct [st_usb0_t.PIPECFG.BIT](#)
- union [st_usb0_t.PIPEMAXP](#)
- struct [st_usb0_t.PIPEMAXP.BIT](#)
- union [st_usb0_t.PIPEPERI](#)
- struct [st_usb0_t.PIPEPERI.BIT](#)
- union [st_usb0_t.PIPE1CTR](#)
- struct [st_usb0_t.PIPE1CTR.BIT](#)
- union [st_usb0_t.PIPE2CTR](#)
- struct [st_usb0_t.PIPE2CTR.BIT](#)
- union [st_usb0_t.PIPE3CTR](#)
- struct [st_usb0_t.PIPE3CTR.BIT](#)
- union [st_usb0_t.PIPE4CTR](#)
- struct [st_usb0_t.PIPE4CTR.BIT](#)
- union [st_usb0_t.PIPE5CTR](#)
- struct [st_usb0_t.PIPE5CTR.BIT](#)
- union [st_usb0_t.PIPE6CTR](#)
- struct [st_usb0_t.PIPE6CTR.BIT](#)
- union [st_usb0_t.PIPE7CTR](#)
- struct [st_usb0_t.PIPE7CTR.BIT](#)
- union [st_usb0_t.PIPE8CTR](#)
- struct [st_usb0_t.PIPE8CTR.BIT](#)
- union [st_usb0_t.PIPE9CTR](#)
- struct [st_usb0_t.PIPE9CTR.BIT](#)
- union [st_usb0_t.PIPE1TRE](#)
- struct [st_usb0_t.PIPE1TRE.BIT](#)
- union [st_usb0_t.PIPE2TRE](#)
- struct [st_usb0_t.PIPE2TRE.BIT](#)
- union [st_usb0_t.PIPE3TRE](#)
- struct [st_usb0_t.PIPE3TRE.BIT](#)
- union [st_usb0_t.PIPE4TRE](#)
- struct [st_usb0_t.PIPE4TRE.BIT](#)

- union [st_usb0_t.PIPE5TRE](#)
- struct [st_usb0_t.PIPE5TRE.BIT](#)
- union [st_usb0_t.DEVADD0](#)
- struct [st_usb0_t.DEVADD0.BIT](#)
- union [st_usb0_t.DEVADD1](#)
- struct [st_usb0_t.DEVADD1.BIT](#)
- union [st_usb0_t.DEVADD2](#)
- struct [st_usb0_t.DEVADD2.BIT](#)
- union [st_usb0_t.DEVADD3](#)
- struct [st_usb0_t.DEVADD3.BIT](#)
- union [st_usb0_t.DEVADD4](#)
- struct [st_usb0_t.DEVADD4.BIT](#)
- union [st_usb0_t.DEVADD5](#)
- struct [st_usb0_t.DEVADD5.BIT](#)
- union [st_usb0_t.PHYSLEW](#)
- struct [st_usb0_t.PHYSLEW.BIT](#)
- union [st_wdt_t.WDTCR](#)
- struct [st_wdt_t.WDTCR.BIT](#)
- union [st_wdt_t.WDTSR](#)
- struct [st_wdt_t.WDTSR.BIT](#)
- union [st_wdt_t.WDTRCR](#)
- struct [st_wdt_t.WDTRCR.BIT](#)

Macros

- [#define IEN_BSC_BUSERR](#) IEN0
- [#define IEN_ICU_GROUPIE0](#) IEN1
- [#define IEN_RAM_RAMERR](#) IEN2
- [#define IEN_FCU_FIFERR](#) IEN5
- [#define IEN_FCU_FRDYI](#) IEN7
- [#define IEN_ICU_SWINT2](#) IEN2
- [#define IEN_ICU_SWINT](#) IEN3
- [#define IEN_CMT0_CMI0](#) IEN4
- [#define IEN_CMT1_CMI1](#) IEN5
- [#define IEN_CMTW0_CMW10](#) IEN6
- [#define IEN_CMTW1_CMW11](#) IEN7
- [#define IEN_USB0_D0FIFO0](#) IEN2
- [#define IEN_USB0_D1FIFO0](#) IEN3
- [#define IEN_RSPI0_SPRI0](#) IEN6
- [#define IEN_RSPI0_SPTI0](#) IEN7
- [#define IEN_RSPI1_SPRI1](#) IEN0
- [#define IEN_RSPI1_SPTI1](#) IEN1
- [#define IEN_QSPI_SPRI](#) IEN2
- [#define IEN_QSPI_SPTI](#) IEN3
- [#define IEN_SDHI_SBAI](#) IEN4
- [#define IEN_MMCIIF_MBFAI](#) IEN5
- [#define IEN_SSIE0_SSITXIO](#) IEN6
- [#define IEN_SSIE0_SSIRXIO](#) IEN7
- [#define IEN_SSIE1_SSIRTI1](#) IEN0
- [#define IEN_RIIC1_RXI1](#) IEN2
- [#define IEN_RIIC1_TXI1](#) IEN3
- [#define IEN_RIIC0_RXI0](#) IEN4
- [#define IEN_RIIC0_TXI0](#) IEN5
- [#define IEN_RIIC2_RXI2](#) IEN6

- `#define IEN_RIIC2_TXI2 IEN7`
- `#define IEN_SCI0_RXI0 IEN2`
- `#define IEN_SCI0_TXI0 IEN3`
- `#define IEN_SCI1_RXI1 IEN4`
- `#define IEN_SCI1_TXI1 IEN5`
- `#define IEN_SCI2_RXI2 IEN6`
- `#define IEN_SCI2_TXI2 IEN7`
- `#define IEN_ICU_IRQ0 IEN0`
- `#define IEN_ICU_IRQ1 IEN1`
- `#define IEN_ICU_IRQ2 IEN2`
- `#define IEN_ICU_IRQ3 IEN3`
- `#define IEN_ICU_IRQ4 IEN4`
- `#define IEN_ICU_IRQ5 IEN5`
- `#define IEN_ICU_IRQ6 IEN6`
- `#define IEN_ICU_IRQ7 IEN7`
- `#define IEN_ICU_IRQ8 IEN0`
- `#define IEN_ICU_IRQ9 IEN1`
- `#define IEN_ICU_IRQ10 IEN2`
- `#define IEN_ICU_IRQ11 IEN3`
- `#define IEN_ICU_IRQ12 IEN4`
- `#define IEN_ICU_IRQ13 IEN5`
- `#define IEN_ICU_IRQ14 IEN6`
- `#define IEN_ICU_IRQ15 IEN7`
- `#define IEN_SCI3_RXI3 IEN0`
- `#define IEN_SCI3_TXI3 IEN1`
- `#define IEN_SCI4_RXI4 IEN2`
- `#define IEN_SCI4_TXI4 IEN3`
- `#define IEN_SCI5_RXI5 IEN4`
- `#define IEN_SCI5_TXI5 IEN5`
- `#define IEN_SCI6_RXI6 IEN6`
- `#define IEN_SCI6_TXI6 IEN7`
- `#define IEN_LVD1_LVD1 IEN0`
- `#define IEN_LVD2_LVD2 IEN1`
- `#define IEN_USB0_USBR0 IEN2`
- `#define IEN_RTC_ALM IEN4`
- `#define IEN_RTC_PRD IEN5`
- `#define IEN_IWDT_IWUNI IEN7`
- `#define IEN_WDT_WUNI IEN0`
- `#define IEN_PDC_PCDFI IEN1`
- `#define IEN_SCI7_RXI7 IEN2`
- `#define IEN_SCI7_TXI7 IEN3`
- `#define IEN_SCI8_RXI8 IEN4`
- `#define IEN_SCI8_TXI8 IEN5`
- `#define IEN_SCI9_RXI9 IEN6`
- `#define IEN_SCI9_TXI9 IEN7`
- `#define IEN_SCI10_RXI10 IEN0`
- `#define IEN_SCI10_TXI10 IEN1`
- `#define IEN_ICU_GROUPBE0 IEN2`
- `#define IEN_ICU_GROUPBL2 IEN3`
- `#define IEN_RSPI2_SPRI2 IEN4`
- `#define IEN_RSPI2_SPTI2 IEN5`
- `#define IEN_ICU_GROUPBL0 IEN6`
- `#define IEN_ICU_GROUPBL1 IEN7`
- `#define IEN_ICU_GROUPAL0 IEN0`
- `#define IEN_ICU_GROUPAL1 IEN1`

- #define [IEN_SCI11_RXI11](#) IEN2
- #define [IEN_SCI11_TXI11](#) IEN3
- #define [IEN_SCI12_RXI12](#) IEN4
- #define [IEN_SCI12_TXI12](#) IEN5
- #define [IEN_DMAC_DMAC0I](#) IEN0
- #define [IEN_DMAC_DMAC1I](#) IEN1
- #define [IEN_DMAC_DMAC2I](#) IEN2
- #define [IEN_DMAC_DMAC3I](#) IEN3
- #define [IEN_DMAC_DMAC74I](#) IEN4
- #define [IEN_OST_OSTDI](#) IEN5
- #define [IEN_EXDMAC_EXDMAC0I](#) IEN6
- #define [IEN_EXDMAC_EXDMAC1I](#) IEN7
- #define [IEN_PERIB_INTB128](#) IEN0
- #define [IEN_PERIB_INTB129](#) IEN1
- #define [IEN_PERIB_INTB130](#) IEN2
- #define [IEN_PERIB_INTB131](#) IEN3
- #define [IEN_PERIB_INTB132](#) IEN4
- #define [IEN_PERIB_INTB133](#) IEN5
- #define [IEN_PERIB_INTB134](#) IEN6
- #define [IEN_PERIB_INTB135](#) IEN7
- #define [IEN_PERIB_INTB136](#) IEN0
- #define [IEN_PERIB_INTB137](#) IEN1
- #define [IEN_PERIB_INTB138](#) IEN2
- #define [IEN_PERIB_INTB139](#) IEN3
- #define [IEN_PERIB_INTB140](#) IEN4
- #define [IEN_PERIB_INTB141](#) IEN5
- #define [IEN_PERIB_INTB142](#) IEN6
- #define [IEN_PERIB_INTB143](#) IEN7
- #define [IEN_PERIB_INTB144](#) IEN0
- #define [IEN_PERIB_INTB145](#) IEN1
- #define [IEN_PERIB_INTB146](#) IEN2
- #define [IEN_PERIB_INTB147](#) IEN3
- #define [IEN_PERIB_INTB148](#) IEN4
- #define [IEN_PERIB_INTB149](#) IEN5
- #define [IEN_PERIB_INTB150](#) IEN6
- #define [IEN_PERIB_INTB151](#) IEN7
- #define [IEN_PERIB_INTB152](#) IEN0
- #define [IEN_PERIB_INTB153](#) IEN1
- #define [IEN_PERIB_INTB154](#) IEN2
- #define [IEN_PERIB_INTB155](#) IEN3
- #define [IEN_PERIB_INTB156](#) IEN4
- #define [IEN_PERIB_INTB157](#) IEN5
- #define [IEN_PERIB_INTB158](#) IEN6
- #define [IEN_PERIB_INTB159](#) IEN7
- #define [IEN_PERIB_INTB160](#) IEN0
- #define [IEN_PERIB_INTB161](#) IEN1
- #define [IEN_PERIB_INTB162](#) IEN2
- #define [IEN_PERIB_INTB163](#) IEN3
- #define [IEN_PERIB_INTB164](#) IEN4
- #define [IEN_PERIB_INTB165](#) IEN5
- #define [IEN_PERIB_INTB166](#) IEN6
- #define [IEN_PERIB_INTB167](#) IEN7
- #define [IEN_PERIB_INTB168](#) IEN0
- #define [IEN_PERIB_INTB169](#) IEN1
- #define [IEN_PERIB_INTB170](#) IEN2

- `#define IEN_PERIB_INTB171 IEN3`
- `#define IEN_PERIB_INTB172 IEN4`
- `#define IEN_PERIB_INTB173 IEN5`
- `#define IEN_PERIB_INTB174 IEN6`
- `#define IEN_PERIB_INTB175 IEN7`
- `#define IEN_PERIB_INTB176 IEN0`
- `#define IEN_PERIB_INTB177 IEN1`
- `#define IEN_PERIB_INTB178 IEN2`
- `#define IEN_PERIB_INTB179 IEN3`
- `#define IEN_PERIB_INTB180 IEN4`
- `#define IEN_PERIB_INTB181 IEN5`
- `#define IEN_PERIB_INTB182 IEN6`
- `#define IEN_PERIB_INTB183 IEN7`
- `#define IEN_PERIB_INTB184 IEN0`
- `#define IEN_PERIB_INTB185 IEN1`
- `#define IEN_PERIB_INTB186 IEN2`
- `#define IEN_PERIB_INTB187 IEN3`
- `#define IEN_PERIB_INTB188 IEN4`
- `#define IEN_PERIB_INTB189 IEN5`
- `#define IEN_PERIB_INTB190 IEN6`
- `#define IEN_PERIB_INTB191 IEN7`
- `#define IEN_PERIB_INTB192 IEN0`
- `#define IEN_PERIB_INTB193 IEN1`
- `#define IEN_PERIB_INTB194 IEN2`
- `#define IEN_PERIB_INTB195 IEN3`
- `#define IEN_PERIB_INTB196 IEN4`
- `#define IEN_PERIB_INTB197 IEN5`
- `#define IEN_PERIB_INTB198 IEN6`
- `#define IEN_PERIB_INTB199 IEN7`
- `#define IEN_PERIB_INTB200 IEN0`
- `#define IEN_PERIB_INTB201 IEN1`
- `#define IEN_PERIB_INTB202 IEN2`
- `#define IEN_PERIB_INTB203 IEN3`
- `#define IEN_PERIB_INTB204 IEN4`
- `#define IEN_PERIB_INTB205 IEN5`
- `#define IEN_PERIB_INTB206 IEN6`
- `#define IEN_PERIB_INTB207 IEN7`
- `#define IEN_PERIA_INTA208 IEN0`
- `#define IEN_PERIA_INTA209 IEN1`
- `#define IEN_PERIA_INTA210 IEN2`
- `#define IEN_PERIA_INTA211 IEN3`
- `#define IEN_PERIA_INTA212 IEN4`
- `#define IEN_PERIA_INTA213 IEN5`
- `#define IEN_PERIA_INTA214 IEN6`
- `#define IEN_PERIA_INTA215 IEN7`
- `#define IEN_PERIA_INTA216 IEN0`
- `#define IEN_PERIA_INTA217 IEN1`
- `#define IEN_PERIA_INTA218 IEN2`
- `#define IEN_PERIA_INTA219 IEN3`
- `#define IEN_PERIA_INTA220 IEN4`
- `#define IEN_PERIA_INTA221 IEN5`
- `#define IEN_PERIA_INTA222 IEN6`
- `#define IEN_PERIA_INTA223 IEN7`
- `#define IEN_PERIA_INTA224 IEN0`
- `#define IEN_PERIA_INTA225 IEN1`

- `#define IEN_PERIA_INTA226 IEN2`
- `#define IEN_PERIA_INTA227 IEN3`
- `#define IEN_PERIA_INTA228 IEN4`
- `#define IEN_PERIA_INTA229 IEN5`
- `#define IEN_PERIA_INTA230 IEN6`
- `#define IEN_PERIA_INTA231 IEN7`
- `#define IEN_PERIA_INTA232 IEN0`
- `#define IEN_PERIA_INTA233 IEN1`
- `#define IEN_PERIA_INTA234 IEN2`
- `#define IEN_PERIA_INTA235 IEN3`
- `#define IEN_PERIA_INTA236 IEN4`
- `#define IEN_PERIA_INTA237 IEN5`
- `#define IEN_PERIA_INTA238 IEN6`
- `#define IEN_PERIA_INTA239 IEN7`
- `#define IEN_PERIA_INTA240 IEN0`
- `#define IEN_PERIA_INTA241 IEN1`
- `#define IEN_PERIA_INTA242 IEN2`
- `#define IEN_PERIA_INTA243 IEN3`
- `#define IEN_PERIA_INTA244 IEN4`
- `#define IEN_PERIA_INTA245 IEN5`
- `#define IEN_PERIA_INTA246 IEN6`
- `#define IEN_PERIA_INTA247 IEN7`
- `#define IEN_PERIA_INTA248 IEN0`
- `#define IEN_PERIA_INTA249 IEN1`
- `#define IEN_PERIA_INTA250 IEN2`
- `#define IEN_PERIA_INTA251 IEN3`
- `#define IEN_PERIA_INTA252 IEN4`
- `#define IEN_PERIA_INTA253 IEN5`
- `#define IEN_PERIA_INTA254 IEN6`
- `#define IEN_PERIA_INTA255 IEN7`
- `#define VECT_BSC_BUSERR 16`
- `#define VECT_ICU_GROUPIE0 17`
- `#define VECT_RAM_RAMERR 18`
- `#define VECT_FCU_FIFERR 21`
- `#define VECT_FCU_FRDYI 23`
- `#define VECT_ICU_SWINT2 26`
- `#define VECT_ICU_SWINT 27`
- `#define VECT_CMT0_CMI0 28`
- `#define VECT_CMT1_CMI1 29`
- `#define VECT_CMTW0_CMWI0 30`
- `#define VECT_CMTW1_CMWI1 31`
- `#define VECT_USB0_D0FIFO0 34`
- `#define VECT_USB0_D1FIFO0 35`
- `#define VECT_RSPI0_SPRI0 38`
- `#define VECT_RSPI0_SPTI0 39`
- `#define VECT_RSPI1_SPRI1 40`
- `#define VECT_RSPI1_SPTI1 41`
- `#define VECT_QSPI_SPRI 42`
- `#define VECT_QSPI_SPTI 43`
- `#define VECT_SDHI_SBFBI 44`
- `#define VECT_MMCI0_MBFBI 45`
- `#define VECT_SSIE0_SSITXI0 46`
- `#define VECT_SSIE0_SSIRXI0 47`
- `#define VECT_SSIE1_SSIRTI1 48`
- `#define VECT_RIIC1_RXI1 50`

- `#define VECT_RIIC1_TXI1` 51
- `#define VECT_RIIC0_RXI0` 52
- `#define VECT_RIIC0_TXI0` 53
- `#define VECT_RIIC2_RXI2` 54
- `#define VECT_RIIC2_TXI2` 55
- `#define VECT_SCI0_RXI0` 58
- `#define VECT_SCI0_TXI0` 59
- `#define VECT_SCI1_RXI1` 60
- `#define VECT_SCI1_TXI1` 61
- `#define VECT_SCI2_RXI2` 62
- `#define VECT_SCI2_TXI2` 63
- `#define VECT_ICU_IRQ0` 64
- `#define VECT_ICU_IRQ1` 65
- `#define VECT_ICU_IRQ2` 66
- `#define VECT_ICU_IRQ3` 67
- `#define VECT_ICU_IRQ4` 68
- `#define VECT_ICU_IRQ5` 69
- `#define VECT_ICU_IRQ6` 70
- `#define VECT_ICU_IRQ7` 71
- `#define VECT_ICU_IRQ8` 72
- `#define VECT_ICU_IRQ9` 73
- `#define VECT_ICU_IRQ10` 74
- `#define VECT_ICU_IRQ11` 75
- `#define VECT_ICU_IRQ12` 76
- `#define VECT_ICU_IRQ13` 77
- `#define VECT_ICU_IRQ14` 78
- `#define VECT_ICU_IRQ15` 79
- `#define VECT_SCI3_RXI3` 80
- `#define VECT_SCI3_TXI3` 81
- `#define VECT_SCI4_RXI4` 82
- `#define VECT_SCI4_TXI4` 83
- `#define VECT_SCI5_RXI5` 84
- `#define VECT_SCI5_TXI5` 85
- `#define VECT_SCI6_RXI6` 86
- `#define VECT_SCI6_TXI6` 87
- `#define VECT_LVD1_LVD1` 88
- `#define VECT_LVD2_LVD2` 89
- `#define VECT_USB0_USBR0` 90
- `#define VECT_RTC_ALM` 92
- `#define VECT_RTC_PRD` 93
- `#define VECT_IWDT_IWUNI` 95
- `#define VECT_WDT_WUNI` 96
- `#define VECT_PDC_PCDFI` 97
- `#define VECT_SCI7_RXI7` 98
- `#define VECT_SCI7_TXI7` 99
- `#define VECT_SCI8_RXI8` 100
- `#define VECT_SCI8_TXI8` 101
- `#define VECT_SCI9_RXI9` 102
- `#define VECT_SCI9_TXI9` 103
- `#define VECT_SCI10_RXI10` 104
- `#define VECT_SCI10_TXI10` 105
- `#define VECT_ICU_GROUPBE0` 106
- `#define VECT_ICU_GROUPBL2` 107
- `#define VECT_RSPI2_SPRI2` 108
- `#define VECT_RSPI2_SPTI2` 109

- `#define VECT_ICU_GROUPBL0` 110
- `#define VECT_ICU_GROUPBL1` 111
- `#define VECT_ICU_GROUPAL0` 112
- `#define VECT_ICU_GROUPAL1` 113
- `#define VECT_SCI11_RXI11` 114
- `#define VECT_SCI11_TXI11` 115
- `#define VECT_SCI12_RXI12` 116
- `#define VECT_SCI12_TXI12` 117
- `#define VECT_DMACH_DMACH0I` 120
- `#define VECT_DMACH_DMACH1I` 121
- `#define VECT_DMACH_DMACH2I` 122
- `#define VECT_DMACH_DMACH3I` 123
- `#define VECT_DMACH_DMACH74I` 124
- `#define VECT_OST_OSTDI` 125
- `#define VECT_EXDMACH_EXDMACH0I` 126
- `#define VECT_EXDMACH_EXDMACH1I` 127
- `#define VECT_PERIB_INTB128` 128
- `#define VECT_PERIB_INTB129` 129
- `#define VECT_PERIB_INTB130` 130
- `#define VECT_PERIB_INTB131` 131
- `#define VECT_PERIB_INTB132` 132
- `#define VECT_PERIB_INTB133` 133
- `#define VECT_PERIB_INTB134` 134
- `#define VECT_PERIB_INTB135` 135
- `#define VECT_PERIB_INTB136` 136
- `#define VECT_PERIB_INTB137` 137
- `#define VECT_PERIB_INTB138` 138
- `#define VECT_PERIB_INTB139` 139
- `#define VECT_PERIB_INTB140` 140
- `#define VECT_PERIB_INTB141` 141
- `#define VECT_PERIB_INTB142` 142
- `#define VECT_PERIB_INTB143` 143
- `#define VECT_PERIB_INTB144` 144
- `#define VECT_PERIB_INTB145` 145
- `#define VECT_PERIB_INTB146` 146
- `#define VECT_PERIB_INTB147` 147
- `#define VECT_PERIB_INTB148` 148
- `#define VECT_PERIB_INTB149` 149
- `#define VECT_PERIB_INTB150` 150
- `#define VECT_PERIB_INTB151` 151
- `#define VECT_PERIB_INTB152` 152
- `#define VECT_PERIB_INTB153` 153
- `#define VECT_PERIB_INTB154` 154
- `#define VECT_PERIB_INTB155` 155
- `#define VECT_PERIB_INTB156` 156
- `#define VECT_PERIB_INTB157` 157
- `#define VECT_PERIB_INTB158` 158
- `#define VECT_PERIB_INTB159` 159
- `#define VECT_PERIB_INTB160` 160
- `#define VECT_PERIB_INTB161` 161
- `#define VECT_PERIB_INTB162` 162
- `#define VECT_PERIB_INTB163` 163
- `#define VECT_PERIB_INTB164` 164
- `#define VECT_PERIB_INTB165` 165
- `#define VECT_PERIB_INTB166` 166

- `#define VECT_PERIB_INTB167` 167
- `#define VECT_PERIB_INTB168` 168
- `#define VECT_PERIB_INTB169` 169
- `#define VECT_PERIB_INTB170` 170
- `#define VECT_PERIB_INTB171` 171
- `#define VECT_PERIB_INTB172` 172
- `#define VECT_PERIB_INTB173` 173
- `#define VECT_PERIB_INTB174` 174
- `#define VECT_PERIB_INTB175` 175
- `#define VECT_PERIB_INTB176` 176
- `#define VECT_PERIB_INTB177` 177
- `#define VECT_PERIB_INTB178` 178
- `#define VECT_PERIB_INTB179` 179
- `#define VECT_PERIB_INTB180` 180
- `#define VECT_PERIB_INTB181` 181
- `#define VECT_PERIB_INTB182` 182
- `#define VECT_PERIB_INTB183` 183
- `#define VECT_PERIB_INTB184` 184
- `#define VECT_PERIB_INTB185` 185
- `#define VECT_PERIB_INTB186` 186
- `#define VECT_PERIB_INTB187` 187
- `#define VECT_PERIB_INTB188` 188
- `#define VECT_PERIB_INTB189` 189
- `#define VECT_PERIB_INTB190` 190
- `#define VECT_PERIB_INTB191` 191
- `#define VECT_PERIB_INTB192` 192
- `#define VECT_PERIB_INTB193` 193
- `#define VECT_PERIB_INTB194` 194
- `#define VECT_PERIB_INTB195` 195
- `#define VECT_PERIB_INTB196` 196
- `#define VECT_PERIB_INTB197` 197
- `#define VECT_PERIB_INTB198` 198
- `#define VECT_PERIB_INTB199` 199
- `#define VECT_PERIB_INTB200` 200
- `#define VECT_PERIB_INTB201` 201
- `#define VECT_PERIB_INTB202` 202
- `#define VECT_PERIB_INTB203` 203
- `#define VECT_PERIB_INTB204` 204
- `#define VECT_PERIB_INTB205` 205
- `#define VECT_PERIB_INTB206` 206
- `#define VECT_PERIB_INTB207` 207
- `#define VECT_PERIA_INTA208` 208
- `#define VECT_PERIA_INTA209` 209
- `#define VECT_PERIA_INTA210` 210
- `#define VECT_PERIA_INTA211` 211
- `#define VECT_PERIA_INTA212` 212
- `#define VECT_PERIA_INTA213` 213
- `#define VECT_PERIA_INTA214` 214
- `#define VECT_PERIA_INTA215` 215
- `#define VECT_PERIA_INTA216` 216
- `#define VECT_PERIA_INTA217` 217
- `#define VECT_PERIA_INTA218` 218
- `#define VECT_PERIA_INTA219` 219
- `#define VECT_PERIA_INTA220` 220
- `#define VECT_PERIA_INTA221` 221

- #define [VECT_PERIA_INTA222](#) 222
- #define [VECT_PERIA_INTA223](#) 223
- #define [VECT_PERIA_INTA224](#) 224
- #define [VECT_PERIA_INTA225](#) 225
- #define [VECT_PERIA_INTA226](#) 226
- #define [VECT_PERIA_INTA227](#) 227
- #define [VECT_PERIA_INTA228](#) 228
- #define [VECT_PERIA_INTA229](#) 229
- #define [VECT_PERIA_INTA230](#) 230
- #define [VECT_PERIA_INTA231](#) 231
- #define [VECT_PERIA_INTA232](#) 232
- #define [VECT_PERIA_INTA233](#) 233
- #define [VECT_PERIA_INTA234](#) 234
- #define [VECT_PERIA_INTA235](#) 235
- #define [VECT_PERIA_INTA236](#) 236
- #define [VECT_PERIA_INTA237](#) 237
- #define [VECT_PERIA_INTA238](#) 238
- #define [VECT_PERIA_INTA239](#) 239
- #define [VECT_PERIA_INTA240](#) 240
- #define [VECT_PERIA_INTA241](#) 241
- #define [VECT_PERIA_INTA242](#) 242
- #define [VECT_PERIA_INTA243](#) 243
- #define [VECT_PERIA_INTA244](#) 244
- #define [VECT_PERIA_INTA245](#) 245
- #define [VECT_PERIA_INTA246](#) 246
- #define [VECT_PERIA_INTA247](#) 247
- #define [VECT_PERIA_INTA248](#) 248
- #define [VECT_PERIA_INTA249](#) 249
- #define [VECT_PERIA_INTA250](#) 250
- #define [VECT_PERIA_INTA251](#) 251
- #define [VECT_PERIA_INTA252](#) 252
- #define [VECT_PERIA_INTA253](#) 253
- #define [VECT_PERIA_INTA254](#) 254
- #define [VECT_PERIA_INTA255](#) 255
- #define [MSTP_EXDMAC](#) SYSTEM.MSTPCRA.BIT.MSTPA29
- #define [MSTP_EXDMAC0](#) SYSTEM.MSTPCRA.BIT.MSTPA29
- #define [MSTP_EXDMAC1](#) SYSTEM.MSTPCRA.BIT.MSTPA29
- #define [MSTP_DMACH](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH0](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH1](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH2](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH3](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH4](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH5](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH6](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DMACH7](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DTC](#) SYSTEM.MSTPCRA.BIT.MSTPA28
- #define [MSTP_DA](#) SYSTEM.MSTPCRA.BIT.MSTPA19
- #define [MSTP_S12AD](#) SYSTEM.MSTPCRA.BIT.MSTPA17
- #define [MSTP_S12AD1](#) SYSTEM.MSTPCRA.BIT.MSTPA16
- #define [MSTP_CMT0](#) SYSTEM.MSTPCRA.BIT.MSTPA15
- #define [MSTP_CMT1](#) SYSTEM.MSTPCRA.BIT.MSTPA15
- #define [MSTP_CMT2](#) SYSTEM.MSTPCRA.BIT.MSTPA14
- #define [MSTP_CMT3](#) SYSTEM.MSTPCRA.BIT.MSTPA14
- #define [MSTP_TPU0](#) SYSTEM.MSTPCRA.BIT.MSTPA13

- #define [MSTP_TPU1](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_TPU2](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_TPU3](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_TPU4](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_TPU5](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_TPUA](#) SYSTEM.MSTPCRA.BIT.MSTPA13
- #define [MSTP_PPG0](#) SYSTEM.MSTPCRA.BIT.MSTPA11
- #define [MSTP_PPG1](#) SYSTEM.MSTPCRA.BIT.MSTPA10
- #define [MSTP_MTU](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU0](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU1](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU2](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU3](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU4](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU5](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU6](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU7](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_MTU8](#) SYSTEM.MSTPCRA.BIT.MSTPA9
- #define [MSTP_GPTW](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_GPTW0](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_GPTW1](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_GPTW2](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_GPTW3](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_POEG](#) SYSTEM.MSTPCRA.BIT.MSTPA7
- #define [MSTP_TMR0](#) SYSTEM.MSTPCRA.BIT.MSTPA5
- #define [MSTP_TMR1](#) SYSTEM.MSTPCRA.BIT.MSTPA5
- #define [MSTP_TMR01](#) SYSTEM.MSTPCRA.BIT.MSTPA5
- #define [MSTP_TMR2](#) SYSTEM.MSTPCRA.BIT.MSTPA4
- #define [MSTP_TMR3](#) SYSTEM.MSTPCRA.BIT.MSTPA4
- #define [MSTP_TMR23](#) SYSTEM.MSTPCRA.BIT.MSTPA4
- #define [MSTP_CMTW0](#) SYSTEM.MSTPCRA.BIT.MSTPA1
- #define [MSTP_CMTW1](#) SYSTEM.MSTPCRA.BIT.MSTPA0
- #define [MSTP_SCI0](#) SYSTEM.MSTPCRB.BIT.MSTPB31
- #define [MSTP_SMCI0](#) SYSTEM.MSTPCRB.BIT.MSTPB31
- #define [MSTP_SCI1](#) SYSTEM.MSTPCRB.BIT.MSTPB30
- #define [MSTP_SMCI1](#) SYSTEM.MSTPCRB.BIT.MSTPB30
- #define [MSTP_SCI2](#) SYSTEM.MSTPCRB.BIT.MSTPB29
- #define [MSTP_SMCI2](#) SYSTEM.MSTPCRB.BIT.MSTPB29
- #define [MSTP_SCI3](#) SYSTEM.MSTPCRB.BIT.MSTPB28
- #define [MSTP_SMCI3](#) SYSTEM.MSTPCRB.BIT.MSTPB28
- #define [MSTP_SCI4](#) SYSTEM.MSTPCRB.BIT.MSTPB27
- #define [MSTP_SMCI4](#) SYSTEM.MSTPCRB.BIT.MSTPB27
- #define [MSTP_SCI5](#) SYSTEM.MSTPCRB.BIT.MSTPB26
- #define [MSTP_SMCI5](#) SYSTEM.MSTPCRB.BIT.MSTPB26
- #define [MSTP_SCI6](#) SYSTEM.MSTPCRB.BIT.MSTPB25
- #define [MSTP_SMCI6](#) SYSTEM.MSTPCRB.BIT.MSTPB25
- #define [MSTP_SCI7](#) SYSTEM.MSTPCRB.BIT.MSTPB24
- #define [MSTP_SMCI7](#) SYSTEM.MSTPCRB.BIT.MSTPB24
- #define [MSTP_CRC](#) SYSTEM.MSTPCRB.BIT.MSTPB23
- #define [MSTP_PDC](#) SYSTEM.MSTPCRB.BIT.MSTPB22
- #define [MSTP_RIIC0](#) SYSTEM.MSTPCRB.BIT.MSTPB21
- #define [MSTP_RIIC1](#) SYSTEM.MSTPCRB.BIT.MSTPB20
- #define [MSTP_USB0](#) SYSTEM.MSTPCRB.BIT.MSTPB19
- #define [MSTP_RSPI0](#) SYSTEM.MSTPCRB.BIT.MSTPB17
- #define [MSTP_RSPI1](#) SYSTEM.MSTPCRB.BIT.MSTPB16

- #define [MSTP_ETHERC0](#) SYSTEM.MSTPCRB.BIT.MSTPB15
- #define [MSTP_EDMAC0](#) SYSTEM.MSTPCRB.BIT.MSTPB15
- #define [MSTP_PMGIO](#) SYSTEM.MSTPCRB.BIT.MSTPB15
- #define [MSTP_ETHERC1](#) SYSTEM.MSTPCRB.BIT.MSTPB14
- #define [MSTP_EDMAC1](#) SYSTEM.MSTPCRB.BIT.MSTPB14
- #define [MSTP_PMG11](#) SYSTEM.MSTPCRB.BIT.MSTPB14
- #define [MSTP_EPTPC](#) SYSTEM.MSTPCRB.BIT.MSTPB13
- #define [MSTP_EPTPC0](#) SYSTEM.MSTPCRB.BIT.MSTPB13
- #define [MSTP_EPTPC1](#) SYSTEM.MSTPCRB.BIT.MSTPB13
- #define [MSTP_PTPEDMAC](#) SYSTEM.MSTPCRB.BIT.MSTPB13
- #define [MSTP_ELC](#) SYSTEM.MSTPCRB.BIT.MSTPB9
- #define [MSTP_TEMPS](#) SYSTEM.MSTPCRB.BIT.MSTPB8
- #define [MSTP_DOC](#) SYSTEM.MSTPCRB.BIT.MSTPB6
- #define [MSTP_SCI12](#) SYSTEM.MSTPCRB.BIT.MSTPB4
- #define [MSTP_SMCI12](#) SYSTEM.MSTPCRB.BIT.MSTPB4
- #define [MSTP_CAN2](#) SYSTEM.MSTPCRB.BIT.MSTPB2
- #define [MSTP_CAN1](#) SYSTEM.MSTPCRB.BIT.MSTPB1
- #define [MSTP_CAN0](#) SYSTEM.MSTPCRB.BIT.MSTPB0
- #define [MSTP_GLCDC](#) SYSTEM.MSTPCRC.BIT.MSTPC29
- #define [MSTP_DRW2D](#) SYSTEM.MSTPCRC.BIT.MSTPC28
- #define [MSTP_SCI8](#) SYSTEM.MSTPCRC.BIT.MSTPC27
- #define [MSTP_SMCI8](#) SYSTEM.MSTPCRC.BIT.MSTPC27
- #define [MSTP_SCI9](#) SYSTEM.MSTPCRC.BIT.MSTPC26
- #define [MSTP_SMCI9](#) SYSTEM.MSTPCRC.BIT.MSTPC26
- #define [MSTP_SCI10](#) SYSTEM.MSTPCRC.BIT.MSTPC25
- #define [MSTP_SMCI10](#) SYSTEM.MSTPCRC.BIT.MSTPC25
- #define [MSTP_SCI11](#) SYSTEM.MSTPCRC.BIT.MSTPC24
- #define [MSTP_SMCI11](#) SYSTEM.MSTPCRC.BIT.MSTPC24
- #define [MSTP_QSPI](#) SYSTEM.MSTPCRC.BIT.MSTPC23
- #define [MSTP_RSPI2](#) SYSTEM.MSTPCRC.BIT.MSTPC22
- #define [MSTP_CAC](#) SYSTEM.MSTPCRC.BIT.MSTPC19
- #define [MSTP_RIIC2](#) SYSTEM.MSTPCRC.BIT.MSTPC17
- #define [MSTP_STBYRAM](#) SYSTEM.MSTPCRC.BIT.MSTPC7
- #define [MSTP_ECCRAM](#) SYSTEM.MSTPCRC.BIT.MSTPC6
- #define [MSTP_RAM2](#) SYSTEM.MSTPCRC.BIT.MSTPC2
- #define [MSTP_RAM0](#) SYSTEM.MSTPCRC.BIT.MSTPC0
- #define [MSTP_TSIP](#) SYSTEM.MSTPCRD.BIT.MSTPD27
- #define [MSTP_MMCIIF](#) SYSTEM.MSTPCRD.BIT.MSTPD21
- #define [MSTP_SDHI](#) SYSTEM.MSTPCRD.BIT.MSTPD19
- #define [MSTP_SSIE0](#) SYSTEM.MSTPCRD.BIT.MSTPD15
- #define [MSTP_SSIE1](#) SYSTEM.MSTPCRD.BIT.MSTPD14
- #define [IS_DPFPU_DPFPUEX](#) IS0
- #define [IS_CAN0_ERS0](#) IS0
- #define [IS_CAN1_ERS1](#) IS1
- #define [IS_CAN2_ERS2](#) IS2
- #define [IS_SCI0_TEI0](#) IS0
- #define [IS_SCI0_ERI0](#) IS1
- #define [IS_SCI1_TEI1](#) IS2
- #define [IS_SCI1_ERI1](#) IS3
- #define [IS_SCI2_TEI2](#) IS4
- #define [IS_SCI2_ERI2](#) IS5
- #define [IS_SCI3_TEI3](#) IS6
- #define [IS_SCI3_ERI3](#) IS7
- #define [IS_SCI4_TEI4](#) IS8
- #define [IS_SCI4_ERI4](#) IS9

- `#define IS_SCI5_TEI5` IS10
- `#define IS_SCI5_ERI5` IS11
- `#define IS_SCI6_TEI6` IS12
- `#define IS_SCI6_ERI6` IS13
- `#define IS_SCI12_TEI12` IS16
- `#define IS_SCI12_ERI12` IS17
- `#define IS_SCI12_SCIX0` IS18
- `#define IS_SCI12_SCIX1` IS19
- `#define IS_SCI12_SCIX2` IS20
- `#define IS_SCI12_SCIX3` IS21
- `#define IS_QSPI_QSPSLI` IS24
- `#define IS_CAC_FERRI` IS26
- `#define IS_CAC_MENDI` IS27
- `#define IS_CAC_OVFI` IS28
- `#define IS_DOC_DOPCI` IS29
- `#define IS_PDC_PCFEI` IS30
- `#define IS_PDC_PCERI` IS31
- `#define IS_SDHI_CDETI` IS3
- `#define IS_SDHI_CACI` IS4
- `#define IS_SDHI_SDACI` IS5
- `#define IS_MMCIF_CDETIO` IS6
- `#define IS_MMCIF_ERRIO` IS7
- `#define IS_MMCIF_ACCIO` IS8
- `#define IS_POE3_OEI1` IS9
- `#define IS_POE3_OEI2` IS10
- `#define IS_POE3_OEI3` IS11
- `#define IS_POE3_OEI4` IS12
- `#define IS_RIIC0_TEI0` IS13
- `#define IS_RIIC0_EEI0` IS14
- `#define IS_RIIC2_TEI2` IS15
- `#define IS_RIIC2_EEI2` IS16
- `#define IS_SSIE0_SSIF0` IS17
- `#define IS_SSIE1_SSIF1` IS18
- `#define IS_S12AD_S12CMPAI` IS20
- `#define IS_S12AD_S12CMPBI` IS21
- `#define IS_S12AD1_S12CMPAI1` IS22
- `#define IS_S12AD1_S12CMPBI1` IS23
- `#define IS_RIIC1_TEI1` IS28
- `#define IS_RIIC1_EEI1` IS29
- `#define IS_POEG_POEGGAI` IS7
- `#define IS_POEG_POEGGBI` IS8
- `#define IS_POEG_POEGGCI` IS9
- `#define IS_POEG_POEGGDI` IS10
- `#define IS_SCI8_TEI8` IS0
- `#define IS_SCI8_ERI8` IS1
- `#define IS_SCI9_TEI9` IS4
- `#define IS_SCI9_ERI9` IS5
- `#define IS_SCI10_TEI10` IS8
- `#define IS_SCI10_ERI10` IS9
- `#define IS_SCI11_TEI11` IS12
- `#define IS_SCI11_ERI11` IS13
- `#define IS_RSPI0_SPII0` IS16
- `#define IS_RSPI0_SPEI0` IS17
- `#define IS_RSPI1_SPII1` IS18
- `#define IS_RSPI1_SPEI1` IS19

- `#define IS_RSPI2_SPII2 IS20`
- `#define IS_RSPI2_SPEI2 IS21`
- `#define IS_SCI7_TEI7 IS22`
- `#define IS_SCI7_ERI7 IS23`
- `#define IS_EPTPC_MINT IS0`
- `#define IS_PTPEDMAC_PINT IS1`
- `#define IS_EDMAC0_EINT0 IS4`
- `#define IS_EDMAC1_EINT1 IS5`
- `#define IS_GLCDC_VPOS IS8`
- `#define IS_GLCDC_GR1UF IS9`
- `#define IS_GLCDC_GR2UF IS10`
- `#define IS_DRW2D_DRWIRQ IS11`
- `#define EN_DPFPU_DPFPUEX EN0`
- `#define EN_CAN0_ERS0 EN0`
- `#define EN_CAN1_ERS1 EN1`
- `#define EN_CAN2_ERS2 EN2`
- `#define EN_SCI0_TEI0 EN0`
- `#define EN_SCI0_ERI0 EN1`
- `#define EN_SCI1_TEI1 EN2`
- `#define EN_SCI1_ERI1 EN3`
- `#define EN_SCI2_TEI2 EN4`
- `#define EN_SCI2_ERI2 EN5`
- `#define EN_SCI3_TEI3 EN6`
- `#define EN_SCI3_ERI3 EN7`
- `#define EN_SCI4_TEI4 EN8`
- `#define EN_SCI4_ERI4 EN9`
- `#define EN_SCI5_TEI5 EN10`
- `#define EN_SCI5_ERI5 EN11`
- `#define EN_SCI6_TEI6 EN12`
- `#define EN_SCI6_ERI6 EN13`
- `#define EN_SCI12_TEI12 EN16`
- `#define EN_SCI12_ERI12 EN17`
- `#define EN_SCI12_SCIX0 EN18`
- `#define EN_SCI12_SCIX1 EN19`
- `#define EN_SCI12_SCIX2 EN20`
- `#define EN_SCI12_SCIX3 EN21`
- `#define EN_QSPI_QSPSSLI EN24`
- `#define EN_CAC_FERRI EN26`
- `#define EN_CAC_MENDI EN27`
- `#define EN_CAC_OVFI EN28`
- `#define EN_DOC_DOPCI EN29`
- `#define EN_PDC_PCFEI EN30`
- `#define EN_PDC_PCERI EN31`
- `#define EN_SDHI_CDETI EN3`
- `#define EN_SDHI_CACI EN4`
- `#define EN_SDHI_SDACI EN5`
- `#define EN_MMCIF_CDETIO EN6`
- `#define EN_MMCIF_ERRIO EN7`
- `#define EN_MMCIF_ACCIO EN8`
- `#define EN_POE3_OEI1 EN9`
- `#define EN_POE3_OEI2 EN10`
- `#define EN_POE3_OEI3 EN11`
- `#define EN_POE3_OEI4 EN12`
- `#define EN_RIIC0_TEI0 EN13`
- `#define EN_RIIC0_EEI0 EN14`

- `#define EN_RIIC2_TEI2` EN15
- `#define EN_RIIC2_EEI2` EN16
- `#define EN_SSIE0_SSIF0` EN17
- `#define EN_SSIE1_SSIF1` EN18
- `#define EN_S12AD_S12CMPAI` EN20
- `#define EN_S12AD_S12CMPBI` EN21
- `#define EN_S12AD1_S12CMPAI1` EN22
- `#define EN_S12AD1_S12CMPBI1` EN23
- `#define EN_RIIC1_TEI1` EN28
- `#define EN_RIIC1_EEI1` EN29
- `#define EN_POEG_POEGGAI` EN7
- `#define EN_POEG_POEGGBI` EN8
- `#define EN_POEG_POEGGCI` EN9
- `#define EN_POEG_POEGGDI` EN10
- `#define EN_SCI8_TEI8` EN0
- `#define EN_SCI8_ERI8` EN1
- `#define EN_SCI9_TEI9` EN4
- `#define EN_SCI9_ERI9` EN5
- `#define EN_SCI10_TEI10` EN8
- `#define EN_SCI10_ERI10` EN9
- `#define EN_SCI11_TEI11` EN12
- `#define EN_SCI11_ERI11` EN13
- `#define EN_RSPI0_SPII0` EN16
- `#define EN_RSPI0_SPEI0` EN17
- `#define EN_RSPI1_SPII1` EN18
- `#define EN_RSPI1_SPEI1` EN19
- `#define EN_RSPI2_SPII2` EN20
- `#define EN_RSPI2_SPEI2` EN21
- `#define EN_SCI7_TEI7` EN22
- `#define EN_SCI7_ERI7` EN23
- `#define EN_EPTPC_MINT` EN0
- `#define EN_PTPEDMAC_PINT` EN1
- `#define EN_EDMAC0_EINT0` EN4
- `#define EN_EDMAC1_EINT1` EN5
- `#define EN_GLCDC_VPOS` EN8
- `#define EN_GLCDC_GR1UF` EN9
- `#define EN_GLCDC_GR2UF` EN10
- `#define EN_DRW2D_DRWIRQ` EN11
- `#define CLR_DPFPU_DPFPUEX` CLR0
- `#define CLR_CAN0_ERS0` CLR0
- `#define CLR_CAN1_ERS1` CLR1
- `#define CLR_CAN2_ERS2` CLR2
- `#define GEN_DPFPU_DPFPUEX` GENIE0
- `#define GEN_CAN0_ERS0` GENBE0
- `#define GEN_CAN1_ERS1` GENBE0
- `#define GEN_CAN2_ERS2` GENBE0
- `#define GEN_SCI0_TEI0` GENBL0
- `#define GEN_SCI0_ERI0` GENBL0
- `#define GEN_SCI1_TEI1` GENBL0
- `#define GEN_SCI1_ERI1` GENBL0
- `#define GEN_SCI2_TEI2` GENBL0
- `#define GEN_SCI2_ERI2` GENBL0
- `#define GEN_SCI3_TEI3` GENBL0
- `#define GEN_SCI3_ERI3` GENBL0
- `#define GEN_SCI4_TEI4` GENBL0

- #define GEN_SCI4_ERI4 GENBL0
- #define GEN_SCI5_TEI5 GENBL0
- #define GEN_SCI5_ERI5 GENBL0
- #define GEN_SCI6_TEI6 GENBL0
- #define GEN_SCI6_ERI6 GENBL0
- #define GEN_SCI12_TEI12 GENBL0
- #define GEN_SCI12_ERI12 GENBL0
- #define GEN_SCI12_SCIX0 GENBL0
- #define GEN_SCI12_SCIX1 GENBL0
- #define GEN_SCI12_SCIX2 GENBL0
- #define GEN_SCI12_SCIX3 GENBL0
- #define GEN_QSPI_QSPSLI GENBL0
- #define GEN_CAC_FERRI GENBL0
- #define GEN_CAC_MENDI GENBL0
- #define GEN_CAC_OVFI GENBL0
- #define GEN_DOC_DOPCI GENBL0
- #define GEN_PDC_PCFEI GENBL0
- #define GEN_PDC_PCERI GENBL0
- #define GEN_SDHI_CDETI GENBL1
- #define GEN_SDHI_CACI GENBL1
- #define GEN_SDHI_SDACI GENBL1
- #define GEN_MMCIF_CDETIO GENBL1
- #define GEN_MMCIF_ERRIO GENBL1
- #define GEN_MMCIF_ACCIO GENBL1
- #define GEN_POE3_OEI1 GENBL1
- #define GEN_POE3_OEI2 GENBL1
- #define GEN_POE3_OEI3 GENBL1
- #define GEN_POE3_OEI4 GENBL1
- #define GEN_RIIC0_TEI0 GENBL1
- #define GEN_RIIC0_EEI0 GENBL1
- #define GEN_RIIC2_TEI2 GENBL1
- #define GEN_RIIC2_EEI2 GENBL1
- #define GEN_SSIE0_SSIF0 GENBL1
- #define GEN_SSIE1_SSIF1 GENBL1
- #define GEN_S12AD_S12CMPAI GENBL1
- #define GEN_S12AD_S12CMPBI GENBL1
- #define GEN_S12AD1_S12CMPAI1 GENBL1
- #define GEN_S12AD1_S12CMPBI1 GENBL1
- #define GEN_RIIC1_TEI1 GENBL1
- #define GEN_RIIC1_EEI1 GENBL1
- #define GEN_POEG_POEGGAI GENBL2
- #define GEN_POEG_POEGGBI GENBL2
- #define GEN_POEG_POEGGCI GENBL2
- #define GEN_POEG_POEGGDI GENBL2
- #define GEN_SCI8_TEI8 GENAL0
- #define GEN_SCI8_ERI8 GENAL0
- #define GEN_SCI9_TEI9 GENAL0
- #define GEN_SCI9_ERI9 GENAL0
- #define GEN_SCI10_TEI10 GENAL0
- #define GEN_SCI10_ERI10 GENAL0
- #define GEN_SCI11_TEI11 GENAL0
- #define GEN_SCI11_ERI11 GENAL0
- #define GEN_RSPI0_SPII0 GENAL0
- #define GEN_RSPI0_SPEI0 GENAL0
- #define GEN_RSPI1_SPII1 GENAL0

- #define GEN_RSPI1_SPEI1 GENAL0
- #define GEN_RSPI2_SPII2 GENAL0
- #define GEN_RSPI2_SPEI2 GENAL0
- #define GEN_SCI7_TEI7 GENAL0
- #define GEN_SCI7_ERI7 GENAL0
- #define GEN_EPTPC_MINT GENAL1
- #define GEN_PTPEDMAC_PINT GENAL1
- #define GEN_EDMAC0_EINT0 GENAL1
- #define GEN_EDMAC1_EINT1 GENAL1
- #define GEN_GLCDC_VPOS GENAL1
- #define GEN_GLCDC_GR1UF GENAL1
- #define GEN_GLCDC_GR2UF GENAL1
- #define GEN_DRW2D_DRWIRQ GENAL1
- #define GRP_DPFPD_DPFPUEX GRPIE0
- #define GRP_CAN0_ERS0 GRPBE0
- #define GRP_CAN1_ERS1 GRPBE0
- #define GRP_CAN2_ERS2 GRPBE0
- #define GRP_SCI0_TEI0 GRPBL0
- #define GRP_SCI0_ERI0 GRPBL0
- #define GRP_SCI1_TEI1 GRPBL0
- #define GRP_SCI1_ERI1 GRPBL0
- #define GRP_SCI2_TEI2 GRPBL0
- #define GRP_SCI2_ERI2 GRPBL0
- #define GRP_SCI3_TEI3 GRPBL0
- #define GRP_SCI3_ERI3 GRPBL0
- #define GRP_SCI4_TEI4 GRPBL0
- #define GRP_SCI4_ERI4 GRPBL0
- #define GRP_SCI5_TEI5 GRPBL0
- #define GRP_SCI5_ERI5 GRPBL0
- #define GRP_SCI6_TEI6 GRPBL0
- #define GRP_SCI6_ERI6 GRPBL0
- #define GRP_SCI12_TEI12 GRPBL0
- #define GRP_SCI12_ERI12 GRPBL0
- #define GRP_SCI12_SCIX0 GRPBL0
- #define GRP_SCI12_SCIX1 GRPBL0
- #define GRP_SCI12_SCIX2 GRPBL0
- #define GRP_SCI12_SCIX3 GRPBL0
- #define GRP_QSPI_QSPSSLI GRPBL0
- #define GRP_CAC_FERRI GRPBL0
- #define GRP_CAC_MENDI GRPBL0
- #define GRP_CAC_OVFI GRPBL0
- #define GRP_DOC_DOPCI GRPBL0
- #define GRP_PDC_PCFEI GRPBL0
- #define GRP_PDC_PCERI GRPBL0
- #define GRP_SDHI_CDETI GRPBL1
- #define GRP_SDHI_CACI GRPBL1
- #define GRP_SDHI_SDACI GRPBL1
- #define GRP_MMCIF_CDETIO GRPBL1
- #define GRP_MMCIF_ERRIO GRPBL1
- #define GRP_MMCIF_ACCIO GRPBL1
- #define GRP_POE3_OEI1 GRPBL1
- #define GRP_POE3_OEI2 GRPBL1
- #define GRP_POE3_OEI3 GRPBL1
- #define GRP_POE3_OEI4 GRPBL1
- #define GRP_RIIC0_TEI0 GRPBL1

- #define [GRP_RIIC0_EEI0](#) GRPBL1
- #define [GRP_RIIC2_TEI2](#) GRPBL1
- #define [GRP_RIIC2_EEI2](#) GRPBL1
- #define [GRP_SSIE0_SSIF0](#) GRPBL1
- #define [GRP_SSIE1_SSIF1](#) GRPBL1
- #define [GRP_S12AD_S12CMPAI](#) GRPBL1
- #define [GRP_S12AD_S12CMPBI](#) GRPBL1
- #define [GRP_S12AD1_S12CMPAI1](#) GRPBL1
- #define [GRP_S12AD1_S12CMPBI1](#) GRPBL1
- #define [GRP_RIIC1_TEI1](#) GRPBL1
- #define [GRP_RIIC1_EEI1](#) GRPBL1
- #define [GRP_POEG_POEGGAI](#) GRPBL2
- #define [GRP_POEG_POEGGBI](#) GRPBL2
- #define [GRP_POEG_POEGGCI](#) GRPBL2
- #define [GRP_POEG_POEGGDI](#) GRPBL2
- #define [GRP_SCI8_TEI8](#) GRPAL0
- #define [GRP_SCI8_ERI8](#) GRPAL0
- #define [GRP_SCI9_TEI9](#) GRPAL0
- #define [GRP_SCI9_ERI9](#) GRPAL0
- #define [GRP_SCI10_TEI10](#) GRPAL0
- #define [GRP_SCI10_ERI10](#) GRPAL0
- #define [GRP_SCI11_TEI11](#) GRPAL0
- #define [GRP_SCI11_ERI11](#) GRPAL0
- #define [GRP_RSPI0_SPII0](#) GRPAL0
- #define [GRP_RSPI0_SPEI0](#) GRPAL0
- #define [GRP_RSPI1_SPII1](#) GRPAL0
- #define [GRP_RSPI1_SPEI1](#) GRPAL0
- #define [GRP_RSPI2_SPII2](#) GRPAL0
- #define [GRP_RSPI2_SPEI2](#) GRPAL0
- #define [GRP_SCI7_TEI7](#) GRPAL0
- #define [GRP_SCI7_ERI7](#) GRPAL0
- #define [GRP_EPTPC_MINT](#) GRPAL1
- #define [GRP_PTPEDMAC_PINT](#) GRPAL1
- #define [GRP_EDMAC0_EINT0](#) GRPAL1
- #define [GRP_EDMAC1_EINT1](#) GRPAL1
- #define [GRP_GLCDC_VPOS](#) GRPAL1
- #define [GRP_GLCDC_GR1UF](#) GRPAL1
- #define [GRP_GLCDC_GR2UF](#) GRPAL1
- #define [GRP_DRW2D_DRWIRQ](#) GRPAL1
- #define [GCR_DPFPU_DPFPUEX](#) GCRIE0
- #define [GCR_CAN0_ERS0](#) GCRBE0
- #define [GCR_CAN1_ERS1](#) GCRBE0
- #define [GCR_CAN2_ERS2](#) GCRBE0
- #define [__IR\(x\)](#)
- #define [_IR\(x\)](#)
- #define [IR\(x, y\)](#)
- #define [__DTCE\(x\)](#)
- #define [_DTCE\(x\)](#)
- #define [DTCE\(x, y\)](#)
- #define [__IEN\(x\)](#)
- #define [_IEN\(x\)](#)
- #define [IEN\(x, y\)](#)
- #define [__IPR\(x\)](#)
- #define [_IPR\(x\)](#)
- #define [IPR\(x, y\)](#)

- #define `__VECT(x)`
- #define `_VECT(x)`
- #define `VECT(x, y)`
- #define `__MSTP(x)`
- #define `_MSTP(x)`
- #define `MSTP(x)`
- #define `__IS(x)`
- #define `_IS(x)`
- #define `IS(x, y)`
- #define `__EN(x)`
- #define `_EN(x)`
- #define `EN(x, y)`
- #define `__CLR(x)`
- #define `_CLR(x)`
- #define `CLR(x, y)`
- #define `BSC (*(volatile struct st_bsc *)0x81300)`
- #define `CAC (*(volatile struct st_cac *)0x8B000)`
- #define `CAN0 (*(volatile struct st_can *)0x90200)`
- #define `CAN1 (*(volatile struct st_can *)0x91200)`
- #define `CAN2 (*(volatile struct st_can *)0x92200)`
- #define `CMT (*(volatile struct st_cmt *)0x88000)`
- #define `CMT0 (*(volatile struct st_cmt0 *)0x88002)`
- #define `CMT1 (*(volatile struct st_cmt0 *)0x88008)`
- #define `CMT2 (*(volatile struct st_cmt0 *)0x88012)`
- #define `CMT3 (*(volatile struct st_cmt0 *)0x88018)`
- #define `CMTW0 (*(volatile struct st_cmtw *)0x94200)`
- #define `CMTW1 (*(volatile struct st_cmtw *)0x94280)`
- #define `CRC (*(volatile struct st_crc *)0x88280)`
- #define `DA (*(volatile struct st_da *)0x88040)`
- #define `DMAC (*(volatile struct st_dmac *)0x82200)`
- #define `DMAC0 (*(volatile struct st_dmac0 *)0x82000)`
- #define `DMAC1 (*(volatile struct st_dmac1 *)0x82040)`
- #define `DMAC2 (*(volatile struct st_dmac1 *)0x82080)`
- #define `DMAC3 (*(volatile struct st_dmac1 *)0x820C0)`
- #define `DMAC4 (*(volatile struct st_dmac1 *)0x82100)`
- #define `DMAC5 (*(volatile struct st_dmac1 *)0x82140)`
- #define `DMAC6 (*(volatile struct st_dmac1 *)0x82180)`
- #define `DMAC7 (*(volatile struct st_dmac1 *)0x821C0)`
- #define `DOC (*(volatile struct st_doc *)0x8B080)`
- #define `DRW2D (*(volatile struct st_drw2d *)0xE3000)`
- #define `DTC (*(volatile struct st_dtc *)0x82400)`
- #define `ECCRAM (*(volatile struct st_eccram *)0x812C0)`
- #define `EDMAC0 (*(volatile struct st_edmac *)0xC0000)`
- #define `EDMAC1 (*(volatile struct st_edmac *)0xC0200)`
- #define `ELC (*(volatile struct st_elc *)0x8B100)`
- #define `EPTPC (*(volatile struct st_eptpc *)0xC0500)`
- #define `EPTPC0 (*(volatile struct st_eptpc0 *)0xC4800)`
- #define `EPTPC1 (*(volatile struct st_eptpc0 *)0xC4C00)`
- #define `ETHERC0 (*(volatile struct st_etherc *)0xC0100)`
- #define `ETHERC1 (*(volatile struct st_etherc *)0xC0300)`
- #define `EXDMAC (*(volatile struct st_exdmac *)0x82A00)`
- #define `EXDMAC0 (*(volatile struct st_exdmac0 *)0x82800)`
- #define `EXDMAC1 (*(volatile struct st_exdmac1 *)0x82840)`
- #define `FLASH (*(volatile struct st_flash *)0x81000)`
- #define `GLCDC (*(volatile struct st_glcdc *)0xE0000)`

- #define [GPTW0](#) (*(volatile struct st_gptw *)0xC2000)
- #define [GPTW1](#) (*(volatile struct st_gptw *)0xC2100)
- #define [GPTW2](#) (*(volatile struct st_gptw *)0xC2200)
- #define [GPTW3](#) (*(volatile struct st_gptw *)0xC2300)
- #define [ICU](#) (*(volatile struct st_icu *)0x87000)
- #define [IWDT](#) (*(volatile struct st_iwdt *)0x88030)
- #define [MMCIF](#) (*(volatile struct st_mmcif *)0x88500)
- #define [MPC](#) (*(volatile struct st_mpc *)0x8C100)
- #define [MPU](#) (*(volatile struct st_mpu *)0x86400)
- #define [MTU](#) (*(volatile struct st_mtu *)0xC120A)
- #define [MTU0](#) (*(volatile struct st_mtu0 *)0xC1290)
- #define [MTU1](#) (*(volatile struct st_mtu1 *)0xC1290)
- #define [MTU2](#) (*(volatile struct st_mtu2 *)0xC1292)
- #define [MTU3](#) (*(volatile struct st_mtu3 *)0xC1200)
- #define [MTU4](#) (*(volatile struct st_mtu4 *)0xC1200)
- #define [MTU5](#) (*(volatile struct st_mtu5 *)0xC1A94)
- #define [MTU6](#) (*(volatile struct st_mtu6 *)0xC1A00)
- #define [MTU7](#) (*(volatile struct st_mtu7 *)0xC1A00)
- #define [MTU8](#) (*(volatile struct st_mtu8 *)0xC1298)
- #define [OFSM](#) (*(volatile struct st_ofsm *)0xFE7F5D00)
- #define [PDC](#) (*(volatile struct st_pdc *)0xA0500)
- #define [PMGI0](#) (*(volatile struct st_pmgi *)0xC5880)
- #define [PMGI1](#) (*(volatile struct st_pmgi *)0xC5890)
- #define [POE3](#) (*(volatile struct st_poe *)0x8C4C0)
- #define [POEG](#) (*(volatile struct st_poeg *)0x9E000)
- #define [PORT0](#) (*(volatile struct st_port0 *)0x8C000)
- #define [PORT1](#) (*(volatile struct st_port1 *)0x8C001)
- #define [PORT2](#) (*(volatile struct st_port2 *)0x8C002)
- #define [PORT3](#) (*(volatile struct st_port3 *)0x8C003)
- #define [PORT4](#) (*(volatile struct st_port4 *)0x8C004)
- #define [PORT5](#) (*(volatile struct st_port5 *)0x8C005)
- #define [PORT6](#) (*(volatile struct st_port6 *)0x8C006)
- #define [PORT7](#) (*(volatile struct st_port7 *)0x8C007)
- #define [PORT8](#) (*(volatile struct st_port8 *)0x8C008)
- #define [PORT9](#) (*(volatile struct st_port9 *)0x8C009)
- #define [PORTA](#) (*(volatile struct st_porta *)0x8C00A)
- #define [PORTB](#) (*(volatile struct st_portb *)0x8C00B)
- #define [PORTC](#) (*(volatile struct st_portc *)0x8C00C)
- #define [PORTD](#) (*(volatile struct st_portd *)0x8C00D)
- #define [PORTE](#) (*(volatile struct st_porte *)0x8C00E)
- #define [PORTF](#) (*(volatile struct st_portf *)0x8C00F)
- #define [PORTG](#) (*(volatile struct st_portg *)0x8C010)
- #define [PORTH](#) (*(volatile struct st_porth *)0x8C011)
- #define [PORTJ](#) (*(volatile struct st_portj *)0x8C012)
- #define [PORTK](#) (*(volatile struct st_portk *)0x8C013)
- #define [PORTL](#) (*(volatile struct st_portl *)0x8C014)
- #define [PORTM](#) (*(volatile struct st_portm *)0x8C015)
- #define [PORTN](#) (*(volatile struct st_portn *)0x8C016)
- #define [PORTQ](#) (*(volatile struct st_portq *)0x8C017)
- #define [PPG0](#) (*(volatile struct st_ppg0 *)0x881E6)
- #define [PPG1](#) (*(volatile struct st_ppg1 *)0x881F0)
- #define [PTPEDMAC](#) (*(volatile struct st_ptpedmac *)0xC0400)
- #define [QSPI](#) (*(volatile struct st_qspi *)0x89E00)
- #define [RAM](#) (*(volatile struct st_ram *)0x81200)
- #define [RIIC0](#) (*(volatile struct st_riic *)0x88300)

- #define [RIIC1](#) (*(volatile struct st_riic *)0x88320)
- #define [RIIC2](#) (*(volatile struct st_riic *)0x88340)
- #define [RSPI0](#) (*(volatile struct st_rspi *)0xD0100)
- #define [RSPI1](#) (*(volatile struct st_rspi *)0xD0140)
- #define [RSPI2](#) (*(volatile struct st_rspi *)0xD0300)
- #define [RTC](#) (*(volatile struct st_rtc *)0x8C400)
- #define [S12AD](#) (*(volatile struct st_s12ad *)0x89000)
- #define [S12AD1](#) (*(volatile struct st_s12ad1 *)0x89100)
- #define [SCI0](#) (*(volatile struct st_sci0 *)0x8A000)
- #define [SCI1](#) (*(volatile struct st_sci0 *)0x8A020)
- #define [SCI2](#) (*(volatile struct st_sci0 *)0x8A040)
- #define [SCI3](#) (*(volatile struct st_sci0 *)0x8A060)
- #define [SCI4](#) (*(volatile struct st_sci0 *)0x8A080)
- #define [SCI5](#) (*(volatile struct st_sci0 *)0x8A0A0)
- #define [SCI6](#) (*(volatile struct st_sci0 *)0x8A0C0)
- #define [SCI7](#) (*(volatile struct st_sci7 *)0xD00E0)
- #define [SCI8](#) (*(volatile struct st_sci7 *)0xD0000)
- #define [SCI9](#) (*(volatile struct st_sci7 *)0xD0020)
- #define [SCI10](#) (*(volatile struct st_sci7 *)0xD0040)
- #define [SCI11](#) (*(volatile struct st_sci7 *)0xD0060)
- #define [SCI12](#) (*(volatile struct st_sci12 *)0x8B300)
- #define [SDHI](#) (*(volatile struct st_sdhi *)0x8AC00)
- #define [SMCI0](#) (*(volatile struct st_smci *)0x8A000)
- #define [SMCI1](#) (*(volatile struct st_smci *)0x8A020)
- #define [SMCI2](#) (*(volatile struct st_smci *)0x8A040)
- #define [SMCI3](#) (*(volatile struct st_smci *)0x8A060)
- #define [SMCI4](#) (*(volatile struct st_smci *)0x8A080)
- #define [SMCI5](#) (*(volatile struct st_smci *)0x8A0A0)
- #define [SMCI6](#) (*(volatile struct st_smci *)0x8A0C0)
- #define [SMCI7](#) (*(volatile struct st_smci *)0xD00E0)
- #define [SMCI8](#) (*(volatile struct st_smci *)0xD0000)
- #define [SMCI9](#) (*(volatile struct st_smci *)0xD0020)
- #define [SMCI10](#) (*(volatile struct st_smci *)0xD0040)
- #define [SMCI11](#) (*(volatile struct st_smci *)0xD0060)
- #define [SMCI12](#) (*(volatile struct st_smci *)0x8B300)
- #define [SSIE0](#) (*(volatile struct st_ssie *)0x8A500)
- #define [SSIE1](#) (*(volatile struct st_ssie *)0x8A540)
- #define [SYSTEM](#) (*(volatile struct st_system *)0x80000)
- #define [TEMPS](#) (*(volatile struct st_temps *)0x8C500)
- #define [TMR0](#) (*(volatile struct st_tmr0 *)0x88200)
- #define [TMR1](#) (*(volatile struct st_tmr1 *)0x88201)
- #define [TMR2](#) (*(volatile struct st_tmr0 *)0x88210)
- #define [TMR3](#) (*(volatile struct st_tmr1 *)0x88211)
- #define [TMR01](#) (*(volatile struct st_tmr01 *)0x88204)
- #define [TMR23](#) (*(volatile struct st_tmr01 *)0x88214)
- #define [TPU0](#) (*(volatile struct st_tpu0 *)0x88108)
- #define [TPU1](#) (*(volatile struct st_tpu1 *)0x88108)
- #define [TPU2](#) (*(volatile struct st_tpu2 *)0x8810A)
- #define [TPU3](#) (*(volatile struct st_tpu3 *)0x8810A)
- #define [TPU4](#) (*(volatile struct st_tpu4 *)0x8810C)
- #define [TPU5](#) (*(volatile struct st_tpu5 *)0x8810C)
- #define [TPUA](#) (*(volatile struct st_tpu4 *)0x88100)
- #define [USB](#) (*(volatile struct st_usb *)0xA0400)
- #define [USB0](#) (*(volatile struct st_usb0 *)0xA0000)
- #define [WDT](#) (*(volatile struct st_wdt *)0x88020)
- #define [FLASHCONST](#) (*(volatile struct st_flashconst *)0xFE7F7D90)
- #define [TEMPSCONST](#) (*(volatile struct st_tempsconst *)0xFE7F7D7C)

Enumerations

- enum `enum_ir_t` {
 - `IR_BSC_BUSERR` =16 , `IR_ICU_GROUPIE0` =17 , `IR_RAM_RAMERR` , `IR_FCU_FIFERR` =21 ,
 - `IR_FCU_FRDYI` =23 , `IR_ICU_SWINT2` =26 , `IR_ICU_SWINT` , `IR_CMT0_CMI0` ,
 - `IR_CMT1_CMI1` , `IR_CMTW0_CMWI0` , `IR_CMTW1_CMWI1` , `IR_USB0_D0FIFO0` =34 ,
 - `IR_USB0_D1FIFO0` , `IR_RSPI0_SPRI0` =38 , `IR_RSPI0_SPTI0` , `IR_RSPI1_SPRI1` ,
 - `IR_RSPI1_SPTI1` , `IR_QSPI_SPRI` , `IR_QSPI_SPTI` , `IR_SDHI_SBAI` ,
 - `IR_MMCI_MBFAI` , `IR_SSIE0_SSITXI0` , `IR_SSIE0_SSIRXI0` , `IR_SSIE1_SSIRTI1` ,
 - `IR_RIIC1_RXI1` =50 , `IR_RIIC1_TXI1` , `IR_RIIC0_RXI0` , `IR_RIIC0_TXI0` ,
 - `IR_RIIC2_RXI2` , `IR_RIIC2_TXI2` , `IR_SCI0_RXI0` =58 , `IR_SCI0_TXI0` ,
 - `IR_SCI1_RXI1` , `IR_SCI1_TXI1` , `IR_SCI2_RXI2` , `IR_SCI2_TXI2` ,
 - `IR_ICU_IRQ0` , `IR_ICU_IRQ1` , `IR_ICU_IRQ2` , `IR_ICU_IRQ3` ,
 - `IR_ICU_IRQ4` , `IR_ICU_IRQ5` , `IR_ICU_IRQ6` , `IR_ICU_IRQ7` ,
 - `IR_ICU_IRQ8` , `IR_ICU_IRQ9` , `IR_ICU_IRQ10` , `IR_ICU_IRQ11` ,
 - `IR_ICU_IRQ12` , `IR_ICU_IRQ13` , `IR_ICU_IRQ14` , `IR_ICU_IRQ15` ,
 - `IR_SCI3_RXI3` , `IR_SCI3_TXI3` , `IR_SCI4_RXI4` , `IR_SCI4_TXI4` ,
 - `IR_SCI5_RXI5` , `IR_SCI5_TXI5` , `IR_SCI6_RXI6` , `IR_SCI6_TXI6` ,
 - `IR_LVD1_LVD1` , `IR_LVD2_LVD2` , `IR_USB0_USBR0` , `IR_RTC_ALM` =92 ,
 - `IR_RTC_PRD` , `IR_IWDT_IWUNI` =95 , `IR_WDT_WUNI` , `IR_PDC_PCDFI` ,
 - `IR_SCI7_RXI7` , `IR_SCI7_TXI7` , `IR_SCI8_RXI8` , `IR_SCI8_TXI8` ,
 - `IR_SCI9_RXI9` , `IR_SCI9_TXI9` , `IR_SCI10_RXI10` , `IR_SCI10_TXI10` ,
 - `IR_ICU_GROUPBE0` , `IR_ICU_GROUPBL2` , `IR_RSPI2_SPRI2` , `IR_RSPI2_SPTI2` ,
 - `IR_ICU_GROUPBL0` , `IR_ICU_GROUPBL1` , `IR_ICU_GROUPAL0` , `IR_ICU_GROUPAL1` ,
 - `IR_SCI11_RXI11` , `IR_SCI11_TXI11` , `IR_SCI12_RXI12` , `IR_SCI12_TXI12` ,
 - `IR_DMAL_DMAL0I` =120 , `IR_DMAL_DMAL1I` , `IR_DMAL_DMAL2I` , `IR_DMAL_DMAL3I`
 - ,
 - `IR_DMAL_DMAL74I` , `IR_OST_OSTDI` , `IR_EXDMAL_EXDMAL0I` , `IR_EXDMAL_EXDMAL1I`
 - ,
 - `IR_PERIB_INTB128` , `IR_PERIB_INTB129` , `IR_PERIB_INTB130` , `IR_PERIB_INTB131` ,
 - `IR_PERIB_INTB132` , `IR_PERIB_INTB133` , `IR_PERIB_INTB134` , `IR_PERIB_INTB135` ,
 - `IR_PERIB_INTB136` , `IR_PERIB_INTB137` , `IR_PERIB_INTB138` , `IR_PERIB_INTB139` ,
 - `IR_PERIB_INTB140` , `IR_PERIB_INTB141` , `IR_PERIB_INTB142` , `IR_PERIB_INTB143` ,
 - `IR_PERIB_INTB144` , `IR_PERIB_INTB145` , `IR_PERIB_INTB146` , `IR_PERIB_INTB147` ,
 - `IR_PERIB_INTB148` , `IR_PERIB_INTB149` , `IR_PERIB_INTB150` , `IR_PERIB_INTB151` ,
 - `IR_PERIB_INTB152` , `IR_PERIB_INTB153` , `IR_PERIB_INTB154` , `IR_PERIB_INTB155` ,
 - `IR_PERIB_INTB156` , `IR_PERIB_INTB157` , `IR_PERIB_INTB158` , `IR_PERIB_INTB159` ,
 - `IR_PERIB_INTB160` , `IR_PERIB_INTB161` , `IR_PERIB_INTB162` , `IR_PERIB_INTB163` ,
 - `IR_PERIB_INTB164` , `IR_PERIB_INTB165` , `IR_PERIB_INTB166` , `IR_PERIB_INTB167` ,
 - `IR_PERIB_INTB168` , `IR_PERIB_INTB169` , `IR_PERIB_INTB170` , `IR_PERIB_INTB171` ,
 - `IR_PERIB_INTB172` , `IR_PERIB_INTB173` , `IR_PERIB_INTB174` , `IR_PERIB_INTB175` ,
 - `IR_PERIB_INTB176` , `IR_PERIB_INTB177` , `IR_PERIB_INTB178` , `IR_PERIB_INTB179` ,
 - `IR_PERIB_INTB180` , `IR_PERIB_INTB181` , `IR_PERIB_INTB182` , `IR_PERIB_INTB183` ,
 - `IR_PERIB_INTB184` , `IR_PERIB_INTB185` , `IR_PERIB_INTB186` , `IR_PERIB_INTB187` ,
 - `IR_PERIB_INTB188` , `IR_PERIB_INTB189` , `IR_PERIB_INTB190` , `IR_PERIB_INTB191` ,
 - `IR_PERIB_INTB192` , `IR_PERIB_INTB193` , `IR_PERIB_INTB194` , `IR_PERIB_INTB195` ,
 - `IR_PERIB_INTB196` , `IR_PERIB_INTB197` , `IR_PERIB_INTB198` , `IR_PERIB_INTB199` ,
 - `IR_PERIB_INTB200` , `IR_PERIB_INTB201` , `IR_PERIB_INTB202` , `IR_PERIB_INTB203` ,
 - `IR_PERIB_INTB204` , `IR_PERIB_INTB205` , `IR_PERIB_INTB206` , `IR_PERIB_INTB207` ,
 - `IR_PERIA_INTA208` , `IR_PERIA_INTA209` , `IR_PERIA_INTA210` , `IR_PERIA_INTA211` ,
 - `IR_PERIA_INTA212` , `IR_PERIA_INTA213` , `IR_PERIA_INTA214` , `IR_PERIA_INTA215` ,
 - `IR_PERIA_INTA216` , `IR_PERIA_INTA217` , `IR_PERIA_INTA218` , `IR_PERIA_INTA219` ,
 - `IR_PERIA_INTA220` , `IR_PERIA_INTA221` , `IR_PERIA_INTA222` , `IR_PERIA_INTA223` ,
 - `IR_PERIA_INTA224` , `IR_PERIA_INTA225` , `IR_PERIA_INTA226` , `IR_PERIA_INTA227` ,
 - `IR_PERIA_INTA228` , `IR_PERIA_INTA229` , `IR_PERIA_INTA230` , `IR_PERIA_INTA231` ,
 - `IR_PERIA_INTA232` , `IR_PERIA_INTA233` , `IR_PERIA_INTA234` , `IR_PERIA_INTA235` ,
 - `IR_PERIA_INTA236` , `IR_PERIA_INTA237` , `IR_PERIA_INTA238` , `IR_PERIA_INTA239` ,
 - `IR_PERIA_INTA240` , `IR_PERIA_INTA241` , `IR_PERIA_INTA242` , `IR_PERIA_INTA243` ,

```

    IR_PERIA_INTA244 , IR_PERIA_INTA245 , IR_PERIA_INTA246 , IR_PERIA_INTA247 ,
    IR_PERIA_INTA248 , IR_PERIA_INTA249 , IR_PERIA_INTA250 , IR_PERIA_INTA251 ,
    IR_PERIA_INTA252 , IR_PERIA_INTA253 , IR_PERIA_INTA254 , IR_PERIA_INTA255 }
• enum enum_dtce_t {
    DTCE_ICU_SWINT2 =26 , DTCE_ICU_SWINT , DTCE_CMT0_CMI0 , DTCE_CMT1_CMI1
    ,
    DTCE_CMTW0_CMWIO , DTCE_CMTW1_CMWI1 , DTCE_USB0_D0FIFO0 =34 ,
    DTCE_USB0_D1FIFO0 ,
    DTCE_RSPI0_SPRI0 =38 , DTCE_RSPI0_SPTI0 , DTCE_RSPI1_SPRI1 , DTCE_RSPI1_SPTI1
    ,
    DTCE_QSPI_SPRI , DTCE_QSPI_SPTI , DTCE_SDHI_SBFBI , DTCE_MMCI0_MBFBI ,
    DTCE_SSIE0_SSITXI0 , DTCE_SSIE0_SSIRXI0 , DTCE_SSIE1_SSIRTI1 , DTCE_RIIC1_RXI1
    =50 ,
    DTCE_RIIC1_TXI1 , DTCE_RIIC0_RXI0 , DTCE_RIIC0_TXI0 , DTCE_RIIC2_RXI2 ,
    DTCE_RIIC2_TXI2 , DTCE_SCI0_RXI0 =58 , DTCE_SCI0_TXI0 , DTCE_SCI1_RXI1 ,
    DTCE_SCI1_TXI1 , DTCE_SCI2_RXI2 , DTCE_SCI2_TXI2 , DTCE_ICU_IRQ0 ,
    DTCE_ICU_IRQ1 , DTCE_ICU_IRQ2 , DTCE_ICU_IRQ3 , DTCE_ICU_IRQ4 ,
    DTCE_ICU_IRQ5 , DTCE_ICU_IRQ6 , DTCE_ICU_IRQ7 , DTCE_ICU_IRQ8 ,
    DTCE_ICU_IRQ9 , DTCE_ICU_IRQ10 , DTCE_ICU_IRQ11 , DTCE_ICU_IRQ12 ,
    DTCE_ICU_IRQ13 , DTCE_ICU_IRQ14 , DTCE_ICU_IRQ15 , DTCE_SCI3_RXI3 ,
    DTCE_SCI3_TXI3 , DTCE_SCI4_RXI4 , DTCE_SCI4_TXI4 , DTCE_SCI5_RXI5 ,
    DTCE_SCI5_TXI5 , DTCE_SCI6_RXI6 , DTCE_SCI6_TXI6 , DTCE_PDC_PCDFI =97 ,
    DTCE_SCI7_RXI7 , DTCE_SCI7_TXI7 , DTCE_SCI8_RXI8 , DTCE_SCI8_TXI8 ,
    DTCE_SCI9_RXI9 , DTCE_SCI9_TXI9 , DTCE_SCI10_RXI10 , DTCE_SCI10_TXI10 ,
    DTCE_RSPI2_SPRI2 =108 , DTCE_RSPI2_SPTI2 , DTCE_SCI11_RXI11 =114 ,
    DTCE_SCI11_TXI11 ,
    DTCE_SCI12_RXI12 , DTCE_SCI12_TXI12 , DTCE_DMCI_DMCI0 =120 , DTCE_DMCI_DMCI1
    ,
    DTCE_DMCI_DMCI2I , DTCE_DMCI_DMCI3I , DTCE_EXDMCI_EXDMCI0 =126 ,
    DTCE_EXDMCI_EXDMCI1I ,
    DTCE_PERIB_INTB128 , DTCE_PERIB_INTB129 , DTCE_PERIB_INTB130 , DTCE_PERIB_INTB131
    ,
    DTCE_PERIB_INTB132 , DTCE_PERIB_INTB133 , DTCE_PERIB_INTB134 , DTCE_PERIB_INTB135
    ,
    DTCE_PERIB_INTB136 , DTCE_PERIB_INTB137 , DTCE_PERIB_INTB138 , DTCE_PERIB_INTB139
    ,
    DTCE_PERIB_INTB140 , DTCE_PERIB_INTB141 , DTCE_PERIB_INTB142 , DTCE_PERIB_INTB143
    ,
    DTCE_PERIB_INTB144 , DTCE_PERIB_INTB145 , DTCE_PERIB_INTB146 , DTCE_PERIB_INTB147
    ,
    DTCE_PERIB_INTB148 , DTCE_PERIB_INTB149 , DTCE_PERIB_INTB150 , DTCE_PERIB_INTB151
    ,
    DTCE_PERIB_INTB152 , DTCE_PERIB_INTB153 , DTCE_PERIB_INTB154 , DTCE_PERIB_INTB155
    ,
    DTCE_PERIB_INTB156 , DTCE_PERIB_INTB157 , DTCE_PERIB_INTB158 , DTCE_PERIB_INTB159
    ,
    DTCE_PERIB_INTB160 , DTCE_PERIB_INTB161 , DTCE_PERIB_INTB162 , DTCE_PERIB_INTB163
    ,
    DTCE_PERIB_INTB164 , DTCE_PERIB_INTB165 , DTCE_PERIB_INTB166 , DTCE_PERIB_INTB167
    ,
    DTCE_PERIB_INTB168 , DTCE_PERIB_INTB169 , DTCE_PERIB_INTB170 , DTCE_PERIB_INTB171
    ,
    DTCE_PERIB_INTB172 , DTCE_PERIB_INTB173 , DTCE_PERIB_INTB174 , DTCE_PERIB_INTB175
    ,
    DTCE_PERIB_INTB176 , DTCE_PERIB_INTB177 , DTCE_PERIB_INTB178 , DTCE_PERIB_INTB179
    ,
    DTCE_PERIB_INTB180 , DTCE_PERIB_INTB181 , DTCE_PERIB_INTB182 , DTCE_PERIB_INTB183
    ,

```

```

DTCE_PERIB_INTB184 , DTCE_PERIB_INTB185 , DTCE_PERIB_INTB186 , DTCE_PERIB_INTB187
,
DTCE_PERIB_INTB188 , DTCE_PERIB_INTB189 , DTCE_PERIB_INTB190 , DTCE_PERIB_INTB191
,
DTCE_PERIB_INTB192 , DTCE_PERIB_INTB193 , DTCE_PERIB_INTB194 , DTCE_PERIB_INTB195
,
DTCE_PERIB_INTB196 , DTCE_PERIB_INTB197 , DTCE_PERIB_INTB198 , DTCE_PERIB_INTB199
,
DTCE_PERIB_INTB200 , DTCE_PERIB_INTB201 , DTCE_PERIB_INTB202 , DTCE_PERIB_INTB203
,
DTCE_PERIB_INTB204 , DTCE_PERIB_INTB205 , DTCE_PERIB_INTB206 , DTCE_PERIB_INTB207
,
DTCE_PERIA_INTA208 , DTCE_PERIA_INTA209 , DTCE_PERIA_INTA210 , DTCE_PERIA_INTA211
,
DTCE_PERIA_INTA212 , DTCE_PERIA_INTA213 , DTCE_PERIA_INTA214 , DTCE_PERIA_INTA215
,
DTCE_PERIA_INTA216 , DTCE_PERIA_INTA217 , DTCE_PERIA_INTA218 , DTCE_PERIA_INTA219
,
DTCE_PERIA_INTA220 , DTCE_PERIA_INTA221 , DTCE_PERIA_INTA222 , DTCE_PERIA_INTA223
,
DTCE_PERIA_INTA224 , DTCE_PERIA_INTA225 , DTCE_PERIA_INTA226 , DTCE_PERIA_INTA227
,
DTCE_PERIA_INTA228 , DTCE_PERIA_INTA229 , DTCE_PERIA_INTA230 , DTCE_PERIA_INTA231
,
DTCE_PERIA_INTA232 , DTCE_PERIA_INTA233 , DTCE_PERIA_INTA234 , DTCE_PERIA_INTA235
,
DTCE_PERIA_INTA236 , DTCE_PERIA_INTA237 , DTCE_PERIA_INTA238 , DTCE_PERIA_INTA239
,
DTCE_PERIA_INTA240 , DTCE_PERIA_INTA241 , DTCE_PERIA_INTA242 , DTCE_PERIA_INTA243
,
DTCE_PERIA_INTA244 , DTCE_PERIA_INTA245 , DTCE_PERIA_INTA246 , DTCE_PERIA_INTA247
,
DTCE_PERIA_INTA248 , DTCE_PERIA_INTA249 , DTCE_PERIA_INTA250 , DTCE_PERIA_INTA251
,
DTCE_PERIA_INTA252 , DTCE_PERIA_INTA253 , DTCE_PERIA_INTA254 , DTCE_PERIA_INTA255
}
• enum enum_ier_t {
IER_BSC_BUSERR =0x02 , IER_ICU_GROUPIE0 =0x02 , IER_RAM_RAMERR =0x02 ,
IER_FCU_FIFERR =0x02 ,
IER_FCU_FRDYI =0x02 , IER_ICU_SWINT2 =0x03 , IER_ICU_SWINT =0x03 ,
IER_CMT0_CMI0 =0x03 ,
IER_CMT1_CMI1 =0x03 , IER_CMTW0_CMWIO =0x03 , IER_CMTW1_CMWI1 =0x03 ,
IER_USB0_D0FIFO0 =0x04 ,
IER_USB0_D1FIFO0 =0x04 , IER_RSPIO_SPRI0 =0x04 , IER_RSPIO_SPTI0 =0x04 ,
IER_RSPI1_SPRI1 =0x05 ,
IER_RSPI1_SPTI1 =0x05 , IER_QSPI_SPRI =0x05 , IER_QSPI_SPTI =0x05 , IER_SDHI_SBFBI
=0x05 ,
IER_MMCI_MBFAI =0x05 , IER_SSIE0_SSITXI0 =0x05 , IER_SSIE0_SSIRXI0 =0x05 ,
IER_SSIE1_SSIRTI1 =0x06 ,
IER_RIIC1_RXI1 =0x06 , IER_RIIC1_TXI1 =0x06 , IER_RIIC0_RXI0 =0x06 , IER_RIIC0_TXI0
=0x06 ,
IER_RIIC2_RXI2 =0x06 , IER_RIIC2_TXI2 =0x06 , IER_SCI0_RXI0 =0x07 , IER_SCI0_TXI0
=0x07 ,
IER_SCI1_RXI1 =0x07 , IER_SCI1_TXI1 =0x07 , IER_SCI2_RXI2 =0x07 , IER_SCI2_TXI2
=0x07 ,
IER_ICU_IRQ0 =0x08 , IER_ICU_IRQ1 =0x08 , IER_ICU_IRQ2 =0x08 , IER_ICU_IRQ3
=0x08 ,
IER_ICU_IRQ4 =0x08 , IER_ICU_IRQ5 =0x08 , IER_ICU_IRQ6 =0x08 , IER_ICU_IRQ7

```

```

=0x08 ,
IER_ICU_IRQ8 =0x09 , IER_ICU_IRQ9 =0x09 , IER_ICU_IRQ10 =0x09 , IER_ICU_IRQ11
=0x09 ,
IER_ICU_IRQ12 =0x09 , IER_ICU_IRQ13 =0x09 , IER_ICU_IRQ14 =0x09 , IER_ICU_IRQ15
=0x09 ,
IER_SCI3_RXI3 =0x0A , IER_SCI3_TXI3 =0x0A , IER_SCI4_RXI4 =0x0A , IER_SCI4_TXI4
=0x0A ,
IER_SCI5_RXI5 =0x0A , IER_SCI5_TXI5 =0x0A , IER_SCI6_RXI6 =0x0A , IER_SCI6_TXI6
=0x0A ,
IER_LVD1_LVD1 =0x0B , IER_LVD2_LVD2 =0x0B , IER_USB0_USBR0 =0x0B ,
IER_RTC_ALM =0x0B ,
IER_RTC_PRD =0x0B , IER_IWDT_IWUNI =0x0B , IER_WDT_WUNI =0x0C ,
IER_PDC_PCDFI =0x0C ,
IER_SCI7_RXI7 =0x0C , IER_SCI7_TXI7 =0x0C , IER_SCI8_RXI8 =0x0C , IER_SCI8_TXI8
=0x0C ,
IER_SCI9_RXI9 =0x0C , IER_SCI9_TXI9 =0x0C , IER_SCI10_RXI10 =0x0D , IER_SCI10_TXI10
=0x0D ,
IER_ICU_GROUPBE0 =0x0D , IER_ICU_GROUPBL2 =0x0D , IER_RSPI2_SPRI2 =0x0D ,
IER_RSPI2_SPTI2 =0x0D ,
IER_ICU_GROUPBL0 =0x0D , IER_ICU_GROUPBL1 =0x0D , IER_ICU_GROU PAL0
=0x0E , IER_ICU_GROU PAL1 =0x0E ,
IER_SCI11_RXI11 =0x0E , IER_SCI11_TXI11 =0x0E , IER_SCI12_RXI12 =0x0E ,
IER_SCI12_TXI12 =0x0E ,
IER_DMAL DMAC0I =0x0F , IER_DMAL DMAC1I =0x0F , IER_DMAL DMAC2I =0x0F ,
IER_DMAL DMAC3I =0x0F ,
IER_DMAL DMAC74I =0x0F , IER_OST_OSTDI =0x0F , IER_EXDMAL EXDMAC0I
=0x0F , IER_EXDMAL EXDMAC1I =0x0F ,
IER_PERIB_INTB128 =0x10 , IER_PERIB_INTB129 =0x10 , IER_PERIB_INTB130 =0x10 ,
IER_PERIB_INTB131 =0x10 ,
IER_PERIB_INTB132 =0x10 , IER_PERIB_INTB133 =0x10 , IER_PERIB_INTB134 =0x10 ,
IER_PERIB_INTB135 =0x10 ,
IER_PERIB_INTB136 =0x11 , IER_PERIB_INTB137 =0x11 , IER_PERIB_INTB138 =0x11 ,
IER_PERIB_INTB139 =0x11 ,
IER_PERIB_INTB140 =0x11 , IER_PERIB_INTB141 =0x11 , IER_PERIB_INTB142 =0x11 ,
IER_PERIB_INTB143 =0x11 ,
IER_PERIB_INTB144 =0x12 , IER_PERIB_INTB145 =0x12 , IER_PERIB_INTB146 =0x12 ,
IER_PERIB_INTB147 =0x12 ,
IER_PERIB_INTB148 =0x12 , IER_PERIB_INTB149 =0x12 , IER_PERIB_INTB150 =0x12 ,
IER_PERIB_INTB151 =0x12 ,
IER_PERIB_INTB152 =0x13 , IER_PERIB_INTB153 =0x13 , IER_PERIB_INTB154 =0x13 ,
IER_PERIB_INTB155 =0x13 ,
IER_PERIB_INTB156 =0x13 , IER_PERIB_INTB157 =0x13 , IER_PERIB_INTB158 =0x13 ,
IER_PERIB_INTB159 =0x13 ,
IER_PERIB_INTB160 =0x14 , IER_PERIB_INTB161 =0x14 , IER_PERIB_INTB162 =0x14 ,
IER_PERIB_INTB163 =0x14 ,
IER_PERIB_INTB164 =0x14 , IER_PERIB_INTB165 =0x14 , IER_PERIB_INTB166 =0x14 ,
IER_PERIB_INTB167 =0x14 ,
IER_PERIB_INTB168 =0x15 , IER_PERIB_INTB169 =0x15 , IER_PERIB_INTB170 =0x15 ,
IER_PERIB_INTB171 =0x15 ,
IER_PERIB_INTB172 =0x15 , IER_PERIB_INTB173 =0x15 , IER_PERIB_INTB174 =0x15 ,
IER_PERIB_INTB175 =0x15 ,
IER_PERIB_INTB176 =0x16 , IER_PERIB_INTB177 =0x16 , IER_PERIB_INTB178 =0x16 ,
IER_PERIB_INTB179 =0x16 ,
IER_PERIB_INTB180 =0x16 , IER_PERIB_INTB181 =0x16 , IER_PERIB_INTB182 =0x16 ,
IER_PERIB_INTB183 =0x16 ,
IER_PERIB_INTB184 =0x17 , IER_PERIB_INTB185 =0x17 , IER_PERIB_INTB186 =0x17 ,
IER_PERIB_INTB187 =0x17 ,
IER_PERIB_INTB188 =0x17 , IER_PERIB_INTB189 =0x17 , IER_PERIB_INTB190 =0x17

```

```

, IER_PERIB_INTB191 =0x17 ,
IER_PERIB_INTB192 =0x18 , IER_PERIB_INTB193 =0x18 , IER_PERIB_INTB194 =0x18
, IER_PERIB_INTB195 =0x18 ,
IER_PERIB_INTB196 =0x18 , IER_PERIB_INTB197 =0x18 , IER_PERIB_INTB198 =0x18
, IER_PERIB_INTB199 =0x18 ,
IER_PERIB_INTB200 =0x19 , IER_PERIB_INTB201 =0x19 , IER_PERIB_INTB202 =0x19
, IER_PERIB_INTB203 =0x19 ,
IER_PERIB_INTB204 =0x19 , IER_PERIB_INTB205 =0x19 , IER_PERIB_INTB206 =0x19
, IER_PERIB_INTB207 =0x19 ,
IER_PERIA_INTA208 =0x1A , IER_PERIA_INTA209 =0x1A , IER_PERIA_INTA210 =0x1A
, IER_PERIA_INTA211 =0x1A ,
IER_PERIA_INTA212 =0x1A , IER_PERIA_INTA213 =0x1A , IER_PERIA_INTA214 =0x1A
, IER_PERIA_INTA215 =0x1A ,
IER_PERIA_INTA216 =0x1B , IER_PERIA_INTA217 =0x1B , IER_PERIA_INTA218 =0x1B
, IER_PERIA_INTA219 =0x1B ,
IER_PERIA_INTA220 =0x1B , IER_PERIA_INTA221 =0x1B , IER_PERIA_INTA222 =0x1B
, IER_PERIA_INTA223 =0x1B ,
IER_PERIA_INTA224 =0x1C , IER_PERIA_INTA225 =0x1C , IER_PERIA_INTA226 =0x1C
, IER_PERIA_INTA227 =0x1C ,
IER_PERIA_INTA228 =0x1C , IER_PERIA_INTA229 =0x1C , IER_PERIA_INTA230 =0x1C
, IER_PERIA_INTA231 =0x1C ,
IER_PERIA_INTA232 =0x1D , IER_PERIA_INTA233 =0x1D , IER_PERIA_INTA234 =0x1D
, IER_PERIA_INTA235 =0x1D ,
IER_PERIA_INTA236 =0x1D , IER_PERIA_INTA237 =0x1D , IER_PERIA_INTA238 =0x1D
, IER_PERIA_INTA239 =0x1D ,
IER_PERIA_INTA240 =0x1E , IER_PERIA_INTA241 =0x1E , IER_PERIA_INTA242 =0x1E
, IER_PERIA_INTA243 =0x1E ,
IER_PERIA_INTA244 =0x1E , IER_PERIA_INTA245 =0x1E , IER_PERIA_INTA246 =0x1E
, IER_PERIA_INTA247 =0x1E ,
IER_PERIA_INTA248 =0x1F , IER_PERIA_INTA249 =0x1F , IER_PERIA_INTA250 =0x1F
, IER_PERIA_INTA251 =0x1F ,
IER_PERIA_INTA252 =0x1F , IER_PERIA_INTA253 =0x1F , IER_PERIA_INTA254 =0x1F
, IER_PERIA_INTA255 =0x1F }
• enum enum_ipr_t {
IPR_BSC_BUSERR =0 , IPR_ICU_GROUPIE0 =0 , IPR_RAM_RAMERR =0 ,
IPR_FCU_FIFERR =1 ,
IPR_FCU_FRDYI =2 , IPR_ICU_SWINT2 =3 , IPR_ICU_SWINT =3 , IPR_CMT0_CMI0
=4 ,
IPR_CMT1_CMI1 =5 , IPR_CMTW0_CMWI0 =6 , IPR_CMTW1_CMWI1 =7 ,
IPR_USB0_D0FIFO0 =34 ,
IPR_USB0_D1FIFO0 =35 , IPR_RSPI0_SPRI0 =38 , IPR_RSPI0_SPTI0 =39 , IPR_RSPI1_SPRI1
=40 ,
IPR_RSPI1_SPTI1 =41 , IPR_QSPI_SPRI =42 , IPR_QSPI_SPTI =43 , IPR_SDHI_SBFBI
=44 ,
IPR_MMCI0_MBFBI =45 , IPR_SSIE0_SSITXI0 =46 , IPR_SSIE0_SSIRXI0 =47 ,
IPR_SSIE1_SSIRTI1 =48 ,
IPR_RIIC1_RXI1 =50 , IPR_RIIC1_TXI1 =51 , IPR_RIIC0_RXI0 =52 , IPR_RIIC0_TXI0
=53 ,
IPR_RIIC2_RXI2 =54 , IPR_RIIC2_TXI2 =55 , IPR_SCI0_RXI0 =58 , IPR_SCI0_TXI0 =59
,
IPR_SCI1_RXI1 =60 , IPR_SCI1_TXI1 =61 , IPR_SCI2_RXI2 =62 , IPR_SCI2_TXI2 =63 ,
IPR_ICU_IRQ0 =64 , IPR_ICU_IRQ1 =65 , IPR_ICU_IRQ2 =66 , IPR_ICU_IRQ3 =67 ,
IPR_ICU_IRQ4 =68 , IPR_ICU_IRQ5 =69 , IPR_ICU_IRQ6 =70 , IPR_ICU_IRQ7 =71 ,
IPR_ICU_IRQ8 =72 , IPR_ICU_IRQ9 =73 , IPR_ICU_IRQ10 =74 , IPR_ICU_IRQ11 =75 ,
IPR_ICU_IRQ12 =76 , IPR_ICU_IRQ13 =77 , IPR_ICU_IRQ14 =78 , IPR_ICU_IRQ15 =79
,
IPR_SCI3_RXI3 =80 , IPR_SCI3_TXI3 =81 , IPR_SCI4_RXI4 =82 , IPR_SCI4_TXI4 =83 ,
IPR_SCI5_RXI5 =84 , IPR_SCI5_TXI5 =85 , IPR_SCI6_RXI6 =86 , IPR_SCI6_TXI6 =87 ,

```

IPR_LVD1_LVD1 =88 , IPR_LVD2_LVD2 =89 , IPR_USB0_USBR0 =90 , IPR_RTC_ALM
=92 ,
IPR_RTC_PRD =93 , IPR_IWDT_IWUNI =95 , IPR_WDT_WUNI =96 , IPR_PDC_PCDFI
=97 ,
IPR_SCI7_RXI7 =98 , IPR_SCI7_TXI7 =99 , IPR_SCI8_RXI8 =100 , IPR_SCI8_TXI8 =101
,
IPR_SCI9_RXI9 =102 , IPR_SCI9_TXI9 =103 , IPR_SCI10_RXI10 =104 , IPR_SCI10_TXI10
=105 ,
IPR_ICU_GROUPBE0 =106 , IPR_ICU_GROUPBL2 =107 , IPR_RSPI2_SPRI2 =108 ,
IPR_RSPI2_SPTI2 =109 ,
IPR_ICU_GROUPBL0 =110 , IPR_ICU_GROUPBL1 =111 , IPR_ICU_GROUPAL0 =112 ,
IPR_ICU_GROUPAL1 =113 ,
IPR_SCI11_RXI11 =114 , IPR_SCI11_TXI11 =115 , IPR_SCI12_RXI12 =116 , IPR_SCI12_TXI12
=117 ,
IPR_DMALC_DMALC0I =120 , IPR_DMALC_DMALC1I =121 , IPR_DMALC_DMALC2I =122 ,
IPR_DMALC_DMALC3I =123 ,
IPR_DMALC_DMALC74I =124 , IPR_OST_OSTDI =125 , IPR_EXDMALC_EXDMALC0I =126 ,
IPR_EXDMALC_EXDMALC1I =127 ,
IPR_PERIB_INTB128 =128 , IPR_PERIB_INTB129 =129 , IPR_PERIB_INTB130 =130 ,
IPR_PERIB_INTB131 =131 ,
IPR_PERIB_INTB132 =132 , IPR_PERIB_INTB133 =133 , IPR_PERIB_INTB134 =134 ,
IPR_PERIB_INTB135 =135 ,
IPR_PERIB_INTB136 =136 , IPR_PERIB_INTB137 =137 , IPR_PERIB_INTB138 =138 ,
IPR_PERIB_INTB139 =139 ,
IPR_PERIB_INTB140 =140 , IPR_PERIB_INTB141 =141 , IPR_PERIB_INTB142 =142 ,
IPR_PERIB_INTB143 =143 ,
IPR_PERIB_INTB144 =144 , IPR_PERIB_INTB145 =145 , IPR_PERIB_INTB146 =146 ,
IPR_PERIB_INTB147 =147 ,
IPR_PERIB_INTB148 =148 , IPR_PERIB_INTB149 =149 , IPR_PERIB_INTB150 =150 ,
IPR_PERIB_INTB151 =151 ,
IPR_PERIB_INTB152 =152 , IPR_PERIB_INTB153 =153 , IPR_PERIB_INTB154 =154 ,
IPR_PERIB_INTB155 =155 ,
IPR_PERIB_INTB156 =156 , IPR_PERIB_INTB157 =157 , IPR_PERIB_INTB158 =158 ,
IPR_PERIB_INTB159 =159 ,
IPR_PERIB_INTB160 =160 , IPR_PERIB_INTB161 =161 , IPR_PERIB_INTB162 =162 ,
IPR_PERIB_INTB163 =163 ,
IPR_PERIB_INTB164 =164 , IPR_PERIB_INTB165 =165 , IPR_PERIB_INTB166 =166 ,
IPR_PERIB_INTB167 =167 ,
IPR_PERIB_INTB168 =168 , IPR_PERIB_INTB169 =169 , IPR_PERIB_INTB170 =170 ,
IPR_PERIB_INTB171 =171 ,
IPR_PERIB_INTB172 =172 , IPR_PERIB_INTB173 =173 , IPR_PERIB_INTB174 =174 ,
IPR_PERIB_INTB175 =175 ,
IPR_PERIB_INTB176 =176 , IPR_PERIB_INTB177 =177 , IPR_PERIB_INTB178 =178 ,
IPR_PERIB_INTB179 =179 ,
IPR_PERIB_INTB180 =180 , IPR_PERIB_INTB181 =181 , IPR_PERIB_INTB182 =182 ,
IPR_PERIB_INTB183 =183 ,
IPR_PERIB_INTB184 =184 , IPR_PERIB_INTB185 =185 , IPR_PERIB_INTB186 =186 ,
IPR_PERIB_INTB187 =187 ,
IPR_PERIB_INTB188 =188 , IPR_PERIB_INTB189 =189 , IPR_PERIB_INTB190 =190 ,
IPR_PERIB_INTB191 =191 ,
IPR_PERIB_INTB192 =192 , IPR_PERIB_INTB193 =193 , IPR_PERIB_INTB194 =194 ,
IPR_PERIB_INTB195 =195 ,
IPR_PERIB_INTB196 =196 , IPR_PERIB_INTB197 =197 , IPR_PERIB_INTB198 =198 ,
IPR_PERIB_INTB199 =199 ,
IPR_PERIB_INTB200 =200 , IPR_PERIB_INTB201 =201 , IPR_PERIB_INTB202 =202 ,
IPR_PERIB_INTB203 =203 ,
IPR_PERIB_INTB204 =204 , IPR_PERIB_INTB205 =205 , IPR_PERIB_INTB206 =206 ,
IPR_PERIB_INTB207 =207 ,

```

IPR_PERIA_INTA208 =208 , IPR_PERIA_INTA209 =209 , IPR_PERIA_INTA210 =210 ,
IPR_PERIA_INTA211 =211 ,
IPR_PERIA_INTA212 =212 , IPR_PERIA_INTA213 =213 , IPR_PERIA_INTA214 =214 ,
IPR_PERIA_INTA215 =215 ,
IPR_PERIA_INTA216 =216 , IPR_PERIA_INTA217 =217 , IPR_PERIA_INTA218 =218 ,
IPR_PERIA_INTA219 =219 ,
IPR_PERIA_INTA220 =220 , IPR_PERIA_INTA221 =221 , IPR_PERIA_INTA222 =222 ,
IPR_PERIA_INTA223 =223 ,
IPR_PERIA_INTA224 =224 , IPR_PERIA_INTA225 =225 , IPR_PERIA_INTA226 =226 ,
IPR_PERIA_INTA227 =227 ,
IPR_PERIA_INTA228 =228 , IPR_PERIA_INTA229 =229 , IPR_PERIA_INTA230 =230 ,
IPR_PERIA_INTA231 =231 ,
IPR_PERIA_INTA232 =232 , IPR_PERIA_INTA233 =233 , IPR_PERIA_INTA234 =234 ,
IPR_PERIA_INTA235 =235 ,
IPR_PERIA_INTA236 =236 , IPR_PERIA_INTA237 =237 , IPR_PERIA_INTA238 =238 ,
IPR_PERIA_INTA239 =239 ,
IPR_PERIA_INTA240 =240 , IPR_PERIA_INTA241 =241 , IPR_PERIA_INTA242 =242 ,
IPR_PERIA_INTA243 =243 ,
IPR_PERIA_INTA244 =244 , IPR_PERIA_INTA245 =245 , IPR_PERIA_INTA246 =246 ,
IPR_PERIA_INTA247 =247 ,
IPR_PERIA_INTA248 =248 , IPR_PERIA_INTA249 =249 , IPR_PERIA_INTA250 =250 ,
IPR_PERIA_INTA251 =251 ,
IPR_PERIA_INTA252 =252 , IPR_PERIA_INTA253 =253 , IPR_PERIA_INTA254 =254 ,
IPR_PERIA_INTA255 =255 ,
IPR_ICU_SWI =3 , IPR_CMT0_ =4 , IPR_CMT1_ =5 , IPR_CMTW0_ =6 ,
IPR_CMTW1_ =7 , IPR_SDHI_ =44 , IPR_MMCI_ =45 , IPR_SSIE1_ =48 ,
IPR_LVD1_ =88 , IPR_LVD2_ =89 , IPR_IWDT_ =95 , IPR_WDT_ =96 ,
IPR_PDC_ =97 , IPR_OST_ =125 }


```

6.3.1 Data Structure Documentation

6.3.1.1 struct st_tmr01_t

Definition at line 34496 of file [iodefne.h](#).

Collaboration diagram for st_tmr01_t:



Data Fields

unsigned short	TCCR	
unsigned short	TCNT	
unsigned short	TCORA	
unsigned short	TCORB	

6.3.1.2 struct st_flashconst_t

Definition at line [36693](#) of file [iodefine.h](#).

Collaboration diagram for st_flashconst_t:




Data Fields

unsigned long	UIDR0	
unsigned long	UIDR1	
unsigned long	UIDR2	
unsigned long	UIDR3	

6.3.1.3 struct st_tempsconst_t

Definition at line [36700](#) of file [iodefine.h](#).

Collaboration diagram for st_tempsconst_t:



Data Fields

unsigned long	TSCDR	
---------------	-------	--

6.3.1.4 struct st_bsc_t.BERCLR.BIT

Definition at line 1476 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	STSCLR: 1	

6.3.1.5 struct st_bsc_t.BEREN.BIT

Definition at line 1490 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	IGAEN: 1	
unsigned char	TOEN: 1	

6.3.1.6 struct st_bsc_t.BERSR1.BIT

Definition at line 1506 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	IA: 1	
unsigned char	MST: 3	
unsigned char	TO: 1	

6.3.1.7 struct st_bsc_t.BERSR2.BIT

Definition at line 1526 of file [iodefine.h](#).

Data Fields

unsigned short	ADDR: 13	
unsigned	short: 3	

6.3.1.8 struct st_bsc_t.BUSPRI.BIT

Definition at line 1540 of file [iodefine.h](#).

Data Fields

unsigned short	BPEB: 2	
unsigned short	BPFB: 2	
unsigned short	BPGB: 2	
unsigned short	BPHB: 2	
unsigned short	BPIB: 2	
unsigned short	BPRA: 2	
unsigned short	BPRO: 2	
unsigned	short: 2	

6.3.1.9 struct st_bsc_t.CS0MOD.BIT

Definition at line 1566 of file [iodefine.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.10 struct st_bsc_t.CS0WCR1.BIT

Definition at line 1591 of file [iodefine.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.11 struct st_bsc_t.CS0WCR2.BIT

Definition at line [1616](#) of file [iodefne.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.12 struct st_bsc_t.CS1MOD.BIT

Definition at line [1658](#) of file [iodefne.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.13 struct st_bsc_t.CS1WCR1.BIT

Definition at line [1683](#) of file [iodefne.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.14 struct st_bsc_t.CS1WCR2.BIT

Definition at line [1708](#) of file [iodefine.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.15 struct st_bsc_t.CS2MOD.BIT

Definition at line [1750](#) of file [iodefine.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.16 struct st_bsc_t.CS2WCR1.BIT

Definition at line [1775](#) of file [iodefine.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.17 struct st_bsc_t.CS2WCR2.BIT

Definition at line [1800](#) of file [iodef.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.18 struct st_bsc_t.CS3MOD.BIT

Definition at line [1842](#) of file [iodef.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.19 struct st_bsc_t.CS3WCR1.BIT

Definition at line [1867](#) of file [iodef.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.20 struct st_bsc_t.CS3WCR2.BIT

Definition at line [1892](#) of file [iodefine.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.21 struct st_bsc_t.CS4MOD.BIT

Definition at line [1934](#) of file [iodefine.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.22 struct st_bsc_t.CS4WCR1.BIT

Definition at line [1959](#) of file [iodefine.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.23 struct st_bsc_t.CS4WCR2.BIT

Definition at line [1984](#) of file [iodefne.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.24 struct st_bsc_t.CS5MOD.BIT

Definition at line [2026](#) of file [iodefne.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.25 struct st_bsc_t.CS5WCR1.BIT

Definition at line [2051](#) of file [iodefne.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.26 struct st_bsc_t.CS5WCR2.BIT

Definition at line [2076](#) of file [iodefine.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.27 struct st_bsc_t.CS6MOD.BIT

Definition at line [2118](#) of file [iodefine.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.28 struct st_bsc_t.CS6WCR1.BIT

Definition at line [2143](#) of file [iodefine.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.29 struct st_bsc_t.CS6WCR2.BIT

Definition at line [2168](#) of file [iodefne.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSOON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.30 struct st_bsc_t.CS7MOD.BIT

Definition at line [2210](#) of file [iodefne.h](#).

Data Fields

unsigned short	EWENB: 1	
unsigned short	PRENB: 1	
unsigned short	PRMOD: 1	
unsigned short	PWENB: 1	
unsigned	short: 5	
unsigned short	WRMOD: 1	

6.3.1.31 struct st_bsc_t.CS7WCR1.BIT

Definition at line [2235](#) of file [iodefne.h](#).

Data Fields

unsigned long	CSPRWAIT: 3	
unsigned long	CSPWWAIT: 3	
unsigned long	CSRWAIT: 5	
unsigned long	CSWWAIT: 5	
unsigned	long: 3	

6.3.1.32 struct st_bsc_t.CS7WCR2.BIT

Definition at line [2260](#) of file [iodefine.h](#).

Data Fields

unsigned long	AWAIT: 2	
unsigned long	CSON: 3	
unsigned long	CSROFF: 3	
unsigned long	CSWOFF: 3	
unsigned	long: 1	
unsigned long	RDON: 3	
unsigned long	WDOFF: 3	
unsigned long	WDON: 3	
unsigned long	WRON: 3	

6.3.1.33 struct st_bsc_t.CS0CR.BIT

Definition at line [2302](#) of file [iodefine.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.34 struct st_bsc_t.CS0REC.BIT

Definition at line [2328](#) of file [iodefine.h](#).

Data Fields

unsigned short	RRCV: 4	
--------------------------------	---------	--

unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.35 struct st_bsc_t.CS1CR.BIT

Definition at line [2346](#) of file [iodef.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.36 struct st_bsc_t.CS1REC.BIT

Definition at line [2372](#) of file [iodef.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.37 struct st_bsc_t.CS2CR.BIT

Definition at line [2390](#) of file [iodef.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.38 struct st_bsc_t.CS2REC.BIT

Definition at line 2416 of file [iodefine.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.39 struct st_bsc_t.CS3CR.BIT

Definition at line 2434 of file [iodefine.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.40 struct st_bsc_t.CS3REC.BIT

Definition at line 2460 of file [iodefine.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.41 struct st_bsc_t.CS4CR.BIT

Definition at line 2478 of file [iodefine.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.42 struct st_bsc_t.CS4REC.BIT

Definition at line 2504 of file [iodef.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.43 struct st_bsc_t.CS5CR.BIT

Definition at line 2522 of file [iodef.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.44 struct st_bsc_t.CS5REC.BIT

Definition at line 2548 of file [iodef.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.45 struct st_bsc_t.CS6CR.BIT

Definition at line 2566 of file [iodef.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.46 struct st_bsc_t.CS6REC.BIT

Definition at line 2592 of file [iodefine.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.47 struct st_bsc_t.CS7CR.BIT

Definition at line 2610 of file [iodefine.h](#).

Data Fields

unsigned short	BSIZE: 2	
unsigned short	EMODE: 1	
unsigned short	EXENB: 1	
unsigned short	MPXEN: 1	
unsigned	short: 3	

6.3.1.48 struct st_bsc_t.CS7REC.BIT

Definition at line 2636 of file [iodefine.h](#).

Data Fields

unsigned short	RRCV: 4	
unsigned	short: 4	
unsigned short	WRCV: 4	

6.3.1.49 struct st_bsc_t.CSRECEN.BIT

Definition at line 2654 of file [iodefine.h](#).

Data Fields

unsigned short	RCVEN0: 1	
unsigned short	RCVEN1: 1	
unsigned short	RCVEN2: 1	
unsigned short	RCVEN3: 1	
unsigned short	RCVEN4: 1	
unsigned short	RCVEN5: 1	

unsigned short	RCVEN6: 1	
unsigned short	RCVEN7: 1	
unsigned short	RCVENM0: 1	
unsigned short	RCVENM1: 1	
unsigned short	RCVENM2: 1	
unsigned short	RCVENM3: 1	
unsigned short	RCVENM4: 1	
unsigned short	RCVENM5: 1	
unsigned short	RCVENM6: 1	
unsigned short	RCVENM7: 1	

6.3.1.50 struct st_bsc_t.SDCCR.BIT

Definition at line 2696 of file [iodef.h](#).

Data Fields

unsigned char	BSIZE: 2	
unsigned	char: 2	
unsigned char	EXENB: 1	

6.3.1.51 struct st_bsc_t.SDCMOD.BIT

Definition at line 2713 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	EMODE: 1	

6.3.1.52 struct st_bsc_t.SDAMOD.BIT

Definition at line 2726 of file [iodef.h](#).

Data Fields

unsigned char	BE: 1	
unsigned	char: 7	

6.3.1.53 struct st_bsc_t.SDSELF.BIT

Definition at line 2740 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SFEN: 1	

6.3.1.54 struct st_bsc_t.SDRFCR.BIT

Definition at line 2754 of file [iodefne.h](#).

Data Fields

unsigned short	REFW: 4	
unsigned short	RFC: 12	

6.3.1.55 struct st_bsc_t.SDRFEN.BIT

Definition at line 2767 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RFEN: 1	

6.3.1.56 struct st_bsc_t.SDICR.BIT

Definition at line 2781 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	INIRQ: 1	

6.3.1.57 struct st_bsc_t.SDIR.BIT

Definition at line 2795 of file [iodefne.h](#).

Data Fields

unsigned short	ARFC: 4	
--------------------------------	---------	--

unsigned short	ARFI: 4	
unsigned short	PRC: 3	
unsigned	short: 5	

6.3.1.58 struct st_bsc_t.SDADR.BIT

Definition at line [2813](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	MXC: 2	

6.3.1.59 struct st_bsc_t.SDTR.BIT

Definition at line [2827](#) of file [iodef.h](#).

Data Fields

unsigned long	CL: 3	
unsigned	long: 13	
unsigned long	RAS: 3	
unsigned long	RCD: 2	
unsigned long	RP: 3	
unsigned long	WR: 1	

6.3.1.60 struct st_bsc_t.SDMOD.BIT

Definition at line [2852](#) of file [iodef.h](#).

Data Fields

unsigned short	MR: 15	
unsigned	short: 1	

6.3.1.61 struct st_bsc_t.SDSR.BIT

Definition at line [2866](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	INIST: 1	
unsigned char	MRSST: 1	
unsigned char	SRFST: 1	

6.3.1.62 struct st_bsc_t.EBMAPCR.BIT

Definition at line [2886](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 12	
unsigned long	PR1SEL: 3	
unsigned long	PR2SEL: 3	
unsigned long	PR3SEL: 3	
unsigned long	PR4SEL: 3	
unsigned long	PR5SEL: 3	
unsigned long	PRERR: 1	

6.3.1.63 struct st_cac_t.CACR0.BIT

Definition at line [2920](#) of file [iodefine.h](#).

Data Fields

unsigned char	CFME: 1	
unsigned	char: 7	

6.3.1.64 struct st_cac_t.CACR1.BIT

Definition at line [2933](#) of file [iodefine.h](#).

Data Fields

unsigned char	CACREFE: 1	
unsigned char	EDGES: 2	
unsigned char	FMCS: 3	
unsigned char	TCSS: 2	

6.3.1.65 struct st_cac_t.CACR2.BIT

Definition at line 2950 of file [iodef.h](#).

Data Fields

unsigned char	DFS: 2	
unsigned char	RCDS: 2	
unsigned char	RPS: 1	
unsigned char	RSCS: 3	

6.3.1.66 struct st_cac_t.CAICR.BIT

Definition at line 2967 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	FERRFCL: 1	
unsigned char	FERRIE: 1	
unsigned char	MENDFCL: 1	
unsigned char	MENDIE: 1	
unsigned char	OVFFCL: 1	
unsigned char	OVFIE: 1	

6.3.1.67 struct st_cac_t.CASTR.BIT

Definition at line 2992 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	FERRF: 1	
unsigned char	MENDF: 1	
unsigned char	OVFF: 1	

6.3.1.68 struct st_can_t.MB.ID.WORD

Definition at line 3017 of file [iodef.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.69 struct st_can_t.MB.ID.BYTE

Definition at line 3021 of file [iodefne.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.70 struct st_can_t.MB.ID.BIT

Definition at line 3027 of file [iodefne.h](#).

Data Fields

unsigned long	EID: 18	
unsigned long	IDE: 1	
unsigned	long: 1	
unsigned long	RTR: 1	
unsigned long	SID: 11	

6.3.1.71 struct st_can_t.MKR.WORD

Definition at line 3050 of file [iodefne.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.72 struct st_can_t.MKR.BYTE

Definition at line 3054 of file [iodefne.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.73 struct st_can_t.MKR.BIT

Definition at line 3060 of file [iodefine.h](#).

Data Fields

unsigned long	EID: 18	
unsigned	long: 3	
unsigned long	SID: 11	

6.3.1.74 struct st_can_t.FIDCR0.WORD

Definition at line 3075 of file [iodefine.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.75 struct st_can_t.FIDCR0.BYTE

Definition at line 3079 of file [iodefine.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.76 struct st_can_t.FIDCR0.BIT

Definition at line 3085 of file [iodefine.h](#).

Data Fields

unsigned long	EID: 18	
unsigned long	IDE: 1	
unsigned	long: 1	
unsigned long	RTR: 1	
unsigned long	SID: 11	

6.3.1.77 struct st_can_t.FIDCR1.WORD

Definition at line 3104 of file [iodefne.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.78 struct st_can_t.FIDCR1.BYTE

Definition at line 3108 of file [iodefne.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.79 struct st_can_t.FIDCR1.BIT

Definition at line 3114 of file [iodefne.h](#).

Data Fields

unsigned long	EID: 18	
unsigned long	IDE: 1	
unsigned	long: 1	
unsigned long	RTR: 1	
unsigned long	SID: 11	

6.3.1.80 struct st_can_t.MKIVLR.WORD

Definition at line 3133 of file [iodefne.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.81 struct st_can_t.MKIVLR.BYTE

Definition at line 3137 of file [iodefne.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.82 struct st_can_t.MKIVLR.BIT

Definition at line 3143 of file [iodefne.h](#).

Data Fields

unsigned long	MB0: 1	
unsigned long	MB1: 1	
unsigned long	MB10: 1	
unsigned long	MB11: 1	
unsigned long	MB12: 1	
unsigned long	MB13: 1	
unsigned long	MB14: 1	
unsigned long	MB15: 1	
unsigned long	MB16: 1	
unsigned long	MB17: 1	
unsigned long	MB18: 1	
unsigned long	MB19: 1	
unsigned long	MB2: 1	
unsigned long	MB20: 1	
unsigned long	MB21: 1	
unsigned long	MB22: 1	
unsigned long	MB23: 1	
unsigned long	MB24: 1	
unsigned long	MB25: 1	
unsigned long	MB26: 1	
unsigned long	MB27: 1	
unsigned long	MB28: 1	
unsigned long	MB29: 1	
unsigned long	MB3: 1	
unsigned long	MB30: 1	
unsigned long	MB31: 1	
unsigned long	MB4: 1	

unsigned long	MB5: 1	
unsigned long	MB6: 1	
unsigned long	MB7: 1	
unsigned long	MB8: 1	
unsigned long	MB9: 1	

6.3.1.83 struct st_can_t.MIER.WORD

Definition at line [3216](#) of file [iodefine.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.84 struct st_can_t.MIER.BYTE

Definition at line [3220](#) of file [iodefine.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.85 struct st_can_t.MIER.BIT

Definition at line [3226](#) of file [iodefine.h](#).

Data Fields

unsigned long	MB0: 1	
unsigned long	MB1: 1	
unsigned long	MB10: 1	
unsigned long	MB11: 1	
unsigned long	MB12: 1	
unsigned long	MB13: 1	
unsigned long	MB14: 1	
unsigned long	MB15: 1	
unsigned long	MB16: 1	
unsigned long	MB17: 1	

unsigned long	MB18: 1	
unsigned long	MB19: 1	
unsigned long	MB2: 1	
unsigned long	MB20: 1	
unsigned long	MB21: 1	
unsigned long	MB22: 1	
unsigned long	MB23: 1	
unsigned long	MB24: 1	
unsigned long	MB25: 1	
unsigned long	MB26: 1	
unsigned long	MB27: 1	
unsigned long	MB28: 1	
unsigned long	MB29: 1	
unsigned long	MB3: 1	
unsigned long	MB30: 1	
unsigned long	MB31: 1	
unsigned long	MB4: 1	
unsigned long	MB5: 1	
unsigned long	MB6: 1	
unsigned long	MB7: 1	
unsigned long	MB8: 1	
unsigned long	MB9: 1	

6.3.1.86 struct st_can_t.MCTL.BIT.TX

Definition at line [3301](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ONESHOT: 1	
unsigned char	RECREQ: 1	
unsigned char	SENTDATA: 1	
unsigned char	TRMABT: 1	
unsigned char	TRMACTIVE: 1	
unsigned char	TRMREQ: 1	

6.3.1.87 struct st_can_t.MCTL.BIT.RX

Definition at line [3323](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	INVALIDDATA: 1	
unsigned char	MSGLOST: 1	
unsigned char	NEWDATA: 1	
unsigned char	ONESHOT: 1	
unsigned char	RECREQ: 1	
unsigned char	TRMREQ: 1	

6.3.1.88 struct st_can_t.CTLR.BYTE

Definition at line [3349](#) of file [iodefine.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.89 struct st_can_t.CTLR.BIT

Definition at line [3353](#) of file [iodefine.h](#).

Data Fields

unsigned short	BOM: 2	
unsigned short	CANM: 2	
unsigned short	IDFM: 2	
unsigned short	MBM: 1	
unsigned short	MLM: 1	
unsigned short	RBOC: 1	
unsigned	short: 2	
unsigned short	SLPM: 1	
unsigned short	TPM: 1	
unsigned short	TSPS: 2	
unsigned short	TSRC: 1	

6.3.1.90 struct st_can_t.STR.BYTE

Definition at line [3384](#) of file [iodefine.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.91 struct st_can_t.STR.BIT

Definition at line 3388 of file [iodef.h](#).

Data Fields

unsigned short	BOST: 1	
unsigned short	EPST: 1	
unsigned short	EST: 1	
unsigned short	FMLST: 1	
unsigned short	HLTST: 1	
unsigned short	NDST: 1	
unsigned short	NMLST: 1	
unsigned short	RECST: 1	
unsigned short	RFST: 1	
unsigned short	RSTST: 1	
unsigned short	SDST: 1	
unsigned	short: 1	
unsigned short	SLPST: 1	
unsigned short	TABST: 1	
unsigned short	TFST: 1	
unsigned short	TRMST: 1	

6.3.1.92 struct st_can_t.BCR.WORD

Definition at line 3429 of file [iodef.h](#).

Data Fields

unsigned short	H	
unsigned short	L	

6.3.1.93 struct st_can_t.BCR.BYTE

Definition at line 3433 of file [iodef.h](#).

Data Fields

unsigned char	HH	
unsigned char	HL	
unsigned char	LH	
unsigned char	LL	

6.3.1.94 struct st_can_t.BCR.BIT

Definition at line 3439 of file [iodefine.h](#).

Data Fields

unsigned long	BRP: 10	
unsigned long	CCLKS: 1	
unsigned	long: 2	
unsigned long	SJW: 2	
unsigned long	TSEG1: 4	
unsigned long	TSEG2: 3	

6.3.1.95 struct st_can_t.RFCR.BIT

Definition at line 3466 of file [iodefine.h](#).

Data Fields

unsigned char	RFE: 1	
unsigned char	RFEST: 1	
unsigned char	RFFST: 1	
unsigned char	RFMLF: 1	
unsigned char	RFUST: 3	
unsigned char	RFWST: 1	

6.3.1.96 struct st_can_t.TFCR.BIT

Definition at line 3488 of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TFE: 1	
unsigned char	TFEST: 1	
unsigned char	TFFST: 1	

unsigned char	TFUST: 3	
-------------------------------	----------	--

6.3.1.97 struct st_can_t.EIER.BIT

Definition at line [3508](#) of file [iodef.h](#).

Data Fields

unsigned char	BEIE: 1	
unsigned char	BLIE: 1	
unsigned char	BOEIE: 1	
unsigned char	BORIE: 1	
unsigned char	EPIE: 1	
unsigned char	EWIE: 1	
unsigned char	OLIE: 1	
unsigned char	ORIE: 1	

6.3.1.98 struct st_can_t.EIFR.BIT

Definition at line [3533](#) of file [iodef.h](#).

Data Fields

unsigned char	BEIF: 1	
unsigned char	BLIF: 1	
unsigned char	BOEIF: 1	
unsigned char	BORIF: 1	
unsigned char	EPIF: 1	
unsigned char	EWIF: 1	
unsigned char	OLIF: 1	
unsigned char	ORIF: 1	

6.3.1.99 struct st_can_t.ECSR.BIT

Definition at line [3560](#) of file [iodef.h](#).

Data Fields

unsigned char	ADEF: 1	
unsigned char	AEF: 1	
unsigned char	BE0F: 1	
unsigned char	BE1F: 1	

unsigned char	CEF: 1	
unsigned char	EDPM: 1	
unsigned char	FEF: 1	
unsigned char	SEF: 1	

6.3.1.100 struct st_can_t.MSSR.BIT

Definition at line 3586 of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	MBNST: 5	
unsigned char	SEST: 1	

6.3.1.101 struct st_can_t.MSMR.BIT

Definition at line 3601 of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	MBSM: 2	

6.3.1.102 struct st_can_t.TCR.BIT

Definition at line 3616 of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TSTE: 1	
unsigned char	TSTM: 2	

6.3.1.103 struct st_cmt_t.CMSTR0.BIT

Definition at line 3634 of file [iodefine.h](#).

Data Fields

unsigned	short: 14	
----------	-----------	--

unsigned short	STR0: 1	
unsigned short	STR1: 1	

6.3.1.104 struct st_cmt_t.CMSTR1.BIT

Definition at line [3650](#) of file [iodefne.h](#).

Data Fields

unsigned	short: 14	
unsigned short	STR2: 1	
unsigned short	STR3: 1	

6.3.1.105 struct st_cmt0_t.CMCR.BIT

Definition at line [3668](#) of file [iodefne.h](#).

Data Fields

unsigned short	CKS: 2	
unsigned short	CMIE: 1	
unsigned	short: 9	

6.3.1.106 struct st_cmtw_t.CMWSTR.BIT

Definition at line [3690](#) of file [iodefne.h](#).

Data Fields

unsigned	short: 15	
unsigned short	STR: 1	

6.3.1.107 struct st_cmtw_t.CMWCR.BIT

Definition at line [3704](#) of file [iodefne.h](#).

Data Fields

unsigned short	CCLR: 3	
unsigned short	CKS: 2	
unsigned short	CMS: 1	

unsigned short	CMWIE: 1	
unsigned short	IC0IE: 1	
unsigned short	IC1IE: 1	
unsigned short	OC0IE: 1	
unsigned short	OC1IE: 1	
unsigned	short: 3	

6.3.1.108 struct st_cmtw_t.CMWIOR.BIT

Definition at line [3736](#) of file [iodefine.h](#).

Data Fields

unsigned short	CMWE: 1	
unsigned short	IC0: 2	
unsigned short	IC0E: 1	
unsigned short	IC1: 2	
unsigned short	IC1E: 1	
unsigned short	OC0: 2	
unsigned short	OC0E: 1	
unsigned short	OC1: 2	
unsigned short	OC1E: 1	
unsigned	short: 1	

6.3.1.109 struct st_crc_t.CRCCR.BIT

Definition at line [3777](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DORCLR: 1	
unsigned char	GPS: 3	
unsigned char	LMS: 1	

6.3.1.110 union st_crc_t.CRCDIR

Definition at line [3793](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

unsigned long	LONG	
---------------	------	--

6.3.1.111 union st_crc_t.CRC_DOR

Definition at line 3797 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
unsigned long	LONG	
unsigned short	WORD	

6.3.1.112 struct st_da_t.DACR.BIT

Definition at line 3809 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	DAE: 1	
unsigned char	DAOE0: 1	
unsigned char	DAOE1: 1	

6.3.1.113 struct st_da_t.DADPR.BIT

Definition at line 3826 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DPSEL: 1	

6.3.1.114 struct st_da_t.DAADSCR.BIT

Definition at line 3839 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DAADST: 1	

6.3.1.115 struct st_da_t.DAAMPCR.BIT

Definition at line [3853](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DAAMP0: 1	
unsigned char	DAAMP1: 1	

6.3.1.116 struct st_da_t.DAASWCR.BIT

Definition at line [3869](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DAASW0: 1	
unsigned char	DAASW1: 1	

6.3.1.117 struct st_da_t.DAADUSR.BIT

Definition at line [3885](#) of file [iodefine.h](#).

Data Fields

unsigned char	AMADSEL1: 1	
unsigned	char: 6	

6.3.1.118 struct st_dmac_t.DMAST.BIT

Definition at line [3903](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DMST: 1	

6.3.1.119 struct st_dmac_t.DMIST.BIT

Definition at line 3917 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	DMIS4: 1	
unsigned char	DMIS5: 1	
unsigned char	DMIS6: 1	
unsigned char	DMIS7: 1	

6.3.1.120 struct st_dmac0_t.DMTMD.BIT

Definition at line 3944 of file [iodef.h](#).

Data Fields

unsigned short	DCTG: 2	
unsigned short	DTS: 2	
unsigned short	MD: 2	
unsigned	short: 2	
unsigned short	SZ: 2	

6.3.1.121 struct st_dmac0_t.DMINT.BIT

Definition at line 3966 of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DARIE: 1	
unsigned char	DTIE: 1	
unsigned char	ESIE: 1	
unsigned char	RPTIE: 1	
unsigned char	SARIE: 1	

6.3.1.122 struct st_dmac0_t.DMAMD.BIT

Definition at line 3987 of file [iodef.h](#).

Data Fields

unsigned short	DARA: 5	
--------------------------------	---------	--

unsigned short	DM: 2	
unsigned short	SARA: 5	
unsigned	short: 1	
unsigned short	SM: 2	

6.3.1.123 struct st_dmac0_t.DMCNT.BIT

Definition at line [4010](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DTE: 1	

6.3.1.124 struct st_dmac0_t.DMREQ.BIT

Definition at line [4023](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CLRS: 1	
unsigned char	SWREQ: 1	

6.3.1.125 struct st_dmac0_t.DMSTS.BIT

Definition at line [4040](#) of file [iodefine.h](#).

Data Fields

unsigned char	ACT: 1	
unsigned	char: 2	
unsigned char	DTIF: 1	
unsigned char	ESIF: 1	

6.3.1.126 struct st_dmac0_t.DMCSL.BIT

Definition at line [4059](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DISEL: 1	

6.3.1.127 struct st_dmac1_t.DMTMD.BIT

Definition at line [4080](#) of file [iodefne.h](#).

Data Fields

unsigned short	DCTG: 2	
unsigned short	DTS: 2	
unsigned short	MD: 2	
unsigned	short: 2	
unsigned short	SZ: 2	

6.3.1.128 struct st_dmac1_t.DMINT.BIT

Definition at line [4102](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DARIE: 1	
unsigned char	DTIE: 1	
unsigned char	ESIE: 1	
unsigned char	RPTIE: 1	
unsigned char	SARIE: 1	

6.3.1.129 struct st_dmac1_t.DMAMD.BIT

Definition at line [4123](#) of file [iodefne.h](#).

Data Fields

unsigned short	DARA: 5	
unsigned short	DM: 2	
unsigned short	SARA: 5	
unsigned	short: 1	
unsigned short	SM: 2	

6.3.1.130 struct st_dmac1_t.DMCNT.BIT

Definition at line [4145](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DTE: 1	

6.3.1.131 struct st_dmac1_t.DMREQ.BIT

Definition at line [4158](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CLRS: 1	
unsigned char	SWREQ: 1	

6.3.1.132 struct st_dmac1_t.DMSTS.BIT

Definition at line [4175](#) of file [iodefine.h](#).

Data Fields

unsigned char	ACT: 1	
unsigned	char: 2	
unsigned char	DTIF: 1	
unsigned char	ESIF: 1	

6.3.1.133 struct st_dmac1_t.DMCSL.BIT

Definition at line [4194](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DISEL: 1	

6.3.1.134 struct st_doc_t.DOCR.BIT

Definition at line 4210 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DCSEL: 1	
unsigned char	DOPCF: 1	
unsigned char	DOPCFCL: 1	
unsigned char	DOPCIE: 1	
unsigned char	OMS: 2	

6.3.1.135 struct st_drw2d_t.__unnamed0__.CONTROL.BIT

Definition at line 4240 of file [iodef.h](#).

Data Fields

unsigned long	BAND1EN: 1	
unsigned long	BAND2EN: 1	
unsigned long	LIM1EN: 1	
unsigned long	LIM1TH: 1	
unsigned long	LIM2EN: 1	
unsigned long	LIM2TH: 1	
unsigned long	LIM3EN: 1	
unsigned long	LIM3TH: 1	
unsigned long	LIM4EN: 1	
unsigned long	LIM4TH: 1	
unsigned long	LIM5EN: 1	
unsigned long	LIM5TH: 1	
unsigned long	LIM6EN: 1	
unsigned long	LIM6TH: 1	
unsigned	long: 8	
unsigned long	QUAD1EN: 1	
unsigned long	QUAD2EN: 1	
unsigned long	QUAD3EN: 1	
unsigned long	SPANABT: 1	
unsigned long	SPANSTR: 1	
unsigned long	UNION12: 1	
unsigned long	UNION34: 1	
unsigned long	UNION56: 1	
unsigned long	UNIONAB: 1	
unsigned long	UNIONCD: 1	

6.3.1.136 struct st_drw2d_t.__unnamed0__.STATUS.BIT

Definition at line 4299 of file [iodefine.h](#).

Data Fields

unsigned long	BSYENUM: 1	
unsigned long	BSYWR: 1	
unsigned long	CACHEDTY: 1	
unsigned long	DLIR: 1	
unsigned long	DLSTACT: 1	
unsigned long	ENUIR: 1	
unsigned	long: 26	

6.3.1.137 struct st_drw2d_t.__unnamed1__.CONTROL2.BIT

Definition at line 4324 of file [iodefine.h](#).

Data Fields

unsigned long	BC2: 1	
unsigned long	BDF: 1	
unsigned long	BDFA: 1	
unsigned long	BDI: 1	
unsigned long	BDIA: 1	
unsigned long	BSF: 1	
unsigned long	BSFA: 1	
unsigned long	BSI: 1	
unsigned long	BSIA: 1	
unsigned long	CLUTEN: 1	
unsigned long	CLUTFORM: 1	
unsigned long	COLKEYEN: 1	
unsigned long	PTNEN: 1	
unsigned long	PTNSRCL5: 1	
unsigned long	RDFMT: 2	
unsigned long	RDFMT2: 2	
unsigned long	RLEEN: 1	
unsigned long	RLEPIXW: 2	
unsigned long	TEXCLPX: 1	
unsigned long	TEXCLPY: 1	
unsigned long	TEXENA: 1	
unsigned long	TEXTILTX: 1	
unsigned long	TEXTILTY: 1	

unsigned long	USEACB: 1	
unsigned long	WRALPHA: 2	
unsigned long	WRFMT: 2	
unsigned long	WRFMT2: 1	

6.3.1.138 struct st_drw2d_t.__unnamed1__.HWVER.BIT

Definition at line [4387](#) of file [iodef.h](#).

Data Fields

unsigned long	ACBLD: 1	
unsigned long	COLKEY: 1	
unsigned long	DLR: 1	
unsigned long	FBCACHE: 1	
unsigned	long: 4	
unsigned long	PERFCNT: 1	
unsigned long	REV: 12	
unsigned long	RLEUNIT: 1	
unsigned long	TEXCLUT: 1	
unsigned long	TEXCLUT256: 1	
unsigned long	TXCACHE: 1	

6.3.1.139 struct st_drw2d_t.COLOR1.BIT

Definition at line [4447](#) of file [iodef.h](#).

Data Fields

unsigned long	COL1A: 8	
unsigned long	COL1B: 8	
unsigned long	COL1G: 8	
unsigned long	COL1R: 8	

6.3.1.140 struct st_drw2d_t.COLOR2.BIT

Definition at line [4464](#) of file [iodef.h](#).

Data Fields

unsigned long	COL2A: 8	
unsigned long	COL2B: 8	

unsigned long	COL2G: 8	
unsigned long	COL2R: 8	

6.3.1.141 struct st_drw2d_t.SIZE.BIT

Definition at line [4483](#) of file [iodefne.h](#).

Data Fields

unsigned long	X: 16	
unsigned long	Y: 16	

6.3.1.142 struct st_drw2d_t.PITCH.BIT

Definition at line [4496](#) of file [iodefne.h](#).

Data Fields

unsigned long	PITCH: 16	
unsigned long	SSD: 16	

6.3.1.143 struct st_drw2d_t.LVYXADDF.BIT

Definition at line [4518](#) of file [iodefne.h](#).

Data Fields

unsigned long	LVXADDF: 16	
unsigned long	LVYADDF: 16	

6.3.1.144 struct st_drw2d_t.TEXTMSK.BIT

Definition at line [4533](#) of file [iodefne.h](#).

Data Fields

unsigned long	TEXUMSK: 11	
unsigned long	TEXVMSK: 21	

6.3.1.145 struct st_drw2d_t.IRQCTL.BIT

Definition at line 4547 of file [iodefine.h](#).

Data Fields

unsigned long	DLIRCLR: 1	
unsigned long	DLIREN: 1	
unsigned long	ENUIRCLR: 1	
unsigned long	ENUIREN: 1	
unsigned	long: 28	

6.3.1.146 struct st_drw2d_t.CACHECTL.BIT

Definition at line 4566 of file [iodefine.h](#).

Data Fields

unsigned long	CENFX: 1	
unsigned long	CENTX: 1	
unsigned long	CFLUFX: 1	
unsigned long	CFLUTX: 1	
unsigned	long: 28	

6.3.1.147 struct st_drw2d_t.PERFTRG.BIT

Definition at line 4588 of file [iodefine.h](#).

Data Fields

unsigned long	TRG1: 16	
unsigned long	TRG2: 16	

6.3.1.148 struct st_drw2d_t.COLKEY.BIT

Definition at line 4605 of file [iodefine.h](#).

Data Fields

unsigned long	B: 8	
unsigned long	G: 8	
unsigned	long: 8	
unsigned long	R: 8	

6.3.1.149 struct st_dtc_t.DTCCR.BIT

Definition at line [4625](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	RRS: 1	

6.3.1.150 struct st_dtc_t.DTCADM.DTCADM.BIT

Definition at line [4642](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SHORT: 1	

6.3.1.151 struct st_dtc_t.DTCST.BIT

Definition at line [4656](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DTCST: 1	

6.3.1.152 struct st_dtc_t.DTCSTS.BIT

Definition at line [4670](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACT: 1	
unsigned	short: 7	
unsigned short	VECN: 8	

6.3.1.153 struct st_dtc_t.DTCOR.BIT

Definition at line [4686](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SQTFRL: 1	

6.3.1.154 struct st_dtc_t.DTCSQE.BIT

Definition at line [4700](#) of file [iodefne.h](#).

Data Fields

unsigned short	ESPSEL: 1	
unsigned	short: 7	
unsigned short	VECN: 8	

6.3.1.155 struct st_eccram_t.ECCRAMMODE.BIT

Definition at line [4719](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	RAMMOD: 2	

6.3.1.156 struct st_eccram_t.ECCRAM2STS.BIT

Definition at line [4732](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ECC2ERR: 1	

6.3.1.157 struct st_eccram_t.ECCRAM1STSEN.BIT

Definition at line [4745](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ECC1STSEN: 1	

6.3.1.158 struct st_eccram_t.ECCRAM1STS.BIT

Definition at line [4758](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ECC1ERR: 1	

6.3.1.159 struct st_eccram_t.ECCRAMPRCR.BIT

Definition at line [4771](#) of file [iodefine.h](#).

Data Fields

unsigned char	KW: 7	
unsigned char	PRCR: 1	

6.3.1.160 struct st_eccram_t.ECCRAM2ECAD.BIT

Definition at line [4785](#) of file [iodefine.h](#).

Data Fields

unsigned long	ECC2EAD: 12	
unsigned	long: 17	

6.3.1.161 struct st_eccram_t.ECCRAM1ECAD.BIT

Definition at line [4800](#) of file [iodefine.h](#).

Data Fields

unsigned long	ECC1EAD: 12	
unsigned	long: 17	

6.3.1.162 struct st_eccram_t.ECCRAMPRCR2.BIT

Definition at line [4815](#) of file [iodefine.h](#).

Data Fields

unsigned char	KW2: 7	
---------------	--------	--

unsigned char	PRCR2: 1	
---------------	----------	--

6.3.1.163 struct st_eccram_t.ECCRAMETST.BIT

Definition at line [4829](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TSTBYP: 1	

6.3.1.164 struct st_edmac_t.EDMR.BIT

Definition at line [4845](#) of file [iodef.h](#).

Data Fields

unsigned long	DE: 1	
unsigned long	DL: 2	
unsigned	long: 25	
unsigned long	SWR: 1	

6.3.1.165 struct st_edmac_t.EDTRR.BIT

Definition at line [4865](#) of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	TR: 1	

6.3.1.166 struct st_edmac_t.EDRRR.BIT

Definition at line [4879](#) of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RR: 1	

6.3.1.167 struct st_edmac_t.EESR.BIT

Definition at line 4897 of file [iodefine.h](#).

Data Fields

unsigned long	CD: 1	
unsigned long	CERF: 1	
unsigned long	CND: 1	
unsigned long	DLC: 1	
unsigned long	ECI: 1	
unsigned long	FR: 1	
unsigned	long: 1	
unsigned long	PRE: 1	
unsigned long	RABT: 1	
unsigned long	RDE: 1	
unsigned long	RFCOF: 1	
unsigned long	RFOF: 1	
unsigned long	RMAF: 1	
unsigned long	RRF: 1	
unsigned long	RTLTF: 1	
unsigned long	RTSF: 1	
unsigned long	TABT: 1	
unsigned long	TC: 1	
unsigned long	TDE: 1	
unsigned long	TFUF: 1	
unsigned long	TRO: 1	
unsigned long	TWB: 1	

6.3.1.168 struct st_edmac_t.EESIPR.BIT

Definition at line 4959 of file [iodefine.h](#).

Data Fields

unsigned long	CDIP: 1	
unsigned long	CERFIP: 1	
unsigned long	CNDIP: 1	
unsigned long	DLCIP: 1	
unsigned long	ECIIP: 1	
unsigned long	FRIP: 1	
unsigned	long: 1	
unsigned long	PREIP: 1	
unsigned long	RABTIP: 1	

unsigned long	RDEIP: 1	
unsigned long	RFCOFIP: 1	
unsigned long	RFOFIP: 1	
unsigned long	RMAFIP: 1	
unsigned long	RRFIP: 1	
unsigned long	RTLFIIP: 1	
unsigned long	RTSFIP: 1	
unsigned long	TABTIP: 1	
unsigned long	TCIP: 1	
unsigned long	TDEIP: 1	
unsigned long	TFUFIP: 1	
unsigned long	TROIP: 1	
unsigned long	TWBIP: 1	

6.3.1.169 struct st_edmac_t.TRSCER.BIT

Definition at line [5021](#) of file [iodef.h](#).

Data Fields

unsigned	long: 24	
unsigned long	RMAFCE: 1	
unsigned long	RRFCE: 1	

6.3.1.170 struct st_edmac_t.RMFCR.BIT

Definition at line [5041](#) of file [iodef.h](#).

Data Fields

unsigned	long: 16	
unsigned long	MFC: 16	

6.3.1.171 struct st_edmac_t.TFTR.BIT

Definition at line [5055](#) of file [iodef.h](#).

Data Fields

unsigned	long: 21	
unsigned long	TFT: 11	

6.3.1.172 struct st_edmac_t.FDR.BIT

Definition at line 5069 of file [iodefine.h](#).

Data Fields

unsigned	long: 19	
unsigned long	RFD: 5	
unsigned long	TFD: 5	

6.3.1.173 struct st_edmac_t.RMCR.BIT

Definition at line 5087 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RNR: 1	

6.3.1.174 struct st_edmac_t.TFUCR.BIT

Definition at line 5101 of file [iodefine.h](#).

Data Fields

unsigned	long: 16	
unsigned long	UNDER: 16	

6.3.1.175 struct st_edmac_t.RFOCR.BIT

Definition at line 5114 of file [iodefine.h](#).

Data Fields

unsigned	long: 16	
unsigned long	OVER: 16	

6.3.1.176 struct st_edmac_t.IOSR.BIT

Definition at line 5127 of file [iodefine.h](#).

Data Fields

unsigned long	ELB: 1	
unsigned	long: 31	

6.3.1.177 struct st_edmac_t.FCFTR.BIT

Definition at line [5140](#) of file [iodef.h](#).

Data Fields

unsigned	long: 13	
unsigned long	RFDO: 3	
unsigned long	RFFO: 3	

6.3.1.178 struct st_edmac_t.RPADIR.BIT

Definition at line [5158](#) of file [iodef.h](#).

Data Fields

unsigned	long: 14	
unsigned long	PADR: 6	
unsigned long	PADS: 2	

6.3.1.179 struct st_edmac_t.TRIMD.BIT

Definition at line [5175](#) of file [iodef.h](#).

Data Fields

unsigned	long: 27	
unsigned long	TIM: 1	
unsigned long	TIS: 1	

6.3.1.180 struct st_elc_t.ELCR.BIT

Definition at line [5201](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
----------	---------	--

unsigned char	ELCON: 1	
-------------------------------	----------	--

6.3.1.181 struct st_elc_t.ELSR0.BIT

Definition at line [5214](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.182 struct st_elc_t.ELSR3.BIT

Definition at line [5226](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.183 struct st_elc_t.ELSR4.BIT

Definition at line [5237](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.184 struct st_elc_t.ELSR7.BIT

Definition at line [5249](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.185 struct st_elc_t.ELSR10.BIT

Definition at line [5261](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.186 struct st_elc_t.ELSR11.BIT

Definition at line 5272 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.187 struct st_elc_t.ELSR12.BIT

Definition at line 5283 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.188 struct st_elc_t.ELSR13.BIT

Definition at line 5294 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.189 struct st_elc_t.ELSR15.BIT

Definition at line 5306 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.190 struct st_elc_t.ELSR16.BIT

Definition at line 5317 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.191 struct st_elc_t.ELSR18.BIT

Definition at line 5329 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.192 struct st_elc_t.ELSR19.BIT

Definition at line 5340 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.193 struct st_elc_t.ELSR20.BIT

Definition at line 5351 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.194 struct st_elc_t.ELSR21.BIT

Definition at line 5362 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.195 struct st_elc_t.ELSR22.BIT

Definition at line 5373 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.196 struct st_elc_t.ELSR23.BIT

Definition at line 5384 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.197 struct st_elc_t.ELSR24.BIT

Definition at line 5395 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.198 struct st_elc_t.ELSR25.BIT

Definition at line 5406 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.199 struct st_elc_t.ELSR26.BIT

Definition at line 5417 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.200 struct st_elc_t.ELSR27.BIT

Definition at line 5428 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.201 struct st_elc_t.ELSR28.BIT

Definition at line 5439 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.202 struct st_elc_t.ELOPA.BIT

Definition at line 5451 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	MTU0MD: 2	
unsigned char	MTU3MD: 2	

6.3.1.203 struct st_elc_t.ELOPB.BIT

Definition at line 5466 of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	MTU4MD: 2	

6.3.1.204 struct st_elc_t.ELOPC.BIT

Definition at line 5479 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	CMT1MD: 2	

6.3.1.205 struct st_elc_t.ELOPD.BIT

Definition at line 5494 of file [iodefine.h](#).

Data Fields

unsigned char	TMR0MD: 2	
---------------	-----------	--

unsigned char	TMR1MD: 2	
unsigned char	TMR2MD: 2	
unsigned char	TMR3MD: 2	

6.3.1.206 struct st_elc_t.PGR1.BIT

Definition at line [5511](#) of file [iodef.h](#).

Data Fields

unsigned char	PGR0: 1	
unsigned char	PGR1: 1	
unsigned char	PGR2: 1	
unsigned char	PGR3: 1	
unsigned char	PGR4: 1	
unsigned char	PGR5: 1	
unsigned char	PGR6: 1	
unsigned char	PGR7: 1	

6.3.1.207 struct st_elc_t.PGR2.BIT

Definition at line [5536](#) of file [iodef.h](#).

Data Fields

unsigned char	PGR0: 1	
unsigned char	PGR1: 1	
unsigned char	PGR2: 1	
unsigned char	PGR3: 1	
unsigned char	PGR4: 1	
unsigned char	PGR5: 1	
unsigned char	PGR6: 1	
unsigned char	PGR7: 1	

6.3.1.208 struct st_elc_t.PGC1.BIT

Definition at line [5561](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	PGCI: 2	

unsigned char	PGCO: 3	
unsigned char	PGCOVE: 1	

6.3.1.209 struct st_elc_t.PGC2.BIT

Definition at line [5580](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	PGCI: 2	
unsigned char	PGCO: 3	
unsigned char	PGCOVE: 1	

6.3.1.210 struct st_elc_t.PDBF1.BIT

Definition at line [5599](#) of file [iodefine.h](#).

Data Fields

unsigned char	PDBF0: 1	
unsigned char	PDBF1: 1	
unsigned char	PDBF2: 1	
unsigned char	PDBF3: 1	
unsigned char	PDBF4: 1	
unsigned char	PDBF5: 1	
unsigned char	PDBF6: 1	
unsigned char	PDBF7: 1	

6.3.1.211 struct st_elc_t.PDBF2.BIT

Definition at line [5624](#) of file [iodefine.h](#).

Data Fields

unsigned char	PDBF0: 1	
unsigned char	PDBF1: 1	
unsigned char	PDBF2: 1	
unsigned char	PDBF3: 1	
unsigned char	PDBF4: 1	
unsigned char	PDBF5: 1	
unsigned char	PDBF6: 1	

unsigned char	PDBF7: 1	
---------------	----------	--

6.3.1.212 struct st_elc_t.PEL0.BIT

Definition at line 5649 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	PSB: 3	
unsigned char	PSM: 2	
unsigned char	PSP: 2	

6.3.1.213 struct st_elc_t.PEL1.BIT

Definition at line 5666 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	PSB: 3	
unsigned char	PSM: 2	
unsigned char	PSP: 2	

6.3.1.214 struct st_elc_t.PEL2.BIT

Definition at line 5683 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	PSB: 3	
unsigned char	PSM: 2	
unsigned char	PSP: 2	

6.3.1.215 struct st_elc_t.PEL3.BIT

Definition at line 5700 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
----------	---------	--

unsigned char	PSB: 3	
unsigned char	PSM: 2	
unsigned char	PSP: 2	

6.3.1.216 union st_elc_t.ELSEGR

Definition at line [5715](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.217 struct st_elc_t.ELSR33.BIT

Definition at line [5737](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.218 struct st_elc_t.ELSR35.BIT

Definition at line [5749](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.219 struct st_elc_t.ELSR36.BIT

Definition at line [5760](#) of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.220 struct st_elc_t.ELSR37.BIT

Definition at line 5771 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.221 struct st_elc_t.ELSR38.BIT

Definition at line 5782 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.222 struct st_elc_t.ELSR45.BIT

Definition at line 5794 of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.223 struct st_elc_t.ELOPF.BIT

Definition at line 5806 of file [iodef.h](#).

Data Fields

unsigned char	TPU0MD: 2	
unsigned char	TPU1MD: 2	
unsigned char	TPU2MD: 2	
unsigned char	TPU3MD: 2	

6.3.1.224 struct st_elc_t.ELOPH.BIT

Definition at line 5824 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	CMTW0MD: 2	

6.3.1.225 struct st_elc_t.ELSR48.BIT

Definition at line 5838 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.226 struct st_elc_t.ELSR49.BIT

Definition at line 5849 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.227 struct st_elc_t.ELSR50.BIT

Definition at line 5860 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.228 struct st_elc_t.ELSR51.BIT

Definition at line 5871 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.229 struct st_elc_t.ELSR52.BIT

Definition at line 5882 of file [iodefine.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.230 struct st_elc_t.ELSR53.BIT

Definition at line [5893](#) of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.231 struct st_elc_t.ELSR54.BIT

Definition at line [5904](#) of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.232 struct st_elc_t.ELSR55.BIT

Definition at line [5915](#) of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.233 struct st_elc_t.ELSR56.BIT

Definition at line [5926](#) of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.234 struct st_elc_t.ELSR57.BIT

Definition at line [5937](#) of file [iodef.h](#).

Data Fields

unsigned char	ELS: 8	
---------------	--------	--

6.3.1.235 struct st_eptpc_t.PTRSTR.BIT

Definition at line 5951 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RESET: 1	

6.3.1.236 struct st_eptpc_t.STCSELR.BIT

Definition at line 5964 of file [iodefine.h](#).

Data Fields

unsigned	long: 21	
unsigned long	SCLKDIV: 3	
unsigned long	SCLKSEL: 3	

6.3.1.237 struct st_eptpc_t.SYBYPSTR.BIT

Definition at line 5981 of file [iodefine.h](#).

Data Fields

unsigned long	BYPASS0: 1	
unsigned long	BYPASS1: 1	
unsigned	long: 15	

6.3.1.238 struct st_eptpc_t.MIEIPR.BIT

Definition at line 6000 of file [iodefine.h](#).

Data Fields

unsigned long	CYC0: 1	
unsigned long	CYC1: 1	
unsigned long	CYC2: 1	
unsigned long	CYC3: 1	
unsigned long	CYC4: 1	
unsigned long	CYC5: 1	
unsigned	long: 10	
unsigned long	PR: 1	
unsigned long	ST: 1	

unsigned long	SY0: 1	
unsigned long	SY1: 1	

6.3.1.239 struct st_eptpc_t.ELIPPR.BIT

Definition at line 6034 of file [iodef.h](#).

Data Fields

unsigned long	CYCN0: 1	
unsigned long	CYCN1: 1	
unsigned long	CYCN2: 1	
unsigned long	CYCN3: 1	
unsigned long	CYCN4: 1	
unsigned long	CYCN5: 1	
unsigned long	CYCP0: 1	
unsigned long	CYCP1: 1	
unsigned long	CYCP2: 1	
unsigned long	CYCP3: 1	
unsigned long	CYCP4: 1	
unsigned long	CYCP5: 1	
unsigned	long: 7	
unsigned long	PLSN: 1	
unsigned long	PLSP: 1	

6.3.1.240 struct st_eptpc_t.ELIPACR.BIT

Definition at line 6079 of file [iodef.h](#).

Data Fields

unsigned long	CYCN0: 1	
unsigned long	CYCN1: 1	
unsigned long	CYCN2: 1	
unsigned long	CYCN3: 1	
unsigned long	CYCN4: 1	
unsigned long	CYCN5: 1	
unsigned long	CYCP0: 1	
unsigned long	CYCP1: 1	
unsigned long	CYCP2: 1	
unsigned long	CYCP3: 1	
unsigned long	CYCP4: 1	

unsigned long	CYCP5: 1	
unsigned	long: 7	
unsigned long	PLSN: 1	
unsigned long	PLSP: 1	

6.3.1.241 struct st_eptpc_t.STIPR.BIT

Definition at line [6126](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 27	
unsigned long	SYNC: 1	
unsigned long	SYNCOUT: 1	
unsigned long	SYNTOUT: 1	
unsigned long	W10D: 1	

6.3.1.242 struct st_eptpc_t.STCFR.BIT

Definition at line [6148](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 30	
unsigned long	STCF: 2	

6.3.1.243 struct st_eptpc_t.STMR.BIT

Definition at line [6161](#) of file [iodefine.h](#).

Data Fields

unsigned long	ALEN0: 1	
unsigned long	ALEN1: 1	
unsigned long	CMOD: 1	
unsigned long	DVTH: 4	
unsigned	long: 2	
unsigned long	SYTH: 4	
unsigned long	W10S: 1	
unsigned long	WINT: 8	

6.3.1.244 struct st_eptpc_t.IPTSELR.BIT

Definition at line 6194 of file [iodefne.h](#).

Data Fields

unsigned long	IPTSEL0: 1	
unsigned long	IPTSEL1: 1	
unsigned long	IPTSEL2: 1	
unsigned long	IPTSEL3: 1	
unsigned long	IPTSEL4: 1	
unsigned long	IPTSEL5: 1	
unsigned	long: 26	

6.3.1.245 struct st_eptpc_t.MITSELR.BIT

Definition at line 6217 of file [iodefne.h](#).

Data Fields

unsigned	long: 26	
unsigned long	MINTEN0: 1	
unsigned long	MINTEN1: 1	
unsigned long	MINTEN2: 1	
unsigned long	MINTEN3: 1	
unsigned long	MINTEN4: 1	
unsigned long	MINTEN5: 1	

6.3.1.246 struct st_eptpc_t.ELTSELR.BIT

Definition at line 6240 of file [iodefne.h](#).

Data Fields

unsigned long	ELTDIS0: 1	
unsigned long	ELTDIS1: 1	
unsigned long	ELTDIS2: 1	
unsigned long	ELTDIS3: 1	
unsigned long	ELTDIS4: 1	
unsigned long	ELTDIS5: 1	
unsigned	long: 26	

6.3.1.247 struct st_eptpc_t.STCHSELR.BIT

Definition at line 6263 of file [iodefne.h](#).

Data Fields

unsigned	long: 31	
unsigned long	SYSEL: 1	

6.3.1.248 struct st_eptpc_t.SYNSTARTR.BIT

Definition at line 6277 of file [iodefne.h](#).

Data Fields

unsigned	long: 31	
unsigned long	STR: 1	

6.3.1.249 struct st_eptpc_t.LCIVLDR.BIT

Definition at line 6290 of file [iodefne.h](#).

Data Fields

unsigned long	LOAD: 1	
unsigned	long: 31	

6.3.1.250 struct st_eptpc_t.LCIVRU.BIT

Definition at line 6309 of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	VALU: 16	

6.3.1.251 struct st_eptpc_t.GETW10R.BIT

Definition at line 6325 of file [iodefne.h](#).

Data Fields

unsigned long	GW10: 1	
-------------------------------	---------	--

unsigned	long: 31	
----------	----------	--

6.3.1.252 struct st_eptpc_t.PLIMITRU.BIT

Definition at line 6338 of file [iodef.h](#).

Data Fields

unsigned long	LMTU: 31	
unsigned	long: 1	

6.3.1.253 struct st_eptpc_t.MLIMITRU.BIT

Definition at line 6353 of file [iodef.h](#).

Data Fields

unsigned long	LMTU: 31	
unsigned	long: 1	

6.3.1.254 struct st_eptpc_t.GETINFOR.BIT

Definition at line 6368 of file [iodef.h](#).

Data Fields

unsigned long	INFO: 1	
unsigned	long: 31	

6.3.1.255 struct st_eptpc_t.LCCVRU.BIT

Definition at line 6382 of file [iodef.h](#).

Data Fields

unsigned long	CNTU: 16	
unsigned	long: 16	

6.3.1.256 struct st_eptpc_t.TMCYCR0.BIT

Definition at line 6408 of file [iodefine.h](#).

Data Fields

unsigned long	CYC: 30	
unsigned	long: 2	

6.3.1.257 struct st_eptpc_t.TMPLSR0.BIT

Definition at line 6421 of file [iodefine.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.258 struct st_eptpc_t.TMCYCR1.BIT

Definition at line 6436 of file [iodefine.h](#).

Data Fields

unsigned long	CYC: 30	
unsigned	long: 2	

6.3.1.259 struct st_eptpc_t.TMPLSR1.BIT

Definition at line 6449 of file [iodefine.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.260 struct st_eptpc_t.TMCYCR2.BIT

Definition at line 6464 of file [iodefine.h](#).

Data Fields

unsigned long	CYC: 30	
-------------------------------	---------	--

unsigned	long: 2	
----------	---------	--

6.3.1.261 struct st_eptpc_t.TMPLSR2.BIT

Definition at line 6477 of file [iodef.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.262 struct st_eptpc_t.TMCYCR3.BIT

Definition at line 6492 of file [iodef.h](#).

Data Fields

unsigned long	CYC: 30	
unsigned	long: 2	

6.3.1.263 struct st_eptpc_t.TMPLSR3.BIT

Definition at line 6505 of file [iodef.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.264 struct st_eptpc_t.TMCYCR4.BIT

Definition at line 6520 of file [iodef.h](#).

Data Fields

unsigned long	CYC: 30	
unsigned	long: 2	

6.3.1.265 struct st_eptpc_t.TMPLSR4.BIT

Definition at line 6533 of file [iodefine.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.266 struct st_eptpc_t.TMCYCR5.BIT

Definition at line 6548 of file [iodefine.h](#).

Data Fields

unsigned long	CYC: 30	
unsigned	long: 2	

6.3.1.267 struct st_eptpc_t.TMPLSR5.BIT

Definition at line 6561 of file [iodefine.h](#).

Data Fields

unsigned	long: 3	
unsigned long	WTH: 29	

6.3.1.268 struct st_eptpc_t.TMSTARTR.BIT

Definition at line 6575 of file [iodefine.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN2: 1	
unsigned long	EN3: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned	long: 26	

6.3.1.269 struct st_eptpc_t.PRIPR.BIT

Definition at line 6600 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	MACE: 1	
unsigned long	OVRE0: 1	
unsigned long	OVRE1: 1	
unsigned long	OVRE2: 1	
unsigned long	OVRE3: 1	
unsigned long	URE0: 1	
unsigned long	URE1: 1	

6.3.1.270 struct st_eptpc_t.PRMACRU0.BIT

Definition at line 6630 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.271 struct st_eptpc_t.PRMACRL0.BIT

Definition at line 6643 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.272 struct st_eptpc_t.PRMACRU1.BIT

Definition at line 6656 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.273 struct st_eptpc_t.PRMACRL1.BIT

Definition at line 6669 of file [iodefine.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.274 struct st_eptpc_t.TRNDISR.BIT

Definition at line 6682 of file [iodefine.h](#).

Data Fields

unsigned	long: 30	
unsigned long	TDIS: 2	

6.3.1.275 struct st_eptpc_t.TRNMR.BIT

Definition at line 6696 of file [iodefine.h](#).

Data Fields

unsigned long	FWD0: 1	
unsigned long	FWD1: 1	
unsigned	long: 22	
unsigned long	MOD: 1	

6.3.1.276 struct st_eptpc_t.TRNCTTDR.BIT

Definition at line 6715 of file [iodefine.h](#).

Data Fields

unsigned	long: 21	
unsigned long	THVAL: 11	

6.3.1.277 struct st_eptpc0_t.SYIPR.BIT

Definition at line 6732 of file [iodef.h](#).

Data Fields

unsigned long	DRPTO: 1	
unsigned long	DRQOVR: 1	
unsigned long	GENDN: 1	
unsigned long	INFABT: 1	
unsigned long	INTCHG: 1	
unsigned long	INTDEV: 1	
unsigned	long: 14	
unsigned long	MPDUD: 1	
unsigned long	OFMUD: 1	
unsigned long	RECLP: 1	
unsigned long	RESDN: 1	

6.3.1.278 struct st_eptpc0_t.SYMACRU.BIT

Definition at line 6772 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.279 struct st_eptpc0_t.SYMACRL.BIT

Definition at line 6785 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.280 struct st_eptpc0_t.SYSPVRR.BIT

Definition at line 6801 of file [iodef.h](#).

Data Fields

unsigned	long: 24	
unsigned long	TRSP: 4	

unsigned long	VER: 4	
-------------------------------	--------	--

6.3.1.281 struct st_eptpc0_t.SYDOMR.BIT

Definition at line [6816](#) of file [iodefine.h](#).

Data Fields

unsigned long	DNUM: 8	
unsigned	long: 24	

6.3.1.282 struct st_eptpc0_t.ANFR.BIT

Definition at line [6830](#) of file [iodefine.h](#).

Data Fields

unsigned long	FLAG0: 1	
unsigned long	FLAG1: 1	
unsigned long	FLAG10: 1	
unsigned long	FLAG13: 1	
unsigned long	FLAG14: 1	
unsigned long	FLAG2: 1	
unsigned long	FLAG3: 1	
unsigned long	FLAG4: 1	
unsigned long	FLAG5: 1	
unsigned long	FLAG8: 1	
unsigned	long: 17	

6.3.1.283 struct st_eptpc0_t.SYNFR.BIT

Definition at line [6867](#) of file [iodefine.h](#).

Data Fields

unsigned long	FLAG10: 1	
unsigned long	FLAG13: 1	
unsigned long	FLAG14: 1	
unsigned long	FLAG8: 1	
unsigned long	FLAG9: 1	
unsigned	long: 17	

6.3.1.284 struct st_eptpc0_t.DYRQFR.BIT

Definition at line 6892 of file [iodefine.h](#).

Data Fields

unsigned long	FLAG10: 1	
unsigned long	FLAG13: 1	
unsigned long	FLAG14: 1	
unsigned	long: 17	

6.3.1.285 struct st_eptpc0_t.DYRPFR.BIT

Definition at line 6913 of file [iodefine.h](#).

Data Fields

unsigned long	FLAG10: 1	
unsigned long	FLAG13: 1	
unsigned long	FLAG14: 1	
unsigned long	FLAG8: 1	
unsigned long	FLAG9: 1	
unsigned	long: 17	

6.3.1.286 struct st_eptpc0_t.SYPNUMR.BIT

Definition at line 6940 of file [iodefine.h](#).

Data Fields

unsigned	long: 16	
unsigned long	PNUM: 16	

6.3.1.287 struct st_eptpc0_t.SYRVLDR.BIT

Definition at line 6954 of file [iodefine.h](#).

Data Fields

unsigned long	ANUP: 1	
unsigned long	BMUP: 1	
unsigned	long: 29	
unsigned long	STUP: 1	

6.3.1.288 struct st_eptpc0_t.SYRFL1R.BIT

Definition at line 6972 of file [iodefine.h](#).

Data Fields

unsigned long	ANCE: 2	
unsigned long	DRP: 3	
unsigned long	DRQ: 3	
unsigned long	FUP: 3	
unsigned	long: 1	
unsigned long	PDFUP: 3	
unsigned long	PDRP: 3	
unsigned long	PDRQ: 3	
unsigned long	SYNC: 3	

6.3.1.289 struct st_eptpc0_t.SYRFL2R.BIT

Definition at line 7013 of file [iodefine.h](#).

Data Fields

unsigned long	ILL: 2	
unsigned	long: 2	
unsigned long	MAN: 2	
unsigned long	SIG: 2	

6.3.1.290 struct st_eptpc0_t.SYTRENr.BIT

Definition at line 7034 of file [iodefine.h](#).

Data Fields

unsigned long	ANCE: 1	
unsigned long	DRQ: 1	
unsigned	long: 19	
unsigned long	PDRQ: 1	
unsigned long	SYNC: 1	

6.3.1.291 struct st_eptpc0_t.MTPID.BIT

Definition at line 7062 of file [iodefine.h](#).

Data Fields

unsigned	long: 16	
unsigned long	PNUM: 16	

6.3.1.292 struct st_eptpc0_t.SYTLIR.BIT

Definition at line [7076](#) of file [iodef.h](#).

Data Fields

unsigned long	ANCE: 8	
unsigned long	DREQ: 8	
unsigned	long: 8	
unsigned long	SYNC: 8	

6.3.1.293 struct st_eptpc0_t.SYRLIR.BIT

Definition at line [7093](#) of file [iodef.h](#).

Data Fields

unsigned long	ANCE: 8	
unsigned long	DRESP: 8	
unsigned	long: 8	
unsigned long	SYNC: 8	

6.3.1.294 struct st_eptpc0_t.GMPR.BIT

Definition at line [7115](#) of file [iodef.h](#).

Data Fields

unsigned long	GMPR1: 8	
unsigned long	GMPR2: 8	
unsigned	long: 8	

6.3.1.295 struct st_eptpc0_t.CUOTSR.BIT

Definition at line [7135](#) of file [iodef.h](#).

Data Fields

unsigned long	CUTO: 16	
unsigned	long: 8	
unsigned long	TSRC: 8	

6.3.1.296 struct st_eptpc0_t.SRR.BIT

Definition at line [7150](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 16	
unsigned long	SRMV: 16	

6.3.1.297 struct st_eptpc0_t.PPMACRU.BIT

Definition at line [7164](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.298 struct st_eptpc0_t.PPMACRL.BIT

Definition at line [7177](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.299 struct st_eptpc0_t.PDMACRU.BIT

Definition at line [7190](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.300 struct st_eptpc0_t.PDMACRL.BIT

Definition at line 7203 of file [iodefne.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.301 struct st_eptpc0_t.PETYPER.BIT

Definition at line 7216 of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	TYPE: 16	

6.3.1.302 struct st_eptpc0_t.PETOSR.BIT

Definition at line 7232 of file [iodefne.h](#).

Data Fields

unsigned long	EVTO: 8	
unsigned	long: 24	

6.3.1.303 struct st_eptpc0_t.PGTOSR.BIT

Definition at line 7245 of file [iodefne.h](#).

Data Fields

unsigned long	GETO: 8	
unsigned	long: 24	

6.3.1.304 struct st_eptpc0_t.PPTTLR.BIT

Definition at line 7258 of file [iodefne.h](#).

Data Fields

unsigned	long: 24	
----------	----------	--

unsigned long	PRTL: 8	
-------------------------------	---------	--

6.3.1.305 struct st_eptpc0_t.PDTTLR.BIT

Definition at line [7271](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 24	
unsigned long	PDTL: 8	

6.3.1.306 struct st_eptpc0_t.PEUDPR.BIT

Definition at line [7284](#) of file [iodefine.h](#).

Data Fields

unsigned long	EVUPT: 16	
unsigned	long: 16	

6.3.1.307 struct st_eptpc0_t.PGUDPR.BIT

Definition at line [7297](#) of file [iodefine.h](#).

Data Fields

unsigned long	GEUPT: 16	
unsigned	long: 16	

6.3.1.308 struct st_eptpc0_t.FFLTR.BIT

Definition at line [7310](#) of file [iodefine.h](#).

Data Fields

unsigned long	ENB: 1	
unsigned long	EXTPRM: 1	
unsigned	long: 15	
unsigned long	PRT: 1	
unsigned long	SEL: 1	

6.3.1.309 struct st_eptpc0_t.FMAC0RU.BIT

Definition at line 7332 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.310 struct st_eptpc0_t.FMAC0RL.BIT

Definition at line 7345 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.311 struct st_eptpc0_t.FMAC1RU.BIT

Definition at line 7358 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACU: 24	

6.3.1.312 struct st_eptpc0_t.FMAC1RL.BIT

Definition at line 7371 of file [iodef.h](#).

Data Fields

unsigned	long: 8	
unsigned long	MACL: 24	

6.3.1.313 struct st_eptpc0_t.DASYMRU.BIT

Definition at line 7385 of file [iodef.h](#).

Data Fields

unsigned long	ASYMU: 16	
-------------------------------	-----------	--

unsigned	long: 16	
----------	----------	--

6.3.1.314 struct st_eptpc0_t.TSLATR.BIT

Definition at line [7399](#) of file [iodefine.h](#).

Data Fields

unsigned long	EGP: 16	
unsigned long	INGP: 16	

6.3.1.315 struct st_eptpc0_t.SYCONFR.BIT

Definition at line [7412](#) of file [iodefine.h](#).

Data Fields

unsigned long	FILDIS: 1	
unsigned	long: 11	
unsigned long	SBDIS: 1	
unsigned long	TCMOD: 1	
unsigned long	TCYC: 8	

6.3.1.316 struct st_eptpc0_t.SYFORMR.BIT

Definition at line [7437](#) of file [iodefine.h](#).

Data Fields

unsigned long	FORM0: 1	
unsigned long	FORM1: 1	
unsigned	long: 30	

6.3.1.317 struct st_etherc_t.ECMR.BIT

Definition at line [7456](#) of file [iodefine.h](#).

Data Fields

unsigned long	DM: 1	
unsigned long	ILB: 1	

unsigned	long: 11	
unsigned long	MPDE: 1	
unsigned long	PFR: 1	
unsigned long	PRCEF: 1	
unsigned long	PRM: 1	
unsigned long	RE: 1	
unsigned long	RTM: 1	
unsigned long	RXF: 1	
unsigned long	TE: 1	
unsigned long	TPC: 1	
unsigned long	TXF: 1	
unsigned long	ZPF: 1	

6.3.1.318 struct st_etherc_t.RFLR.BIT

Definition at line [7502](#) of file [iodef.h](#).

Data Fields

unsigned	long: 20	
unsigned long	RFL: 12	

6.3.1.319 struct st_etherc_t.ECSR.BIT

Definition at line [7516](#) of file [iodef.h](#).

Data Fields

unsigned long	BFR: 1	
unsigned long	ICD: 1	
unsigned long	LCHNG: 1	
unsigned	long: 26	
unsigned long	MPD: 1	
unsigned long	PSRTO: 1	

6.3.1.320 struct st_etherc_t.ECSIPR.BIT

Definition at line [7540](#) of file [iodef.h](#).

Data Fields

unsigned long	BFSIPR: 1	
-------------------------------	-----------	--

unsigned long	ICDIP: 1	
unsigned long	LCHNGIP: 1	
unsigned	long: 26	
unsigned long	MPDIP: 1	
unsigned long	PSRTOIP: 1	

6.3.1.321 struct st_etherc_t.PIR.BIT

Definition at line [7564](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 28	
unsigned long	MDC: 1	
unsigned long	MDI: 1	
unsigned long	MDO: 1	
unsigned long	MMD: 1	

6.3.1.322 struct st_etherc_t.PSR.BIT

Definition at line [7584](#) of file [iodefne.h](#).

Data Fields

unsigned long	LMON: 1	
unsigned	long: 31	

6.3.1.323 struct st_etherc_t.RDMLR.BIT

Definition at line [7598](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 12	
unsigned long	RMD: 20	

6.3.1.324 struct st_etherc_t.IPGR.BIT

Definition at line [7612](#) of file [iodefne.h](#).

Data Fields

unsigned long	IPG: 5	
unsigned	long: 27	

6.3.1.325 struct st_etherc_t.APR.BIT

Definition at line [7625](#) of file [iodefne.h](#).

Data Fields

unsigned long	AP: 16	
unsigned	long: 16	

6.3.1.326 struct st_etherc_t.MPR.BIT

Definition at line [7638](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	MP: 16	

6.3.1.327 struct st_etherc_t.RFCF.BIT

Definition at line [7652](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 24	
unsigned long	RPAUSE: 8	

6.3.1.328 struct st_etherc_t.TPAUSER.BIT

Definition at line [7665](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	TPAUSE: 16	

6.3.1.329 struct st_etherc_t.TPAUSECR.BIT

Definition at line 7678 of file [iodefne.h](#).

Data Fields

unsigned	long: 24	
unsigned long	TXP: 8	

6.3.1.330 struct st_etherc_t.BCFRR.BIT

Definition at line 7691 of file [iodefne.h](#).

Data Fields

unsigned long	BCF: 16	
unsigned	long: 16	

6.3.1.331 struct st_etherc_t.MALR.BIT

Definition at line 7707 of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	MA: 16	

6.3.1.332 struct st_exdmac_t.EDMAST.BIT

Definition at line 7735 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DMST: 1	

6.3.1.333 struct st_exdmac0_t.EDMTMD.BIT

Definition at line 7765 of file [iodefne.h](#).

Data Fields

unsigned short	DCTG: 2	
--------------------------------	---------	--

unsigned short	DTS: 2	
unsigned short	MD: 2	
unsigned	short: 2	
unsigned short	SZ: 2	

6.3.1.334 struct st_exdmac0_t.EDMOMD.BIT

Definition at line [7786](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	DACKE: 1	
unsigned char	DACKS: 1	
unsigned char	DACKSEL: 1	
unsigned char	DACKW: 1	

6.3.1.335 struct st_exdmac0_t.EDMINT.BIT

Definition at line [7805](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DARIE: 1	
unsigned char	DTIE: 1	
unsigned char	ESIE: 1	
unsigned char	RPTIE: 1	
unsigned char	SARIE: 1	

6.3.1.336 struct st_exdmac0_t.EDMAMD.BIT

Definition at line [7826](#) of file [iodefine.h](#).

Data Fields

unsigned long	AMS: 1	
unsigned long	DARA: 5	
unsigned long	DIR: 1	
unsigned long	DM: 2	
unsigned	long: 14	
unsigned long	SARA: 5	

unsigned long	SM: 2	
-------------------------------	-------	--

6.3.1.337 struct st_exdmac0_t.EDMCNT.BIT

Definition at line [7854](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DTE: 1	

6.3.1.338 struct st_exdmac0_t.EDMREQ.BIT

Definition at line [7867](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CLRS: 1	
unsigned char	SWREQ: 1	

6.3.1.339 struct st_exdmac0_t.EDMSTS.BIT

Definition at line [7884](#) of file [iodefine.h](#).

Data Fields

unsigned char	ACT: 1	
unsigned	char: 2	
unsigned char	DTIF: 1	
unsigned char	ESIF: 1	

6.3.1.340 struct st_exdmac0_t.EDMRMD.BIT

Definition at line [7904](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DREQS: 2	

6.3.1.341 struct st_exdmac0_t.EDMERF.BIT

Definition at line 7917 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	EREQ: 1	

6.3.1.342 struct st_exdmac0_t.EDMPRF.BIT

Definition at line 7930 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	PREQ: 1	

6.3.1.343 struct st_exdmac1_t.EDMTMD.BIT

Definition at line 7951 of file [iodef.h](#).

Data Fields

unsigned short	DCTG: 2	
unsigned short	DTS: 2	
unsigned short	MD: 2	
unsigned	short: 2	
unsigned short	SZ: 2	

6.3.1.344 struct st_exdmac1_t.EDMOMD.BIT

Definition at line 7972 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	DACKE: 1	
unsigned char	DACKS: 1	
unsigned char	DACKSEL: 1	
unsigned char	DACKW: 1	

6.3.1.345 struct st_exdmac1_t.EDMINT.BIT

Definition at line 7991 of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DARIE: 1	
unsigned char	DTIE: 1	
unsigned char	ESIE: 1	
unsigned char	RPTIE: 1	
unsigned char	SARIE: 1	

6.3.1.346 struct st_exdmac1_t.EDMAMD.BIT

Definition at line 8012 of file [iodefine.h](#).

Data Fields

unsigned long	AMS: 1	
unsigned long	DARA: 5	
unsigned long	DIR: 1	
unsigned long	DM: 2	
unsigned	long: 14	
unsigned long	SARA: 5	
unsigned long	SM: 2	

6.3.1.347 struct st_exdmac1_t.EDMCNT.BIT

Definition at line 8040 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DTE: 1	

6.3.1.348 struct st_exdmac1_t.EDMREQ.BIT

Definition at line 8053 of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CLRS: 1	

unsigned char	SWREQ: 1	
-------------------------------	----------	--

6.3.1.349 struct st_exdmac1_t.EDMSTS.BIT

Definition at line [8070](#) of file [iodef.h](#).

Data Fields

unsigned char	ACT: 1	
unsigned	char: 2	
unsigned char	DTIF: 1	
unsigned char	ESIF: 1	

6.3.1.350 struct st_exdmac1_t.EDMRMD.BIT

Definition at line [8090](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DREQS: 2	

6.3.1.351 struct st_exdmac1_t.EDMERF.BIT

Definition at line [8103](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	EREQ: 1	

6.3.1.352 struct st_exdmac1_t.EDMPRF.BIT

Definition at line [8116](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	PREQ: 1	

6.3.1.353 struct st_flash_t.ROMCE.BIT

Definition at line 8132 of file [iodefine.h](#).

Data Fields

unsigned short	ROMCEN: 1	
unsigned	short: 15	

6.3.1.354 struct st_flash_t.ROMCIV.BIT

Definition at line 8146 of file [iodefine.h](#).

Data Fields

unsigned short	ROMCIV: 1	
unsigned	short: 15	

6.3.1.355 struct st_flash_t.NCRC0.BIT

Definition at line 8161 of file [iodefine.h](#).

Data Fields

unsigned	long: 11	
unsigned long	NC1E: 1	
unsigned long	NC2E: 1	
unsigned long	NC3E: 1	
unsigned long	NCSZ: 17	

6.3.1.356 struct st_flash_t.NCRC1.BIT

Definition at line 8183 of file [iodefine.h](#).

Data Fields

unsigned	long: 11	
unsigned long	NC1E: 1	
unsigned long	NC2E: 1	
unsigned long	NC3E: 1	
unsigned long	NCSZ: 17	

6.3.1.357 struct st_flash_t.FWEPROR.BIT

Definition at line 8205 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	FLWE: 2	

6.3.1.358 struct st_flash_t.FASTAT.BIT

Definition at line 8221 of file [iodef.h](#).

Data Fields

unsigned char	CFAE: 1	
unsigned	char: 2	
unsigned char	CMDLK: 1	
unsigned char	DFAE: 1	

6.3.1.359 struct st_flash_t.FAEINT.BIT

Definition at line 8241 of file [iodef.h](#).

Data Fields

unsigned char	CFAEIE: 1	
unsigned	char: 2	
unsigned char	CMDLKIE: 1	
unsigned char	DFAEIE: 1	

6.3.1.360 struct st_flash_t.FRDYIE.BIT

Definition at line 8261 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	FRDYIE: 1	

6.3.1.361 struct st_flash_t.FSADDR.BIT

Definition at line 8275 of file [iodefine.h](#).

Data Fields

unsigned long	FSADDR: 32	
---------------	------------	--

6.3.1.362 struct st_flash_t.FEADDR.BIT

Definition at line 8286 of file [iodefine.h](#).

Data Fields

unsigned long	FEADDR: 32	
---------------	------------	--

6.3.1.363 struct st_flash_t.FSTATR.BIT

Definition at line 8298 of file [iodefine.h](#).

Data Fields

unsigned long	DBFULL: 1	
unsigned long	ERSERR: 1	
unsigned long	ERSSPD: 1	
unsigned long	FESETERR: 1	
unsigned long	FLWEERR: 1	
unsigned long	FRDY: 1	
unsigned long	ILGCOMERR: 1	
unsigned long	ILGLERR: 1	
unsigned	long: 8	
unsigned long	OTERR: 1	
unsigned long	PRGERR: 1	
unsigned long	PRGSPD: 1	
unsigned long	SECERR: 1	
unsigned long	SUSRDY: 1	

6.3.1.364 struct st_flash_t.FENTRYR.BIT

Definition at line 8341 of file [iodefine.h](#).

Data Fields

unsigned short	FENTRYC: 1	
--------------------------------	------------	--

unsigned short	FENTRYD: 1	
unsigned short	KEY: 8	
unsigned	short: 6	

6.3.1.365 struct st_flash_t.FSUINITR.BIT

Definition at line [8359](#) of file [iodef.h](#).

Data Fields

unsigned short	KEY: 8	
unsigned	short: 7	
unsigned short	SUNIT: 1	

6.3.1.366 struct st_flash_t.FCMDR.BIT

Definition at line [8375](#) of file [iodef.h](#).

Data Fields

unsigned short	CMDR: 8	
unsigned short	PCMDR: 8	

6.3.1.367 struct st_flash_t.FBCCNT.BIT

Definition at line [8389](#) of file [iodef.h](#).

Data Fields

unsigned char	BCDIR: 1	
unsigned	char: 7	

6.3.1.368 struct st_flash_t.FBCSTAT.BIT

Definition at line [8403](#) of file [iodef.h](#).

Data Fields

unsigned char	BCST: 1	
unsigned	char: 7	

6.3.1.369 struct st_flash_t.FPSADDR.BIT

Definition at line 8417 of file [iodefne.h](#).

Data Fields

unsigned	long: 15	
unsigned long	PSADR: 17	

6.3.1.370 struct st_flash_t.FAWMON.BIT

Definition at line 8430 of file [iodefne.h](#).

Data Fields

unsigned long	BTFLG: 1	
unsigned long	FAWE: 12	
unsigned long	FAWS: 12	
unsigned long	FSPR: 1	
unsigned	long: 3	

6.3.1.371 struct st_flash_t.FCPSR.BIT

Definition at line 8451 of file [iodefne.h](#).

Data Fields

unsigned short	ESUSPMD: 1	
unsigned	short: 15	

6.3.1.372 struct st_flash_t.FPCKAR.BIT

Definition at line 8465 of file [iodefne.h](#).

Data Fields

unsigned short	KEY: 8	
unsigned short	PCKA: 8	

6.3.1.373 struct st_flash_t.FSUACR.BIT

Definition at line 8479 of file [iodefine.h](#).

Data Fields

unsigned short	KEY: 8	
unsigned short	SAS: 2	
unsigned	short: 6	

6.3.1.374 struct st_glcdc_t.GR1CLUT0.BIT

Definition at line 8497 of file [iodefine.h](#).

Data Fields

unsigned long	A: 8	
unsigned long	B: 8	
unsigned long	G: 8	
unsigned long	R: 8	

6.3.1.375 struct st_glcdc_t.GR1CLUT1.BIT

Definition at line 8514 of file [iodefine.h](#).

Data Fields

unsigned long	A: 8	
unsigned long	B: 8	
unsigned long	G: 8	
unsigned long	R: 8	

6.3.1.376 struct st_glcdc_t.GR2CLUT0.BIT

Definition at line 8531 of file [iodefine.h](#).

Data Fields

unsigned long	A: 8	
unsigned long	B: 8	
unsigned long	G: 8	
unsigned long	R: 8	

6.3.1.377 struct st_glcdc_t.GR2CLUT1.BIT

Definition at line [8548](#) of file [iodefine.h](#).

Data Fields

unsigned long	A: 8	
unsigned long	B: 8	
unsigned long	G: 8	
unsigned long	R: 8	

6.3.1.378 struct st_glcdc_t.BGEN.BIT

Definition at line [8565](#) of file [iodefine.h](#).

Data Fields

unsigned long	EN: 1	
unsigned	long: 15	
unsigned long	SWRST: 1	
unsigned long	VEN: 1	

6.3.1.379 struct st_glcdc_t.BGPERI.BIT

Definition at line [8586](#) of file [iodefine.h](#).

Data Fields

unsigned long	FH: 11	
unsigned long	FV: 11	
unsigned	long: 5	

6.3.1.380 struct st_glcdc_t.BGSYNC.BIT

Definition at line [8603](#) of file [iodefine.h](#).

Data Fields

unsigned long	HP: 4	
unsigned	long: 12	
unsigned long	VP: 4	

6.3.1.381 struct st_glcdc_t.BGVSIZE.BIT

Definition at line 8620 of file [iodefine.h](#).

Data Fields

unsigned	long: 5	
unsigned long	VP: 11	
unsigned long	VW: 11	

6.3.1.382 struct st_glcdc_t.BGHSIZE.BIT

Definition at line 8637 of file [iodefine.h](#).

Data Fields

unsigned long	HP: 11	
unsigned long	HW: 11	
unsigned	long: 5	

6.3.1.383 struct st_glcdc_t.BGCOLOR.BIT

Definition at line 8654 of file [iodefine.h](#).

Data Fields

unsigned long	B: 8	
unsigned long	G: 8	
unsigned	long: 8	
unsigned long	R: 8	

6.3.1.384 struct st_glcdc_t.BGMON.BIT

Definition at line 8671 of file [iodefine.h](#).

Data Fields

unsigned long	EN: 1	
unsigned	long: 15	
unsigned long	SWRST: 1	
unsigned long	VEN: 1	

6.3.1.385 struct st_glcde_t.GR1VEN.BIT

Definition at line 8693 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.386 struct st_glcde_t.GR1FLMRD.BIT

Definition at line 8706 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RENB: 1	

6.3.1.387 struct st_glcde_t.GR1FLM3.BIT

Definition at line 8721 of file [iodefine.h](#).

Data Fields

unsigned long	LNOFF: 16	
unsigned	long: 16	

6.3.1.388 struct st_glcde_t.GR1FLM5.BIT

Definition at line 8735 of file [iodefine.h](#).

Data Fields

unsigned long	DATANUM: 16	
unsigned long	LNNUM: 11	
unsigned	long: 5	

6.3.1.389 struct st_glcde_t.GR1FLM6.BIT

Definition at line 8750 of file [iodefine.h](#).

Data Fields

unsigned long	FORMAT: 3	
unsigned	long: 1	

6.3.1.390 struct st_glcdc_t.GR1AB1.BIT

Definition at line [8765](#) of file [iodef.h](#).

Data Fields

unsigned long	ARCDISPON: 1	
unsigned long	ARCON: 1	
unsigned long	DISPSEL: 2	
unsigned long	GRCDISPON: 1	
unsigned	long: 19	

6.3.1.391 struct st_glcdc_t.GR1AB2.BIT

Definition at line [8790](#) of file [iodef.h](#).

Data Fields

unsigned long	GRCVS: 11	
unsigned long	GRCVW: 11	
unsigned	long: 5	

6.3.1.392 struct st_glcdc_t.GR1AB3.BIT

Definition at line [8807](#) of file [iodef.h](#).

Data Fields

unsigned long	GRCHS: 11	
unsigned long	GRCHW: 11	
unsigned	long: 5	

6.3.1.393 struct st_glcdc_t.GR1AB4.BIT

Definition at line [8824](#) of file [iodef.h](#).

Data Fields

unsigned long	ARCVS: 11	
unsigned long	ARCVW: 11	
unsigned	long: 5	

6.3.1.394 struct st_glcdc_t.GR1AB5.BIT

Definition at line [8841](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCHS: 11	
unsigned long	ARCHW: 11	
unsigned	long: 5	

6.3.1.395 struct st_glcdc_t.GR1AB6.BIT

Definition at line [8858](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCCOEF: 9	
unsigned long	ARCRATE: 8	
unsigned	long: 7	

6.3.1.396 struct st_glcdc_t.GR1AB7.BIT

Definition at line [8875](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCDEF: 8	
unsigned long	CKON: 1	
unsigned	long: 8	

6.3.1.397 struct st_glcdc_t.GR1AB8.BIT

Definition at line [8892](#) of file [iodefine.h](#).

Data Fields

unsigned long	CKKB: 8	
unsigned long	CKKG: 8	
unsigned long	CKKR: 8	
unsigned	long: 8	

6.3.1.398 struct st_glcdc_t.GR1AB9.BIT

Definition at line [8909](#) of file [iodefine.h](#).

Data Fields

unsigned long	CKA: 8	
unsigned long	CKB: 8	
unsigned long	CKG: 8	
unsigned long	CKR: 8	

6.3.1.399 struct st_glcdc_t.GR1BASE.BIT

Definition at line [8927](#) of file [iodefine.h](#).

Data Fields

unsigned long	B: 8	
unsigned long	G: 8	
unsigned	long: 8	
unsigned long	R: 8	

6.3.1.400 struct st_glcdc_t.GR1CLUTINT.BIT

Definition at line [8944](#) of file [iodefine.h](#).

Data Fields

unsigned long	LINE: 11	
unsigned	long: 15	
unsigned long	SEL: 1	

6.3.1.401 struct st_glcdc_t.GR1MON.BIT

Definition at line 8961 of file [iodefine.h](#).

Data Fields

unsigned long	ARCST: 1	
unsigned	long: 15	
unsigned long	UFST: 1	

6.3.1.402 struct st_glcdc_t.GR2VEN.BIT

Definition at line 8979 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.403 struct st_glcdc_t.GR2FLMRD.BIT

Definition at line 8992 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RENB: 1	

6.3.1.404 struct st_glcdc_t.GR2FLM3.BIT

Definition at line 9007 of file [iodefine.h](#).

Data Fields

unsigned long	LNOFF: 16	
unsigned	long: 16	

6.3.1.405 struct st_glcdc_t.GR2FLM5.BIT

Definition at line 9021 of file [iodefine.h](#).

Data Fields

unsigned long	DATANUM: 16	
unsigned long	LNNUM: 11	
unsigned	long: 5	

6.3.1.406 struct st_glcde_t.GR2FLM6.BIT

Definition at line [9036](#) of file [iodefine.h](#).

Data Fields

unsigned long	FORMAT: 3	
unsigned	long: 1	

6.3.1.407 struct st_glcde_t.GR2AB1.BIT

Definition at line [9051](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCDISPON: 1	
unsigned long	ARCON: 1	
unsigned long	DISPSEL: 2	
unsigned long	GRCDISPON: 1	
unsigned	long: 19	

6.3.1.408 struct st_glcde_t.GR2AB2.BIT

Definition at line [9076](#) of file [iodefine.h](#).

Data Fields

unsigned long	GRCVS: 11	
unsigned long	GRCVW: 11	
unsigned	long: 5	

6.3.1.409 struct st_glcde_t.GR2AB3.BIT

Definition at line [9093](#) of file [iodefine.h](#).

Data Fields

unsigned long	GRCHS: 11	
unsigned long	GRCHW: 11	
unsigned	long: 5	

6.3.1.410 struct st_glcdc_t.GR2AB4.BIT

Definition at line [9110](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCVS: 11	
unsigned long	ARCVW: 11	
unsigned	long: 5	

6.3.1.411 struct st_glcdc_t.GR2AB5.BIT

Definition at line [9127](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCHS: 11	
unsigned long	ARCHW: 11	
unsigned	long: 5	

6.3.1.412 struct st_glcdc_t.GR2AB6.BIT

Definition at line [9144](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCCOEF: 9	
unsigned long	ARCRATE: 8	
unsigned	long: 7	

6.3.1.413 struct st_glcdc_t.GR2AB7.BIT

Definition at line [9161](#) of file [iodefine.h](#).

Data Fields

unsigned long	ARCDEF: 8	
unsigned long	CKON: 1	
unsigned	long: 8	

6.3.1.414 struct st_glcdc_t.GR2AB8.BIT

Definition at line [9178](#) of file [iodef.h](#).

Data Fields

unsigned long	CKKB: 8	
unsigned long	CKKG: 8	
unsigned long	CKKR: 8	
unsigned	long: 8	

6.3.1.415 struct st_glcdc_t.GR2AB9.BIT

Definition at line [9195](#) of file [iodef.h](#).

Data Fields

unsigned long	CKA: 8	
unsigned long	CKB: 8	
unsigned long	CKG: 8	
unsigned long	CKR: 8	

6.3.1.416 struct st_glcdc_t.GR2BASE.BIT

Definition at line [9213](#) of file [iodef.h](#).

Data Fields

unsigned long	B: 8	
unsigned long	G: 8	
unsigned	long: 8	
unsigned long	R: 8	

6.3.1.417 struct st_glcdc_t.GR2CLUTINT.BIT

Definition at line 9230 of file [iodefine.h](#).

Data Fields

unsigned long	LINE: 11	
unsigned	long: 15	
unsigned long	SEL: 1	

6.3.1.418 struct st_glcdc_t.GR2MON.BIT

Definition at line 9247 of file [iodefine.h](#).

Data Fields

unsigned long	ARCST: 1	
unsigned	long: 15	
unsigned long	UFST: 1	

6.3.1.419 struct st_glcdc_t.GAMGVEN.BIT

Definition at line 9265 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.420 struct st_glcdc_t.GAMSW.BIT

Definition at line 9278 of file [iodefine.h](#).

Data Fields

unsigned long	GAMON: 1	
unsigned	long: 31	

6.3.1.421 struct st_glcde_t.GAMGLUT1.BIT

Definition at line 9291 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN00: 11	
unsigned long	GAIN01: 11	
unsigned	long: 5	

6.3.1.422 struct st_glcde_t.GAMGLUT2.BIT

Definition at line 9308 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN02: 11	
unsigned long	GAIN03: 11	
unsigned	long: 5	

6.3.1.423 struct st_glcde_t.GAMGLUT3.BIT

Definition at line 9325 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN04: 11	
unsigned long	GAIN05: 11	
unsigned	long: 5	

6.3.1.424 struct st_glcde_t.GAMGLUT4.BIT

Definition at line 9342 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN06: 11	
unsigned long	GAIN07: 11	
unsigned	long: 5	

6.3.1.425 struct st_glcdc_t.GAMGLUT5.BIT

Definition at line 9359 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN08: 11	
unsigned long	GAIN09: 11	
unsigned	long: 5	

6.3.1.426 struct st_glcdc_t.GAMGLUT6.BIT

Definition at line 9376 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN10: 11	
unsigned long	GAIN11: 11	
unsigned	long: 5	

6.3.1.427 struct st_glcdc_t.GAMGLUT7.BIT

Definition at line 9393 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN12: 11	
unsigned long	GAIN13: 11	
unsigned	long: 5	

6.3.1.428 struct st_glcdc_t.GAMGLUT8.BIT

Definition at line 9410 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN14: 11	
unsigned long	GAIN15: 11	
unsigned	long: 5	

6.3.1.429 struct st_glcdc_t.GAMGAREA1.BIT

Definition at line 9427 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH01: 10	
unsigned long	TH02: 10	
unsigned long	TH03: 10	

6.3.1.430 struct st_glcdc_t.GAMGAREA2.BIT

Definition at line 9444 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH04: 10	
unsigned long	TH05: 10	
unsigned long	TH06: 10	

6.3.1.431 struct st_glcdc_t.GAMGAREA3.BIT

Definition at line 9461 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH07: 10	
unsigned long	TH08: 10	
unsigned long	TH09: 10	

6.3.1.432 struct st_glcdc_t.GAMGAREA4.BIT

Definition at line 9478 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH10: 10	
unsigned long	TH11: 10	
unsigned long	TH12: 10	

6.3.1.433 struct st_glcde_t.GAMGAREA5.BIT

Definition at line 9495 of file [iodefne.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH13: 10	
unsigned long	TH14: 10	
unsigned long	TH15: 10	

6.3.1.434 struct st_glcde_t.GAMBVEN.BIT

Definition at line 9513 of file [iodefne.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.435 struct st_glcde_t.GAMBLUT1.BIT

Definition at line 9527 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN00: 11	
unsigned long	GAIN01: 11	
unsigned	long: 5	

6.3.1.436 struct st_glcde_t.GAMBLUT2.BIT

Definition at line 9544 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN02: 11	
unsigned long	GAIN03: 11	
unsigned	long: 5	

6.3.1.437 struct st_glcdc_t.GAMBLUT3.BIT

Definition at line 9561 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN04: 11	
unsigned long	GAIN05: 11	
unsigned	long: 5	

6.3.1.438 struct st_glcdc_t.GAMBLUT4.BIT

Definition at line 9578 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN06: 11	
unsigned long	GAIN07: 11	
unsigned	long: 5	

6.3.1.439 struct st_glcdc_t.GAMBLUT5.BIT

Definition at line 9595 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN08: 11	
unsigned long	GAIN09: 11	
unsigned	long: 5	

6.3.1.440 struct st_glcdc_t.GAMBLUT6.BIT

Definition at line 9612 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN10: 11	
unsigned long	GAIN11: 11	
unsigned	long: 5	

6.3.1.441 struct st_glcdc_t.GAMBLUT7.BIT

Definition at line 9629 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN12: 11	
unsigned long	GAIN13: 11	
unsigned	long: 5	

6.3.1.442 struct st_glcdc_t.GAMBLUT8.BIT

Definition at line 9646 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN14: 11	
unsigned long	GAIN15: 11	
unsigned	long: 5	

6.3.1.443 struct st_glcdc_t.GAMBAREA1.BIT

Definition at line 9663 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH01: 10	
unsigned long	TH02: 10	
unsigned long	TH03: 10	

6.3.1.444 struct st_glcdc_t.GAMBAREA2.BIT

Definition at line 9680 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH04: 10	
unsigned long	TH05: 10	
unsigned long	TH06: 10	

6.3.1.445 struct st_glcdc_t.GAMBAREA3.BIT

Definition at line 9697 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH07: 10	
unsigned long	TH08: 10	
unsigned long	TH09: 10	

6.3.1.446 struct st_glcdc_t.GAMBAREA4.BIT

Definition at line 9714 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH10: 10	
unsigned long	TH11: 10	
unsigned long	TH12: 10	

6.3.1.447 struct st_glcdc_t.GAMBAREA5.BIT

Definition at line 9731 of file [iodef.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH13: 10	
unsigned long	TH14: 10	
unsigned long	TH15: 10	

6.3.1.448 struct st_glcdc_t.GAMRVEN.BIT

Definition at line 9749 of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.449 struct st_glcdc_t.GAMRLUT1.BIT

Definition at line 9763 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN00: 11	
unsigned long	GAIN01: 11	
unsigned	long: 5	

6.3.1.450 struct st_glcdc_t.GAMRLUT2.BIT

Definition at line 9780 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN02: 11	
unsigned long	GAIN03: 11	
unsigned	long: 5	

6.3.1.451 struct st_glcdc_t.GAMRLUT3.BIT

Definition at line 9797 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN04: 11	
unsigned long	GAIN05: 11	
unsigned	long: 5	

6.3.1.452 struct st_glcdc_t.GAMRLUT4.BIT

Definition at line 9814 of file [iodefine.h](#).

Data Fields

unsigned long	GAIN06: 11	
unsigned long	GAIN07: 11	
unsigned	long: 5	

6.3.1.453 struct st_glcdc_t.GAMRLUT5.BIT

Definition at line 9831 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN08: 11	
unsigned long	GAIN09: 11	
unsigned	long: 5	

6.3.1.454 struct st_glcdc_t.GAMRLUT6.BIT

Definition at line 9848 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN10: 11	
unsigned long	GAIN11: 11	
unsigned	long: 5	

6.3.1.455 struct st_glcdc_t.GAMRLUT7.BIT

Definition at line 9865 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN12: 11	
unsigned long	GAIN13: 11	
unsigned	long: 5	

6.3.1.456 struct st_glcdc_t.GAMRLUT8.BIT

Definition at line 9882 of file [iodefne.h](#).

Data Fields

unsigned long	GAIN14: 11	
unsigned long	GAIN15: 11	
unsigned	long: 5	

6.3.1.457 struct st_glcdc_t.GAMRAREA1.BIT

Definition at line 9899 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH01: 10	
unsigned long	TH02: 10	
unsigned long	TH03: 10	

6.3.1.458 struct st_glcdc_t.GAMRAREA2.BIT

Definition at line 9916 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH04: 10	
unsigned long	TH05: 10	
unsigned long	TH06: 10	

6.3.1.459 struct st_glcdc_t.GAMRAREA3.BIT

Definition at line 9933 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH07: 10	
unsigned long	TH08: 10	
unsigned long	TH09: 10	

6.3.1.460 struct st_glcdc_t.GAMRAREA4.BIT

Definition at line 9950 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH10: 10	
unsigned long	TH11: 10	
unsigned long	TH12: 10	

6.3.1.461 struct st_glcdc_t.GAMRAREA5.BIT

Definition at line 9967 of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	TH13: 10	
unsigned long	TH14: 10	
unsigned long	TH15: 10	

6.3.1.462 struct st_glcdc_t.OUTVEN.BIT

Definition at line 9985 of file [iodefine.h](#).

Data Fields

unsigned	long: 31	
unsigned long	VEN: 1	

6.3.1.463 struct st_glcdc_t.OUTSET.BIT

Definition at line 9998 of file [iodefine.h](#).

Data Fields

unsigned long	DIRSEL: 1	
unsigned long	ENDIANON: 1	
unsigned long	FORMAT: 2	
unsigned long	FRQSEL: 1	
unsigned	long: 3	
unsigned long	PHASE: 2	
unsigned long	SWAPON: 1	

6.3.1.464 struct st_glcdc_t.BRIGHT1.BIT

Definition at line 10031 of file [iodefine.h](#).

Data Fields

unsigned long	BRTG: 10	
unsigned	long: 22	

6.3.1.465 struct st_glcdc_t.BRIGHT2.BIT

Definition at line [10044](#) of file [iodefine.h](#).

Data Fields

unsigned long	BRTB: 10	
unsigned long	BRTR: 10	
unsigned	long: 6	

6.3.1.466 struct st_glcdc_t.CONTRAST.BIT

Definition at line [10061](#) of file [iodefine.h](#).

Data Fields

unsigned long	CONTB: 8	
unsigned long	CONTG: 8	
unsigned long	CONTR: 8	
unsigned	long: 8	

6.3.1.467 struct st_glcdc_t.PANELDTHA.BIT

Definition at line [10078](#) of file [iodefine.h](#).

Data Fields

unsigned long	FORM: 2	
unsigned	long: 10	
unsigned long	PA: 2	
unsigned long	PB: 2	
unsigned long	PC: 2	
unsigned long	PD: 2	
unsigned long	SEL: 2	

6.3.1.468 struct st_glcdc_t.CLKPHASE.BIT

Definition at line [10112](#) of file [iodefine.h](#).

Data Fields

unsigned long	FRONTGAM: 1	
unsigned long	LCDEDG: 1	
unsigned	long: 19	

unsigned long	TCON0EDG: 1	
unsigned long	TCON1EDG: 1	
unsigned long	TCON2EDG: 1	
unsigned long	TCON3EDG: 1	

6.3.1.469 struct st_glcdc_t.TCONTIM.BIT

Definition at line [10142](#) of file [iodef.h](#).

Data Fields

unsigned long	HALF: 11	
unsigned	long: 5	
unsigned long	OFFSET: 11	

6.3.1.470 struct st_glcdc_t.TCONSTVA1.BIT

Definition at line [10159](#) of file [iodef.h](#).

Data Fields

unsigned	long: 5	
unsigned long	VS: 11	
unsigned long	VW: 11	

6.3.1.471 struct st_glcdc_t.TCONSTVA2.BIT

Definition at line [10176](#) of file [iodef.h](#).

Data Fields

unsigned long	INV: 1	
unsigned	long: 27	
unsigned long	SEL: 3	

6.3.1.472 struct st_glcdc_t.TCONSTVB1.BIT

Definition at line [10193](#) of file [iodef.h](#).

Data Fields

unsigned	long: 5	
unsigned long	VS: 11	
unsigned long	VW: 11	

6.3.1.473 struct st_glcde_t.TCONSTVB2.BIT

Definition at line [10210](#) of file [iodefne.h](#).

Data Fields

unsigned long	INV: 1	
unsigned	long: 27	
unsigned long	SEL: 3	

6.3.1.474 struct st_glcde_t.TCONSTHA1.BIT

Definition at line [10227](#) of file [iodefne.h](#).

Data Fields

unsigned long	HS: 11	
unsigned long	HW: 11	
unsigned	long: 5	

6.3.1.475 struct st_glcde_t.TCONSTHA2.BIT

Definition at line [10244](#) of file [iodefne.h](#).

Data Fields

unsigned long	HSSEL: 1	
unsigned long	INV: 1	
unsigned	long: 23	
unsigned long	SEL: 3	

6.3.1.476 struct st_glcde_t.TCONSTHB1.BIT

Definition at line [10265](#) of file [iodefne.h](#).

Data Fields

unsigned long	HS: 11	
unsigned long	HW: 11	
unsigned	long: 5	

6.3.1.477 struct st_glcdc_t.TCONSTHB2.BIT

Definition at line [10282](#) of file [iodefne.h](#).

Data Fields

unsigned long	HSSEL: 1	
unsigned long	INV: 1	
unsigned	long: 23	
unsigned long	SEL: 3	

6.3.1.478 struct st_glcdc_t.TCONDE.BIT

Definition at line [10303](#) of file [iodefne.h](#).

Data Fields

unsigned long	INV: 1	
unsigned	long: 31	

6.3.1.479 struct st_glcdc_t.DTCTEN.BIT

Definition at line [10317](#) of file [iodefne.h](#).

Data Fields

unsigned long	GR1UFDTC: 1	
unsigned long	GR2UFDTC: 1	
unsigned	long: 29	
unsigned long	VPOSDTC: 1	

6.3.1.480 struct st_glcdc_t.INTEN.BIT

Definition at line [10334](#) of file [iodefne.h](#).

Data Fields

unsigned long	GR1UFINTEN: 1	
unsigned long	GR2UFINTEN: 1	
unsigned	long: 29	
unsigned long	VPOSINTEN: 1	

6.3.1.481 struct st_glcdc_t.STCLR.BIT

Definition at line [10351](#) of file [iodefine.h](#).

Data Fields

unsigned long	GR1UFCLR: 1	
unsigned long	GR2UFCLR: 1	
unsigned	long: 29	
unsigned long	VPOSCLR: 1	

6.3.1.482 struct st_glcdc_t.STMON.BIT

Definition at line [10368](#) of file [iodefine.h](#).

Data Fields

unsigned long	GR1UF: 1	
unsigned long	GR2UF: 1	
unsigned	long: 29	
unsigned long	VPOS: 1	

6.3.1.483 struct st_glcdc_t.PANELCLK.BIT

Definition at line [10385](#) of file [iodefine.h](#).

Data Fields

unsigned long	CLKEN: 1	
unsigned long	CLKSEL: 1	
unsigned long	DCDR: 6	
unsigned	long: 19	
unsigned long	PIXSEL: 1	

6.3.1.484 struct st_gptw_t.GTWP.BIT

Definition at line [10411](#) of file [iodef.h](#).

Data Fields

unsigned long	CLRWP: 1	
unsigned long	CMNWP: 1	
unsigned	long: 16	
unsigned long	PRKEY: 8	
unsigned long	STPWP: 1	
unsigned long	STRWP: 1	
unsigned long	WP: 1	

6.3.1.485 struct st_gptw_t.GTSTR.BIT

Definition at line [10436](#) of file [iodef.h](#).

Data Fields

unsigned long	CSTRT0: 1	
unsigned long	CSTRT1: 1	
unsigned long	CSTRT2: 1	
unsigned long	CSTRT3: 1	
unsigned	long: 28	

6.3.1.486 struct st_gptw_t.GTSTP.BIT

Definition at line [10455](#) of file [iodef.h](#).

Data Fields

unsigned long	CSTOP0: 1	
unsigned long	CSTOP1: 1	
unsigned long	CSTOP2: 1	
unsigned long	CSTOP3: 1	
unsigned	long: 28	

6.3.1.487 struct st_gptw_t.GTCLR.BIT

Definition at line [10474](#) of file [iodef.h](#).

Data Fields

unsigned long	CCLR0: 1	
unsigned long	CCLR1: 1	
unsigned long	CCLR2: 1	
unsigned long	CCLR3: 1	
unsigned	long: 28	

6.3.1.488 struct st_gptw_t.GTSSR.BIT

Definition at line [10493](#) of file [iodefine.h](#).

Data Fields

unsigned long	CSTRT: 1	
unsigned	long: 7	
unsigned long	SSCAFBH: 1	
unsigned long	SSCAFBL: 1	
unsigned long	SSCARBH: 1	
unsigned long	SSCARBL: 1	
unsigned long	SSCBFAH: 1	
unsigned long	SSCBFAL: 1	
unsigned long	SSCBRAH: 1	
unsigned long	SSCBRAL: 1	
unsigned long	SSELCA: 1	
unsigned long	SSELCB: 1	
unsigned long	SSELCC: 1	
unsigned long	SSELCD: 1	
unsigned long	SSELCE: 1	
unsigned long	SSELCF: 1	
unsigned long	SSELCG: 1	
unsigned long	SSELCH: 1	
unsigned long	SSGTRGAF: 1	
unsigned long	SSGTRGAR: 1	
unsigned long	SSGTRGBF: 1	
unsigned long	SSGTRGBR: 1	
unsigned long	SSGTRGCF: 1	
unsigned long	SSGTRGCR: 1	
unsigned long	SSGTRGDF: 1	
unsigned long	SSGTRGDR: 1	

6.3.1.489 struct st_gptw_t.GTPSR.BIT

Definition at line [10554](#) of file [iodefine.h](#).

Data Fields

unsigned long	CSTOP: 1	
unsigned	long: 7	
unsigned long	PSCAFBH: 1	
unsigned long	PSCAFBL: 1	
unsigned long	PSCARBH: 1	
unsigned long	PSCARBL: 1	
unsigned long	PSCBFAH: 1	
unsigned long	PSCBFAL: 1	
unsigned long	PSCBRAH: 1	
unsigned long	PSCBRAL: 1	
unsigned long	PSELCA: 1	
unsigned long	PSELCB: 1	
unsigned long	PSELCC: 1	
unsigned long	PSELCD: 1	
unsigned long	PSELCE: 1	
unsigned long	PSELCF: 1	
unsigned long	PSELCG: 1	
unsigned long	PSELCH: 1	
unsigned long	PSGTRGAF: 1	
unsigned long	PSGTRGAR: 1	
unsigned long	PSGTRGBF: 1	
unsigned long	PSGTRGBR: 1	
unsigned long	PSGTRGCF: 1	
unsigned long	PSGTRGCR: 1	
unsigned long	PSGTRGDF: 1	
unsigned long	PSGTRGDR: 1	

6.3.1.490 struct st_gptw_t.GTCSR.BIT

Definition at line [10615](#) of file [iodef.h](#).

Data Fields

unsigned long	CCLR: 1	
unsigned long	CSCAFBH: 1	
unsigned long	CSCAFBL: 1	
unsigned long	CSCARBH: 1	
unsigned long	CSCARBL: 1	
unsigned long	CSCBFAH: 1	
unsigned long	CSCBFAL: 1	
unsigned long	CSCBRAH: 1	

unsigned long	CSCBRAL: 1	
unsigned long	CSELCA: 1	
unsigned long	CSELCB: 1	
unsigned long	CSELCC: 1	
unsigned long	CSELCD: 1	
unsigned long	CSELCE: 1	
unsigned long	CSELCF: 1	
unsigned long	CSELCG: 1	
unsigned long	CSELCH: 1	
unsigned long	CSGTRGAF: 1	
unsigned long	CSGTRGAR: 1	
unsigned long	CSGTRGBF: 1	
unsigned long	CSGTRGBR: 1	
unsigned long	CSGTRGCF: 1	
unsigned long	CSGTRGCR: 1	
unsigned long	CSGTRGDF: 1	
unsigned long	CSGTRGDR: 1	
unsigned	long: 7	

6.3.1.491 struct st_gptw__t.GTUPSR.BIT

Definition at line [10676](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 8	
unsigned long	USCAFBH: 1	
unsigned long	USCAFBL: 1	
unsigned long	USCARBH: 1	
unsigned long	USCARBL: 1	
unsigned long	USCBFAH: 1	
unsigned long	USCBFAL: 1	
unsigned long	USCBRAH: 1	
unsigned long	USCBRAL: 1	
unsigned long	USELCA: 1	
unsigned long	USELCB: 1	
unsigned long	USELCC: 1	
unsigned long	USELCD: 1	
unsigned long	USELCE: 1	
unsigned long	USELCF: 1	
unsigned long	USELCG: 1	
unsigned long	USELCH: 1	

unsigned long	USGTRGAF: 1	
unsigned long	USGTRGAR: 1	
unsigned long	USGTRGBF: 1	
unsigned long	USGTRGBR: 1	
unsigned long	USGTRGCF: 1	
unsigned long	USGTRGCR: 1	
unsigned long	USGTRGDF: 1	
unsigned long	USGTRGDR: 1	

6.3.1.492 struct st_gptw_t.GTDNSR.BIT

Definition at line [10735](#) of file [iodefine.h](#).

Data Fields

unsigned long	DSCAFBH: 1	
unsigned long	DSCAFBL: 1	
unsigned long	DSCARBH: 1	
unsigned long	DSCARBL: 1	
unsigned long	DSCBFAH: 1	
unsigned long	DSCBFAL: 1	
unsigned long	DSCBRAH: 1	
unsigned long	DSCBRAL: 1	
unsigned long	DSELCA: 1	
unsigned long	DSELCB: 1	
unsigned long	DSELCC: 1	
unsigned long	DSELCD: 1	
unsigned long	DSELCE: 1	
unsigned long	DSELCF: 1	
unsigned long	DSELCG: 1	
unsigned long	DSELCH: 1	
unsigned long	DSGTRGAF: 1	
unsigned long	DSGTRGAR: 1	
unsigned long	DSGTRGBF: 1	
unsigned long	DSGTRGBR: 1	
unsigned long	DSGTRGCF: 1	
unsigned long	DSGTRGCR: 1	
unsigned long	DSGTRGDF: 1	
unsigned long	DSGTRGDR: 1	
unsigned	long: 8	

6.3.1.493 struct st_gptw_t.GTICASR.BIT

Definition at line [10794](#) of file [iodefine.h](#).

Data Fields

unsigned long	ASCAFBH: 1	
unsigned long	ASCAFBL: 1	
unsigned long	ASCARBH: 1	
unsigned long	ASCARBL: 1	
unsigned long	ASCBFAH: 1	
unsigned long	ASCBFAL: 1	
unsigned long	ASCBRAH: 1	
unsigned long	ASCBRAL: 1	
unsigned long	ASELCA: 1	
unsigned long	ASELCB: 1	
unsigned long	ASELCC: 1	
unsigned long	ASELCD: 1	
unsigned long	ASELCE: 1	
unsigned long	ASELCF: 1	
unsigned long	ASELCG: 1	
unsigned long	ASELCH: 1	
unsigned long	ASGTRGAF: 1	
unsigned long	ASGTRGAR: 1	
unsigned long	ASGTRGBF: 1	
unsigned long	ASGTRGBR: 1	
unsigned long	ASGTRGCF: 1	
unsigned long	ASGTRGCR: 1	
unsigned long	ASGTRGDF: 1	
unsigned long	ASGTRGDR: 1	
unsigned	long: 8	

6.3.1.494 struct st_gptw_t.GTICBSR.BIT

Definition at line [10853](#) of file [iodefine.h](#).

Data Fields

unsigned long	BSCAFBH: 1	
unsigned long	BSCAFBL: 1	
unsigned long	BSCARBH: 1	
unsigned long	BSCARBL: 1	
unsigned long	BSCBFAH: 1	

unsigned long	BSCBFAL: 1	
unsigned long	BSCBRAH: 1	
unsigned long	BSCBRAL: 1	
unsigned long	BSELCA: 1	
unsigned long	BSELCB: 1	
unsigned long	BSELCC: 1	
unsigned long	BSELCD: 1	
unsigned long	BSELCE: 1	
unsigned long	BSELCF: 1	
unsigned long	BSELCG: 1	
unsigned long	BSELCH: 1	
unsigned long	BSGTRGAF: 1	
unsigned long	BSGTRGAR: 1	
unsigned long	BSGTRGBF: 1	
unsigned long	BSGTRGBR: 1	
unsigned long	BSGTRGCF: 1	
unsigned long	BSGTRGCR: 1	
unsigned long	BSGTRGDF: 1	
unsigned long	BSGTRGDR: 1	
unsigned	long: 8	

6.3.1.495 struct st_gptw_t.GTCR.BIT

Definition at line [10912](#) of file [iodef.h](#).

Data Fields

unsigned long	CST: 1	
unsigned long	ICDS: 1	
unsigned	long: 5	
unsigned long	MD: 3	
unsigned long	TPCS: 4	

6.3.1.496 struct st_gptw_t.GTUDDTYC.BIT

Definition at line [10937](#) of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	OADTY: 2	
unsigned long	OADTYF: 1	

unsigned long	OADTYR: 1	
unsigned long	OBDTY: 2	
unsigned long	OBDTYF: 1	
unsigned long	OBDTYR: 1	
unsigned long	UD: 1	
unsigned long	UDF: 1	

6.3.1.497 struct st_gptw_t.GTIOR.BIT

Definition at line [10968](#) of file [iodefine.h](#).

Data Fields

unsigned long	GTIOA: 5	
unsigned long	GTIOB: 5	
unsigned	long: 2	
unsigned long	NFAEN: 1	
unsigned long	NFBEN: 1	
unsigned long	NFCSA: 2	
unsigned long	NFCSB: 2	
unsigned long	OADF: 2	
unsigned long	OADFLT: 1	
unsigned long	OAE: 1	
unsigned long	OAHL: 1	
unsigned long	OBDF: 2	
unsigned long	OBDFLT: 1	
unsigned long	OBE: 1	
unsigned long	OBHLD: 1	

6.3.1.498 struct st_gptw_t.GTINTAD.BIT

Definition at line [11013](#) of file [iodefine.h](#).

Data Fields

unsigned long	ADTRADEN: 1	
unsigned long	ADTRAUEN: 1	
unsigned long	ADTRBDEN: 1	
unsigned long	ADTRBUEN: 1	
unsigned long	GRP: 2	
unsigned long	GRPABH: 1	
unsigned long	GRPABL: 1	

unsigned long	GRPDTE: 1	
unsigned long	GTINTA: 1	
unsigned long	GTINTB: 1	
unsigned long	GTINTC: 1	
unsigned long	GTINTD: 1	
unsigned long	GTINTE: 1	
unsigned long	GTINTF: 1	
unsigned long	GTINTPR: 2	
unsigned	long: 1	

6.3.1.499 struct st_gptw__t.GTST.BIT

Definition at line [11060](#) of file [iodefine.h](#).

Data Fields

unsigned long	ADTRADF: 1	
unsigned long	ADTRAUF: 1	
unsigned long	ADTRBDF: 1	
unsigned long	ADTRBUF: 1	
unsigned long	DTEF: 1	
unsigned long	ITCNT: 3	
unsigned	long: 1	
unsigned long	OABHF: 1	
unsigned long	OABLF: 1	
unsigned long	ODF: 1	
unsigned long	TUCF: 1	

6.3.1.500 struct st_gptw__t.GTBER.BIT

Definition at line [11099](#) of file [iodefine.h](#).

Data Fields

unsigned long	ADTDA: 1	
unsigned long	ADTDB: 1	
unsigned long	ADTTA: 2	
unsigned long	ADTTB: 2	
unsigned long	BD: 4	
unsigned long	CCRA: 2	
unsigned long	CCRB: 2	
unsigned long	CCRSWT: 1	

unsigned long	DBRTECA: 1	
unsigned long	DBRTECB: 1	
unsigned	long: 1	
unsigned long	PR: 2	

6.3.1.501 struct st_gptw_t.GTITC.BIT

Definition at line [11142](#) of file [iodefine.h](#).

Data Fields

unsigned long	ADTAL: 1	
unsigned long	ADTBL: 1	
unsigned long	ITLA: 1	
unsigned long	ITLB: 1	
unsigned long	ITLC: 1	
unsigned long	ITLD: 1	
unsigned long	ITLE: 1	
unsigned long	ITLF: 1	
unsigned long	IVTC: 2	
unsigned long	IVTT: 3	
unsigned	long: 17	

6.3.1.502 struct st_gptw_t.GTDTTCR.BIT

Definition at line [11193](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 23	
unsigned long	TDBDE: 1	
unsigned long	TDBUE: 1	
unsigned long	TDE: 1	
unsigned long	TDFER: 1	

6.3.1.503 struct st_gptw_t.GTSOS.BIT

Definition at line [11220](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 30	
----------	----------	--

unsigned long	SOS: 2	
-------------------------------	--------	--

6.3.1.504 struct st_gptw_t.GTSOTR.BIT

Definition at line [11233](#) of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	SOTR: 1	

6.3.1.505 struct st_gptw_t.GTADSMR.BIT

Definition at line [11246](#) of file [iodef.h](#).

Data Fields

unsigned long	ADSMEN0: 1	
unsigned long	ADSMEN1: 1	
unsigned long	ADSMS0: 2	
unsigned long	ADSMS1: 2	
unsigned	long: 7	

6.3.1.506 struct st_gptw_t.GTEITC.BIT

Definition at line [11271](#) of file [iodef.h](#).

Data Fields

unsigned long	EITCNT1: 4	
unsigned long	EITCNT2: 4	
unsigned long	EITCNT2IV: 4	
unsigned long	EIVTC1: 2	
unsigned long	EIVTC2: 2	
unsigned long	EIVTT1: 4	
unsigned long	EIVTT2: 4	
unsigned	long: 2	

6.3.1.507 struct st_gptw_t.GTEITLI1.BIT

Definition at line 11300 of file [iodefine.h](#).

Data Fields

unsigned long	EITLA: 3	
unsigned long	EITLB: 3	
unsigned long	EITLC: 3	
unsigned long	EITLD: 3	
unsigned long	EITLE: 3	
unsigned long	EITLF: 3	
unsigned long	EITLU: 3	
unsigned long	EITLV: 3	
unsigned	long: 1	

6.3.1.508 struct st_gptw_t.GTEITLI2.BIT

Definition at line 11341 of file [iodefine.h](#).

Data Fields

unsigned long	EADTAL: 3	
unsigned long	EADTBL: 3	
unsigned	long: 25	

6.3.1.509 struct st_gptw_t.GTEITLB.BIT

Definition at line 11358 of file [iodefine.h](#).

Data Fields

unsigned long	EBTLADA: 3	
unsigned long	EBTLADB: 3	
unsigned long	EBTLCA: 3	
unsigned long	EBTLCB: 3	
unsigned long	EBTLDVD: 3	
unsigned long	EBTLDVU: 3	
unsigned long	EBTLPR: 3	
unsigned	long: 1	

6.3.1.510 struct st_gptw_t.GTSECSR.BIT

Definition at line 11396 of file [iodefine.h](#).

Data Fields

unsigned	long: 28	
unsigned long	SECSEL0: 1	
unsigned long	SECSEL1: 1	
unsigned long	SECSEL2: 1	
unsigned long	SECSEL3: 1	

6.3.1.511 struct st_gptw_t.GTSECR.BIT

Definition at line 11415 of file [iodefine.h](#).

Data Fields

unsigned	long: 20	
unsigned long	SBDAD: 1	
unsigned long	SBDAD: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	
unsigned long	SBDCE: 1	

6.3.1.512 struct st_icu_t.IR.BIT

Definition at line 11447 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	IR: 1	

6.3.1.513 struct st_icu_t.DTCER.BIT

Definition at line 11460 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
----------	---------	--

unsigned char	DTCE: 1	
-------------------------------	---------	--

6.3.1.514 struct st_icu_t.IER.BIT

Definition at line [11473](#) of file [iodefine.h](#).

Data Fields

unsigned char	IEN0: 1	
unsigned char	IEN1: 1	
unsigned char	IEN2: 1	
unsigned char	IEN3: 1	
unsigned char	IEN4: 1	
unsigned char	IEN5: 1	
unsigned char	IEN6: 1	
unsigned char	IEN7: 1	

6.3.1.515 struct st_icu_t.SWINTR.BIT

Definition at line [11499](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SWINT: 1	

6.3.1.516 struct st_icu_t.SWINT2R.BIT

Definition at line [11512](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SWINT2: 1	

6.3.1.517 struct st_icu_t.FIR.BIT

Definition at line [11526](#) of file [iodefine.h](#).

Data Fields

unsigned short	FIEN: 1	
--------------------------------	---------	--

unsigned short	FVCT: 8	
unsigned	short: 7	

6.3.1.518 struct st_icu_t.IPR.BIT

Definition at line [11542](#) of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	IPR: 4	

6.3.1.519 struct st_icu_t.IRQCR.BIT

Definition at line [11571](#) of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	IRQMD: 2	

6.3.1.520 struct st_icu_t.IRQFLTE0.BIT

Definition at line [11587](#) of file [iodef.h](#).

Data Fields

unsigned char	FLTEN0: 1	
unsigned char	FLTEN1: 1	
unsigned char	FLTEN2: 1	
unsigned char	FLTEN3: 1	
unsigned char	FLTEN4: 1	
unsigned char	FLTEN5: 1	
unsigned char	FLTEN6: 1	
unsigned char	FLTEN7: 1	

6.3.1.521 struct st_icu_t.IRQFLTE1.BIT

Definition at line [11612](#) of file [iodef.h](#).

Data Fields

unsigned char	FLTEN10: 1	
unsigned char	FLTEN11: 1	
unsigned char	FLTEN12: 1	
unsigned char	FLTEN13: 1	
unsigned char	FLTEN14: 1	
unsigned char	FLTEN15: 1	
unsigned char	FLTEN8: 1	
unsigned char	FLTEN9: 1	

6.3.1.522 struct st_icu_t.IRQFLTC0.BIT

Definition at line 11638 of file [iodefine.h](#).

Data Fields

unsigned short	FCLKSEL0: 2	
unsigned short	FCLKSEL1: 2	
unsigned short	FCLKSEL2: 2	
unsigned short	FCLKSEL3: 2	
unsigned short	FCLKSEL4: 2	
unsigned short	FCLKSEL5: 2	
unsigned short	FCLKSEL6: 2	
unsigned short	FCLKSEL7: 2	

6.3.1.523 struct st_icu_t.IRQFLTC1.BIT

Definition at line 11663 of file [iodefine.h](#).

Data Fields

unsigned short	FCLKSEL10: 2	
unsigned short	FCLKSEL11: 2	
unsigned short	FCLKSEL12: 2	
unsigned short	FCLKSEL13: 2	
unsigned short	FCLKSEL14: 2	
unsigned short	FCLKSEL15: 2	
unsigned short	FCLKSEL8: 2	
unsigned short	FCLKSEL9: 2	

6.3.1.524 struct st_icu_t.NMISR.BIT

Definition at line 11689 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	EXNMIST: 1	
unsigned char	IWDTST: 1	
unsigned char	LVD1ST: 1	
unsigned char	LVD2ST: 1	
unsigned char	NMIST: 1	
unsigned char	OSTST: 1	
unsigned char	WDTST: 1	

6.3.1.525 struct st_icu_t.NMIER.BIT

Definition at line 11714 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	EXNMIEN: 1	
unsigned char	IWDTEN: 1	
unsigned char	LVD1EN: 1	
unsigned char	LVD2EN: 1	
unsigned char	NMIEN: 1	
unsigned char	OSTEN: 1	
unsigned char	WDTEN: 1	

6.3.1.526 struct st_icu_t.NMICLR.BIT

Definition at line 11739 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IWDTCCLR: 1	
unsigned char	LVD1CLR: 1	
unsigned char	LVD2CLR: 1	
unsigned char	NMICLR: 1	
unsigned char	OSTCLR: 1	
unsigned char	WDTCLR: 1	

6.3.1.527 struct st_icu_t.NMICR.BIT

Definition at line 11762 of file [iodefne.h](#).

Data Fields

unsigned	char: 4	
unsigned char	NMIMD: 1	

6.3.1.528 struct st_icu_t.EXNMISR.BIT

Definition at line 11777 of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DPFPUST: 1	
unsigned char	RAMST: 1	

6.3.1.529 struct st_icu_t.EXNMIER.BIT

Definition at line 11792 of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DPFPUEN: 1	
unsigned char	RAMEN: 1	

6.3.1.530 struct st_icu_t.EXNMICLR.BIT

Definition at line 11807 of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	DPFPUCLR: 1	

6.3.1.531 struct st_icu_t.NMIFLTE.BIT

Definition at line 11823 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	NFLTEN: 1	

6.3.1.532 struct st_icu_t.NMIFLTC.BIT

Definition at line 11837 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	NFCLKSEL: 2	

6.3.1.533 struct st_icu_t.GRPIE0.BIT

Definition at line 11851 of file [iodef.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	

unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.534 struct st_icu_t.GENIE0.BIT

Definition at line 11924 of file [iodefine.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	
unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	

unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.535 struct st_icu_t.GCRIE0.BIT

Definition at line [11997](#) of file [iodef.h](#).

Data Fields

unsigned long	CLR0: 1	
unsigned long	CLR1: 1	
unsigned long	CLR10: 1	
unsigned long	CLR11: 1	
unsigned long	CLR12: 1	
unsigned long	CLR13: 1	
unsigned long	CLR14: 1	
unsigned long	CLR15: 1	
unsigned long	CLR16: 1	
unsigned long	CLR17: 1	
unsigned long	CLR18: 1	
unsigned long	CLR19: 1	
unsigned long	CLR2: 1	
unsigned long	CLR20: 1	
unsigned long	CLR21: 1	
unsigned long	CLR22: 1	
unsigned long	CLR23: 1	
unsigned long	CLR24: 1	
unsigned long	CLR25: 1	
unsigned long	CLR26: 1	
unsigned long	CLR27: 1	
unsigned long	CLR28: 1	
unsigned long	CLR29: 1	
unsigned long	CLR3: 1	
unsigned long	CLR30: 1	
unsigned long	CLR31: 1	

unsigned long	CLR4: 1	
unsigned long	CLR5: 1	
unsigned long	CLR6: 1	
unsigned long	CLR7: 1	
unsigned long	CLR8: 1	
unsigned long	CLR9: 1	

6.3.1.536 struct st_icu_t.GRPBE0.BIT

Definition at line [12071](#) of file [iodefine.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	

unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.537 struct st_icu_t.GRPBL0.BIT

Definition at line [12145](#) of file [iodef.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.538 struct st_icu_t.GRPBL1.BIT

Definition at line 12218 of file [iodefine.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.539 struct st_icu_t.GRPBL2.BIT

Definition at line 12291 of file [iodefine.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.540 struct st_icu_t.GENBE0.BIT

Definition at line [12365](#) of file [iodef.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	

unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	
unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.541 struct st_icu_t.GENBL0.BIT

Definition at line [12439](#) of file [iodefine.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	

unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	
unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.542 struct st_icu_t.GENBL1.BIT

Definition at line [12512](#) of file [iodef.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	

unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	
unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.543 struct st_icu_t.GENBL2.BIT

Definition at line [12585](#) of file [iodefine.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	

unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.544 struct st_icu_t.GCRBE0.BIT

Definition at line [12659](#) of file [iodef.h](#).

Data Fields

unsigned long	CLR0: 1	
unsigned long	CLR1: 1	
unsigned long	CLR10: 1	
unsigned long	CLR11: 1	
unsigned long	CLR12: 1	
unsigned long	CLR13: 1	
unsigned long	CLR14: 1	
unsigned long	CLR15: 1	
unsigned long	CLR16: 1	
unsigned long	CLR17: 1	
unsigned long	CLR18: 1	
unsigned long	CLR19: 1	
unsigned long	CLR2: 1	
unsigned long	CLR20: 1	

unsigned long	CLR21: 1	
unsigned long	CLR22: 1	
unsigned long	CLR23: 1	
unsigned long	CLR24: 1	
unsigned long	CLR25: 1	
unsigned long	CLR26: 1	
unsigned long	CLR27: 1	
unsigned long	CLR28: 1	
unsigned long	CLR29: 1	
unsigned long	CLR3: 1	
unsigned long	CLR30: 1	
unsigned long	CLR31: 1	
unsigned long	CLR4: 1	
unsigned long	CLR5: 1	
unsigned long	CLR6: 1	
unsigned long	CLR7: 1	
unsigned long	CLR8: 1	
unsigned long	CLR9: 1	

6.3.1.545 struct st_icu_t.PIBR0.BIT

Definition at line [12733](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.546 struct st_icu_t.PIBR1.BIT

Definition at line [12758](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	

unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.547 struct st_icu_t.PIBR2.BIT

Definition at line 12783 of file [iodefne.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.548 struct st_icu_t.PIBR3.BIT

Definition at line 12808 of file [iodefne.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.549 struct st_icu_t.PIBR4.BIT

Definition at line 12833 of file [iodefne.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.550 struct st_icu_t.PIBR5.BIT

Definition at line 12858 of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.551 struct st_icu_t.PIBR6.BIT

Definition at line 12883 of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.552 struct st_icu_t.PIBR7.BIT

Definition at line 12908 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.553 struct st_icu_t.PIBR8.BIT

Definition at line 12933 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.554 struct st_icu_t.PIBR9.BIT

Definition at line 12958 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.555 struct st_icu_t.PIBRA.BIT

Definition at line [12983](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.556 struct st_icu_t.PIBRB.BIT

Definition at line [13008](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.557 struct st_icu_t.SLIBXR128.BIT

Definition at line [13034](#) of file [iodefine.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.558 struct st_icu_t.SLIBXR129.BIT

Definition at line [13045](#) of file [iodefine.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.559 struct st_icu_t.SLIBXR130.BIT

Definition at line [13056](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.560 struct st_icu_t.SLIBXR131.BIT

Definition at line [13067](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.561 struct st_icu_t.SLIBXR132.BIT

Definition at line [13078](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.562 struct st_icu_t.SLIBXR133.BIT

Definition at line [13089](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.563 struct st_icu_t.SLIBXR134.BIT

Definition at line [13100](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.564 struct st_icu_t.SLIBXR135.BIT

Definition at line [13111](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.565 struct st_icu_t.SLIBXR136.BIT

Definition at line [13122](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.566 struct st_icu_t.SLIBXR137.BIT

Definition at line [13133](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.567 struct st_icu_t.SLIBXR138.BIT

Definition at line [13144](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.568 struct st_icu_t.SLIBXR139.BIT

Definition at line [13155](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.569 struct st_icu_t.SLIBXR140.BIT

Definition at line [13166](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.570 struct st_icu_t.SLIBXR141.BIT

Definition at line [13177](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.571 struct st_icu_t.SLIBXR142.BIT

Definition at line [13188](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.572 struct st_icu_t.SLIBXR143.BIT

Definition at line [13199](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.573 struct st_icu_t.SLIBR144.BIT

Definition at line [13210](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.574 struct st_icu_t.SLIBR145.BIT

Definition at line [13221](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.575 struct st_icu_t.SLIBR146.BIT

Definition at line [13232](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.576 struct st_icu_t.SLIBR147.BIT

Definition at line [13243](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.577 struct st_icu_t.SLIBR148.BIT

Definition at line [13254](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.578 struct st_icu_t.SLIBR149.BIT

Definition at line [13265](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.579 struct st_icu_t.SLIBR150.BIT

Definition at line [13276](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.580 struct st_icu_t.SLIBR151.BIT

Definition at line [13287](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.581 struct st_icu_t.SLIBR152.BIT

Definition at line [13298](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.582 struct st_icu_t.SLIBR153.BIT

Definition at line [13309](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.583 struct st_icu_t.SLIBR154.BIT

Definition at line [13320](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.584 struct st_icu_t.SLIBR155.BIT

Definition at line [13331](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.585 struct st_icu_t.SLIBR156.BIT

Definition at line [13342](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.586 struct st_icu_t.SLIBR157.BIT

Definition at line [13353](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.587 struct st_icu_t.SLIBR158.BIT

Definition at line [13364](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.588 struct st_icu_t.SLIBR159.BIT

Definition at line [13375](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.589 struct st_icu_t.SLIBR160.BIT

Definition at line [13386](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.590 struct st_icu_t.SLIBR161.BIT

Definition at line [13397](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.591 struct st_icu_t.SLIBR162.BIT

Definition at line [13408](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.592 struct st_icu_t.SLIBR163.BIT

Definition at line [13419](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.593 struct st_icu_t.SLIBR164.BIT

Definition at line [13430](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.594 struct st_icu_t.SLIBR165.BIT

Definition at line [13441](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.595 struct st_icu_t.SLIBR166.BIT

Definition at line [13452](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.596 struct st_icu_t.SLIBR167.BIT

Definition at line [13463](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.597 struct st_icu_t.SLIBR168.BIT

Definition at line [13474](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.598 struct st_icu_t.SLIBR169.BIT

Definition at line [13485](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.599 struct st_icu_t.SLIBR170.BIT

Definition at line [13496](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.600 struct st_icu_t.SLIBR171.BIT

Definition at line [13507](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.601 struct st_icu_t.SLIBR172.BIT

Definition at line [13518](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.602 struct st_icu_t.SLIBR173.BIT

Definition at line [13529](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.603 struct st_icu_t.SLIBR174.BIT

Definition at line [13540](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.604 struct st_icu_t.SLIBR175.BIT

Definition at line [13551](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.605 struct st_icu_t.SLIBR176.BIT

Definition at line [13562](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.606 struct st_icu_t.SLIBR177.BIT

Definition at line [13573](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.607 struct st_icu_t.SLIBR178.BIT

Definition at line [13584](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.608 struct st_icu_t.SLIBR179.BIT

Definition at line [13595](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.609 struct st_icu_t.SLIBR180.BIT

Definition at line [13606](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.610 struct st_icu_t.SLIBR181.BIT

Definition at line [13617](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.611 struct st_icu_t.SLIBR182.BIT

Definition at line [13628](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.612 struct st_icu_t.SLIBR183.BIT

Definition at line [13639](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.613 struct st_icu_t.SLIBR184.BIT

Definition at line [13650](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.614 struct st_icu_t.SLIBR185.BIT

Definition at line [13661](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.615 struct st_icu_t.SLIBR186.BIT

Definition at line [13672](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.616 struct st_icu_t.SLIBR187.BIT

Definition at line [13683](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.617 struct st_icu_t.SLIBR188.BIT

Definition at line [13694](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.618 struct st_icu_t.SLIBR189.BIT

Definition at line [13705](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.619 struct st_icu_t.SLIBR190.BIT

Definition at line [13716](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.620 struct st_icu_t.SLIBR191.BIT

Definition at line [13727](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.621 struct st_icu_t.SLIBR192.BIT

Definition at line [13738](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.622 struct st_icu_t.SLIBR193.BIT

Definition at line [13749](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.623 struct st_icu_t.SLIBR194.BIT

Definition at line [13760](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.624 struct st_icu_t.SLIBR195.BIT

Definition at line [13771](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.625 struct st_icu_t.SLIBR196.BIT

Definition at line [13782](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.626 struct st_icu_t.SLIBR197.BIT

Definition at line [13793](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.627 struct st_icu_t.SLIBR198.BIT

Definition at line [13804](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.628 struct st_icu_t.SLIBR199.BIT

Definition at line [13815](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.629 struct st_icu_t.SLIBR200.BIT

Definition at line [13826](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.630 struct st_icu_t.SLIBR201.BIT

Definition at line [13837](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.631 struct st_icu_t.SLIBR202.BIT

Definition at line [13848](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.632 struct st_icu_t.SLIBR203.BIT

Definition at line [13859](#) of file [iodef.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.633 struct st_icu_t.SLIBR204.BIT

Definition at line [13870](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.634 struct st_icu_t.SLIBR205.BIT

Definition at line [13881](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.635 struct st_icu_t.SLIBR206.BIT

Definition at line [13892](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.636 struct st_icu_t.SLIBR207.BIT

Definition at line [13903](#) of file [iodefne.h](#).

Data Fields

unsigned char	SLI: 8	
---------------	--------	--

6.3.1.637 struct st_icu_t.GRPAL0.BIT

Definition at line [13915](#) of file [iodefne.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	

unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	
unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.638 struct st_icu_t.GRPAL1.BIT

Definition at line [13988](#) of file [iodef.h](#).

Data Fields

unsigned long	IS0: 1	
unsigned long	IS1: 1	
unsigned long	IS10: 1	
unsigned long	IS11: 1	
unsigned long	IS12: 1	
unsigned long	IS13: 1	
unsigned long	IS14: 1	
unsigned long	IS15: 1	

unsigned long	IS16: 1	
unsigned long	IS17: 1	
unsigned long	IS18: 1	
unsigned long	IS19: 1	
unsigned long	IS2: 1	
unsigned long	IS20: 1	
unsigned long	IS21: 1	
unsigned long	IS22: 1	
unsigned long	IS23: 1	
unsigned long	IS24: 1	
unsigned long	IS25: 1	
unsigned long	IS26: 1	
unsigned long	IS27: 1	
unsigned long	IS28: 1	
unsigned long	IS29: 1	
unsigned long	IS3: 1	
unsigned long	IS30: 1	
unsigned long	IS31: 1	
unsigned long	IS4: 1	
unsigned long	IS5: 1	
unsigned long	IS6: 1	
unsigned long	IS7: 1	
unsigned long	IS8: 1	
unsigned long	IS9: 1	

6.3.1.639 struct st_icu_t.GENAL0.BIT

Definition at line [14062](#) of file [iodefine.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	

unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	
unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.640 struct st_icu_t.GENAL1.BIT

Definition at line 14135 of file [iodef.h](#).

Data Fields

unsigned long	EN0: 1	
unsigned long	EN1: 1	
unsigned long	EN10: 1	
unsigned long	EN11: 1	
unsigned long	EN12: 1	
unsigned long	EN13: 1	
unsigned long	EN14: 1	
unsigned long	EN15: 1	
unsigned long	EN16: 1	
unsigned long	EN17: 1	
unsigned long	EN18: 1	
unsigned long	EN19: 1	
unsigned long	EN2: 1	
unsigned long	EN20: 1	

unsigned long	EN21: 1	
unsigned long	EN22: 1	
unsigned long	EN23: 1	
unsigned long	EN24: 1	
unsigned long	EN25: 1	
unsigned long	EN26: 1	
unsigned long	EN27: 1	
unsigned long	EN28: 1	
unsigned long	EN29: 1	
unsigned long	EN3: 1	
unsigned long	EN30: 1	
unsigned long	EN31: 1	
unsigned long	EN4: 1	
unsigned long	EN5: 1	
unsigned long	EN6: 1	
unsigned long	EN7: 1	
unsigned long	EN8: 1	
unsigned long	EN9: 1	

6.3.1.641 struct st_icu_t.PIAR0.BIT

Definition at line [14209](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.642 struct st_icu_t.PIAR1.BIT

Definition at line [14234](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	

unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.643 struct st_icu_t.PIAR2.BIT

Definition at line [14259](#) of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.644 struct st_icu_t.PIAR3.BIT

Definition at line [14284](#) of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.645 struct st_icu_t.PIAR4.BIT

Definition at line [14309](#) of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.646 struct st_icu_t.PIAR5.BIT

Definition at line [14334](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.647 struct st_icu_t.PIAR6.BIT

Definition at line [14359](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.648 struct st_icu_t.PIAR7.BIT

Definition at line 14384 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.649 struct st_icu_t.PIAR8.BIT

Definition at line 14409 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.650 struct st_icu_t.PIAR9.BIT

Definition at line 14434 of file [iodef.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.651 struct st_icu_t.PIARA.BIT

Definition at line [14459](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.652 struct st_icu_t.PIARC.BIT

Definition at line [14485](#) of file [iodefine.h](#).

Data Fields

unsigned char	PIR0: 1	
unsigned char	PIR1: 1	
unsigned char	PIR2: 1	
unsigned char	PIR3: 1	
unsigned char	PIR4: 1	
unsigned char	PIR5: 1	
unsigned char	PIR6: 1	
unsigned char	PIR7: 1	

6.3.1.653 union st_icu_t.SLIAR208

Definition at line [14509](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.654 union st_icu_t.SLIAR209

Definition at line [14512](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.655 union st_icu_t.SLIAR210

Definition at line [14515](#) of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.656 union st_icu_t.SLIAR211

Definition at line [14518](#) of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.657 union st_icu_t.SLIAR212

Definition at line [14521](#) of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.658 union st_icu_t.SLIAR213

Definition at line [14524](#) of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.659 union st_icu_t.SLIAR214

Definition at line [14527](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.660 union st_icu_t.SLIAR215

Definition at line [14530](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.661 union st_icu_t.SLIAR216

Definition at line [14533](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.662 union st_icu_t.SLIAR217

Definition at line [14536](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.663 union st_icu_t.SLIAR218

Definition at line [14539](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.664 union st_icu_t.SLIAR219

Definition at line 14542 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.665 union st_icu_t.SLIAR220

Definition at line 14545 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.666 union st_icu_t.SLIAR221

Definition at line 14548 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.667 union st_icu_t.SLIAR222

Definition at line 14551 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.668 union st_icu_t.SLIAR223

Definition at line 14554 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.669 union st_icu_t.SLIAR224

Definition at line [14557](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.670 union st_icu_t.SLIAR225

Definition at line [14560](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.671 union st_icu_t.SLIAR226

Definition at line [14563](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.672 union st_icu_t.SLIAR227

Definition at line [14566](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.673 union st_icu_t.SLIAR228

Definition at line [14569](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.674 union st_icu_t.SLIAR229

Definition at line 14572 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.675 union st_icu_t.SLIAR230

Definition at line 14575 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.676 union st_icu_t.SLIAR231

Definition at line 14578 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.677 union st_icu_t.SLIAR232

Definition at line 14581 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.678 union st_icu_t.SLIAR233

Definition at line 14584 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.679 union st_icu_t.SLIAR234

Definition at line [14587](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.680 union st_icu_t.SLIAR235

Definition at line [14590](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.681 union st_icu_t.SLIAR236

Definition at line [14593](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.682 union st_icu_t.SLIAR237

Definition at line [14596](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.683 union st_icu_t.SLIAR238

Definition at line [14599](#) of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.684 union st_icu_t.SLIAR239

Definition at line 14602 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.685 union st_icu_t.SLIAR240

Definition at line 14605 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.686 union st_icu_t.SLIAR241

Definition at line 14608 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.687 union st_icu_t.SLIAR242

Definition at line 14611 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.688 union st_icu_t.SLIAR243

Definition at line 14614 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.689 union st_icu_t.SLIAR244

Definition at line [14617](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.690 union st_icu_t.SLIAR245

Definition at line [14620](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.691 union st_icu_t.SLIAR246

Definition at line [14623](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.692 union st_icu_t.SLIAR247

Definition at line [14626](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.693 union st_icu_t.SLIAR248

Definition at line [14629](#) of file [iodefine.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.694 union st_icu_t.SLIAR249

Definition at line 14632 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.695 union st_icu_t.SLIAR250

Definition at line 14635 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.696 union st_icu_t.SLIAR251

Definition at line 14638 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.697 union st_icu_t.SLIAR252

Definition at line 14641 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.698 union st_icu_t.SLIAR253

Definition at line 14644 of file [iodef.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.699 union st_icu_t.SLIAR254

Definition at line 14647 of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.700 union st_icu_t.SLIAR255

Definition at line 14650 of file [iodefne.h](#).

Data Fields

unsigned char	BYTE	
---------------	------	--

6.3.1.701 struct st_icu_t.SLIPRCR.BIT

Definition at line 14655 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	WPRC: 1	

6.3.1.702 struct st_icu_t.SELEXDR.BIT

Definition at line 14668 of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	SELEXD0: 1	
unsigned char	SELEXD1: 1	

6.3.1.703 struct st_iwdt_t.IWDTCR.BIT

Definition at line 14688 of file [iodefne.h](#).

Data Fields

unsigned short	CKS: 4	
unsigned short	RPES: 2	

unsigned short	RPSS: 2	
unsigned	short: 2	
unsigned short	TOPS: 2	

6.3.1.704 struct st_iwdt_t.IWDTSR.BIT

Definition at line [14711](#) of file [iodef.h](#).

Data Fields

unsigned short	CNTVAL: 14	
unsigned short	REFEF: 1	
unsigned short	UNDFE: 1	

6.3.1.705 struct st_iwdt_t.IWDTRCR.BIT

Definition at line [14726](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RSTIRQS: 1	

6.3.1.706 struct st_iwdt_t.IWDTCSSTPR.BIT

Definition at line [14740](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SLCSTP: 1	

6.3.1.707 union st_mmcif_t.CECMDSET

Definition at line [14754](#) of file [iodef.h](#).

Data Fields

unsigned long	LONG	
---------------	------	--

6.3.1.708 union st_mmcif_t.CEARG

Definition at line 14810 of file [iodefne.h](#).

Data Fields

unsigned long	LONG	
---------------	------	--

6.3.1.709 struct st_mmcif_t.CEARGCMD12.BIT

Definition at line 14815 of file [iodefne.h](#).

Data Fields

unsigned long	C12ARG: 32	
---------------	------------	--

6.3.1.710 struct st_mmcif_t.CECMDCTRL.BIT

Definition at line 14826 of file [iodefne.h](#).

Data Fields

unsigned long	BREAK: 1	
unsigned	long: 31	

6.3.1.711 struct st_mmcif_t.CEBLOCKSET.BIT

Definition at line 14839 of file [iodefne.h](#).

Data Fields

unsigned long	BLKCNT: 16	
unsigned long	BLKSIZ: 16	

6.3.1.712 struct st_mmcif_t.CECLKCTRL.BIT

Definition at line 14852 of file [iodefne.h](#).

Data Fields

unsigned long	CLKDIV: 4	
unsigned long	CLKEN: 1	
unsigned	long: 6	

unsigned long	MMCBUSBSY: 1	
unsigned long	SRBSYTO: 4	
unsigned long	SRSPTO: 2	
unsigned long	SRWDTO: 4	

6.3.1.713 struct st_mmcif_t.CEBUFACC.BIT

Definition at line [14881](#) of file [iodef.h](#).

Data Fields

unsigned long	ATYP: 1	
unsigned long	DMAREN: 1	
unsigned long	DMATYP: 1	
unsigned long	DMAWEN: 1	
unsigned	long: 5	

6.3.1.714 struct st_mmcif_t.CERESPCMD12.BIT

Definition at line [14908](#) of file [iodef.h](#).

Data Fields

unsigned long	RSP12: 32	
---------------	-----------	--

6.3.1.715 struct st_mmcif_t.CEBOOT.BIT

Definition at line [14921](#) of file [iodef.h](#).

Data Fields

unsigned	long: 16	
unsigned long	SBTACKTO: 4	
unsigned long	SBTCLKDIV: 4	
unsigned long	SBTDATTO: 4	
unsigned long	SFSTBTDATTO: 4	

6.3.1.716 struct st_mmcif_t.CEINT.BIT

Definition at line [14940](#) of file [iodefine.h](#).

Data Fields

unsigned long	BUFRE: 1	
unsigned long	BUFREN: 1	
unsigned long	BUFVIO: 1	
unsigned long	BUFWEN: 1	
unsigned long	CMD12CRE: 1	
unsigned long	CMD12DRE: 1	
unsigned long	CMD12RBE: 1	
unsigned long	CMDVIO: 1	
unsigned long	CRCSTO: 1	
unsigned long	CRSPE: 1	
unsigned long	DTRANE: 1	
unsigned	long: 5	
unsigned long	RBSYE: 1	
unsigned long	RBSYTO: 1	
unsigned long	RDATERR: 1	
unsigned long	RDATTO: 1	
unsigned long	RIDXERR: 1	
unsigned long	RSPERR: 1	
unsigned long	RSPTO: 1	
unsigned long	WDATERR: 1	
unsigned long	WDATTO: 1	

6.3.1.717 struct st_mmcif_t.CEINTEN.BIT

Definition at line [14997](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 5	
unsigned long	MBUFRE: 1	
unsigned long	MBUFREN: 1	
unsigned long	MBUFVIO: 1	
unsigned long	MBUFWEN: 1	
unsigned long	MCMD12CRE: 1	
unsigned long	MCMD12DRE: 1	
unsigned long	MCMD12RBE: 1	
unsigned long	MCMDVIO: 1	
unsigned long	MCRCSTO: 1	

unsigned long	MCRSPE: 1	
unsigned long	MDTRANE: 1	
unsigned long	MRBSYE: 1	
unsigned long	MRBSYTO: 1	
unsigned long	MRDATERR: 1	
unsigned long	MRDATTO: 1	
unsigned long	MRIDXERR: 1	
unsigned long	MRSPEERR: 1	
unsigned long	MRSPTO: 1	
unsigned long	MWDATERR: 1	
unsigned long	MWDATTO: 1	

6.3.1.718 struct st_mmcif_t.CEHOSTSTS1.BIT

Definition at line [15054](#) of file [iodef.h](#).

Data Fields

unsigned long	CMDSEQ: 1	
unsigned long	CMDSIG: 1	
unsigned long	DATSIG: 8	
unsigned long	RCVBLK: 16	
unsigned long	RSPIDX: 6	

6.3.1.719 struct st_mmcif_t.CEHOSTSTS2.BIT

Definition at line [15073](#) of file [iodef.h](#).

Data Fields

unsigned long	AC12BSYTO: 1	
unsigned long	AC12CRCE: 1	
unsigned long	AC12IDX: 1	
unsigned long	AC12REBE: 1	
unsigned long	AC12RSPTO: 1	
unsigned long	BTACKEBE: 1	
unsigned long	BTACKPATE: 1	
unsigned long	BTACKTO: 1	
unsigned long	BTDATTO: 1	
unsigned long	CRC16E: 1	
unsigned long	CRCST: 3	
unsigned long	CRCSTE: 1	

unsigned long	CRCSTEBE: 1	
unsigned long	CRCSTTO: 1	
unsigned long	DATBSYTO: 1	
unsigned long	FSTBTDATTO: 1	
unsigned	long: 1	
unsigned long	RDATEBE: 1	
unsigned long	RSPBSYTO: 1	
unsigned long	RSPCRC7E: 1	
unsigned long	RSPEBE: 1	
unsigned long	RSPIDX: 1	
unsigned long	STRDATTO: 1	
unsigned long	STRSPTO: 1	

6.3.1.720 struct st_mmcif_t.CEDETECT.BIT

Definition at line [15135](#) of file [iodefine.h](#).

Data Fields

unsigned long	CDFALL: 1	
unsigned long	CDRISE: 1	
unsigned long	CDSIG: 1	
unsigned	long: 17	
unsigned long	MCDFALL: 1	
unsigned long	MCDRISE: 1	

6.3.1.721 struct st_mmcif_t.CEADDMODE.BIT

Definition at line [15160](#) of file [iodefine.h](#).

Data Fields

unsigned long	CLKMAIN: 1	
unsigned	long: 10	
unsigned long	RESNOUT: 1	

6.3.1.722 struct st_mmcif_t.CEVERSION.BIT

Definition at line [15180](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 15	
unsigned long	SWRST: 1	
unsigned long	VERSION: 16	

6.3.1.723 struct st_mpc_t.PFCSE.BIT

Definition at line [15198](#) of file [iodef.h](#).

Data Fields

unsigned char	CS0E: 1	
unsigned char	CS1E: 1	
unsigned char	CS2E: 1	
unsigned char	CS3E: 1	
unsigned char	CS4E: 1	
unsigned char	CS5E: 1	
unsigned char	CS6E: 1	
unsigned char	CS7E: 1	

6.3.1.724 struct st_mpc_t.PFCSS0.BIT

Definition at line [15224](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CS0S: 1	
unsigned char	CS1S: 2	
unsigned char	CS2S: 2	
unsigned char	CS3S: 2	

6.3.1.725 struct st_mpc_t.PFCSS1.BIT

Definition at line [15243](#) of file [iodef.h](#).

Data Fields

unsigned char	CS4S: 2	
unsigned char	CS5S: 2	
unsigned char	CS6S: 2	
unsigned char	CS7S: 2	

6.3.1.726 struct st_mpc_t.PFAOE0.BIT

Definition at line [15260](#) of file [iodefine.h](#).

Data Fields

unsigned char	A10E: 1	
unsigned char	A11E: 1	
unsigned char	A12E: 1	
unsigned char	A13E: 1	
unsigned char	A14E: 1	
unsigned char	A15E: 1	
unsigned char	A8E: 1	
unsigned char	A9E: 1	

6.3.1.727 struct st_mpc_t.PFAOE1.BIT

Definition at line [15285](#) of file [iodefine.h](#).

Data Fields

unsigned char	A16E: 1	
unsigned char	A17E: 1	
unsigned char	A18E: 1	
unsigned char	A19E: 1	
unsigned char	A20E: 1	
unsigned char	A21E: 1	
unsigned char	A22E: 1	
unsigned char	A23E: 1	

6.3.1.728 struct st_mpc_t.PFBCR0.BIT

Definition at line [15310](#) of file [iodefine.h](#).

Data Fields

unsigned char	ADRHMS: 1	
unsigned char	ADRHMS2: 1	
unsigned char	ADRLE: 1	
unsigned char	BCLKO: 1	
unsigned char	DH32E: 1	
unsigned char	DHE: 1	
unsigned char	WR1BC1E: 1	

unsigned char	WR32BC32E: 1	
---------------	--------------	--

6.3.1.729 struct st_mpc_t.PFBCR1.BIT

Definition at line [15335](#) of file [iodef.h](#).

Data Fields

unsigned char	ALEOE: 1	
unsigned char	ALES: 1	
unsigned	char: 1	
unsigned char	DQM1E: 1	
unsigned char	MDSDE: 1	
unsigned char	SDCLKE: 1	
unsigned char	WAITS: 2	

6.3.1.730 struct st_mpc_t.PFBCR2.BIT

Definition at line [15358](#) of file [iodef.h](#).

Data Fields

unsigned char	D0S: 2	
unsigned char	D1S: 2	
unsigned char	D2S: 2	
unsigned char	D3S: 2	

6.3.1.731 struct st_mpc_t.PFBCR3.BIT

Definition at line [15375](#) of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	DLHS: 1	
unsigned char	SDCLKDRV: 1	
unsigned char	WAITS2: 1	

6.3.1.732 struct st_mpc_t.PFENET.BIT

Definition at line [15393](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PHYMODE0: 1	
unsigned char	PHYMODE1: 1	

6.3.1.733 struct st_mpc_t.PWPR.BIT

Definition at line [15411](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0WI: 1	
unsigned	char: 6	
unsigned char	PFSWE: 1	

6.3.1.734 struct st_mpc_t.P00PFS.BIT

Definition at line [15427](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.735 struct st_mpc_t.P01PFS.BIT

Definition at line [15442](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.736 struct st_mpc_t.P02PFS.BIT

Definition at line 15457 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.737 struct st_mpc_t.P03PFS.BIT

Definition at line 15472 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.738 struct st_mpc_t.P05PFS.BIT

Definition at line 15488 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.739 struct st_mpc_t.P07PFS.BIT

Definition at line 15504 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.740 struct st_mpc_t.P10PFS.BIT

Definition at line [15519](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.741 struct st_mpc_t.P11PFS.BIT

Definition at line [15534](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.742 struct st_mpc_t.P12PFS.BIT

Definition at line [15549](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.743 struct st_mpc_t.P13PFS.BIT

Definition at line [15564](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.744 struct st_mpc_t.P14PFS.BIT

Definition at line [15579](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.745 struct st_mpc_t.P15PFS.BIT

Definition at line [15594](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.746 struct st_mpc_t.P16PFS.BIT

Definition at line [15609](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.747 struct st_mpc_t.P17PFS.BIT

Definition at line [15624](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.748 struct st_mpc_t.P20PFS.BIT

Definition at line [15639](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.749 struct st_mpc_t.P21PFS.BIT

Definition at line [15654](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.750 struct st_mpc_t.P22PFS.BIT

Definition at line [15669](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.751 struct st_mpc_t.P23PFS.BIT

Definition at line [15682](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.752 struct st_mpc_t.P24PFS.BIT

Definition at line 15695 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.753 struct st_mpc_t.P25PFS.BIT

Definition at line 15708 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.754 struct st_mpc_t.P26PFS.BIT

Definition at line 15721 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.755 struct st_mpc_t.P27PFS.BIT

Definition at line 15734 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.756 struct st_mpc_t.P30PFS.BIT

Definition at line 15747 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
----------	---------	--

unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.757 struct st_mpc_t.P31PFS.BIT

Definition at line [15762](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.758 struct st_mpc_t.P32PFS.BIT

Definition at line [15777](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.759 struct st_mpc_t.P33PFS.BIT

Definition at line [15792](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.760 struct st_mpc_t.P34PFS.BIT

Definition at line [15807](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.761 struct st_mpc_t.P40PFS.BIT

Definition at line [15823](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.762 struct st_mpc_t.P41PFS.BIT

Definition at line [15838](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.763 struct st_mpc_t.P42PFS.BIT

Definition at line [15853](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.764 struct st_mpc_t.P43PFS.BIT

Definition at line [15868](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.765 struct st_mpc_t.P44PFS.BIT

Definition at line 15883 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.766 struct st_mpc_t.P45PFS.BIT

Definition at line 15898 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.767 struct st_mpc_t.P46PFS.BIT

Definition at line 15913 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.768 struct st_mpc_t.P47PFS.BIT

Definition at line 15928 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 6	
unsigned char	ISEL: 1	

6.3.1.769 struct st_mpc_t.P50PFS.BIT

Definition at line [15943](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.770 struct st_mpc_t.P51PFS.BIT

Definition at line [15956](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.771 struct st_mpc_t.P52PFS.BIT

Definition at line [15969](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.772 struct st_mpc_t.P54PFS.BIT

Definition at line [15983](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.773 struct st_mpc_t.P55PFS.BIT

Definition at line [15996](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
----------	---------	--

unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.774 struct st_mpc_t.P56PFS.BIT

Definition at line [16011](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.775 struct st_mpc_t.P57PFS.BIT

Definition at line [16024](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.776 struct st_mpc_t.P60PFS.BIT

Definition at line [16037](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.777 struct st_mpc_t.P61PFS.BIT

Definition at line [16050](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.778 struct st_mpc_t.P62PFS.BIT

Definition at line 16063 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.779 struct st_mpc_t.P63PFS.BIT

Definition at line 16076 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.780 struct st_mpc_t.P64PFS.BIT

Definition at line 16089 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.781 struct st_mpc_t.P66PFS.BIT

Definition at line 16103 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.782 struct st_mpc_t.P67PFS.BIT

Definition at line 16116 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
----------	---------	--

unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.783 struct st_mpc_t.P71PFS.BIT

Definition at line [16132](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.784 struct st_mpc_t.P72PFS.BIT

Definition at line [16145](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.785 struct st_mpc_t.P73PFS.BIT

Definition at line [16158](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.786 struct st_mpc_t.P74PFS.BIT

Definition at line [16171](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.787 struct st_mpc_t.P75PFS.BIT

Definition at line 16184 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.788 struct st_mpc_t.P76PFS.BIT

Definition at line 16197 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.789 struct st_mpc_t.P77PFS.BIT

Definition at line 16210 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.790 struct st_mpc_t.P80PFS.BIT

Definition at line 16223 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.791 struct st_mpc_t.P81PFS.BIT

Definition at line 16236 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.792 struct st_mpc_t.P82PFS.BIT

Definition at line [16249](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.793 struct st_mpc_t.P83PFS.BIT

Definition at line [16262](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.794 struct st_mpc_t.P84PFS.BIT

Definition at line [16275](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.795 struct st_mpc_t.P85PFS.BIT

Definition at line [16288](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.796 struct st_mpc_t.P86PFS.BIT

Definition at line 16301 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.797 struct st_mpc_t.P87PFS.BIT

Definition at line 16314 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.798 struct st_mpc_t.P90PFS.BIT

Definition at line 16327 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.799 struct st_mpc_t.P91PFS.BIT

Definition at line 16342 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.800 struct st_mpc_t.P92PFS.BIT

Definition at line 16357 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.801 struct st_mpc_t.P93PFS.BIT

Definition at line 16372 of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.802 struct st_mpc_t.P94PFS.BIT

Definition at line 16387 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.803 struct st_mpc_t.P95PFS.BIT

Definition at line 16400 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.804 struct st_mpc_t.P96PFS.BIT

Definition at line 16413 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.805 struct st_mpc_t.P97PFS.BIT

Definition at line 16426 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.806 struct st_mpc_t.PA0PFS.BIT

Definition at line 16439 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.807 struct st_mpc_t.PA1PFS.BIT

Definition at line 16452 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.808 struct st_mpc_t.PA2PFS.BIT

Definition at line 16467 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.809 struct st_mpc_t.PA3PFS.BIT

Definition at line [16480](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.810 struct st_mpc_t.PA4PFS.BIT

Definition at line [16495](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.811 struct st_mpc_t.PA5PFS.BIT

Definition at line [16510](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.812 struct st_mpc_t.PA6PFS.BIT

Definition at line [16523](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.813 struct st_mpc_t.PA7PFS.BIT

Definition at line 16536 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.814 struct st_mpc_t.PB0PFS.BIT

Definition at line 16549 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.815 struct st_mpc_t.PB1PFS.BIT

Definition at line 16564 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.816 struct st_mpc_t.PB2PFS.BIT

Definition at line 16579 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.817 struct st_mpc_t.PB3PFS.BIT

Definition at line 16592 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.818 struct st_mpc_t.PB4PFS.BIT

Definition at line 16605 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.819 struct st_mpc_t.PB5PFS.BIT

Definition at line 16618 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.820 struct st_mpc_t.PB6PFS.BIT

Definition at line 16631 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.821 struct st_mpc_t.PB7PFS.BIT

Definition at line 16644 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.822 struct st_mpc_t.PC0PFS.BIT

Definition at line [16657](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.823 struct st_mpc_t.PC1PFS.BIT

Definition at line [16672](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.824 struct st_mpc_t.PC2PFS.BIT

Definition at line [16687](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.825 struct st_mpc_t.PC3PFS.BIT

Definition at line [16700](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.826 struct st_mpc_t.PC4PFS.BIT

Definition at line [16713](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.827 struct st_mpc_t.PC5PFS.BIT

Definition at line [16726](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.828 struct st_mpc_t.PC6PFS.BIT

Definition at line [16739](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.829 struct st_mpc_t.PC7PFS.BIT

Definition at line [16754](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.830 struct st_mpc_t.PD0PFS.BIT

Definition at line [16769](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.831 struct st_mpc_t.PD1PFS.BIT

Definition at line [16784](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.832 struct st_mpc_t.PD2PFS.BIT

Definition at line [16799](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.833 struct st_mpc_t.PD3PFS.BIT

Definition at line [16814](#) of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.834 struct st_mpc_t.PD4PFS.BIT

Definition at line [16829](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.835 struct st_mpc_t.PD5PFS.BIT

Definition at line [16844](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.836 struct st_mpc_t.PD6PFS.BIT

Definition at line [16859](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.837 struct st_mpc_t.PD7PFS.BIT

Definition at line [16874](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.838 struct st_mpc_t.PE0PFS.BIT

Definition at line 16889 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.839 struct st_mpc_t.PE1PFS.BIT

Definition at line 16904 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.840 struct st_mpc_t.PE2PFS.BIT

Definition at line 16919 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.841 struct st_mpc_t.PE3PFS.BIT

Definition at line 16934 of file [iodef.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.842 struct st_mpc_t.PE4PFS.BIT

Definition at line [16949](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned	char: 1	
unsigned char	PSEL: 6	

6.3.1.843 struct st_mpc_t.PE5PFS.BIT

Definition at line [16964](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.844 struct st_mpc_t.PE6PFS.BIT

Definition at line [16979](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.845 struct st_mpc_t.PE7PFS.BIT

Definition at line [16994](#) of file [iodefne.h](#).

Data Fields

unsigned char	ASEL: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.846 struct st_mpc_t.PF0PFS.BIT

Definition at line 17009 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.847 struct st_mpc_t.PF1PFS.BIT

Definition at line 17022 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.848 struct st_mpc_t.PF2PFS.BIT

Definition at line 17035 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.849 struct st_mpc_t.PF5PFS.BIT

Definition at line 17049 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ISEL: 1	
unsigned char	PSEL: 6	

6.3.1.850 struct st_mpc_t.PG0PFS.BIT

Definition at line 17065 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.851 struct st_mpc_t.PG1PFS.BIT

Definition at line [17078](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.852 struct st_mpc_t.PG2PFS.BIT

Definition at line [17091](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.853 struct st_mpc_t.PG3PFS.BIT

Definition at line [17104](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.854 struct st_mpc_t.PG4PFS.BIT

Definition at line [17117](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.855 struct st_mpc_t.PG5PFS.BIT

Definition at line 17130 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.856 struct st_mpc_t.PG6PFS.BIT

Definition at line 17143 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.857 struct st_mpc_t.PG7PFS.BIT

Definition at line 17156 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.858 struct st_mpc_t.PH0PFS.BIT

Definition at line 17169 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.859 struct st_mpc_t.PH1PFS.BIT

Definition at line 17182 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.860 struct st_mpc_t.PH2PFS.BIT

Definition at line [17195](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.861 struct st_mpc_t.PH3PFS.BIT

Definition at line [17208](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.862 struct st_mpc_t.PH4PFS.BIT

Definition at line [17221](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.863 struct st_mpc_t.PH5PFS.BIT

Definition at line [17234](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.864 struct st_mpc_t.PH6PFS.BIT

Definition at line 17247 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.865 struct st_mpc_t.PH7PFS.BIT

Definition at line 17260 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.866 struct st_mpc_t.PJ0PFS.BIT

Definition at line 17273 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.867 struct st_mpc_t.PJ1PFS.BIT

Definition at line 17286 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.868 struct st_mpc_t.PJ2PFS.BIT

Definition at line 17299 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.869 struct st_mpc_t.PJ3PFS.BIT

Definition at line [17312](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.870 struct st_mpc_t.PJ5PFS.BIT

Definition at line [17326](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.871 struct st_mpc_t.PK0PFS.BIT

Definition at line [17340](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.872 struct st_mpc_t.PK1PFS.BIT

Definition at line [17353](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.873 struct st_mpc_t.PK2PFS.BIT

Definition at line 17366 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.874 struct st_mpc_t.PK3PFS.BIT

Definition at line 17379 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.875 struct st_mpc_t.PK4PFS.BIT

Definition at line 17392 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.876 struct st_mpc_t.PK5PFS.BIT

Definition at line 17405 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.877 struct st_mpc_t.PK6PFS.BIT

Definition at line 17418 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.878 struct st_mpc_t.PK7PFS.BIT

Definition at line [17431](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.879 struct st_mpc_t.PL0PFS.BIT

Definition at line [17444](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.880 struct st_mpc_t.PL1PFS.BIT

Definition at line [17457](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.881 struct st_mpc_t.PL2PFS.BIT

Definition at line [17470](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.882 struct st_mpc_t.PL3PFS.BIT

Definition at line 17483 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.883 struct st_mpc_t.PL4PFS.BIT

Definition at line 17496 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.884 struct st_mpc_t.PL5PFS.BIT

Definition at line 17509 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.885 struct st_mpc_t.PL6PFS.BIT

Definition at line 17522 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.886 struct st_mpc_t.PL7PFS.BIT

Definition at line 17535 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.887 struct st_mpc_t.PM0PFS.BIT

Definition at line [17548](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.888 struct st_mpc_t.PM1PFS.BIT

Definition at line [17561](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.889 struct st_mpc_t.PM2PFS.BIT

Definition at line [17574](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.890 struct st_mpc_t.PM3PFS.BIT

Definition at line [17587](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.891 struct st_mpc_t.PM4PFS.BIT

Definition at line 17600 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.892 struct st_mpc_t.PM5PFS.BIT

Definition at line 17613 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.893 struct st_mpc_t.PM6PFS.BIT

Definition at line 17626 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.894 struct st_mpc_t.PM7PFS.BIT

Definition at line 17639 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.895 struct st_mpc_t.PN0PFS.BIT

Definition at line 17652 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.896 struct st_mpc_t.PN1PFS.BIT

Definition at line [17665](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.897 struct st_mpc_t.PN2PFS.BIT

Definition at line [17678](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.898 struct st_mpc_t.PN3PFS.BIT

Definition at line [17691](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.899 struct st_mpc_t.PN4PFS.BIT

Definition at line [17704](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.900 struct st_mpc_t.PN5PFS.BIT

Definition at line 17717 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.901 struct st_mpc_t.PQ0PFS.BIT

Definition at line 17731 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.902 struct st_mpc_t.PQ1PFS.BIT

Definition at line 17744 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.903 struct st_mpc_t.PQ2PFS.BIT

Definition at line 17757 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.904 struct st_mpc_t.PQ3PFS.BIT

Definition at line 17770 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
----------	---------	--

unsigned char	PSEL: 6	
-------------------------------	---------	--

6.3.1.905 struct st_mpc_t.PQ4PFS.BIT

Definition at line [17783](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.906 struct st_mpc_t.PQ5PFS.BIT

Definition at line [17796](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.907 struct st_mpc_t.PQ6PFS.BIT

Definition at line [17809](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.908 struct st_mpc_t.PQ7PFS.BIT

Definition at line [17822](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	PSEL: 6	

6.3.1.909 struct st_mpu_t.RSPAGE0.BIT

Definition at line 17838 of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.910 struct st_mpu_t.REPAGE0.BIT

Definition at line 17851 of file [iodef.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.911 struct st_mpu_t.RSPAGE1.BIT

Definition at line 17866 of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.912 struct st_mpu_t.REPAGE1.BIT

Definition at line 17879 of file [iodef.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.913 struct st_mpu_t.RSPAGE2.BIT

Definition at line 17894 of file [iodefne.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.914 struct st_mpu_t.REPAGE2.BIT

Definition at line 17907 of file [iodefne.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.915 struct st_mpu_t.RSPAGE3.BIT

Definition at line 17922 of file [iodefne.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.916 struct st_mpu_t.REPAGE3.BIT

Definition at line 17935 of file [iodefne.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.917 struct st_mpu_t.RSPAGE4.BIT

Definition at line 17950 of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.918 struct st_mpu_t.REPAGE4.BIT

Definition at line 17963 of file [iodef.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.919 struct st_mpu_t.RSPAGE5.BIT

Definition at line 17978 of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.920 struct st_mpu_t.REPAGE5.BIT

Definition at line 17991 of file [iodef.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.921 struct st_mpu_t.RSPAGE6.BIT

Definition at line 18006 of file [iodefne.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.922 struct st_mpu_t.REPAGE6.BIT

Definition at line 18019 of file [iodefne.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.923 struct st_mpu_t.RSPAGE7.BIT

Definition at line 18034 of file [iodefne.h](#).

Data Fields

unsigned	long: 4	
unsigned long	RSPN: 28	

6.3.1.924 struct st_mpu_t.REPAGE7.BIT

Definition at line 18047 of file [iodefne.h](#).

Data Fields

unsigned long	REPN: 28	
unsigned long	UAC: 3	
unsigned long	V: 1	

6.3.1.925 struct st_mpu_t.MPEN.BIT

Definition at line 18063 of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	MPEN: 1	

6.3.1.926 struct st_mpu_t.MPBAC.BIT

Definition at line 18076 of file [iodef.h](#).

Data Fields

unsigned	long: 28	
unsigned long	UBAC: 3	

6.3.1.927 struct st_mpu_t.MPECLR.BIT

Definition at line 18091 of file [iodef.h](#).

Data Fields

unsigned long	CLR: 1	
unsigned	long: 31	

6.3.1.928 struct st_mpu_t.MPESTS.BIT

Definition at line 18104 of file [iodef.h](#).

Data Fields

unsigned long	DMPER: 1	
unsigned long	DRW: 1	
unsigned long	IMPER: 1	
unsigned	long: 29	

6.3.1.929 struct st_mpu_t.MPDEA.BIT

Definition at line 18122 of file [iodefine.h](#).

Data Fields

unsigned long	DEA: 32	
---------------	---------	--

6.3.1.930 struct st_mpu_t.MPSA.BIT

Definition at line 18134 of file [iodefine.h](#).

Data Fields

unsigned long	SA: 32	
---------------	--------	--

6.3.1.931 struct st_mpu_t.MPOPS.BIT

Definition at line 18145 of file [iodefine.h](#).

Data Fields

unsigned short	S: 1	
unsigned	short: 15	

6.3.1.932 struct st_mpu_t.MPOPL.BIT

Definition at line 18158 of file [iodefine.h](#).

Data Fields

unsigned short	INV: 1	
unsigned	short: 15	

6.3.1.933 struct st_mpu_t.MHITI.BIT

Definition at line 18171 of file [iodefine.h](#).

Data Fields

unsigned long	HITI: 8	
unsigned	long: 8	
unsigned long	UHACI: 3	

6.3.1.934 struct st_mpu_t.MHITD.BIT

Definition at line 18190 of file [iodef.h](#).

Data Fields

unsigned long	HITD: 8	
unsigned	long: 8	
unsigned long	UHACD: 3	

6.3.1.935 struct st_mtu_t.TOERA.BIT

Definition at line 18212 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	OE3B: 1	
unsigned char	OE3D: 1	
unsigned char	OE4A: 1	
unsigned char	OE4B: 1	
unsigned char	OE4C: 1	
unsigned char	OE4D: 1	

6.3.1.936 struct st_mtu_t.TGCRA.BIT

Definition at line 18236 of file [iodef.h](#).

Data Fields

unsigned char	BDC: 1	
unsigned	char: 1	
unsigned char	FB: 1	
unsigned char	N: 1	
unsigned char	P: 1	
unsigned char	UF: 1	
unsigned char	VF: 1	
unsigned char	WF: 1	

6.3.1.937 struct st_mtu_t.TOCR1A.BIT

Definition at line 18261 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	OLSN: 1	
unsigned char	OLSP: 1	
unsigned char	PSYE: 1	
unsigned char	TOCL: 1	
unsigned char	TOCS: 1	

6.3.1.938 struct st_mtu_t.TOCR2A.BIT

Definition at line [18284](#) of file [iodefine.h](#).

Data Fields

unsigned char	BF: 2	
unsigned char	OLS1N: 1	
unsigned char	OLS1P: 1	
unsigned char	OLS2N: 1	
unsigned char	OLS2P: 1	
unsigned char	OLS3N: 1	
unsigned char	OLS3P: 1	

6.3.1.939 struct st_mtu_t.TITCR1A.BIT

Definition at line [18314](#) of file [iodefine.h](#).

Data Fields

unsigned char	T3ACOR: 3	
unsigned char	T3AEN: 1	
unsigned char	T4VCOR: 3	
unsigned char	T4VEN: 1	

6.3.1.940 struct st_mtu_t.TITCNT1A.BIT

Definition at line [18331](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	T3ACNT: 3	
unsigned char	T4VCNT: 3	

6.3.1.941 struct st_mtu_t.TBTERA.BIT

Definition at line 18348 of file [iodef.h](#).

Data Fields

unsigned char	BTE: 2	
unsigned	char: 6	

6.3.1.942 struct st_mtu_t.TDERA.BIT

Definition at line 18362 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TDER: 1	

6.3.1.943 struct st_mtu_t.TOLBRA.BIT

Definition at line 18376 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	OLS1N: 1	
unsigned char	OLS1P: 1	
unsigned char	OLS2N: 1	
unsigned char	OLS2P: 1	
unsigned char	OLS3N: 1	
unsigned char	OLS3P: 1	

6.3.1.944 struct st_mtu_t.TITMRA.BIT

Definition at line 18400 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TITM: 1	

6.3.1.945 struct st_mtu_t.TITCR2A.BIT

Definition at line 18413 of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TRG4COR: 3	

6.3.1.946 struct st_mtu_t.TITCNT2A.BIT

Definition at line 18426 of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TRG4CNT: 3	

6.3.1.947 struct st_mtu_t.TWCRA.BIT

Definition at line 18440 of file [iodefine.h](#).

Data Fields

unsigned char	CCE: 1	
unsigned	char: 5	
unsigned char	SCC: 1	
unsigned char	WRE: 1	

6.3.1.948 struct st_mtu_t.TMDR2A.BIT

Definition at line 18458 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DRS: 1	

6.3.1.949 struct st_mtu_t.TSTRA.BIT

Definition at line 18472 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	CST0: 1	
unsigned char	CST1: 1	
unsigned char	CST2: 1	
unsigned char	CST3: 1	
unsigned char	CST4: 1	
unsigned char	CST8: 1	

6.3.1.950 struct st_mtu_t.TSYRA.BIT

Definition at line 18495 of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	SYNC0: 1	
unsigned char	SYNC1: 1	
unsigned char	SYNC2: 1	
unsigned char	SYNC3: 1	
unsigned char	SYNC4: 1	

6.3.1.951 struct st_mtu_t.TCSYSTR.BIT

Definition at line 18516 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SCH0: 1	
unsigned char	SCH1: 1	
unsigned char	SCH2: 1	
unsigned char	SCH3: 1	
unsigned char	SCH4: 1	
unsigned char	SCH6: 1	
unsigned char	SCH7: 1	

6.3.1.952 struct st_mtu_t.TRWERA.BIT

Definition at line 18542 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RWE: 1	

6.3.1.953 struct st_mtu_t.TOERB.BIT

Definition at line 18556 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	OE6B: 1	
unsigned char	OE6D: 1	
unsigned char	OE7A: 1	
unsigned char	OE7B: 1	
unsigned char	OE7C: 1	
unsigned char	OE7D: 1	

6.3.1.954 struct st_mtu_t.TOCR1B.BIT

Definition at line 18580 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	OLSN: 1	
unsigned char	OLSP: 1	
unsigned char	PSYE: 1	
unsigned char	TOCL: 1	
unsigned char	TOCS: 1	

6.3.1.955 struct st_mtu_t.TOCR2B.BIT

Definition at line 18603 of file [iodefne.h](#).

Data Fields

unsigned char	BF: 2	
unsigned char	OLS1N: 1	

unsigned char	OLS1P: 1	
unsigned char	OLS2N: 1	
unsigned char	OLS2P: 1	
unsigned char	OLS3N: 1	
unsigned char	OLS3P: 1	

6.3.1.956 struct st_mtu_t.TITCR1B.BIT

Definition at line 18633 of file [iodef.h](#).

Data Fields

unsigned char	T6ACOR: 3	
unsigned char	T6AEN: 1	
unsigned char	T7VCOR: 3	
unsigned char	T7VEN: 1	

6.3.1.957 struct st_mtu_t.TITCNT1B.BIT

Definition at line 18650 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	T6ACNT: 3	
unsigned char	T7VCNT: 3	

6.3.1.958 struct st_mtu_t.TBTERB.BIT

Definition at line 18667 of file [iodef.h](#).

Data Fields

unsigned char	BTE: 2	
unsigned	char: 6	

6.3.1.959 struct st_mtu_t.TDERB.BIT

Definition at line 18681 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TDER: 1	

6.3.1.960 struct st_mtu_t.TOLBRB.BIT

Definition at line [18695](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	OLS1N: 1	
unsigned char	OLS1P: 1	
unsigned char	OLS2N: 1	
unsigned char	OLS2P: 1	
unsigned char	OLS3N: 1	
unsigned char	OLS3P: 1	

6.3.1.961 struct st_mtu_t.TITMRB.BIT

Definition at line [18719](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TITM: 1	

6.3.1.962 struct st_mtu_t.TITCR2B.BIT

Definition at line [18732](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TRG7COR: 3	

6.3.1.963 struct st_mtu_t.TITCNT2B.BIT

Definition at line [18745](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TRG7CNT: 3	

6.3.1.964 struct st_mtu_t.TWCRB.BIT

Definition at line [18759](#) of file [iodefne.h](#).

Data Fields

unsigned char	CCE: 1	
unsigned	char: 5	
unsigned char	SCC: 1	
unsigned char	WRE: 1	

6.3.1.965 struct st_mtu_t.TMDR2B.BIT

Definition at line [18777](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DRS: 1	

6.3.1.966 struct st_mtu_t.TSTRB.BIT

Definition at line [18791](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	CST6: 1	
unsigned char	CST7: 1	

6.3.1.967 struct st_mtu_t.TSYRB.BIT

Definition at line [18806](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
----------	---------	--

unsigned char	SYNC6: 1	
unsigned char	SYNC7: 1	

6.3.1.968 struct st_mtu_t.TRWERB.BIT

Definition at line [18822](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RWE: 1	

6.3.1.969 struct st_mtu0_t.NFCR0.BIT

Definition at line [18838](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.970 struct st_mtu0_t.NFCRC.BIT

Definition at line [18860](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.971 struct st_mtu0_t.TCR.BIT

Definition at line 18882 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.972 struct st_mtu0_t.TMDR1.BIT

Definition at line 18897 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned char	BFE: 1	
unsigned	char: 1	
unsigned char	MD: 4	

6.3.1.973 struct st_mtu0_t.TIORH.BIT

Definition at line 18916 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.974 struct st_mtu0_t.TIORL.BIT

Definition at line 18929 of file [iodef.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.975 struct st_mtu0_t.TIER.BIT

Definition at line 18942 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	

6.3.1.976 struct st_mtu0_t.TIER2.BIT

Definition at line 18974 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TGIEE: 1	
unsigned char	TGIEF: 1	
unsigned char	TTGE2: 1	

6.3.1.977 struct st_mtu0_t.TBTM.BIT

Definition at line 18992 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TTSA: 1	
unsigned char	TTSB: 1	
unsigned char	TTSE: 1	

6.3.1.978 struct st_mtu0_t.TCR2.BIT

Definition at line 19010 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TPSC2: 3	

6.3.1.979 struct st_mtu1_t.NFCR1.BIT

Definition at line 19027 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.980 struct st_mtu1_t.TCR.BIT

Definition at line 19049 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.981 struct st_mtu1_t.TMDR1.BIT

Definition at line 19066 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	MD: 4	

6.3.1.982 struct st_mtu1_t.TIOR.BIT

Definition at line 19079 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.983 struct st_mtu1_t.TIER.BIT

Definition at line 19093 of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TTGE: 1	

6.3.1.984 struct st_mtu1_t.TSR.BIT

Definition at line 19116 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.985 struct st_mtu1_t.TICCR.BIT

Definition at line 19133 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	I1AE: 1	
unsigned char	I1BE: 1	
unsigned char	I2AE: 1	
unsigned char	I2BE: 1	

6.3.1.986 struct st_mtu1_t.TMDR3.BIT

Definition at line 19152 of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	LWA: 1	
unsigned char	PHCKSEL: 1	

6.3.1.987 struct st_mtu1_t.TCR2.BIT

Definition at line 19168 of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	PCB: 2	
unsigned char	TPSC2: 3	

6.3.1.988 struct st_mtu2_t.NFCR2.BIT

Definition at line 19190 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.989 struct st_mtu2_t.TCR.BIT

Definition at line 19212 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.990 struct st_mtu2_t.TMDR1.BIT

Definition at line 19229 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	MD: 4	

6.3.1.991 struct st_mtu2_t.TIOR.BIT

Definition at line 19242 of file [iodefne.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.992 struct st_mtu2_t.TIER.BIT

Definition at line 19256 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TTGE: 1	

6.3.1.993 struct st_mtu2_t.TSR.BIT

Definition at line 19279 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.994 struct st_mtu2_t.TCR2.BIT

Definition at line 19295 of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	PCB: 2	
unsigned char	TPSC2: 3	

6.3.1.995 struct st_mtu3_t.TCR.BIT

Definition at line 19313 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.996 struct st_mtu3_t.TMDR1.BIT

Definition at line 19329 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned	char: 2	
unsigned char	MD: 4	

6.3.1.997 struct st_mtu3_t.TIORH.BIT

Definition at line 19347 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.998 struct st_mtu3_t.TIORL.BIT

Definition at line 19360 of file [iodef.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.999 struct st_mtu3_t.TIER.BIT

Definition at line [19374](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	

6.3.1.1000 struct st_mtu3_t.TSR.BIT

Definition at line [19406](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.1001 struct st_mtu3_t.TBTM.BIT

Definition at line [19420](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TTSA: 1	
unsigned char	TTSB: 1	

6.3.1.1002 struct st_mtu3_t.TCR2.BIT

Definition at line [19436](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TPSC2: 3	

6.3.1.1003 struct st_mtu3_t.NFCR3.BIT

Definition at line 19452 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1004 struct st_mtu4_t.TCR.BIT

Definition at line 19477 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1005 struct st_mtu4_t.TMDR1.BIT

Definition at line 19493 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned	char: 2	
unsigned char	MD: 4	

6.3.1.1006 struct st_mtu4_t.TIORH.BIT

Definition at line 19511 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1007 struct st_mtu4_t.TIORL.BIT

Definition at line 19524 of file [iodefne.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1008 struct st_mtu4_t.TIER.BIT

Definition at line 19538 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	
unsigned char	TTGE2: 1	

6.3.1.1009 struct st_mtu4_t.TSR.BIT

Definition at line 19572 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.1010 struct st_mtu4_t.TBTM.BIT

Definition at line 19586 of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TTSA: 1	
unsigned char	TTSB: 1	

6.3.1.1011 struct st_mtu4_t.TADCR.BIT

Definition at line 19602 of file [iodef.h](#).

Data Fields

unsigned short	BF: 2	
unsigned short	DT4AE: 1	
unsigned short	DT4BE: 1	
unsigned short	ITA3AE: 1	
unsigned short	ITA4VE: 1	
unsigned short	ITB3AE: 1	
unsigned short	ITB4VE: 1	
unsigned	short: 6	
unsigned short	UT4AE: 1	
unsigned short	UT4BE: 1	

6.3.1.1012 struct st_mtu4_t.TCR2.BIT

Definition at line 19637 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TPSC2: 3	

6.3.1.1013 struct st_mtu4_t.NFCR4.BIT

Definition at line 19654 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1014 struct st_mtu5_t.NFCR5.BIT

Definition at line 19679 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFCS: 2	
unsigned char	NFUEN: 1	
unsigned char	NFVEN: 1	
unsigned char	NFWEN: 1	

6.3.1.1015 struct st_mtu5_t.TCRU.BIT

Definition at line [19703](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TPSC: 2	

6.3.1.1016 struct st_mtu5_t.TCR2U.BIT

Definition at line [19716](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC2: 3	

6.3.1.1017 struct st_mtu5_t.TIORU.BIT

Definition at line [19731](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	IOC: 5	

6.3.1.1018 struct st_mtu5_t.TCRV.BIT

Definition at line [19747](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TPSC: 2	

6.3.1.1019 struct st_mtu5_t.TCR2V.BIT

Definition at line [19760](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC2: 3	

6.3.1.1020 struct st_mtu5_t.TIORV.BIT

Definition at line [19775](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	IOC: 5	

6.3.1.1021 struct st_mtu5_t.TCRW.BIT

Definition at line [19791](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TPSC: 2	

6.3.1.1022 struct st_mtu5_t.TCR2W.BIT

Definition at line [19804](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC2: 3	

6.3.1.1023 struct st_mtu5_t.TIORW.BIT

Definition at line 19819 of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	IOC: 5	

6.3.1.1024 struct st_mtu5_t.TIER.BIT

Definition at line 19833 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TGIE5U: 1	
unsigned char	TGIE5V: 1	
unsigned char	TGIE5W: 1	

6.3.1.1025 struct st_mtu5_t.TSTR.BIT

Definition at line 19851 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	CSTU5: 1	
unsigned char	CSTV5: 1	
unsigned char	CSTW5: 1	

6.3.1.1026 struct st_mtu5_t.TCNTCMPCLR.BIT

Definition at line 19869 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	CMPCLR5U: 1	
unsigned char	CMPCLR5V: 1	
unsigned char	CMPCLR5W: 1	

6.3.1.1027 struct st_mtu6_t.TCR.BIT

Definition at line 19889 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1028 struct st_mtu6_t.TMDR1.BIT

Definition at line 19905 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned	char: 2	
unsigned char	MD: 4	

6.3.1.1029 struct st_mtu6_t.TIORH.BIT

Definition at line 19923 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1030 struct st_mtu6_t.TIORL.BIT

Definition at line 19936 of file [iodef.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1031 struct st_mtu6_t.TIER.BIT

Definition at line [19950](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	

6.3.1.1032 struct st_mtu6_t.TSR.BIT

Definition at line [19982](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.1033 struct st_mtu6_t.TBTM.BIT

Definition at line [19996](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TTSA: 1	
unsigned char	TTSB: 1	

6.3.1.1034 struct st_mtu6_t.TCR2.BIT

Definition at line [20012](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TPSC2: 3	

6.3.1.1035 struct st_mtu6_t.TSYCR.BIT

Definition at line 20026 of file [iodef.h](#).

Data Fields

unsigned char	CE0A: 1	
unsigned char	CE0B: 1	
unsigned char	CE0C: 1	
unsigned char	CE0D: 1	
unsigned char	CE1A: 1	
unsigned char	CE1B: 1	
unsigned char	CE2A: 1	
unsigned char	CE2B: 1	

6.3.1.1036 struct st_mtu6_t.NFCR6.BIT

Definition at line 20054 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1037 struct st_mtu7_t.TCR.BIT

Definition at line 20079 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1038 struct st_mtu7_t.TMDR1.BIT

Definition at line 20095 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned	char: 2	
unsigned char	MD: 4	

6.3.1.1039 struct st_mtu7_t.TIORH.BIT

Definition at line [20113](#) of file [iodefine.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1040 struct st_mtu7_t.TIORL.BIT

Definition at line [20126](#) of file [iodefine.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1041 struct st_mtu7_t.TIER.BIT

Definition at line [20140](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	
unsigned char	TTGE2: 1	

6.3.1.1042 struct st_mtu7_t.TSR.BIT

Definition at line 20174 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCFD: 1	

6.3.1.1043 struct st_mtu7_t.TBTM.BIT

Definition at line 20188 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	TTSA: 1	
unsigned char	TTSB: 1	

6.3.1.1044 struct st_mtu7_t.TADCR.BIT

Definition at line 20204 of file [iodef.h](#).

Data Fields

unsigned short	BF: 2	
unsigned short	DT7AE: 1	
unsigned short	DT7BE: 1	
unsigned short	ITA6AE: 1	
unsigned short	ITA7VE: 1	
unsigned short	ITB6AE: 1	
unsigned short	ITB7VE: 1	
unsigned	short: 6	
unsigned short	UT7AE: 1	
unsigned short	UT7BE: 1	

6.3.1.1045 struct st_mtu7_t.TCR2.BIT

Definition at line 20239 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	TPSC2: 3	

6.3.1.1046 struct st_mtu7_t.NFCR7.BIT

Definition at line 20256 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1047 struct st_mtu8_t.NFCR8.BIT

Definition at line 20280 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1048 struct st_mtu8_t.TCR.BIT

Definition at line 20302 of file [iodefne.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1049 struct st_mtu8_t.TMDR1.BIT

Definition at line 20317 of file [iodefne.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	

unsigned	char: 2	
unsigned char	MD: 4	

6.3.1.1050 struct st_mtu8_t.TIORH.BIT

Definition at line [20334](#) of file [iodefne.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1051 struct st_mtu8_t.TIORL.BIT

Definition at line [20347](#) of file [iodefne.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1052 struct st_mtu8_t.TIER.BIT

Definition at line [20360](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	

6.3.1.1053 struct st_mtu8_t.TCR2.BIT

Definition at line [20382](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
----------	---------	--

unsigned char	TPSC2: 3	
-------------------------------	----------	--

6.3.1.1054 struct st_ofsm_t.MDE.BIT

Definition at line [20404](#) of file [iodefne.h](#).

Data Fields

unsigned long	BANKMD: 3	
unsigned	long: 25	
unsigned long	MDE: 3	

6.3.1.1055 struct st_ofsm_t.OFS0.BIT

Definition at line [20421](#) of file [iodefne.h](#).

Data Fields

unsigned long	IWDTCKS: 4	
unsigned long	IWDTRPES: 2	
unsigned long	IWDTRPSS: 2	
unsigned long	IWDTRSTIRQS: 1	
unsigned long	IWDTSLCSTP: 1	
unsigned long	IWDTSTRT: 1	
unsigned long	IWDTTOPS: 2	
unsigned	long: 3	
unsigned long	WDTCCKS: 4	
unsigned long	WDTRPES: 2	
unsigned long	WDTRPSS: 2	
unsigned long	WDTRSTIRQS: 1	
unsigned long	WDTSTRT: 1	
unsigned long	WDTTOPS: 2	

6.3.1.1056 struct st_ofsm_t.OFS1.BIT

Definition at line [20464](#) of file [iodefne.h](#).

Data Fields

unsigned long	HOCOEN: 1	
unsigned	long: 23	
unsigned long	LVDAS: 1	

unsigned long	VDSEL: 2	
-------------------------------	----------	--

6.3.1.1057 struct st_ofsm_t.BANKSEL.BIT

Definition at line [20486](#) of file [iodef.h](#).

Data Fields

unsigned long	BANKSWP: 3	
unsigned	long: 29	

6.3.1.1058 struct st_ofsm_t.SPCC.BIT

Definition at line [20500](#) of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	SPE: 1	

6.3.1.1059 struct st_ofsm_t.TMEF.BIT

Definition at line [20516](#) of file [iodef.h](#).

Data Fields

unsigned	long: 1	
unsigned long	TMEF: 3	
unsigned long	TMEFDB: 3	

6.3.1.1060 struct st_ofsm_t.OSIS.BIT

Definition at line [20535](#) of file [iodef.h](#).

Data Fields

unsigned long	ID1:8	
unsigned long	ID10:8	
unsigned long	ID11:8	
unsigned long	ID12:8	
unsigned long	ID13:8	

unsigned long	ID14:8	
unsigned long	ID15:8	
unsigned long	ID16:8	
unsigned long	ID2:8	
unsigned long	ID3:8	
unsigned long	ID4:8	
unsigned long	ID5:8	
unsigned long	ID6:8	
unsigned long	ID7:8	
unsigned long	ID8:8	
unsigned long	ID9:8	

6.3.1.1061 struct st_ofsm_t.FAW.BIT

Definition at line [20557](#) of file [iodefine.h](#).

Data Fields

unsigned long	BTFLG: 1	
unsigned long	FAWE: 12	
unsigned long	FAWS: 12	
unsigned long	FSPR: 1	
unsigned	long: 3	

6.3.1.1062 struct st_ofsm_t.ROMCODE.BIT

Definition at line [20579](#) of file [iodefine.h](#).

Data Fields

unsigned long	CODE: 32	
---------------	----------	--

6.3.1.1063 struct st_pdc_t.PCCR0.BIT

Definition at line [20593](#) of file [iodefine.h](#).

Data Fields

unsigned long	DFIE: 1	
unsigned long	EDS: 1	
unsigned long	FEIE: 1	
unsigned long	HERIE: 1	

unsigned long	HPS: 1	
unsigned	long: 17	
unsigned long	OVIE: 1	
unsigned long	PCKDIV: 3	
unsigned long	PCKE: 1	
unsigned long	PCKOE: 1	
unsigned long	PRST: 1	
unsigned long	UDRIE: 1	
unsigned long	VERIE: 1	
unsigned long	VPS: 1	

6.3.1.1064 struct st_pdc_t.PCCR1.BIT

Definition at line [20630](#) of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	PCE: 1	

6.3.1.1065 struct st_pdc_t.PCSR.BIT

Definition at line [20643](#) of file [iodef.h](#).

Data Fields

unsigned long	FBSY: 1	
unsigned long	FEF: 1	
unsigned long	FEMPF: 1	
unsigned long	HERF: 1	
unsigned	long: 25	
unsigned long	OVRF: 1	
unsigned long	UDRF: 1	
unsigned long	VERF: 1	

6.3.1.1066 struct st_pdc_t.PCMONR.BIT

Definition at line [20668](#) of file [iodef.h](#).

Data Fields

unsigned long	HSYNC: 1	
-------------------------------	----------	--

unsigned	long: 30	
unsigned long	VSYNC: 1	

6.3.1.1067 union st_pdc_t.PCDR

Definition at line [20681](#) of file [iodefne.h](#).

Data Fields

unsigned long	LONG	
---------------	------	--

6.3.1.1068 struct st_pdc_t.VCR.BIT

Definition at line [20686](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 4	
unsigned long	VST: 12	
unsigned long	VSZ: 12	

6.3.1.1069 struct st_pdc_t.HCR.BIT

Definition at line [20703](#) of file [iodefne.h](#).

Data Fields

unsigned long	HST: 12	
unsigned long	HSZ: 12	
unsigned	long: 4	

6.3.1.1070 struct st_pmgi_t.PMGCR.BIT

Definition at line [20723](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 9	
unsigned long	PSMCS: 6	
unsigned long	PSMCT: 3	
unsigned long	PSMDP: 1	

unsigned long	PSMHT: 3	
-------------------------------	----------	--

6.3.1.1071 struct st_pmg_t.PSMR.BIT

Definition at line [20748](#) of file [iodef.h](#).

Data Fields

unsigned	long: 3	
unsigned long	PDA: 5	
unsigned long	PRA: 5	
unsigned long	PRD: 16	
unsigned long	PSMAD: 1	
unsigned long	PSME: 1	

6.3.1.1072 struct st_poe_t.ICSR1.BIT

Definition at line [20774](#) of file [iodef.h](#).

Data Fields

unsigned short	PIE1: 1	
unsigned short	POE0F: 1	
unsigned short	POE0M: 2	
unsigned	short: 3	

6.3.1.1073 struct st_poe_t.OCSR1.BIT

Definition at line [20795](#) of file [iodef.h](#).

Data Fields

unsigned short	OCE1: 1	
unsigned short	OIE1: 1	
unsigned short	OSF1: 1	
unsigned	short: 5	

6.3.1.1074 struct st_poe_t.ICSR2.BIT

Definition at line 20814 of file [iodefine.h](#).

Data Fields

unsigned short	PIE2: 1	
unsigned short	POE4F: 1	
unsigned short	POE4M: 2	
unsigned	short: 3	

6.3.1.1075 struct st_poe_t.OCsr2.BIT

Definition at line 20835 of file [iodefine.h](#).

Data Fields

unsigned short	OCE2: 1	
unsigned short	OIE2: 1	
unsigned short	OSF2: 1	
unsigned	short: 5	

6.3.1.1076 struct st_poe_t.ICSR3.BIT

Definition at line 20854 of file [iodefine.h](#).

Data Fields

unsigned short	PIE3: 1	
unsigned short	POE8E: 1	
unsigned short	POE8F: 1	
unsigned short	POE8M: 2	
unsigned	short: 3	

6.3.1.1077 struct st_poe_t.SPOER.BIT

Definition at line 20877 of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	MTUCH0HIZ: 1	
unsigned char	MTUCH34HIZ: 1	
unsigned char	MTUCH67HIZ: 1	

6.3.1.1078 struct st_poe_t.POECR1.BIT

Definition at line 20894 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	MTU0AZE: 1	
unsigned char	MTU0BZE: 1	
unsigned char	MTU0CZE: 1	
unsigned char	MTU0DZE: 1	

6.3.1.1079 struct st_poe_t.POECR2.BIT

Definition at line 20913 of file [iodef.h](#).

Data Fields

unsigned short	MTU3BDZE: 1	
unsigned short	MTU4ACZE: 1	
unsigned short	MTU4BDZE: 1	
unsigned short	MTU6BDZE: 1	
unsigned short	MTU7ACZE: 1	
unsigned short	MTU7BDZE: 1	
unsigned	short: 5	

6.3.1.1080 struct st_poe_t.POECR4.BIT

Definition at line 20939 of file [iodef.h](#).

Data Fields

unsigned short	IC1ADDMT67ZE: 1	
unsigned short	IC2ADDMT34ZE: 1	
unsigned short	IC3ADDMT34ZE: 1	
unsigned short	IC3ADDMT67ZE: 1	
unsigned short	IC4ADDMT34ZE: 1	
unsigned short	IC4ADDMT67ZE: 1	
unsigned short	IC5ADDMT34ZE: 1	
unsigned short	IC5ADDMT67ZE: 1	
unsigned	short: 2	

6.3.1.1081 struct st_poe_t.POECR5.BIT

Definition at line 20972 of file [iodefine.h](#).

Data Fields

unsigned short	IC1ADDMT0ZE: 1	
unsigned short	IC2ADDMT0ZE: 1	
unsigned short	IC4ADDMT0ZE: 1	
unsigned short	IC5ADDMT0ZE: 1	
unsigned	short: 10	

6.3.1.1082 struct st_poe_t.ICSR4.BIT

Definition at line 20996 of file [iodefine.h](#).

Data Fields

unsigned short	PIE4: 1	
unsigned short	POE10E: 1	
unsigned short	POE10F: 1	
unsigned short	POE10M: 2	
unsigned	short: 3	

6.3.1.1083 struct st_poe_t.ICSR5.BIT

Definition at line 21019 of file [iodefine.h](#).

Data Fields

unsigned short	PIE5: 1	
unsigned short	POE11E: 1	
unsigned short	POE11F: 1	
unsigned short	POE11M: 2	
unsigned	short: 3	

6.3.1.1084 struct st_poe_t.ALRL1.BIT

Definition at line 21042 of file [iodefine.h](#).

Data Fields

unsigned short	OLSEN: 1	
unsigned short	OLSG0A: 1	

unsigned short	OLSG0B: 1	
unsigned short	OLSG1A: 1	
unsigned short	OLSG1B: 1	
unsigned short	OLSG2A: 1	
unsigned short	OLSG2B: 1	
unsigned	short: 8	

6.3.1.1085 struct st_poe_t.ICSR6.BIT

Definition at line [21069](#) of file [iodef.h](#).

Data Fields

unsigned short	OSTSTE: 1	
unsigned short	OSTSTF: 1	
unsigned	short: 3	

6.3.1.1086 struct st_poe_t.M0SELR1.BIT

Definition at line [21089](#) of file [iodef.h](#).

Data Fields

unsigned char	M0ASEL: 4	
unsigned char	M0BSEL: 4	

6.3.1.1087 struct st_poe_t.M0SELR2.BIT

Definition at line [21102](#) of file [iodef.h](#).

Data Fields

unsigned char	M0CSEL: 4	
unsigned char	M0DSEL: 4	

6.3.1.1088 struct st_poe_t.M3SELR.BIT

Definition at line [21115](#) of file [iodef.h](#).

Data Fields

unsigned char	M3BSEL: 4	
unsigned char	M3DSEL: 4	

6.3.1.1089 struct st_poe_t.M4SELR1.BIT

Definition at line [21128](#) of file [iodefne.h](#).

Data Fields

unsigned char	M4ASEL: 4	
unsigned char	M4CSEL: 4	

6.3.1.1090 struct st_poe_t.M4SELR2.BIT

Definition at line [21141](#) of file [iodefne.h](#).

Data Fields

unsigned char	M4BSEL: 4	
unsigned char	M4DSEL: 4	

6.3.1.1091 struct st_poe_t.M6SELR.BIT

Definition at line [21155](#) of file [iodefne.h](#).

Data Fields

unsigned char	M6BSEL: 4	
unsigned char	M6DSEL: 4	

6.3.1.1092 struct st_poeg_t.POEGGA.BIT

Definition at line [21171](#) of file [iodefne.h](#).

Data Fields

unsigned long	INV: 1	
unsigned long	IOCE: 1	
unsigned long	IOCF: 1	
unsigned	long: 11	

unsigned long	NFCS: 2	
unsigned long	NFEN: 1	
unsigned long	OSTPE: 1	
unsigned long	OSTPF: 1	
unsigned long	PIDE: 1	
unsigned long	PIDF: 1	
unsigned long	SSF: 1	
unsigned long	ST: 1	

6.3.1.1093 struct st_poeg_t.POEGGB.BIT

Definition at line [21207](#) of file [iodefine.h](#).

Data Fields

unsigned long	INV: 1	
unsigned long	IOCE: 1	
unsigned long	IOCF: 1	
unsigned	long: 11	
unsigned long	NFCS: 2	
unsigned long	NFEN: 1	
unsigned long	OSTPE: 1	
unsigned long	OSTPF: 1	
unsigned long	PIDE: 1	
unsigned long	PIDF: 1	
unsigned long	SSF: 1	
unsigned long	ST: 1	

6.3.1.1094 struct st_poeg_t.POEGGC.BIT

Definition at line [21243](#) of file [iodefine.h](#).

Data Fields

unsigned long	INV: 1	
unsigned long	IOCE: 1	
unsigned long	IOCF: 1	
unsigned	long: 11	
unsigned long	NFCS: 2	
unsigned long	NFEN: 1	
unsigned long	OSTPE: 1	
unsigned long	OSTPF: 1	

unsigned long	PIDE: 1	
unsigned long	PIDF: 1	
unsigned long	SSF: 1	
unsigned long	ST: 1	

6.3.1.1095 struct st_poeg_t.POEGGD.BIT

Definition at line [21279](#) of file [iodefine.h](#).

Data Fields

unsigned long	INV: 1	
unsigned long	IOCE: 1	
unsigned long	IOCF: 1	
unsigned	long: 11	
unsigned long	NFCS: 2	
unsigned long	NFEN: 1	
unsigned long	OSTPE: 1	
unsigned long	OSTPF: 1	
unsigned long	PIDE: 1	
unsigned long	PIDF: 1	
unsigned long	SSF: 1	
unsigned long	ST: 1	

6.3.1.1096 struct st_port0_t.PDR.BIT

Definition at line [21317](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1097 struct st_port0_t.PODR.BIT

Definition at line [21343](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1098 struct st_port0_t.PIDR.BIT

Definition at line [21369](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1099 struct st_port0_t.PMR.BIT

Definition at line [21395](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1100 struct st_port0_t.ODR0.BIT

Definition at line [21421](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1101 struct st_port0_t.ODR1.BIT

Definition at line [21446](#) of file [iodefine.h](#).

Data Fields

unsigned char	B2: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1102 struct st_port0_t.PCR.BIT

Definition at line [21466](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1103 struct st_port0_t.DSCR.BIT

Definition at line [21492](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1104 struct st_port0_t.DSCR2.BIT

Definition at line [21510](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1105 struct st_port1_t.PDR.BIT

Definition at line [21530](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1106 struct st_port1_t.PODR.BIT

Definition at line [21556](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1107 struct st_port1_t.PIDR.BIT

Definition at line [21582](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1108 struct st_port1_t.PMR.BIT

Definition at line [21608](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1109 struct st_port1_t.ODR0.BIT

Definition at line [21634](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1110 struct st_port1_t.ODR1.BIT

Definition at line 21659 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1111 struct st_port1_t.PCR.BIT

Definition at line 21685 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1112 struct st_port1_t.DSCR.BIT

Definition at line 21711 of file [iodef.h](#).

Data Fields

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned	char: 3	

6.3.1.1113 struct st_port1_t.DSCR2.BIT

Definition at line 21733 of file [iodef.h](#).

Data Fields

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B7: 1	
unsigned	char: 2	

6.3.1.1114 struct st_port2_t.PDR.BIT

Definition at line [21759](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1115 struct st_port2_t.PODR.BIT

Definition at line [21785](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1116 struct st_port2_t.PIDR.BIT

Definition at line [21811](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1117 struct st_port2_t.PMR.BIT

Definition at line [21837](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1118 struct st_port2_t.ODR0.BIT

Definition at line [21863](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1119 struct st_port2_t.ODR1.BIT

Definition at line [21888](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1120 struct st_port2_t.PCR.BIT

Definition at line [21914](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1121 struct st_port2_t.DSCR.BIT

Definition at line [21940](#) of file [iodefine.h](#).

Data Fields

unsigned char	B7: 1	
unsigned	char: 7	

6.3.1.1122 struct st_port2_t.DSCR2.BIT

Definition at line [21954](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B7: 1	

unsigned	char: 3	
----------	---------	--

6.3.1.1123 struct st_port3_t.PDR.BIT

Definition at line [21978](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1124 struct st_port3_t.PODR.BIT

Definition at line [22004](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1125 struct st_port3_t.PIDR.BIT

Definition at line [22030](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	

unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1126 struct st_port3_t.PMR.BIT

Definition at line 22056 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1127 struct st_port3_t.ODR0.BIT

Definition at line 22082 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1128 struct st_port3_t.ODR1.BIT

Definition at line 22107 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1129 struct st_port3_t.PCR.BIT

Definition at line 22129 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1130 struct st_port3_t.DSCR2.BIT

Definition at line 22155 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned	char: 6	

6.3.1.1131 struct st_port4_t.PDR.BIT

Definition at line 22173 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1132 struct st_port4_t.PODR.BIT

Definition at line [22199](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1133 struct st_port4_t.PIDR.BIT

Definition at line [22225](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1134 struct st_port4_t.PMR.BIT

Definition at line [22251](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1135 struct st_port4_t.ODR0.BIT

Definition at line 22277 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1136 struct st_port4_t.ODR1.BIT

Definition at line 22302 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1137 struct st_port4_t.PCR.BIT

Definition at line 22328 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1138 struct st_port5_t.PDR.BIT

Definition at line [22356](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1139 struct st_port5_t.PODR.BIT

Definition at line [22382](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1140 struct st_port5_t.PIDR.BIT

Definition at line [22408](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1141 struct st_port5_t.PMR.BIT

Definition at line 22434 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1142 struct st_port5_t.ODR0.BIT

Definition at line 22460 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1143 struct st_port5_t.ODR1.BIT

Definition at line 22485 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1144 struct st_port5_t.PCR.BIT

Definition at line [22511](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1145 struct st_port5_t.DSCR.BIT

Definition at line [22537](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1146 struct st_port5_t.DSCR2.BIT

Definition at line [22563](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1147 struct st_port6_t.PDR.BIT

Definition at line [22591](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1148 struct st_port6_t.PODR.BIT

Definition at line [22617](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1149 struct st_port6_t.PIDR.BIT

Definition at line [22643](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1150 struct st_port6_t.PMR.BIT

Definition at line [22669](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1151 struct st_port6_t.ODR0.BIT

Definition at line [22695](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1152 struct st_port6_t.ODR1.BIT

Definition at line [22720](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1153 struct st_port6_t.PCR.BIT

Definition at line 22746 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1154 struct st_port6_t.DSCR2.BIT

Definition at line 22772 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1155 struct st_port7_t.PDR.BIT

Definition at line 22800 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1156 struct st_port7_t.PODR.BIT

Definition at line [22826](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1157 struct st_port7_t.PIDR.BIT

Definition at line [22852](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1158 struct st_port7_t.PMR.BIT

Definition at line [22878](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1159 struct st_port7_t.ODR0.BIT

Definition at line 22904 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1160 struct st_port7_t.ODR1.BIT

Definition at line 22929 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1161 struct st_port7_t.PCR.BIT

Definition at line 22955 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1162 struct st_port7_t.DSCR.BIT

Definition at line [22981](#) of file [iodefne.h](#).

Data Fields

unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1163 struct st_port7_t.DSCR2.BIT

Definition at line [23005](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1164 struct st_port8_t.PDR.BIT

Definition at line [23033](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1165 struct st_port8_t.PODR.BIT

Definition at line [23059](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1166 struct st_port8_t.PIDR.BIT

Definition at line [23085](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1167 struct st_port8_t.PMR.BIT

Definition at line [23111](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1168 struct st_port8_t.ODR0.BIT

Definition at line [23137](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1169 struct st_port8_t.ODR1.BIT

Definition at line [23162](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1170 struct st_port8_t.PCR.BIT

Definition at line [23188](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1171 struct st_port8_t.DSCR.BIT

Definition at line 23214 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1172 struct st_port8_t.DSCR2.BIT

Definition at line 23238 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B7: 1	
unsigned	char: 1	

6.3.1.1173 struct st_port9_t.PDR.BIT

Definition at line 23266 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1174 struct st_port9_t.PODR.BIT

Definition at line [23292](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1175 struct st_port9_t.PIDR.BIT

Definition at line [23318](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1176 struct st_port9_t.PMR.BIT

Definition at line [23344](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1177 struct st_port9_t.ODR0.BIT

Definition at line [23370](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1178 struct st_port9_t.ODR1.BIT

Definition at line [23395](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1179 struct st_port9_t.PCR.BIT

Definition at line [23421](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1180 struct st_port9_t.DSCR.BIT

Definition at line [23447](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1181 struct st_port9_t.DSCR2.BIT

Definition at line [23473](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1182 struct st_porta_t.PDR.BIT

Definition at line [23501](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1183 struct st_porta_t.PODR.BIT

Definition at line 23527 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1184 struct st_porta_t.PIDR.BIT

Definition at line 23553 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1185 struct st_porta_t.PMR.BIT

Definition at line 23579 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1186 struct st_porta_t.ODR0.BIT

Definition at line 23605 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1187 struct st_porta_t.ODR1.BIT

Definition at line 23630 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1188 struct st_porta_t.PCR.BIT

Definition at line 23656 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1189 struct st_porta_t.DSCR.BIT

Definition at line 23682 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1190 struct st_porta_t.DSCR2.BIT

Definition at line 23708 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1191 struct st_portb_t.PDR.BIT

Definition at line 23736 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1192 struct st_portb_t.PODR.BIT

Definition at line [23762](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1193 struct st_portb_t.PIDR.BIT

Definition at line [23788](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1194 struct st_portb_t.PMR.BIT

Definition at line [23814](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1195 struct st_portb_t.ODR0.BIT

Definition at line [23840](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1196 struct st_portb_t.ODR1.BIT

Definition at line [23865](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1197 struct st_portb_t.PCR.BIT

Definition at line [23891](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1198 struct st_portb_t.DSCR.BIT

Definition at line [23917](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1199 struct st_portb_t.DSCR2.BIT

Definition at line [23943](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1200 struct st_portc_t.PDR.BIT

Definition at line [23971](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1201 struct st_portc_t.PODR.BIT

Definition at line [23997](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1202 struct st_portc_t.PIDR.BIT

Definition at line [24023](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1203 struct st_portc_t.PMR.BIT

Definition at line [24049](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1204 struct st_portc_t.ODR0.BIT

Definition at line [24075](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1205 struct st_portc_t.ODR1.BIT

Definition at line [24100](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1206 struct st_portc_t.PCR.BIT

Definition at line [24126](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1207 struct st_portc_t.DSCR.BIT

Definition at line [24152](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1208 struct st_portc_t.DSCR2.BIT

Definition at line [24178](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1209 struct st_portd_t.PDR.BIT

Definition at line [24206](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1210 struct st_portd_t.PODR.BIT

Definition at line [24232](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1211 struct st_portd_t.PIDR.BIT

Definition at line [24258](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1212 struct st_portd_t.PMR.BIT

Definition at line [24284](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1213 struct st_portd_t.ODR0.BIT

Definition at line [24310](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1214 struct st_portd_t.ODR1.BIT

Definition at line [24335](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1215 struct st_portd_t.PCR.BIT

Definition at line [24361](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1216 struct st_portd_t.DSCR.BIT

Definition at line [24387](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1217 struct st_portd_t.DSCR2.BIT

Definition at line [24413](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1218 struct st_porte_t.PDR.BIT

Definition at line [24441](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1219 struct st_porte_t.PODR.BIT

Definition at line [24467](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1220 struct st_porte_t.PIDR.BIT

Definition at line [24493](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1221 struct st_porte_t.PMR.BIT

Definition at line [24519](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	

unsigned char	B7: 1	
---------------	-------	--

6.3.1.1222 struct st_porte_t.ODR0.BIT

Definition at line [24545](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1223 struct st_porte_t.ODR1.BIT

Definition at line [24570](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1224 struct st_porte_t.PCR.BIT

Definition at line [24596](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1225 struct st_porte_t.DSCR.BIT

Definition at line 24622 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1226 struct st_porte_t.DSCR2.BIT

Definition at line 24648 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1227 struct st_portf_t.PDR.BIT

Definition at line 24676 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1228 struct st_portf_t.PODR.BIT

Definition at line 24700 of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1229 struct st_portf_t.PIDR.BIT

Definition at line 24724 of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1230 struct st_portf_t.PMR.BIT

Definition at line 24748 of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1231 struct st_portf_t.ODR0.BIT

Definition at line 24772 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1232 struct st_portf_t.ODR1.BIT

Definition at line 24797 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1233 struct st_portf_t.PCR.BIT

Definition at line 24815 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1234 struct st_portg_t.PDR.BIT

Definition at line 24841 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	

unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1235 struct st_portg_t.PODR.BIT

Definition at line [24867](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1236 struct st_portg_t.PIDR.BIT

Definition at line [24893](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1237 struct st_portg_t.PMR.BIT

Definition at line [24919](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1238 struct st_portg_t.ODR0.BIT

Definition at line [24945](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1239 struct st_portg_t.ODR1.BIT

Definition at line [24970](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1240 struct st_portg_t.PCR.BIT

Definition at line [24996](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	

unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1241 struct st_portg_t.DSCR.BIT

Definition at line 25022 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned	char: 6	

6.3.1.1242 struct st_portg_t.DSCR2.BIT

Definition at line 25038 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1243 struct st_porth_t.PDR.BIT

Definition at line 25066 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	

unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1244 struct st_porth_t.PODR.BIT

Definition at line [25092](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1245 struct st_porth_t.PIDR.BIT

Definition at line [25118](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1246 struct st_porth_t.PMR.BIT

Definition at line [25144](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
---------------	-------	--

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1247 struct st_porth_t.ODR0.BIT

Definition at line [25170](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1248 struct st_porth_t.ODR1.BIT

Definition at line [25195](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1249 struct st_porth_t.PCR.BIT

Definition at line [25221](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	

unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1250 struct st_porth_t.DSCR.BIT

Definition at line [25247](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1251 struct st_porth_t.DSCR2.BIT

Definition at line [25273](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1252 struct st_portj_t.PDR.BIT

Definition at line [25301](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
-------------------------------	-------	--

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1253 struct st_portj_t.PODR.BIT

Definition at line [25325](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1254 struct st_portj_t.PIDR.BIT

Definition at line [25349](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1255 struct st_portj_t.PMR.BIT

Definition at line [25373](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	

unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1256 struct st_portj_t.ODR0.BIT

Definition at line [25397](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1257 struct st_portj_t.ODR1.BIT

Definition at line [25422](#) of file [iodef.h](#).

Data Fields

unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1258 struct st_portj_t.PCR.BIT

Definition at line [25438](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1259 struct st_portj_t.DSCR.BIT

Definition at line 25462 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1260 struct st_portj_t.DSCR2.BIT

Definition at line 25480 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1261 struct st_portk_t.PDR.BIT

Definition at line 25500 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1262 struct st_portk_t.PODR.BIT

Definition at line 25526 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
---------------	-------	--

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1263 struct st_portk_t.PIDR.BIT

Definition at line [25552](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1264 struct st_portk_t.PMR.BIT

Definition at line [25578](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1265 struct st_portk_t.ODR0.BIT

Definition at line [25604](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1266 struct st_portk_t.ODR1.BIT

Definition at line [25629](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1267 struct st_portk_t.PCR.BIT

Definition at line [25655](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1268 struct st_portk_t.DSCR.BIT

Definition at line [25681](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	

unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1269 struct st_portk_t.DSCR2.BIT

Definition at line [25707](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1270 struct st_portl_t.PDR.BIT

Definition at line [25735](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1271 struct st_portl_t.PODR.BIT

Definition at line [25761](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1272 struct st_portl_t.PIDR.BIT

Definition at line [25787](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1273 struct st_portl_t.PMR.BIT

Definition at line [25813](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1274 struct st_portl_t.ODR0.BIT

Definition at line 25839 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1275 struct st_portl_t.ODR1.BIT

Definition at line 25864 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1276 struct st_portl_t.PCR.BIT

Definition at line 25890 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1277 struct st_portl_t.DSCR.BIT

Definition at line 25916 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1278 struct st_portl_t.DSCR2.BIT

Definition at line [25942](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1279 struct st_portm_t.PDR.BIT

Definition at line [25970](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1280 struct st_portm_t.PODR.BIT

Definition at line [25996](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1281 struct st_portm_t.PIDR.BIT

Definition at line [26022](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1282 struct st_portm_t.PMR.BIT

Definition at line [26048](#) of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1283 struct st_portm_t.ODR0.BIT

Definition at line 26074 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1284 struct st_portm_t.ODR1.BIT

Definition at line 26099 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1285 struct st_portm_t.PCR.BIT

Definition at line 26125 of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1286 struct st_portm_t.DSCR.BIT

Definition at line 26151 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1287 struct st_portm_t.DSCR2.BIT

Definition at line 26177 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1288 struct st_portn_t.PDR.BIT

Definition at line 26205 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1289 struct st_portn_t.PODR.BIT

Definition at line [26229](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1290 struct st_portn_t.PIDR.BIT

Definition at line [26253](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1291 struct st_portn_t.PMR.BIT

Definition at line [26277](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1292 struct st_portn_t.ODR0.BIT

Definition at line 26301 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1293 struct st_portn_t.ODR1.BIT

Definition at line 26326 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned	char: 5	

6.3.1.1294 struct st_portn_t.PCR.BIT

Definition at line 26344 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1295 struct st_portn_t.DSCR.BIT

Definition at line 26368 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	

unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1296 struct st_portn_t.DSCR2.BIT

Definition at line [26392](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned	char: 2	

6.3.1.1297 struct st_portq_t.PDR.BIT

Definition at line [26418](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1298 struct st_portq_t.PODR.BIT

Definition at line [26444](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
---------------	-------	--

unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1299 struct st_portq_t.PIDR.BIT

Definition at line [26470](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1300 struct st_portq_t.PMR.BIT

Definition at line [26496](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1301 struct st_portq_t.ODR0.BIT

Definition at line [26522](#) of file [iodefne.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1302 struct st_portq_t.ODR1.BIT

Definition at line [26547](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B2: 1	
unsigned char	B4: 1	
unsigned char	B6: 1	
unsigned	char: 1	

6.3.1.1303 struct st_portq_t.PCR.BIT

Definition at line [26573](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1304 struct st_portq_t.DSCR.BIT

Definition at line [26599](#) of file [iodefine.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	

unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1305 struct st_portq_t.DSCR2.BIT

Definition at line 26625 of file [iodef.h](#).

Data Fields

unsigned char	B0: 1	
unsigned char	B1: 1	
unsigned char	B2: 1	
unsigned char	B3: 1	
unsigned char	B4: 1	
unsigned char	B5: 1	
unsigned char	B6: 1	
unsigned char	B7: 1	

6.3.1.1306 struct st_ppg0_t.PCR.BIT

Definition at line 26653 of file [iodef.h](#).

Data Fields

unsigned char	G0CMS: 2	
unsigned char	G1CMS: 2	
unsigned char	G2CMS: 2	
unsigned char	G3CMS: 2	

6.3.1.1307 struct st_ppg0_t.PMR.BIT

Definition at line 26670 of file [iodef.h](#).

Data Fields

unsigned char	G0INV: 1	
unsigned char	G0NOV: 1	
unsigned char	G1INV: 1	

unsigned char	G1NOV: 1	
unsigned char	G2INV: 1	
unsigned char	G2NOV: 1	
unsigned char	G3INV: 1	
unsigned char	G3NOV: 1	

6.3.1.1308 struct st_ppg0_t.NDERH.BIT

Definition at line [26695](#) of file [iodefne.h](#).

Data Fields

unsigned char	NDER10: 1	
unsigned char	NDER11: 1	
unsigned char	NDER12: 1	
unsigned char	NDER13: 1	
unsigned char	NDER14: 1	
unsigned char	NDER15: 1	
unsigned char	NDER8: 1	
unsigned char	NDER9: 1	

6.3.1.1309 struct st_ppg0_t.NDERL.BIT

Definition at line [26720](#) of file [iodefne.h](#).

Data Fields

unsigned char	NDER0: 1	
unsigned char	NDER1: 1	
unsigned char	NDER2: 1	
unsigned char	NDER3: 1	
unsigned char	NDER4: 1	
unsigned char	NDER5: 1	
unsigned char	NDER6: 1	
unsigned char	NDER7: 1	

6.3.1.1310 struct st_ppg0_t.PODRH.BIT

Definition at line [26745](#) of file [iodefne.h](#).

Data Fields

unsigned char	POD10: 1	
unsigned char	POD11: 1	
unsigned char	POD12: 1	
unsigned char	POD13: 1	
unsigned char	POD14: 1	
unsigned char	POD15: 1	
unsigned char	POD8: 1	
unsigned char	POD9: 1	

6.3.1.1311 struct st_ppg0_t.PODRL.BIT

Definition at line [26770](#) of file [iodef.h](#).

Data Fields

unsigned char	POD0: 1	
unsigned char	POD1: 1	
unsigned char	POD2: 1	
unsigned char	POD3: 1	
unsigned char	POD4: 1	
unsigned char	POD5: 1	
unsigned char	POD6: 1	
unsigned char	POD7: 1	

6.3.1.1312 struct st_ppg0_t.NDRH.BIT

Definition at line [26795](#) of file [iodef.h](#).

Data Fields

unsigned char	NDR10: 1	
unsigned char	NDR11: 1	
unsigned char	NDR12: 1	
unsigned char	NDR13: 1	
unsigned char	NDR14: 1	
unsigned char	NDR15: 1	
unsigned char	NDR8: 1	
unsigned char	NDR9: 1	

6.3.1.1313 struct st_ppg0_t.NDRL.BIT

Definition at line 26820 of file [iodefine.h](#).

Data Fields

unsigned char	NDR0: 1	
unsigned char	NDR1: 1	
unsigned char	NDR2: 1	
unsigned char	NDR3: 1	
unsigned char	NDR4: 1	
unsigned char	NDR5: 1	
unsigned char	NDR6: 1	
unsigned char	NDR7: 1	

6.3.1.1314 struct st_ppg0_t.NDRH2.BIT

Definition at line 26845 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	NDR10: 1	
unsigned char	NDR11: 1	
unsigned char	NDR8: 1	
unsigned char	NDR9: 1	

6.3.1.1315 struct st_ppg0_t.NDRL2.BIT

Definition at line 26864 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	NDR0: 1	
unsigned char	NDR1: 1	
unsigned char	NDR2: 1	
unsigned char	NDR3: 1	

6.3.1.1316 struct st_ppg1_t.PTRSLR.BIT

Definition at line 26886 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	PTRSL: 1	

6.3.1.1317 struct st_ppg1_t.PCR.BIT

Definition at line [26900](#) of file [iodef.h](#).

Data Fields

unsigned char	G0CMS: 2	
unsigned char	G1CMS: 2	
unsigned char	G2CMS: 2	
unsigned char	G3CMS: 2	

6.3.1.1318 struct st_ppg1_t.PMR.BIT

Definition at line [26917](#) of file [iodef.h](#).

Data Fields

unsigned char	G0INV: 1	
unsigned char	G0NOV: 1	
unsigned char	G1INV: 1	
unsigned char	G1NOV: 1	
unsigned char	G2INV: 1	
unsigned char	G2NOV: 1	
unsigned char	G3INV: 1	
unsigned char	G3NOV: 1	

6.3.1.1319 struct st_ppg1_t.NDERH.BIT

Definition at line [26942](#) of file [iodef.h](#).

Data Fields

unsigned char	NDER24: 1	
unsigned char	NDER25: 1	
unsigned char	NDER26: 1	
unsigned char	NDER27: 1	
unsigned char	NDER28: 1	
unsigned char	NDER29: 1	

unsigned char	NDER30: 1	
unsigned char	NDER31: 1	

6.3.1.1320 struct st_ppg1_t.NDERL.BIT

Definition at line [26967](#) of file [iodefne.h](#).

Data Fields

unsigned char	NDER16: 1	
unsigned char	NDER17: 1	
unsigned char	NDER18: 1	
unsigned char	NDER19: 1	
unsigned char	NDER20: 1	
unsigned char	NDER21: 1	
unsigned char	NDER22: 1	
unsigned char	NDER23: 1	

6.3.1.1321 struct st_ppg1_t.PODRH.BIT

Definition at line [26992](#) of file [iodefne.h](#).

Data Fields

unsigned char	POD24: 1	
unsigned char	POD25: 1	
unsigned char	POD26: 1	
unsigned char	POD27: 1	
unsigned char	POD28: 1	
unsigned char	POD29: 1	
unsigned char	POD30: 1	
unsigned char	POD31: 1	

6.3.1.1322 struct st_ppg1_t.PODRL.BIT

Definition at line [27017](#) of file [iodefne.h](#).

Data Fields

unsigned char	POD16: 1	
unsigned char	POD17: 1	
unsigned char	POD18: 1	

unsigned char	POD19: 1	
unsigned char	POD20: 1	
unsigned char	POD21: 1	
unsigned char	POD22: 1	
unsigned char	POD23: 1	

6.3.1.1323 struct st_ppg1_t.NDRH.BIT

Definition at line [27042](#) of file [iodef.h](#).

Data Fields

unsigned char	NDR24: 1	
unsigned char	NDR25: 1	
unsigned char	NDR26: 1	
unsigned char	NDR27: 1	
unsigned char	NDR28: 1	
unsigned char	NDR29: 1	
unsigned char	NDR30: 1	
unsigned char	NDR31: 1	

6.3.1.1324 struct st_ppg1_t.NDRL.BIT

Definition at line [27067](#) of file [iodef.h](#).

Data Fields

unsigned char	NDR16: 1	
unsigned char	NDR17: 1	
unsigned char	NDR18: 1	
unsigned char	NDR19: 1	
unsigned char	NDR20: 1	
unsigned char	NDR21: 1	
unsigned char	NDR22: 1	
unsigned char	NDR23: 1	

6.3.1.1325 struct st_ppg1_t.NDRH2.BIT

Definition at line [27092](#) of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	NDR24: 1	
unsigned char	NDR25: 1	
unsigned char	NDR26: 1	
unsigned char	NDR27: 1	

6.3.1.1326 struct st_ppg1_t.NDRL2.BIT

Definition at line [27111](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 4	
unsigned char	NDR16: 1	
unsigned char	NDR17: 1	
unsigned char	NDR18: 1	
unsigned char	NDR19: 1	

6.3.1.1327 struct st_ptpedmac_t.EDMR.BIT

Definition at line [27133](#) of file [iodefne.h](#).

Data Fields

unsigned long	DE: 1	
unsigned long	DL: 2	
unsigned	long: 25	
unsigned long	SWR: 1	

6.3.1.1328 struct st_ptpedmac_t.EDTRR.BIT

Definition at line [27153](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 31	
unsigned long	TR: 1	

6.3.1.1329 struct st_ptpedmac_t.EDRRR.BIT

Definition at line 27167 of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	RR: 1	

6.3.1.1330 struct st_ptpedmac_t.EESR.BIT

Definition at line 27185 of file [iodef.h](#).

Data Fields

unsigned long	FR: 1	
unsigned	long: 1	
unsigned long	MACE: 1	
unsigned long	PVER: 1	
unsigned long	RDE: 1	
unsigned long	RFCOF: 1	
unsigned long	RFOF: 1	
unsigned long	RPORT: 1	
unsigned long	TABT: 1	
unsigned long	TC: 1	
unsigned long	TDE: 1	
unsigned long	TFUF: 1	
unsigned long	TWB: 1	
unsigned long	TYPE: 4	

6.3.1.1331 struct st_ptpedmac_t.EESIPR.BIT

Definition at line 27233 of file [iodef.h](#).

Data Fields

unsigned long	FRIP: 1	
unsigned	long: 1	
unsigned long	MACEIP: 1	
unsigned long	PVERIP: 1	
unsigned long	RDEIP: 1	
unsigned long	RFCOFIP: 1	
unsigned long	RFOFIP: 1	
unsigned long	RPORTIP: 1	

unsigned long	TABTIP: 1	
unsigned long	TCIP: 1	
unsigned long	TDEIP: 1	
unsigned long	TFUFIP: 1	
unsigned long	TWBIP: 1	

6.3.1.1332 struct st_ptpedmac_t.RMFCR.BIT

Definition at line [27281](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 16	
unsigned long	MFC: 16	

6.3.1.1333 struct st_ptpedmac_t.TFTR.BIT

Definition at line [27295](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 21	
unsigned long	TFT: 11	

6.3.1.1334 struct st_ptpedmac_t.FDR.BIT

Definition at line [27309](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 19	
unsigned long	RFD: 5	
unsigned long	TFD: 5	

6.3.1.1335 struct st_ptpedmac_t.RMCR.BIT

Definition at line [27327](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 31	
----------	----------	--

unsigned long	RNR: 1	
-------------------------------	--------	--

6.3.1.1336 struct st_ptpedmac_t.TFUCR.BIT

Definition at line [27341](#) of file [iodef.h](#).

Data Fields

unsigned	long: 16	
unsigned long	UNDER: 16	

6.3.1.1337 struct st_ptpedmac_t.RFOCR.BIT

Definition at line [27354](#) of file [iodef.h](#).

Data Fields

unsigned	long: 16	
unsigned long	OVER: 16	

6.3.1.1338 struct st_ptpedmac_t.FCFTR.BIT

Definition at line [27368](#) of file [iodef.h](#).

Data Fields

unsigned	long: 13	
unsigned long	RFDO: 3	
unsigned long	RFFO: 3	

6.3.1.1339 struct st_ptpedmac_t.RPADIR.BIT

Definition at line [27386](#) of file [iodef.h](#).

Data Fields

unsigned	long: 14	
unsigned long	PADR: 6	
unsigned long	PADS: 2	

6.3.1.1340 struct st_ptpedmac_t.TRIMD.BIT

Definition at line 27403 of file [iodefne.h](#).

Data Fields

unsigned	long: 27	
unsigned long	TIM: 1	
unsigned long	TIS: 1	

6.3.1.1341 struct st_qspi_t.SPCR.BIT

Definition at line 27429 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MSTR: 1	
unsigned char	SPE: 1	
unsigned char	SPRIE: 1	
unsigned char	SPSSLIE: 1	
unsigned char	SPTIE: 1	

6.3.1.1342 struct st_qspi_t.SSLP.BIT

Definition at line 27454 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SSLP: 1	

6.3.1.1343 struct st_qspi_t.SPPCR.BIT

Definition at line 27467 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IO2FV: 1	
unsigned char	IO3FV: 1	
unsigned char	MOIFE: 1	
unsigned char	MOIFV: 1	
unsigned char	SPLP: 1	

6.3.1.1344 struct st_qspi_t.SPSR.BIT

Definition at line [27490](#) of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	SPRFF: 1	
unsigned char	SPSSLF: 1	
unsigned char	SPTEF: 1	
unsigned char	TREND: 1	

6.3.1.1345 struct st_qspi_t.SPDR.WORD

Definition at line [27509](#) of file [iodef.h](#).

Data Fields

unsigned short	H	
----------------	---	--

6.3.1.1346 struct st_qspi_t.SPDR.BYTE

Definition at line [27512](#) of file [iodef.h](#).

Data Fields

unsigned char	HH	
---------------	----	--

6.3.1.1347 struct st_qspi_t.SPSCR.BIT

Definition at line [27518](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	SPSC: 2	

6.3.1.1348 struct st_qspi_t.SPSSR.BIT

Definition at line [27531](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	SPSS: 2	

6.3.1.1349 struct st_qspi_t.SPBR.BIT

Definition at line [27544](#) of file [iodefne.h](#).

Data Fields

unsigned char	SPBR0: 1	
unsigned char	SPBR1: 1	
unsigned char	SPBR2: 1	
unsigned char	SPBR3: 1	
unsigned char	SPBR4: 1	
unsigned char	SPBR5: 1	
unsigned char	SPBR6: 1	
unsigned char	SPBR7: 1	

6.3.1.1350 struct st_qspi_t.SPDCR.BIT

Definition at line [27569](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TXDMY: 1	

6.3.1.1351 struct st_qspi_t.SPCKD.BIT

Definition at line [27582](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SCKDL: 3	

6.3.1.1352 struct st_qspi_t.SSLND.BIT

Definition at line 27595 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SLNDL: 3	

6.3.1.1353 struct st_qspi_t.SPND.BIT

Definition at line 27608 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SPNDL: 3	

6.3.1.1354 struct st_qspi_t.SPCMD0.BIT

Definition at line 27622 of file [iodef.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPIMOD: 2	
unsigned short	SPNDEN: 1	
unsigned short	SPRW: 1	
unsigned short	SSLKP: 1	

6.3.1.1355 struct st_qspi_t.SPCMD1.BIT

Definition at line 27653 of file [iodef.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	

unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPIMOD: 2	
unsigned short	SPNDEN: 1	
unsigned short	SPRW: 1	
unsigned short	SSLKP: 1	

6.3.1.1356 struct st_qspi_t.SPCMD2.BIT

Definition at line 27684 of file [iodefine.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPIMOD: 2	
unsigned short	SPNDEN: 1	
unsigned short	SPRW: 1	
unsigned short	SSLKP: 1	

6.3.1.1357 struct st_qspi_t.SPCMD3.BIT

Definition at line 27715 of file [iodefine.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPIMOD: 2	

unsigned short	SPNDEN: 1	
unsigned short	SPRW: 1	
unsigned short	SSLKP: 1	

6.3.1.1358 struct st_qspi_t.SPBFCR.BIT

Definition at line [27746](#) of file [iodef.h](#).

Data Fields

unsigned char	RXRST: 1	
unsigned char	RXTRG: 3	
unsigned char	TXRST: 1	
unsigned char	TXTRG: 2	
unsigned char	TXTRGEX: 1	

6.3.1.1359 struct st_qspi_t.SPBDCR.BIT

Definition at line [27766](#) of file [iodef.h](#).

Data Fields

unsigned short	RXBC: 6	
unsigned	short: 2	
unsigned short	TXBC: 6	

6.3.1.1360 struct st_ram_t.RAMMODE.BIT

Definition at line [27790](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	RAMMODE: 2	

6.3.1.1361 struct st_ram_t.RAMSTS.BIT

Definition at line [27803](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RAMERR: 1	

6.3.1.1362 struct st_ram_t.RAMPRCR.BIT

Definition at line [27817](#) of file [iodefne.h](#).

Data Fields

unsigned char	KW: 7	
unsigned char	RAMPRCR: 1	

6.3.1.1363 struct st_ram_t.RAMECAD.BIT

Definition at line [27831](#) of file [iodefne.h](#).

Data Fields

unsigned	long: 13	
unsigned long	READ: 16	

6.3.1.1364 struct st_ram_t.EXRAMMODE.BIT

Definition at line [27847](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	EXRAMMODE: 2	

6.3.1.1365 struct st_ram_t.EXRAMSTS.BIT

Definition at line [27860](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	EXRAMERR: 1	

6.3.1.1366 struct st_ram_t.EXRAMPRCR.BIT

Definition at line 27874 of file [iodef.h](#).

Data Fields

unsigned char	EXRAMPRCR: 1	
unsigned char	KW: 7	

6.3.1.1367 struct st_ram_t.EXRAMECAD.BIT

Definition at line 27888 of file [iodef.h](#).

Data Fields

unsigned	long: 13	
unsigned long	READ: 16	

6.3.1.1368 struct st_riic_t.ICCR1.BIT

Definition at line 27906 of file [iodef.h](#).

Data Fields

unsigned char	CLO: 1	
unsigned char	ICE: 1	
unsigned char	IICRST: 1	
unsigned char	SCLI: 1	
unsigned char	SCLO: 1	
unsigned char	SDAI: 1	
unsigned char	SDAO: 1	
unsigned char	SOWP: 1	

6.3.1.1369 struct st_riic_t.ICCR2.BIT

Definition at line 27931 of file [iodef.h](#).

Data Fields

unsigned char	BBSY: 1	
unsigned	char: 1	
unsigned char	MST: 1	
unsigned char	RS: 1	
unsigned char	SP: 1	

unsigned char	ST: 1	
unsigned char	TRS: 1	

6.3.1.1370 struct st_riic_t.ICMR1.BIT

Definition at line [27956](#) of file [iodefine.h](#).

Data Fields

unsigned char	BC: 3	
unsigned char	BCWP: 1	
unsigned char	CKS: 3	
unsigned char	MTWP: 1	

6.3.1.1371 struct st_riic_t.ICMR2.BIT

Definition at line [27973](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DLCS: 1	
unsigned char	SDDL: 3	
unsigned char	TMOH: 1	
unsigned char	TMOL: 1	
unsigned char	TMOS: 1	

6.3.1.1372 struct st_riic_t.ICMR3.BIT

Definition at line [27994](#) of file [iodefine.h](#).

Data Fields

unsigned char	ACKBR: 1	
unsigned char	ACKBT: 1	
unsigned char	ACKWP: 1	
unsigned char	NF: 2	
unsigned char	RDRFS: 1	
unsigned char	SMBS: 1	
unsigned char	WAIT: 1	

6.3.1.1373 struct st_riic_t.ICFER.BIT

Definition at line 28017 of file [iodefne.h](#).

Data Fields

unsigned char	FMPE: 1	
unsigned char	MALE: 1	
unsigned char	NACKE: 1	
unsigned char	NALE: 1	
unsigned char	NFE: 1	
unsigned char	SALE: 1	
unsigned char	SCLE: 1	
unsigned char	TMOE: 1	

6.3.1.1374 struct st_riic_t.ICSER.BIT

Definition at line 28042 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DIDE: 1	
unsigned char	GCAE: 1	
unsigned char	HOAE: 1	
unsigned char	SAR0E: 1	
unsigned char	SAR1E: 1	
unsigned char	SAR2E: 1	

6.3.1.1375 struct st_riic_t.ICIER.BIT

Definition at line 28067 of file [iodefne.h](#).

Data Fields

unsigned char	ALIE: 1	
unsigned char	NAKIE: 1	
unsigned char	RIE: 1	
unsigned char	SPIE: 1	
unsigned char	STIE: 1	
unsigned char	TEIE: 1	
unsigned char	TIE: 1	
unsigned char	TMOIE: 1	

6.3.1.1376 struct st_riic_t.ICSR1.BIT

Definition at line 28092 of file [iodefine.h](#).

Data Fields

unsigned char	AAS0: 1	
unsigned char	AAS1: 1	
unsigned char	AAS2: 1	
unsigned	char: 1	
unsigned char	DID: 1	
unsigned char	GCA: 1	
unsigned char	HOA: 1	

6.3.1.1377 struct st_riic_t.ICSR2.BIT

Definition at line 28117 of file [iodefine.h](#).

Data Fields

unsigned char	AL: 1	
unsigned char	NACKF: 1	
unsigned char	RDRF: 1	
unsigned char	START: 1	
unsigned char	STOP: 1	
unsigned char	TDRE: 1	
unsigned char	TEND: 1	
unsigned char	TMOF: 1	

6.3.1.1378 struct st_riic_t.SARL0.BIT

Definition at line 28142 of file [iodefine.h](#).

Data Fields

unsigned char	SVA: 7	
unsigned char	SVA0: 1	

6.3.1.1379 struct st_riic_t.SARU0.BIT

Definition at line 28155 of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	FS: 1	
unsigned char	SVA: 2	

6.3.1.1380 struct st_riic_t.SARL1.BIT

Definition at line [28170](#) of file [iodef.h](#).

Data Fields

unsigned char	SVA: 7	
unsigned char	SVA0: 1	

6.3.1.1381 struct st_riic_t.SARU1.BIT

Definition at line [28183](#) of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	FS: 1	
unsigned char	SVA: 2	

6.3.1.1382 struct st_riic_t.SARL2.BIT

Definition at line [28198](#) of file [iodef.h](#).

Data Fields

unsigned char	SVA: 7	
unsigned char	SVA0: 1	

6.3.1.1383 struct st_riic_t.SARU2.BIT

Definition at line [28211](#) of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	FS: 1	

unsigned char	SVA: 2	
-------------------------------	--------	--

6.3.1.1384 struct st_riic_t.ICBRL.BIT

Definition at line [28226](#) of file [iodefine.h](#).

Data Fields

unsigned char	BRL: 5	
unsigned	char: 3	

6.3.1.1385 struct st_riic_t.ICBRH.BIT

Definition at line [28239](#) of file [iodefine.h](#).

Data Fields

unsigned char	BRH: 5	
unsigned	char: 3	

6.3.1.1386 struct st_rspi_t.SPCR.BIT

Definition at line [28257](#) of file [iodefine.h](#).

Data Fields

unsigned char	MODFEN: 1	
unsigned char	MSTR: 1	
unsigned char	SPE: 1	
unsigned char	SPEIE: 1	
unsigned char	SPMS: 1	
unsigned char	SPRIE: 1	
unsigned char	SPTIE: 1	
unsigned char	TXMD: 1	

6.3.1.1387 struct st_rspi_t.SSLP.BIT

Definition at line [28282](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	SSL0P: 1	
unsigned char	SSL1P: 1	
unsigned char	SSL2P: 1	
unsigned char	SSL3P: 1	

6.3.1.1388 struct st_rspi_t.SPPCR.BIT

Definition at line [28301](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	MOIFE: 1	
unsigned char	MOIFV: 1	
unsigned char	SPLP: 1	
unsigned char	SPLP2: 1	

6.3.1.1389 struct st_rspi_t.SPSR.BIT

Definition at line [28322](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	IDLNF: 1	
unsigned char	MODF: 1	
unsigned char	OVRF: 1	
unsigned char	PERF: 1	
unsigned char	SPRF: 1	
unsigned char	SPTEF: 1	
unsigned char	UDRF: 1	

6.3.1.1390 struct st_rspi_t.SPDR.WORD

Definition at line [28347](#) of file [iodef.h](#).

Data Fields

unsigned short	H	
----------------	---	--

6.3.1.1391 struct st_rspi_t.SPDR.BYTE

Definition at line 28350 of file [iodefne.h](#).

Data Fields

unsigned char	HH	
---------------	----	--

6.3.1.1392 struct st_rspi_t.SPSCR.BIT

Definition at line 28356 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SPSLN: 3	

6.3.1.1393 struct st_rspi_t.SPSSR.BIT

Definition at line 28369 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SPCP: 3	
unsigned char	SPECM: 3	

6.3.1.1394 struct st_rspi_t.SPDCR.BIT

Definition at line 28387 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SPBYT: 1	
unsigned char	SPFC: 2	
unsigned char	SPLW: 1	
unsigned char	SPRDTD: 1	

6.3.1.1395 struct st_rspi_t.SPCKD.BIT

Definition at line 28408 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SCKDL: 3	

6.3.1.1396 struct st_rspi_t.SSLND.BIT

Definition at line 28421 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SLNDL: 3	

6.3.1.1397 struct st_rspi_t.SPND.BIT

Definition at line 28434 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	SPNDL: 3	

6.3.1.1398 struct st_rspi_t.SPCR2.BIT

Definition at line 28447 of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	PTE: 1	
unsigned char	SCKASE: 1	
unsigned char	SPIIE: 1	
unsigned char	SPOE: 1	
unsigned char	SPPE: 1	

6.3.1.1399 struct st_rspi_t.SPCMD0.BIT

Definition at line [28468](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1400 struct st_rspi_t.SPCMD1.BIT

Definition at line [28497](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1401 struct st_rspi_t.SPCMD2.BIT

Definition at line [28526](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	

unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1402 struct st_rspi_t.SPCMD3.BIT

Definition at line 28555 of file [iodef.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1403 struct st_rspi_t.SPCMD4.BIT

Definition at line 28584 of file [iodef.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1404 struct st_rspi_t.SPCMD5.BIT

Definition at line [28613](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1405 struct st_rspi_t.SPCMD6.BIT

Definition at line [28642](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	
unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1406 struct st_rspi_t.SPCMD7.BIT

Definition at line [28671](#) of file [iodefne.h](#).

Data Fields

unsigned short	BRDV: 2	
unsigned short	CPHA: 1	
unsigned short	CPOL: 1	
unsigned short	LSBF: 1	

unsigned short	SCKDEN: 1	
unsigned short	SLNDEN: 1	
unsigned short	SPB: 4	
unsigned short	SPNDEN: 1	
unsigned short	SSLA: 3	
unsigned short	SSLKP: 1	

6.3.1.1407 struct st_rspi_t.SPDCR2.BIT

Definition at line 28700 of file [iodef.h](#).

Data Fields

unsigned char	BYSW: 1	
unsigned	char: 7	

6.3.1.1408 struct st_rtc_t.R64CNT.BIT

Definition at line 28716 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	F16HZ: 1	
unsigned char	F1HZ: 1	
unsigned char	F2HZ: 1	
unsigned char	F32HZ: 1	
unsigned char	F4HZ: 1	
unsigned char	F64HZ: 1	
unsigned char	F8HZ: 1	

6.3.1.1409 struct st_rtc_t.__unnamed0__.RSECCNT.BIT

Definition at line 28743 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SEC1: 4	
unsigned char	SEC10: 3	

6.3.1.1410 struct st_rtc_t.__unnamed0__.BCNT0.BIT

Definition at line 28758 of file [iodefne.h](#).

Data Fields

unsigned char	BCNT: 8	
---------------	---------	--

6.3.1.1411 struct st_rtc_t.__unnamed1__.RMINCNT.BIT

Definition at line 28772 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MIN1: 4	
unsigned char	MIN10: 3	

6.3.1.1412 struct st_rtc_t.__unnamed1__.BCNT1.BIT

Definition at line 28787 of file [iodefne.h](#).

Data Fields

unsigned char	BCNT: 8	
---------------	---------	--

6.3.1.1413 struct st_rtc_t.__unnamed2__.RHRCNT.BIT

Definition at line 28801 of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	HR1: 4	
unsigned char	HR10: 2	
unsigned char	PM: 1	

6.3.1.1414 struct st_rtc_t.__unnamed2__.BCNT2.BIT

Definition at line 28818 of file [iodefne.h](#).

Data Fields

unsigned char	BCNT: 8	
---------------	---------	--

6.3.1.1415 struct st_rtc_t.__unnamed3__.RWKCNT.BIT

Definition at line 28832 of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	DAYW: 3	

6.3.1.1416 struct st_rtc_t.__unnamed3__.BCNT3.BIT

Definition at line 28845 of file [iodefne.h](#).

Data Fields

unsigned char	BCNT: 8	
---------------	---------	--

6.3.1.1417 struct st_rtc_t.RDAYCNT.BIT

Definition at line 28858 of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	DATE1: 4	
unsigned char	DATE10: 2	

6.3.1.1418 struct st_rtc_t.RMONCNT.BIT

Definition at line 28874 of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	MON1: 4	
unsigned char	MON10: 1	

6.3.1.1419 struct st_rtc_t.RYRCNT.BIT

Definition at line 28890 of file [iodefne.h](#).

Data Fields

unsigned	short: 8	
unsigned short	YR1: 4	
unsigned short	YR10: 4	

6.3.1.1420 struct st_rtc_t.__unnamed4__.RSECAR.BIT

Definition at line 28906 of file [iodefne.h](#).

Data Fields

unsigned char	ENB: 1	
unsigned char	SEC1: 4	
unsigned char	SEC10: 3	

6.3.1.1421 struct st_rtc_t.__unnamed4__.BCNT0AR.BIT

Definition at line 28921 of file [iodefne.h](#).

Data Fields

unsigned char	BCNTAR: 8	
---------------	-----------	--

6.3.1.1422 struct st_rtc_t.__unnamed5__.RMINAR.BIT

Definition at line 28935 of file [iodefne.h](#).

Data Fields

unsigned char	ENB: 1	
unsigned char	MIN1: 4	
unsigned char	MIN10: 3	

6.3.1.1423 struct st_rtc_t.__unnamed5__.BCNT1AR.BIT

Definition at line 28950 of file [iodef.h](#).

Data Fields

unsigned char	BCNTAR: 8	
---------------	-----------	--

6.3.1.1424 struct st_rtc_t.__unnamed6__.RHRAR.BIT

Definition at line 28964 of file [iodef.h](#).

Data Fields

unsigned char	ENB: 1	
unsigned char	HR1: 4	
unsigned char	HR10: 2	
unsigned char	PM: 1	

6.3.1.1425 struct st_rtc_t.__unnamed6__.BCNT2AR.BIT

Definition at line 28981 of file [iodef.h](#).

Data Fields

unsigned char	BCNTAR: 8	
---------------	-----------	--

6.3.1.1426 struct st_rtc_t.__unnamed7__.RWKAR.BIT

Definition at line 28995 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	DAYW: 3	
unsigned char	ENB: 1	

6.3.1.1427 struct st_rtc_t.__unnamed7__.BCNT3AR.BIT

Definition at line 29010 of file [iodef.h](#).

Data Fields

unsigned char	BCNTAR: 8	
---------------	-----------	--

6.3.1.1428 struct st_rtc_t.__unnamed8__.RDAYAR.BIT

Definition at line [29024](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DATE1: 4	
unsigned char	DATE10: 2	
unsigned char	ENB: 1	

6.3.1.1429 struct st_rtc_t.__unnamed8__.BCNT0AER.BIT

Definition at line [29041](#) of file [iodefine.h](#).

Data Fields

unsigned char	ENB: 8	
---------------	--------	--

6.3.1.1430 struct st_rtc_t.__unnamed9__.RMONAR.BIT

Definition at line [29055](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	ENB: 1	
unsigned char	MON1: 4	
unsigned char	MON10: 1	

6.3.1.1431 struct st_rtc_t.__unnamed9__.BCNT1AER.BIT

Definition at line [29072](#) of file [iodefine.h](#).

Data Fields

unsigned char	ENB: 8	
---------------	--------	--

6.3.1.1432 struct st_rtc_t.__unnamed10__.RYRAR.BIT

Definition at line 29086 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
unsigned short	YR1: 4	
unsigned short	YR10: 4	

6.3.1.1433 struct st_rtc_t.__unnamed10__.BCNT2AER.BIT

Definition at line 29101 of file [iodef.h](#).

Data Fields

unsigned short	ENB: 8	
unsigned	short: 8	

6.3.1.1434 struct st_rtc_t.__unnamed11__.RYRAREN.BIT

Definition at line 29116 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ENB: 1	

6.3.1.1435 struct st_rtc_t.__unnamed11__.BCNT3AER.BIT

Definition at line 29129 of file [iodef.h](#).

Data Fields

unsigned char	ENB: 8	
---------------	--------	--

6.3.1.1436 struct st_rtc_t.RCR1.BIT

Definition at line 29142 of file [iodef.h](#).

Data Fields

unsigned char	AIE: 1	
---------------	--------	--

unsigned char	CIE: 1	
unsigned char	PES: 4	
unsigned char	PIE: 1	
unsigned char	RTCOS: 1	

6.3.1.1437 struct st_rtc_t.RCR2.BIT

Definition at line 29162 of file [iodefne.h](#).

Data Fields

unsigned char	AADJE: 1	
unsigned char	AADJP: 1	
unsigned char	ADJ30: 1	
unsigned char	CNTMD: 1	
unsigned char	HR24: 1	
unsigned char	RESET: 1	
unsigned char	RTCOE: 1	
unsigned char	START: 1	

6.3.1.1438 struct st_rtc_t.RCR3.BIT

Definition at line 29188 of file [iodefne.h](#).

Data Fields

unsigned	char: 4	
unsigned char	RTCDV: 3	
unsigned char	RTCEN: 1	

6.3.1.1439 struct st_rtc_t.RCR4.BIT

Definition at line 29204 of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RCKSEL: 1	

6.3.1.1440 struct st_rtc_t.RFRH.BIT

Definition at line 29218 of file [iodef.h](#).

Data Fields

unsigned short	RFC: 1	
unsigned	short: 15	

6.3.1.1441 struct st_rtc_t.RFRL.BIT

Definition at line 29231 of file [iodef.h](#).

Data Fields

unsigned short	RFC: 16	
----------------	---------	--

6.3.1.1442 struct st_rtc_t.RADJ.BIT

Definition at line 29242 of file [iodef.h](#).

Data Fields

unsigned char	ADJ: 6	
unsigned char	PMADJ: 2	

6.3.1.1443 struct st_rtc_t.RTCCR0.BIT

Definition at line 29256 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCCT: 2	
unsigned char	TCEN: 1	
unsigned char	TCNF: 2	
unsigned char	TCST: 1	

6.3.1.1444 struct st_rtc_t.RTCCR1.BIT

Definition at line [29278](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCCT: 2	
unsigned char	TCEN: 1	
unsigned char	TCNF: 2	
unsigned char	TCST: 1	

6.3.1.1445 struct st_rtc_t.RTCCR2.BIT

Definition at line [29300](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCCT: 2	
unsigned char	TCEN: 1	
unsigned char	TCNF: 2	
unsigned char	TCST: 1	

6.3.1.1446 struct st_rtc_t.__unnamed12__.RSECCP0.BIT

Definition at line [29323](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SEC1: 4	
unsigned char	SEC10: 3	

6.3.1.1447 struct st_rtc_t.__unnamed12__.BCNT0CP0.BIT

Definition at line [29338](#) of file [iodefine.h](#).

Data Fields

unsigned char	BCNTCP0: 8	
---------------	------------	--

6.3.1.1448 struct st_rtc_t.__unnamed13__.RMINCP0.BIT

Definition at line 29352 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MIN1: 4	
unsigned char	MIN10: 3	

6.3.1.1449 struct st_rtc_t.__unnamed13__.BCNT1CP0.BIT

Definition at line 29367 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP0: 8	
---------------	------------	--

6.3.1.1450 struct st_rtc_t.__unnamed14__.RHRCP0.BIT

Definition at line 29381 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	HR1: 4	
unsigned char	HR10: 2	
unsigned char	PM: 1	

6.3.1.1451 struct st_rtc_t.__unnamed14__.BCNT2CP0.BIT

Definition at line 29398 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP0: 8	
---------------	------------	--

6.3.1.1452 struct st_rtc_t.__unnamed15__.RDAYCP0.BIT

Definition at line 29412 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	DATE1: 4	
unsigned char	DATE10: 2	

6.3.1.1453 struct st_rtc_t.__unnamed15__.BCNT3CP0.BIT

Definition at line [29427](#) of file [iodefne.h](#).

Data Fields

unsigned char	BCNTCP0: 8	
---------------	------------	--

6.3.1.1454 struct st_rtc_t.RMONCP0.BIT

Definition at line [29440](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	MON1: 4	
unsigned char	MON10: 1	

6.3.1.1455 struct st_rtc_t.__unnamed16__.RSECCP1.BIT

Definition at line [29457](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SEC1: 4	
unsigned char	SEC10: 3	

6.3.1.1456 struct st_rtc_t.__unnamed16__.BCNT0CP1.BIT

Definition at line [29472](#) of file [iodefne.h](#).

Data Fields

unsigned char	BCNTCP1: 8	
---------------	------------	--

6.3.1.1457 struct st_rtc_t.__unnamed17__.RMINCP1.BIT

Definition at line 29486 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MIN1: 4	
unsigned char	MIN10: 3	

6.3.1.1458 struct st_rtc_t.__unnamed17__.BCNT1CP1.BIT

Definition at line 29501 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP1: 8	
---------------	------------	--

6.3.1.1459 struct st_rtc_t.__unnamed18__.RHRCP1.BIT

Definition at line 29515 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	HR1: 4	
unsigned char	HR10: 2	
unsigned char	PM: 1	

6.3.1.1460 struct st_rtc_t.__unnamed18__.BCNT2CP1.BIT

Definition at line 29532 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP1: 8	
---------------	------------	--

6.3.1.1461 struct st_rtc_t.__unnamed19__.RDAYCP1.BIT

Definition at line 29546 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	DATE1: 4	
unsigned char	DATE10: 2	

6.3.1.1462 struct st_rtc_t.__unnamed19__.BCNT3CP1.BIT

Definition at line [29561](#) of file [iodefne.h](#).

Data Fields

unsigned char	BCNTCP1: 8	
---------------	------------	--

6.3.1.1463 struct st_rtc_t.RMONCP1.BIT

Definition at line [29574](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	MON1: 4	
unsigned char	MON10: 1	

6.3.1.1464 struct st_rtc_t.__unnamed20__.RSECCP2.BIT

Definition at line [29591](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	SEC1: 4	
unsigned char	SEC10: 3	

6.3.1.1465 struct st_rtc_t.__unnamed20__.BCNT0CP2.BIT

Definition at line [29606](#) of file [iodefne.h](#).

Data Fields

unsigned char	BCNTCP2: 8	
---------------	------------	--

6.3.1.1466 struct st_rtc_t.__unnamed21__.RMINCP2.BIT

Definition at line 29620 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MIN1: 4	
unsigned char	MIN10: 3	

6.3.1.1467 struct st_rtc_t.__unnamed21__.BCNT1CP2.BIT

Definition at line 29635 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP2: 8	
---------------	------------	--

6.3.1.1468 struct st_rtc_t.__unnamed22__.RHRCP2.BIT

Definition at line 29649 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	HR1: 4	
unsigned char	HR10: 2	
unsigned char	PM: 1	

6.3.1.1469 struct st_rtc_t.__unnamed22__.BCNT2CP2.BIT

Definition at line 29666 of file [iodef.h](#).

Data Fields

unsigned char	BCNTCP2: 8	
---------------	------------	--

6.3.1.1470 struct st_rtc_t.__unnamed23__.RDAYCP2.BIT

Definition at line 29680 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	DATE1: 4	
unsigned char	DATE10: 2	

6.3.1.1471 struct st_rtc_t.__unnamed23__.BCNT3CP2.BIT

Definition at line [29695](#) of file [iodefine.h](#).

Data Fields

unsigned char	BCNTCP2: 8	
---------------	------------	--

6.3.1.1472 struct st_rtc_t.RMONCP2.BIT

Definition at line [29708](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	MON1: 4	
unsigned char	MON10: 1	

6.3.1.1473 struct st_s12ad_t.ADCSR.BIT

Definition at line [29726](#) of file [iodefine.h](#).

Data Fields

unsigned short	ADCS: 2	
unsigned short	ADIE: 1	
unsigned short	ADST: 1	
unsigned short	DBLANS: 5	
unsigned short	DBLE: 1	
unsigned short	EXTRG: 1	
unsigned short	GBADIE: 1	
unsigned	short: 2	
unsigned short	TRGE: 1	

6.3.1.1474 struct st_s12ad_t.ADANSA0.BIT

Definition at line 29756 of file [iodef.h](#).

Data Fields

unsigned short	ANSA000: 1	
unsigned short	ANSA001: 1	
unsigned short	ANSA002: 1	
unsigned short	ANSA003: 1	
unsigned short	ANSA004: 1	
unsigned short	ANSA005: 1	
unsigned short	ANSA006: 1	
unsigned short	ANSA007: 1	
unsigned	short: 8	

6.3.1.1475 struct st_s12ad_t.ADADS0.BIT

Definition at line 29784 of file [iodef.h](#).

Data Fields

unsigned short	ADS000: 1	
unsigned short	ADS001: 1	
unsigned short	ADS002: 1	
unsigned short	ADS003: 1	
unsigned short	ADS004: 1	
unsigned short	ADS005: 1	
unsigned short	ADS006: 1	
unsigned short	ADS007: 1	
unsigned	short: 8	

6.3.1.1476 struct st_s12ad_t.ADADC.BIT

Definition at line 29812 of file [iodef.h](#).

Data Fields

unsigned char	ADC: 3	
unsigned char	AVEE: 1	
unsigned	char: 4	

6.3.1.1477 struct st_s12ad_t.ADCER.BIT

Definition at line 29828 of file [iodefine.h](#).

Data Fields

unsigned short	ACE: 1	
unsigned short	ADPRC: 2	
unsigned short	ADRFMT: 1	
unsigned short	DIAGLD: 1	
unsigned short	DIAGM: 1	
unsigned short	DIAGVAL: 2	
unsigned	short: 3	

6.3.1.1478 struct st_s12ad_t.ADSTRGR.BIT

Definition at line 29857 of file [iodefine.h](#).

Data Fields

unsigned	short: 2	
unsigned short	TRSA: 6	
unsigned short	TRSB: 6	

6.3.1.1479 struct st_s12ad_t.ADANSB0.BIT

Definition at line 29875 of file [iodefine.h](#).

Data Fields

unsigned short	ANSB000: 1	
unsigned short	ANSB001: 1	
unsigned short	ANSB002: 1	
unsigned short	ANSB003: 1	
unsigned short	ANSB004: 1	
unsigned short	ANSB005: 1	
unsigned short	ANSB006: 1	
unsigned short	ANSB007: 1	
unsigned	short: 8	

6.3.1.1480 union st_s12ad_t.ADDBLDR

Definition at line 29901 of file [iodef.h](#).

Data Fields

unsigned short	WORD	
----------------	------	--

6.3.1.1481 struct st_s12ad_t.ADRD.BIT.RIGHT

Definition at line 29908 of file [iodef.h](#).

Data Fields

unsigned short	AD: 12	
unsigned short	DIAGST: 2	
unsigned	short: 2	

6.3.1.1482 struct st_s12ad_t.ADRD.BIT.LEFT

Definition at line 29920 of file [iodef.h](#).

Data Fields

unsigned short	AD: 12	
unsigned short	DIAGST: 2	
unsigned	short: 2	

6.3.1.1483 struct st_s12ad_t.ADSAMPR.BIT

Definition at line 29945 of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	PRO: 2	

6.3.1.1484 struct st_s12ad_t.ADSHCR.BIT

Definition at line 29959 of file [iodef.h](#).

Data Fields

unsigned short	SHANS: 3	
unsigned	short: 5	
unsigned short	SSTSH: 8	

6.3.1.1485 struct st_s12ad_t.ADSAM.BIT

Definition at line [29975](#) of file [iodefine.h](#).

Data Fields

unsigned short	SAM: 1	
unsigned	short: 10	

6.3.1.1486 struct st_s12ad_t.ADDISCR.BIT

Definition at line [29991](#) of file [iodefine.h](#).

Data Fields

unsigned char	ADNDIS: 5	
unsigned	char: 3	

6.3.1.1487 struct st_s12ad_t.ADSHMSR.BIT

Definition at line [30005](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SHMD: 1	

6.3.1.1488 struct st_s12ad_t.ADGSPCR.BIT

Definition at line [30019](#) of file [iodefine.h](#).

Data Fields

unsigned short	GBRP: 1	
unsigned short	GBRSCN: 1	
unsigned short	LGRRS: 1	

unsigned short	PGS: 1	
unsigned	short: 12	

6.3.1.1489 struct st_s12ad_t.ADWINMON.BIT

Definition at line [30042](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	MONCMPA: 1	
unsigned char	MONCMPB: 1	
unsigned char	MONCOMB: 1	

6.3.1.1490 struct st_s12ad_t.ADCMPCR.BIT

Definition at line [30062](#) of file [iodef.h](#).

Data Fields

unsigned short	CMPAB: 2	
unsigned short	CMPAE: 1	
unsigned short	CMPAIE: 1	
unsigned short	CMPBE: 1	
unsigned short	CMPBIE: 1	
unsigned	short: 1	
unsigned short	WCMPE: 1	

6.3.1.1491 struct st_s12ad_t.ADCMPANSR0.BIT

Definition at line [30090](#) of file [iodef.h](#).

Data Fields

unsigned short	CMPCHA000: 1	
unsigned short	CMPCHA001: 1	
unsigned short	CMPCHA002: 1	
unsigned short	CMPCHA003: 1	
unsigned short	CMPCHA004: 1	
unsigned short	CMPCHA005: 1	
unsigned short	CMPCHA006: 1	
unsigned short	CMPCHA007: 1	

unsigned	short: 8	
----------	----------	--

6.3.1.1492 struct st_s12ad_t.ADCMPLR0.BIT

Definition at line 30118 of file [iodefine.h](#).

Data Fields

unsigned short	CMPLCHA000: 1	
unsigned short	CMPLCHA001: 1	
unsigned short	CMPLCHA002: 1	
unsigned short	CMPLCHA003: 1	
unsigned short	CMPLCHA004: 1	
unsigned short	CMPLCHA005: 1	
unsigned short	CMPLCHA006: 1	
unsigned short	CMPLCHA007: 1	
unsigned	short: 8	

6.3.1.1493 struct st_s12ad_t.ADCMPSR0.BIT

Definition at line 30148 of file [iodefine.h](#).

Data Fields

unsigned short	CMPSTCHA000: 1	
unsigned short	CMPSTCHA001: 1	
unsigned short	CMPSTCHA002: 1	
unsigned short	CMPSTCHA003: 1	
unsigned short	CMPSTCHA004: 1	
unsigned short	CMPSTCHA005: 1	
unsigned short	CMPSTCHA006: 1	
unsigned short	CMPSTCHA007: 1	
unsigned	short: 8	

6.3.1.1494 struct st_s12ad_t.ADCMPBNSR.BIT

Definition at line 30176 of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CMPCHB: 6	

unsigned char	CMPLB: 1	
-------------------------------	----------	--

6.3.1.1495 struct st_s12ad_t.ADCMPBSR.BIT

Definition at line [30194](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	CMPSTB: 1	

6.3.1.1496 struct st_s12ad_t.ADANSC0.BIT

Definition at line [30208](#) of file [iodef.h](#).

Data Fields

unsigned short	ANSC000: 1	
unsigned short	ANSC001: 1	
unsigned short	ANSC002: 1	
unsigned short	ANSC003: 1	
unsigned short	ANSC004: 1	
unsigned short	ANSC005: 1	
unsigned short	ANSC006: 1	
unsigned short	ANSC007: 1	
unsigned	short: 8	

6.3.1.1497 struct st_s12ad_t.ADGCTRGR.BIT

Definition at line [30236](#) of file [iodef.h](#).

Data Fields

unsigned char	GCADIE: 1	
unsigned char	GRCE: 1	
unsigned char	TRSC: 6	

6.3.1.1498 struct st_s12ad1_t.ADCSR.BIT

Definition at line 30263 of file [iodefine.h](#).

Data Fields

unsigned short	ADCS: 2	
unsigned short	ADIE: 1	
unsigned short	ADST: 1	
unsigned short	DBLANS: 5	
unsigned short	DBLE: 1	
unsigned short	EXTRG: 1	
unsigned short	GBADIE: 1	
unsigned	short: 2	
unsigned short	TRGE: 1	

6.3.1.1499 struct st_s12ad1_t.ADANSA0.BIT

Definition at line 30293 of file [iodefine.h](#).

Data Fields

unsigned short	ANSA000: 1	
unsigned short	ANSA001: 1	
unsigned short	ANSA002: 1	
unsigned short	ANSA003: 1	
unsigned short	ANSA004: 1	
unsigned short	ANSA005: 1	
unsigned short	ANSA006: 1	
unsigned short	ANSA007: 1	
unsigned short	ANSA008: 1	
unsigned short	ANSA009: 1	
unsigned short	ANSA010: 1	
unsigned short	ANSA011: 1	
unsigned short	ANSA012: 1	
unsigned short	ANSA013: 1	
unsigned short	ANSA014: 1	
unsigned short	ANSA015: 1	

6.3.1.1500 struct st_s12ad1_t.ADANSA1.BIT

Definition at line 30334 of file [iodefine.h](#).

Data Fields

unsigned short	ANSA100: 1	
unsigned short	ANSA101: 1	
unsigned short	ANSA102: 1	
unsigned short	ANSA103: 1	
unsigned short	ANSA104: 1	
unsigned	short: 11	

6.3.1.1501 struct st_s12ad1_t.ADADS0.BIT

Definition at line [30355](#) of file [iodef.h](#).

Data Fields

unsigned short	ADS000: 1	
unsigned short	ADS001: 1	
unsigned short	ADS002: 1	
unsigned short	ADS003: 1	
unsigned short	ADS004: 1	
unsigned short	ADS005: 1	
unsigned short	ADS006: 1	
unsigned short	ADS007: 1	
unsigned short	ADS008: 1	
unsigned short	ADS009: 1	
unsigned short	ADS010: 1	
unsigned short	ADS011: 1	
unsigned short	ADS012: 1	
unsigned short	ADS013: 1	
unsigned short	ADS014: 1	
unsigned short	ADS015: 1	

6.3.1.1502 struct st_s12ad1_t.ADADS1.BIT

Definition at line [30396](#) of file [iodef.h](#).

Data Fields

unsigned short	ADS100: 1	
unsigned short	ADS101: 1	
unsigned short	ADS102: 1	
unsigned short	ADS103: 1	
unsigned short	ADS104: 1	

unsigned	short: 11	
----------	-----------	--

6.3.1.1503 struct st_s12ad1_t.ADADC.BIT

Definition at line [30417](#) of file [iodefne.h](#).

Data Fields

unsigned char	ADC: 3	
unsigned char	AVEE: 1	
unsigned	char: 4	

6.3.1.1504 struct st_s12ad1_t.ADCER.BIT

Definition at line [30433](#) of file [iodefne.h](#).

Data Fields

unsigned short	ACE: 1	
unsigned short	ADPRC: 2	
unsigned short	ADRFMT: 1	
unsigned short	DIAGLD: 1	
unsigned short	DIAGM: 1	
unsigned short	DIAGVAL: 2	
unsigned	short: 3	

6.3.1.1505 struct st_s12ad1_t.ADSTRGR.BIT

Definition at line [30462](#) of file [iodefne.h](#).

Data Fields

unsigned	short: 2	
unsigned short	TRSA: 6	
unsigned short	TRSB: 6	

6.3.1.1506 struct st_s12ad1_t.ADEXICR.BIT

Definition at line [30479](#) of file [iodefne.h](#).

Data Fields

unsigned short	EXOEN: 1	
unsigned short	EXSEL: 2	
unsigned short	OCSA: 1	
unsigned short	OCSAD: 1	
unsigned short	OCSB: 1	
unsigned	short: 1	
unsigned short	TSSA: 1	
unsigned short	TSSAD: 1	
unsigned short	TSSB: 1	

6.3.1.1507 struct st_s12ad1_t.ADANSB0.BIT

Definition at line [30508](#) of file [iodef.h](#).

Data Fields

unsigned short	ANSB000: 1	
unsigned short	ANSB001: 1	
unsigned short	ANSB002: 1	
unsigned short	ANSB003: 1	
unsigned short	ANSB004: 1	
unsigned short	ANSB005: 1	
unsigned short	ANSB006: 1	
unsigned short	ANSB007: 1	
unsigned short	ANSB008: 1	
unsigned short	ANSB009: 1	
unsigned short	ANSB010: 1	
unsigned short	ANSB011: 1	
unsigned short	ANSB012: 1	
unsigned short	ANSB013: 1	
unsigned short	ANSB014: 1	
unsigned short	ANSB015: 1	

6.3.1.1508 struct st_s12ad1_t.ADANSB1.BIT

Definition at line [30549](#) of file [iodef.h](#).

Data Fields

unsigned short	ANSB100: 1	
unsigned short	ANSB101: 1	

unsigned short	ANSB102: 1	
unsigned short	ANSB103: 1	
unsigned short	ANSB104: 1	
unsigned	short: 11	

6.3.1.1509 struct st_s12ad1_t.ADRD.BIT.RIGHT

Definition at line [30574](#) of file [iodefne.h](#).

Data Fields

unsigned short	AD: 12	
unsigned short	DIAGST: 2	
unsigned	short: 2	

6.3.1.1510 struct st_s12ad1_t.ADRD.BIT.LEFT

Definition at line [30586](#) of file [iodefne.h](#).

Data Fields

unsigned short	AD: 12	
unsigned short	DIAGST: 2	
unsigned	short: 2	

6.3.1.1511 struct st_s12ad1_t.ADSAMPR.BIT

Definition at line [30624](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 6	
unsigned char	PRO: 2	

6.3.1.1512 struct st_s12ad1_t.ADSAM.BIT

Definition at line [30638](#) of file [iodefne.h](#).

Data Fields

unsigned short	SAM: 1	
--------------------------------	--------	--

unsigned	short: 10	
----------	-----------	--

6.3.1.1513 struct st_s12ad1_t.ADDISCR.BIT

Definition at line [30654](#) of file [iodef.h](#).

Data Fields

unsigned char	ADNDIS: 5	
unsigned	char: 3	

6.3.1.1514 struct st_s12ad1_t.ADGSPCR.BIT

Definition at line [30668](#) of file [iodef.h](#).

Data Fields

unsigned short	GBRP: 1	
unsigned short	GBRSCN: 1	
unsigned short	LGRRS: 1	
unsigned short	PGS: 1	
unsigned	short: 12	

6.3.1.1515 struct st_s12ad1_t.ADWINMON.BIT

Definition at line [30691](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	MONCMPA: 1	
unsigned char	MONCMPB: 1	
unsigned char	MONCOMB: 1	

6.3.1.1516 struct st_s12ad1_t.ADCMPCR.BIT

Definition at line [30711](#) of file [iodef.h](#).

Data Fields

unsigned short	CMPAB: 2	
--------------------------------	----------	--

unsigned short	CMPAE: 1	
unsigned short	CMPAIE: 1	
unsigned short	CMPBE: 1	
unsigned short	CMPBIE: 1	
unsigned	short: 1	
unsigned short	WCMPE: 1	

6.3.1.1517 struct st_s12ad1_t.ADCMPANSER.BIT

Definition at line [30738](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	CMPSOC: 1	
unsigned char	CMPSTS: 1	

6.3.1.1518 struct st_s12ad1_t.ADCMPLER.BIT

Definition at line [30753](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	CMPLOC: 1	
unsigned char	CMPLTS: 1	

6.3.1.1519 struct st_s12ad1_t.ADCMPANSR0.BIT

Definition at line [30768](#) of file [iodefine.h](#).

Data Fields

unsigned short	CMPCHA000: 1	
unsigned short	CMPCHA001: 1	
unsigned short	CMPCHA002: 1	
unsigned short	CMPCHA003: 1	
unsigned short	CMPCHA004: 1	
unsigned short	CMPCHA005: 1	
unsigned short	CMPCHA006: 1	
unsigned short	CMPCHA007: 1	
unsigned short	CMPCHA008: 1	

unsigned short	CMPCHA009: 1	
unsigned short	CMPCHA010: 1	
unsigned short	CMPCHA011: 1	
unsigned short	CMPCHA012: 1	
unsigned short	CMPCHA013: 1	
unsigned short	CMPCHA014: 1	
unsigned short	CMPCHA015: 1	

6.3.1.1520 struct st_s12ad1_t.ADCMPANSR1.BIT

Definition at line [30809](#) of file [iodef.h](#).

Data Fields

unsigned short	CMPCHA100: 1	
unsigned short	CMPCHA101: 1	
unsigned short	CMPCHA102: 1	
unsigned short	CMPCHA103: 1	
unsigned short	CMPCHA104: 1	
unsigned	short: 11	

6.3.1.1521 struct st_s12ad1_t.ADCMPLR0.BIT

Definition at line [30830](#) of file [iodef.h](#).

Data Fields

unsigned short	CMPLCHA000: 1	
unsigned short	CMPLCHA001: 1	
unsigned short	CMPLCHA002: 1	
unsigned short	CMPLCHA003: 1	
unsigned short	CMPLCHA004: 1	
unsigned short	CMPLCHA005: 1	
unsigned short	CMPLCHA006: 1	
unsigned short	CMPLCHA007: 1	
unsigned short	CMPLCHA008: 1	
unsigned short	CMPLCHA009: 1	
unsigned short	CMPLCHA010: 1	
unsigned short	CMPLCHA011: 1	
unsigned short	CMPLCHA012: 1	
unsigned short	CMPLCHA013: 1	
unsigned short	CMPLCHA014: 1	

unsigned short	CMPLCHA015: 1	
----------------	---------------	--

6.3.1.1522 struct st_s12ad1_t.ADCMPLR1.BIT

Definition at line 30871 of file [iodefine.h](#).

Data Fields

unsigned short	CMPLCHA100: 1	
unsigned short	CMPLCHA101: 1	
unsigned short	CMPLCHA102: 1	
unsigned short	CMPLCHA103: 1	
unsigned short	CMPLCHA104: 1	
unsigned	short: 11	

6.3.1.1523 struct st_s12ad1_t.ADCMPSR0.BIT

Definition at line 30894 of file [iodefine.h](#).

Data Fields

unsigned short	CMPSTCHA000: 1	
unsigned short	CMPSTCHA001: 1	
unsigned short	CMPSTCHA002: 1	
unsigned short	CMPSTCHA003: 1	
unsigned short	CMPSTCHA004: 1	
unsigned short	CMPSTCHA005: 1	
unsigned short	CMPSTCHA006: 1	
unsigned short	CMPSTCHA007: 1	
unsigned short	CMPSTCHA008: 1	
unsigned short	CMPSTCHA009: 1	
unsigned short	CMPSTCHA010: 1	
unsigned short	CMPSTCHA011: 1	
unsigned short	CMPSTCHA012: 1	
unsigned short	CMPSTCHA013: 1	
unsigned short	CMPSTCHA014: 1	
unsigned short	CMPSTCHA015: 1	

6.3.1.1524 struct st_s12ad1_t.ADCMPSR1.BIT

Definition at line 30935 of file [iodefine.h](#).

Data Fields

unsigned short	CMPSTCHA100: 1	
unsigned short	CMPSTCHA101: 1	
unsigned short	CMPSTCHA102: 1	
unsigned short	CMPSTCHA103: 1	
unsigned short	CMPSTCHA104: 1	
unsigned	short: 11	

6.3.1.1525 struct st_s12ad1_t.ADCMPSER.BIT

Definition at line [30956](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	CMPFOC: 1	
unsigned char	CMPFTS: 1	

6.3.1.1526 struct st_s12ad1_t.ADCMPBNSR.BIT

Definition at line [30972](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CMPCHB: 6	
unsigned char	CMPLB: 1	

6.3.1.1527 struct st_s12ad1_t.ADCMPBSR.BIT

Definition at line [30990](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	CMPSTB: 1	

6.3.1.1528 struct st_s12ad1_t.ADANSC0.BIT

Definition at line 31004 of file [iodefine.h](#).

Data Fields

unsigned short	ANSC000: 1	
unsigned short	ANSC001: 1	
unsigned short	ANSC002: 1	
unsigned short	ANSC003: 1	
unsigned short	ANSC004: 1	
unsigned short	ANSC005: 1	
unsigned short	ANSC006: 1	
unsigned short	ANSC007: 1	
unsigned short	ANSC008: 1	
unsigned short	ANSC009: 1	
unsigned short	ANSC010: 1	
unsigned short	ANSC011: 1	
unsigned short	ANSC012: 1	
unsigned short	ANSC013: 1	
unsigned short	ANSC014: 1	
unsigned short	ANSC015: 1	

6.3.1.1529 struct st_s12ad1_t.ADANSC1.BIT

Definition at line 31045 of file [iodefine.h](#).

Data Fields

unsigned short	ANSC100: 1	
unsigned short	ANSC101: 1	
unsigned short	ANSC102: 1	
unsigned short	ANSC103: 1	
unsigned short	ANSC104: 1	
unsigned	short: 11	

6.3.1.1530 struct st_s12ad1_t.ADGCEXCR.BIT

Definition at line 31066 of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	OCSC: 1	

unsigned char	TSSC: 1	
---------------	---------	--

6.3.1.1531 struct st_s12ad1_t.ADGCTRGR.BIT

Definition at line [31081](#) of file [iodef.h](#).

Data Fields

unsigned char	GCADIE: 1	
unsigned char	GRCE: 1	
unsigned char	TRSC: 6	

6.3.1.1532 struct st_sci0_t.SMR.BIT

Definition at line [31119](#) of file [iodef.h](#).

Data Fields

unsigned char	CHR: 1	
unsigned char	CKS: 2	
unsigned char	CM: 1	
unsigned char	MP: 1	
unsigned char	PE: 1	
unsigned char	PM: 1	
unsigned char	STOP: 1	

6.3.1.1533 struct st_sci0_t.SCR.BIT

Definition at line [31143](#) of file [iodef.h](#).

Data Fields

unsigned char	CKE: 2	
unsigned char	MPIE: 1	
unsigned char	RE: 1	
unsigned char	RIE: 1	
unsigned char	TE: 1	
unsigned char	TEIE: 1	
unsigned char	TIE: 1	

6.3.1.1534 struct st_sci0_t.SSR.BIT

Definition at line [31167](#) of file [iodefine.h](#).

Data Fields

unsigned char	FER: 1	
unsigned char	MPB: 1	
unsigned char	MPBT: 1	
unsigned char	ORER: 1	
unsigned char	PER: 1	
unsigned char	RDRF: 1	
unsigned char	TDRE: 1	
unsigned char	TEND: 1	

6.3.1.1535 struct st_sci0_t.SCMR.BIT

Definition at line [31193](#) of file [iodefine.h](#).

Data Fields

unsigned char	BCP2: 1	
unsigned	char: 2	
unsigned char	CHR1: 1	
unsigned char	SDIR: 1	
unsigned char	SINV: 1	
unsigned char	SMIF: 1	

6.3.1.1536 struct st_sci0_t.SEMR.BIT

Definition at line [31216](#) of file [iodefine.h](#).

Data Fields

unsigned char	ABCS: 1	
unsigned char	ABCSE: 1	
unsigned char	ACS0: 1	
unsigned char	BGDM: 1	
unsigned char	BRME: 1	
unsigned	char: 1	
unsigned char	NFEN: 1	
unsigned char	RXDESEL: 1	

6.3.1.1537 struct st_sci0_t.SNFR.BIT

Definition at line [31241](#) of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	NFCS: 3	

6.3.1.1538 struct st_sci0_t.SIMR1.BIT

Definition at line [31254](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICDL: 5	
unsigned char	IICM: 1	

6.3.1.1539 struct st_sci0_t.SIMR2.BIT

Definition at line [31269](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICACKT: 1	
unsigned char	IICCSC: 1	
unsigned char	IICINTM: 1	

6.3.1.1540 struct st_sci0_t.SIMR3.BIT

Definition at line [31288](#) of file [iodef.h](#).

Data Fields

unsigned char	IICRSTAREQ: 1	
unsigned char	IICSCLS: 2	
unsigned char	IICSDAS: 2	
unsigned char	IICSTAREQ: 1	
unsigned char	IICSTIF: 1	
unsigned char	IICSTPREQ: 1	

6.3.1.1541 struct st_sci0_t.SISR.BIT

Definition at line [31309](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	IICACKR: 1	

6.3.1.1542 struct st_sci0_t.SPMR.BIT

Definition at line [31322](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CKPH: 1	
unsigned char	CKPOL: 1	
unsigned char	CTSE: 1	
unsigned char	MFF: 1	
unsigned char	MSS: 1	
unsigned char	SSE: 1	

6.3.1.1543 struct st_sci0_t.TDRHL.BYTE

Definition at line [31347](#) of file [iodefine.h](#).

Data Fields

unsigned char	TDRH	
unsigned char	TDRL	

6.3.1.1544 struct st_sci0_t.RDRHL.BYTE

Definition at line [31354](#) of file [iodefine.h](#).

Data Fields

unsigned char	RDRH	
unsigned char	RDRL	

6.3.1.1545 struct st_sci0_t.DCCR.BIT

Definition at line [31362](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DCME: 1	
unsigned char	DCMF: 1	
unsigned char	DFER: 1	
unsigned char	DPER: 1	
unsigned char	IDSEL: 1	

6.3.1.1546 struct st_sci0_t.CDR.BYTE

Definition at line [31386](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1547 struct st_sci0_t.CDR.BIT

Definition at line [31390](#) of file [iodefne.h](#).

Data Fields

unsigned short	CMPD: 9	
unsigned	short: 7	

6.3.1.1548 struct st_sci0_t.SPTR.BIT

Definition at line [31403](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	RXDMON: 1	
unsigned char	SPB2DT: 1	
unsigned char	SPB2IO: 1	

6.3.1.1549 struct st_sci7_t.SMR.BIT

Definition at line [31423](#) of file [iodefine.h](#).

Data Fields

unsigned char	CHR: 1	
unsigned char	CKS: 2	
unsigned char	CM: 1	
unsigned char	MP: 1	
unsigned char	PE: 1	
unsigned char	PM: 1	
unsigned char	STOP: 1	

6.3.1.1550 struct st_sci7_t.SCR.BIT

Definition at line [31447](#) of file [iodefine.h](#).

Data Fields

unsigned char	CKE: 2	
unsigned char	MPIE: 1	
unsigned char	RE: 1	
unsigned char	RIE: 1	
unsigned char	TE: 1	
unsigned char	TEIE: 1	
unsigned char	TIE: 1	

6.3.1.1551 struct st_sci7_t.__unnamed0__.SSR.BIT

Definition at line [31472](#) of file [iodefine.h](#).

Data Fields

unsigned char	FER: 1	
unsigned char	MPB: 1	
unsigned char	MPBT: 1	
unsigned char	ORER: 1	
unsigned char	PER: 1	
unsigned char	RDRF: 1	
unsigned char	TDRE: 1	
unsigned char	TEND: 1	

6.3.1.1552 struct st_sci7_t.__unnamed0__.SSRFIFO.BIT

Definition at line 31497 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DR: 1	
unsigned char	FER: 1	
unsigned char	ORER: 1	
unsigned char	PER: 1	
unsigned char	RDF: 1	
unsigned char	TDFE: 1	
unsigned char	TEND: 1	

6.3.1.1553 struct st_sci7_t.SCMR.BIT

Definition at line 31524 of file [iodef.h](#).

Data Fields

unsigned char	BCP2: 1	
unsigned	char: 2	
unsigned char	CHR1: 1	
unsigned char	SDIR: 1	
unsigned char	SINV: 1	
unsigned char	SMIF: 1	

6.3.1.1554 struct st_sci7_t.SEMR.BIT

Definition at line 31547 of file [iodef.h](#).

Data Fields

unsigned char	ABCS: 1	
unsigned char	ABCSE: 1	
unsigned char	ACS0: 1	
unsigned char	BGDM: 1	
unsigned char	BRME: 1	
unsigned	char: 1	
unsigned char	NFEN: 1	
unsigned char	RXDESEL: 1	

6.3.1.1555 struct st_sci7_t.SNFR.BIT

Definition at line [31572](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	NFCS: 3	

6.3.1.1556 struct st_sci7_t.SIMR1.BIT

Definition at line [31585](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICDL: 5	
unsigned char	IICM: 1	

6.3.1.1557 struct st_sci7_t.SIMR2.BIT

Definition at line [31600](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICACKT: 1	
unsigned char	IICCSC: 1	
unsigned char	IICINTM: 1	

6.3.1.1558 struct st_sci7_t.SIMR3.BIT

Definition at line [31619](#) of file [iodefine.h](#).

Data Fields

unsigned char	IICRSTAREQ: 1	
unsigned char	IICSCLS: 2	
unsigned char	IICSDAS: 2	
unsigned char	IICSTAREQ: 1	
unsigned char	IICSTIF: 1	
unsigned char	IICSTPREQ: 1	

6.3.1.1559 struct st_sci7_t.SISR.BIT

Definition at line [31640](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	IICACKR: 1	

6.3.1.1560 struct st_sci7_t.SPMR.BIT

Definition at line [31653](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CKPH: 1	
unsigned char	CKPOL: 1	
unsigned char	CTSE: 1	
unsigned char	MFF: 1	
unsigned char	MSS: 1	
unsigned char	SSE: 1	

6.3.1.1561 struct st_sci7_t.__unnamed1__.TDRHL.BYTE

Definition at line [31679](#) of file [iodef.h](#).

Data Fields

unsigned char	TDRH	
unsigned char	TDRL	

6.3.1.1562 struct st_sci7_t.__unnamed1__.FTDR.BYTE

Definition at line [31686](#) of file [iodef.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1563 struct st_sci7_t.__unnamed1__.FTDR.BIT

Definition at line 31690 of file [iodefne.h](#).

Data Fields

unsigned short	MPBT: 1	
unsigned	short: 6	
unsigned short	TDAT: 9	

6.3.1.1564 struct st_sci7_t.__unnamed2__.RDRHL.BYTE

Definition at line 31707 of file [iodefne.h](#).

Data Fields

unsigned char	RDRH	
unsigned char	RDRL	

6.3.1.1565 struct st_sci7_t.__unnamed2__.FRDR.BYTE

Definition at line 31714 of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1566 struct st_sci7_t.__unnamed2__.FRDR.BIT

Definition at line 31718 of file [iodefne.h](#).

Data Fields

unsigned short	DR: 1	
unsigned short	FER: 1	
unsigned short	MPB: 1	
unsigned short	ORER: 1	
unsigned short	PER: 1	
unsigned short	RDAT: 9	
unsigned short	RDF: 1	
unsigned	short: 1	

6.3.1.1567 struct st_sci7_t.DCCR.BIT

Definition at line [31745](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DCME: 1	
unsigned char	DCMF: 1	
unsigned char	DFER: 1	
unsigned char	DPER: 1	
unsigned char	IDSEL: 1	

6.3.1.1568 struct st_sci7_t.FCR.BYTE

Definition at line [31768](#) of file [iodef.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1569 struct st_sci7_t.FCR.BIT

Definition at line [31772](#) of file [iodef.h](#).

Data Fields

unsigned short	DRES: 1	
unsigned short	FM: 1	
unsigned short	RFRST: 1	
unsigned short	RSTRG: 4	
unsigned short	RTRG: 4	
unsigned short	TFRST: 1	
unsigned short	TTRG: 4	

6.3.1.1570 struct st_sci7_t.FDR.BYTE

Definition at line [31795](#) of file [iodef.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1571 struct st_sci7_t.FDR.BIT

Definition at line [31799](#) of file [iodefne.h](#).

Data Fields

unsigned short	R: 5	
unsigned	short: 3	
unsigned short	T: 5	

6.3.1.1572 struct st_sci7_t.LSR.BYTE

Definition at line [31816](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1573 struct st_sci7_t.LSR.BIT

Definition at line [31820](#) of file [iodefne.h](#).

Data Fields

unsigned short	FNUM: 5	
unsigned short	ORER: 1	
unsigned short	PNUM: 5	
unsigned	short: 3	

6.3.1.1574 struct st_sci7_t.CDR.BYTE

Definition at line [31841](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1575 struct st_sci7_t.CDR.BIT

Definition at line 31845 of file [iodef.h](#).

Data Fields

unsigned short	CMRD: 9	
unsigned	short: 7	

6.3.1.1576 struct st_sci7_t.SPTR.BIT

Definition at line 31858 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	RXDMON: 1	
unsigned char	SPB2DT: 1	
unsigned char	SPB2IO: 1	

6.3.1.1577 struct st_sci12_t.SMR.BIT

Definition at line 31878 of file [iodef.h](#).

Data Fields

unsigned char	CHR: 1	
unsigned char	CKS: 2	
unsigned char	CM: 1	
unsigned char	MP: 1	
unsigned char	PE: 1	
unsigned char	PM: 1	
unsigned char	STOP: 1	

6.3.1.1578 struct st_sci12_t.SCR.BIT

Definition at line 31902 of file [iodef.h](#).

Data Fields

unsigned char	CKE: 2	
unsigned char	MPIE: 1	
unsigned char	RE: 1	
unsigned char	RIE: 1	

unsigned char	TE: 1	
unsigned char	TEIE: 1	
unsigned char	TIE: 1	

6.3.1.1579 struct st_sci12_t.SSR.BIT

Definition at line [31926](#) of file [iodefine.h](#).

Data Fields

unsigned char	FER: 1	
unsigned char	MPB: 1	
unsigned char	MPBT: 1	
unsigned char	ORER: 1	
unsigned char	PER: 1	
unsigned char	RDRF: 1	
unsigned char	TDRE: 1	
unsigned char	TEND: 1	

6.3.1.1580 struct st_sci12_t.SCMR.BIT

Definition at line [31952](#) of file [iodefine.h](#).

Data Fields

unsigned char	BCP2: 1	
unsigned	char: 2	
unsigned char	CHR1: 1	
unsigned char	SDIR: 1	
unsigned char	SINV: 1	
unsigned char	SMIF: 1	

6.3.1.1581 struct st_sci12_t.SEMR.BIT

Definition at line [31975](#) of file [iodefine.h](#).

Data Fields

unsigned char	ABCS: 1	
unsigned char	ACS0: 1	
unsigned char	BGDM: 1	
unsigned char	BRME: 1	

unsigned	char: 1	
unsigned char	NFEN: 1	
unsigned char	RXDESEL: 1	

6.3.1.1582 struct st_sci12_t.SNFR.BIT

Definition at line [32000](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 5	
unsigned char	NFCS: 3	

6.3.1.1583 struct st_sci12_t.SIMR1.BIT

Definition at line [32013](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICDL: 5	
unsigned char	IICM: 1	

6.3.1.1584 struct st_sci12_t.SIMR2.BIT

Definition at line [32028](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	IICACKT: 1	
unsigned char	IICCSC: 1	
unsigned char	IICINTM: 1	

6.3.1.1585 struct st_sci12_t.SIMR3.BIT

Definition at line [32047](#) of file [iodefne.h](#).

Data Fields

unsigned char	IICRSTAREQ: 1	
---------------	---------------	--

unsigned char	IICSCLS: 2	
unsigned char	IICSDAS: 2	
unsigned char	IICSTAREQ: 1	
unsigned char	IICSTIF: 1	
unsigned char	IICSTPREQ: 1	

6.3.1.1586 struct st_sci12_t.SISR.BIT

Definition at line [32068](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 7	
unsigned char	IICACKR: 1	

6.3.1.1587 struct st_sci12_t.SPMR.BIT

Definition at line [32081](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	CKPH: 1	
unsigned char	CKPOL: 1	
unsigned char	CTSE: 1	
unsigned char	MFF: 1	
unsigned char	MSS: 1	
unsigned char	SSE: 1	

6.3.1.1588 struct st_sci12_t.TDRHL.BYTE

Definition at line [32106](#) of file [iodefne.h](#).

Data Fields

unsigned char	TDRH	
unsigned char	TDRL	

6.3.1.1589 struct st_sci12_t.RDRHL.BYTE

Definition at line 32113 of file [iodef.h](#).

Data Fields

unsigned char	RDRH	
unsigned char	RDRL	

6.3.1.1590 struct st_sci12_t.ESMER.BIT

Definition at line 32122 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ESME: 1	

6.3.1.1591 struct st_sci12_t.CR0.BIT

Definition at line 32135 of file [iodef.h](#).

Data Fields

unsigned char	BRME: 1	
unsigned	char: 4	
unsigned char	RXDSF: 1	
unsigned char	SFSF: 1	

6.3.1.1592 struct st_sci12_t.CR1.BIT

Definition at line 32154 of file [iodef.h](#).

Data Fields

unsigned char	BFE: 1	
unsigned char	CF0RE: 1	
unsigned char	CF1DS: 2	
unsigned char	PIBE: 1	
unsigned char	PIBS: 3	

6.3.1.1593 struct st_sci12_t.CR2.BIT

Definition at line 32173 of file [iodefine.h](#).

Data Fields

unsigned char	BCCS: 2	
unsigned	char: 1	
unsigned char	DFCS: 3	
unsigned char	RTS: 2	

6.3.1.1594 struct st_sci12_t.CR3.BIT

Definition at line 32190 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SDST: 1	

6.3.1.1595 struct st_sci12_t.PCR.BIT

Definition at line 32203 of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	RXDXPS: 1	
unsigned char	SHARPS: 1	
unsigned char	TXDXPS: 1	

6.3.1.1596 struct st_sci12_t.ICR.BIT

Definition at line 32222 of file [iodefine.h](#).

Data Fields

unsigned char	AEDIE: 1	
unsigned char	BCDIE: 1	
unsigned char	BFDIE: 1	
unsigned char	CF0MIE: 1	
unsigned char	CF1MIE: 1	
unsigned	char: 2	
unsigned char	PIBDIE: 1	

6.3.1.1597 struct st_sci12_t.STR.BIT

Definition at line [32245](#) of file [iodef.h](#).

Data Fields

unsigned char	AEDF: 1	
unsigned char	BCDF: 1	
unsigned char	BFDF: 1	
unsigned char	CF0MF: 1	
unsigned char	CF1MF: 1	
unsigned	char: 2	
unsigned char	PIBDF: 1	

6.3.1.1598 struct st_sci12_t.STCR.BIT

Definition at line [32268](#) of file [iodef.h](#).

Data Fields

unsigned char	AEDCL: 1	
unsigned char	BCDCL: 1	
unsigned char	bfdcl: 1	
unsigned char	CF0MCL: 1	
unsigned char	CF1MCL: 1	
unsigned	char: 2	
unsigned char	PIBDCL: 1	

6.3.1.1599 struct st_sci12_t.CF0CR.BIT

Definition at line [32292](#) of file [iodef.h](#).

Data Fields

unsigned char	CF0CE0: 1	
unsigned char	CF0CE1: 1	
unsigned char	CF0CE2: 1	
unsigned char	CF0CE3: 1	
unsigned char	CF0CE4: 1	
unsigned char	CF0CE5: 1	
unsigned char	CF0CE6: 1	
unsigned char	CF0CE7: 1	

6.3.1.1600 struct st_sci12_t.CF1CR.BIT

Definition at line 32320 of file [iodefine.h](#).

Data Fields

unsigned char	CF1CE0: 1	
unsigned char	CF1CE1: 1	
unsigned char	CF1CE2: 1	
unsigned char	CF1CE3: 1	
unsigned char	CF1CE4: 1	
unsigned char	CF1CE5: 1	
unsigned char	CF1CE6: 1	
unsigned char	CF1CE7: 1	

6.3.1.1601 struct st_sci12_t.TCR.BIT

Definition at line 32346 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCST: 1	

6.3.1.1602 struct st_sci12_t.TMR.BIT

Definition at line 32359 of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCSS: 3	
unsigned char	TOMS: 2	
unsigned char	TWRC: 1	

6.3.1.1603 union st_sdhi_t.SDCMD

Definition at line 32381 of file [iodefine.h](#).

Data Fields

unsigned long	LONG	
---------------	------	--

6.3.1.1604 struct st_sdhi_t.SDSTOP.BIT

Definition at line [32413](#) of file [iodef.h](#).

Data Fields

unsigned	long: 23	
unsigned long	SDBLKCNTEN: 1	
unsigned long	STP: 1	

6.3.1.1605 struct st_sdhi_t.SDSTS1.BIT

Definition at line [32439](#) of file [iodef.h](#).

Data Fields

unsigned long	ACEND: 1	
unsigned	long: 21	
unsigned long	RSPEND: 1	
unsigned long	SDCDIN: 1	
unsigned long	SDCDMON: 1	
unsigned long	SDCDRM: 1	
unsigned long	SDD3IN: 1	
unsigned long	SDD3MON: 1	
unsigned long	SDD3RM: 1	
unsigned long	SDWPMON: 1	

6.3.1.1606 struct st_sdhi_t.SDSTS2.BIT

Definition at line [32472](#) of file [iodef.h](#).

Data Fields

unsigned long	BRE: 1	
unsigned long	BWE: 1	
unsigned long	CBSY: 1	
unsigned long	CMDE: 1	
unsigned long	CRCE: 1	
unsigned long	DTO: 1	
unsigned long	ENDE: 1	
unsigned long	ILA: 1	
unsigned long	ILR: 1	
unsigned long	ILW: 1	
unsigned	long: 16	

unsigned long	RSPTO: 1	
unsigned long	SDCLKCREN: 1	
unsigned long	SDD0MON: 1	

6.3.1.1607 struct st_sdhi_t.SDIMSK1.BIT

Definition at line [32511](#) of file [iodefine.h](#).

Data Fields

unsigned long	ACENDM: 1	
unsigned	long: 22	
unsigned long	RSPENDM: 1	
unsigned long	SDCDINM: 1	
unsigned long	SDCDRMM: 1	
unsigned long	SDD3INM: 1	
unsigned long	SDD3RMM: 1	

6.3.1.1608 struct st_sdhi_t.SDIMSK2.BIT

Definition at line [32538](#) of file [iodefine.h](#).

Data Fields

unsigned long	BREM: 1	
unsigned long	BWEM: 1	
unsigned long	CMDEM: 1	
unsigned long	CRCEM: 1	
unsigned long	DTTOM: 1	
unsigned long	ENDEM: 1	
unsigned long	ILAM: 1	
unsigned long	ILRM: 1	
unsigned long	ILWM: 1	
unsigned	long: 16	
unsigned long	RSPTOM: 1	

6.3.1.1609 struct st_sdhi_t.SDCLKCR.BIT

Definition at line [32573](#) of file [iodefine.h](#).

Data Fields

unsigned long	CLKCTRLLEN: 1	
unsigned long	CLKEN: 1	
unsigned long	CLKSEL: 8	
unsigned	long: 22	

6.3.1.1610 struct st_sdhi_t.SDSIZE.BIT

Definition at line [32590](#) of file [iodef.h](#).

Data Fields

unsigned long	LEN: 10	
unsigned	long: 22	

6.3.1.1611 struct st_sdhi_t.SDOPT.BIT

Definition at line [32603](#) of file [iodef.h](#).

Data Fields

unsigned long	CTOP: 4	
unsigned	long: 16	
unsigned long	TOP: 4	
unsigned long	WIDTH: 1	

6.3.1.1612 struct st_sdhi_t.SDERSTS1.BIT

Definition at line [32623](#) of file [iodef.h](#).

Data Fields

unsigned long	CMDE0: 1	
unsigned long	CMDE1: 1	
unsigned long	CRCLENE: 1	
unsigned long	CRCTK: 3	
unsigned long	CRCTKE: 1	
unsigned	long: 17	
unsigned long	RDCRCE: 1	
unsigned long	RDLENE: 1	
unsigned long	RSPCRCE0: 1	
unsigned long	RSPCRCE1: 1	

unsigned long	RSPLNE0: 1	
unsigned long	RSPLNE1: 1	

6.3.1.1613 struct st_sdhi_t.SDERSTS2.BIT

Definition at line [32658](#) of file [iodefine.h](#).

Data Fields

unsigned long	BSYTO0: 1	
unsigned long	BSYTO1: 1	
unsigned long	CRCBSYTO: 1	
unsigned long	CRCTO: 1	
unsigned	long: 25	
unsigned long	RDTO: 1	
unsigned long	RSPTO0: 1	
unsigned long	RSPTO1: 1	

6.3.1.1614 struct st_sdhi_t.SDIOMD.BIT

Definition at line [32685](#) of file [iodefine.h](#).

Data Fields

unsigned long	C52PUB: 1	
unsigned long	INTEN: 1	
unsigned long	IOABT: 1	
unsigned	long: 22	
unsigned long	RWREQ: 1	

6.3.1.1615 struct st_sdhi_t.SDIOSTS.BIT

Definition at line [32708](#) of file [iodefine.h](#).

Data Fields

unsigned long	EXPUB52: 1	
unsigned long	EXWT: 1	
unsigned long	IOIRQ: 1	
unsigned	long: 16	

6.3.1.1616 struct st_sdhi_t.SDIOIMSK.BIT

Definition at line 32727 of file [iodef.h](#).

Data Fields

unsigned long	EXPUB52M: 1	
unsigned long	EXWTM: 1	
unsigned long	IOIRQM: 1	
unsigned	long: 16	

6.3.1.1617 struct st_sdhi_t.SDDMAEN.BIT

Definition at line 32747 of file [iodef.h](#).

Data Fields

unsigned long	DMAEN: 1	
unsigned	long: 30	

6.3.1.1618 struct st_sdhi_t.SDRST.BIT

Definition at line 32763 of file [iodef.h](#).

Data Fields

unsigned	long: 31	
unsigned long	SDRST: 1	

6.3.1.1619 struct st_sdhi_t.SDVER.BIT

Definition at line 32776 of file [iodef.h](#).

Data Fields

unsigned long	CLKRAT: 1	
unsigned long	CPRM: 1	
unsigned long	IP1: 8	
unsigned long	IP2: 4	
unsigned	long: 16	

6.3.1.1620 struct st_sdhi_t.SDSWAP.BIT

Definition at line [32798](#) of file [iodefine.h](#).

Data Fields

unsigned long	BRSWP: 1	
unsigned long	BWSWP: 1	
unsigned	long: 24	

6.3.1.1621 struct st_smci_t.SMR.BIT

Definition at line [32818](#) of file [iodefine.h](#).

Data Fields

unsigned char	BCP: 2	
unsigned char	BLK: 1	
unsigned char	CKS: 2	
unsigned char	GM: 1	
unsigned char	PE: 1	
unsigned char	PM: 1	

6.3.1.1622 struct st_smci_t.SCR.BIT

Definition at line [32840](#) of file [iodefine.h](#).

Data Fields

unsigned char	CKE: 2	
unsigned char	MPIE: 1	
unsigned char	RE: 1	
unsigned char	RIE: 1	
unsigned char	TE: 1	
unsigned char	TEIE: 1	
unsigned char	TIE: 1	

6.3.1.1623 struct st_smci_t.SSR.BIT

Definition at line [32864](#) of file [iodefine.h](#).

Data Fields

unsigned char	ERS: 1	
---------------	--------	--

unsigned char	MPB: 1	
unsigned char	MPBT: 1	
unsigned char	ORER: 1	
unsigned char	PER: 1	
unsigned char	RDRF: 1	
unsigned char	TDRE: 1	
unsigned char	TEND: 1	

6.3.1.1624 struct st_smci_t.SCMR.BIT

Definition at line [32890](#) of file [iodef.h](#).

Data Fields

unsigned char	BCP2: 1	
unsigned	char: 2	
unsigned char	CHR1: 1	
unsigned char	SDIR: 1	
unsigned char	SINV: 1	
unsigned char	SMIF: 1	

6.3.1.1625 struct st_ssie_t.SSICR.BIT

Definition at line [32916](#) of file [iodef.h](#).

Data Fields

unsigned long	BCKP: 1	
unsigned long	CKDV: 4	
unsigned long	DEL: 1	
unsigned long	DWL: 3	
unsigned long	FRM: 2	
unsigned long	IIEN: 1	
unsigned	long: 2	
unsigned long	LRCKP: 1	
unsigned long	MST: 1	
unsigned long	MUEN: 1	
unsigned long	PDTA: 1	
unsigned long	REN: 1	
unsigned long	ROIEN: 1	
unsigned long	RUIEN: 1	
unsigned long	SDTA: 1	

unsigned long	SPDP: 1	
unsigned long	SWL: 3	
unsigned long	TEN: 1	
unsigned long	TOIEN: 1	
unsigned long	TUIEN: 1	

6.3.1.1626 struct st_ssie_t.SSISR.BIT

Definition at line [32971](#) of file [iodefine.h](#).

Data Fields

unsigned long	IIRQ: 1	
unsigned	long: 2	
unsigned long	ROIRQ: 1	
unsigned long	RUIRQ: 1	
unsigned long	TOIRQ: 1	
unsigned long	TUIRQ: 1	

6.3.1.1627 struct st_ssie_t.SSIFCR.BIT

Definition at line [32995](#) of file [iodefine.h](#).

Data Fields

unsigned long	AUCKE: 1	
unsigned long	BSW: 1	
unsigned	long: 14	
unsigned long	RFRST: 1	
unsigned long	RIE: 1	
unsigned long	SSIRST: 1	
unsigned long	TFRST: 1	
unsigned long	TIE: 1	

6.3.1.1628 struct st_ssie_t.SSIFSR.BIT

Definition at line [33024](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	RDC: 6	

unsigned long	RDF: 1	
unsigned long	TDC: 6	
unsigned long	TDE: 1	

6.3.1.1629 struct st_ssie_t.SSIFTDR.WORD

Definition at line [33049](#) of file [iodefne.h](#).

Data Fields

unsigned short	H	
----------------	---	--

6.3.1.1630 struct st_ssie_t.SSIFTDR.BYTE

Definition at line [33052](#) of file [iodefne.h](#).

Data Fields

unsigned char	HH	
---------------	----	--

6.3.1.1631 struct st_ssie_t.SSIFRDR.WORD

Definition at line [33058](#) of file [iodefne.h](#).

Data Fields

unsigned short	H	
----------------	---	--

6.3.1.1632 struct st_ssie_t.SSIFRDR.BYTE

Definition at line [33061](#) of file [iodefne.h](#).

Data Fields

unsigned char	HH	
---------------	----	--

6.3.1.1633 struct st_ssie_t.SSIOFR.BIT

Definition at line [33067](#) of file [iodefine.h](#).

Data Fields

unsigned long	BCKASTP: 1	
unsigned	long: 22	
unsigned long	LRCONT: 1	
unsigned long	OMOD: 2	

6.3.1.1634 struct st_ssie_t.SSISCR.BIT

Definition at line [33086](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 19	
unsigned long	RDFS: 5	
unsigned long	TDES: 5	

6.3.1.1635 struct st_system_t.MDMONR.BIT

Definition at line [33106](#) of file [iodefine.h](#).

Data Fields

unsigned short	MD: 1	
unsigned	short: 15	

6.3.1.1636 struct st_system_t.SYSCR0.BIT

Definition at line [33120](#) of file [iodefine.h](#).

Data Fields

unsigned short	EXBE: 1	
unsigned short	KEY: 8	
unsigned short	ROME: 1	
unsigned	short: 6	

6.3.1.1637 struct st_system_t.SYSCR1.BIT

Definition at line 33137 of file [iodef.h](#).

Data Fields

unsigned short	ECCRAME: 1	
unsigned short	RAME: 1	
unsigned short	SBYRAME: 1	
unsigned	short: 8	

6.3.1.1638 struct st_system_t.SBYCR.BIT

Definition at line 33157 of file [iodef.h](#).

Data Fields

unsigned short	OPE: 1	
unsigned	short: 14	
unsigned short	SSBY: 1	

6.3.1.1639 struct st_system_t.MSTPCRA.BIT

Definition at line 33173 of file [iodef.h](#).

Data Fields

unsigned long	ACSE: 1	
unsigned	long: 1	
unsigned long	MSTPA0: 1	
unsigned long	MSTPA1: 1	
unsigned long	MSTPA10: 1	
unsigned long	MSTPA11: 1	
unsigned long	MSTPA13: 1	
unsigned long	MSTPA14: 1	
unsigned long	MSTPA15: 1	
unsigned long	MSTPA16: 1	
unsigned long	MSTPA17: 1	
unsigned long	MSTPA19: 1	
unsigned long	MSTPA24: 1	
unsigned long	MSTPA27: 1	
unsigned long	MSTPA28: 1	
unsigned long	MSTPA29: 1	
unsigned long	MSTPA4: 1	

unsigned long	MSTPA5: 1	
unsigned long	MSTPA7: 1	
unsigned long	MSTPA9: 1	

6.3.1.1640 struct st_system_t.MSTPCRB.BIT

Definition at line [33236](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 1	
unsigned long	MSTPB0: 1	
unsigned long	MSTPB1: 1	
unsigned long	MSTPB13: 1	
unsigned long	MSTPB14: 1	
unsigned long	MSTPB15: 1	
unsigned long	MSTPB16: 1	
unsigned long	MSTPB17: 1	
unsigned long	MSTPB19: 1	
unsigned long	MSTPB2: 1	
unsigned long	MSTPB20: 1	
unsigned long	MSTPB21: 1	
unsigned long	MSTPB22: 1	
unsigned long	MSTPB23: 1	
unsigned long	MSTPB24: 1	
unsigned long	MSTPB25: 1	
unsigned long	MSTPB26: 1	
unsigned long	MSTPB27: 1	
unsigned long	MSTPB28: 1	
unsigned long	MSTPB29: 1	
unsigned long	MSTPB30: 1	
unsigned long	MSTPB31: 1	
unsigned long	MSTPB4: 1	
unsigned long	MSTPB6: 1	
unsigned long	MSTPB8: 1	
unsigned long	MSTPB9: 1	

6.3.1.1641 struct st_system_t.MSTPCRC.BIT

Definition at line [33305](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 2	
unsigned long	MSTPC0: 1	
unsigned long	MSTPC17: 1	
unsigned long	MSTPC19: 1	
unsigned long	MSTPC2: 1	
unsigned long	MSTPC22: 1	
unsigned long	MSTPC23: 1	
unsigned long	MSTPC24: 1	
unsigned long	MSTPC25: 1	
unsigned long	MSTPC26: 1	
unsigned long	MSTPC27: 1	
unsigned long	MSTPC28: 1	
unsigned long	MSTPC29: 1	
unsigned long	MSTPC6: 1	
unsigned long	MSTPC7: 1	

6.3.1.1642 struct st_system_t.MSTPCRD.BIT

Definition at line [33354](#) of file [iodef.h](#).

Data Fields

unsigned	long: 4	
unsigned long	MSTPD0: 1	
unsigned long	MSTPD1: 1	
unsigned long	MSTPD14: 1	
unsigned long	MSTPD15: 1	
unsigned long	MSTPD19: 1	
unsigned long	MSTPD2: 1	
unsigned long	MSTPD21: 1	
unsigned long	MSTPD27: 1	
unsigned long	MSTPD3: 1	
unsigned long	MSTPD4: 1	
unsigned long	MSTPD5: 1	
unsigned long	MSTPD6: 1	
unsigned long	MSTPD7: 1	

6.3.1.1643 struct st_system_t.SCKCR.BIT

Definition at line [33399](#) of file [iodef.h](#).

Data Fields

unsigned long	BCK: 4	
unsigned long	FCK: 4	
unsigned long	ICK: 4	
unsigned	long: 2	
unsigned long	PCKA: 4	
unsigned long	PCKB: 4	
unsigned long	PCKC: 4	
unsigned long	PCKD: 4	
unsigned long	PSTOP0: 1	
unsigned long	PSTOP1: 1	

6.3.1.1644 struct st_system_t.SCKCR2.BIT

Definition at line [33428](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 8	
unsigned short	UCK: 4	

6.3.1.1645 struct st_system_t.SCKCR3.BIT

Definition at line [33443](#) of file [iodefine.h](#).

Data Fields

unsigned short	CKSEL: 3	
unsigned	short: 5	

6.3.1.1646 struct st_system_t.PLLCR.BIT

Definition at line [33458](#) of file [iodefine.h](#).

Data Fields

unsigned short	PLIDIV: 2	
unsigned short	PLLSRCSEL: 1	
unsigned	short: 2	
unsigned short	STC: 6	

6.3.1.1647 struct st_system_t.PLLCR2.BIT

Definition at line 33479 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	PLLEN: 1	

6.3.1.1648 struct st_system_t.BCKCR.BIT

Definition at line 33493 of file [iodef.h](#).

Data Fields

unsigned char	BCLKDIV: 1	
unsigned	char: 7	

6.3.1.1649 struct st_system_t.MOSCCR.BIT

Definition at line 33507 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	MOSTP: 1	

6.3.1.1650 struct st_system_t.SOSCCR.BIT

Definition at line 33520 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	SOSTP: 1	

6.3.1.1651 struct st_system_t.LOCOCR.BIT

Definition at line 33533 of file [iodef.h](#).

Data Fields

unsigned	char: 7	
----------	---------	--

unsigned char	LCSTP: 1	
-------------------------------	----------	--

6.3.1.1652 struct st_system_t.ILOCOCR.BIT

Definition at line [33546](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	ILCSTP: 1	

6.3.1.1653 struct st_system_t.HOCOCCR.BIT

Definition at line [33559](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	HCSTP: 1	

6.3.1.1654 struct st_system_t.HOCOCCR2.BIT

Definition at line [33572](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	HCFRQ: 2	

6.3.1.1655 struct st_system_t.OSCOVFSR.BIT

Definition at line [33586](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	HCOVF: 1	
unsigned char	ILCOVF: 1	
unsigned char	MOOVF: 1	
unsigned char	PLOVF: 1	
unsigned char	PPLOVF: 1	

unsigned char	SOOVF: 1	
-------------------------------	----------	--

6.3.1.1656 struct st_system_t.CKOCR.BIT

Definition at line [33610](#) of file [iodef.h](#).

Data Fields

unsigned short	CKODIV: 3	
unsigned short	CKOSEL: 3	
unsigned short	CKOSTP: 1	
unsigned	short: 1	

6.3.1.1657 struct st_system_t.OSTDCR.BIT

Definition at line [33629](#) of file [iodef.h](#).

Data Fields

unsigned	char: 6	
unsigned char	OSTDE: 1	
unsigned char	OSTDIE: 1	

6.3.1.1658 struct st_system_t.OSTDSR.BIT

Definition at line [33644](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	OSTDF: 1	

6.3.1.1659 struct st_system_t.PACKCR.BIT

Definition at line [33658](#) of file [iodef.h](#).

Data Fields

unsigned short	OUTCKSEL: 1	
unsigned	short: 3	
unsigned short	UPLLSEL: 1	

6.3.1.1660 struct st_system_t.PLLCR.BIT

Definition at line 33678 of file [iodefine.h](#).

Data Fields

unsigned short	PPLIDIV: 2	
unsigned short	PPLSTC: 6	
unsigned	short: 2	

6.3.1.1661 struct st_system_t.PLLCR2.BIT

Definition at line 33695 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	PPLLEN: 1	

6.3.1.1662 struct st_system_t.PLLCR3.BIT

Definition at line 33708 of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	PPLCK: 4	

6.3.1.1663 struct st_system_t.OPCCR.BIT

Definition at line 33722 of file [iodefine.h](#).

Data Fields

unsigned	char: 3	
unsigned char	OPCM: 3	
unsigned char	OPCMTSF: 1	

6.3.1.1664 struct st_system_t.RSTCKCR.BIT

Definition at line 33739 of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	RSTCKEN: 1	
unsigned char	RSTCKSEL: 3	

6.3.1.1665 struct st_system_t.MOSCWTCR.BIT

Definition at line 33754 of file [iodef.h](#).

Data Fields

unsigned char	MSTS: 8	
---------------	---------	--

6.3.1.1666 struct st_system_t.SOSCWTCR.BIT

Definition at line 33765 of file [iodef.h](#).

Data Fields

unsigned char	SSTS: 8	
---------------	---------	--

6.3.1.1667 struct st_system_t.RSTSR2.BIT

Definition at line 33777 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	IWDTRF: 1	
unsigned char	SWRF: 1	
unsigned char	WDTRF: 1	

6.3.1.1668 struct st_system_t.LVD1CR1.BIT

Definition at line 33797 of file [iodef.h](#).

Data Fields

unsigned	char: 5	
unsigned char	LVD1IDTSEL: 2	
unsigned char	LVD1IRQSEL: 1	

6.3.1.1669 struct st_system_t.LVD1SR.BIT

Definition at line [33812](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	LVD1DET: 1	
unsigned char	LVD1MON: 1	

6.3.1.1670 struct st_system_t.LVD2CR1.BIT

Definition at line [33827](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 5	
unsigned char	LVD2IDTSEL: 2	
unsigned char	LVD2IRQSEL: 1	

6.3.1.1671 struct st_system_t.LVD2SR.BIT

Definition at line [33842](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 6	
unsigned char	LVD2DET: 1	
unsigned char	LVD2MON: 1	

6.3.1.1672 struct st_system_t.PRCR.BIT

Definition at line [33858](#) of file [iodefine.h](#).

Data Fields

unsigned short	PRC0: 1	
unsigned short	PRC1: 1	
unsigned short	PRC3: 1	
unsigned short	PRKEY: 8	
unsigned	short: 4	

6.3.1.1673 struct st_system_t.MEMWAIT.BIT

Definition at line [33880](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	MEMWAIT: 1	

6.3.1.1674 struct st_system_t.DPSBYCR.BIT

Definition at line [33894](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 4	
unsigned char	DEEPCUT: 2	
unsigned char	DPSBY: 1	
unsigned char	IOKEEP: 1	

6.3.1.1675 struct st_system_t.DPSIER0.BIT

Definition at line [33912](#) of file [iodefine.h](#).

Data Fields

unsigned char	DIRQ0E: 1	
unsigned char	DIRQ1E: 1	
unsigned char	DIRQ2E: 1	
unsigned char	DIRQ3E: 1	
unsigned char	DIRQ4E: 1	
unsigned char	DIRQ5E: 1	
unsigned char	DIRQ6E: 1	
unsigned char	DIRQ7E: 1	

6.3.1.1676 struct st_system_t.DPSIER1.BIT

Definition at line 33937 of file [iodefine.h](#).

Data Fields

unsigned char	DIRQ10E: 1	
unsigned char	DIRQ11E: 1	
unsigned char	DIRQ12E: 1	
unsigned char	DIRQ13E: 1	
unsigned char	DIRQ14E: 1	
unsigned char	DIRQ15E: 1	
unsigned char	DIRQ8E: 1	
unsigned char	DIRQ9E: 1	

6.3.1.1677 struct st_system_t.DPSIER2.BIT

Definition at line 33962 of file [iodefine.h](#).

Data Fields

unsigned char	DLVD1IE: 1	
unsigned char	DLVD2IE: 1	
unsigned char	DNMIE: 1	
unsigned char	DRIICCIE: 1	
unsigned char	DRIICDIE: 1	
unsigned char	DRTCAIE: 1	
unsigned char	DRTCIE: 1	
unsigned char	DUSBIE: 1	

6.3.1.1678 struct st_system_t.DPSIER3.BIT

Definition at line 33987 of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DCANIE: 1	

6.3.1.1679 struct st_system_t.DPSIFR0.BIT

Definition at line 34000 of file [iodefine.h](#).

Data Fields

unsigned char	DIRQ0F: 1	
unsigned char	DIRQ1F: 1	
unsigned char	DIRQ2F: 1	
unsigned char	DIRQ3F: 1	
unsigned char	DIRQ4F: 1	
unsigned char	DIRQ5F: 1	
unsigned char	DIRQ6F: 1	
unsigned char	DIRQ7F: 1	

6.3.1.1680 struct st_system_t.DPSIFR1.BIT

Definition at line 34025 of file [iodef.h](#).

Data Fields

unsigned char	DIRQ10F: 1	
unsigned char	DIRQ11F: 1	
unsigned char	DIRQ12F: 1	
unsigned char	DIRQ13F: 1	
unsigned char	DIRQ14F: 1	
unsigned char	DIRQ15F: 1	
unsigned char	DIRQ8F: 1	
unsigned char	DIRQ9F: 1	

6.3.1.1681 struct st_system_t.DPSIFR2.BIT

Definition at line 34050 of file [iodef.h](#).

Data Fields

unsigned char	DLVD1IF: 1	
unsigned char	DLVD2IF: 1	
unsigned char	DNMIF: 1	
unsigned char	DRIICCIF: 1	
unsigned char	DRIICDIF: 1	
unsigned char	DRTCAIF: 1	
unsigned char	DRTCIF: 1	
unsigned char	DUSBIF: 1	

6.3.1.1682 struct st_system_t.DPSIFR3.BIT

Definition at line [34075](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DCANIF: 1	

6.3.1.1683 struct st_system_t.DPSIEGR0.BIT

Definition at line [34088](#) of file [iodefine.h](#).

Data Fields

unsigned char	DIRQ0EG: 1	
unsigned char	DIRQ1EG: 1	
unsigned char	DIRQ2EG: 1	
unsigned char	DIRQ3EG: 1	
unsigned char	DIRQ4EG: 1	
unsigned char	DIRQ5EG: 1	
unsigned char	DIRQ6EG: 1	
unsigned char	DIRQ7EG: 1	

6.3.1.1684 struct st_system_t.DPSIEGR1.BIT

Definition at line [34113](#) of file [iodefine.h](#).

Data Fields

unsigned char	DIRQ10EG: 1	
unsigned char	DIRQ11EG: 1	
unsigned char	DIRQ12EG: 1	
unsigned char	DIRQ13EG: 1	
unsigned char	DIRQ14EG: 1	
unsigned char	DIRQ15EG: 1	
unsigned char	DIRQ8EG: 1	
unsigned char	DIRQ9EG: 1	

6.3.1.1685 struct st_system_t.DPSIEGR2.BIT

Definition at line [34138](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	DLVD1EG: 1	
unsigned char	DLVD2EG: 1	
unsigned char	DNMIEG: 1	
unsigned char	DRIICCEG: 1	
unsigned char	DRIICDEG: 1	

6.3.1.1686 struct st_system_t.DPSIEGR3.BIT

Definition at line [34161](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	DCANIEG: 1	

6.3.1.1687 struct st_system_t.RSTSR0.BIT

Definition at line [34175](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	DPSRSTF: 1	
unsigned char	LVD0RF: 1	
unsigned char	LVD1RF: 1	
unsigned char	LVD2RF: 1	
unsigned char	PORF: 1	

6.3.1.1688 struct st_system_t.RSTSR1.BIT

Definition at line [34196](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	CWSF: 1	

6.3.1.1689 struct st_system_t.MOFCR.BIT

Definition at line [34210](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	MODRV2: 2	
unsigned char	MOFXIN: 1	
unsigned char	MOSEL: 1	

6.3.1.1690 struct st_system_t.HOCOPCR.BIT

Definition at line [34229](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	HOCOPCNT: 1	

6.3.1.1691 struct st_system_t.LVCMPCR.BIT

Definition at line [34243](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	LVD1E: 1	
unsigned char	LVD2E: 1	

6.3.1.1692 struct st_system_t.LVDLVL.R.BIT

Definition at line [34260](#) of file [iodefine.h](#).

Data Fields

unsigned char	LVD1LVL: 4	
unsigned char	LVD2LVL: 4	

6.3.1.1693 struct st_system_t.LVD1CR0.BIT

Definition at line 34274 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	LVD1CMPE: 1	
unsigned char	LVD1DFDIS: 1	
unsigned char	LVD1FSAMP: 2	
unsigned char	LVD1RI: 1	
unsigned char	LVD1RIE: 1	
unsigned char	LVD1RN: 1	

6.3.1.1694 struct st_system_t.LVD2CR0.BIT

Definition at line 34297 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	LVD2CMPE: 1	
unsigned char	LVD2DFDIS: 1	
unsigned char	LVD2FSAMP: 2	
unsigned char	LVD2RI: 1	
unsigned char	LVD2RIE: 1	
unsigned char	LVD2RN: 1	

6.3.1.1695 struct st_temps_t.TSCR.BIT

Definition at line 34325 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TSEN: 1	
unsigned char	TSOE: 1	

6.3.1.1696 struct st_tmr0_t.TCR.BIT

Definition at line 34345 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 3	
unsigned char	CMIEA: 1	
unsigned char	CMIEB: 1	
unsigned char	OVIE: 1	

6.3.1.1697 struct st_tmr0_t.TCSR.BIT

Definition at line [34365](#) of file [iodefine.h](#).

Data Fields

unsigned char	ADTE: 1	
unsigned	char: 3	
unsigned char	OSA: 2	
unsigned char	OSB: 2	

6.3.1.1698 struct st_tmr0_t.TCCR.BIT

Definition at line [34389](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	CKS: 3	
unsigned char	CSS: 2	
unsigned char	TMRIS: 1	

6.3.1.1699 struct st_tmr0_t.TCSTR.BIT

Definition at line [34407](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCS: 1	

6.3.1.1700 struct st_tmr1_t.TCR.BIT

Definition at line [34423](#) of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 3	
unsigned char	CMIEA: 1	
unsigned char	CMIEB: 1	
unsigned char	OVIE: 1	

6.3.1.1701 struct st_tmr1_t.TCSR.BIT

Definition at line [34443](#) of file [iodef.h](#).

Data Fields

unsigned	char: 4	
unsigned char	OSA: 2	
unsigned char	OSB: 2	

6.3.1.1702 struct st_tmr1_t.TCCR.BIT

Definition at line [34465](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	CKS: 3	
unsigned char	CSS: 2	
unsigned char	TMRIS: 1	

6.3.1.1703 struct st_tmr1_t.TCSTR.BIT

Definition at line [34483](#) of file [iodef.h](#).

Data Fields

unsigned	char: 7	
unsigned char	TCS: 1	

6.3.1.1704 struct st_tpu0_t.NFCR.BIT

Definition at line [34506](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1705 struct st_tpu0_t.TCR.BIT

Definition at line [34528](#) of file [iodefne.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1706 struct st_tpu0_t.TMDR.BIT

Definition at line [34543](#) of file [iodefne.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned char	ICSELB: 1	
unsigned char	ICSELD: 1	
unsigned char	MD: 4	

6.3.1.1707 struct st_tpu0_t.TIORH.BIT

Definition at line [34562](#) of file [iodefne.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1708 struct st_tpu0_t.TIORL.BIT

Definition at line [34575](#) of file [iodef.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1709 struct st_tpu0_t.TIER.BIT

Definition at line [34588](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	

6.3.1.1710 struct st_tpu0_t.TSR.BIT

Definition at line [34611](#) of file [iodef.h](#).

Data Fields

unsigned	char: 3	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	
unsigned char	TGFC: 1	
unsigned char	TGFD: 1	

6.3.1.1711 struct st_tpu1_t.NFCR.BIT

Definition at line [34641](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	

unsigned char	NFBEN: 1	
unsigned char	NFCS: 2	

6.3.1.1712 struct st_tpu1_t.TCR.BIT

Definition at line [34661](#) of file [iodefne.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1713 struct st_tpu1_t.TMDR.BIT

Definition at line [34678](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ICSELB: 1	
unsigned char	MD: 4	

6.3.1.1714 struct st_tpu1_t.TIOR.BIT

Definition at line [34695](#) of file [iodefne.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1715 struct st_tpu1_t.TIER.BIT

Definition at line [34709](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	

unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TTGE: 1	

6.3.1.1716 struct st_tpu1_t.TSR.BIT

Definition at line [34732](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCFD: 1	
unsigned char	TCFU: 1	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	

6.3.1.1717 struct st_tpu2_t.NFCR.BIT

Definition at line [34761](#) of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCS: 2	

6.3.1.1718 struct st_tpu2_t.TCR.BIT

Definition at line [34781](#) of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1719 struct st_tpu2_t.TMDR.BIT

Definition at line [34798](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ICSELB: 1	
unsigned char	MD: 4	

6.3.1.1720 struct st_tpu2_t.TIOR.BIT

Definition at line [34815](#) of file [iodefine.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1721 struct st_tpu2_t.TIER.BIT

Definition at line [34829](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TTGE: 1	

6.3.1.1722 struct st_tpu2_t.TSR.BIT

Definition at line [34852](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCFD: 1	
unsigned char	TCFU: 1	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	

6.3.1.1723 struct st_tpu3_t.NFCR.BIT

Definition at line 34882 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCEN: 1	
unsigned char	NFCS: 2	
unsigned char	NFDEN: 1	

6.3.1.1724 struct st_tpu3_t.TCR.BIT

Definition at line 34904 of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 3	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1725 struct st_tpu3_t.TMDR.BIT

Definition at line 34919 of file [iodef.h](#).

Data Fields

unsigned char	BFA: 1	
unsigned char	BFB: 1	
unsigned char	ICSELB: 1	
unsigned char	ICSELD: 1	
unsigned char	MD: 4	

6.3.1.1726 struct st_tpu3_t.TIORH.BIT

Definition at line 34938 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1727 struct st_tpu3_t.TIORL.BIT

Definition at line [34951](#) of file [iodefne.h](#).

Data Fields

unsigned char	IOC: 4	
unsigned char	IOD: 4	

6.3.1.1728 struct st_tpu3_t.TIER.BIT

Definition at line [34964](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TGIEC: 1	
unsigned char	TGIED: 1	
unsigned char	TTGE: 1	

6.3.1.1729 struct st_tpu3_t.TSR.BIT

Definition at line [34987](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 3	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	
unsigned char	TGFC: 1	
unsigned char	TGFD: 1	

6.3.1.1730 struct st_tpu4_t.NFCR.BIT

Definition at line [35016](#) of file [iodefne.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	

unsigned char	NFBEN: 1	
unsigned char	NFCS: 2	

6.3.1.1731 struct st_tpu4_t.TCR.BIT

Definition at line [35036](#) of file [iodef.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1732 struct st_tpu4_t.TMDR.BIT

Definition at line [35053](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ICSELB: 1	
unsigned char	MD: 4	

6.3.1.1733 struct st_tpu4_t.TIOR.BIT

Definition at line [35070](#) of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1734 struct st_tpu4_t.TIER.BIT

Definition at line [35084](#) of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	

unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	
unsigned char	TTGE: 1	

6.3.1.1735 struct st_tpu4_t.TSR.BIT

Definition at line [35107](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCFD: 1	
unsigned char	TCFU: 1	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	

6.3.1.1736 struct st_tpu5_t.NFCR.BIT

Definition at line [35137](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	NFAEN: 1	
unsigned char	NFBEN: 1	
unsigned char	NFCS: 2	

6.3.1.1737 struct st_tpu5_t.TCR.BIT

Definition at line [35157](#) of file [iodefine.h](#).

Data Fields

unsigned char	CCLR: 2	
unsigned	char: 1	
unsigned char	CKEG: 2	
unsigned char	TPSC: 3	

6.3.1.1738 struct st_tpu5_t.TMDR.BIT

Definition at line 35174 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	ICSELB: 1	
unsigned char	MD: 4	

6.3.1.1739 struct st_tpu5_t.TIOR.BIT

Definition at line 35191 of file [iodef.h](#).

Data Fields

unsigned char	IOA: 4	
unsigned char	IOB: 4	

6.3.1.1740 struct st_tpu5_t.TIER.BIT

Definition at line 35205 of file [iodef.h](#).

Data Fields

unsigned	char: 2	
unsigned char	TCIEU: 1	
unsigned char	TCIEV: 1	
unsigned char	TGIEA: 1	
unsigned char	TGIEB: 1	

6.3.1.1741 struct st_tpu5_t.TSR.BIT

Definition at line 35226 of file [iodef.h](#).

Data Fields

unsigned	char: 1	
unsigned char	TCFD: 1	
unsigned char	TCFU: 1	
unsigned char	TCFV: 1	
unsigned char	TGFA: 1	
unsigned char	TGFB: 1	

6.3.1.1742 struct st_tpua_t.TSTR.BIT

Definition at line 35255 of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	CST0: 1	
unsigned char	CST1: 1	
unsigned char	CST2: 1	
unsigned char	CST3: 1	
unsigned char	CST4: 1	
unsigned char	CST5: 1	

6.3.1.1743 struct st_tpua_t.TSYR.BIT

Definition at line 35278 of file [iodefine.h](#).

Data Fields

unsigned	char: 2	
unsigned char	SYNC0: 1	
unsigned char	SYNC1: 1	
unsigned char	SYNC2: 1	
unsigned char	SYNC3: 1	
unsigned char	SYNC4: 1	
unsigned char	SYNC5: 1	

6.3.1.1744 struct st_usb_t.DPUSR0R.BIT

Definition at line 35304 of file [iodefine.h](#).

Data Fields

unsigned long	DM0: 1	
unsigned long	DOVCA0: 1	
unsigned long	DOVCB0: 1	
unsigned long	DP0: 1	
unsigned long	DRPD0: 1	
unsigned long	DVBSTS0: 1	
unsigned long	FIXPHY0: 1	
unsigned	long: 8	
unsigned long	RPUE0: 1	
unsigned long	SRPC0: 1	

6.3.1.1745 struct st_usb_t.DPUSR1R.BIT

Definition at line [35341](#) of file [iodefne.h](#).

Data Fields

unsigned long	DMINT0: 1	
unsigned long	DMINTE0: 1	
unsigned long	DOVRCRA0: 1	
unsigned long	DOVRCRAE0: 1	
unsigned long	DOVRCRB0: 1	
unsigned long	DOVRCRBE0: 1	
unsigned long	DPINT0: 1	
unsigned long	DPINTE0: 1	
unsigned long	DVBINT0: 1	
unsigned long	DVBSE0: 1	
unsigned	long: 8	

6.3.1.1746 struct st_usb0_t.SYSCFG.BIT

Definition at line [35385](#) of file [iodefne.h](#).

Data Fields

unsigned short	DCFM: 1	
unsigned short	DPRPU: 1	
unsigned short	DRPD: 1	
unsigned short	SCKE: 1	
unsigned	short: 5	
unsigned short	USBE: 1	

6.3.1.1747 struct st_usb0_t.SYSSTS0.BIT

Definition at line [35411](#) of file [iodefne.h](#).

Data Fields

unsigned short	HTACT: 1	
unsigned short	IDMON: 1	
unsigned short	LNST: 2	
unsigned short	OVCMON: 2	
unsigned	short: 7	
unsigned short	SOFEA: 1	

6.3.1.1748 struct st_usb0_t.DVSTCTR0.BIT

Definition at line [35435](#) of file [iodefne.h](#).

Data Fields

unsigned short	EXICEN: 1	
unsigned short	HNPBTOA: 1	
unsigned short	RESUME: 1	
unsigned short	RHST: 3	
unsigned short	RWUPE: 1	
unsigned	short: 4	
unsigned short	UACT: 1	
unsigned short	USBRST: 1	
unsigned short	VBUSEN: 1	
unsigned short	WKUP: 1	

6.3.1.1749 struct st_usb0_t.CFIFO.BYTE

Definition at line [35467](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1750 struct st_usb0_t.D0FIFO.BYTE

Definition at line [35475](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1751 struct st_usb0_t.D1FIFO.BYTE

Definition at line [35483](#) of file [iodefne.h](#).

Data Fields

unsigned char	H	
unsigned char	L	

6.3.1.1752 struct st_usb0_t.CFIFOSEL.BIT

Definition at line 35491 of file [iodef.h](#).

Data Fields

unsigned short	BIGEND: 1	
unsigned short	CURPIPE: 4	
unsigned short	ISEL: 1	
unsigned short	MBW: 1	
unsigned short	RCNT: 1	
unsigned short	REW: 1	
unsigned	short: 3	

6.3.1.1753 struct st_usb0_t.CFIFOCTR.BIT

Definition at line 35520 of file [iodef.h](#).

Data Fields

unsigned short	BCLR: 1	
unsigned short	BVAL: 1	
unsigned short	DTLN: 9	
unsigned short	FRDY: 1	
unsigned	short: 4	

6.3.1.1754 struct st_usb0_t.D0FIFOSEL.BIT

Definition at line 35540 of file [iodef.h](#).

Data Fields

unsigned short	BIGEND: 1	
unsigned short	CURPIPE: 4	
unsigned short	DCLRM: 1	
unsigned short	DREQE: 1	
unsigned short	MBW: 1	
unsigned short	RCNT: 1	
unsigned short	REW: 1	
unsigned	short: 1	

6.3.1.1755 struct st_usb0_t.D0FIFOCTR.BIT

Definition at line 35569 of file [iodefine.h](#).

Data Fields

unsigned short	BCLR: 1	
unsigned short	BVAL: 1	
unsigned short	DTLN: 9	
unsigned short	FRDY: 1	
unsigned	short: 4	

6.3.1.1756 struct st_usb0_t.D1FIFOSEL.BIT

Definition at line 35588 of file [iodefine.h](#).

Data Fields

unsigned short	BIGEND: 1	
unsigned short	CURPIPE: 4	
unsigned short	DCLRM: 1	
unsigned short	DREQE: 1	
unsigned short	MBW: 1	
unsigned short	RCNT: 1	
unsigned short	REW: 1	
unsigned	short: 1	

6.3.1.1757 struct st_usb0_t.D1FIFOCTR.BIT

Definition at line 35617 of file [iodefine.h](#).

Data Fields

unsigned short	BCLR: 1	
unsigned short	BVAL: 1	
unsigned short	DTLN: 9	
unsigned short	FRDY: 1	
unsigned	short: 4	

6.3.1.1758 struct st_usb0_t.INTENB0.BIT

Definition at line 35636 of file [iodefine.h](#).

Data Fields

unsigned short	BEMPE: 1	
unsigned short	BRDYE: 1	
unsigned short	CTRE: 1	
unsigned short	DVSE: 1	
unsigned short	NRDYE: 1	
unsigned short	RSME: 1	
unsigned	short: 8	
unsigned short	SOFE: 1	
unsigned short	VBSE: 1	

6.3.1.1759 struct st_usb0_t.INTENB1.BIT

Definition at line [35663](#) of file [iodef.h](#).

Data Fields

unsigned short	ATTCHE: 1	
unsigned short	BCHGE: 1	
unsigned short	DTCHE: 1	
unsigned short	EOFERRE: 1	
unsigned short	OVRCRE: 1	
unsigned short	SACKE: 1	
unsigned	short: 1	
unsigned short	SIGNE: 1	

6.3.1.1760 struct st_usb0_t.BRDYENB.BIT

Definition at line [35693](#) of file [iodef.h](#).

Data Fields

unsigned short	PIPE0BRDYE: 1	
unsigned short	PIPE1BRDYE: 1	
unsigned short	PIPE2BRDYE: 1	
unsigned short	PIPE3BRDYE: 1	
unsigned short	PIPE4BRDYE: 1	
unsigned short	PIPE5BRDYE: 1	
unsigned short	PIPE6BRDYE: 1	
unsigned short	PIPE7BRDYE: 1	
unsigned short	PIPE8BRDYE: 1	
unsigned short	PIPE9BRDYE: 1	

unsigned	short: 6	
----------	----------	--

6.3.1.1761 struct st_usb0_t.NRDYENB.BIT

Definition at line 35724 of file [iodefne.h](#).

Data Fields

unsigned short	PIPE0NRDYE: 1	
unsigned short	PIPE1NRDYE: 1	
unsigned short	PIPE2NRDYE: 1	
unsigned short	PIPE3NRDYE: 1	
unsigned short	PIPE4NRDYE: 1	
unsigned short	PIPE5NRDYE: 1	
unsigned short	PIPE6NRDYE: 1	
unsigned short	PIPE7NRDYE: 1	
unsigned short	PIPE8NRDYE: 1	
unsigned short	PIPE9NRDYE: 1	
unsigned	short: 6	

6.3.1.1762 struct st_usb0_t.BEMPENB.BIT

Definition at line 35755 of file [iodefne.h](#).

Data Fields

unsigned short	PIPE0BEMPE: 1	
unsigned short	PIPE1BEMPE: 1	
unsigned short	PIPE2BEMPE: 1	
unsigned short	PIPE3BEMPE: 1	
unsigned short	PIPE4BEMPE: 1	
unsigned short	PIPE5BEMPE: 1	
unsigned short	PIPE6BEMPE: 1	
unsigned short	PIPE7BEMPE: 1	
unsigned short	PIPE8BEMPE: 1	
unsigned short	PIPE9BEMPE: 1	
unsigned	short: 6	

6.3.1.1763 struct st_usb0_t.SOFCFG.BIT

Definition at line 35786 of file [iodefne.h](#).

Data Fields

unsigned short	BRDYM: 1	
unsigned short	EDGESTS: 1	
unsigned	short: 7	
unsigned short	TRNENSEL: 1	

6.3.1.1764 struct st_usb0_t.INTSTS0.BIT

Definition at line [35810](#) of file [iodef.h](#).

Data Fields

unsigned short	BEMP: 1	
unsigned short	BRDY: 1	
unsigned short	CTRT: 1	
unsigned short	CTSQ: 3	
unsigned short	DVSQ: 3	
unsigned short	DVST: 1	
unsigned short	NRDY: 1	
unsigned short	RESM: 1	
unsigned short	SOFR: 1	
unsigned short	VALID: 1	
unsigned short	VBINT: 1	
unsigned short	VBSTS: 1	

6.3.1.1765 struct st_usb0_t.INTSTS1.BIT

Definition at line [35843](#) of file [iodef.h](#).

Data Fields

unsigned short	ATTCH: 1	
unsigned short	BCHG: 1	
unsigned short	DTCH: 1	
unsigned short	EOFERR: 1	
unsigned short	OVRCCR: 1	
unsigned short	SACK: 1	
unsigned	short: 1	
unsigned short	SIGN: 1	

6.3.1.1766 struct st_usb0_t.BRDYSTS.BIT

Definition at line 35873 of file [iodefine.h](#).

Data Fields

unsigned short	PIPE0BRDY: 1	
unsigned short	PIPE1BRDY: 1	
unsigned short	PIPE2BRDY: 1	
unsigned short	PIPE3BRDY: 1	
unsigned short	PIPE4BRDY: 1	
unsigned short	PIPE5BRDY: 1	
unsigned short	PIPE6BRDY: 1	
unsigned short	PIPE7BRDY: 1	
unsigned short	PIPE8BRDY: 1	
unsigned short	PIPE9BRDY: 1	
unsigned	short: 6	

6.3.1.1767 struct st_usb0_t.NRDYSTS.BIT

Definition at line 35904 of file [iodefine.h](#).

Data Fields

unsigned short	PIPE0NRDY: 1	
unsigned short	PIPE1NRDY: 1	
unsigned short	PIPE2NRDY: 1	
unsigned short	PIPE3NRDY: 1	
unsigned short	PIPE4NRDY: 1	
unsigned short	PIPE5NRDY: 1	
unsigned short	PIPE6NRDY: 1	
unsigned short	PIPE7NRDY: 1	
unsigned short	PIPE8NRDY: 1	
unsigned short	PIPE9NRDY: 1	
unsigned	short: 6	

6.3.1.1768 struct st_usb0_t.BEMPSTS.BIT

Definition at line 35935 of file [iodefine.h](#).

Data Fields

unsigned short	PIPE0BEMP: 1	
unsigned short	PIPE1BEMP: 1	

unsigned short	PIPE2BEMP: 1	
unsigned short	PIPE3BEMP: 1	
unsigned short	PIPE4BEMP: 1	
unsigned short	PIPE5BEMP: 1	
unsigned short	PIPE6BEMP: 1	
unsigned short	PIPE7BEMP: 1	
unsigned short	PIPE8BEMP: 1	
unsigned short	PIPE9BEMP: 1	
unsigned	short: 6	

6.3.1.1769 struct st_usb0_t.FRMNUM.BIT

Definition at line [35966](#) of file [iodef.h](#).

Data Fields

unsigned short	CRCE: 1	
unsigned short	FRNM: 11	
unsigned short	OVNR: 1	
unsigned	short: 3	

6.3.1.1770 struct st_usb0_t.DVCHGR.BIT

Definition at line [35983](#) of file [iodef.h](#).

Data Fields

unsigned short	DVCHG: 1	
unsigned	short: 15	

6.3.1.1771 struct st_usb0_t.USBADDR.BIT

Definition at line [35996](#) of file [iodef.h](#).

Data Fields

unsigned	short: 4	
unsigned short	STSRECOV: 4	
unsigned short	USBADDR: 7	

6.3.1.1772 struct st_usb0_t.USBREQ.BIT

Definition at line 36014 of file [iodefine.h](#).

Data Fields

unsigned short	BMREQUESTTYPE: 8	
unsigned short	BREQUEST: 8	

6.3.1.1773 struct st_usb0_t.DCPCFG.BIT

Definition at line 36030 of file [iodefine.h](#).

Data Fields

unsigned short	DIR: 1	
unsigned	short: 8	
unsigned short	SHTNAK: 1	

6.3.1.1774 struct st_usb0_t.DCPMAXP.BIT

Definition at line 36049 of file [iodefine.h](#).

Data Fields

unsigned short	DEVSEL: 4	
unsigned short	MXPS: 7	
unsigned	short: 5	

6.3.1.1775 struct st_usb0_t.DCPCTR.BIT

Definition at line 36064 of file [iodefine.h](#).

Data Fields

unsigned short	BSTS: 1	
unsigned short	CCPL: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 2	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	
unsigned short	SUREQ: 1	

unsigned short	SUREQCLR: 1	
--------------------------------	-------------	--

6.3.1.1776 struct st_usb0_t.PIPESEL.BIT

Definition at line [36098](#) of file [iodef.h](#).

Data Fields

unsigned short	PIPESEL: 4	
unsigned	short: 12	

6.3.1.1777 struct st_usb0_t.PIECFG.BIT

Definition at line [36112](#) of file [iodef.h](#).

Data Fields

unsigned short	BFRE: 1	
unsigned short	DBLB: 1	
unsigned short	DIR: 1	
unsigned short	EPNUM: 4	
unsigned	short: 3	
unsigned short	SHTNAK: 1	
unsigned short	TYPE: 2	

6.3.1.1778 struct st_usb0_t.PIPEMAXP.BIT

Definition at line [36140](#) of file [iodef.h](#).

Data Fields

unsigned short	DEVSEL: 4	
unsigned short	MXPS: 9	
unsigned	short: 3	

6.3.1.1779 struct st_usb0_t.PIPEPERL.BIT

Definition at line [36155](#) of file [iodef.h](#).

Data Fields

unsigned short	IFIS: 1	
unsigned short	IITV: 3	
unsigned	short: 3	

6.3.1.1780 struct st_usb0_t.PIPE1CTR.BIT

Definition at line [36172](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	ATREPM: 1	
unsigned short	BSTS: 1	
unsigned short	INBUFM: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 3	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1781 struct st_usb0_t.PIPE2CTR.BIT

Definition at line [36203](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	ATREPM: 1	
unsigned short	BSTS: 1	
unsigned short	INBUFM: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 3	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1782 struct st_usb0_t.PIPE3CTR.BIT

Definition at line 36234 of file [iodef.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	ATREPM: 1	
unsigned short	BSTS: 1	
unsigned short	INBUFM: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 3	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1783 struct st_usb0_t.PIPE4CTR.BIT

Definition at line 36265 of file [iodef.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	ATREPM: 1	
unsigned short	BSTS: 1	
unsigned short	INBUFM: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 3	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1784 struct st_usb0_t.PIPE5CTR.BIT

Definition at line 36296 of file [iodef.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	ATREPM: 1	
unsigned short	BSTS: 1	
unsigned short	INBUFM: 1	

unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 3	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1785 struct st_usb0_t.PIPE6CTR.BIT

Definition at line [36327](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	BSTS: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 5	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1786 struct st_usb0_t.PIPE7CTR.BIT

Definition at line [36354](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	BSTS: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 5	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1787 struct st_usb0_t.PIPE8CTR.BIT

Definition at line [36381](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	BSTS: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 5	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1788 struct st_usb0_t.PIPE9CTR.BIT

Definition at line [36408](#) of file [iodefine.h](#).

Data Fields

unsigned short	ACLRM: 1	
unsigned short	BSTS: 1	
unsigned short	PBUSY: 1	
unsigned short	PID: 2	
unsigned	short: 5	
unsigned short	SQCLR: 1	
unsigned short	SQMON: 1	
unsigned short	SQSET: 1	

6.3.1.1789 struct st_usb0_t.PIPE1TRE.BIT

Definition at line [36436](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 6	
unsigned short	TRCLR: 1	
unsigned short	TRENB: 1	

6.3.1.1790 struct st_usb0_t.PIPE2TRE.BIT

Definition at line [36454](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 6	
----------	----------	--

unsigned short	TRCLR: 1	
unsigned short	TRENB: 1	

6.3.1.1791 struct st_usb0_t.PIPE3TRE.BIT

Definition at line [36472](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 6	
unsigned short	TRCLR: 1	
unsigned short	TRENB: 1	

6.3.1.1792 struct st_usb0_t.PIPE4TRE.BIT

Definition at line [36490](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 6	
unsigned short	TRCLR: 1	
unsigned short	TRENB: 1	

6.3.1.1793 struct st_usb0_t.PIPE5TRE.BIT

Definition at line [36508](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 6	
unsigned short	TRCLR: 1	
unsigned short	TRENB: 1	

6.3.1.1794 struct st_usb0_t.DEVADD0.BIT

Definition at line [36527](#) of file [iodefine.h](#).

Data Fields

unsigned	short: 8	
unsigned short	USBSPD: 2	

6.3.1.1795 struct st_usb0_t.DEVADD1.BIT

Definition at line 36542 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
unsigned short	USBSPD: 2	

6.3.1.1796 struct st_usb0_t.DEVADD2.BIT

Definition at line 36557 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
unsigned short	USBSPD: 2	

6.3.1.1797 struct st_usb0_t.DEVADD3.BIT

Definition at line 36572 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
unsigned short	USBSPD: 2	

6.3.1.1798 struct st_usb0_t.DEVADD4.BIT

Definition at line 36587 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
unsigned short	USBSPD: 2	

6.3.1.1799 struct st_usb0_t.DEVADD5.BIT

Definition at line 36602 of file [iodef.h](#).

Data Fields

unsigned	short: 8	
----------	----------	--

unsigned short	USBSPD: 2	
--------------------------------	-----------	--

6.3.1.1800 struct st_usb0_t.PHYSLEW.BIT

Definition at line [36618](#) of file [iodefine.h](#).

Data Fields

unsigned	long: 28	
unsigned long	SLEWF00: 1	
unsigned long	SLEWF01: 1	
unsigned long	SLEWR00: 1	
unsigned long	SLEWR01: 1	

6.3.1.1801 struct st_wdt_t.WDTCR.BIT

Definition at line [36642](#) of file [iodefine.h](#).

Data Fields

unsigned short	CKS: 4	
unsigned short	RPES: 2	
unsigned short	RPSS: 2	
unsigned	short: 2	
unsigned short	TOPS: 2	

6.3.1.1802 struct st_wdt_t.WDTSR.BIT

Definition at line [36665](#) of file [iodefine.h](#).

Data Fields

unsigned short	CNTVAL: 14	
unsigned short	REFEF: 1	
unsigned short	UNDFE: 1	

6.3.1.1803 struct st_wdt_t.WDTRCR.BIT

Definition at line [36680](#) of file [iodefine.h](#).

Data Fields

unsigned	char: 7	
unsigned char	RSTIRQS: 1	

6.3.2 Macro Definition Documentation

6.3.2.1 `__CLR`

```
#define __CLR(  
    x)
```

Value:

```
ICU.GCR ## x.BIT.CLR ## x
```

Definition at line [1004](#) of file [iodef.h](#).6.3.2.2 `__DTCE`

```
#define __DTCE(  
    x)
```

Value:

```
ICU.DTCER[ DTCE ## x ].BIT.DTCE
```

Definition at line [982](#) of file [iodef.h](#).6.3.2.3 `__EN`

```
#define __EN(  
    x)
```

Value:

```
ICU.GEN ## x.BIT.EN ## x
```

Definition at line [1001](#) of file [iodef.h](#).6.3.2.4 `__IEN`

```
#define __IEN(  
    x)
```

Value:

```
ICU.IER[ IER ## x ].BIT.IEN ## x
```

Definition at line [985](#) of file [iodef.h](#).

6.3.2.5 `___IPR`

```
#define ___IPR(  
    x)
```

Value:

ICU.IPR[IPR ## x].BIT.IPR

Definition at line 988 of file [iodefine.h](#).

6.3.2.6 `___IR`

```
#define ___IR(  
    x)
```

Value:

ICU.IR[IR ## x].BIT.IR

Definition at line 979 of file [iodefine.h](#).

6.3.2.7 `___IS`

```
#define ___IS(  
    x)
```

Value:

ICU.GRP ## x.BIT.IS ## x

Definition at line 998 of file [iodefine.h](#).

6.3.2.8 `___MSTP`

```
#define ___MSTP(  
    x)
```

Value:

MSTP ## x

Definition at line 994 of file [iodefine.h](#).

6.3.2.9 `___VECT`

```
#define ___VECT(  
    x)
```

Value:

VECT ## x

Definition at line 991 of file [iodefine.h](#).

6.3.2.10 __CLR

```
#define __CLR(  
    x)
```

Value:

__CLR(x)

Definition at line 1005 of file [iodef.h](#).

6.3.2.11 __DTCE

```
#define __DTCE(  
    x)
```

Value:

__DTCE(x)

Definition at line 983 of file [iodef.h](#).

6.3.2.12 __EN

```
#define __EN(  
    x)
```

Value:

__EN(x)

Definition at line 1002 of file [iodef.h](#).

6.3.2.13 __IEN

```
#define __IEN(  
    x)
```

Value:

__IEN(x)

Definition at line 986 of file [iodef.h](#).

6.3.2.14 __IPR

```
#define __IPR(  
    x)
```

Value:

__IPR(x)

Definition at line 989 of file [iodef.h](#).

6.3.2.15 __IR

```
#define __IR(  
    x)
```

Value:

__IR(x)

Definition at line 980 of file [iodefine.h](#).

6.3.2.16 __IS

```
#define __IS(  
    x)
```

Value:

__IS(x)

Definition at line 999 of file [iodefine.h](#).

6.3.2.17 __MSTP

```
#define __MSTP(  
    x)
```

Value:

__MSTP(x)

Definition at line 995 of file [iodefine.h](#).

6.3.2.18 __VECT

```
#define __VECT(  
    x)
```

Value:

__VECT(x)

Definition at line 992 of file [iodefine.h](#).

6.3.2.19 BSC

```
#define BSC (*(volatile struct st_bsc *)0x81300)
```

Definition at line 1008 of file [iodefine.h](#).

6.3.2.20 CAC

```
#define CAC (*(volatile struct st_cac *)0x8B000)
```

Definition at line 1009 of file [iodefine.h](#).

6.3.2.21 CAN0

```
#define CAN0 (*(volatile struct st_can *)0x90200)
```

Definition at line 1010 of file [iodef.h](#).

6.3.2.22 CAN1

```
#define CAN1 (*(volatile struct st_can *)0x91200)
```

Definition at line 1011 of file [iodef.h](#).

6.3.2.23 CAN2

```
#define CAN2 (*(volatile struct st_can *)0x92200)
```

Definition at line 1012 of file [iodef.h](#).

6.3.2.24 CLR

```
#define CLR(  
    x,  
    y)
```

Value:

```
_CLR( _ ## x ## _ ## y )
```

Definition at line 1006 of file [iodef.h](#).

6.3.2.25 CLR_CAN0_ERS0

```
#define CLR_CAN0_ERS0 CLR0
```

Definition at line 806 of file [iodef.h](#).

6.3.2.26 CLR_CAN1_ERS1

```
#define CLR_CAN1_ERS1 CLR1
```

Definition at line 807 of file [iodef.h](#).

6.3.2.27 CLR_CAN2_ERS2

```
#define CLR_CAN2_ERS2 CLR2
```

Definition at line 808 of file [iodef.h](#).

6.3.2.28 CLR_DPFPU_DPFPUEX

```
#define CLR_DPFPU_DPFPUEX CLR0
```

Definition at line 805 of file [iodefne.h](#).

6.3.2.29 CMT

```
#define CMT (*(volatile struct st_cmt *)0x88000)
```

Definition at line 1013 of file [iodefne.h](#).

6.3.2.30 CMT0

```
#define CMT0 (*(volatile struct st_cmt0 *)0x88002)
```

Definition at line 1014 of file [iodefne.h](#).

6.3.2.31 CMT1

```
#define CMT1 (*(volatile struct st_cmt0 *)0x88008)
```

Definition at line 1015 of file [iodefne.h](#).

6.3.2.32 CMT2

```
#define CMT2 (*(volatile struct st_cmt0 *)0x88012)
```

Definition at line 1016 of file [iodefne.h](#).

6.3.2.33 CMT3

```
#define CMT3 (*(volatile struct st_cmt0 *)0x88018)
```

Definition at line 1017 of file [iodefne.h](#).

6.3.2.34 CMTW0

```
#define CMTW0 (*(volatile struct st_cmtw *)0x94200)
```

Definition at line 1018 of file [iodefne.h](#).

6.3.2.35 CMTW1

```
#define CMTW1 (*(volatile struct st_cmtw *)0x94280)
```

Definition at line 1019 of file [iodefne.h](#).

6.3.2.36 CRC

```
#define CRC (*(volatile struct st_crc *)0x88280)
```

Definition at line 1020 of file [iodef.h](#).

6.3.2.37 DA

```
#define DA (*(volatile struct st_da *)0x88040)
```

Definition at line 1021 of file [iodef.h](#).

6.3.2.38 DMAC

```
#define DMAC (*(volatile struct st_dmac *)0x82200)
```

Definition at line 1022 of file [iodef.h](#).

6.3.2.39 DMAC0

```
#define DMAC0 (*(volatile struct st_dmac0 *)0x82000)
```

Definition at line 1023 of file [iodef.h](#).

6.3.2.40 DMAC1

```
#define DMAC1 (*(volatile struct st_dmac1 *)0x82040)
```

Definition at line 1024 of file [iodef.h](#).

6.3.2.41 DMAC2

```
#define DMAC2 (*(volatile struct st_dmac1 *)0x82080)
```

Definition at line 1025 of file [iodef.h](#).

6.3.2.42 DMAC3

```
#define DMAC3 (*(volatile struct st_dmac1 *)0x820C0)
```

Definition at line 1026 of file [iodef.h](#).

6.3.2.43 DMAC4

```
#define DMAC4 (*(volatile struct st_dmac1 *)0x82100)
```

Definition at line 1027 of file [iodef.h](#).

6.3.2.44 DMAC5

```
#define DMAC5 (*(volatile struct st_dmac1 *)0x82140)
```

Definition at line 1028 of file [iodefne.h](#).

6.3.2.45 DMAC6

```
#define DMAC6 (*(volatile struct st_dmac1 *)0x82180)
```

Definition at line 1029 of file [iodefne.h](#).

6.3.2.46 DMAC7

```
#define DMAC7 (*(volatile struct st_dmac1 *)0x821C0)
```

Definition at line 1030 of file [iodefne.h](#).

6.3.2.47 DOC

```
#define DOC (*(volatile struct st_doc *)0x8B080)
```

Definition at line 1031 of file [iodefne.h](#).

6.3.2.48 DRW2D

```
#define DRW2D (*(volatile struct st_drw2d *)0xE3000)
```

Definition at line 1032 of file [iodefne.h](#).

6.3.2.49 DTC

```
#define DTC (*(volatile struct st_dtc *)0x82400)
```

Definition at line 1033 of file [iodefne.h](#).

6.3.2.50 DTCE

```
#define DTCE(  
    x,  
    y)
```

Value:

```
_DTCE( _ ## x ## _ ## y )
```

Definition at line 984 of file [iodefne.h](#).

6.3.2.51 ECCRAM

```
#define ECCRAM (*(volatile struct st_eccram *)0x812C0)
```

Definition at line 1034 of file [iodef.h](#).

6.3.2.52 EDMAC0

```
#define EDMAC0 (*(volatile struct st_edmac *)0xC0000)
```

Definition at line 1035 of file [iodef.h](#).

6.3.2.53 EDMAC1

```
#define EDMAC1 (*(volatile struct st_edmac *)0xC0200)
```

Definition at line 1036 of file [iodef.h](#).

6.3.2.54 ELC

```
#define ELC (*(volatile struct st_elc *)0x8B100)
```

Definition at line 1037 of file [iodef.h](#).

6.3.2.55 EN

```
#define EN(  
    x,  
    y)
```

Value:

```
__EN( __ ## x ## __ ## y )
```

Definition at line 1003 of file [iodef.h](#).

6.3.2.56 EN_CAC_FERRI

```
#define EN_CAC_FERRI EN26
```

Definition at line 748 of file [iodef.h](#).

6.3.2.57 EN_CAC_MENDI

```
#define EN_CAC_MENDI EN27
```

Definition at line 749 of file [iodef.h](#).

6.3.2.58 EN_CAC_OVFI

```
#define EN_CAC_OVFI EN28
```

Definition at line [750](#) of file [iodef.h](#).

6.3.2.59 EN_CAN0_ERS0

```
#define EN_CAN0_ERS0 EN0
```

Definition at line [724](#) of file [iodef.h](#).

6.3.2.60 EN_CAN1_ERS1

```
#define EN_CAN1_ERS1 EN1
```

Definition at line [725](#) of file [iodef.h](#).

6.3.2.61 EN_CAN2_ERS2

```
#define EN_CAN2_ERS2 EN2
```

Definition at line [726](#) of file [iodef.h](#).

6.3.2.62 EN_DOC_DOPCI

```
#define EN_DOC_DOPCI EN29
```

Definition at line [751](#) of file [iodef.h](#).

6.3.2.63 EN_DPFPU_DPFPUEX

```
#define EN_DPFPU_DPFPUEX EN0
```

Definition at line [723](#) of file [iodef.h](#).

6.3.2.64 EN_DRW2D_DRWIRQ

```
#define EN_DRW2D_DRWIRQ EN11
```

Definition at line [803](#) of file [iodef.h](#).

6.3.2.65 EN_EDMAC0_EINT0

```
#define EN_EDMAC0_EINT0 EN4
```

Definition at line [798](#) of file [iodef.h](#).

6.3.2.66 EN_EDMAC1_EINT1

```
#define EN_EDMAC1_EINT1 EN5
```

Definition at line 799 of file [iodef.h](#).

6.3.2.67 EN_EPTPC_MINT

```
#define EN_EPTPC_MINT EN0
```

Definition at line 796 of file [iodef.h](#).

6.3.2.68 EN_GLCDC_GR1UF

```
#define EN_GLCDC_GR1UF EN9
```

Definition at line 801 of file [iodef.h](#).

6.3.2.69 EN_GLCDC_GR2UF

```
#define EN_GLCDC_GR2UF EN10
```

Definition at line 802 of file [iodef.h](#).

6.3.2.70 EN_GLCDC_VPOS

```
#define EN_GLCDC_VPOS EN8
```

Definition at line 800 of file [iodef.h](#).

6.3.2.71 EN_MMCIF_ACCIO

```
#define EN_MMCIF_ACCIO EN8
```

Definition at line 759 of file [iodef.h](#).

6.3.2.72 EN_MMCIF_CDETIO

```
#define EN_MMCIF_CDETIO EN6
```

Definition at line 757 of file [iodef.h](#).

6.3.2.73 EN_MMCIF_ERRIO

```
#define EN_MMCIF_ERRIO EN7
```

Definition at line 758 of file [iodef.h](#).

6.3.2.74 EN_PDC_PCERI

```
#define EN_PDC_PCERI EN31
```

Definition at line [753](#) of file [iodef.h](#).

6.3.2.75 EN_PDC_PCFEI

```
#define EN_PDC_PCFEI EN30
```

Definition at line [752](#) of file [iodef.h](#).

6.3.2.76 EN_POE3_OEI1

```
#define EN_POE3_OEI1 EN9
```

Definition at line [760](#) of file [iodef.h](#).

6.3.2.77 EN_POE3_OEI2

```
#define EN_POE3_OEI2 EN10
```

Definition at line [761](#) of file [iodef.h](#).

6.3.2.78 EN_POE3_OEI3

```
#define EN_POE3_OEI3 EN11
```

Definition at line [762](#) of file [iodef.h](#).

6.3.2.79 EN_POE3_OEI4

```
#define EN_POE3_OEI4 EN12
```

Definition at line [763](#) of file [iodef.h](#).

6.3.2.80 EN_POEG_POEGGAI

```
#define EN_POEG_POEGGAI EN7
```

Definition at line [776](#) of file [iodef.h](#).

6.3.2.81 EN_POEG_POEGGBI

```
#define EN_POEG_POEGGBI EN8
```

Definition at line [777](#) of file [iodef.h](#).

6.3.2.82 EN_POEG_POEGGCI

```
#define EN_POEG_POEGGCI EN9
```

Definition at line 778 of file [iodef.h](#).

6.3.2.83 EN_POEG_POEGGDI

```
#define EN_POEG_POEGGDI EN10
```

Definition at line 779 of file [iodef.h](#).

6.3.2.84 EN_PTPEDMAC_PINT

```
#define EN_PTPEDMAC_PINT EN1
```

Definition at line 797 of file [iodef.h](#).

6.3.2.85 EN_QSPI_QSPSLI

```
#define EN_QSPI_QSPSLI EN24
```

Definition at line 747 of file [iodef.h](#).

6.3.2.86 EN_RIIC0_EEI0

```
#define EN_RIIC0_EEI0 EN14
```

Definition at line 765 of file [iodef.h](#).

6.3.2.87 EN_RIIC0_TEI0

```
#define EN_RIIC0_TEI0 EN13
```

Definition at line 764 of file [iodef.h](#).

6.3.2.88 EN_RIIC1_EEI1

```
#define EN_RIIC1_EEI1 EN29
```

Definition at line 775 of file [iodef.h](#).

6.3.2.89 EN_RIIC1_TEI1

```
#define EN_RIIC1_TEI1 EN28
```

Definition at line 774 of file [iodef.h](#).

6.3.2.90 EN_RIIC2_EEI2

```
#define EN_RIIC2_EEI2 EN16
```

Definition at line [767](#) of file [iodefine.h](#).

6.3.2.91 EN_RIIC2_TEI2

```
#define EN_RIIC2_TEI2 EN15
```

Definition at line [766](#) of file [iodefine.h](#).

6.3.2.92 EN_RSPI0_SPEI0

```
#define EN_RSPI0_SPEI0 EN17
```

Definition at line [789](#) of file [iodefine.h](#).

6.3.2.93 EN_RSPI0_SPII0

```
#define EN_RSPI0_SPII0 EN16
```

Definition at line [788](#) of file [iodefine.h](#).

6.3.2.94 EN_RSPI1_SPEI1

```
#define EN_RSPI1_SPEI1 EN19
```

Definition at line [791](#) of file [iodefine.h](#).

6.3.2.95 EN_RSPI1_SPII1

```
#define EN_RSPI1_SPII1 EN18
```

Definition at line [790](#) of file [iodefine.h](#).

6.3.2.96 EN_RSPI2_SPEI2

```
#define EN_RSPI2_SPEI2 EN21
```

Definition at line [793](#) of file [iodefine.h](#).

6.3.2.97 EN_RSPI2_SPII2

```
#define EN_RSPI2_SPII2 EN20
```

Definition at line [792](#) of file [iodefine.h](#).

6.3.2.98 EN_S12AD1_S12CMPAI1

```
#define EN_S12AD1_S12CMPAI1 EN22
```

Definition at line 772 of file [iodef.h](#).

6.3.2.99 EN_S12AD1_S12CMPBI1

```
#define EN_S12AD1_S12CMPBI1 EN23
```

Definition at line 773 of file [iodef.h](#).

6.3.2.100 EN_S12AD_S12CMPAI

```
#define EN_S12AD_S12CMPAI EN20
```

Definition at line 770 of file [iodef.h](#).

6.3.2.101 EN_S12AD_S12CMPBI

```
#define EN_S12AD_S12CMPBI EN21
```

Definition at line 771 of file [iodef.h](#).

6.3.2.102 EN_SCI0_ERI0

```
#define EN_SCI0_ERI0 EN1
```

Definition at line 728 of file [iodef.h](#).

6.3.2.103 EN_SCI0_TEI0

```
#define EN_SCI0_TEI0 EN0
```

Definition at line 727 of file [iodef.h](#).

6.3.2.104 EN_SCI10_ERI10

```
#define EN_SCI10_ERI10 EN9
```

Definition at line 785 of file [iodef.h](#).

6.3.2.105 EN_SCI10_TEI10

```
#define EN_SCI10_TEI10 EN8
```

Definition at line 784 of file [iodef.h](#).

6.3.2.106 EN_SCI11_ERI11

```
#define EN_SCI11_ERI11 EN13
```

Definition at line [787](#) of file [iodefne.h](#).

6.3.2.107 EN_SCI11_TEI11

```
#define EN_SCI11_TEI11 EN12
```

Definition at line [786](#) of file [iodefne.h](#).

6.3.2.108 EN_SCI12_ERI12

```
#define EN_SCI12_ERI12 EN17
```

Definition at line [742](#) of file [iodefne.h](#).

6.3.2.109 EN_SCI12_SCIX0

```
#define EN_SCI12_SCIX0 EN18
```

Definition at line [743](#) of file [iodefne.h](#).

6.3.2.110 EN_SCI12_SCIX1

```
#define EN_SCI12_SCIX1 EN19
```

Definition at line [744](#) of file [iodefne.h](#).

6.3.2.111 EN_SCI12_SCIX2

```
#define EN_SCI12_SCIX2 EN20
```

Definition at line [745](#) of file [iodefne.h](#).

6.3.2.112 EN_SCI12_SCIX3

```
#define EN_SCI12_SCIX3 EN21
```

Definition at line [746](#) of file [iodefne.h](#).

6.3.2.113 EN_SCI12_TEI12

```
#define EN_SCI12_TEI12 EN16
```

Definition at line [741](#) of file [iodefne.h](#).

6.3.2.114 EN_SCI1_ERI1

```
#define EN_SCI1_ERI1 EN3
```

Definition at line 730 of file [iodef.h](#).

6.3.2.115 EN_SCI1_TEI1

```
#define EN_SCI1_TEI1 EN2
```

Definition at line 729 of file [iodef.h](#).

6.3.2.116 EN_SCI2_ERI2

```
#define EN_SCI2_ERI2 EN5
```

Definition at line 732 of file [iodef.h](#).

6.3.2.117 EN_SCI2_TEI2

```
#define EN_SCI2_TEI2 EN4
```

Definition at line 731 of file [iodef.h](#).

6.3.2.118 EN_SCI3_ERI3

```
#define EN_SCI3_ERI3 EN7
```

Definition at line 734 of file [iodef.h](#).

6.3.2.119 EN_SCI3_TEI3

```
#define EN_SCI3_TEI3 EN6
```

Definition at line 733 of file [iodef.h](#).

6.3.2.120 EN_SCI4_ERI4

```
#define EN_SCI4_ERI4 EN9
```

Definition at line 736 of file [iodef.h](#).

6.3.2.121 EN_SCI4_TEI4

```
#define EN_SCI4_TEI4 EN8
```

Definition at line 735 of file [iodef.h](#).

6.3.2.122 EN_SCI5_ERI5

```
#define EN_SCI5_ERI5 EN11
```

Definition at line [738](#) of file [iodefne.h](#).

6.3.2.123 EN_SCI5_TEI5

```
#define EN_SCI5_TEI5 EN10
```

Definition at line [737](#) of file [iodefne.h](#).

6.3.2.124 EN_SCI6_ERI6

```
#define EN_SCI6_ERI6 EN13
```

Definition at line [740](#) of file [iodefne.h](#).

6.3.2.125 EN_SCI6_TEI6

```
#define EN_SCI6_TEI6 EN12
```

Definition at line [739](#) of file [iodefne.h](#).

6.3.2.126 EN_SCI7_ERI7

```
#define EN_SCI7_ERI7 EN23
```

Definition at line [795](#) of file [iodefne.h](#).

6.3.2.127 EN_SCI7_TEI7

```
#define EN_SCI7_TEI7 EN22
```

Definition at line [794](#) of file [iodefne.h](#).

6.3.2.128 EN_SCI8_ERI8

```
#define EN_SCI8_ERI8 EN1
```

Definition at line [781](#) of file [iodefne.h](#).

6.3.2.129 EN_SCI8_TEI8

```
#define EN_SCI8_TEI8 EN0
```

Definition at line [780](#) of file [iodefne.h](#).

6.3.2.130 EN_SCI9_ERI9

```
#define EN_SCI9_ERI9 EN5
```

Definition at line 783 of file [iodef.h](#).

6.3.2.131 EN_SCI9_TEI9

```
#define EN_SCI9_TEI9 EN4
```

Definition at line 782 of file [iodef.h](#).

6.3.2.132 EN_SDHI_CACI

```
#define EN_SDHI_CACI EN4
```

Definition at line 755 of file [iodef.h](#).

6.3.2.133 EN_SDHI_CDETI

```
#define EN_SDHI_CDETI EN3
```

Definition at line 754 of file [iodef.h](#).

6.3.2.134 EN_SDHI_SDACI

```
#define EN_SDHI_SDACI EN5
```

Definition at line 756 of file [iodef.h](#).

6.3.2.135 EN_SSIE0_SSIF0

```
#define EN_SSIE0_SSIF0 EN17
```

Definition at line 768 of file [iodef.h](#).

6.3.2.136 EN_SSIE1_SSIF1

```
#define EN_SSIE1_SSIF1 EN18
```

Definition at line 769 of file [iodef.h](#).

6.3.2.137 EPTPC

```
#define EPTPC (*(volatile struct st_eptpc *)0xC0500)
```

Definition at line 1038 of file [iodef.h](#).

6.3.2.138 EPTPC0

```
#define EPTPC0 (*(volatile struct st_eptpc0 *)0xC4800)
```

Definition at line [1039](#) of file [iodefine.h](#).

6.3.2.139 EPTPC1

```
#define EPTPC1 (*(volatile struct st_eptpc0 *)0xC4C00)
```

Definition at line [1040](#) of file [iodefine.h](#).

6.3.2.140 ETHERC0

```
#define ETHERC0 (*(volatile struct st_etherc *)0xC0100)
```

Definition at line [1041](#) of file [iodefine.h](#).

6.3.2.141 ETHERC1

```
#define ETHERC1 (*(volatile struct st_etherc *)0xC0300)
```

Definition at line [1042](#) of file [iodefine.h](#).

6.3.2.142 EXDMAC

```
#define EXDMAC (*(volatile struct st_exdmac *)0x82A00)
```

Definition at line [1043](#) of file [iodefine.h](#).

6.3.2.143 EXDMAC0

```
#define EXDMAC0 (*(volatile struct st_exdmac0 *)0x82800)
```

Definition at line [1044](#) of file [iodefine.h](#).

6.3.2.144 EXDMAC1

```
#define EXDMAC1 (*(volatile struct st_exdmac1 *)0x82840)
```

Definition at line [1045](#) of file [iodefine.h](#).

6.3.2.145 FLASH

```
#define FLASH (*(volatile struct st_flash *)0x81000)
```

Definition at line [1046](#) of file [iodefine.h](#).

6.3.2.146 FLASHCONST

```
#define FLASHCONST (*(volatile struct st_flashconst *)0xFE7F7D90)
```

Definition at line 1158 of file [iodef.h](#).

6.3.2.147 GCR_CAN0_ERS0

```
#define GCR_CAN0_ERS0 GCRBE0
```

Definition at line 975 of file [iodef.h](#).

6.3.2.148 GCR_CAN1_ERS1

```
#define GCR_CAN1_ERS1 GCRBE0
```

Definition at line 976 of file [iodef.h](#).

6.3.2.149 GCR_CAN2_ERS2

```
#define GCR_CAN2_ERS2 GCRBE0
```

Definition at line 977 of file [iodef.h](#).

6.3.2.150 GCR_DPFPU_DPFPUEX

```
#define GCR_DPFPU_DPFPUEX GCRIE0
```

Definition at line 974 of file [iodef.h](#).

6.3.2.151 GEN_CAC_FERRI

```
#define GEN_CAC_FERRI GENBL0
```

Definition at line 835 of file [iodef.h](#).

6.3.2.152 GEN_CAC_MENDI

```
#define GEN_CAC_MENDI GENBL0
```

Definition at line 836 of file [iodef.h](#).

6.3.2.153 GEN_CAC_OVFI

```
#define GEN_CAC_OVFI GENBL0
```

Definition at line 837 of file [iodef.h](#).

6.3.2.154 GEN_CAN0_ERS0

```
#define GEN_CAN0_ERS0 GENBE0
```

Definition at line [811](#) of file [iodefine.h](#).

6.3.2.155 GEN_CAN1_ERS1

```
#define GEN_CAN1_ERS1 GENBE0
```

Definition at line [812](#) of file [iodefine.h](#).

6.3.2.156 GEN_CAN2_ERS2

```
#define GEN_CAN2_ERS2 GENBE0
```

Definition at line [813](#) of file [iodefine.h](#).

6.3.2.157 GEN_DOC_DOPCI

```
#define GEN_DOC_DOPCI GENBL0
```

Definition at line [838](#) of file [iodefine.h](#).

6.3.2.158 GEN_DPFPU_DPFPUEX

```
#define GEN_DPFPU_DPFPUEX GENIE0
```

Definition at line [810](#) of file [iodefine.h](#).

6.3.2.159 GEN_DRW2D_DRWIRQ

```
#define GEN_DRW2D_DRWIRQ GENAL1
```

Definition at line [890](#) of file [iodefine.h](#).

6.3.2.160 GEN_EDMAC0_EINT0

```
#define GEN_EDMAC0_EINT0 GENAL1
```

Definition at line [885](#) of file [iodefine.h](#).

6.3.2.161 GEN_EDMAC1_EINT1

```
#define GEN_EDMAC1_EINT1 GENAL1
```

Definition at line [886](#) of file [iodefine.h](#).

6.3.2.162 GEN_EPTPC_MINT

```
#define GEN_EPTPC_MINT GENAL1
```

Definition at line 883 of file [iodef.h](#).

6.3.2.163 GEN_GLCDC_GR1UF

```
#define GEN_GLCDC_GR1UF GENAL1
```

Definition at line 888 of file [iodef.h](#).

6.3.2.164 GEN_GLCDC_GR2UF

```
#define GEN_GLCDC_GR2UF GENAL1
```

Definition at line 889 of file [iodef.h](#).

6.3.2.165 GEN_GLCDC_VPOS

```
#define GEN_GLCDC_VPOS GENAL1
```

Definition at line 887 of file [iodef.h](#).

6.3.2.166 GEN_MMCIF_ACCIO

```
#define GEN_MMCIF_ACCIO GENBL1
```

Definition at line 846 of file [iodef.h](#).

6.3.2.167 GEN_MMCIF_CDETIO

```
#define GEN_MMCIF_CDETIO GENBL1
```

Definition at line 844 of file [iodef.h](#).

6.3.2.168 GEN_MMCIF_ERRIO

```
#define GEN_MMCIF_ERRIO GENBL1
```

Definition at line 845 of file [iodef.h](#).

6.3.2.169 GEN_PDC_PCERI

```
#define GEN_PDC_PCERI GENBL0
```

Definition at line 840 of file [iodef.h](#).

6.3.2.170 GEN_PDC_PCFEI

```
#define GEN_PDC_PCFEI GENBL0
```

Definition at line 839 of file [iodefine.h](#).

6.3.2.171 GEN_POE3_OEI1

```
#define GEN_POE3_OEI1 GENBL1
```

Definition at line 847 of file [iodefine.h](#).

6.3.2.172 GEN_POE3_OEI2

```
#define GEN_POE3_OEI2 GENBL1
```

Definition at line 848 of file [iodefine.h](#).

6.3.2.173 GEN_POE3_OEI3

```
#define GEN_POE3_OEI3 GENBL1
```

Definition at line 849 of file [iodefine.h](#).

6.3.2.174 GEN_POE3_OEI4

```
#define GEN_POE3_OEI4 GENBL1
```

Definition at line 850 of file [iodefine.h](#).

6.3.2.175 GEN_POEG_POEGGAI

```
#define GEN_POEG_POEGGAI GENBL2
```

Definition at line 863 of file [iodefine.h](#).

6.3.2.176 GEN_POEG_POEGGBI

```
#define GEN_POEG_POEGGBI GENBL2
```

Definition at line 864 of file [iodefine.h](#).

6.3.2.177 GEN_POEG_POEGGCI

```
#define GEN_POEG_POEGGCI GENBL2
```

Definition at line 865 of file [iodefine.h](#).

6.3.2.178 GEN_POEG_POEGGDI

```
#define GEN_POEG_POEGGDI GENBL2
```

Definition at line 866 of file [iodef.h](#).

6.3.2.179 GEN_PTPEDMAC_PINT

```
#define GEN_PTPEDMAC_PINT GENAL1
```

Definition at line 884 of file [iodef.h](#).

6.3.2.180 GEN_QSPI_QSPSLI

```
#define GEN_QSPI_QSPSLI GENBL0
```

Definition at line 834 of file [iodef.h](#).

6.3.2.181 GEN_RIIC0_EEI0

```
#define GEN_RIIC0_EEI0 GENBL1
```

Definition at line 852 of file [iodef.h](#).

6.3.2.182 GEN_RIIC0_TEI0

```
#define GEN_RIIC0_TEI0 GENBL1
```

Definition at line 851 of file [iodef.h](#).

6.3.2.183 GEN_RIIC1_EEI1

```
#define GEN_RIIC1_EEI1 GENBL1
```

Definition at line 862 of file [iodef.h](#).

6.3.2.184 GEN_RIIC1_TEI1

```
#define GEN_RIIC1_TEI1 GENBL1
```

Definition at line 861 of file [iodef.h](#).

6.3.2.185 GEN_RIIC2_EEI2

```
#define GEN_RIIC2_EEI2 GENBL1
```

Definition at line 854 of file [iodef.h](#).

6.3.2.186 GEN_RIIC2_TEI2

```
#define GEN_RIIC2_TEI2 GENBL1
```

Definition at line 853 of file [iodefine.h](#).

6.3.2.187 GEN_RSPI0_SPEI0

```
#define GEN_RSPI0_SPEI0 GENAL0
```

Definition at line 876 of file [iodefine.h](#).

6.3.2.188 GEN_RSPI0_SPII0

```
#define GEN_RSPI0_SPII0 GENAL0
```

Definition at line 875 of file [iodefine.h](#).

6.3.2.189 GEN_RSPI1_SPEI1

```
#define GEN_RSPI1_SPEI1 GENAL0
```

Definition at line 878 of file [iodefine.h](#).

6.3.2.190 GEN_RSPI1_SPII1

```
#define GEN_RSPI1_SPII1 GENAL0
```

Definition at line 877 of file [iodefine.h](#).

6.3.2.191 GEN_RSPI2_SPEI2

```
#define GEN_RSPI2_SPEI2 GENAL0
```

Definition at line 880 of file [iodefine.h](#).

6.3.2.192 GEN_RSPI2_SPII2

```
#define GEN_RSPI2_SPII2 GENAL0
```

Definition at line 879 of file [iodefine.h](#).

6.3.2.193 GEN_S12AD1_S12CMPAI1

```
#define GEN_S12AD1_S12CMPAI1 GENBL1
```

Definition at line 859 of file [iodefine.h](#).

6.3.2.194 GEN_S12AD1_S12CMPBI1

```
#define GEN_S12AD1_S12CMPBI1 GENBL1
```

Definition at line 860 of file [iodef.h](#).

6.3.2.195 GEN_S12AD_S12CMPAI

```
#define GEN_S12AD_S12CMPAI GENBL1
```

Definition at line 857 of file [iodef.h](#).

6.3.2.196 GEN_S12AD_S12CMPBI

```
#define GEN_S12AD_S12CMPBI GENBL1
```

Definition at line 858 of file [iodef.h](#).

6.3.2.197 GEN_SCI0_ERI0

```
#define GEN_SCI0_ERI0 GENBL0
```

Definition at line 815 of file [iodef.h](#).

6.3.2.198 GEN_SCI0_TEI0

```
#define GEN_SCI0_TEI0 GENBL0
```

Definition at line 814 of file [iodef.h](#).

6.3.2.199 GEN_SCI10_ERI10

```
#define GEN_SCI10_ERI10 GENAL0
```

Definition at line 872 of file [iodef.h](#).

6.3.2.200 GEN_SCI10_TEI10

```
#define GEN_SCI10_TEI10 GENAL0
```

Definition at line 871 of file [iodef.h](#).

6.3.2.201 GEN_SCI11_ERI11

```
#define GEN_SCI11_ERI11 GENAL0
```

Definition at line 874 of file [iodef.h](#).

6.3.2.202 GEN_SCI11_TEI11

```
#define GEN_SCI11_TEI11 GENAL0
```

Definition at line [873](#) of file [iodefne.h](#).

6.3.2.203 GEN_SCI12_ERI12

```
#define GEN_SCI12_ERI12 GENBL0
```

Definition at line [829](#) of file [iodefne.h](#).

6.3.2.204 GEN_SCI12_SCIX0

```
#define GEN_SCI12_SCIX0 GENBL0
```

Definition at line [830](#) of file [iodefne.h](#).

6.3.2.205 GEN_SCI12_SCIX1

```
#define GEN_SCI12_SCIX1 GENBL0
```

Definition at line [831](#) of file [iodefne.h](#).

6.3.2.206 GEN_SCI12_SCIX2

```
#define GEN_SCI12_SCIX2 GENBL0
```

Definition at line [832](#) of file [iodefne.h](#).

6.3.2.207 GEN_SCI12_SCIX3

```
#define GEN_SCI12_SCIX3 GENBL0
```

Definition at line [833](#) of file [iodefne.h](#).

6.3.2.208 GEN_SCI12_TEI12

```
#define GEN_SCI12_TEI12 GENBL0
```

Definition at line [828](#) of file [iodefne.h](#).

6.3.2.209 GEN_SCI1_ERI1

```
#define GEN_SCI1_ERI1 GENBL0
```

Definition at line [817](#) of file [iodefne.h](#).

6.3.2.210 GEN_SCI1_TEI1

```
#define GEN_SCI1_TEI1 GENBL0
```

Definition at line 816 of file [iodef.h](#).

6.3.2.211 GEN_SCI2_ERI2

```
#define GEN_SCI2_ERI2 GENBL0
```

Definition at line 819 of file [iodef.h](#).

6.3.2.212 GEN_SCI2_TEI2

```
#define GEN_SCI2_TEI2 GENBL0
```

Definition at line 818 of file [iodef.h](#).

6.3.2.213 GEN_SCI3_ERI3

```
#define GEN_SCI3_ERI3 GENBL0
```

Definition at line 821 of file [iodef.h](#).

6.3.2.214 GEN_SCI3_TEI3

```
#define GEN_SCI3_TEI3 GENBL0
```

Definition at line 820 of file [iodef.h](#).

6.3.2.215 GEN_SCI4_ERI4

```
#define GEN_SCI4_ERI4 GENBL0
```

Definition at line 823 of file [iodef.h](#).

6.3.2.216 GEN_SCI4_TEI4

```
#define GEN_SCI4_TEI4 GENBL0
```

Definition at line 822 of file [iodef.h](#).

6.3.2.217 GEN_SCI5_ERI5

```
#define GEN_SCI5_ERI5 GENBL0
```

Definition at line 825 of file [iodef.h](#).

6.3.2.218 GEN_SCI5_TEI5

```
#define GEN_SCI5_TEI5 GENBL0
```

Definition at line [824](#) of file [iodefne.h](#).

6.3.2.219 GEN_SCI6_ERI6

```
#define GEN_SCI6_ERI6 GENBL0
```

Definition at line [827](#) of file [iodefne.h](#).

6.3.2.220 GEN_SCI6_TEI6

```
#define GEN_SCI6_TEI6 GENBL0
```

Definition at line [826](#) of file [iodefne.h](#).

6.3.2.221 GEN_SCI7_ERI7

```
#define GEN_SCI7_ERI7 GENAL0
```

Definition at line [882](#) of file [iodefne.h](#).

6.3.2.222 GEN_SCI7_TEI7

```
#define GEN_SCI7_TEI7 GENAL0
```

Definition at line [881](#) of file [iodefne.h](#).

6.3.2.223 GEN_SCI8_ERI8

```
#define GEN_SCI8_ERI8 GENAL0
```

Definition at line [868](#) of file [iodefne.h](#).

6.3.2.224 GEN_SCI8_TEI8

```
#define GEN_SCI8_TEI8 GENAL0
```

Definition at line [867](#) of file [iodefne.h](#).

6.3.2.225 GEN_SCI9_ERI9

```
#define GEN_SCI9_ERI9 GENAL0
```

Definition at line [870](#) of file [iodefne.h](#).

6.3.2.226 GEN_SCI9_TEI9

```
#define GEN_SCI9_TEI9 GENAL0
```

Definition at line 869 of file [iodef.h](#).

6.3.2.227 GEN_SDHI_CACI

```
#define GEN_SDHI_CACI GENBL1
```

Definition at line 842 of file [iodef.h](#).

6.3.2.228 GEN_SDHI_CDETI

```
#define GEN_SDHI_CDETI GENBL1
```

Definition at line 841 of file [iodef.h](#).

6.3.2.229 GEN_SDHI_SDACI

```
#define GEN_SDHI_SDACI GENBL1
```

Definition at line 843 of file [iodef.h](#).

6.3.2.230 GEN_SSIE0_SSIF0

```
#define GEN_SSIE0_SSIF0 GENBL1
```

Definition at line 855 of file [iodef.h](#).

6.3.2.231 GEN_SSIE1_SSIF1

```
#define GEN_SSIE1_SSIF1 GENBL1
```

Definition at line 856 of file [iodef.h](#).

6.3.2.232 GLCDC

```
#define GLCDC (*(volatile struct st_glcdc *)0xE0000)
```

Definition at line 1047 of file [iodef.h](#).

6.3.2.233 GPTW0

```
#define GPTW0 (*(volatile struct st_gptw *)0xC2000)
```

Definition at line 1048 of file [iodef.h](#).

Referenced by [configure_gptw0_pwm_20khz\(\)](#), and [run_pwm_sweep_forever\(\)](#).

6.3.2.234 GPTW1

```
#define GPTW1 (*(volatile struct st_gptw *)0xC2100)
```

Definition at line 1049 of file [iodefne.h](#).

6.3.2.235 GPTW2

```
#define GPTW2 (*(volatile struct st_gptw *)0xC2200)
```

Definition at line 1050 of file [iodefne.h](#).

6.3.2.236 GPTW3

```
#define GPTW3 (*(volatile struct st_gptw *)0xC2300)
```

Definition at line 1051 of file [iodefne.h](#).

6.3.2.237 GRP_CAC_FERRI

```
#define GRP_CAC_FERRI GRPBL0
```

Definition at line 917 of file [iodefne.h](#).

6.3.2.238 GRP_CAC_MENDI

```
#define GRP_CAC_MENDI GRPBL0
```

Definition at line 918 of file [iodefne.h](#).

6.3.2.239 GRP_CAC_OVFI

```
#define GRP_CAC_OVFI GRPBL0
```

Definition at line 919 of file [iodefne.h](#).

6.3.2.240 GRP_CAN0_ERS0

```
#define GRP_CAN0_ERS0 GRPBEO
```

Definition at line 893 of file [iodefne.h](#).

6.3.2.241 GRP_CAN1_ERS1

```
#define GRP_CAN1_ERS1 GRPBEO
```

Definition at line 894 of file [iodefne.h](#).

6.3.2.242 GRP_CAN2_ERS2

```
#define GRP_CAN2_ERS2 GRPBE0
```

Definition at line 895 of file [iodef.h](#).

6.3.2.243 GRP_DOC_DOPCI

```
#define GRP_DOC_DOPCI GRPBL0
```

Definition at line 920 of file [iodef.h](#).

6.3.2.244 GRP_DPFPUP_DPFPUEX

```
#define GRP_DPFPUP_DPFPUEX GRPIE0
```

Definition at line 892 of file [iodef.h](#).

6.3.2.245 GRP_DRW2D_DRWIRQ

```
#define GRP_DRW2D_DRWIRQ GRPAL1
```

Definition at line 972 of file [iodef.h](#).

6.3.2.246 GRP_EDMAC0_EINT0

```
#define GRP_EDMAC0_EINT0 GRPAL1
```

Definition at line 967 of file [iodef.h](#).

6.3.2.247 GRP_EDMAC1_EINT1

```
#define GRP_EDMAC1_EINT1 GRPAL1
```

Definition at line 968 of file [iodef.h](#).

6.3.2.248 GRP_EPTPC_MINT

```
#define GRP_EPTPC_MINT GRPAL1
```

Definition at line 965 of file [iodef.h](#).

6.3.2.249 GRP_GLCDC_GR1UF

```
#define GRP_GLCDC_GR1UF GRPAL1
```

Definition at line 970 of file [iodef.h](#).

6.3.2.250 GRP_GLCDC_GR2UF

```
#define GRP_GLCDC_GR2UF GRPAL1
```

Definition at line 971 of file [iodef.h](#).

6.3.2.251 GRP_GLCDC_VPOS

```
#define GRP_GLCDC_VPOS GRPAL1
```

Definition at line 969 of file [iodef.h](#).

6.3.2.252 GRP_MMCIF_ACCIO

```
#define GRP_MMCIF_ACCIO GRPBL1
```

Definition at line 928 of file [iodef.h](#).

6.3.2.253 GRP_MMCIF_CDETIO

```
#define GRP_MMCIF_CDETIO GRPBL1
```

Definition at line 926 of file [iodef.h](#).

6.3.2.254 GRP_MMCIF_ERRIO

```
#define GRP_MMCIF_ERRIO GRPBL1
```

Definition at line 927 of file [iodef.h](#).

6.3.2.255 GRP_PDC_PCERI

```
#define GRP_PDC_PCERI GRPBL0
```

Definition at line 922 of file [iodef.h](#).

6.3.2.256 GRP_PDC_PCFEI

```
#define GRP_PDC_PCFEI GRPBL0
```

Definition at line 921 of file [iodef.h](#).

6.3.2.257 GRP_POE3_OEI1

```
#define GRP_POE3_OEI1 GRPBL1
```

Definition at line 929 of file [iodef.h](#).

6.3.2.258 GRP_POE3_OEI2

```
#define GRP_POE3_OEI2 GRPBL1
```

Definition at line 930 of file [iodef.h](#).

6.3.2.259 GRP_POE3_OEI3

```
#define GRP_POE3_OEI3 GRPBL1
```

Definition at line 931 of file [iodef.h](#).

6.3.2.260 GRP_POE3_OEI4

```
#define GRP_POE3_OEI4 GRPBL1
```

Definition at line 932 of file [iodef.h](#).

6.3.2.261 GRP_POEG_POEGGAI

```
#define GRP_POEG_POEGGAI GRPBL2
```

Definition at line 945 of file [iodef.h](#).

6.3.2.262 GRP_POEG_POEGGBI

```
#define GRP_POEG_POEGGBI GRPBL2
```

Definition at line 946 of file [iodef.h](#).

6.3.2.263 GRP_POEG_POEGGCI

```
#define GRP_POEG_POEGGCI GRPBL2
```

Definition at line 947 of file [iodef.h](#).

6.3.2.264 GRP_POEG_POEGGDI

```
#define GRP_POEG_POEGGDI GRPBL2
```

Definition at line 948 of file [iodef.h](#).

6.3.2.265 GRP_PTPEDMAC_PINT

```
#define GRP_PTPEDMAC_PINT GRPAL1
```

Definition at line 966 of file [iodef.h](#).

6.3.2.266 GRP_QSPI_QSPSSLI

```
#define GRP_QSPI_QSPSSLI GRPBL0
```

Definition at line 916 of file [iodefine.h](#).

6.3.2.267 GRP_RIIC0_EEI0

```
#define GRP_RIIC0_EEI0 GRPBL1
```

Definition at line 934 of file [iodefine.h](#).

6.3.2.268 GRP_RIIC0_TEI0

```
#define GRP_RIIC0_TEI0 GRPBL1
```

Definition at line 933 of file [iodefine.h](#).

6.3.2.269 GRP_RIIC1_EEI1

```
#define GRP_RIIC1_EEI1 GRPBL1
```

Definition at line 944 of file [iodefine.h](#).

6.3.2.270 GRP_RIIC1_TEI1

```
#define GRP_RIIC1_TEI1 GRPBL1
```

Definition at line 943 of file [iodefine.h](#).

6.3.2.271 GRP_RIIC2_EEI2

```
#define GRP_RIIC2_EEI2 GRPBL1
```

Definition at line 936 of file [iodefine.h](#).

6.3.2.272 GRP_RIIC2_TEI2

```
#define GRP_RIIC2_TEI2 GRPBL1
```

Definition at line 935 of file [iodefine.h](#).

6.3.2.273 GRP_RSPIO_SPEI0

```
#define GRP_RSPIO_SPEI0 GRPAL0
```

Definition at line 958 of file [iodefine.h](#).

6.3.2.274 GRP_RSPI0_SPII0

```
#define GRP_RSPI0_SPII0 GRPAL0
```

Definition at line 957 of file [iodef.h](#).

6.3.2.275 GRP_RSPI1_SPEI1

```
#define GRP_RSPI1_SPEI1 GRPAL0
```

Definition at line 960 of file [iodef.h](#).

6.3.2.276 GRP_RSPI1_SPII1

```
#define GRP_RSPI1_SPII1 GRPAL0
```

Definition at line 959 of file [iodef.h](#).

6.3.2.277 GRP_RSPI2_SPEI2

```
#define GRP_RSPI2_SPEI2 GRPAL0
```

Definition at line 962 of file [iodef.h](#).

6.3.2.278 GRP_RSPI2_SPII2

```
#define GRP_RSPI2_SPII2 GRPAL0
```

Definition at line 961 of file [iodef.h](#).

6.3.2.279 GRP_S12AD1_S12CMPAI1

```
#define GRP_S12AD1_S12CMPAI1 GRPBL1
```

Definition at line 941 of file [iodef.h](#).

6.3.2.280 GRP_S12AD1_S12CMPBI1

```
#define GRP_S12AD1_S12CMPBI1 GRPBL1
```

Definition at line 942 of file [iodef.h](#).

6.3.2.281 GRP_S12AD_S12CMPAI

```
#define GRP_S12AD_S12CMPAI GRPBL1
```

Definition at line 939 of file [iodef.h](#).

6.3.2.282 GRP_S12AD_S12CMPBI

```
#define GRP_S12AD_S12CMPBI GRPBL1
```

Definition at line 940 of file [iodefine.h](#).

6.3.2.283 GRP_SCI0_ERI0

```
#define GRP_SCI0_ERI0 GRPBL0
```

Definition at line 897 of file [iodefine.h](#).

6.3.2.284 GRP_SCI0_TEI0

```
#define GRP_SCI0_TEI0 GRPBL0
```

Definition at line 896 of file [iodefine.h](#).

6.3.2.285 GRP_SCI10_ERI10

```
#define GRP_SCI10_ERI10 GRPAL0
```

Definition at line 954 of file [iodefine.h](#).

6.3.2.286 GRP_SCI10_TEI10

```
#define GRP_SCI10_TEI10 GRPAL0
```

Definition at line 953 of file [iodefine.h](#).

6.3.2.287 GRP_SCI11_ERI11

```
#define GRP_SCI11_ERI11 GRPAL0
```

Definition at line 956 of file [iodefine.h](#).

6.3.2.288 GRP_SCI11_TEI11

```
#define GRP_SCI11_TEI11 GRPAL0
```

Definition at line 955 of file [iodefine.h](#).

6.3.2.289 GRP_SCI12_ERI12

```
#define GRP_SCI12_ERI12 GRPBL0
```

Definition at line 911 of file [iodefine.h](#).

6.3.2.290 GRP_SCI12_SCIX0

```
#define GRP_SCI12_SCIX0 GRPBL0
```

Definition at line 912 of file [iodef.h](#).

6.3.2.291 GRP_SCI12_SCIX1

```
#define GRP_SCI12_SCIX1 GRPBL0
```

Definition at line 913 of file [iodef.h](#).

6.3.2.292 GRP_SCI12_SCIX2

```
#define GRP_SCI12_SCIX2 GRPBL0
```

Definition at line 914 of file [iodef.h](#).

6.3.2.293 GRP_SCI12_SCIX3

```
#define GRP_SCI12_SCIX3 GRPBL0
```

Definition at line 915 of file [iodef.h](#).

6.3.2.294 GRP_SCI12_TEI12

```
#define GRP_SCI12_TEI12 GRPBL0
```

Definition at line 910 of file [iodef.h](#).

6.3.2.295 GRP_SCI1_ERI1

```
#define GRP_SCI1_ERI1 GRPBL0
```

Definition at line 899 of file [iodef.h](#).

6.3.2.296 GRP_SCI1_TEI1

```
#define GRP_SCI1_TEI1 GRPBL0
```

Definition at line 898 of file [iodef.h](#).

6.3.2.297 GRP_SCI2_ERI2

```
#define GRP_SCI2_ERI2 GRPBL0
```

Definition at line 901 of file [iodef.h](#).

6.3.2.298 GRP_SCI2_TEI2

```
#define GRP_SCI2_TEI2 GRPBL0
```

Definition at line 900 of file [iodef.h](#).

6.3.2.299 GRP_SCI3_ERI3

```
#define GRP_SCI3_ERI3 GRPBL0
```

Definition at line 903 of file [iodef.h](#).

6.3.2.300 GRP_SCI3_TEI3

```
#define GRP_SCI3_TEI3 GRPBL0
```

Definition at line 902 of file [iodef.h](#).

6.3.2.301 GRP_SCI4_ERI4

```
#define GRP_SCI4_ERI4 GRPBL0
```

Definition at line 905 of file [iodef.h](#).

6.3.2.302 GRP_SCI4_TEI4

```
#define GRP_SCI4_TEI4 GRPBL0
```

Definition at line 904 of file [iodef.h](#).

6.3.2.303 GRP_SCI5_ERI5

```
#define GRP_SCI5_ERI5 GRPBL0
```

Definition at line 907 of file [iodef.h](#).

6.3.2.304 GRP_SCI5_TEI5

```
#define GRP_SCI5_TEI5 GRPBL0
```

Definition at line 906 of file [iodef.h](#).

6.3.2.305 GRP_SCI6_ERI6

```
#define GRP_SCI6_ERI6 GRPBL0
```

Definition at line 909 of file [iodef.h](#).

6.3.2.306 GRP_SCI6_TEI6

```
#define GRP_SCI6_TEI6 GRPBL0
```

Definition at line 908 of file [iodef.h](#).

6.3.2.307 GRP_SCI7_ERI7

```
#define GRP_SCI7_ERI7 GRPAL0
```

Definition at line 964 of file [iodef.h](#).

6.3.2.308 GRP_SCI7_TEI7

```
#define GRP_SCI7_TEI7 GRPAL0
```

Definition at line 963 of file [iodef.h](#).

6.3.2.309 GRP_SCI8_ERI8

```
#define GRP_SCI8_ERI8 GRPAL0
```

Definition at line 950 of file [iodef.h](#).

6.3.2.310 GRP_SCI8_TEI8

```
#define GRP_SCI8_TEI8 GRPAL0
```

Definition at line 949 of file [iodef.h](#).

6.3.2.311 GRP_SCI9_ERI9

```
#define GRP_SCI9_ERI9 GRPAL0
```

Definition at line 952 of file [iodef.h](#).

6.3.2.312 GRP_SCI9_TEI9

```
#define GRP_SCI9_TEI9 GRPAL0
```

Definition at line 951 of file [iodef.h](#).

6.3.2.313 GRP_SDHI_CACI

```
#define GRP_SDHI_CACI GRPBL1
```

Definition at line 924 of file [iodef.h](#).

6.3.2.314 GRP_SDHI_CDETI

```
#define GRP_SDHI_CDETI GRPBL1
```

Definition at line 923 of file [iodefine.h](#).

6.3.2.315 GRP_SDHI_SDACI

```
#define GRP_SDHI_SDACI GRPBL1
```

Definition at line 925 of file [iodefine.h](#).

6.3.2.316 GRP_SSIE0_SSIF0

```
#define GRP_SSIE0_SSIF0 GRPBL1
```

Definition at line 937 of file [iodefine.h](#).

6.3.2.317 GRP_SSIE1_SSIF1

```
#define GRP_SSIE1_SSIF1 GRPBL1
```

Definition at line 938 of file [iodefine.h](#).

6.3.2.318 ICU

```
#define ICU (*(volatile struct st_icu *)0x87000)
```

Definition at line 1052 of file [iodefine.h](#).

6.3.2.319 IEN

```
#define IEN(  
    x,  
    y)
```

Value:

```
_IEN( _ ## x ## _ ## y )
```

Definition at line 987 of file [iodefine.h](#).

6.3.2.320 IEN_BSC_BUSERR

```
#define IEN_BSC_BUSERR IEN0
```

Definition at line 73 of file [iodefine.h](#).

6.3.2.321 IEN_CMT0_CMI0

```
#define IEN_CMT0_CMI0 IEN4
```

Definition at line 80 of file [iodef.h](#).

6.3.2.322 IEN_CMT1_CMI1

```
#define IEN_CMT1_CMI1 IEN5
```

Definition at line 81 of file [iodef.h](#).

6.3.2.323 IEN_CMTW0_CMWI0

```
#define IEN_CMTW0_CMWI0 IEN6
```

Definition at line 82 of file [iodef.h](#).

6.3.2.324 IEN_CMTW1_CMWI1

```
#define IEN_CMTW1_CMWI1 IEN7
```

Definition at line 83 of file [iodef.h](#).

6.3.2.325 IEN_DMAC_DMAC0I

```
#define IEN_DMAC_DMAC0I IEN0
```

Definition at line 161 of file [iodef.h](#).

6.3.2.326 IEN_DMAC_DMAC1I

```
#define IEN_DMAC_DMAC1I IEN1
```

Definition at line 162 of file [iodef.h](#).

6.3.2.327 IEN_DMAC_DMAC2I

```
#define IEN_DMAC_DMAC2I IEN2
```

Definition at line 163 of file [iodef.h](#).

6.3.2.328 IEN_DMAC_DMAC3I

```
#define IEN_DMAC_DMAC3I IEN3
```

Definition at line 164 of file [iodef.h](#).

6.3.2.329 IEN_DMACH_DMACH74I

```
#define IEN_DMACH_DMACH74I IEN4
```

Definition at line 165 of file [iodefine.h](#).

6.3.2.330 IEN_EXDMACH_EXDMACH0I

```
#define IEN_EXDMACH_EXDMACH0I IEN6
```

Definition at line 167 of file [iodefine.h](#).

6.3.2.331 IEN_EXDMACH_EXDMACH1I

```
#define IEN_EXDMACH_EXDMACH1I IEN7
```

Definition at line 168 of file [iodefine.h](#).

6.3.2.332 IEN_FCU_FIFERR

```
#define IEN_FCU_FIFERR IEN5
```

Definition at line 76 of file [iodefine.h](#).

6.3.2.333 IEN_FCU_FRDYI

```
#define IEN_FCU_FRDYI IEN7
```

Definition at line 77 of file [iodefine.h](#).

6.3.2.334 IEN_ICU_GROUPAL0

```
#define IEN_ICU_GROUPAL0 IEN0
```

Definition at line 155 of file [iodefine.h](#).

6.3.2.335 IEN_ICU_GROUPAL1

```
#define IEN_ICU_GROUPAL1 IEN1
```

Definition at line 156 of file [iodefine.h](#).

6.3.2.336 IEN_ICU_GROUPBE0

```
#define IEN_ICU_GROUPBE0 IEN2
```

Definition at line 149 of file [iodefine.h](#).

6.3.2.337 IEN_ICU_GROUPBL0

```
#define IEN_ICU_GROUPBL0 IEN6
```

Definition at line 153 of file [iodef.h](#).

6.3.2.338 IEN_ICU_GROUPBL1

```
#define IEN_ICU_GROUPBL1 IEN7
```

Definition at line 154 of file [iodef.h](#).

6.3.2.339 IEN_ICU_GROUPBL2

```
#define IEN_ICU_GROUPBL2 IEN3
```

Definition at line 150 of file [iodef.h](#).

6.3.2.340 IEN_ICU_GROUPIE0

```
#define IEN_ICU_GROUPIE0 IEN1
```

Definition at line 74 of file [iodef.h](#).

6.3.2.341 IEN_ICU_IRQ0

```
#define IEN_ICU_IRQ0 IEN0
```

Definition at line 109 of file [iodef.h](#).

6.3.2.342 IEN_ICU_IRQ1

```
#define IEN_ICU_IRQ1 IEN1
```

Definition at line 110 of file [iodef.h](#).

6.3.2.343 IEN_ICU_IRQ10

```
#define IEN_ICU_IRQ10 IEN2
```

Definition at line 119 of file [iodef.h](#).

6.3.2.344 IEN_ICU_IRQ11

```
#define IEN_ICU_IRQ11 IEN3
```

Definition at line 120 of file [iodef.h](#).

6.3.2.345 IEN_ICU_IRQ12

```
#define IEN_ICU_IRQ12 IEN4
```

Definition at line [121](#) of file [iodefine.h](#).

6.3.2.346 IEN_ICU_IRQ13

```
#define IEN_ICU_IRQ13 IEN5
```

Definition at line [122](#) of file [iodefine.h](#).

6.3.2.347 IEN_ICU_IRQ14

```
#define IEN_ICU_IRQ14 IEN6
```

Definition at line [123](#) of file [iodefine.h](#).

6.3.2.348 IEN_ICU_IRQ15

```
#define IEN_ICU_IRQ15 IEN7
```

Definition at line [124](#) of file [iodefine.h](#).

6.3.2.349 IEN_ICU_IRQ2

```
#define IEN_ICU_IRQ2 IEN2
```

Definition at line [111](#) of file [iodefine.h](#).

6.3.2.350 IEN_ICU_IRQ3

```
#define IEN_ICU_IRQ3 IEN3
```

Definition at line [112](#) of file [iodefine.h](#).

6.3.2.351 IEN_ICU_IRQ4

```
#define IEN_ICU_IRQ4 IEN4
```

Definition at line [113](#) of file [iodefine.h](#).

6.3.2.352 IEN_ICU_IRQ5

```
#define IEN_ICU_IRQ5 IEN5
```

Definition at line [114](#) of file [iodefine.h](#).

6.3.2.353 IEN_ICU_IRQ6

```
#define IEN_ICU_IRQ6 IEN6
```

Definition at line 115 of file [iodef.h](#).

6.3.2.354 IEN_ICU_IRQ7

```
#define IEN_ICU_IRQ7 IEN7
```

Definition at line 116 of file [iodef.h](#).

6.3.2.355 IEN_ICU_IRQ8

```
#define IEN_ICU_IRQ8 IEN0
```

Definition at line 117 of file [iodef.h](#).

6.3.2.356 IEN_ICU_IRQ9

```
#define IEN_ICU_IRQ9 IEN1
```

Definition at line 118 of file [iodef.h](#).

6.3.2.357 IEN_ICU_SWINT

```
#define IEN_ICU_SWINT IEN3
```

Definition at line 79 of file [iodef.h](#).

6.3.2.358 IEN_ICU_SWINT2

```
#define IEN_ICU_SWINT2 IEN2
```

Definition at line 78 of file [iodef.h](#).

6.3.2.359 IEN_IWDT_IWUNI

```
#define IEN_IWDT_IWUNI IEN7
```

Definition at line 138 of file [iodef.h](#).

6.3.2.360 IEN_LVD1_LVD1

```
#define IEN_LVD1_LVD1 IEN0
```

Definition at line 133 of file [iodef.h](#).

6.3.2.361 IEN_LVD2_LVD2

```
#define IEN_LVD2_LVD2 IEN1
```

Definition at line 134 of file [iodefine.h](#).

6.3.2.362 IEN_MMCIF_MBFAI

```
#define IEN_MMCIF_MBFAI IEN5
```

Definition at line 93 of file [iodefine.h](#).

6.3.2.363 IEN_OST_OSTDI

```
#define IEN_OST_OSTDI IEN5
```

Definition at line 166 of file [iodefine.h](#).

6.3.2.364 IEN_PDC_PCDFI

```
#define IEN_PDC_PCDFI IEN1
```

Definition at line 140 of file [iodefine.h](#).

6.3.2.365 IEN_PERIA_INTA208

```
#define IEN_PERIA_INTA208 IEN0
```

Definition at line 249 of file [iodefine.h](#).

6.3.2.366 IEN_PERIA_INTA209

```
#define IEN_PERIA_INTA209 IEN1
```

Definition at line 250 of file [iodefine.h](#).

6.3.2.367 IEN_PERIA_INTA210

```
#define IEN_PERIA_INTA210 IEN2
```

Definition at line 251 of file [iodefine.h](#).

6.3.2.368 IEN_PERIA_INTA211

```
#define IEN_PERIA_INTA211 IEN3
```

Definition at line 252 of file [iodefine.h](#).

6.3.2.369 IEN_PERIA_INTA212

```
#define IEN_PERIA_INTA212 IEN4
```

Definition at line 253 of file [iodef.h](#).

6.3.2.370 IEN_PERIA_INTA213

```
#define IEN_PERIA_INTA213 IEN5
```

Definition at line 254 of file [iodef.h](#).

6.3.2.371 IEN_PERIA_INTA214

```
#define IEN_PERIA_INTA214 IEN6
```

Definition at line 255 of file [iodef.h](#).

6.3.2.372 IEN_PERIA_INTA215

```
#define IEN_PERIA_INTA215 IEN7
```

Definition at line 256 of file [iodef.h](#).

6.3.2.373 IEN_PERIA_INTA216

```
#define IEN_PERIA_INTA216 IEN0
```

Definition at line 257 of file [iodef.h](#).

6.3.2.374 IEN_PERIA_INTA217

```
#define IEN_PERIA_INTA217 IEN1
```

Definition at line 258 of file [iodef.h](#).

6.3.2.375 IEN_PERIA_INTA218

```
#define IEN_PERIA_INTA218 IEN2
```

Definition at line 259 of file [iodef.h](#).

6.3.2.376 IEN_PERIA_INTA219

```
#define IEN_PERIA_INTA219 IEN3
```

Definition at line 260 of file [iodef.h](#).

6.3.2.377 IEN_PERIA_INTA220

```
#define IEN_PERIA_INTA220 IEN4
```

Definition at line [261](#) of file [iodefine.h](#).

6.3.2.378 IEN_PERIA_INTA221

```
#define IEN_PERIA_INTA221 IEN5
```

Definition at line [262](#) of file [iodefine.h](#).

6.3.2.379 IEN_PERIA_INTA222

```
#define IEN_PERIA_INTA222 IEN6
```

Definition at line [263](#) of file [iodefine.h](#).

6.3.2.380 IEN_PERIA_INTA223

```
#define IEN_PERIA_INTA223 IEN7
```

Definition at line [264](#) of file [iodefine.h](#).

6.3.2.381 IEN_PERIA_INTA224

```
#define IEN_PERIA_INTA224 IEN0
```

Definition at line [265](#) of file [iodefine.h](#).

6.3.2.382 IEN_PERIA_INTA225

```
#define IEN_PERIA_INTA225 IEN1
```

Definition at line [266](#) of file [iodefine.h](#).

6.3.2.383 IEN_PERIA_INTA226

```
#define IEN_PERIA_INTA226 IEN2
```

Definition at line [267](#) of file [iodefine.h](#).

6.3.2.384 IEN_PERIA_INTA227

```
#define IEN_PERIA_INTA227 IEN3
```

Definition at line [268](#) of file [iodefine.h](#).

6.3.2.385 IEN_PERIA_INTA228

```
#define IEN_PERIA_INTA228 IEN4
```

Definition at line 269 of file [iodef.h](#).

6.3.2.386 IEN_PERIA_INTA229

```
#define IEN_PERIA_INTA229 IEN5
```

Definition at line 270 of file [iodef.h](#).

6.3.2.387 IEN_PERIA_INTA230

```
#define IEN_PERIA_INTA230 IEN6
```

Definition at line 271 of file [iodef.h](#).

6.3.2.388 IEN_PERIA_INTA231

```
#define IEN_PERIA_INTA231 IEN7
```

Definition at line 272 of file [iodef.h](#).

6.3.2.389 IEN_PERIA_INTA232

```
#define IEN_PERIA_INTA232 IEN0
```

Definition at line 273 of file [iodef.h](#).

6.3.2.390 IEN_PERIA_INTA233

```
#define IEN_PERIA_INTA233 IEN1
```

Definition at line 274 of file [iodef.h](#).

6.3.2.391 IEN_PERIA_INTA234

```
#define IEN_PERIA_INTA234 IEN2
```

Definition at line 275 of file [iodef.h](#).

6.3.2.392 IEN_PERIA_INTA235

```
#define IEN_PERIA_INTA235 IEN3
```

Definition at line 276 of file [iodef.h](#).

6.3.2.393 IEN_PERIA_INTA236

```
#define IEN_PERIA_INTA236 IEN4
```

Definition at line [277](#) of file [iodefine.h](#).

6.3.2.394 IEN_PERIA_INTA237

```
#define IEN_PERIA_INTA237 IEN5
```

Definition at line [278](#) of file [iodefine.h](#).

6.3.2.395 IEN_PERIA_INTA238

```
#define IEN_PERIA_INTA238 IEN6
```

Definition at line [279](#) of file [iodefine.h](#).

6.3.2.396 IEN_PERIA_INTA239

```
#define IEN_PERIA_INTA239 IEN7
```

Definition at line [280](#) of file [iodefine.h](#).

6.3.2.397 IEN_PERIA_INTA240

```
#define IEN_PERIA_INTA240 IEN0
```

Definition at line [281](#) of file [iodefine.h](#).

6.3.2.398 IEN_PERIA_INTA241

```
#define IEN_PERIA_INTA241 IEN1
```

Definition at line [282](#) of file [iodefine.h](#).

6.3.2.399 IEN_PERIA_INTA242

```
#define IEN_PERIA_INTA242 IEN2
```

Definition at line [283](#) of file [iodefine.h](#).

6.3.2.400 IEN_PERIA_INTA243

```
#define IEN_PERIA_INTA243 IEN3
```

Definition at line [284](#) of file [iodefine.h](#).

6.3.2.401 IEN_PERIA_INTA244

```
#define IEN_PERIA_INTA244 IEN4
```

Definition at line 285 of file [iodef.h](#).

6.3.2.402 IEN_PERIA_INTA245

```
#define IEN_PERIA_INTA245 IEN5
```

Definition at line 286 of file [iodef.h](#).

6.3.2.403 IEN_PERIA_INTA246

```
#define IEN_PERIA_INTA246 IEN6
```

Definition at line 287 of file [iodef.h](#).

6.3.2.404 IEN_PERIA_INTA247

```
#define IEN_PERIA_INTA247 IEN7
```

Definition at line 288 of file [iodef.h](#).

6.3.2.405 IEN_PERIA_INTA248

```
#define IEN_PERIA_INTA248 IEN0
```

Definition at line 289 of file [iodef.h](#).

6.3.2.406 IEN_PERIA_INTA249

```
#define IEN_PERIA_INTA249 IEN1
```

Definition at line 290 of file [iodef.h](#).

6.3.2.407 IEN_PERIA_INTA250

```
#define IEN_PERIA_INTA250 IEN2
```

Definition at line 291 of file [iodef.h](#).

6.3.2.408 IEN_PERIA_INTA251

```
#define IEN_PERIA_INTA251 IEN3
```

Definition at line 292 of file [iodef.h](#).

6.3.2.409 IEN_PERIA_INTA252

```
#define IEN_PERIA_INTA252 IEN4
```

Definition at line 293 of file [iodefine.h](#).

6.3.2.410 IEN_PERIA_INTA253

```
#define IEN_PERIA_INTA253 IEN5
```

Definition at line 294 of file [iodefine.h](#).

6.3.2.411 IEN_PERIA_INTA254

```
#define IEN_PERIA_INTA254 IEN6
```

Definition at line 295 of file [iodefine.h](#).

6.3.2.412 IEN_PERIA_INTA255

```
#define IEN_PERIA_INTA255 IEN7
```

Definition at line 296 of file [iodefine.h](#).

6.3.2.413 IEN_PERIB_INTB128

```
#define IEN_PERIB_INTB128 IEN0
```

Definition at line 169 of file [iodefine.h](#).

6.3.2.414 IEN_PERIB_INTB129

```
#define IEN_PERIB_INTB129 IEN1
```

Definition at line 170 of file [iodefine.h](#).

6.3.2.415 IEN_PERIB_INTB130

```
#define IEN_PERIB_INTB130 IEN2
```

Definition at line 171 of file [iodefine.h](#).

6.3.2.416 IEN_PERIB_INTB131

```
#define IEN_PERIB_INTB131 IEN3
```

Definition at line 172 of file [iodefine.h](#).

6.3.2.417 IEN_PERIB_INTB132

```
#define IEN_PERIB_INTB132 IEN4
```

Definition at line 173 of file [iodef.h](#).

6.3.2.418 IEN_PERIB_INTB133

```
#define IEN_PERIB_INTB133 IEN5
```

Definition at line 174 of file [iodef.h](#).

6.3.2.419 IEN_PERIB_INTB134

```
#define IEN_PERIB_INTB134 IEN6
```

Definition at line 175 of file [iodef.h](#).

6.3.2.420 IEN_PERIB_INTB135

```
#define IEN_PERIB_INTB135 IEN7
```

Definition at line 176 of file [iodef.h](#).

6.3.2.421 IEN_PERIB_INTB136

```
#define IEN_PERIB_INTB136 IEN0
```

Definition at line 177 of file [iodef.h](#).

6.3.2.422 IEN_PERIB_INTB137

```
#define IEN_PERIB_INTB137 IEN1
```

Definition at line 178 of file [iodef.h](#).

6.3.2.423 IEN_PERIB_INTB138

```
#define IEN_PERIB_INTB138 IEN2
```

Definition at line 179 of file [iodef.h](#).

6.3.2.424 IEN_PERIB_INTB139

```
#define IEN_PERIB_INTB139 IEN3
```

Definition at line 180 of file [iodef.h](#).

6.3.2.425 IEN_PERIB_INTB140

```
#define IEN_PERIB_INTB140 IEN4
```

Definition at line 181 of file [iodefine.h](#).

6.3.2.426 IEN_PERIB_INTB141

```
#define IEN_PERIB_INTB141 IEN5
```

Definition at line 182 of file [iodefine.h](#).

6.3.2.427 IEN_PERIB_INTB142

```
#define IEN_PERIB_INTB142 IEN6
```

Definition at line 183 of file [iodefine.h](#).

6.3.2.428 IEN_PERIB_INTB143

```
#define IEN_PERIB_INTB143 IEN7
```

Definition at line 184 of file [iodefine.h](#).

6.3.2.429 IEN_PERIB_INTB144

```
#define IEN_PERIB_INTB144 IEN0
```

Definition at line 185 of file [iodefine.h](#).

6.3.2.430 IEN_PERIB_INTB145

```
#define IEN_PERIB_INTB145 IEN1
```

Definition at line 186 of file [iodefine.h](#).

6.3.2.431 IEN_PERIB_INTB146

```
#define IEN_PERIB_INTB146 IEN2
```

Definition at line 187 of file [iodefine.h](#).

6.3.2.432 IEN_PERIB_INTB147

```
#define IEN_PERIB_INTB147 IEN3
```

Definition at line 188 of file [iodefine.h](#).

6.3.2.433 IEN_PERIB_INTB148

```
#define IEN_PERIB_INTB148 IEN4
```

Definition at line 189 of file [iodef.h](#).

6.3.2.434 IEN_PERIB_INTB149

```
#define IEN_PERIB_INTB149 IEN5
```

Definition at line 190 of file [iodef.h](#).

6.3.2.435 IEN_PERIB_INTB150

```
#define IEN_PERIB_INTB150 IEN6
```

Definition at line 191 of file [iodef.h](#).

6.3.2.436 IEN_PERIB_INTB151

```
#define IEN_PERIB_INTB151 IEN7
```

Definition at line 192 of file [iodef.h](#).

6.3.2.437 IEN_PERIB_INTB152

```
#define IEN_PERIB_INTB152 IEN0
```

Definition at line 193 of file [iodef.h](#).

6.3.2.438 IEN_PERIB_INTB153

```
#define IEN_PERIB_INTB153 IEN1
```

Definition at line 194 of file [iodef.h](#).

6.3.2.439 IEN_PERIB_INTB154

```
#define IEN_PERIB_INTB154 IEN2
```

Definition at line 195 of file [iodef.h](#).

6.3.2.440 IEN_PERIB_INTB155

```
#define IEN_PERIB_INTB155 IEN3
```

Definition at line 196 of file [iodef.h](#).

6.3.2.441 IEN_PERIB_INTB156

```
#define IEN_PERIB_INTB156 IEN4
```

Definition at line 197 of file [iodefine.h](#).

6.3.2.442 IEN_PERIB_INTB157

```
#define IEN_PERIB_INTB157 IEN5
```

Definition at line 198 of file [iodefine.h](#).

6.3.2.443 IEN_PERIB_INTB158

```
#define IEN_PERIB_INTB158 IEN6
```

Definition at line 199 of file [iodefine.h](#).

6.3.2.444 IEN_PERIB_INTB159

```
#define IEN_PERIB_INTB159 IEN7
```

Definition at line 200 of file [iodefine.h](#).

6.3.2.445 IEN_PERIB_INTB160

```
#define IEN_PERIB_INTB160 IEN0
```

Definition at line 201 of file [iodefine.h](#).

6.3.2.446 IEN_PERIB_INTB161

```
#define IEN_PERIB_INTB161 IEN1
```

Definition at line 202 of file [iodefine.h](#).

6.3.2.447 IEN_PERIB_INTB162

```
#define IEN_PERIB_INTB162 IEN2
```

Definition at line 203 of file [iodefine.h](#).

6.3.2.448 IEN_PERIB_INTB163

```
#define IEN_PERIB_INTB163 IEN3
```

Definition at line 204 of file [iodefine.h](#).

6.3.2.449 IEN_PERIB_INTB164

```
#define IEN_PERIB_INTB164 IEN4
```

Definition at line 205 of file [iodef.h](#).

6.3.2.450 IEN_PERIB_INTB165

```
#define IEN_PERIB_INTB165 IEN5
```

Definition at line 206 of file [iodef.h](#).

6.3.2.451 IEN_PERIB_INTB166

```
#define IEN_PERIB_INTB166 IEN6
```

Definition at line 207 of file [iodef.h](#).

6.3.2.452 IEN_PERIB_INTB167

```
#define IEN_PERIB_INTB167 IEN7
```

Definition at line 208 of file [iodef.h](#).

6.3.2.453 IEN_PERIB_INTB168

```
#define IEN_PERIB_INTB168 IEN0
```

Definition at line 209 of file [iodef.h](#).

6.3.2.454 IEN_PERIB_INTB169

```
#define IEN_PERIB_INTB169 IEN1
```

Definition at line 210 of file [iodef.h](#).

6.3.2.455 IEN_PERIB_INTB170

```
#define IEN_PERIB_INTB170 IEN2
```

Definition at line 211 of file [iodef.h](#).

6.3.2.456 IEN_PERIB_INTB171

```
#define IEN_PERIB_INTB171 IEN3
```

Definition at line 212 of file [iodef.h](#).

6.3.2.457 IEN_PERIB_INTB172

```
#define IEN_PERIB_INTB172 IEN4
```

Definition at line [213](#) of file [iodefine.h](#).

6.3.2.458 IEN_PERIB_INTB173

```
#define IEN_PERIB_INTB173 IEN5
```

Definition at line [214](#) of file [iodefine.h](#).

6.3.2.459 IEN_PERIB_INTB174

```
#define IEN_PERIB_INTB174 IEN6
```

Definition at line [215](#) of file [iodefine.h](#).

6.3.2.460 IEN_PERIB_INTB175

```
#define IEN_PERIB_INTB175 IEN7
```

Definition at line [216](#) of file [iodefine.h](#).

6.3.2.461 IEN_PERIB_INTB176

```
#define IEN_PERIB_INTB176 IEN0
```

Definition at line [217](#) of file [iodefine.h](#).

6.3.2.462 IEN_PERIB_INTB177

```
#define IEN_PERIB_INTB177 IEN1
```

Definition at line [218](#) of file [iodefine.h](#).

6.3.2.463 IEN_PERIB_INTB178

```
#define IEN_PERIB_INTB178 IEN2
```

Definition at line [219](#) of file [iodefine.h](#).

6.3.2.464 IEN_PERIB_INTB179

```
#define IEN_PERIB_INTB179 IEN3
```

Definition at line [220](#) of file [iodefine.h](#).

6.3.2.465 IEN_PERIB_INTB180

```
#define IEN_PERIB_INTB180 IEN4
```

Definition at line 221 of file [iodef.h](#).

6.3.2.466 IEN_PERIB_INTB181

```
#define IEN_PERIB_INTB181 IEN5
```

Definition at line 222 of file [iodef.h](#).

6.3.2.467 IEN_PERIB_INTB182

```
#define IEN_PERIB_INTB182 IEN6
```

Definition at line 223 of file [iodef.h](#).

6.3.2.468 IEN_PERIB_INTB183

```
#define IEN_PERIB_INTB183 IEN7
```

Definition at line 224 of file [iodef.h](#).

6.3.2.469 IEN_PERIB_INTB184

```
#define IEN_PERIB_INTB184 IEN0
```

Definition at line 225 of file [iodef.h](#).

6.3.2.470 IEN_PERIB_INTB185

```
#define IEN_PERIB_INTB185 IEN1
```

Definition at line 226 of file [iodef.h](#).

6.3.2.471 IEN_PERIB_INTB186

```
#define IEN_PERIB_INTB186 IEN2
```

Definition at line 227 of file [iodef.h](#).

6.3.2.472 IEN_PERIB_INTB187

```
#define IEN_PERIB_INTB187 IEN3
```

Definition at line 228 of file [iodef.h](#).

6.3.2.473 IEN_PERIB_INTB188

```
#define IEN_PERIB_INTB188 IEN4
```

Definition at line 229 of file [iodefine.h](#).

6.3.2.474 IEN_PERIB_INTB189

```
#define IEN_PERIB_INTB189 IEN5
```

Definition at line 230 of file [iodefine.h](#).

6.3.2.475 IEN_PERIB_INTB190

```
#define IEN_PERIB_INTB190 IEN6
```

Definition at line 231 of file [iodefine.h](#).

6.3.2.476 IEN_PERIB_INTB191

```
#define IEN_PERIB_INTB191 IEN7
```

Definition at line 232 of file [iodefine.h](#).

6.3.2.477 IEN_PERIB_INTB192

```
#define IEN_PERIB_INTB192 IEN0
```

Definition at line 233 of file [iodefine.h](#).

6.3.2.478 IEN_PERIB_INTB193

```
#define IEN_PERIB_INTB193 IEN1
```

Definition at line 234 of file [iodefine.h](#).

6.3.2.479 IEN_PERIB_INTB194

```
#define IEN_PERIB_INTB194 IEN2
```

Definition at line 235 of file [iodefine.h](#).

6.3.2.480 IEN_PERIB_INTB195

```
#define IEN_PERIB_INTB195 IEN3
```

Definition at line 236 of file [iodefine.h](#).

6.3.2.481 IEN_PERIB_INTB196

```
#define IEN_PERIB_INTB196 IEN4
```

Definition at line 237 of file [iodef.h](#).

6.3.2.482 IEN_PERIB_INTB197

```
#define IEN_PERIB_INTB197 IEN5
```

Definition at line 238 of file [iodef.h](#).

6.3.2.483 IEN_PERIB_INTB198

```
#define IEN_PERIB_INTB198 IEN6
```

Definition at line 239 of file [iodef.h](#).

6.3.2.484 IEN_PERIB_INTB199

```
#define IEN_PERIB_INTB199 IEN7
```

Definition at line 240 of file [iodef.h](#).

6.3.2.485 IEN_PERIB_INTB200

```
#define IEN_PERIB_INTB200 IEN0
```

Definition at line 241 of file [iodef.h](#).

6.3.2.486 IEN_PERIB_INTB201

```
#define IEN_PERIB_INTB201 IEN1
```

Definition at line 242 of file [iodef.h](#).

6.3.2.487 IEN_PERIB_INTB202

```
#define IEN_PERIB_INTB202 IEN2
```

Definition at line 243 of file [iodef.h](#).

6.3.2.488 IEN_PERIB_INTB203

```
#define IEN_PERIB_INTB203 IEN3
```

Definition at line 244 of file [iodef.h](#).

6.3.2.489 IEN_PERIB_INTB204

```
#define IEN_PERIB_INTB204 IEN4
```

Definition at line 245 of file [iodefine.h](#).

6.3.2.490 IEN_PERIB_INTB205

```
#define IEN_PERIB_INTB205 IEN5
```

Definition at line 246 of file [iodefine.h](#).

6.3.2.491 IEN_PERIB_INTB206

```
#define IEN_PERIB_INTB206 IEN6
```

Definition at line 247 of file [iodefine.h](#).

6.3.2.492 IEN_PERIB_INTB207

```
#define IEN_PERIB_INTB207 IEN7
```

Definition at line 248 of file [iodefine.h](#).

6.3.2.493 IEN_QSPI_SPRI

```
#define IEN_QSPI_SPRI IEN2
```

Definition at line 90 of file [iodefine.h](#).

6.3.2.494 IEN_QSPI_SPTI

```
#define IEN_QSPI_SPTI IEN3
```

Definition at line 91 of file [iodefine.h](#).

6.3.2.495 IEN_RAM_RAMERR

```
#define IEN_RAM_RAMERR IEN2
```

Definition at line 75 of file [iodefine.h](#).

6.3.2.496 IEN_RIIC0_RXI0

```
#define IEN_RIIC0_RXI0 IEN4
```

Definition at line 99 of file [iodefine.h](#).

6.3.2.497 IEN_RIIC0_TXI0

```
#define IEN_RIIC0_TXI0 IEN5
```

Definition at line 100 of file [iodef.h](#).

6.3.2.498 IEN_RIIC1_RXI1

```
#define IEN_RIIC1_RXI1 IEN2
```

Definition at line 97 of file [iodef.h](#).

6.3.2.499 IEN_RIIC1_TXI1

```
#define IEN_RIIC1_TXI1 IEN3
```

Definition at line 98 of file [iodef.h](#).

6.3.2.500 IEN_RIIC2_RXI2

```
#define IEN_RIIC2_RXI2 IEN6
```

Definition at line 101 of file [iodef.h](#).

6.3.2.501 IEN_RIIC2_TXI2

```
#define IEN_RIIC2_TXI2 IEN7
```

Definition at line 102 of file [iodef.h](#).

6.3.2.502 IEN_RSPI0_SPRI0

```
#define IEN_RSPI0_SPRI0 IEN6
```

Definition at line 86 of file [iodef.h](#).

6.3.2.503 IEN_RSPI0_SPTI0

```
#define IEN_RSPI0_SPTI0 IEN7
```

Definition at line 87 of file [iodef.h](#).

6.3.2.504 IEN_RSPI1_SPRI1

```
#define IEN_RSPI1_SPRI1 IEN0
```

Definition at line 88 of file [iodef.h](#).

6.3.2.505 IEN_RSPI1_SPTI1

```
#define IEN_RSPI1_SPTI1 IEN1
```

Definition at line 89 of file [iodefine.h](#).

6.3.2.506 IEN_RSPI2_SPRI2

```
#define IEN_RSPI2_SPRI2 IEN4
```

Definition at line 151 of file [iodefine.h](#).

6.3.2.507 IEN_RSPI2_SPTI2

```
#define IEN_RSPI2_SPTI2 IEN5
```

Definition at line 152 of file [iodefine.h](#).

6.3.2.508 IEN_RTC_ALM

```
#define IEN_RTC_ALM IEN4
```

Definition at line 136 of file [iodefine.h](#).

6.3.2.509 IEN_RTC_PRD

```
#define IEN_RTC_PRD IEN5
```

Definition at line 137 of file [iodefine.h](#).

6.3.2.510 IEN_SCI0_RXI0

```
#define IEN_SCI0_RXI0 IEN2
```

Definition at line 103 of file [iodefine.h](#).

6.3.2.511 IEN_SCI0_TXI0

```
#define IEN_SCI0_TXI0 IEN3
```

Definition at line 104 of file [iodefine.h](#).

6.3.2.512 IEN_SCI10_RXI10

```
#define IEN_SCI10_RXI10 IEN0
```

Definition at line 147 of file [iodefine.h](#).

6.3.2.513 IEN_SCI10_TXI10

```
#define IEN_SCI10_TXI10 IEN1
```

Definition at line 148 of file [iodef.h](#).

6.3.2.514 IEN_SCI11_RXI11

```
#define IEN_SCI11_RXI11 IEN2
```

Definition at line 157 of file [iodef.h](#).

6.3.2.515 IEN_SCI11_TXI11

```
#define IEN_SCI11_TXI11 IEN3
```

Definition at line 158 of file [iodef.h](#).

6.3.2.516 IEN_SCI12_RXI12

```
#define IEN_SCI12_RXI12 IEN4
```

Definition at line 159 of file [iodef.h](#).

6.3.2.517 IEN_SCI12_TXI12

```
#define IEN_SCI12_TXI12 IEN5
```

Definition at line 160 of file [iodef.h](#).

6.3.2.518 IEN_SCI1_RXI1

```
#define IEN_SCI1_RXI1 IEN4
```

Definition at line 105 of file [iodef.h](#).

6.3.2.519 IEN_SCI1_TXI1

```
#define IEN_SCI1_TXI1 IEN5
```

Definition at line 106 of file [iodef.h](#).

6.3.2.520 IEN_SCI2_RXI2

```
#define IEN_SCI2_RXI2 IEN6
```

Definition at line 107 of file [iodef.h](#).

6.3.2.521 IEN_SCI2_TXI2

```
#define IEN_SCI2_TXI2 IEN7
```

Definition at line [108](#) of file [iodefine.h](#).

6.3.2.522 IEN_SCI3_RXI3

```
#define IEN_SCI3_RXI3 IEN0
```

Definition at line [125](#) of file [iodefine.h](#).

6.3.2.523 IEN_SCI3_TXI3

```
#define IEN_SCI3_TXI3 IEN1
```

Definition at line [126](#) of file [iodefine.h](#).

6.3.2.524 IEN_SCI4_RXI4

```
#define IEN_SCI4_RXI4 IEN2
```

Definition at line [127](#) of file [iodefine.h](#).

6.3.2.525 IEN_SCI4_TXI4

```
#define IEN_SCI4_TXI4 IEN3
```

Definition at line [128](#) of file [iodefine.h](#).

6.3.2.526 IEN_SCI5_RXI5

```
#define IEN_SCI5_RXI5 IEN4
```

Definition at line [129](#) of file [iodefine.h](#).

6.3.2.527 IEN_SCI5_TXI5

```
#define IEN_SCI5_TXI5 IEN5
```

Definition at line [130](#) of file [iodefine.h](#).

6.3.2.528 IEN_SCI6_RXI6

```
#define IEN_SCI6_RXI6 IEN6
```

Definition at line [131](#) of file [iodefine.h](#).

6.3.2.529 IEN_SCI6_TXI6

```
#define IEN_SCI6_TXI6 IEN7
```

Definition at line 132 of file [iodef.h](#).

6.3.2.530 IEN_SCI7_RXI7

```
#define IEN_SCI7_RXI7 IEN2
```

Definition at line 141 of file [iodef.h](#).

6.3.2.531 IEN_SCI7_TXI7

```
#define IEN_SCI7_TXI7 IEN3
```

Definition at line 142 of file [iodef.h](#).

6.3.2.532 IEN_SCI8_RXI8

```
#define IEN_SCI8_RXI8 IEN4
```

Definition at line 143 of file [iodef.h](#).

6.3.2.533 IEN_SCI8_TXI8

```
#define IEN_SCI8_TXI8 IEN5
```

Definition at line 144 of file [iodef.h](#).

6.3.2.534 IEN_SCI9_RXI9

```
#define IEN_SCI9_RXI9 IEN6
```

Definition at line 145 of file [iodef.h](#).

6.3.2.535 IEN_SCI9_TXI9

```
#define IEN_SCI9_TXI9 IEN7
```

Definition at line 146 of file [iodef.h](#).

6.3.2.536 IEN_SDHI_SBFAI

```
#define IEN_SDHI_SBFAI IEN4
```

Definition at line 92 of file [iodef.h](#).

6.3.2.537 IEN_SSIE0_SSIRXI0

```
#define IEN_SSIE0_SSIRXI0 IEN7
```

Definition at line 95 of file [iodefine.h](#).

6.3.2.538 IEN_SSIE0_SSITXI0

```
#define IEN_SSIE0_SSITXI0 IEN6
```

Definition at line 94 of file [iodefine.h](#).

6.3.2.539 IEN_SSIE1_SSIRTI1

```
#define IEN_SSIE1_SSIRTI1 IEN0
```

Definition at line 96 of file [iodefine.h](#).

6.3.2.540 IEN_USB0_D0FIFO0

```
#define IEN_USB0_D0FIFO0 IEN2
```

Definition at line 84 of file [iodefine.h](#).

6.3.2.541 IEN_USB0_D1FIFO0

```
#define IEN_USB0_D1FIFO0 IEN3
```

Definition at line 85 of file [iodefine.h](#).

6.3.2.542 IEN_USB0_USBR0

```
#define IEN_USB0_USBR0 IEN2
```

Definition at line 135 of file [iodefine.h](#).

6.3.2.543 IEN_WDT_WUNI

```
#define IEN_WDT_WUNI IEN0
```

Definition at line 139 of file [iodefine.h](#).

6.3.2.544 IPR

```
#define IPR(  
    x,  
    y)
```

Value:

```
_IPR( _ ## x ## _ ## y )
```

Definition at line 990 of file [iodef.h](#).

6.3.2.545 IR

```
#define IR(  
    x,  
    y)
```

Value:

```
_IR( _ ## x ## _ ## y )
```

Definition at line 981 of file [iodef.h](#).

6.3.2.546 IS

```
#define IS(  
    x,  
    y)
```

Value:

```
_IS( _ ## x ## _ ## y )
```

Definition at line 1000 of file [iodef.h](#).

6.3.2.547 IS_CAC_FERRI

```
#define IS_CAC_FERRI IS26
```

Definition at line 666 of file [iodef.h](#).

6.3.2.548 IS_CAC_MENDI

```
#define IS_CAC_MENDI IS27
```

Definition at line 667 of file [iodef.h](#).

6.3.2.549 IS_CAC_OVFI

```
#define IS_CAC_OVFI IS28
```

Definition at line 668 of file [iodef.h](#).

6.3.2.550 IS_CAN0_ERS0

```
#define IS_CAN0_ERS0 IS0
```

Definition at line [642](#) of file [iodefine.h](#).

6.3.2.551 IS_CAN1_ERS1

```
#define IS_CAN1_ERS1 IS1
```

Definition at line [643](#) of file [iodefine.h](#).

6.3.2.552 IS_CAN2_ERS2

```
#define IS_CAN2_ERS2 IS2
```

Definition at line [644](#) of file [iodefine.h](#).

6.3.2.553 IS_DOC_DOPCI

```
#define IS_DOC_DOPCI IS29
```

Definition at line [669](#) of file [iodefine.h](#).

6.3.2.554 IS_DPFPD_DPFPUEX

```
#define IS_DPFPD_DPFPUEX IS0
```

Definition at line [641](#) of file [iodefine.h](#).

6.3.2.555 IS_DRW2D_DRWIRQ

```
#define IS_DRW2D_DRWIRQ IS11
```

Definition at line [721](#) of file [iodefine.h](#).

6.3.2.556 IS_EDMAC0_EINT0

```
#define IS_EDMAC0_EINT0 IS4
```

Definition at line [716](#) of file [iodefine.h](#).

6.3.2.557 IS_EDMAC1_EINT1

```
#define IS_EDMAC1_EINT1 IS5
```

Definition at line [717](#) of file [iodefine.h](#).

6.3.2.558 IS_EPTPC_MINT

```
#define IS_EPTPC_MINT IS0
```

Definition at line 714 of file [iodef.h](#).

6.3.2.559 IS_GLCDC_GR1UF

```
#define IS_GLCDC_GR1UF IS9
```

Definition at line 719 of file [iodef.h](#).

6.3.2.560 IS_GLCDC_GR2UF

```
#define IS_GLCDC_GR2UF IS10
```

Definition at line 720 of file [iodef.h](#).

6.3.2.561 IS_GLCDC_VPOS

```
#define IS_GLCDC_VPOS IS8
```

Definition at line 718 of file [iodef.h](#).

6.3.2.562 IS_MMCIF_ACCIO

```
#define IS_MMCIF_ACCIO IS8
```

Definition at line 677 of file [iodef.h](#).

6.3.2.563 IS_MMCIF_CDETIO

```
#define IS_MMCIF_CDETIO IS6
```

Definition at line 675 of file [iodef.h](#).

6.3.2.564 IS_MMCIF_ERRIO

```
#define IS_MMCIF_ERRIO IS7
```

Definition at line 676 of file [iodef.h](#).

6.3.2.565 IS_PDC_PCERI

```
#define IS_PDC_PCERI IS31
```

Definition at line 671 of file [iodef.h](#).

6.3.2.566 IS_PDC_PCFEI

```
#define IS_PDC_PCFEI IS30
```

Definition at line 670 of file [iodefne.h](#).

6.3.2.567 IS_POE3_OEI1

```
#define IS_POE3_OEI1 IS9
```

Definition at line 678 of file [iodefne.h](#).

6.3.2.568 IS_POE3_OEI2

```
#define IS_POE3_OEI2 IS10
```

Definition at line 679 of file [iodefne.h](#).

6.3.2.569 IS_POE3_OEI3

```
#define IS_POE3_OEI3 IS11
```

Definition at line 680 of file [iodefne.h](#).

6.3.2.570 IS_POE3_OEI4

```
#define IS_POE3_OEI4 IS12
```

Definition at line 681 of file [iodefne.h](#).

6.3.2.571 IS_POEG_POEGGAI

```
#define IS_POEG_POEGGAI IS7
```

Definition at line 694 of file [iodefne.h](#).

6.3.2.572 IS_POEG_POEGGBI

```
#define IS_POEG_POEGGBI IS8
```

Definition at line 695 of file [iodefne.h](#).

6.3.2.573 IS_POEG_POEGGCI

```
#define IS_POEG_POEGGCI IS9
```

Definition at line 696 of file [iodefne.h](#).

6.3.2.574 IS_POEG_POEGGDI

```
#define IS_POEG_POEGGDI IS10
```

Definition at line 697 of file [iodef.h](#).

6.3.2.575 IS_PTPEDMAC_PINT

```
#define IS_PTPEDMAC_PINT IS1
```

Definition at line 715 of file [iodef.h](#).

6.3.2.576 IS_QSPI_QSPSSLI

```
#define IS_QSPI_QSPSSLI IS24
```

Definition at line 665 of file [iodef.h](#).

6.3.2.577 IS_RIIC0_EEI0

```
#define IS_RIIC0_EEI0 IS14
```

Definition at line 683 of file [iodef.h](#).

6.3.2.578 IS_RIIC0_TEI0

```
#define IS_RIIC0_TEI0 IS13
```

Definition at line 682 of file [iodef.h](#).

6.3.2.579 IS_RIIC1_EEI1

```
#define IS_RIIC1_EEI1 IS29
```

Definition at line 693 of file [iodef.h](#).

6.3.2.580 IS_RIIC1_TEI1

```
#define IS_RIIC1_TEI1 IS28
```

Definition at line 692 of file [iodef.h](#).

6.3.2.581 IS_RIIC2_EEI2

```
#define IS_RIIC2_EEI2 IS16
```

Definition at line 685 of file [iodef.h](#).

6.3.2.582 IS_RIIC2_TEI2

```
#define IS_RIIC2_TEI2 IS15
```

Definition at line 684 of file [iodefine.h](#).

6.3.2.583 IS_RSPI0_SPEI0

```
#define IS_RSPI0_SPEI0 IS17
```

Definition at line 707 of file [iodefine.h](#).

6.3.2.584 IS_RSPI0_SPII0

```
#define IS_RSPI0_SPII0 IS16
```

Definition at line 706 of file [iodefine.h](#).

6.3.2.585 IS_RSPI1_SPEI1

```
#define IS_RSPI1_SPEI1 IS19
```

Definition at line 709 of file [iodefine.h](#).

6.3.2.586 IS_RSPI1_SPII1

```
#define IS_RSPI1_SPII1 IS18
```

Definition at line 708 of file [iodefine.h](#).

6.3.2.587 IS_RSPI2_SPEI2

```
#define IS_RSPI2_SPEI2 IS21
```

Definition at line 711 of file [iodefine.h](#).

6.3.2.588 IS_RSPI2_SPII2

```
#define IS_RSPI2_SPII2 IS20
```

Definition at line 710 of file [iodefine.h](#).

6.3.2.589 IS_S12AD1_S12CMPAI1

```
#define IS_S12AD1_S12CMPAI1 IS22
```

Definition at line 690 of file [iodefine.h](#).

6.3.2.590 IS_S12AD1_S12CMPBI1

```
#define IS_S12AD1_S12CMPBI1 IS23
```

Definition at line 691 of file [iodef.h](#).

6.3.2.591 IS_S12AD_S12CMPAI

```
#define IS_S12AD_S12CMPAI IS20
```

Definition at line 688 of file [iodef.h](#).

6.3.2.592 IS_S12AD_S12CMPBI

```
#define IS_S12AD_S12CMPBI IS21
```

Definition at line 689 of file [iodef.h](#).

6.3.2.593 IS_SCI0_ERI0

```
#define IS_SCI0_ERI0 IS1
```

Definition at line 646 of file [iodef.h](#).

6.3.2.594 IS_SCI0_TEI0

```
#define IS_SCI0_TEI0 IS0
```

Definition at line 645 of file [iodef.h](#).

6.3.2.595 IS_SCI10_ERI10

```
#define IS_SCI10_ERI10 IS9
```

Definition at line 703 of file [iodef.h](#).

6.3.2.596 IS_SCI10_TEI10

```
#define IS_SCI10_TEI10 IS8
```

Definition at line 702 of file [iodef.h](#).

6.3.2.597 IS_SCI11_ERI11

```
#define IS_SCI11_ERI11 IS13
```

Definition at line 705 of file [iodef.h](#).

6.3.2.598 IS_SCI11_TEI11

```
#define IS_SCI11_TEI11 IS12
```

Definition at line 704 of file [iodefne.h](#).

6.3.2.599 IS_SCI12_ERI12

```
#define IS_SCI12_ERI12 IS17
```

Definition at line 660 of file [iodefne.h](#).

6.3.2.600 IS_SCI12_SCIX0

```
#define IS_SCI12_SCIX0 IS18
```

Definition at line 661 of file [iodefne.h](#).

6.3.2.601 IS_SCI12_SCIX1

```
#define IS_SCI12_SCIX1 IS19
```

Definition at line 662 of file [iodefne.h](#).

6.3.2.602 IS_SCI12_SCIX2

```
#define IS_SCI12_SCIX2 IS20
```

Definition at line 663 of file [iodefne.h](#).

6.3.2.603 IS_SCI12_SCIX3

```
#define IS_SCI12_SCIX3 IS21
```

Definition at line 664 of file [iodefne.h](#).

6.3.2.604 IS_SCI12_TEI12

```
#define IS_SCI12_TEI12 IS16
```

Definition at line 659 of file [iodefne.h](#).

6.3.2.605 IS_SCI1_ERI1

```
#define IS_SCI1_ERI1 IS3
```

Definition at line 648 of file [iodefne.h](#).

6.3.2.606 IS_SCI1_TEI1

```
#define IS_SCI1_TEI1 IS2
```

Definition at line 647 of file [iodef.h](#).

6.3.2.607 IS_SCI2_ERI2

```
#define IS_SCI2_ERI2 IS5
```

Definition at line 650 of file [iodef.h](#).

6.3.2.608 IS_SCI2_TEI2

```
#define IS_SCI2_TEI2 IS4
```

Definition at line 649 of file [iodef.h](#).

6.3.2.609 IS_SCI3_ERI3

```
#define IS_SCI3_ERI3 IS7
```

Definition at line 652 of file [iodef.h](#).

6.3.2.610 IS_SCI3_TEI3

```
#define IS_SCI3_TEI3 IS6
```

Definition at line 651 of file [iodef.h](#).

6.3.2.611 IS_SCI4_ERI4

```
#define IS_SCI4_ERI4 IS9
```

Definition at line 654 of file [iodef.h](#).

6.3.2.612 IS_SCI4_TEI4

```
#define IS_SCI4_TEI4 IS8
```

Definition at line 653 of file [iodef.h](#).

6.3.2.613 IS_SCI5_ERI5

```
#define IS_SCI5_ERI5 IS11
```

Definition at line 656 of file [iodef.h](#).

6.3.2.614 IS_SCI5_TEI5

```
#define IS_SCI5_TEI5 IS10
```

Definition at line 655 of file [iodefne.h](#).

6.3.2.615 IS_SCI6_ERI6

```
#define IS_SCI6_ERI6 IS13
```

Definition at line 658 of file [iodefne.h](#).

6.3.2.616 IS_SCI6_TEI6

```
#define IS_SCI6_TEI6 IS12
```

Definition at line 657 of file [iodefne.h](#).

6.3.2.617 IS_SCI7_ERI7

```
#define IS_SCI7_ERI7 IS23
```

Definition at line 713 of file [iodefne.h](#).

6.3.2.618 IS_SCI7_TEI7

```
#define IS_SCI7_TEI7 IS22
```

Definition at line 712 of file [iodefne.h](#).

6.3.2.619 IS_SCI8_ERI8

```
#define IS_SCI8_ERI8 IS1
```

Definition at line 699 of file [iodefne.h](#).

6.3.2.620 IS_SCI8_TEI8

```
#define IS_SCI8_TEI8 IS0
```

Definition at line 698 of file [iodefne.h](#).

6.3.2.621 IS_SCI9_ERI9

```
#define IS_SCI9_ERI9 IS5
```

Definition at line 701 of file [iodefne.h](#).

6.3.2.622 IS_SCI9_TEI9

```
#define IS_SCI9_TEI9 IS4
```

Definition at line 700 of file [iodef.h](#).

6.3.2.623 IS_SDHI_CACI

```
#define IS_SDHI_CACI IS4
```

Definition at line 673 of file [iodef.h](#).

6.3.2.624 IS_SDHI_CDETI

```
#define IS_SDHI_CDETI IS3
```

Definition at line 672 of file [iodef.h](#).

6.3.2.625 IS_SDHI_SDACI

```
#define IS_SDHI_SDACI IS5
```

Definition at line 674 of file [iodef.h](#).

6.3.2.626 IS_SSIE0_SSIF0

```
#define IS_SSIE0_SSIF0 IS17
```

Definition at line 686 of file [iodef.h](#).

6.3.2.627 IS_SSIE1_SSIF1

```
#define IS_SSIE1_SSIF1 IS18
```

Definition at line 687 of file [iodef.h](#).

6.3.2.628 IWDT

```
#define IWDT (*(volatile struct st_iwdt *)0x88030)
```

Definition at line 1053 of file [iodef.h](#).

6.3.2.629 MMCIF

```
#define MMCIF (*(volatile struct st_mmcif *)0x88500)
```

Definition at line 1054 of file [iodef.h](#).

6.3.2.630 MPC

```
#define MPC (*(volatile struct st_mpc *)0x8C100)
```

Definition at line 1055 of file [iodef.h](#).

Referenced by [route__gtioc0__to__p23__p17\(\)](#).

6.3.2.631 MPU

```
#define MPU (*(volatile struct st_mpu *)0x86400)
```

Definition at line 1056 of file [iodef.h](#).

6.3.2.632 MSTP

```
#define MSTP(  
    x)
```

Value:

```
_MSTP( _ ## x )
```

Definition at line 996 of file [iodef.h](#).

Referenced by [release__gptw__from__module__stop\(\)](#).

6.3.2.633 MSTP_CAC

```
#define MSTP_CAC SYSTEM.MSTPCRC.BIT.MSTPC19
```

Definition at line 629 of file [iodef.h](#).

6.3.2.634 MSTP_CAN0

```
#define MSTP_CAN0 SYSTEM.MSTPCRB.BIT.MSTPB0
```

Definition at line 616 of file [iodef.h](#).

6.3.2.635 MSTP_CAN1

```
#define MSTP_CAN1 SYSTEM.MSTPCRB.BIT.MSTPB1
```

Definition at line 615 of file [iodef.h](#).

6.3.2.636 MSTP_CAN2

```
#define MSTP_CAN2 SYSTEM.MSTPCRB.BIT.MSTPB2
```

Definition at line 614 of file [iodef.h](#).

6.3.2.637 MSTP_CMT0

```
#define MSTP_CMT0 SYSTEM.MSTPCRA.BIT.MSTPA15
```

Definition at line 539 of file [iodef.h](#).

6.3.2.638 MSTP_CMT1

```
#define MSTP_CMT1 SYSTEM.MSTPCRA.BIT.MSTPA15
```

Definition at line 540 of file [iodef.h](#).

6.3.2.639 MSTP_CMT2

```
#define MSTP_CMT2 SYSTEM.MSTPCRA.BIT.MSTPA14
```

Definition at line 541 of file [iodef.h](#).

6.3.2.640 MSTP_CMT3

```
#define MSTP_CMT3 SYSTEM.MSTPCRA.BIT.MSTPA14
```

Definition at line 542 of file [iodef.h](#).

6.3.2.641 MSTP_CMTW0

```
#define MSTP_CMTW0 SYSTEM.MSTPCRA.BIT.MSTPA1
```

Definition at line 574 of file [iodef.h](#).

6.3.2.642 MSTP_CMTW1

```
#define MSTP_CMTW1 SYSTEM.MSTPCRA.BIT.MSTPA0
```

Definition at line 575 of file [iodef.h](#).

6.3.2.643 MSTP_CRC

```
#define MSTP_CRC SYSTEM.MSTPCRB.BIT.MSTPB23
```

Definition at line 592 of file [iodef.h](#).

6.3.2.644 MSTP_DA

```
#define MSTP_DA SYSTEM.MSTPCRA.BIT.MSTPA19
```

Definition at line 536 of file [iodef.h](#).

6.3.2.645 MSTP_DMAC

```
#define MSTP_DMAC SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 526 of file [iodefine.h](#).

6.3.2.646 MSTP_DMAC0

```
#define MSTP_DMAC0 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 527 of file [iodefine.h](#).

6.3.2.647 MSTP_DMAC1

```
#define MSTP_DMAC1 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 528 of file [iodefine.h](#).

6.3.2.648 MSTP_DMAC2

```
#define MSTP_DMAC2 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 529 of file [iodefine.h](#).

6.3.2.649 MSTP_DMAC3

```
#define MSTP_DMAC3 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 530 of file [iodefine.h](#).

6.3.2.650 MSTP_DMAC4

```
#define MSTP_DMAC4 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 531 of file [iodefine.h](#).

6.3.2.651 MSTP_DMAC5

```
#define MSTP_DMAC5 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 532 of file [iodefine.h](#).

6.3.2.652 MSTP_DMAC6

```
#define MSTP_DMAC6 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 533 of file [iodefine.h](#).

6.3.2.653 MSTP_DMAC7

```
#define MSTP_DMAC7 SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 534 of file [iodef.h](#).

6.3.2.654 MSTP_DOC

```
#define MSTP_DOC SYSTEM.MSTPCRB.BIT.MSTPB6
```

Definition at line 611 of file [iodef.h](#).

6.3.2.655 MSTP_DRW2D

```
#define MSTP_DRW2D SYSTEM.MSTPCRC.BIT.MSTPC28
```

Definition at line 618 of file [iodef.h](#).

6.3.2.656 MSTP_DTC

```
#define MSTP_DTC SYSTEM.MSTPCRA.BIT.MSTPA28
```

Definition at line 535 of file [iodef.h](#).

6.3.2.657 MSTP_ECCRAM

```
#define MSTP_ECCRAM SYSTEM.MSTPCRC.BIT.MSTPC6
```

Definition at line 632 of file [iodef.h](#).

6.3.2.658 MSTP_EDMAC0

```
#define MSTP_EDMAC0 SYSTEM.MSTPCRB.BIT.MSTPB15
```

Definition at line 600 of file [iodef.h](#).

6.3.2.659 MSTP_EDMAC1

```
#define MSTP_EDMAC1 SYSTEM.MSTPCRB.BIT.MSTPB14
```

Definition at line 603 of file [iodef.h](#).

6.3.2.660 MSTP_ELC

```
#define MSTP_ELC SYSTEM.MSTPCRB.BIT.MSTPB9
```

Definition at line 609 of file [iodef.h](#).

6.3.2.661 MSTP_EPTPC

```
#define MSTP_EPTPC SYSTEM.MSTPCRB.BIT.MSTPB13
```

Definition at line 605 of file [iodefine.h](#).

6.3.2.662 MSTP_EPTPC0

```
#define MSTP_EPTPC0 SYSTEM.MSTPCRB.BIT.MSTPB13
```

Definition at line 606 of file [iodefine.h](#).

6.3.2.663 MSTP_EPTPC1

```
#define MSTP_EPTPC1 SYSTEM.MSTPCRB.BIT.MSTPB13
```

Definition at line 607 of file [iodefine.h](#).

6.3.2.664 MSTP_ETHERC0

```
#define MSTP_ETHERC0 SYSTEM.MSTPCRB.BIT.MSTPB15
```

Definition at line 599 of file [iodefine.h](#).

6.3.2.665 MSTP_ETHERC1

```
#define MSTP_ETHERC1 SYSTEM.MSTPCRB.BIT.MSTPB14
```

Definition at line 602 of file [iodefine.h](#).

6.3.2.666 MSTP_EXDMAC

```
#define MSTP_EXDMAC SYSTEM.MSTPCRA.BIT.MSTPA29
```

Definition at line 523 of file [iodefine.h](#).

6.3.2.667 MSTP_EXDMAC0

```
#define MSTP_EXDMAC0 SYSTEM.MSTPCRA.BIT.MSTPA29
```

Definition at line 524 of file [iodefine.h](#).

6.3.2.668 MSTP_EXDMAC1

```
#define MSTP_EXDMAC1 SYSTEM.MSTPCRA.BIT.MSTPA29
```

Definition at line 525 of file [iodefine.h](#).

6.3.2.669 MSTP_GLCDC

```
#define MSTP_GLCDC SYSTEM.MSTPCRC.BIT.MSTPC29
```

Definition at line 617 of file [iodef.h](#).

6.3.2.670 MSTP_GPTW

```
#define MSTP_GPTW SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 562 of file [iodef.h](#).

6.3.2.671 MSTP_GPTW0

```
#define MSTP_GPTW0 SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 563 of file [iodef.h](#).

6.3.2.672 MSTP_GPTW1

```
#define MSTP_GPTW1 SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 564 of file [iodef.h](#).

6.3.2.673 MSTP_GPTW2

```
#define MSTP_GPTW2 SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 565 of file [iodef.h](#).

6.3.2.674 MSTP_GPTW3

```
#define MSTP_GPTW3 SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 566 of file [iodef.h](#).

6.3.2.675 MSTP_MMCIF

```
#define MSTP_MMCIF SYSTEM.MSTPCRD.BIT.MSTPD21
```

Definition at line 636 of file [iodef.h](#).

6.3.2.676 MSTP_MTU

```
#define MSTP_MTU SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 552 of file [iodef.h](#).

6.3.2.677 MSTP_MTU0

```
#define MSTP_MTU0 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 553 of file [iodefine.h](#).

6.3.2.678 MSTP_MTU1

```
#define MSTP_MTU1 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 554 of file [iodefine.h](#).

6.3.2.679 MSTP_MTU2

```
#define MSTP_MTU2 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 555 of file [iodefine.h](#).

6.3.2.680 MSTP_MTU3

```
#define MSTP_MTU3 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 556 of file [iodefine.h](#).

6.3.2.681 MSTP_MTU4

```
#define MSTP_MTU4 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 557 of file [iodefine.h](#).

6.3.2.682 MSTP_MTU5

```
#define MSTP_MTU5 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 558 of file [iodefine.h](#).

6.3.2.683 MSTP_MTU6

```
#define MSTP_MTU6 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 559 of file [iodefine.h](#).

6.3.2.684 MSTP_MTU7

```
#define MSTP_MTU7 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 560 of file [iodefine.h](#).

6.3.2.685 MSTP_MTU8

```
#define MSTP_MTU8 SYSTEM.MSTPCRA.BIT.MSTPA9
```

Definition at line 561 of file [iodef.h](#).

6.3.2.686 MSTP_PDC

```
#define MSTP_PDC SYSTEM.MSTPCRB.BIT.MSTPB22
```

Definition at line 593 of file [iodef.h](#).

6.3.2.687 MSTP_PMGIO

```
#define MSTP_PMGIO SYSTEM.MSTPCRB.BIT.MSTPB15
```

Definition at line 601 of file [iodef.h](#).

6.3.2.688 MSTP_PMGII

```
#define MSTP_PMGII SYSTEM.MSTPCRB.BIT.MSTPB14
```

Definition at line 604 of file [iodef.h](#).

6.3.2.689 MSTP_POEG

```
#define MSTP_POEG SYSTEM.MSTPCRA.BIT.MSTPA7
```

Definition at line 567 of file [iodef.h](#).

6.3.2.690 MSTP_PPG0

```
#define MSTP_PPG0 SYSTEM.MSTPCRA.BIT.MSTPA11
```

Definition at line 550 of file [iodef.h](#).

6.3.2.691 MSTP_PPG1

```
#define MSTP_PPG1 SYSTEM.MSTPCRA.BIT.MSTPA10
```

Definition at line 551 of file [iodef.h](#).

6.3.2.692 MSTP_PTPEDMAC

```
#define MSTP_PTPEDMAC SYSTEM.MSTPCRB.BIT.MSTPB13
```

Definition at line 608 of file [iodef.h](#).

6.3.2.693 MSTP_QSPI

```
#define MSTP_QSPI SYSTEM.MSTPCRC.BIT.MSTPC23
```

Definition at line 627 of file [iodef.h](#).

6.3.2.694 MSTP_RAM0

```
#define MSTP_RAM0 SYSTEM.MSTPCRC.BIT.MSTPC0
```

Definition at line 634 of file [iodef.h](#).

6.3.2.695 MSTP_RAM2

```
#define MSTP_RAM2 SYSTEM.MSTPCRC.BIT.MSTPC2
```

Definition at line 633 of file [iodef.h](#).

6.3.2.696 MSTP_RIIC0

```
#define MSTP_RIIC0 SYSTEM.MSTPCRB.BIT.MSTPB21
```

Definition at line 594 of file [iodef.h](#).

6.3.2.697 MSTP_RIIC1

```
#define MSTP_RIIC1 SYSTEM.MSTPCRB.BIT.MSTPB20
```

Definition at line 595 of file [iodef.h](#).

6.3.2.698 MSTP_RIIC2

```
#define MSTP_RIIC2 SYSTEM.MSTPCRC.BIT.MSTPC17
```

Definition at line 630 of file [iodef.h](#).

6.3.2.699 MSTP_RSPI0

```
#define MSTP_RSPI0 SYSTEM.MSTPCRB.BIT.MSTPB17
```

Definition at line 597 of file [iodef.h](#).

6.3.2.700 MSTP_RSPI1

```
#define MSTP_RSPI1 SYSTEM.MSTPCRB.BIT.MSTPB16
```

Definition at line 598 of file [iodef.h](#).

6.3.2.701 MSTP_RSPI2

```
#define MSTP_RSPI2 SYSTEM.MSTPCRC.BIT.MSTPC22
```

Definition at line 628 of file [iodef.h](#).

6.3.2.702 MSTP_S12AD

```
#define MSTP_S12AD SYSTEM.MSTPCRA.BIT.MSTPA17
```

Definition at line 537 of file [iodef.h](#).

6.3.2.703 MSTP_S12AD1

```
#define MSTP_S12AD1 SYSTEM.MSTPCRA.BIT.MSTPA16
```

Definition at line 538 of file [iodef.h](#).

6.3.2.704 MSTP_SCI0

```
#define MSTP_SCI0 SYSTEM.MSTPCRB.BIT.MSTPB31
```

Definition at line 576 of file [iodef.h](#).

6.3.2.705 MSTP_SCI1

```
#define MSTP_SCI1 SYSTEM.MSTPCRB.BIT.MSTPB30
```

Definition at line 578 of file [iodef.h](#).

6.3.2.706 MSTP_SCI10

```
#define MSTP_SCI10 SYSTEM.MSTPCRC.BIT.MSTPC25
```

Definition at line 623 of file [iodef.h](#).

6.3.2.707 MSTP_SCI11

```
#define MSTP_SCI11 SYSTEM.MSTPCRC.BIT.MSTPC24
```

Definition at line 625 of file [iodef.h](#).

6.3.2.708 MSTP_SCI12

```
#define MSTP_SCI12 SYSTEM.MSTPCRB.BIT.MSTPB4
```

Definition at line 612 of file [iodef.h](#).

6.3.2.709 MSTP_SCI2

```
#define MSTP_SCI2 SYSTEM.MSTPCRB.BIT.MSTPB29
```

Definition at line 580 of file [iodefine.h](#).

6.3.2.710 MSTP_SCI3

```
#define MSTP_SCI3 SYSTEM.MSTPCRB.BIT.MSTPB28
```

Definition at line 582 of file [iodefine.h](#).

6.3.2.711 MSTP_SCI4

```
#define MSTP_SCI4 SYSTEM.MSTPCRB.BIT.MSTPB27
```

Definition at line 584 of file [iodefine.h](#).

6.3.2.712 MSTP_SCI5

```
#define MSTP_SCI5 SYSTEM.MSTPCRB.BIT.MSTPB26
```

Definition at line 586 of file [iodefine.h](#).

6.3.2.713 MSTP_SCI6

```
#define MSTP_SCI6 SYSTEM.MSTPCRB.BIT.MSTPB25
```

Definition at line 588 of file [iodefine.h](#).

6.3.2.714 MSTP_SCI7

```
#define MSTP_SCI7 SYSTEM.MSTPCRB.BIT.MSTPB24
```

Definition at line 590 of file [iodefine.h](#).

6.3.2.715 MSTP_SCI8

```
#define MSTP_SCI8 SYSTEM.MSTPCRC.BIT.MSTPC27
```

Definition at line 619 of file [iodefine.h](#).

6.3.2.716 MSTP_SCI9

```
#define MSTP_SCI9 SYSTEM.MSTPCRC.BIT.MSTPC26
```

Definition at line 621 of file [iodefine.h](#).

6.3.2.717 MSTP_SDHI

```
#define MSTP_SDHI SYSTEM.MSTPCRD.BIT.MSTPD19
```

Definition at line 637 of file [iodef.h](#).

6.3.2.718 MSTP_SMCI0

```
#define MSTP_SMCI0 SYSTEM.MSTPCRB.BIT.MSTPB31
```

Definition at line 577 of file [iodef.h](#).

6.3.2.719 MSTP_SMCI1

```
#define MSTP_SMCI1 SYSTEM.MSTPCRB.BIT.MSTPB30
```

Definition at line 579 of file [iodef.h](#).

6.3.2.720 MSTP_SMCI10

```
#define MSTP_SMCI10 SYSTEM.MSTPCRC.BIT.MSTPC25
```

Definition at line 624 of file [iodef.h](#).

6.3.2.721 MSTP_SMCI11

```
#define MSTP_SMCI11 SYSTEM.MSTPCRC.BIT.MSTPC24
```

Definition at line 626 of file [iodef.h](#).

6.3.2.722 MSTP_SMCI12

```
#define MSTP_SMCI12 SYSTEM.MSTPCRB.BIT.MSTPB4
```

Definition at line 613 of file [iodef.h](#).

6.3.2.723 MSTP_SMCI2

```
#define MSTP_SMCI2 SYSTEM.MSTPCRB.BIT.MSTPB29
```

Definition at line 581 of file [iodef.h](#).

6.3.2.724 MSTP_SMCI3

```
#define MSTP_SMCI3 SYSTEM.MSTPCRB.BIT.MSTPB28
```

Definition at line 583 of file [iodef.h](#).

6.3.2.725 MSTP_SMC14

```
#define MSTP_SMC14 SYSTEM.MSTPCRB.BIT.MSTPB27
```

Definition at line 585 of file [iodefine.h](#).

6.3.2.726 MSTP_SMC15

```
#define MSTP_SMC15 SYSTEM.MSTPCRB.BIT.MSTPB26
```

Definition at line 587 of file [iodefine.h](#).

6.3.2.727 MSTP_SMC16

```
#define MSTP_SMC16 SYSTEM.MSTPCRB.BIT.MSTPB25
```

Definition at line 589 of file [iodefine.h](#).

6.3.2.728 MSTP_SMC17

```
#define MSTP_SMC17 SYSTEM.MSTPCRB.BIT.MSTPB24
```

Definition at line 591 of file [iodefine.h](#).

6.3.2.729 MSTP_SMC18

```
#define MSTP_SMC18 SYSTEM.MSTPCRC.BIT.MSTPC27
```

Definition at line 620 of file [iodefine.h](#).

6.3.2.730 MSTP_SMC19

```
#define MSTP_SMC19 SYSTEM.MSTPCRC.BIT.MSTPC26
```

Definition at line 622 of file [iodefine.h](#).

6.3.2.731 MSTP_SSIE0

```
#define MSTP_SSIE0 SYSTEM.MSTPCRD.BIT.MSTPD15
```

Definition at line 638 of file [iodefine.h](#).

6.3.2.732 MSTP_SSIE1

```
#define MSTP_SSIE1 SYSTEM.MSTPCRD.BIT.MSTPD14
```

Definition at line 639 of file [iodefine.h](#).

6.3.2.733 MSTP_STBYRAM

```
#define MSTP_STBYRAM SYSTEM.MSTPCRC.BIT.MSTPC7
```

Definition at line 631 of file [iodef.h](#).

6.3.2.734 MSTP_TEMPS

```
#define MSTP_TEMPS SYSTEM.MSTPCRB.BIT.MSTPB8
```

Definition at line 610 of file [iodef.h](#).

6.3.2.735 MSTP_TMR0

```
#define MSTP_TMR0 SYSTEM.MSTPCRA.BIT.MSTPA5
```

Definition at line 568 of file [iodef.h](#).

6.3.2.736 MSTP_TMR01

```
#define MSTP_TMR01 SYSTEM.MSTPCRA.BIT.MSTPA5
```

Definition at line 570 of file [iodef.h](#).

6.3.2.737 MSTP_TMR1

```
#define MSTP_TMR1 SYSTEM.MSTPCRA.BIT.MSTPA5
```

Definition at line 569 of file [iodef.h](#).

6.3.2.738 MSTP_TMR2

```
#define MSTP_TMR2 SYSTEM.MSTPCRA.BIT.MSTPA4
```

Definition at line 571 of file [iodef.h](#).

6.3.2.739 MSTP_TMR23

```
#define MSTP_TMR23 SYSTEM.MSTPCRA.BIT.MSTPA4
```

Definition at line 573 of file [iodef.h](#).

6.3.2.740 MSTP_TMR3

```
#define MSTP_TMR3 SYSTEM.MSTPCRA.BIT.MSTPA4
```

Definition at line 572 of file [iodef.h](#).

6.3.2.741 MSTP_TPU0

```
#define MSTP_TPU0 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 543 of file [iodefine.h](#).

6.3.2.742 MSTP_TPU1

```
#define MSTP_TPU1 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 544 of file [iodefine.h](#).

6.3.2.743 MSTP_TPU2

```
#define MSTP_TPU2 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 545 of file [iodefine.h](#).

6.3.2.744 MSTP_TPU3

```
#define MSTP_TPU3 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 546 of file [iodefine.h](#).

6.3.2.745 MSTP_TPU4

```
#define MSTP_TPU4 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 547 of file [iodefine.h](#).

6.3.2.746 MSTP_TPU5

```
#define MSTP_TPU5 SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 548 of file [iodefine.h](#).

6.3.2.747 MSTP_TPUA

```
#define MSTP_TPUA SYSTEM.MSTPCRA.BIT.MSTPA13
```

Definition at line 549 of file [iodefine.h](#).

6.3.2.748 MSTP_TSIP

```
#define MSTP_TSIP SYSTEM.MSTPCRD.BIT.MSTPD27
```

Definition at line 635 of file [iodefine.h](#).

6.3.2.749 MSTP_USB0

```
#define MSTP_USB0 SYSTEM.MSTPCRB.BIT.MSTPB19
```

Definition at line 596 of file [iodef.h](#).

6.3.2.750 MTU

```
#define MTU (*(volatile struct st_mtu *)0xC120A)
```

Definition at line 1057 of file [iodef.h](#).

6.3.2.751 MTU0

```
#define MTU0 (*(volatile struct st_mtu0 *)0xC1290)
```

Definition at line 1058 of file [iodef.h](#).

6.3.2.752 MTU1

```
#define MTU1 (*(volatile struct st_mtu1 *)0xC1290)
```

Definition at line 1059 of file [iodef.h](#).

6.3.2.753 MTU2

```
#define MTU2 (*(volatile struct st_mtu2 *)0xC1292)
```

Definition at line 1060 of file [iodef.h](#).

6.3.2.754 MTU3

```
#define MTU3 (*(volatile struct st_mtu3 *)0xC1200)
```

Definition at line 1061 of file [iodef.h](#).

6.3.2.755 MTU4

```
#define MTU4 (*(volatile struct st_mtu4 *)0xC1200)
```

Definition at line 1062 of file [iodef.h](#).

6.3.2.756 MTU5

```
#define MTU5 (*(volatile struct st_mtu5 *)0xC1A94)
```

Definition at line 1063 of file [iodef.h](#).

6.3.2.757 MTU6

```
#define MTU6 (*(volatile struct st__mtu6 *)0xC1A00)
```

Definition at line [1064](#) of file [iodefne.h](#).

6.3.2.758 MTU7

```
#define MTU7 (*(volatile struct st__mtu7 *)0xC1A00)
```

Definition at line [1065](#) of file [iodefne.h](#).

6.3.2.759 MTU8

```
#define MTU8 (*(volatile struct st__mtu8 *)0xC1298)
```

Definition at line [1066](#) of file [iodefne.h](#).

6.3.2.760 OFSM

```
#define OFSM (*(volatile struct st__ofsm *)0xFE7F5D00)
```

Definition at line [1067](#) of file [iodefne.h](#).

6.3.2.761 PDC

```
#define PDC (*(volatile struct st__pdc *)0xA0500)
```

Definition at line [1068](#) of file [iodefne.h](#).

6.3.2.762 PMGI0

```
#define PMGI0 (*(volatile struct st__pmgi *)0xC5880)
```

Definition at line [1069](#) of file [iodefne.h](#).

6.3.2.763 PMGI1

```
#define PMGI1 (*(volatile struct st__pmgi *)0xC5890)
```

Definition at line [1070](#) of file [iodefne.h](#).

6.3.2.764 POE3

```
#define POE3 (*(volatile struct st__poe *)0x8C4C0)
```

Definition at line [1071](#) of file [iodefne.h](#).

6.3.2.765 POEG

```
#define POEG (*(volatile struct st_poeg *)0x9E000)
```

Definition at line 1072 of file [iodef.h](#).

6.3.2.766 PORT0

```
#define PORT0 (*(volatile struct st_port0 *)0x8C000)
```

Definition at line 1073 of file [iodef.h](#).

6.3.2.767 PORT1

```
#define PORT1 (*(volatile struct st_port1 *)0x8C001)
```

Definition at line 1074 of file [iodef.h](#).

Referenced by [route_gtioc0_to_p23_p17\(\)](#).

6.3.2.768 PORT2

```
#define PORT2 (*(volatile struct st_port2 *)0x8C002)
```

Definition at line 1075 of file [iodef.h](#).

Referenced by [route_gtioc0_to_p23_p17\(\)](#).

6.3.2.769 PORT3

```
#define PORT3 (*(volatile struct st_port3 *)0x8C003)
```

Definition at line 1076 of file [iodef.h](#).

6.3.2.770 PORT4

```
#define PORT4 (*(volatile struct st_port4 *)0x8C004)
```

Definition at line 1077 of file [iodef.h](#).

6.3.2.771 PORT5

```
#define PORT5 (*(volatile struct st_port5 *)0x8C005)
```

Definition at line 1078 of file [iodef.h](#).

6.3.2.772 PORT6

```
#define PORT6 (*(volatile struct st_port6 *)0x8C006)
```

Definition at line [1079](#) of file [iodefine.h](#).

6.3.2.773 PORT7

```
#define PORT7 (*(volatile struct st_port7 *)0x8C007)
```

Definition at line [1080](#) of file [iodefine.h](#).

6.3.2.774 PORT8

```
#define PORT8 (*(volatile struct st_port8 *)0x8C008)
```

Definition at line [1081](#) of file [iodefine.h](#).

6.3.2.775 PORT9

```
#define PORT9 (*(volatile struct st_port9 *)0x8C009)
```

Definition at line [1082](#) of file [iodefine.h](#).

6.3.2.776 PORTA

```
#define PORTA (*(volatile struct st_porta *)0x8C00A)
```

Definition at line [1083](#) of file [iodefine.h](#).

Referenced by [run_pwm_sweep_forever\(\)](#).

6.3.2.777 PORTB

```
#define PORTB (*(volatile struct st_portb *)0x8C00B)
```

Definition at line [1084](#) of file [iodefine.h](#).

6.3.2.778 PORTC

```
#define PORTC (*(volatile struct st_portc *)0x8C00C)
```

Definition at line [1085](#) of file [iodefine.h](#).

6.3.2.779 PORTD

```
#define PORTD (*(volatile struct st_portd *)0x8C00D)
```

Definition at line 1086 of file [iodef.h](#).

6.3.2.780 PORTE

```
#define PORTE (*(volatile struct st_porte *)0x8C00E)
```

Definition at line 1087 of file [iodef.h](#).

6.3.2.781 PORTF

```
#define PORTF (*(volatile struct st_portf *)0x8C00F)
```

Definition at line 1088 of file [iodef.h](#).

6.3.2.782 PORTG

```
#define PORTG (*(volatile struct st_portg *)0x8C010)
```

Definition at line 1089 of file [iodef.h](#).

6.3.2.783 PORTH

```
#define PORTH (*(volatile struct st_porth *)0x8C011)
```

Definition at line 1090 of file [iodef.h](#).

6.3.2.784 PORTJ

```
#define PORTJ (*(volatile struct st_portj *)0x8C012)
```

Definition at line 1091 of file [iodef.h](#).

6.3.2.785 PORTK

```
#define PORTK (*(volatile struct st_portk *)0x8C013)
```

Definition at line 1092 of file [iodef.h](#).

6.3.2.786 PORTL

```
#define PORTL (*(volatile struct st_portl *)0x8C014)
```

Definition at line 1093 of file [iodef.h](#).

6.3.2.787 PORTM

```
#define PORTM (*(volatile struct st_portm *)0x8C015)
```

Definition at line [1094](#) of file [iodefine.h](#).

6.3.2.788 PORTN

```
#define PORTN (*(volatile struct st_portn *)0x8C016)
```

Definition at line [1095](#) of file [iodefine.h](#).

6.3.2.789 PORTQ

```
#define PORTQ (*(volatile struct st_portq *)0x8C017)
```

Definition at line [1096](#) of file [iodefine.h](#).

6.3.2.790 PPG0

```
#define PPG0 (*(volatile struct st_ppg0 *)0x881E6)
```

Definition at line [1097](#) of file [iodefine.h](#).

6.3.2.791 PPG1

```
#define PPG1 (*(volatile struct st_ppg1 *)0x881F0)
```

Definition at line [1098](#) of file [iodefine.h](#).

6.3.2.792 PTPEDMAC

```
#define PTPEDMAC (*(volatile struct st_ptpedmac *)0xC0400)
```

Definition at line [1099](#) of file [iodefine.h](#).

6.3.2.793 QSPI

```
#define QSPI (*(volatile struct st_qspi *)0x89E00)
```

Definition at line [1100](#) of file [iodefine.h](#).

6.3.2.794 RAM

```
#define RAM (*(volatile struct st_ram *)0x81200)
```

Definition at line [1101](#) of file [iodefine.h](#).

6.3.2.795 RIIC0

```
#define RIIC0 (*(volatile struct st_riic *)0x88300)
```

Definition at line 1102 of file [iodefine.h](#).

6.3.2.796 RIIC1

```
#define RIIC1 (*(volatile struct st_riic *)0x88320)
```

Definition at line 1103 of file [iodefine.h](#).

6.3.2.797 RIIC2

```
#define RIIC2 (*(volatile struct st_riic *)0x88340)
```

Definition at line 1104 of file [iodefine.h](#).

6.3.2.798 RSPI0

```
#define RSPI0 (*(volatile struct st_rspi *)0xD0100)
```

Definition at line 1105 of file [iodefine.h](#).

6.3.2.799 RSPI1

```
#define RSPI1 (*(volatile struct st_rspi *)0xD0140)
```

Definition at line 1106 of file [iodefine.h](#).

6.3.2.800 RSPI2

```
#define RSPI2 (*(volatile struct st_rspi *)0xD0300)
```

Definition at line 1107 of file [iodefine.h](#).

6.3.2.801 RTC

```
#define RTC (*(volatile struct st_rtc *)0x8C400)
```

Definition at line 1108 of file [iodefine.h](#).

6.3.2.802 S12AD

```
#define S12AD (*(volatile struct st_s12ad *)0x89000)
```

Definition at line 1109 of file [iodefine.h](#).

6.3.2.803 S12AD1

```
#define S12AD1 (*(volatile struct st_s12ad1 *)0x89100)
```

Definition at line 1110 of file [iodefine.h](#).

6.3.2.804 SCI0

```
#define SCI0 (*(volatile struct st_sci0 *)0x8A000)
```

Definition at line 1111 of file [iodefine.h](#).

6.3.2.805 SCI1

```
#define SCI1 (*(volatile struct st_sci0 *)0x8A020)
```

Definition at line 1112 of file [iodefine.h](#).

6.3.2.806 SCI10

```
#define SCI10 (*(volatile struct st_sci7 *)0xD0040)
```

Definition at line 1121 of file [iodefine.h](#).

6.3.2.807 SCI11

```
#define SCI11 (*(volatile struct st_sci7 *)0xD0060)
```

Definition at line 1122 of file [iodefine.h](#).

6.3.2.808 SCI12

```
#define SCI12 (*(volatile struct st_sci12 *)0x8B300)
```

Definition at line 1123 of file [iodefine.h](#).

6.3.2.809 SCI2

```
#define SCI2 (*(volatile struct st_sci0 *)0x8A040)
```

Definition at line 1113 of file [iodefine.h](#).

6.3.2.810 SCI3

```
#define SCI3 (*(volatile struct st_sci0 *)0x8A060)
```

Definition at line 1114 of file [iodefine.h](#).

6.3.2.811 SCI4

```
#define SCI4 (*(volatile struct st_sci0 *)0x8A080)
```

Definition at line 1115 of file [iodef.h](#).

6.3.2.812 SCI5

```
#define SCI5 (*(volatile struct st_sci0 *)0x8A0A0)
```

Definition at line 1116 of file [iodef.h](#).

6.3.2.813 SCI6

```
#define SCI6 (*(volatile struct st_sci0 *)0x8A0C0)
```

Definition at line 1117 of file [iodef.h](#).

6.3.2.814 SCI7

```
#define SCI7 (*(volatile struct st_sci7 *)0xD00E0)
```

Definition at line 1118 of file [iodef.h](#).

6.3.2.815 SCI8

```
#define SCI8 (*(volatile struct st_sci7 *)0xD0000)
```

Definition at line 1119 of file [iodef.h](#).

6.3.2.816 SCI9

```
#define SCI9 (*(volatile struct st_sci7 *)0xD0020)
```

Definition at line 1120 of file [iodef.h](#).

6.3.2.817 SDHI

```
#define SDHI (*(volatile struct st_sdhi *)0x8AC00)
```

Definition at line 1124 of file [iodef.h](#).

6.3.2.818 SMCI0

```
#define SMCI0 (*(volatile struct st_smci *)0x8A000)
```

Definition at line 1125 of file [iodef.h](#).

6.3.2.819 SMCI1

```
#define SMCI1 (*(volatile struct st_smci *)0x8A020)
```

Definition at line 1126 of file [iodefine.h](#).

6.3.2.820 SMCI10

```
#define SMCI10 (*(volatile struct st_smci *)0xD0040)
```

Definition at line 1135 of file [iodefine.h](#).

6.3.2.821 SMCI11

```
#define SMCI11 (*(volatile struct st_smci *)0xD0060)
```

Definition at line 1136 of file [iodefine.h](#).

6.3.2.822 SMCI12

```
#define SMCI12 (*(volatile struct st_smci *)0x8B300)
```

Definition at line 1137 of file [iodefine.h](#).

6.3.2.823 SMCI2

```
#define SMCI2 (*(volatile struct st_smci *)0x8A040)
```

Definition at line 1127 of file [iodefine.h](#).

6.3.2.824 SMCI3

```
#define SMCI3 (*(volatile struct st_smci *)0x8A060)
```

Definition at line 1128 of file [iodefine.h](#).

6.3.2.825 SMCI4

```
#define SMCI4 (*(volatile struct st_smci *)0x8A080)
```

Definition at line 1129 of file [iodefine.h](#).

6.3.2.826 SMCI5

```
#define SMCI5 (*(volatile struct st_smci *)0x8A0A0)
```

Definition at line 1130 of file [iodefine.h](#).

6.3.2.827 SMCI6

```
#define SMCI6 (*(volatile struct st_smci *)0x8A0C0)
```

Definition at line 1131 of file [iodef.h](#).

6.3.2.828 SMCI7

```
#define SMCI7 (*(volatile struct st_smci *)0xD00E0)
```

Definition at line 1132 of file [iodef.h](#).

6.3.2.829 SMCI8

```
#define SMCI8 (*(volatile struct st_smci *)0xD0000)
```

Definition at line 1133 of file [iodef.h](#).

6.3.2.830 SMCI9

```
#define SMCI9 (*(volatile struct st_smci *)0xD0020)
```

Definition at line 1134 of file [iodef.h](#).

6.3.2.831 SSIE0

```
#define SSIE0 (*(volatile struct st_ssie *)0x8A500)
```

Definition at line 1138 of file [iodef.h](#).

6.3.2.832 SSIE1

```
#define SSIE1 (*(volatile struct st_ssie *)0x8A540)
```

Definition at line 1139 of file [iodef.h](#).

6.3.2.833 SYSTEM

```
#define SYSTEM (*(volatile struct st_system *)0x80000)
```

Definition at line 1140 of file [iodef.h](#).

Referenced by [clock_init\(\)](#), and [release_gptw_from_module_stop\(\)](#).

6.3.2.834 TEMPS

```
#define TEMPS (*(volatile struct st_temps *)0x8C500)
```

Definition at line 1141 of file [iodefine.h](#).

6.3.2.835 TEMPSCONST

```
#define TEMPSCONST (*(volatile struct st_tempsconst *)0xFE7F7D7C)
```

Definition at line 1159 of file [iodefine.h](#).

6.3.2.836 TMR0

```
#define TMR0 (*(volatile struct st_tmr0 *)0x88200)
```

Definition at line 1142 of file [iodefine.h](#).

6.3.2.837 TMR01

```
#define TMR01 (*(volatile struct st_tmr01 *)0x88204)
```

Definition at line 1146 of file [iodefine.h](#).

6.3.2.838 TMR1

```
#define TMR1 (*(volatile struct st_tmr1 *)0x88201)
```

Definition at line 1143 of file [iodefine.h](#).

6.3.2.839 TMR2

```
#define TMR2 (*(volatile struct st_tmr0 *)0x88210)
```

Definition at line 1144 of file [iodefine.h](#).

6.3.2.840 TMR23

```
#define TMR23 (*(volatile struct st_tmr01 *)0x88214)
```

Definition at line 1147 of file [iodefine.h](#).

6.3.2.841 TMR3

```
#define TMR3 (*(volatile struct st_tmr1 *)0x88211)
```

Definition at line 1145 of file [iodefine.h](#).

6.3.2.842 TPU0

```
#define TPU0 (*(volatile struct st_tpu0 *)0x88108)
```

Definition at line 1148 of file [iodef.h](#).

6.3.2.843 TPU1

```
#define TPU1 (*(volatile struct st_tpu1 *)0x88108)
```

Definition at line 1149 of file [iodef.h](#).

6.3.2.844 TPU2

```
#define TPU2 (*(volatile struct st_tpu2 *)0x8810A)
```

Definition at line 1150 of file [iodef.h](#).

6.3.2.845 TPU3

```
#define TPU3 (*(volatile struct st_tpu3 *)0x8810A)
```

Definition at line 1151 of file [iodef.h](#).

6.3.2.846 TPU4

```
#define TPU4 (*(volatile struct st_tpu4 *)0x8810C)
```

Definition at line 1152 of file [iodef.h](#).

6.3.2.847 TPU5

```
#define TPU5 (*(volatile struct st_tpu5 *)0x8810C)
```

Definition at line 1153 of file [iodef.h](#).

6.3.2.848 TPUA

```
#define TPUA (*(volatile struct st_tpua *)0x88100)
```

Definition at line 1154 of file [iodef.h](#).

6.3.2.849 USB

```
#define USB (*(volatile struct st_usb *)0xA0400)
```

Definition at line 1155 of file [iodef.h](#).

6.3.2.850 USB0

```
#define USB0 (*(volatile struct st_usb0 *)0xA0000)
```

Definition at line 1156 of file [iodefne.h](#).

6.3.2.851 VECT

```
#define VECT(  
    x,  
    y)
```

Value:

```
_VECT( _ ## x ## _ ## y )
```

Definition at line 993 of file [iodefne.h](#).

6.3.2.852 VECT_BSC_BUSERR

```
#define VECT_BSC_BUSERR 16
```

Definition at line 298 of file [iodefne.h](#).

6.3.2.853 VECT_CMT0_CMI0

```
#define VECT_CMT0_CMI0 28
```

Definition at line 305 of file [iodefne.h](#).

6.3.2.854 VECT_CMT1_CMI1

```
#define VECT_CMT1_CMI1 29
```

Definition at line 306 of file [iodefne.h](#).

6.3.2.855 VECT_CMTW0_CMWI0

```
#define VECT_CMTW0_CMWI0 30
```

Definition at line 307 of file [iodefne.h](#).

6.3.2.856 VECT_CMTW1_CMWI1

```
#define VECT_CMTW1_CMWI1 31
```

Definition at line 308 of file [iodefne.h](#).

6.3.2.857 VECT_DMACH0I

```
#define VECT_DMACH0I 120
```

Definition at line 386 of file [iodef.h](#).

6.3.2.858 VECT_DMACH1I

```
#define VECT_DMACH1I 121
```

Definition at line 387 of file [iodef.h](#).

6.3.2.859 VECT_DMACH2I

```
#define VECT_DMACH2I 122
```

Definition at line 388 of file [iodef.h](#).

6.3.2.860 VECT_DMACH3I

```
#define VECT_DMACH3I 123
```

Definition at line 389 of file [iodef.h](#).

6.3.2.861 VECT_DMACH74I

```
#define VECT_DMACH74I 124
```

Definition at line 390 of file [iodef.h](#).

6.3.2.862 VECT_EXDMACH0I

```
#define VECT_EXDMACH0I 126
```

Definition at line 392 of file [iodef.h](#).

6.3.2.863 VECT_EXDMACH1I

```
#define VECT_EXDMACH1I 127
```

Definition at line 393 of file [iodef.h](#).

6.3.2.864 VECT_FCU_FIFERR

```
#define VECT_FCU_FIFERR 21
```

Definition at line 301 of file [iodef.h](#).

6.3.2.865 VECT_FCU_FRDYI

```
#define VECT_FCU_FRDYI 23
```

Definition at line [302](#) of file [iodefine.h](#).

6.3.2.866 VECT_ICU_GROUPAL0

```
#define VECT_ICU_GROUPAL0 112
```

Definition at line [380](#) of file [iodefine.h](#).

6.3.2.867 VECT_ICU_GROUPAL1

```
#define VECT_ICU_GROUPAL1 113
```

Definition at line [381](#) of file [iodefine.h](#).

6.3.2.868 VECT_ICU_GROUPBE0

```
#define VECT_ICU_GROUPBE0 106
```

Definition at line [374](#) of file [iodefine.h](#).

6.3.2.869 VECT_ICU_GROUPBL0

```
#define VECT_ICU_GROUPBL0 110
```

Definition at line [378](#) of file [iodefine.h](#).

6.3.2.870 VECT_ICU_GROUPBL1

```
#define VECT_ICU_GROUPBL1 111
```

Definition at line [379](#) of file [iodefine.h](#).

6.3.2.871 VECT_ICU_GROUPBL2

```
#define VECT_ICU_GROUPBL2 107
```

Definition at line [375](#) of file [iodefine.h](#).

6.3.2.872 VECT_ICU_GROUPIE0

```
#define VECT_ICU_GROUPIE0 17
```

Definition at line [299](#) of file [iodefine.h](#).

6.3.2.873 VECT_ICU_IRQ0

```
#define VECT_ICU_IRQ0 64
```

Definition at line 334 of file [iodef.h](#).

6.3.2.874 VECT_ICU_IRQ1

```
#define VECT_ICU_IRQ1 65
```

Definition at line 335 of file [iodef.h](#).

6.3.2.875 VECT_ICU_IRQ10

```
#define VECT_ICU_IRQ10 74
```

Definition at line 344 of file [iodef.h](#).

6.3.2.876 VECT_ICU_IRQ11

```
#define VECT_ICU_IRQ11 75
```

Definition at line 345 of file [iodef.h](#).

6.3.2.877 VECT_ICU_IRQ12

```
#define VECT_ICU_IRQ12 76
```

Definition at line 346 of file [iodef.h](#).

6.3.2.878 VECT_ICU_IRQ13

```
#define VECT_ICU_IRQ13 77
```

Definition at line 347 of file [iodef.h](#).

6.3.2.879 VECT_ICU_IRQ14

```
#define VECT_ICU_IRQ14 78
```

Definition at line 348 of file [iodef.h](#).

6.3.2.880 VECT_ICU_IRQ15

```
#define VECT_ICU_IRQ15 79
```

Definition at line 349 of file [iodef.h](#).

6.3.2.881 VECT_ICU_IRQ2

```
#define VECT_ICU_IRQ2 66
```

Definition at line [336](#) of file [iodefine.h](#).

6.3.2.882 VECT_ICU_IRQ3

```
#define VECT_ICU_IRQ3 67
```

Definition at line [337](#) of file [iodefine.h](#).

6.3.2.883 VECT_ICU_IRQ4

```
#define VECT_ICU_IRQ4 68
```

Definition at line [338](#) of file [iodefine.h](#).

6.3.2.884 VECT_ICU_IRQ5

```
#define VECT_ICU_IRQ5 69
```

Definition at line [339](#) of file [iodefine.h](#).

6.3.2.885 VECT_ICU_IRQ6

```
#define VECT_ICU_IRQ6 70
```

Definition at line [340](#) of file [iodefine.h](#).

6.3.2.886 VECT_ICU_IRQ7

```
#define VECT_ICU_IRQ7 71
```

Definition at line [341](#) of file [iodefine.h](#).

6.3.2.887 VECT_ICU_IRQ8

```
#define VECT_ICU_IRQ8 72
```

Definition at line [342](#) of file [iodefine.h](#).

6.3.2.888 VECT_ICU_IRQ9

```
#define VECT_ICU_IRQ9 73
```

Definition at line [343](#) of file [iodefine.h](#).

6.3.2.889 VECT_ICU_SWINT

```
#define VECT_ICU_SWINT 27
```

Definition at line 304 of file [iodef.h](#).

6.3.2.890 VECT_ICU_SWINT2

```
#define VECT_ICU_SWINT2 26
```

Definition at line 303 of file [iodef.h](#).

6.3.2.891 VECT_IWDT_IWUNI

```
#define VECT_IWDT_IWUNI 95
```

Definition at line 363 of file [iodef.h](#).

6.3.2.892 VECT_LVD1_LVD1

```
#define VECT_LVD1_LVD1 88
```

Definition at line 358 of file [iodef.h](#).

6.3.2.893 VECT_LVD2_LVD2

```
#define VECT_LVD2_LVD2 89
```

Definition at line 359 of file [iodef.h](#).

6.3.2.894 VECT_MMCIF_MBFAI

```
#define VECT_MMCIF_MBFAI 45
```

Definition at line 318 of file [iodef.h](#).

6.3.2.895 VECT_OST_OSTDI

```
#define VECT_OST_OSTDI 125
```

Definition at line 391 of file [iodef.h](#).

6.3.2.896 VECT_PDC_PCDFI

```
#define VECT_PDC_PCDFI 97
```

Definition at line 365 of file [iodef.h](#).

6.3.2.897 VECT_PERIA_INTA208

```
#define VECT_PERIA_INTA208 208
```

Definition at line [474](#) of file [iodefine.h](#).

6.3.2.898 VECT_PERIA_INTA209

```
#define VECT_PERIA_INTA209 209
```

Definition at line [475](#) of file [iodefine.h](#).

6.3.2.899 VECT_PERIA_INTA210

```
#define VECT_PERIA_INTA210 210
```

Definition at line [476](#) of file [iodefine.h](#).

6.3.2.900 VECT_PERIA_INTA211

```
#define VECT_PERIA_INTA211 211
```

Definition at line [477](#) of file [iodefine.h](#).

6.3.2.901 VECT_PERIA_INTA212

```
#define VECT_PERIA_INTA212 212
```

Definition at line [478](#) of file [iodefine.h](#).

6.3.2.902 VECT_PERIA_INTA213

```
#define VECT_PERIA_INTA213 213
```

Definition at line [479](#) of file [iodefine.h](#).

6.3.2.903 VECT_PERIA_INTA214

```
#define VECT_PERIA_INTA214 214
```

Definition at line [480](#) of file [iodefine.h](#).

6.3.2.904 VECT_PERIA_INTA215

```
#define VECT_PERIA_INTA215 215
```

Definition at line [481](#) of file [iodefine.h](#).

6.3.2.905 VECT_PERIA_INTA216

```
#define VECT_PERIA_INTA216 216
```

Definition at line 482 of file [iodef.h](#).

6.3.2.906 VECT_PERIA_INTA217

```
#define VECT_PERIA_INTA217 217
```

Definition at line 483 of file [iodef.h](#).

6.3.2.907 VECT_PERIA_INTA218

```
#define VECT_PERIA_INTA218 218
```

Definition at line 484 of file [iodef.h](#).

6.3.2.908 VECT_PERIA_INTA219

```
#define VECT_PERIA_INTA219 219
```

Definition at line 485 of file [iodef.h](#).

6.3.2.909 VECT_PERIA_INTA220

```
#define VECT_PERIA_INTA220 220
```

Definition at line 486 of file [iodef.h](#).

6.3.2.910 VECT_PERIA_INTA221

```
#define VECT_PERIA_INTA221 221
```

Definition at line 487 of file [iodef.h](#).

6.3.2.911 VECT_PERIA_INTA222

```
#define VECT_PERIA_INTA222 222
```

Definition at line 488 of file [iodef.h](#).

6.3.2.912 VECT_PERIA_INTA223

```
#define VECT_PERIA_INTA223 223
```

Definition at line 489 of file [iodef.h](#).

6.3.2.913 VECT_PERIA_INTA224

```
#define VECT_PERIA_INTA224 224
```

Definition at line [490](#) of file [iodefine.h](#).

6.3.2.914 VECT_PERIA_INTA225

```
#define VECT_PERIA_INTA225 225
```

Definition at line [491](#) of file [iodefine.h](#).

6.3.2.915 VECT_PERIA_INTA226

```
#define VECT_PERIA_INTA226 226
```

Definition at line [492](#) of file [iodefine.h](#).

6.3.2.916 VECT_PERIA_INTA227

```
#define VECT_PERIA_INTA227 227
```

Definition at line [493](#) of file [iodefine.h](#).

6.3.2.917 VECT_PERIA_INTA228

```
#define VECT_PERIA_INTA228 228
```

Definition at line [494](#) of file [iodefine.h](#).

6.3.2.918 VECT_PERIA_INTA229

```
#define VECT_PERIA_INTA229 229
```

Definition at line [495](#) of file [iodefine.h](#).

6.3.2.919 VECT_PERIA_INTA230

```
#define VECT_PERIA_INTA230 230
```

Definition at line [496](#) of file [iodefine.h](#).

6.3.2.920 VECT_PERIA_INTA231

```
#define VECT_PERIA_INTA231 231
```

Definition at line [497](#) of file [iodefine.h](#).

6.3.2.921 VECT_PERIA_INTA232

```
#define VECT_PERIA_INTA232 232
```

Definition at line 498 of file [iodef.h](#).

6.3.2.922 VECT_PERIA_INTA233

```
#define VECT_PERIA_INTA233 233
```

Definition at line 499 of file [iodef.h](#).

6.3.2.923 VECT_PERIA_INTA234

```
#define VECT_PERIA_INTA234 234
```

Definition at line 500 of file [iodef.h](#).

6.3.2.924 VECT_PERIA_INTA235

```
#define VECT_PERIA_INTA235 235
```

Definition at line 501 of file [iodef.h](#).

6.3.2.925 VECT_PERIA_INTA236

```
#define VECT_PERIA_INTA236 236
```

Definition at line 502 of file [iodef.h](#).

6.3.2.926 VECT_PERIA_INTA237

```
#define VECT_PERIA_INTA237 237
```

Definition at line 503 of file [iodef.h](#).

6.3.2.927 VECT_PERIA_INTA238

```
#define VECT_PERIA_INTA238 238
```

Definition at line 504 of file [iodef.h](#).

6.3.2.928 VECT_PERIA_INTA239

```
#define VECT_PERIA_INTA239 239
```

Definition at line 505 of file [iodef.h](#).

6.3.2.929 VECT_PERIA_INTA240

```
#define VECT_PERIA_INTA240 240
```

Definition at line [506](#) of file [iodefine.h](#).

6.3.2.930 VECT_PERIA_INTA241

```
#define VECT_PERIA_INTA241 241
```

Definition at line [507](#) of file [iodefine.h](#).

6.3.2.931 VECT_PERIA_INTA242

```
#define VECT_PERIA_INTA242 242
```

Definition at line [508](#) of file [iodefine.h](#).

6.3.2.932 VECT_PERIA_INTA243

```
#define VECT_PERIA_INTA243 243
```

Definition at line [509](#) of file [iodefine.h](#).

6.3.2.933 VECT_PERIA_INTA244

```
#define VECT_PERIA_INTA244 244
```

Definition at line [510](#) of file [iodefine.h](#).

6.3.2.934 VECT_PERIA_INTA245

```
#define VECT_PERIA_INTA245 245
```

Definition at line [511](#) of file [iodefine.h](#).

6.3.2.935 VECT_PERIA_INTA246

```
#define VECT_PERIA_INTA246 246
```

Definition at line [512](#) of file [iodefine.h](#).

6.3.2.936 VECT_PERIA_INTA247

```
#define VECT_PERIA_INTA247 247
```

Definition at line [513](#) of file [iodefine.h](#).

6.3.2.937 VECT_PERIA_INTA248

```
#define VECT_PERIA_INTA248 248
```

Definition at line 514 of file [iodef.h](#).

6.3.2.938 VECT_PERIA_INTA249

```
#define VECT_PERIA_INTA249 249
```

Definition at line 515 of file [iodef.h](#).

6.3.2.939 VECT_PERIA_INTA250

```
#define VECT_PERIA_INTA250 250
```

Definition at line 516 of file [iodef.h](#).

6.3.2.940 VECT_PERIA_INTA251

```
#define VECT_PERIA_INTA251 251
```

Definition at line 517 of file [iodef.h](#).

6.3.2.941 VECT_PERIA_INTA252

```
#define VECT_PERIA_INTA252 252
```

Definition at line 518 of file [iodef.h](#).

6.3.2.942 VECT_PERIA_INTA253

```
#define VECT_PERIA_INTA253 253
```

Definition at line 519 of file [iodef.h](#).

6.3.2.943 VECT_PERIA_INTA254

```
#define VECT_PERIA_INTA254 254
```

Definition at line 520 of file [iodef.h](#).

6.3.2.944 VECT_PERIA_INTA255

```
#define VECT_PERIA_INTA255 255
```

Definition at line 521 of file [iodef.h](#).

6.3.2.945 VECT_PERIB_INTB128

```
#define VECT_PERIB_INTB128 128
```

Definition at line [394](#) of file [iodefine.h](#).

6.3.2.946 VECT_PERIB_INTB129

```
#define VECT_PERIB_INTB129 129
```

Definition at line [395](#) of file [iodefine.h](#).

6.3.2.947 VECT_PERIB_INTB130

```
#define VECT_PERIB_INTB130 130
```

Definition at line [396](#) of file [iodefine.h](#).

6.3.2.948 VECT_PERIB_INTB131

```
#define VECT_PERIB_INTB131 131
```

Definition at line [397](#) of file [iodefine.h](#).

6.3.2.949 VECT_PERIB_INTB132

```
#define VECT_PERIB_INTB132 132
```

Definition at line [398](#) of file [iodefine.h](#).

6.3.2.950 VECT_PERIB_INTB133

```
#define VECT_PERIB_INTB133 133
```

Definition at line [399](#) of file [iodefine.h](#).

6.3.2.951 VECT_PERIB_INTB134

```
#define VECT_PERIB_INTB134 134
```

Definition at line [400](#) of file [iodefine.h](#).

6.3.2.952 VECT_PERIB_INTB135

```
#define VECT_PERIB_INTB135 135
```

Definition at line [401](#) of file [iodefine.h](#).

6.3.2.953 VECT_PERIB_INTB136

```
#define VECT_PERIB_INTB136 136
```

Definition at line 402 of file [iodef.h](#).

6.3.2.954 VECT_PERIB_INTB137

```
#define VECT_PERIB_INTB137 137
```

Definition at line 403 of file [iodef.h](#).

6.3.2.955 VECT_PERIB_INTB138

```
#define VECT_PERIB_INTB138 138
```

Definition at line 404 of file [iodef.h](#).

6.3.2.956 VECT_PERIB_INTB139

```
#define VECT_PERIB_INTB139 139
```

Definition at line 405 of file [iodef.h](#).

6.3.2.957 VECT_PERIB_INTB140

```
#define VECT_PERIB_INTB140 140
```

Definition at line 406 of file [iodef.h](#).

6.3.2.958 VECT_PERIB_INTB141

```
#define VECT_PERIB_INTB141 141
```

Definition at line 407 of file [iodef.h](#).

6.3.2.959 VECT_PERIB_INTB142

```
#define VECT_PERIB_INTB142 142
```

Definition at line 408 of file [iodef.h](#).

6.3.2.960 VECT_PERIB_INTB143

```
#define VECT_PERIB_INTB143 143
```

Definition at line 409 of file [iodef.h](#).

6.3.2.961 VECT_PERIB_INTB144

```
#define VECT_PERIB_INTB144 144
```

Definition at line [410](#) of file [iodefine.h](#).

6.3.2.962 VECT_PERIB_INTB145

```
#define VECT_PERIB_INTB145 145
```

Definition at line [411](#) of file [iodefine.h](#).

6.3.2.963 VECT_PERIB_INTB146

```
#define VECT_PERIB_INTB146 146
```

Definition at line [412](#) of file [iodefine.h](#).

6.3.2.964 VECT_PERIB_INTB147

```
#define VECT_PERIB_INTB147 147
```

Definition at line [413](#) of file [iodefine.h](#).

6.3.2.965 VECT_PERIB_INTB148

```
#define VECT_PERIB_INTB148 148
```

Definition at line [414](#) of file [iodefine.h](#).

6.3.2.966 VECT_PERIB_INTB149

```
#define VECT_PERIB_INTB149 149
```

Definition at line [415](#) of file [iodefine.h](#).

6.3.2.967 VECT_PERIB_INTB150

```
#define VECT_PERIB_INTB150 150
```

Definition at line [416](#) of file [iodefine.h](#).

6.3.2.968 VECT_PERIB_INTB151

```
#define VECT_PERIB_INTB151 151
```

Definition at line [417](#) of file [iodefine.h](#).

6.3.2.969 VECT_PERIB_INTB152

```
#define VECT_PERIB_INTB152 152
```

Definition at line 418 of file [iodef.h](#).

6.3.2.970 VECT_PERIB_INTB153

```
#define VECT_PERIB_INTB153 153
```

Definition at line 419 of file [iodef.h](#).

6.3.2.971 VECT_PERIB_INTB154

```
#define VECT_PERIB_INTB154 154
```

Definition at line 420 of file [iodef.h](#).

6.3.2.972 VECT_PERIB_INTB155

```
#define VECT_PERIB_INTB155 155
```

Definition at line 421 of file [iodef.h](#).

6.3.2.973 VECT_PERIB_INTB156

```
#define VECT_PERIB_INTB156 156
```

Definition at line 422 of file [iodef.h](#).

6.3.2.974 VECT_PERIB_INTB157

```
#define VECT_PERIB_INTB157 157
```

Definition at line 423 of file [iodef.h](#).

6.3.2.975 VECT_PERIB_INTB158

```
#define VECT_PERIB_INTB158 158
```

Definition at line 424 of file [iodef.h](#).

6.3.2.976 VECT_PERIB_INTB159

```
#define VECT_PERIB_INTB159 159
```

Definition at line 425 of file [iodef.h](#).

6.3.2.977 VECT_PERIB_INTB160

```
#define VECT_PERIB_INTB160 160
```

Definition at line [426](#) of file [iodefine.h](#).

6.3.2.978 VECT_PERIB_INTB161

```
#define VECT_PERIB_INTB161 161
```

Definition at line [427](#) of file [iodefine.h](#).

6.3.2.979 VECT_PERIB_INTB162

```
#define VECT_PERIB_INTB162 162
```

Definition at line [428](#) of file [iodefine.h](#).

6.3.2.980 VECT_PERIB_INTB163

```
#define VECT_PERIB_INTB163 163
```

Definition at line [429](#) of file [iodefine.h](#).

6.3.2.981 VECT_PERIB_INTB164

```
#define VECT_PERIB_INTB164 164
```

Definition at line [430](#) of file [iodefine.h](#).

6.3.2.982 VECT_PERIB_INTB165

```
#define VECT_PERIB_INTB165 165
```

Definition at line [431](#) of file [iodefine.h](#).

6.3.2.983 VECT_PERIB_INTB166

```
#define VECT_PERIB_INTB166 166
```

Definition at line [432](#) of file [iodefine.h](#).

6.3.2.984 VECT_PERIB_INTB167

```
#define VECT_PERIB_INTB167 167
```

Definition at line [433](#) of file [iodefine.h](#).

6.3.2.985 VECT_PERIB_INTB168

```
#define VECT_PERIB_INTB168 168
```

Definition at line 434 of file [iodef.h](#).

6.3.2.986 VECT_PERIB_INTB169

```
#define VECT_PERIB_INTB169 169
```

Definition at line 435 of file [iodef.h](#).

6.3.2.987 VECT_PERIB_INTB170

```
#define VECT_PERIB_INTB170 170
```

Definition at line 436 of file [iodef.h](#).

6.3.2.988 VECT_PERIB_INTB171

```
#define VECT_PERIB_INTB171 171
```

Definition at line 437 of file [iodef.h](#).

6.3.2.989 VECT_PERIB_INTB172

```
#define VECT_PERIB_INTB172 172
```

Definition at line 438 of file [iodef.h](#).

6.3.2.990 VECT_PERIB_INTB173

```
#define VECT_PERIB_INTB173 173
```

Definition at line 439 of file [iodef.h](#).

6.3.2.991 VECT_PERIB_INTB174

```
#define VECT_PERIB_INTB174 174
```

Definition at line 440 of file [iodef.h](#).

6.3.2.992 VECT_PERIB_INTB175

```
#define VECT_PERIB_INTB175 175
```

Definition at line 441 of file [iodef.h](#).

6.3.2.993 VECT_PERIB_INTB176

```
#define VECT_PERIB_INTB176 176
```

Definition at line 442 of file [iodefine.h](#).

6.3.2.994 VECT_PERIB_INTB177

```
#define VECT_PERIB_INTB177 177
```

Definition at line 443 of file [iodefine.h](#).

6.3.2.995 VECT_PERIB_INTB178

```
#define VECT_PERIB_INTB178 178
```

Definition at line 444 of file [iodefine.h](#).

6.3.2.996 VECT_PERIB_INTB179

```
#define VECT_PERIB_INTB179 179
```

Definition at line 445 of file [iodefine.h](#).

6.3.2.997 VECT_PERIB_INTB180

```
#define VECT_PERIB_INTB180 180
```

Definition at line 446 of file [iodefine.h](#).

6.3.2.998 VECT_PERIB_INTB181

```
#define VECT_PERIB_INTB181 181
```

Definition at line 447 of file [iodefine.h](#).

6.3.2.999 VECT_PERIB_INTB182

```
#define VECT_PERIB_INTB182 182
```

Definition at line 448 of file [iodefine.h](#).

6.3.2.1000 VECT_PERIB_INTB183

```
#define VECT_PERIB_INTB183 183
```

Definition at line 449 of file [iodefine.h](#).

6.3.2.1001 VECT_PERIB_INTB184

```
#define VECT_PERIB_INTB184 184
```

Definition at line 450 of file [iodef.h](#).

6.3.2.1002 VECT_PERIB_INTB185

```
#define VECT_PERIB_INTB185 185
```

Definition at line 451 of file [iodef.h](#).

6.3.2.1003 VECT_PERIB_INTB186

```
#define VECT_PERIB_INTB186 186
```

Definition at line 452 of file [iodef.h](#).

6.3.2.1004 VECT_PERIB_INTB187

```
#define VECT_PERIB_INTB187 187
```

Definition at line 453 of file [iodef.h](#).

6.3.2.1005 VECT_PERIB_INTB188

```
#define VECT_PERIB_INTB188 188
```

Definition at line 454 of file [iodef.h](#).

6.3.2.1006 VECT_PERIB_INTB189

```
#define VECT_PERIB_INTB189 189
```

Definition at line 455 of file [iodef.h](#).

6.3.2.1007 VECT_PERIB_INTB190

```
#define VECT_PERIB_INTB190 190
```

Definition at line 456 of file [iodef.h](#).

6.3.2.1008 VECT_PERIB_INTB191

```
#define VECT_PERIB_INTB191 191
```

Definition at line 457 of file [iodef.h](#).

6.3.2.1009 VECT_PERIB_INTB192

```
#define VECT_PERIB_INTB192 192
```

Definition at line [458](#) of file [iodefine.h](#).

6.3.2.1010 VECT_PERIB_INTB193

```
#define VECT_PERIB_INTB193 193
```

Definition at line [459](#) of file [iodefine.h](#).

6.3.2.1011 VECT_PERIB_INTB194

```
#define VECT_PERIB_INTB194 194
```

Definition at line [460](#) of file [iodefine.h](#).

6.3.2.1012 VECT_PERIB_INTB195

```
#define VECT_PERIB_INTB195 195
```

Definition at line [461](#) of file [iodefine.h](#).

6.3.2.1013 VECT_PERIB_INTB196

```
#define VECT_PERIB_INTB196 196
```

Definition at line [462](#) of file [iodefine.h](#).

6.3.2.1014 VECT_PERIB_INTB197

```
#define VECT_PERIB_INTB197 197
```

Definition at line [463](#) of file [iodefine.h](#).

6.3.2.1015 VECT_PERIB_INTB198

```
#define VECT_PERIB_INTB198 198
```

Definition at line [464](#) of file [iodefine.h](#).

6.3.2.1016 VECT_PERIB_INTB199

```
#define VECT_PERIB_INTB199 199
```

Definition at line [465](#) of file [iodefine.h](#).

6.3.2.1017 VECT_PERIB_INTB200

```
#define VECT_PERIB_INTB200 200
```

Definition at line 466 of file [iodef.h](#).

6.3.2.1018 VECT_PERIB_INTB201

```
#define VECT_PERIB_INTB201 201
```

Definition at line 467 of file [iodef.h](#).

6.3.2.1019 VECT_PERIB_INTB202

```
#define VECT_PERIB_INTB202 202
```

Definition at line 468 of file [iodef.h](#).

6.3.2.1020 VECT_PERIB_INTB203

```
#define VECT_PERIB_INTB203 203
```

Definition at line 469 of file [iodef.h](#).

6.3.2.1021 VECT_PERIB_INTB204

```
#define VECT_PERIB_INTB204 204
```

Definition at line 470 of file [iodef.h](#).

6.3.2.1022 VECT_PERIB_INTB205

```
#define VECT_PERIB_INTB205 205
```

Definition at line 471 of file [iodef.h](#).

6.3.2.1023 VECT_PERIB_INTB206

```
#define VECT_PERIB_INTB206 206
```

Definition at line 472 of file [iodef.h](#).

6.3.2.1024 VECT_PERIB_INTB207

```
#define VECT_PERIB_INTB207 207
```

Definition at line 473 of file [iodef.h](#).

6.3.2.1025 VECT_QSPI_SPRI

```
#define VECT_QSPI_SPRI 42
```

Definition at line [315](#) of file [iodefine.h](#).

6.3.2.1026 VECT_QSPI_SPTI

```
#define VECT_QSPI_SPTI 43
```

Definition at line [316](#) of file [iodefine.h](#).

6.3.2.1027 VECT_RAM_RAMERR

```
#define VECT_RAM_RAMERR 18
```

Definition at line [300](#) of file [iodefine.h](#).

6.3.2.1028 VECT_RIIC0_RXI0

```
#define VECT_RIIC0_RXI0 52
```

Definition at line [324](#) of file [iodefine.h](#).

6.3.2.1029 VECT_RIIC0_TXI0

```
#define VECT_RIIC0_TXI0 53
```

Definition at line [325](#) of file [iodefine.h](#).

6.3.2.1030 VECT_RIIC1_RXI1

```
#define VECT_RIIC1_RXI1 50
```

Definition at line [322](#) of file [iodefine.h](#).

6.3.2.1031 VECT_RIIC1_TXI1

```
#define VECT_RIIC1_TXI1 51
```

Definition at line [323](#) of file [iodefine.h](#).

6.3.2.1032 VECT_RIIC2_RXI2

```
#define VECT_RIIC2_RXI2 54
```

Definition at line [326](#) of file [iodefine.h](#).

6.3.2.1033 VECT_RIIC2_TXI2

```
#define VECT_RIIC2_TXI2 55
```

Definition at line 327 of file [iodef.h](#).

6.3.2.1034 VECT_RSPI0_SPRI0

```
#define VECT_RSPI0_SPRI0 38
```

Definition at line 311 of file [iodef.h](#).

6.3.2.1035 VECT_RSPI0_SPTI0

```
#define VECT_RSPI0_SPTI0 39
```

Definition at line 312 of file [iodef.h](#).

6.3.2.1036 VECT_RSPI1_SPRI1

```
#define VECT_RSPI1_SPRI1 40
```

Definition at line 313 of file [iodef.h](#).

6.3.2.1037 VECT_RSPI1_SPTI1

```
#define VECT_RSPI1_SPTI1 41
```

Definition at line 314 of file [iodef.h](#).

6.3.2.1038 VECT_RSPI2_SPRI2

```
#define VECT_RSPI2_SPRI2 108
```

Definition at line 376 of file [iodef.h](#).

6.3.2.1039 VECT_RSPI2_SPTI2

```
#define VECT_RSPI2_SPTI2 109
```

Definition at line 377 of file [iodef.h](#).

6.3.2.1040 VECT_RTC_ALM

```
#define VECT_RTC_ALM 92
```

Definition at line 361 of file [iodef.h](#).

6.3.2.1041 VECT_RTC_PRD

```
#define VECT_RTC_PRD 93
```

Definition at line [362](#) of file [iodefine.h](#).

6.3.2.1042 VECT_SCI0_RXI0

```
#define VECT_SCI0_RXI0 58
```

Definition at line [328](#) of file [iodefine.h](#).

6.3.2.1043 VECT_SCI0_TXI0

```
#define VECT_SCI0_TXI0 59
```

Definition at line [329](#) of file [iodefine.h](#).

6.3.2.1044 VECT_SCI10_RXI10

```
#define VECT_SCI10_RXI10 104
```

Definition at line [372](#) of file [iodefine.h](#).

6.3.2.1045 VECT_SCI10_TXI10

```
#define VECT_SCI10_TXI10 105
```

Definition at line [373](#) of file [iodefine.h](#).

6.3.2.1046 VECT_SCI11_RXI11

```
#define VECT_SCI11_RXI11 114
```

Definition at line [382](#) of file [iodefine.h](#).

6.3.2.1047 VECT_SCI11_TXI11

```
#define VECT_SCI11_TXI11 115
```

Definition at line [383](#) of file [iodefine.h](#).

6.3.2.1048 VECT_SCI12_RXI12

```
#define VECT_SCI12_RXI12 116
```

Definition at line [384](#) of file [iodefine.h](#).

6.3.2.1049 VECT_SCI2_TXI2

```
#define VECT_SCI2_TXI2 117
```

Definition at line 385 of file [iodef.h](#).

6.3.2.1050 VECT_SCI1_RXI1

```
#define VECT_SCI1_RXI1 60
```

Definition at line 330 of file [iodef.h](#).

6.3.2.1051 VECT_SCI1_TXI1

```
#define VECT_SCI1_TXI1 61
```

Definition at line 331 of file [iodef.h](#).

6.3.2.1052 VECT_SCI2_RXI2

```
#define VECT_SCI2_RXI2 62
```

Definition at line 332 of file [iodef.h](#).

6.3.2.1053 VECT_SCI2_TXI2

```
#define VECT_SCI2_TXI2 63
```

Definition at line 333 of file [iodef.h](#).

6.3.2.1054 VECT_SCI3_RXI3

```
#define VECT_SCI3_RXI3 80
```

Definition at line 350 of file [iodef.h](#).

6.3.2.1055 VECT_SCI3_TXI3

```
#define VECT_SCI3_TXI3 81
```

Definition at line 351 of file [iodef.h](#).

6.3.2.1056 VECT_SCI4_RXI4

```
#define VECT_SCI4_RXI4 82
```

Definition at line 352 of file [iodef.h](#).

6.3.2.1057 VECT_SCI4_TXI4

```
#define VECT_SCI4_TXI4 83
```

Definition at line [353](#) of file [iodefine.h](#).

6.3.2.1058 VECT_SCI5_RXI5

```
#define VECT_SCI5_RXI5 84
```

Definition at line [354](#) of file [iodefine.h](#).

6.3.2.1059 VECT_SCI5_TXI5

```
#define VECT_SCI5_TXI5 85
```

Definition at line [355](#) of file [iodefine.h](#).

6.3.2.1060 VECT_SCI6_RXI6

```
#define VECT_SCI6_RXI6 86
```

Definition at line [356](#) of file [iodefine.h](#).

6.3.2.1061 VECT_SCI6_TXI6

```
#define VECT_SCI6_TXI6 87
```

Definition at line [357](#) of file [iodefine.h](#).

6.3.2.1062 VECT_SCI7_RXI7

```
#define VECT_SCI7_RXI7 98
```

Definition at line [366](#) of file [iodefine.h](#).

6.3.2.1063 VECT_SCI7_TXI7

```
#define VECT_SCI7_TXI7 99
```

Definition at line [367](#) of file [iodefine.h](#).

6.3.2.1064 VECT_SCI8_RXI8

```
#define VECT_SCI8_RXI8 100
```

Definition at line [368](#) of file [iodefine.h](#).

6.3.2.1065 VECT_SCI8_TXI8

```
#define VECT_SCI8_TXI8 101
```

Definition at line 369 of file [iodef.h](#).

6.3.2.1066 VECT_SCI9_RXI9

```
#define VECT_SCI9_RXI9 102
```

Definition at line 370 of file [iodef.h](#).

6.3.2.1067 VECT_SCI9_TXI9

```
#define VECT_SCI9_TXI9 103
```

Definition at line 371 of file [iodef.h](#).

6.3.2.1068 VECT_SDHI_SBFBI

```
#define VECT_SDHI_SBFBI 44
```

Definition at line 317 of file [iodef.h](#).

6.3.2.1069 VECT_SSIE0_SSIRXI0

```
#define VECT_SSIE0_SSIRXI0 47
```

Definition at line 320 of file [iodef.h](#).

6.3.2.1070 VECT_SSIE0_SSITXI0

```
#define VECT_SSIE0_SSITXI0 46
```

Definition at line 319 of file [iodef.h](#).

6.3.2.1071 VECT_SSIE1_SSIRTI1

```
#define VECT_SSIE1_SSIRTI1 48
```

Definition at line 321 of file [iodef.h](#).

6.3.2.1072 VECT_USB0_D0FIFO0

```
#define VECT_USB0_D0FIFO0 34
```

Definition at line 309 of file [iodef.h](#).

6.3.2.1073 VECT_USB0_D1FIFO0

```
#define VECT_USB0_D1FIFO0 35
```

Definition at line 310 of file [iodefne.h](#).

6.3.2.1074 VECT_USB0_USBR0

```
#define VECT_USB0_USBR0 90
```

Definition at line 360 of file [iodefne.h](#).

6.3.2.1075 VECT_WDT_WUNI

```
#define VECT_WDT_WUNI 96
```

Definition at line 364 of file [iodefne.h](#).

6.3.2.1076 WDT

```
#define WDT (*(volatile struct st_wdt *)0x88020)
```

Definition at line 1157 of file [iodefne.h](#).

6.3.3 Enumeration Type Documentation

6.3.3.1 enum_dtce_t

enum [enum_dtce_t](#)

Enumerator

DTCE_ICU_SWINT2	
DTCE_ICU_SWINT	
DTCE_CMT0_CMI0	
DTCE_CMT1_CMI1	
DTCE_CMTW0_CMWI0	
DTCE_CMTW1_CMWI1	
DTCE_USB0_D0FIFO0	
DTCE_USB0_D1FIFO0	
DTCE_RSPI0_SPRI0	
DTCE_RSPI0_SPTI0	
DTCE_RSPI1_SPRI1	
DTCE_RSPI1_SPTI1	

DTCE_QSPI_SPRI	
DTCE_QSPI_SPTI	
DTCE_SDHI_SBFAI	
DTCE_MMCIF_MBFAI	
DTCE_SSIE0_SSITXIO	
DTCE_SSIE0_SSIRXIO	
DTCE_SSIE1_SSIRTI1	
DTCE_RIIC1_RXI1	
DTCE_RIIC1_TXI1	
DTCE_RIIC0_RXI0	
DTCE_RIIC0_TXI0	
DTCE_RIIC2_RXI2	
DTCE_RIIC2_TXI2	
DTCE_SCI0_RXI0	
DTCE_SCI0_TXI0	
DTCE_SCI1_RXI1	
DTCE_SCI1_TXI1	
DTCE_SCI2_RXI2	
DTCE_SCI2_TXI2	
DTCE_ICU_IRQ0	
DTCE_ICU_IRQ1	
DTCE_ICU_IRQ2	
DTCE_ICU_IRQ3	
DTCE_ICU_IRQ4	
DTCE_ICU_IRQ5	
DTCE_ICU_IRQ6	
DTCE_ICU_IRQ7	
DTCE_ICU_IRQ8	
DTCE_ICU_IRQ9	
DTCE_ICU_IRQ10	
DTCE_ICU_IRQ11	
DTCE_ICU_IRQ12	
DTCE_ICU_IRQ13	
DTCE_ICU_IRQ14	
DTCE_ICU_IRQ15	
DTCE_SCI3_RXI3	
DTCE_SCI3_TXI3	
DTCE_SCI4_RXI4	
DTCE_SCI4_TXI4	
DTCE_SCI5_RXI5	
DTCE_SCI5_TXI5	
DTCE_SCI6_RXI6	

DTCE_SCI6_TXI6	
DTCE_PDC_PCDFI	
DTCE_SCI7_RXI7	
DTCE_SCI7_TXI7	
DTCE_SCI8_RXI8	
DTCE_SCI8_TXI8	
DTCE_SCI9_RXI9	
DTCE_SCI9_TXI9	
DTCE_SCI10_RXI10	
DTCE_SCI10_TXI10	
DTCE_RSPI2_SPRI2	
DTCE_RSPI2_SPTI2	
DTCE_SCI11_RXI11	
DTCE_SCI11_TXI11	
DTCE_SCI12_RXI12	
DTCE_SCI12_TXI12	
DTCE_DMAC_DMACH0I	
DTCE_DMAC_DMACH1I	
DTCE_DMAC_DMACH2I	
DTCE_DMAC_DMACH3I	
DTCE_EXDMAC_EXDMACH0I	
DTCE_EXDMAC_EXDMACH1I	
DTCE_PERIB_INTB128	
DTCE_PERIB_INTB129	
DTCE_PERIB_INTB130	
DTCE_PERIB_INTB131	
DTCE_PERIB_INTB132	
DTCE_PERIB_INTB133	
DTCE_PERIB_INTB134	
DTCE_PERIB_INTB135	
DTCE_PERIB_INTB136	
DTCE_PERIB_INTB137	
DTCE_PERIB_INTB138	
DTCE_PERIB_INTB139	
DTCE_PERIB_INTB140	
DTCE_PERIB_INTB141	
DTCE_PERIB_INTB142	
DTCE_PERIB_INTB143	
DTCE_PERIB_INTB144	
DTCE_PERIB_INTB145	
DTCE_PERIB_INTB146	
DTCE_PERIB_INTB147	

DTCE_PERIB_INTB148	
DTCE_PERIB_INTB149	
DTCE_PERIB_INTB150	
DTCE_PERIB_INTB151	
DTCE_PERIB_INTB152	
DTCE_PERIB_INTB153	
DTCE_PERIB_INTB154	
DTCE_PERIB_INTB155	
DTCE_PERIB_INTB156	
DTCE_PERIB_INTB157	
DTCE_PERIB_INTB158	
DTCE_PERIB_INTB159	
DTCE_PERIB_INTB160	
DTCE_PERIB_INTB161	
DTCE_PERIB_INTB162	
DTCE_PERIB_INTB163	
DTCE_PERIB_INTB164	
DTCE_PERIB_INTB165	
DTCE_PERIB_INTB166	
DTCE_PERIB_INTB167	
DTCE_PERIB_INTB168	
DTCE_PERIB_INTB169	
DTCE_PERIB_INTB170	
DTCE_PERIB_INTB171	
DTCE_PERIB_INTB172	
DTCE_PERIB_INTB173	
DTCE_PERIB_INTB174	
DTCE_PERIB_INTB175	
DTCE_PERIB_INTB176	
DTCE_PERIB_INTB177	
DTCE_PERIB_INTB178	
DTCE_PERIB_INTB179	
DTCE_PERIB_INTB180	
DTCE_PERIB_INTB181	
DTCE_PERIB_INTB182	
DTCE_PERIB_INTB183	
DTCE_PERIB_INTB184	
DTCE_PERIB_INTB185	
DTCE_PERIB_INTB186	
DTCE_PERIB_INTB187	
DTCE_PERIB_INTB188	
DTCE_PERIB_INTB189	

DTCE_PERIB_INTB190	
DTCE_PERIB_INTB191	
DTCE_PERIB_INTB192	
DTCE_PERIB_INTB193	
DTCE_PERIB_INTB194	
DTCE_PERIB_INTB195	
DTCE_PERIB_INTB196	
DTCE_PERIB_INTB197	
DTCE_PERIB_INTB198	
DTCE_PERIB_INTB199	
DTCE_PERIB_INTB200	
DTCE_PERIB_INTB201	
DTCE_PERIB_INTB202	
DTCE_PERIB_INTB203	
DTCE_PERIB_INTB204	
DTCE_PERIB_INTB205	
DTCE_PERIB_INTB206	
DTCE_PERIB_INTB207	
DTCE_PERIA_INTA208	
DTCE_PERIA_INTA209	
DTCE_PERIA_INTA210	
DTCE_PERIA_INTA211	
DTCE_PERIA_INTA212	
DTCE_PERIA_INTA213	
DTCE_PERIA_INTA214	
DTCE_PERIA_INTA215	
DTCE_PERIA_INTA216	
DTCE_PERIA_INTA217	
DTCE_PERIA_INTA218	
DTCE_PERIA_INTA219	
DTCE_PERIA_INTA220	
DTCE_PERIA_INTA221	
DTCE_PERIA_INTA222	
DTCE_PERIA_INTA223	
DTCE_PERIA_INTA224	
DTCE_PERIA_INTA225	
DTCE_PERIA_INTA226	
DTCE_PERIA_INTA227	
DTCE_PERIA_INTA228	
DTCE_PERIA_INTA229	
DTCE_PERIA_INTA230	
DTCE_PERIA_INTA231	

DTCE_PERIA_INTA232	
DTCE_PERIA_INTA233	
DTCE_PERIA_INTA234	
DTCE_PERIA_INTA235	
DTCE_PERIA_INTA236	
DTCE_PERIA_INTA237	
DTCE_PERIA_INTA238	
DTCE_PERIA_INTA239	
DTCE_PERIA_INTA240	
DTCE_PERIA_INTA241	
DTCE_PERIA_INTA242	
DTCE_PERIA_INTA243	
DTCE_PERIA_INTA244	
DTCE_PERIA_INTA245	
DTCE_PERIA_INTA246	
DTCE_PERIA_INTA247	
DTCE_PERIA_INTA248	
DTCE_PERIA_INTA249	
DTCE_PERIA_INTA250	
DTCE_PERIA_INTA251	
DTCE_PERIA_INTA252	
DTCE_PERIA_INTA253	
DTCE_PERIA_INTA254	
DTCE_PERIA_INTA255	

Definition at line 1237 of file [iodef.h](#).

```

01237     {
01238 DTCE_ICU_SWINT2=26,DTCE_ICU_SWINT,
01239 DTCE_CMT0_CMI0,
01240 DTCE_CMT1_CMI1,
01241 DTCE_CMTW0_CMWI0,
01242 DTCE_CMTW1_CMWI1,
01243 DTCE_USB0_D0FIFO0=34,DTCE_USB0_D1FIFO0,
01244 DTCE_RSPI0_SPRI0=38,DTCE_RSPI0_SPTI0,
01245 DTCE_RSPI1_SPRI1,DTCE_RSPI1_SPTI1,
01246 DTCE_QSPI_SPRI,DTCE_QSPI_SPTI,
01247 DTCE_SDHI_SBFAL,
01248 DTCE_MMCI_SF_MBFAL,
01249 DTCE_SSIE0_SSITXI0,DTCE_SSIE0_SSIRXI0,
01250 DTCE_SSIE1_SSIRTI1,
01251 DTCE_RIIC1_RXI1=50,DTCE_RIIC1_TXI1,
01252 DTCE_RIIC0_RXI0,DTCE_RIIC0_TXI0,
01253 DTCE_RIIC2_RXI2,DTCE_RIIC2_TXI2,
01254 DTCE_SCI0_RXI0=58,DTCE_SCI0_TXI0,
01255 DTCE_SCI1_RXI1,DTCE_SCI1_TXI1,
01256 DTCE_SCI2_RXI2,DTCE_SCI2_TXI2,
01257
    DTCE_ICU_IRQ0,DTCE_ICU_IRQ1,DTCE_ICU_IRQ2,DTCE_ICU_IRQ3,DTCE_ICU_IRQ4,DTCE_ICU_IRQ5,DTCE_ICU_IRQ6,DTCE_ICU_IRQ7,
01258
    DTCE_ICU_IRQ8,DTCE_ICU_IRQ9,DTCE_ICU_IRQ10,DTCE_ICU_IRQ11,DTCE_ICU_IRQ12,DTCE_ICU_IRQ13,DTCE_ICU_IRQ14,DTCE_ICU_IRQ15,
01259 DTCE_SCI3_RXI3,DTCE_SCI3_TXI3,
01260 DTCE_SCI4_RXI4,DTCE_SCI4_TXI4,
01261 DTCE_SCI5_RXI5,DTCE_SCI5_TXI5,
01262 DTCE_SCI6_RXI6,DTCE_SCI6_TXI6,
01263 DTCE_PDC_PCDFI=97,
01264 DTCE_SCI7_RXI7,DTCE_SCI7_TXI7,
01265 DTCE_SCI8_RXI8,DTCE_SCI8_TXI8,
01266 DTCE_SCI9_RXI9,DTCE_SCI9_TXI9,
01267 DTCE_SCI10_RXI10,DTCE_SCI10_TXI10,

```

```

01268 DTCE_RSPI2_SPRI2=108,DTCE_RSPI2_SPTI2,
01269 DTCE_SCI11_RXI11=114,DTCE_SCI11_TXI11,
01270 DTCE_SCI12_RXI12,DTCE_SCI12_TXI12,
01271 DTCE_DMAC_DMACH0I=120,DTCE_DMAC_DMACH1I,DTCE_DMAC_DMACH2I,DTCE_DMAC_DMACH3I,
01272 DTCE_EXDMAC_EXDMACH0I=126,DTCE_EXDMAC_EXDMACH1I,
01273
01274 DTCE_PERIB_INTB128,DTCE_PERIB_INTB129,DTCE_PERIB_INTB130,DTCE_PERIB_INTB131,DTCE_PERIB_INTB132,
01275 DTCE_PERIB_INTB133,DTCE_PERIB_INTB134,DTCE_PERIB_INTB135,DTCE_PERIB_INTB136,DTCE_PERIB_INTB137,
01276 DTCE_PERIB_INTB138,DTCE_PERIB_INTB139,DTCE_PERIB_INTB140,DTCE_PERIB_INTB141,DTCE_PERIB_INTB142,
01277 DTCE_PERIB_INTB143,DTCE_PERIB_INTB144,DTCE_PERIB_INTB145,DTCE_PERIB_INTB146,DTCE_PERIB_INTB147,
01278 DTCE_PERIB_INTB148,DTCE_PERIB_INTB149,DTCE_PERIB_INTB150,DTCE_PERIB_INTB151,DTCE_PERIB_INTB152,
01279 DTCE_PERIB_INTB153,DTCE_PERIB_INTB154,DTCE_PERIB_INTB155,DTCE_PERIB_INTB156,DTCE_PERIB_INTB157,
01280 DTCE_PERIB_INTB158,DTCE_PERIB_INTB159,DTCE_PERIB_INTB160,DTCE_PERIB_INTB161,DTCE_PERIB_INTB162,
01281 DTCE_PERIB_INTB163,DTCE_PERIB_INTB164,DTCE_PERIB_INTB165,DTCE_PERIB_INTB166,DTCE_PERIB_INTB167,
01282 DTCE_PERIB_INTB168,DTCE_PERIB_INTB169,DTCE_PERIB_INTB170,DTCE_PERIB_INTB171,DTCE_PERIB_INTB172,
01283 DTCE_PERIB_INTB173,DTCE_PERIB_INTB174,DTCE_PERIB_INTB175,DTCE_PERIB_INTB176,DTCE_PERIB_INTB177,
01284 DTCE_PERIB_INTB178,DTCE_PERIB_INTB179,DTCE_PERIB_INTB180,DTCE_PERIB_INTB181,DTCE_PERIB_INTB182,
01285 DTCE_PERIB_INTB183,DTCE_PERIB_INTB184,DTCE_PERIB_INTB185,DTCE_PERIB_INTB186,DTCE_PERIB_INTB187,
01286 DTCE_PERIB_INTB188,DTCE_PERIB_INTB189,DTCE_PERIB_INTB190,DTCE_PERIB_INTB191,DTCE_PERIB_INTB192,
01287 DTCE_PERIB_INTB193,DTCE_PERIB_INTB194,DTCE_PERIB_INTB195,DTCE_PERIB_INTB196,DTCE_PERIB_INTB197,
01288 DTCE_PERIB_INTB198,DTCE_PERIB_INTB199,DTCE_PERIB_INTB200,DTCE_PERIB_INTB201,DTCE_PERIB_INTB202,
01289 DTCE_PERIB_INTB203,DTCE_PERIB_INTB204,DTCE_PERIB_INTB205,DTCE_PERIB_INTB206,DTCE_PERIB_INTB207,
01290 DTCE_PERIA_INTA208,DTCE_PERIA_INTA209,DTCE_PERIA_INTA210,DTCE_PERIA_INTA211,DTCE_PERIA_INTA212,
01291 DTCE_PERIA_INTA213,DTCE_PERIA_INTA214,DTCE_PERIA_INTA215,DTCE_PERIA_INTA216,DTCE_PERIA_INTA217,
01292 DTCE_PERIA_INTA218,DTCE_PERIA_INTA219,DTCE_PERIA_INTA220,DTCE_PERIA_INTA221,DTCE_PERIA_INTA222,
01293 DTCE_PERIA_INTA223,DTCE_PERIA_INTA224,DTCE_PERIA_INTA225,DTCE_PERIA_INTA226,DTCE_PERIA_INTA227,
01294 DTCE_PERIA_INTA228,DTCE_PERIA_INTA229,DTCE_PERIA_INTA230,DTCE_PERIA_INTA231,DTCE_PERIA_INTA232,
01295 DTCE_PERIA_INTA233,DTCE_PERIA_INTA234,DTCE_PERIA_INTA235,DTCE_PERIA_INTA236,DTCE_PERIA_INTA237,
01296 DTCE_PERIA_INTA238,DTCE_PERIA_INTA239,DTCE_PERIA_INTA240,DTCE_PERIA_INTA241,DTCE_PERIA_INTA242,
01297 DTCE_PERIA_INTA243,DTCE_PERIA_INTA244,DTCE_PERIA_INTA245,DTCE_PERIA_INTA246,DTCE_PERIA_INTA247,
01298 DTCE_PERIA_INTA248,DTCE_PERIA_INTA249,DTCE_PERIA_INTA250,DTCE_PERIA_INTA251,DTCE_PERIA_INTA252,
01299 } enum_dtce_t;

```

6.3.3.2 enum_ier_t

enum [enum_ier_t](#)

Enumerator

IER_BSC_BUSERR	
IER_ICU_GROUPIE0	
IER_RAM_RAMERR	
IER_FCU_FIFERR	
IER_FCU_FRDYI	
IER_ICU_SWINT2	
IER_ICU_SWINT	
IER_CMT0_CMI0	

IER_CMT1_CMI1	
IER_CMTW0_CMWI0	
IER_CMTW1_CMWI1	
IER_USB0_D0FIFO0	
IER_USB0_D1FIFO0	
IER_RSPI0_SPRI0	
IER_RSPI0_SPTI0	
IER_RSPI1_SPRI1	
IER_RSPI1_SPTI1	
IER_QSPI_SPRI	
IER_QSPI_SPTI	
IER_SDHI_SBFBI	
IER_MMCIF_MBFBI	
IER_SSIE0_SSITXI0	
IER_SSIE0_SSIRXI0	
IER_SSIE1_SSIRTI1	
IER_RIIC1_RXI1	
IER_RIIC1_TXI1	
IER_RIIC0_RXI0	
IER_RIIC0_TXI0	
IER_RIIC2_RXI2	
IER_RIIC2_TXI2	
IER_SCI0_RXI0	
IER_SCI0_TXI0	
IER_SCI1_RXI1	
IER_SCI1_TXI1	
IER_SCI2_RXI2	
IER_SCI2_TXI2	
IER_ICU_IRQ0	
IER_ICU_IRQ1	
IER_ICU_IRQ2	
IER_ICU_IRQ3	
IER_ICU_IRQ4	
IER_ICU_IRQ5	
IER_ICU_IRQ6	
IER_ICU_IRQ7	
IER_ICU_IRQ8	
IER_ICU_IRQ9	
IER_ICU_IRQ10	
IER_ICU_IRQ11	
IER_ICU_IRQ12	
IER_ICU_IRQ13	

IER_ICU_IRQ14	
IER_ICU_IRQ15	
IER_SCI3_RXI3	
IER_SCI3_TXI3	
IER_SCI4_RXI4	
IER_SCI4_TXI4	
IER_SCI5_RXI5	
IER_SCI5_TXI5	
IER_SCI6_RXI6	
IER_SCI6_TXI6	
IER_LVD1_LVD1	
IER_LVD2_LVD2	
IER_USB0_USBR0	
IER_RTC_ALM	
IER_RTC_PRD	
IER_IWDT_IWUNI	
IER_WDT_WUNI	
IER_PDC_PCDFI	
IER_SCI7_RXI7	
IER_SCI7_TXI7	
IER_SCI8_RXI8	
IER_SCI8_TXI8	
IER_SCI9_RXI9	
IER_SCI9_TXI9	
IER_SCI10_RXI10	
IER_SCI10_TXI10	
IER_ICU_GROUPBE0	
IER_ICU_GROUPBL2	
IER_RSPI2_SPRI2	
IER_RSPI2_SPTI2	
IER_ICU_GROUPBL0	
IER_ICU_GROUPBL1	
IER_ICU_GROUPAL0	
IER_ICU_GROUPAL1	
IER_SCI11_RXI11	
IER_SCI11_TXI11	
IER_SCI12_RXI12	
IER_SCI12_TXI12	
IER_DMAC_DMAC0I	
IER_DMAC_DMAC1I	
IER_DMAC_DMAC2I	
IER_DMAC_DMAC3I	

IER_DMAC_DMAC74I	
IER_OST_OSTDI	
IER_EXDMAC_EXDMAC0I	
IER_EXDMAC_EXDMAC1I	
IER_PERIB_INTB128	
IER_PERIB_INTB129	
IER_PERIB_INTB130	
IER_PERIB_INTB131	
IER_PERIB_INTB132	
IER_PERIB_INTB133	
IER_PERIB_INTB134	
IER_PERIB_INTB135	
IER_PERIB_INTB136	
IER_PERIB_INTB137	
IER_PERIB_INTB138	
IER_PERIB_INTB139	
IER_PERIB_INTB140	
IER_PERIB_INTB141	
IER_PERIB_INTB142	
IER_PERIB_INTB143	
IER_PERIB_INTB144	
IER_PERIB_INTB145	
IER_PERIB_INTB146	
IER_PERIB_INTB147	
IER_PERIB_INTB148	
IER_PERIB_INTB149	
IER_PERIB_INTB150	
IER_PERIB_INTB151	
IER_PERIB_INTB152	
IER_PERIB_INTB153	
IER_PERIB_INTB154	
IER_PERIB_INTB155	
IER_PERIB_INTB156	
IER_PERIB_INTB157	
IER_PERIB_INTB158	
IER_PERIB_INTB159	
IER_PERIB_INTB160	
IER_PERIB_INTB161	
IER_PERIB_INTB162	
IER_PERIB_INTB163	
IER_PERIB_INTB164	
IER_PERIB_INTB165	

IER_PERIB_INTB166	
IER_PERIB_INTB167	
IER_PERIB_INTB168	
IER_PERIB_INTB169	
IER_PERIB_INTB170	
IER_PERIB_INTB171	
IER_PERIB_INTB172	
IER_PERIB_INTB173	
IER_PERIB_INTB174	
IER_PERIB_INTB175	
IER_PERIB_INTB176	
IER_PERIB_INTB177	
IER_PERIB_INTB178	
IER_PERIB_INTB179	
IER_PERIB_INTB180	
IER_PERIB_INTB181	
IER_PERIB_INTB182	
IER_PERIB_INTB183	
IER_PERIB_INTB184	
IER_PERIB_INTB185	
IER_PERIB_INTB186	
IER_PERIB_INTB187	
IER_PERIB_INTB188	
IER_PERIB_INTB189	
IER_PERIB_INTB190	
IER_PERIB_INTB191	
IER_PERIB_INTB192	
IER_PERIB_INTB193	
IER_PERIB_INTB194	
IER_PERIB_INTB195	
IER_PERIB_INTB196	
IER_PERIB_INTB197	
IER_PERIB_INTB198	
IER_PERIB_INTB199	
IER_PERIB_INTB200	
IER_PERIB_INTB201	
IER_PERIB_INTB202	
IER_PERIB_INTB203	
IER_PERIB_INTB204	
IER_PERIB_INTB205	
IER_PERIB_INTB206	
IER_PERIB_INTB207	

IER_PERIA_INTA208	
IER_PERIA_INTA209	
IER_PERIA_INTA210	
IER_PERIA_INTA211	
IER_PERIA_INTA212	
IER_PERIA_INTA213	
IER_PERIA_INTA214	
IER_PERIA_INTA215	
IER_PERIA_INTA216	
IER_PERIA_INTA217	
IER_PERIA_INTA218	
IER_PERIA_INTA219	
IER_PERIA_INTA220	
IER_PERIA_INTA221	
IER_PERIA_INTA222	
IER_PERIA_INTA223	
IER_PERIA_INTA224	
IER_PERIA_INTA225	
IER_PERIA_INTA226	
IER_PERIA_INTA227	
IER_PERIA_INTA228	
IER_PERIA_INTA229	
IER_PERIA_INTA230	
IER_PERIA_INTA231	
IER_PERIA_INTA232	
IER_PERIA_INTA233	
IER_PERIA_INTA234	
IER_PERIA_INTA235	
IER_PERIA_INTA236	
IER_PERIA_INTA237	
IER_PERIA_INTA238	
IER_PERIA_INTA239	
IER_PERIA_INTA240	
IER_PERIA_INTA241	
IER_PERIA_INTA242	
IER_PERIA_INTA243	
IER_PERIA_INTA244	
IER_PERIA_INTA245	
IER_PERIA_INTA246	
IER_PERIA_INTA247	
IER_PERIA_INTA248	
IER_PERIA_INTA249	

IER_PERIA_INTA250	
IER_PERIA_INTA251	
IER_PERIA_INTA252	
IER_PERIA_INTA253	
IER_PERIA_INTA254	
IER_PERIA_INTA255	

Definition at line 1301 of file [iodefine.h](#).

```

01301     {
01302 IER_BSC_BUSERR=0x02,
01303 IER_ICU_GROUPIE0=0x02,
01304 IER_RAM_RAMERR=0x02,
01305 IER_FCU_FIFERR=0x02,IER_FCU_FRDYI=0x02,
01306 IER_ICU_SWINT2=0x03,IER_ICU_SWINT=0x03,
01307 IER_CMT0_CMI0=0x03,
01308 IER_CMT1_CMI1=0x03,
01309 IER_CMTW0_CMWI0=0x03,
01310 IER_CMTW1_CMWI1=0x03,
01311 IER_USB0_D0FIFO0=0x04,IER_USB0_D1FIFO0=0x04,
01312 IER_RSPI0_SPRI0=0x04,IER_RSPI0_SPTI0=0x04,
01313 IER_RSPI1_SPRI1=0x05,IER_RSPI1_SPTI1=0x05,
01314 IER_QSPI_SPRI=0x05,IER_QSPI_SPTI=0x05,
01315 IER_SDHI_SBFBI=0x05,
01316 IER_MMCFB_MBFBI=0x05,
01317 IER_SSIE0_SSITXI0=0x05,IER_SSIE0_SSIRXI0=0x05,
01318 IER_SSIE1_SSIRTI1=0x06,
01319 IER_RIIC1_RXI1=0x06,IER_RIIC1_TXI1=0x06,
01320 IER_RIIC0_RXI0=0x06,IER_RIIC0_TXI0=0x06,
01321 IER_RIIC2_RXI2=0x06,IER_RIIC2_TXI2=0x06,
01322 IER_SCI0_RXI0=0x07,IER_SCI0_TXI0=0x07,
01323 IER_SCI1_RXI1=0x07,IER_SCI1_TXI1=0x07,
01324 IER_SCI2_RXI2=0x07,IER_SCI2_TXI2=0x07,
01325
IER_ICU_IRQ0=0x08,IER_ICU_IRQ1=0x08,IER_ICU_IRQ2=0x08,IER_ICU_IRQ3=0x08,IER_ICU_IRQ4=0x08,IER_ICU_IRQ5=0x08,
01326
IER_ICU_IRQ8=0x09,IER_ICU_IRQ9=0x09,IER_ICU_IRQ10=0x09,IER_ICU_IRQ11=0x09,IER_ICU_IRQ12=0x09,IER_ICU_IRQ13=0x09,
01327 IER_SCI3_RXI3=0x0A,IER_SCI3_TXI3=0x0A,
01328 IER_SCI4_RXI4=0x0A,IER_SCI4_TXI4=0x0A,
01329 IER_SCI5_RXI5=0x0A,IER_SCI5_TXI5=0x0A,
01330 IER_SCI6_RXI6=0x0A,IER_SCI6_TXI6=0x0A,
01331 IER_LVD1_LVD1=0x0B,
01332 IER_LVD2_LVD2=0x0B,
01333 IER_USB0_USBR0=0x0B,
01334 IER_RTC_ALM=0x0B,IER_RTC_PRD=0x0B,
01335 IER_IWDT_IWUNI=0x0B,
01336 IER_WDT_WUNI=0x0C,
01337 IER_PDC_PCDFI=0x0C,
01338 IER_SCI7_RXI7=0x0C,IER_SCI7_TXI7=0x0C,
01339 IER_SCI8_RXI8=0x0C,IER_SCI8_TXI8=0x0C,
01340 IER_SCI9_RXI9=0x0C,IER_SCI9_TXI9=0x0C,
01341 IER_SCI10_RXI10=0x0D,IER_SCI10_TXI10=0x0D,
01342 IER_ICU_GROUPBE0=0x0D,IER_ICU_GROUPBL2=0x0D,
01343 IER_RSPI2_SPRI2=0x0D,IER_RSPI2_SPTI2=0x0D,
01344
IER_ICU_GROUPBL0=0x0D,IER_ICU_GROUPBL1=0x0D,IER_ICU_GROUPAL0=0x0E,IER_ICU_GROUPAL1=0x0E,
01345 IER_SCI11_RXI11=0x0E,IER_SCI11_TXI11=0x0E,
01346 IER_SCI12_RXI12=0x0E,IER_SCI12_TXI12=0x0E,
01347
IER_DMACH_DMACH0I=0x0F,IER_DMACH_DMACH1I=0x0F,IER_DMACH_DMACH2I=0x0F,IER_DMACH_DMACH3I=0x0F,IER_DMACH_DMACH4I=0x0F,
01348 IER_OST_OSTDI=0x0F,
01349 IER_EXDMACH_EXDMACH0I=0x0F,IER_EXDMACH_EXDMACH1I=0x0F,
01350
IER_PERIB_INTB128=0x10,IER_PERIB_INTB129=0x10,IER_PERIB_INTB130=0x10,IER_PERIB_INTB131=0x10,IER_PERIB_INTB132=0x10,
01351
IER_PERIB_INTB133=0x10,IER_PERIB_INTB134=0x10,IER_PERIB_INTB135=0x10,IER_PERIB_INTB136=0x11,IER_PERIB_INTB137=0x11,
01352
IER_PERIB_INTB138=0x11,IER_PERIB_INTB139=0x11,IER_PERIB_INTB140=0x11,IER_PERIB_INTB141=0x11,IER_PERIB_INTB142=0x11,
01353
IER_PERIB_INTB143=0x11,IER_PERIB_INTB144=0x12,IER_PERIB_INTB145=0x12,IER_PERIB_INTB146=0x12,IER_PERIB_INTB147=0x12,
01354
IER_PERIB_INTB148=0x12,IER_PERIB_INTB149=0x12,IER_PERIB_INTB150=0x12,IER_PERIB_INTB151=0x12,IER_PERIB_INTB152=0x12,
01355
IER_PERIB_INTB153=0x13,IER_PERIB_INTB154=0x13,IER_PERIB_INTB155=0x13,IER_PERIB_INTB156=0x13,IER_PERIB_INTB157=0x13,
01356
IER_PERIB_INTB158=0x13,IER_PERIB_INTB159=0x13,IER_PERIB_INTB160=0x14,IER_PERIB_INTB161=0x14,IER_PERIB_INTB162=0x14,
01357
IER_PERIB_INTB163=0x14,IER_PERIB_INTB164=0x14,IER_PERIB_INTB165=0x14,IER_PERIB_INTB166=0x14,IER_PERIB_INTB167=0x14,
01358
IER_PERIB_INTB168=0x15,IER_PERIB_INTB169=0x15,IER_PERIB_INTB170=0x15,IER_PERIB_INTB171=0x15,IER_PERIB_INTB172=0x15,

```

```

01359 IER_PERIB_INTB173=0x15,IER_PERIB_INTB174=0x15,IER_PERIB_INTB175=0x15,IER_PERIB_INTB176=0x16,IER_PERIB_INTB
01360 IER_PERIB_INTB178=0x16,IER_PERIB_INTB179=0x16,IER_PERIB_INTB180=0x16,IER_PERIB_INTB181=0x16,IER_PERIB_INTB
01361 IER_PERIB_INTB183=0x16,IER_PERIB_INTB184=0x17,IER_PERIB_INTB185=0x17,IER_PERIB_INTB186=0x17,IER_PERIB_INTB
01362 IER_PERIB_INTB188=0x17,IER_PERIB_INTB189=0x17,IER_PERIB_INTB190=0x17,IER_PERIB_INTB191=0x17,IER_PERIB_INTB
01363 IER_PERIB_INTB193=0x18,IER_PERIB_INTB194=0x18,IER_PERIB_INTB195=0x18,IER_PERIB_INTB196=0x18,IER_PERIB_INTB
01364 IER_PERIB_INTB198=0x18,IER_PERIB_INTB199=0x18,IER_PERIB_INTB200=0x19,IER_PERIB_INTB201=0x19,IER_PERIB_INTB
01365 IER_PERIB_INTB203=0x19,IER_PERIB_INTB204=0x19,IER_PERIB_INTB205=0x19,IER_PERIB_INTB206=0x19,IER_PERIB_INTB
01366 IER_PERIA_INTA208=0x1A,IER_PERIA_INTA209=0x1A,IER_PERIA_INTA210=0x1A,IER_PERIA_INTA211=0x1A,IER_PERIA_INT
01367 IER_PERIA_INTA213=0x1A,IER_PERIA_INTA214=0x1A,IER_PERIA_INTA215=0x1A,IER_PERIA_INTA216=0x1B,IER_PERIA_INT
01368 IER_PERIA_INTA218=0x1B,IER_PERIA_INTA219=0x1B,IER_PERIA_INTA220=0x1B,IER_PERIA_INTA221=0x1B,IER_PERIA_INT
01369 IER_PERIA_INTA223=0x1B,IER_PERIA_INTA224=0x1C,IER_PERIA_INTA225=0x1C,IER_PERIA_INTA226=0x1C,IER_PERIA_INT
01370 IER_PERIA_INTA228=0x1C,IER_PERIA_INTA229=0x1C,IER_PERIA_INTA230=0x1C,IER_PERIA_INTA231=0x1C,IER_PERIA_INT
01371 IER_PERIA_INTA233=0x1D,IER_PERIA_INTA234=0x1D,IER_PERIA_INTA235=0x1D,IER_PERIA_INTA236=0x1D,IER_PERIA_INT
01372 IER_PERIA_INTA238=0x1D,IER_PERIA_INTA239=0x1D,IER_PERIA_INTA240=0x1E,IER_PERIA_INTA241=0x1E,IER_PERIA_INT
01373 IER_PERIA_INTA243=0x1E,IER_PERIA_INTA244=0x1E,IER_PERIA_INTA245=0x1E,IER_PERIA_INTA246=0x1E,IER_PERIA_INT
01374 IER_PERIA_INTA248=0x1F,IER_PERIA_INTA249=0x1F,IER_PERIA_INTA250=0x1F,IER_PERIA_INTA251=0x1F,IER_PERIA_INTA
01375 IER_PERIA_INTA253=0x1F,IER_PERIA_INTA254=0x1F,IER_PERIA_INTA255=0x1F
01376 } enum_ier_t;

```

6.3.3.3 enum_ipr_t

enum [enum_ipr_t](#)

Enumerator

IPR_BSC_BUSERR	
IPR_ICU_GROUPIE0	
IPR_RAM_RAMERR	
IPR_FCU_FIFERR	
IPR_FCU_FRDYI	
IPR_ICU_SWINT2	
IPR_ICU_SWINT	
IPR_CMT0_CMI0	
IPR_CMT1_CMI1	
IPR_CMTW0_CMWI0	
IPR_CMTW1_CMWI1	
IPR_USB0_D0FIFO0	
IPR_USB0_D1FIFO0	
IPR_RSPI0_SPRI0	
IPR_RSPI0_SPTI0	
IPR_RSPI1_SPRI1	
IPR_RSPI1_SPTI1	
IPR_QSPI_SPRI	
IPR_QSPI_SPTI	

IPR_SDHI_SBFAl	
IPR_MMCI_F_MBFAI	
IPR_SSIE0_SSITXI0	
IPR_SSIE0_SSIRXI0	
IPR_SSIE1_SSIRT11	
IPR_RIIC1_RXI1	
IPR_RIIC1_TXI1	
IPR_RIIC0_RXI0	
IPR_RIIC0_TXI0	
IPR_RIIC2_RXI2	
IPR_RIIC2_TXI2	
IPR_SCI0_RXI0	
IPR_SCI0_TXI0	
IPR_SCI1_RXI1	
IPR_SCI1_TXI1	
IPR_SCI2_RXI2	
IPR_SCI2_TXI2	
IPR_ICU_IRQ0	
IPR_ICU_IRQ1	
IPR_ICU_IRQ2	
IPR_ICU_IRQ3	
IPR_ICU_IRQ4	
IPR_ICU_IRQ5	
IPR_ICU_IRQ6	
IPR_ICU_IRQ7	
IPR_ICU_IRQ8	
IPR_ICU_IRQ9	
IPR_ICU_IRQ10	
IPR_ICU_IRQ11	
IPR_ICU_IRQ12	
IPR_ICU_IRQ13	
IPR_ICU_IRQ14	
IPR_ICU_IRQ15	
IPR_SCI3_RXI3	
IPR_SCI3_TXI3	
IPR_SCI4_RXI4	
IPR_SCI4_TXI4	
IPR_SCI5_RXI5	
IPR_SCI5_TXI5	
IPR_SCI6_RXI6	
IPR_SCI6_TXI6	
IPR_LVD1_LVD1	

IPR_LVD2_LVD2	
IPR_USB0_USBR0	
IPR_RTC_ALM	
IPR_RTC_PRD	
IPR_IWDT_IWUNI	
IPR_WDT_WUNI	
IPR_PDC_PCDFI	
IPR_SCI7_RXI7	
IPR_SCI7_TXI7	
IPR_SCI8_RXI8	
IPR_SCI8_TXI8	
IPR_SCI9_RXI9	
IPR_SCI9_TXI9	
IPR_SCI10_RXI10	
IPR_SCI10_TXI10	
IPR_ICU_GROUPBE0	
IPR_ICU_GROUPBL2	
IPR_RSPI2_SPRI2	
IPR_RSPI2_SPTI2	
IPR_ICU_GROUPBL0	
IPR_ICU_GROUPBL1	
IPR_ICU_GROUPAL0	
IPR_ICU_GROUPAL1	
IPR_SCI11_RXI11	
IPR_SCI11_TXI11	
IPR_SCI12_RXI12	
IPR_SCI12_TXI12	
IPR_DMAC_DMAC0I	
IPR_DMAC_DMAC1I	
IPR_DMAC_DMAC2I	
IPR_DMAC_DMAC3I	
IPR_DMAC_DMAC74I	
IPR_OST_OSTDI	
IPR_EXDMAC_EXDMAC0I	
IPR_EXDMAC_EXDMAC1I	
IPR_PERIB_INTB128	
IPR_PERIB_INTB129	
IPR_PERIB_INTB130	
IPR_PERIB_INTB131	
IPR_PERIB_INTB132	
IPR_PERIB_INTB133	
IPR_PERIB_INTB134	

IPR_PERIB_INTB135	
IPR_PERIB_INTB136	
IPR_PERIB_INTB137	
IPR_PERIB_INTB138	
IPR_PERIB_INTB139	
IPR_PERIB_INTB140	
IPR_PERIB_INTB141	
IPR_PERIB_INTB142	
IPR_PERIB_INTB143	
IPR_PERIB_INTB144	
IPR_PERIB_INTB145	
IPR_PERIB_INTB146	
IPR_PERIB_INTB147	
IPR_PERIB_INTB148	
IPR_PERIB_INTB149	
IPR_PERIB_INTB150	
IPR_PERIB_INTB151	
IPR_PERIB_INTB152	
IPR_PERIB_INTB153	
IPR_PERIB_INTB154	
IPR_PERIB_INTB155	
IPR_PERIB_INTB156	
IPR_PERIB_INTB157	
IPR_PERIB_INTB158	
IPR_PERIB_INTB159	
IPR_PERIB_INTB160	
IPR_PERIB_INTB161	
IPR_PERIB_INTB162	
IPR_PERIB_INTB163	
IPR_PERIB_INTB164	
IPR_PERIB_INTB165	
IPR_PERIB_INTB166	
IPR_PERIB_INTB167	
IPR_PERIB_INTB168	
IPR_PERIB_INTB169	
IPR_PERIB_INTB170	
IPR_PERIB_INTB171	
IPR_PERIB_INTB172	
IPR_PERIB_INTB173	
IPR_PERIB_INTB174	
IPR_PERIB_INTB175	
IPR_PERIB_INTB176	

IPR_PERIB_INTB177	
IPR_PERIB_INTB178	
IPR_PERIB_INTB179	
IPR_PERIB_INTB180	
IPR_PERIB_INTB181	
IPR_PERIB_INTB182	
IPR_PERIB_INTB183	
IPR_PERIB_INTB184	
IPR_PERIB_INTB185	
IPR_PERIB_INTB186	
IPR_PERIB_INTB187	
IPR_PERIB_INTB188	
IPR_PERIB_INTB189	
IPR_PERIB_INTB190	
IPR_PERIB_INTB191	
IPR_PERIB_INTB192	
IPR_PERIB_INTB193	
IPR_PERIB_INTB194	
IPR_PERIB_INTB195	
IPR_PERIB_INTB196	
IPR_PERIB_INTB197	
IPR_PERIB_INTB198	
IPR_PERIB_INTB199	
IPR_PERIB_INTB200	
IPR_PERIB_INTB201	
IPR_PERIB_INTB202	
IPR_PERIB_INTB203	
IPR_PERIB_INTB204	
IPR_PERIB_INTB205	
IPR_PERIB_INTB206	
IPR_PERIB_INTB207	
IPR_PERIA_INTA208	
IPR_PERIA_INTA209	
IPR_PERIA_INTA210	
IPR_PERIA_INTA211	
IPR_PERIA_INTA212	
IPR_PERIA_INTA213	
IPR_PERIA_INTA214	
IPR_PERIA_INTA215	
IPR_PERIA_INTA216	
IPR_PERIA_INTA217	
IPR_PERIA_INTA218	

IPR_PERIA_INTA219	
IPR_PERIA_INTA220	
IPR_PERIA_INTA221	
IPR_PERIA_INTA222	
IPR_PERIA_INTA223	
IPR_PERIA_INTA224	
IPR_PERIA_INTA225	
IPR_PERIA_INTA226	
IPR_PERIA_INTA227	
IPR_PERIA_INTA228	
IPR_PERIA_INTA229	
IPR_PERIA_INTA230	
IPR_PERIA_INTA231	
IPR_PERIA_INTA232	
IPR_PERIA_INTA233	
IPR_PERIA_INTA234	
IPR_PERIA_INTA235	
IPR_PERIA_INTA236	
IPR_PERIA_INTA237	
IPR_PERIA_INTA238	
IPR_PERIA_INTA239	
IPR_PERIA_INTA240	
IPR_PERIA_INTA241	
IPR_PERIA_INTA242	
IPR_PERIA_INTA243	
IPR_PERIA_INTA244	
IPR_PERIA_INTA245	
IPR_PERIA_INTA246	
IPR_PERIA_INTA247	
IPR_PERIA_INTA248	
IPR_PERIA_INTA249	
IPR_PERIA_INTA250	
IPR_PERIA_INTA251	
IPR_PERIA_INTA252	
IPR_PERIA_INTA253	
IPR_PERIA_INTA254	
IPR_PERIA_INTA255	
IPR_ICU_SWI	
IPR_CMT0_	
IPR_CMT1_	
IPR_CMTW0_	
IPR_CMTW1_	

IPR_SDHI_	
IPR_MMCIF_	
IPR_SSIE1_	
IPR_LVD1_	
IPR_LVD2_	
IPR_IWDT_	
IPR_WDT_	
IPR_PDC_	
IPR_OST_	

Definition at line 1378 of file [iodef.h](#).

```

01378 {
01379 IPR_BSC_BUSERR=0,
01380 IPR_ICU_GROUPIE0=0,
01381 IPR_RAM_RAMERR=0,
01382 IPR_FCU_FIFERR=1,IPR_FCU_FRDYI=2,
01383 IPR_ICU_SWINT2=3,IPR_ICU_SWINT=3,
01384 IPR_CMT0_CMI0=4,
01385 IPR_CMT1_CMI1=5,
01386 IPR_CMTW0_CMWI0=6,
01387 IPR_CMTW1_CMWI1=7,
01388 IPR_USB0_D0FIFO0=34,IPR_USB0_D1FIFO0=35,
01389 IPR_RSPI0_SPRI0=38,IPR_RSPI0_SPTI0=39,
01390 IPR_RSPI1_SPRI1=40,IPR_RSPI1_SPTI1=41,
01391 IPR_QSPI_SPRI=42,IPR_QSPI_SPTI=43,
01392 IPR_SDHI_SBFBI=44,
01393 IPR_MMCIF_MBFBI=45,
01394 IPR_SSIE0_SSTXI0=46,IPR_SSIE0_SSIRXI0=47,
01395 IPR_SSIE1_SSTI1=48,
01396 IPR_RIIC1_RXI1=50,IPR_RIIC1_TXI1=51,
01397 IPR_RIIC0_RXI0=52,IPR_RIIC0_TXI0=53,
01398 IPR_RIIC2_RXI2=54,IPR_RIIC2_TXI2=55,
01399 IPR_SCI0_RXI0=58,IPR_SCI0_TXI0=59,
01400 IPR_SCI1_RXI1=60,IPR_SCI1_TXI1=61,
01401 IPR_SCI2_RXI2=62,IPR_SCI2_TXI2=63,
01402 IPR_ICU_IRQ0=64,IPR_ICU_IRQ1=65,IPR_ICU_IRQ2=66,IPR_ICU_IRQ3=67,IPR_ICU_IRQ4=68,IPR_ICU_IRQ5=69,IPR_ICU_IRQ6=70,IPR_ICU_IRQ7=71,
01403 IPR_ICU_IRQ8=72,IPR_ICU_IRQ9=73,IPR_ICU_IRQ10=74,IPR_ICU_IRQ11=75,IPR_ICU_IRQ12=76,IPR_ICU_IRQ13=77,IPR_ICU_IRQ14=78,IPR_ICU_IRQ15=79,
01404 IPR_SCI3_RXI3=80,IPR_SCI3_TXI3=81,
01405 IPR_SCI4_RXI4=82,IPR_SCI4_TXI4=83,
01406 IPR_SCI5_RXI5=84,IPR_SCI5_TXI5=85,
01407 IPR_SCI6_RXI6=86,IPR_SCI6_TXI6=87,
01408 IPR_LVD1_LVD1=88,
01409 IPR_LVD2_LVD2=89,
01410 IPR_USB0_USBR0=90,
01411 IPR_RTC_ALM=92,IPR_RTC_PRD=93,
01412 IPR_IWDT_IWUNI=95,
01413 IPR_WDT_WUNI=96,
01414 IPR_PDC_PCDFI=97,
01415 IPR_SCI7_RXI7=98,IPR_SCI7_TXI7=99,
01416 IPR_SCI8_RXI8=100,IPR_SCI8_TXI8=101,
01417 IPR_SCI9_RXI9=102,IPR_SCI9_TXI9=103,
01418 IPR_SCI10_RXI10=104,IPR_SCI10_TXI10=105,
01419 IPR_ICU_GROUPBE0=106,IPR_ICU_GROUPBL2=107,
01420 IPR_RSPI2_SPRI2=108,IPR_RSPI2_SPTI2=109,
01421 IPR_ICU_GROUPBL0=110,IPR_ICU_GROUPBL1=111,IPR_ICU_GROUPAL0=112,IPR_ICU_GROUPAL1=113,
01422 IPR_SCI11_RXI11=114,IPR_SCI11_TXI11=115,
01423 IPR_SCI12_RXI12=116,IPR_SCI12_TXI12=117,
01424 IPR_DMACH_DMACH0I=120,IPR_DMACH_DMACH1I=121,IPR_DMACH_DMACH2I=122,IPR_DMACH_DMACH3I=123,IPR_DMACH_DMACH74I=124,
01425 IPR_OST_OSTDI=125,
01426 IPR_EXDMACH_EXDMACH0I=126,IPR_EXDMACH_EXDMACH1I=127,
01427 IPR_PERIB_INTB128=128,IPR_PERIB_INTB129=129,IPR_PERIB_INTB130=130,IPR_PERIB_INTB131=131,IPR_PERIB_INTB132=132,
01428 IPR_PERIB_INTB133=133,IPR_PERIB_INTB134=134,IPR_PERIB_INTB135=135,IPR_PERIB_INTB136=136,IPR_PERIB_INTB137=137,
01429 IPR_PERIB_INTB138=138,IPR_PERIB_INTB139=139,IPR_PERIB_INTB140=140,IPR_PERIB_INTB141=141,IPR_PERIB_INTB142=142,
01430 IPR_PERIB_INTB143=143,IPR_PERIB_INTB144=144,IPR_PERIB_INTB145=145,IPR_PERIB_INTB146=146,IPR_PERIB_INTB147=147,
01431 IPR_PERIB_INTB148=148,IPR_PERIB_INTB149=149,IPR_PERIB_INTB150=150,IPR_PERIB_INTB151=151,IPR_PERIB_INTB152=152,
01432 IPR_PERIB_INTB153=153,IPR_PERIB_INTB154=154,IPR_PERIB_INTB155=155,IPR_PERIB_INTB156=156,IPR_PERIB_INTB157=157,

```

```

01433 IPR_PERIB_INTB158=158,IPR_PERIB_INTB159=159,IPR_PERIB_INTB160=160,IPR_PERIB_INTB161=161,IPR_PERIB_INTB162=
01434 IPR_PERIB_INTB163=163,IPR_PERIB_INTB164=164,IPR_PERIB_INTB165=165,IPR_PERIB_INTB166=166,IPR_PERIB_INTB167=
01435 IPR_PERIB_INTB168=168,IPR_PERIB_INTB169=169,IPR_PERIB_INTB170=170,IPR_PERIB_INTB171=171,IPR_PERIB_INTB172=
01436 IPR_PERIB_INTB173=173,IPR_PERIB_INTB174=174,IPR_PERIB_INTB175=175,IPR_PERIB_INTB176=176,IPR_PERIB_INTB177=
01437 IPR_PERIB_INTB178=178,IPR_PERIB_INTB179=179,IPR_PERIB_INTB180=180,IPR_PERIB_INTB181=181,IPR_PERIB_INTB182=
01438 IPR_PERIB_INTB183=183,IPR_PERIB_INTB184=184,IPR_PERIB_INTB185=185,IPR_PERIB_INTB186=186,IPR_PERIB_INTB187=
01439 IPR_PERIB_INTB188=188,IPR_PERIB_INTB189=189,IPR_PERIB_INTB190=190,IPR_PERIB_INTB191=191,IPR_PERIB_INTB192=
01440 IPR_PERIB_INTB193=193,IPR_PERIB_INTB194=194,IPR_PERIB_INTB195=195,IPR_PERIB_INTB196=196,IPR_PERIB_INTB197=
01441 IPR_PERIB_INTB198=198,IPR_PERIB_INTB199=199,IPR_PERIB_INTB200=200,IPR_PERIB_INTB201=201,IPR_PERIB_INTB202=
01442 IPR_PERIB_INTB203=203,IPR_PERIB_INTB204=204,IPR_PERIB_INTB205=205,IPR_PERIB_INTB206=206,IPR_PERIB_INTB207=
01443 IPR_PERIA_INTA208=208,IPR_PERIA_INTA209=209,IPR_PERIA_INTA210=210,IPR_PERIA_INTA211=211,IPR_PERIA_INTA212=
01444 IPR_PERIA_INTA213=213,IPR_PERIA_INTA214=214,IPR_PERIA_INTA215=215,IPR_PERIA_INTA216=216,IPR_PERIA_INTA217=
01445 IPR_PERIA_INTA218=218,IPR_PERIA_INTA219=219,IPR_PERIA_INTA220=220,IPR_PERIA_INTA221=221,IPR_PERIA_INTA222=
01446 IPR_PERIA_INTA223=223,IPR_PERIA_INTA224=224,IPR_PERIA_INTA225=225,IPR_PERIA_INTA226=226,IPR_PERIA_INTA227=
01447 IPR_PERIA_INTA228=228,IPR_PERIA_INTA229=229,IPR_PERIA_INTA230=230,IPR_PERIA_INTA231=231,IPR_PERIA_INTA232=
01448 IPR_PERIA_INTA233=233,IPR_PERIA_INTA234=234,IPR_PERIA_INTA235=235,IPR_PERIA_INTA236=236,IPR_PERIA_INTA237=
01449 IPR_PERIA_INTA238=238,IPR_PERIA_INTA239=239,IPR_PERIA_INTA240=240,IPR_PERIA_INTA241=241,IPR_PERIA_INTA242=
01450 IPR_PERIA_INTA243=243,IPR_PERIA_INTA244=244,IPR_PERIA_INTA245=245,IPR_PERIA_INTA246=246,IPR_PERIA_INTA247=
01451 IPR_PERIA_INTA248=248,IPR_PERIA_INTA249=249,IPR_PERIA_INTA250=250,IPR_PERIA_INTA251=251,IPR_PERIA_INTA252=
01452 IPR_PERIA_INTA253=253,IPR_PERIA_INTA254=254,IPR_PERIA_INTA255=255,
01453 IPR_ICU_SWI=3,
01454 IPR_CMT0_=4,
01455 IPR_CMT1_=5,
01456 IPR_CMTW0_=6,
01457 IPR_CMTW1_=7,
01458 IPR_SDHI_=44,
01459 IPR_MMCIF_=45,
01460 IPR_SSIE1_=48,
01461 IPR_LVD1_=88,
01462 IPR_LVD2_=89,
01463 IPR_IWDT_=95,
01464 IPR_WDT_=96,
01465 IPR_PDC_=97,
01466 IPR_OST_=125
01467 } enum_ipr_t;

```

6.3.3.4 enum_ir_t

enum [enum_ir_t](#)

Enumerator

IR_BSC_BUSERR	
IR_ICU_GROUPIE0	
IR_RAM_RAMERR	
IR_FCU_FIFERR	
IR_FCU_FRDYI	
IR_ICU_SWINT2	
IR_ICU_SWINT	
IR_CMT0_CMI0	
IR_CMT1_CMI1	

IR_CMTW0_CMWI0	
IR_CMTW1_CMWI1	
IR_USB0_D0FIFO0	
IR_USB0_D1FIFO0	
IR_RSPI0_SPRI0	
IR_RSPI0_SPTI0	
IR_RSPI1_SPRI1	
IR_RSPI1_SPTI1	
IR_QSPI_SPRI	
IR_QSPI_SPTI	
IR_SDHI_SBFBI	
IR_MMCIF_MBFBI	
IR_SSIE0_SSITXI0	
IR_SSIE0_SSIRXI0	
IR_SSIE1_SSIRTI1	
IR_RIIC1_RXI1	
IR_RIIC1_TXI1	
IR_RIIC0_RXI0	
IR_RIIC0_TXI0	
IR_RIIC2_RXI2	
IR_RIIC2_TXI2	
IR_SCI0_RXI0	
IR_SCI0_TXI0	
IR_SCI1_RXI1	
IR_SCI1_TXI1	
IR_SCI2_RXI2	
IR_SCI2_TXI2	
IR_ICU_IRQ0	
IR_ICU_IRQ1	
IR_ICU_IRQ2	
IR_ICU_IRQ3	
IR_ICU_IRQ4	
IR_ICU_IRQ5	
IR_ICU_IRQ6	
IR_ICU_IRQ7	
IR_ICU_IRQ8	
IR_ICU_IRQ9	
IR_ICU_IRQ10	
IR_ICU_IRQ11	
IR_ICU_IRQ12	
IR_ICU_IRQ13	
IR_ICU_IRQ14	

IR_ICU_IRQ15	
IR_SCI3_RXI3	
IR_SCI3_TXI3	
IR_SCI4_RXI4	
IR_SCI4_TXI4	
IR_SCI5_RXI5	
IR_SCI5_TXI5	
IR_SCI6_RXI6	
IR_SCI6_TXI6	
IR_LVD1_LVD1	
IR_LVD2_LVD2	
IR_USB0_USBR0	
IR_RTC_ALM	
IR_RTC_PRD	
IR_IWDT_IWUNI	
IR_WDT_WUNI	
IR_PDC_PCDFI	
IR_SCI7_RXI7	
IR_SCI7_TXI7	
IR_SCI8_RXI8	
IR_SCI8_TXI8	
IR_SCI9_RXI9	
IR_SCI9_TXI9	
IR_SCI10_RXI10	
IR_SCI10_TXI10	
IR_ICU_GROUPBE0	
IR_ICU_GROUPBL2	
IR_RSPI2_SPRI2	
IR_RSPI2_SPTI2	
IR_ICU_GROUPBL0	
IR_ICU_GROUPBL1	
IR_ICU_GROUPAL0	
IR_ICU_GROUPAL1	
IR_SCI11_RXI11	
IR_SCI11_TXI11	
IR_SCI12_RXI12	
IR_SCI12_TXI12	
IR_DMAL_DMAL0I	
IR_DMAL_DMAL1I	
IR_DMAL_DMAL2I	
IR_DMAL_DMAL3I	
IR_DMAL_DMAL74I	

IR_OST_OSTDI	
IR_EXDMAC_EXDMAC0I	
IR_EXDMAC_EXDMAC1I	
IR_PERIB_INTB128	
IR_PERIB_INTB129	
IR_PERIB_INTB130	
IR_PERIB_INTB131	
IR_PERIB_INTB132	
IR_PERIB_INTB133	
IR_PERIB_INTB134	
IR_PERIB_INTB135	
IR_PERIB_INTB136	
IR_PERIB_INTB137	
IR_PERIB_INTB138	
IR_PERIB_INTB139	
IR_PERIB_INTB140	
IR_PERIB_INTB141	
IR_PERIB_INTB142	
IR_PERIB_INTB143	
IR_PERIB_INTB144	
IR_PERIB_INTB145	
IR_PERIB_INTB146	
IR_PERIB_INTB147	
IR_PERIB_INTB148	
IR_PERIB_INTB149	
IR_PERIB_INTB150	
IR_PERIB_INTB151	
IR_PERIB_INTB152	
IR_PERIB_INTB153	
IR_PERIB_INTB154	
IR_PERIB_INTB155	
IR_PERIB_INTB156	
IR_PERIB_INTB157	
IR_PERIB_INTB158	
IR_PERIB_INTB159	
IR_PERIB_INTB160	
IR_PERIB_INTB161	
IR_PERIB_INTB162	
IR_PERIB_INTB163	
IR_PERIB_INTB164	
IR_PERIB_INTB165	
IR_PERIB_INTB166	

IR_PERIB_INTB167	
IR_PERIB_INTB168	
IR_PERIB_INTB169	
IR_PERIB_INTB170	
IR_PERIB_INTB171	
IR_PERIB_INTB172	
IR_PERIB_INTB173	
IR_PERIB_INTB174	
IR_PERIB_INTB175	
IR_PERIB_INTB176	
IR_PERIB_INTB177	
IR_PERIB_INTB178	
IR_PERIB_INTB179	
IR_PERIB_INTB180	
IR_PERIB_INTB181	
IR_PERIB_INTB182	
IR_PERIB_INTB183	
IR_PERIB_INTB184	
IR_PERIB_INTB185	
IR_PERIB_INTB186	
IR_PERIB_INTB187	
IR_PERIB_INTB188	
IR_PERIB_INTB189	
IR_PERIB_INTB190	
IR_PERIB_INTB191	
IR_PERIB_INTB192	
IR_PERIB_INTB193	
IR_PERIB_INTB194	
IR_PERIB_INTB195	
IR_PERIB_INTB196	
IR_PERIB_INTB197	
IR_PERIB_INTB198	
IR_PERIB_INTB199	
IR_PERIB_INTB200	
IR_PERIB_INTB201	
IR_PERIB_INTB202	
IR_PERIB_INTB203	
IR_PERIB_INTB204	
IR_PERIB_INTB205	
IR_PERIB_INTB206	
IR_PERIB_INTB207	
IR_PERIA_INTA208	

IR_PERIA_INTA209	
IR_PERIA_INTA210	
IR_PERIA_INTA211	
IR_PERIA_INTA212	
IR_PERIA_INTA213	
IR_PERIA_INTA214	
IR_PERIA_INTA215	
IR_PERIA_INTA216	
IR_PERIA_INTA217	
IR_PERIA_INTA218	
IR_PERIA_INTA219	
IR_PERIA_INTA220	
IR_PERIA_INTA221	
IR_PERIA_INTA222	
IR_PERIA_INTA223	
IR_PERIA_INTA224	
IR_PERIA_INTA225	
IR_PERIA_INTA226	
IR_PERIA_INTA227	
IR_PERIA_INTA228	
IR_PERIA_INTA229	
IR_PERIA_INTA230	
IR_PERIA_INTA231	
IR_PERIA_INTA232	
IR_PERIA_INTA233	
IR_PERIA_INTA234	
IR_PERIA_INTA235	
IR_PERIA_INTA236	
IR_PERIA_INTA237	
IR_PERIA_INTA238	
IR_PERIA_INTA239	
IR_PERIA_INTA240	
IR_PERIA_INTA241	
IR_PERIA_INTA242	
IR_PERIA_INTA243	
IR_PERIA_INTA244	
IR_PERIA_INTA245	
IR_PERIA_INTA246	
IR_PERIA_INTA247	
IR_PERIA_INTA248	
IR_PERIA_INTA249	
IR_PERIA_INTA250	

IR_PERIA_INTA251	
IR_PERIA_INTA252	
IR_PERIA_INTA253	
IR_PERIA_INTA254	
IR_PERIA_INTA255	

Definition at line 1161 of file [iodefine.h](#).

```

01161     {
01162 IR_BSC_BUSERR=16,IR_ICU_GROUPIE0=17,
01163 IR_RAM_RAMERR,
01164 IR_FCU_FIFERR=21,IR_FCU_FRDYI=23,
01165 IR_ICU_SWINT2=26,IR_ICU_SWINT,
01166 IR_CMT0_CMI0,
01167 IR_CMT1_CMI1,
01168 IR_CMTW0_CMWI0,
01169 IR_CMTW1_CMWI1,
01170 IR_USB0_D0FIFO0=34,IR_USB0_D1FIFO0,
01171 IR_RSPI0_SPRI0=38,IR_RSPI0_SPTI0,
01172 IR_RSPI1_SPRI1,IR_RSPI1_SPTI1,
01173 IR_QSPI_SPRI,IR_QSPI_SPTI,
01174 IR_SDHI_SBFAL,
01175 IR_MMCF_MBFAL,
01176 IR_SSIE0_SSITXI0,IR_SSIE0_SSIRXI0,
01177 IR_SSIE1_SSIRT1I,
01178 IR_RIIC1_RXI1=50,IR_RIIC1_TXI1,
01179 IR_RIIC0_RXI0,IR_RIIC0_TXI0,
01180 IR_RIIC2_RXI2,IR_RIIC2_TXI2,
01181 IR_SCI0_RXI0=58,IR_SCI0_TXI0,
01182 IR_SCI1_RXI1,IR_SCI1_TXI1,
01183 IR_SCI2_RXI2,IR_SCI2_TXI2,
01184
IR_ICU_IRQ0,IR_ICU_IRQ1,IR_ICU_IRQ2,IR_ICU_IRQ3,IR_ICU_IRQ4,IR_ICU_IRQ5,IR_ICU_IRQ6,IR_ICU_IRQ7,
01185
IR_ICU_IRQ8,IR_ICU_IRQ9,IR_ICU_IRQ10,IR_ICU_IRQ11,IR_ICU_IRQ12,IR_ICU_IRQ13,IR_ICU_IRQ14,IR_ICU_IRQ15,
01186 IR_SCI3_RXI3,IR_SCI3_TXI3,
01187 IR_SCI4_RXI4,IR_SCI4_TXI4,
01188 IR_SCI5_RXI5,IR_SCI5_TXI5,
01189 IR_SCI6_RXI6,IR_SCI6_TXI6,
01190 IR_LVD1_LVD1,
01191 IR_LVD2_LVD2,
01192 IR_USB0_USBR0,
01193 IR_RTC_ALM=92,IR_RTC_PRD,
01194 IR_IWDT_IWUNI=95,
01195 IR_WDT_WUNI,
01196 IR_PDC_PCDFI,
01197 IR_SCI7_RXI7,IR_SCI7_TXI7,
01198 IR_SCI8_RXI8,IR_SCI8_TXI8,
01199 IR_SCI9_RXI9,IR_SCI9_TXI9,
01200 IR_SCI10_RXI10,IR_SCI10_TXI10,
01201 IR_ICU_GROUPBE0,IR_ICU_GROUPBL2,
01202 IR_RSPI2_SPRI2,IR_RSPI2_SPTI2,
01203 IR_ICU_GROUPBL0,IR_ICU_GROUPBL1,IR_ICU_GROUPAL0,IR_ICU_GROUPAL1,
01204 IR_SCI11_RXI11,IR_SCI11_TXI11,
01205 IR_SCI12_RXI12,IR_SCI12_TXI12,
01206 IR_DMAC_DMAC0I=120,IR_DMAC_DMAC1I,IR_DMAC_DMAC2I,IR_DMAC_DMAC3I,IR_DMAC_DMAC74I,
01207 IR_OST_OSTDI,
01208 IR_EXDMAC_EXDMAC0I,IR_EXDMAC_EXDMAC1I,
01209 IR_PERIB_INTB128,IR_PERIB_INTB129,IR_PERIB_INTB130,IR_PERIB_INTB131,IR_PERIB_INTB132,
01210 IR_PERIB_INTB133,IR_PERIB_INTB134,IR_PERIB_INTB135,IR_PERIB_INTB136,IR_PERIB_INTB137,
01211 IR_PERIB_INTB138,IR_PERIB_INTB139,IR_PERIB_INTB140,IR_PERIB_INTB141,IR_PERIB_INTB142,
01212 IR_PERIB_INTB143,IR_PERIB_INTB144,IR_PERIB_INTB145,IR_PERIB_INTB146,IR_PERIB_INTB147,
01213 IR_PERIB_INTB148,IR_PERIB_INTB149,IR_PERIB_INTB150,IR_PERIB_INTB151,IR_PERIB_INTB152,
01214 IR_PERIB_INTB153,IR_PERIB_INTB154,IR_PERIB_INTB155,IR_PERIB_INTB156,IR_PERIB_INTB157,
01215 IR_PERIB_INTB158,IR_PERIB_INTB159,IR_PERIB_INTB160,IR_PERIB_INTB161,IR_PERIB_INTB162,
01216 IR_PERIB_INTB163,IR_PERIB_INTB164,IR_PERIB_INTB165,IR_PERIB_INTB166,IR_PERIB_INTB167,
01217 IR_PERIB_INTB168,IR_PERIB_INTB169,IR_PERIB_INTB170,IR_PERIB_INTB171,IR_PERIB_INTB172,
01218 IR_PERIB_INTB173,IR_PERIB_INTB174,IR_PERIB_INTB175,IR_PERIB_INTB176,IR_PERIB_INTB177,
01219 IR_PERIB_INTB178,IR_PERIB_INTB179,IR_PERIB_INTB180,IR_PERIB_INTB181,IR_PERIB_INTB182,
01220 IR_PERIB_INTB183,IR_PERIB_INTB184,IR_PERIB_INTB185,IR_PERIB_INTB186,IR_PERIB_INTB187,
01221 IR_PERIB_INTB188,IR_PERIB_INTB189,IR_PERIB_INTB190,IR_PERIB_INTB191,IR_PERIB_INTB192,
01222 IR_PERIB_INTB193,IR_PERIB_INTB194,IR_PERIB_INTB195,IR_PERIB_INTB196,IR_PERIB_INTB197,
01223 IR_PERIB_INTB198,IR_PERIB_INTB199,IR_PERIB_INTB200,IR_PERIB_INTB201,IR_PERIB_INTB202,
01224 IR_PERIB_INTB203,IR_PERIB_INTB204,IR_PERIB_INTB205,IR_PERIB_INTB206,IR_PERIB_INTB207,
01225 IR_PERIA_INTA208,IR_PERIA_INTA209,IR_PERIA_INTA210,IR_PERIA_INTA211,IR_PERIA_INTA212,
01226 IR_PERIA_INTA213,IR_PERIA_INTA214,IR_PERIA_INTA215,IR_PERIA_INTA216,IR_PERIA_INTA217,
01227 IR_PERIA_INTA218,IR_PERIA_INTA219,IR_PERIA_INTA220,IR_PERIA_INTA221,IR_PERIA_INTA222,
01228 IR_PERIA_INTA223,IR_PERIA_INTA224,IR_PERIA_INTA225,IR_PERIA_INTA226,IR_PERIA_INTA227,
01229 IR_PERIA_INTA228,IR_PERIA_INTA229,IR_PERIA_INTA230,IR_PERIA_INTA231,IR_PERIA_INTA232,
01230 IR_PERIA_INTA233,IR_PERIA_INTA234,IR_PERIA_INTA235,IR_PERIA_INTA236,IR_PERIA_INTA237,

```

```

01231 IR_PERIA_INTA238,IR_PERIA_INTA239,IR_PERIA_INTA240,IR_PERIA_INTA241,IR_PERIA_INTA242,
01232 IR_PERIA_INTA243,IR_PERIA_INTA244,IR_PERIA_INTA245,IR_PERIA_INTA246,IR_PERIA_INTA247,
01233 IR_PERIA_INTA248,IR_PERIA_INTA249,IR_PERIA_INTA250,IR_PERIA_INTA251,IR_PERIA_INTA252,
01234 IR_PERIA_INTA253,IR_PERIA_INTA254,IR_PERIA_INTA255
01235 } enum_ir_t;

```

6.4 iodefne.h

[Go to the documentation of this file.](#)

```

00001 /*
00002  * Copyright (c) 2019(2024,2025) Renesas Electronics Corporation and/or its affiliates
00003  *
00004  * SPDX-License-Identifier: BSD-3-Clause
00005  */
00006 /*****
00007  *
00008  * Device : RX/RX700/RX72N
00009  *
00010  * File Name : iodefne.h
00011  *
00012  * Abstract : Definition of I/O Register.
00013  *
00014  * History : V0.50 (2019-03-15) [Hardware Manual Revision : 0.50]
00015  *           V1.00C (2019-07-17) [Hardware Manual Revision : 1.00]
00016  *           V1.00D (2024-10-25) [Hardware Manual Revision : 1.00]
00017  *           V1.00E (2025-02-14) [Hardware Manual Revision : 1.00]
00018  *
00019  * NOTE : THIS IS A TYPICAL EXAMPLE.
00020  *
00021  *****/
00022 /*****
00023  */
00024 /* DESCRIPTION : Definition of ICU Register */
00025 /* CPU TYPE : RX72N */
00026 /*
00027  * Usage : IR,DTCE,IER,IPR of ICU Register */
00028 /* The following IR, DTCE, IEN, IPR macro functions simplify usage. */
00029 /* The bit access operation is "Bit_Name(interrupt source,name)". */
00030 /* A part of the name can be omitted. */
00031 /* for example : */
00032 /* IR(BSC,BUSERR) = 0; expands to : */
00033 /* ICU.IR[16].BIT.IR = 0; */
00034 /*
00035 /* DTCE(ICU,IRQ0) = 1; expands to : */
00036 /* ICU.DTCER[64].BIT.DTCE = 1; */
00037 /*
00038 /* IEN(CMT0,CMI0) = 1; expands to : */
00039 /* ICU.IER[0x03].BIT.IEN4 = 1; */
00040 /*
00041 /* IPR(ICU,SWINT2) = 2; expands to : */
00042 /* IPR(ICU,SWI ) = 2; // SWINT2,SWINT share IPR level. */
00043 /* ICU.IPR[3].BIT.IPR = 2; */
00044 /*
00045 /* Usage : #pragma interrupt Function_Identifier(vect=**) */
00046 /* The number of vector is "(interrupt source, name)". */
00047 /* for example : */
00048 /* #pragma interrupt INT_IRQ0(vect=VECT(ICU,IRQ0)) expands to : */
00049 /* #pragma interrupt INT_IRQ0(vect=64) */
00050 /* #pragma interrupt INT_CMT0_CMI0(vect=VECT(CMT0,CMI0)) expands to : */
00051 /* #pragma interrupt INT_CMT0_CMI0(vect=28) */
00052 /*
00053 /* Usage : MSTPCRA,MSTPCRB,MSTPCRC of SYSTEM Register */
00054 /* The bit access operation is "MSTP(name)". */
00055 /* The name that can be used is a macro name defined with "iodefne.h". */
00056 /* for example : */
00057 /* MSTP(TMR2) = 0; // TMR2,TMR3,TMR23 expands to : */
00058 /* SYSTEM.MSTPCRA.BIT.MSTPA4 = 0; */
00059 /* MSTP(SCI0) = 0; // SCI0,SMCI0 expands to : */
00060 /* SYSTEM.MSTPCRB.BIT.MSTPB31 = 0; */
00061 /* MSTP(MTU4) = 0; // MTU,MTU0,MTU1,MTU2,MTU3,MTU4,... expands to : */
00062 /* SYSTEM.MSTPCRA.BIT.MSTPA9 = 0; */
00063 /* MSTP(TPU4) = 0; // TPU0,TPU1,TPU2,TPU3,TPU4,TPU5,TPUA expands to : */
00064 /* SYSTEM.MSTPCRA.BIT.MSTPA13 = 0; */
00065 /* MSTP(CMT3) = 0; // CMT2,CMT3 expands to : */
00066 /* SYSTEM.MSTPCRA.BIT.MSTPA14 = 0; */
00067 /*
00068  */
00069 /*****
00070 #ifndef __RX72NIODEFINE_HEADER__
00071 #define __RX72NIODEFINE_HEADER__
00072

```

```
00073 #define IEN_BSC_BUSERR      IEN0
00074 #define IEN_ICU_GROUPIE0      IEN1
00075 #define IEN_RAM_RAMERR        IEN2
00076 #define IEN_FCU_FIFERR        IEN5
00077 #define IEN_FCU_FRDY1          IEN7
00078 #define IEN_ICU_SWINT2         IEN2
00079 #define IEN_ICU_SWINT          IEN3
00080 #define IEN_CMT0_CMI0          IEN4
00081 #define IEN_CMT1_CMI1          IEN5
00082 #define IEN_CMTW0_CMWIO        IEN6
00083 #define IEN_CMTW1_CMWI1        IEN7
00084 #define IEN_USB0_D0FIFO0       IEN2
00085 #define IEN_USB0_D1FIFO0       IEN3
00086 #define IEN_RSPI0_SPRI0        IEN6
00087 #define IEN_RSPI0_SPTI0        IEN7
00088 #define IEN_RSPI1_SPRI1        IEN0
00089 #define IEN_RSPI1_SPTI1        IEN1
00090 #define IEN_QSPI_SPRI          IEN2
00091 #define IEN_QSPI_SPTI          IEN3
00092 #define IEN_SDHI_SBFBI         IEN4
00093 #define IEN_MMCIF_MBFBI        IEN5
00094 #define IEN_SSIE0_SSITXI0       IEN6
00095 #define IEN_SSIE0_SSIRXI0       IEN7
00096 #define IEN_SSIE1_SSIRTI1       IEN0
00097 #define IEN_RIIC1_RXI1          IEN2
00098 #define IEN_RIIC1_TXI1          IEN3
00099 #define IEN_RIIC0_RXI0          IEN4
00100 #define IEN_RIIC0_TXI0          IEN5
00101 #define IEN_RIIC2_RXI2          IEN6
00102 #define IEN_RIIC2_TXI2          IEN7
00103 #define IEN_SCI0_RXI0           IEN2
00104 #define IEN_SCI0_TXI0           IEN3
00105 #define IEN_SCI1_RXI1           IEN4
00106 #define IEN_SCI1_TXI1           IEN5
00107 #define IEN_SCI2_RXI2           IEN6
00108 #define IEN_SCI2_TXI2           IEN7
00109 #define IEN_ICU_IRQ0            IEN0
00110 #define IEN_ICU_IRQ1            IEN1
00111 #define IEN_ICU_IRQ2            IEN2
00112 #define IEN_ICU_IRQ3            IEN3
00113 #define IEN_ICU_IRQ4            IEN4
00114 #define IEN_ICU_IRQ5            IEN5
00115 #define IEN_ICU_IRQ6            IEN6
00116 #define IEN_ICU_IRQ7            IEN7
00117 #define IEN_ICU_IRQ8            IEN0
00118 #define IEN_ICU_IRQ9            IEN1
00119 #define IEN_ICU_IRQ10           IEN2
00120 #define IEN_ICU_IRQ11           IEN3
00121 #define IEN_ICU_IRQ12           IEN4
00122 #define IEN_ICU_IRQ13           IEN5
00123 #define IEN_ICU_IRQ14           IEN6
00124 #define IEN_ICU_IRQ15           IEN7
00125 #define IEN_SCI3_RXI3           IEN0
00126 #define IEN_SCI3_TXI3           IEN1
00127 #define IEN_SCI4_RXI4           IEN2
00128 #define IEN_SCI4_TXI4           IEN3
00129 #define IEN_SCI5_RXI5           IEN4
00130 #define IEN_SCI5_TXI5           IEN5
00131 #define IEN_SCI6_RXI6           IEN6
00132 #define IEN_SCI6_TXI6           IEN7
00133 #define IEN_LVD1_LVD1           IEN0
00134 #define IEN_LVD2_LVD2           IEN1
00135 #define IEN_USB0_USBR0          IEN2
00136 #define IEN_RTC_ALM             IEN4
00137 #define IEN_RTC_PRD             IEN5
00138 #define IEN_IWDT_IWUNI          IEN7
00139 #define IEN_WDT_WUNI            IEN0
00140 #define IEN_PDC_PCDFI           IEN1
00141 #define IEN_SCI7_RXI7           IEN2
00142 #define IEN_SCI7_TXI7           IEN3
00143 #define IEN_SCI8_RXI8           IEN4
00144 #define IEN_SCI8_TXI8           IEN5
00145 #define IEN_SCI9_RXI9           IEN6
00146 #define IEN_SCI9_TXI9           IEN7
00147 #define IEN_SCI10_RXI10          IEN0
00148 #define IEN_SCI10_TXI10          IEN1
00149 #define IEN_ICU_GROUPBE0        IEN2
00150 #define IEN_ICU_GROUPBL2        IEN3
00151 #define IEN_RSPI2_SPRI2         IEN4
00152 #define IEN_RSPI2_SPTI2         IEN5
00153 #define IEN_ICU_GROUPBL0        IEN6
00154 #define IEN_ICU_GROUPBL1        IEN7
00155 #define IEN_ICU_GROUPAL0        IEN0
00156 #define IEN_ICU_GROUPAL1        IEN1
00157 #define IEN_SCI11_RXI11          IEN2
00158 #define IEN_SCI11_TXI11          IEN3
00159 #define IEN_SCI12_RXI12          IEN4
```

```
00160 #define IEN_SCI12_TXI12    IEN5
00161 #define IEN_DMAC_DMAC0I     IEN0
00162 #define IEN_DMAC_DMAC1I     IEN1
00163 #define IEN_DMAC_DMAC2I     IEN2
00164 #define IEN_DMAC_DMAC3I     IEN3
00165 #define IEN_DMAC_DMAC74I    IEN4
00166 #define IEN_OST_OSTDI       IEN5
00167 #define IEN_EXDMAC_EXDMAC0I IEN6
00168 #define IEN_EXDMAC_EXDMAC1I IEN7
00169 #define IEN_PERIB_INTB128    IEN0
00170 #define IEN_PERIB_INTB129    IEN1
00171 #define IEN_PERIB_INTB130    IEN2
00172 #define IEN_PERIB_INTB131    IEN3
00173 #define IEN_PERIB_INTB132    IEN4
00174 #define IEN_PERIB_INTB133    IEN5
00175 #define IEN_PERIB_INTB134    IEN6
00176 #define IEN_PERIB_INTB135    IEN7
00177 #define IEN_PERIB_INTB136    IEN0
00178 #define IEN_PERIB_INTB137    IEN1
00179 #define IEN_PERIB_INTB138    IEN2
00180 #define IEN_PERIB_INTB139    IEN3
00181 #define IEN_PERIB_INTB140    IEN4
00182 #define IEN_PERIB_INTB141    IEN5
00183 #define IEN_PERIB_INTB142    IEN6
00184 #define IEN_PERIB_INTB143    IEN7
00185 #define IEN_PERIB_INTB144    IEN0
00186 #define IEN_PERIB_INTB145    IEN1
00187 #define IEN_PERIB_INTB146    IEN2
00188 #define IEN_PERIB_INTB147    IEN3
00189 #define IEN_PERIB_INTB148    IEN4
00190 #define IEN_PERIB_INTB149    IEN5
00191 #define IEN_PERIB_INTB150    IEN6
00192 #define IEN_PERIB_INTB151    IEN7
00193 #define IEN_PERIB_INTB152    IEN0
00194 #define IEN_PERIB_INTB153    IEN1
00195 #define IEN_PERIB_INTB154    IEN2
00196 #define IEN_PERIB_INTB155    IEN3
00197 #define IEN_PERIB_INTB156    IEN4
00198 #define IEN_PERIB_INTB157    IEN5
00199 #define IEN_PERIB_INTB158    IEN6
00200 #define IEN_PERIB_INTB159    IEN7
00201 #define IEN_PERIB_INTB160    IEN0
00202 #define IEN_PERIB_INTB161    IEN1
00203 #define IEN_PERIB_INTB162    IEN2
00204 #define IEN_PERIB_INTB163    IEN3
00205 #define IEN_PERIB_INTB164    IEN4
00206 #define IEN_PERIB_INTB165    IEN5
00207 #define IEN_PERIB_INTB166    IEN6
00208 #define IEN_PERIB_INTB167    IEN7
00209 #define IEN_PERIB_INTB168    IEN0
00210 #define IEN_PERIB_INTB169    IEN1
00211 #define IEN_PERIB_INTB170    IEN2
00212 #define IEN_PERIB_INTB171    IEN3
00213 #define IEN_PERIB_INTB172    IEN4
00214 #define IEN_PERIB_INTB173    IEN5
00215 #define IEN_PERIB_INTB174    IEN6
00216 #define IEN_PERIB_INTB175    IEN7
00217 #define IEN_PERIB_INTB176    IEN0
00218 #define IEN_PERIB_INTB177    IEN1
00219 #define IEN_PERIB_INTB178    IEN2
00220 #define IEN_PERIB_INTB179    IEN3
00221 #define IEN_PERIB_INTB180    IEN4
00222 #define IEN_PERIB_INTB181    IEN5
00223 #define IEN_PERIB_INTB182    IEN6
00224 #define IEN_PERIB_INTB183    IEN7
00225 #define IEN_PERIB_INTB184    IEN0
00226 #define IEN_PERIB_INTB185    IEN1
00227 #define IEN_PERIB_INTB186    IEN2
00228 #define IEN_PERIB_INTB187    IEN3
00229 #define IEN_PERIB_INTB188    IEN4
00230 #define IEN_PERIB_INTB189    IEN5
00231 #define IEN_PERIB_INTB190    IEN6
00232 #define IEN_PERIB_INTB191    IEN7
00233 #define IEN_PERIB_INTB192    IEN0
00234 #define IEN_PERIB_INTB193    IEN1
00235 #define IEN_PERIB_INTB194    IEN2
00236 #define IEN_PERIB_INTB195    IEN3
00237 #define IEN_PERIB_INTB196    IEN4
00238 #define IEN_PERIB_INTB197    IEN5
00239 #define IEN_PERIB_INTB198    IEN6
00240 #define IEN_PERIB_INTB199    IEN7
00241 #define IEN_PERIB_INTB200    IEN0
00242 #define IEN_PERIB_INTB201    IEN1
00243 #define IEN_PERIB_INTB202    IEN2
00244 #define IEN_PERIB_INTB203    IEN3
00245 #define IEN_PERIB_INTB204    IEN4
00246 #define IEN_PERIB_INTB205    IEN5
```

```

00247 #define IEN_PERIB_INTB206 IEN6
00248 #define IEN_PERIB_INTB207 IEN7
00249 #define IEN_PERIA_INTA208 IEN0
00250 #define IEN_PERIA_INTA209 IEN1
00251 #define IEN_PERIA_INTA210 IEN2
00252 #define IEN_PERIA_INTA211 IEN3
00253 #define IEN_PERIA_INTA212 IEN4
00254 #define IEN_PERIA_INTA213 IEN5
00255 #define IEN_PERIA_INTA214 IEN6
00256 #define IEN_PERIA_INTA215 IEN7
00257 #define IEN_PERIA_INTA216 IEN0
00258 #define IEN_PERIA_INTA217 IEN1
00259 #define IEN_PERIA_INTA218 IEN2
00260 #define IEN_PERIA_INTA219 IEN3
00261 #define IEN_PERIA_INTA220 IEN4
00262 #define IEN_PERIA_INTA221 IEN5
00263 #define IEN_PERIA_INTA222 IEN6
00264 #define IEN_PERIA_INTA223 IEN7
00265 #define IEN_PERIA_INTA224 IEN0
00266 #define IEN_PERIA_INTA225 IEN1
00267 #define IEN_PERIA_INTA226 IEN2
00268 #define IEN_PERIA_INTA227 IEN3
00269 #define IEN_PERIA_INTA228 IEN4
00270 #define IEN_PERIA_INTA229 IEN5
00271 #define IEN_PERIA_INTA230 IEN6
00272 #define IEN_PERIA_INTA231 IEN7
00273 #define IEN_PERIA_INTA232 IEN0
00274 #define IEN_PERIA_INTA233 IEN1
00275 #define IEN_PERIA_INTA234 IEN2
00276 #define IEN_PERIA_INTA235 IEN3
00277 #define IEN_PERIA_INTA236 IEN4
00278 #define IEN_PERIA_INTA237 IEN5
00279 #define IEN_PERIA_INTA238 IEN6
00280 #define IEN_PERIA_INTA239 IEN7
00281 #define IEN_PERIA_INTA240 IEN0
00282 #define IEN_PERIA_INTA241 IEN1
00283 #define IEN_PERIA_INTA242 IEN2
00284 #define IEN_PERIA_INTA243 IEN3
00285 #define IEN_PERIA_INTA244 IEN4
00286 #define IEN_PERIA_INTA245 IEN5
00287 #define IEN_PERIA_INTA246 IEN6
00288 #define IEN_PERIA_INTA247 IEN7
00289 #define IEN_PERIA_INTA248 IEN0
00290 #define IEN_PERIA_INTA249 IEN1
00291 #define IEN_PERIA_INTA250 IEN2
00292 #define IEN_PERIA_INTA251 IEN3
00293 #define IEN_PERIA_INTA252 IEN4
00294 #define IEN_PERIA_INTA253 IEN5
00295 #define IEN_PERIA_INTA254 IEN6
00296 #define IEN_PERIA_INTA255 IEN7
00297
00298 #define VECT_BSC_BUSERR 16
00299 #define VECT_ICU_GROUPIE0 17
00300 #define VECT_RAM_RAMERR 18
00301 #define VECT_FCU_FIFERR 21
00302 #define VECT_FCU_FRDYI 23
00303 #define VECT_ICU_SWINT2 26
00304 #define VECT_ICU_SWINT 27
00305 #define VECT_CMT0_CMIO 28
00306 #define VECT_CMT1_CMI1 29
00307 #define VECT_CMTW0_CMWIO 30
00308 #define VECT_CMTW1_CMWI1 31
00309 #define VECT_USB0_D0FIFO0 34
00310 #define VECT_USB0_D1FIFO0 35
00311 #define VECT_RSPIO_SPRI0 38
00312 #define VECT_RSPIO_SPTI0 39
00313 #define VECT_RSPI1_SPRI1 40
00314 #define VECT_RSPI1_SPTI1 41
00315 #define VECT_QSPI_SPRI 42
00316 #define VECT_QSPI_SPTI 43
00317 #define VECT_SDHI_SBFBI 44
00318 #define VECT_MMCI_F_MBFBI 45
00319 #define VECT_SSIE0_SSITXI0 46
00320 #define VECT_SSIE0_SSIRXI0 47
00321 #define VECT_SSIE1_SSIRTI1 48
00322 #define VECT_RIIC1_RXI1 50
00323 #define VECT_RIIC1_TXI1 51
00324 #define VECT_RIIC0_RXI0 52
00325 #define VECT_RIIC0_TXI0 53
00326 #define VECT_RIIC2_RXI2 54
00327 #define VECT_RIIC2_TXI2 55
00328 #define VECT_SCIO_RXI0 58
00329 #define VECT_SCIO_TXI0 59
00330 #define VECT_SCI1_RXI1 60
00331 #define VECT_SCI1_TXI1 61
00332 #define VECT_SCI2_RXI2 62
00333 #define VECT_SCI2_TXI2 63

```



```

00334 #define VECT_ICU_IRQ0      64
00335 #define VECT_ICU_IRQ1      65
00336 #define VECT_ICU_IRQ2      66
00337 #define VECT_ICU_IRQ3      67
00338 #define VECT_ICU_IRQ4      68
00339 #define VECT_ICU_IRQ5      69
00340 #define VECT_ICU_IRQ6      70
00341 #define VECT_ICU_IRQ7      71
00342 #define VECT_ICU_IRQ8      72
00343 #define VECT_ICU_IRQ9      73
00344 #define VECT_ICU_IRQ10     74
00345 #define VECT_ICU_IRQ11     75
00346 #define VECT_ICU_IRQ12     76
00347 #define VECT_ICU_IRQ13     77
00348 #define VECT_ICU_IRQ14     78
00349 #define VECT_ICU_IRQ15     79
00350 #define VECT_SCI3_RXI3      80
00351 #define VECT_SCI3_TXI3      81
00352 #define VECT_SCI4_RXI4      82
00353 #define VECT_SCI4_TXI4      83
00354 #define VECT_SCI5_RXI5      84
00355 #define VECT_SCI5_TXI5      85
00356 #define VECT_SCI6_RXI6      86
00357 #define VECT_SCI6_TXI6      87
00358 #define VECT_LVD1_LVD1      88
00359 #define VECT_LVD2_LVD2      89
00360 #define VECT_USB0_USBR0     90
00361 #define VECT_RTC_ALM        92
00362 #define VECT_RTC_PRD        93
00363 #define VECT_IWDT_IWUNI     95
00364 #define VECT_WDT_WUNI       96
00365 #define VECT_PDC_PCDFI      97
00366 #define VECT_SCI7_RXI7      98
00367 #define VECT_SCI7_TXI7      99
00368 #define VECT_SCI8_RXI8     100
00369 #define VECT_SCI8_TXI8     101
00370 #define VECT_SCI9_RXI9     102
00371 #define VECT_SCI9_TXI9     103
00372 #define VECT_SCI10_RXI10    104
00373 #define VECT_SCI10_TXI10    105
00374 #define VECT_ICU_GROUPBE0    106
00375 #define VECT_ICU_GROUPBL2    107
00376 #define VECT_RSPI2_SPRI2    108
00377 #define VECT_RSPI2_SPTI2     109
00378 #define VECT_ICU_GROUPBL0    110
00379 #define VECT_ICU_GROUPBL1    111
00380 #define VECT_ICU_GROUPPAL0    112
00381 #define VECT_ICU_GROUPPAL1    113
00382 #define VECT_SCI11_RXI11    114
00383 #define VECT_SCI11_TXI11    115
00384 #define VECT_SCI12_RXI12    116
00385 #define VECT_SCI12_TXI12    117
00386 #define VECT_DMACE0_DMACE0I  120
00387 #define VECT_DMACE1_DMACE1I  121
00388 #define VECT_DMACE2_DMACE2I  122
00389 #define VECT_DMACE3_DMACE3I  123
00390 #define VECT_DMACE7_DMACE7I  124
00391 #define VECT_OST_OSTDI       125
00392 #define VECT_EXDMACE0_EXDMACE0I 126
00393 #define VECT_EXDMACE1_EXDMACE1I 127
00394 #define VECT_PERIB_INTB128    128
00395 #define VECT_PERIB_INTB129    129
00396 #define VECT_PERIB_INTB130    130
00397 #define VECT_PERIB_INTB131    131
00398 #define VECT_PERIB_INTB132    132
00399 #define VECT_PERIB_INTB133    133
00400 #define VECT_PERIB_INTB134    134
00401 #define VECT_PERIB_INTB135    135
00402 #define VECT_PERIB_INTB136    136
00403 #define VECT_PERIB_INTB137    137
00404 #define VECT_PERIB_INTB138    138
00405 #define VECT_PERIB_INTB139    139
00406 #define VECT_PERIB_INTB140    140
00407 #define VECT_PERIB_INTB141    141
00408 #define VECT_PERIB_INTB142    142
00409 #define VECT_PERIB_INTB143    143
00410 #define VECT_PERIB_INTB144    144
00411 #define VECT_PERIB_INTB145    145
00412 #define VECT_PERIB_INTB146    146
00413 #define VECT_PERIB_INTB147    147
00414 #define VECT_PERIB_INTB148    148
00415 #define VECT_PERIB_INTB149    149
00416 #define VECT_PERIB_INTB150    150
00417 #define VECT_PERIB_INTB151    151
00418 #define VECT_PERIB_INTB152    152
00419 #define VECT_PERIB_INTB153    153
00420 #define VECT_PERIB_INTB154    154

```

```
00421 #define VECT_PERIB_INTB155 155
00422 #define VECT_PERIB_INTB156 156
00423 #define VECT_PERIB_INTB157 157
00424 #define VECT_PERIB_INTB158 158
00425 #define VECT_PERIB_INTB159 159
00426 #define VECT_PERIB_INTB160 160
00427 #define VECT_PERIB_INTB161 161
00428 #define VECT_PERIB_INTB162 162
00429 #define VECT_PERIB_INTB163 163
00430 #define VECT_PERIB_INTB164 164
00431 #define VECT_PERIB_INTB165 165
00432 #define VECT_PERIB_INTB166 166
00433 #define VECT_PERIB_INTB167 167
00434 #define VECT_PERIB_INTB168 168
00435 #define VECT_PERIB_INTB169 169
00436 #define VECT_PERIB_INTB170 170
00437 #define VECT_PERIB_INTB171 171
00438 #define VECT_PERIB_INTB172 172
00439 #define VECT_PERIB_INTB173 173
00440 #define VECT_PERIB_INTB174 174
00441 #define VECT_PERIB_INTB175 175
00442 #define VECT_PERIB_INTB176 176
00443 #define VECT_PERIB_INTB177 177
00444 #define VECT_PERIB_INTB178 178
00445 #define VECT_PERIB_INTB179 179
00446 #define VECT_PERIB_INTB180 180
00447 #define VECT_PERIB_INTB181 181
00448 #define VECT_PERIB_INTB182 182
00449 #define VECT_PERIB_INTB183 183
00450 #define VECT_PERIB_INTB184 184
00451 #define VECT_PERIB_INTB185 185
00452 #define VECT_PERIB_INTB186 186
00453 #define VECT_PERIB_INTB187 187
00454 #define VECT_PERIB_INTB188 188
00455 #define VECT_PERIB_INTB189 189
00456 #define VECT_PERIB_INTB190 190
00457 #define VECT_PERIB_INTB191 191
00458 #define VECT_PERIB_INTB192 192
00459 #define VECT_PERIB_INTB193 193
00460 #define VECT_PERIB_INTB194 194
00461 #define VECT_PERIB_INTB195 195
00462 #define VECT_PERIB_INTB196 196
00463 #define VECT_PERIB_INTB197 197
00464 #define VECT_PERIB_INTB198 198
00465 #define VECT_PERIB_INTB199 199
00466 #define VECT_PERIB_INTB200 200
00467 #define VECT_PERIB_INTB201 201
00468 #define VECT_PERIB_INTB202 202
00469 #define VECT_PERIB_INTB203 203
00470 #define VECT_PERIB_INTB204 204
00471 #define VECT_PERIB_INTB205 205
00472 #define VECT_PERIB_INTB206 206
00473 #define VECT_PERIB_INTB207 207
00474 #define VECT_PERIA_INTA208 208
00475 #define VECT_PERIA_INTA209 209
00476 #define VECT_PERIA_INTA210 210
00477 #define VECT_PERIA_INTA211 211
00478 #define VECT_PERIA_INTA212 212
00479 #define VECT_PERIA_INTA213 213
00480 #define VECT_PERIA_INTA214 214
00481 #define VECT_PERIA_INTA215 215
00482 #define VECT_PERIA_INTA216 216
00483 #define VECT_PERIA_INTA217 217
00484 #define VECT_PERIA_INTA218 218
00485 #define VECT_PERIA_INTA219 219
00486 #define VECT_PERIA_INTA220 220
00487 #define VECT_PERIA_INTA221 221
00488 #define VECT_PERIA_INTA222 222
00489 #define VECT_PERIA_INTA223 223
00490 #define VECT_PERIA_INTA224 224
00491 #define VECT_PERIA_INTA225 225
00492 #define VECT_PERIA_INTA226 226
00493 #define VECT_PERIA_INTA227 227
00494 #define VECT_PERIA_INTA228 228
00495 #define VECT_PERIA_INTA229 229
00496 #define VECT_PERIA_INTA230 230
00497 #define VECT_PERIA_INTA231 231
00498 #define VECT_PERIA_INTA232 232
00499 #define VECT_PERIA_INTA233 233
00500 #define VECT_PERIA_INTA234 234
00501 #define VECT_PERIA_INTA235 235
00502 #define VECT_PERIA_INTA236 236
00503 #define VECT_PERIA_INTA237 237
00504 #define VECT_PERIA_INTA238 238
00505 #define VECT_PERIA_INTA239 239
00506 #define VECT_PERIA_INTA240 240
00507 #define VECT_PERIA_INTA241 241
```

```
00508 #define VECT_PERIA_INTA242 242
00509 #define VECT_PERIA_INTA243 243
00510 #define VECT_PERIA_INTA244 244
00511 #define VECT_PERIA_INTA245 245
00512 #define VECT_PERIA_INTA246 246
00513 #define VECT_PERIA_INTA247 247
00514 #define VECT_PERIA_INTA248 248
00515 #define VECT_PERIA_INTA249 249
00516 #define VECT_PERIA_INTA250 250
00517 #define VECT_PERIA_INTA251 251
00518 #define VECT_PERIA_INTA252 252
00519 #define VECT_PERIA_INTA253 253
00520 #define VECT_PERIA_INTA254 254
00521 #define VECT_PERIA_INTA255 255
00522
00523 #define MSTP_EXDMAC SYSTEM.MSTPCRA.BIT.MSTPA29
00524 #define MSTP_EXDMAC0 SYSTEM.MSTPCRA.BIT.MSTPA29
00525 #define MSTP_EXDMAC1 SYSTEM.MSTPCRA.BIT.MSTPA29
00526 #define MSTP_DMAC SYSTEM.MSTPCRA.BIT.MSTPA28
00527 #define MSTP_DMAC0 SYSTEM.MSTPCRA.BIT.MSTPA28
00528 #define MSTP_DMAC1 SYSTEM.MSTPCRA.BIT.MSTPA28
00529 #define MSTP_DMAC2 SYSTEM.MSTPCRA.BIT.MSTPA28
00530 #define MSTP_DMAC3 SYSTEM.MSTPCRA.BIT.MSTPA28
00531 #define MSTP_DMAC4 SYSTEM.MSTPCRA.BIT.MSTPA28
00532 #define MSTP_DMAC5 SYSTEM.MSTPCRA.BIT.MSTPA28
00533 #define MSTP_DMAC6 SYSTEM.MSTPCRA.BIT.MSTPA28
00534 #define MSTP_DMAC7 SYSTEM.MSTPCRA.BIT.MSTPA28
00535 #define MSTP_DTC SYSTEM.MSTPCRA.BIT.MSTPA28
00536 #define MSTP_DA SYSTEM.MSTPCRA.BIT.MSTPA19
00537 #define MSTP_S12AD SYSTEM.MSTPCRA.BIT.MSTPA17
00538 #define MSTP_S12AD1 SYSTEM.MSTPCRA.BIT.MSTPA16
00539 #define MSTP_CMT0 SYSTEM.MSTPCRA.BIT.MSTPA15
00540 #define MSTP_CMT1 SYSTEM.MSTPCRA.BIT.MSTPA15
00541 #define MSTP_CMT2 SYSTEM.MSTPCRA.BIT.MSTPA14
00542 #define MSTP_CMT3 SYSTEM.MSTPCRA.BIT.MSTPA14
00543 #define MSTP_TPU0 SYSTEM.MSTPCRA.BIT.MSTPA13
00544 #define MSTP_TPU1 SYSTEM.MSTPCRA.BIT.MSTPA13
00545 #define MSTP_TPU2 SYSTEM.MSTPCRA.BIT.MSTPA13
00546 #define MSTP_TPU3 SYSTEM.MSTPCRA.BIT.MSTPA13
00547 #define MSTP_TPU4 SYSTEM.MSTPCRA.BIT.MSTPA13
00548 #define MSTP_TPU5 SYSTEM.MSTPCRA.BIT.MSTPA13
00549 #define MSTP_TPUA SYSTEM.MSTPCRA.BIT.MSTPA13
00550 #define MSTP_PPG0 SYSTEM.MSTPCRA.BIT.MSTPA11
00551 #define MSTP_PPG1 SYSTEM.MSTPCRA.BIT.MSTPA10
00552 #define MSTP_MTU SYSTEM.MSTPCRA.BIT.MSTPA9
00553 #define MSTP_MTU0 SYSTEM.MSTPCRA.BIT.MSTPA9
00554 #define MSTP_MTU1 SYSTEM.MSTPCRA.BIT.MSTPA9
00555 #define MSTP_MTU2 SYSTEM.MSTPCRA.BIT.MSTPA9
00556 #define MSTP_MTU3 SYSTEM.MSTPCRA.BIT.MSTPA9
00557 #define MSTP_MTU4 SYSTEM.MSTPCRA.BIT.MSTPA9
00558 #define MSTP_MTU5 SYSTEM.MSTPCRA.BIT.MSTPA9
00559 #define MSTP_MTU6 SYSTEM.MSTPCRA.BIT.MSTPA9
00560 #define MSTP_MTU7 SYSTEM.MSTPCRA.BIT.MSTPA9
00561 #define MSTP_MTU8 SYSTEM.MSTPCRA.BIT.MSTPA9
00562 #define MSTP_GPTW SYSTEM.MSTPCRA.BIT.MSTPA7
00563 #define MSTP_GPTW0 SYSTEM.MSTPCRA.BIT.MSTPA7
00564 #define MSTP_GPTW1 SYSTEM.MSTPCRA.BIT.MSTPA7
00565 #define MSTP_GPTW2 SYSTEM.MSTPCRA.BIT.MSTPA7
00566 #define MSTP_GPTW3 SYSTEM.MSTPCRA.BIT.MSTPA7
00567 #define MSTP_POEG SYSTEM.MSTPCRA.BIT.MSTPA7
00568 #define MSTP_TMR0 SYSTEM.MSTPCRA.BIT.MSTPA5
00569 #define MSTP_TMR1 SYSTEM.MSTPCRA.BIT.MSTPA5
00570 #define MSTP_TMR01 SYSTEM.MSTPCRA.BIT.MSTPA5
00571 #define MSTP_TMR2 SYSTEM.MSTPCRA.BIT.MSTPA4
00572 #define MSTP_TMR3 SYSTEM.MSTPCRA.BIT.MSTPA4
00573 #define MSTP_TMR23 SYSTEM.MSTPCRA.BIT.MSTPA4
00574 #define MSTP_CMTW0 SYSTEM.MSTPCRA.BIT.MSTPA1
00575 #define MSTP_CMTW1 SYSTEM.MSTPCRA.BIT.MSTPA0
00576 #define MSTP_SCI0 SYSTEM.MSTPCRB.BIT.MSTPB31
00577 #define MSTP_SMCI0 SYSTEM.MSTPCRB.BIT.MSTPB31
00578 #define MSTP_SCI1 SYSTEM.MSTPCRB.BIT.MSTPB30
00579 #define MSTP_SMCI1 SYSTEM.MSTPCRB.BIT.MSTPB30
00580 #define MSTP_SCI2 SYSTEM.MSTPCRB.BIT.MSTPB29
00581 #define MSTP_SMCI2 SYSTEM.MSTPCRB.BIT.MSTPB29
00582 #define MSTP_SCI3 SYSTEM.MSTPCRB.BIT.MSTPB28
00583 #define MSTP_SMCI3 SYSTEM.MSTPCRB.BIT.MSTPB28
00584 #define MSTP_SCI4 SYSTEM.MSTPCRB.BIT.MSTPB27
00585 #define MSTP_SMCI4 SYSTEM.MSTPCRB.BIT.MSTPB27
00586 #define MSTP_SCI5 SYSTEM.MSTPCRB.BIT.MSTPB26
00587 #define MSTP_SMCI5 SYSTEM.MSTPCRB.BIT.MSTPB26
00588 #define MSTP_SCI6 SYSTEM.MSTPCRB.BIT.MSTPB25
00589 #define MSTP_SMCI6 SYSTEM.MSTPCRB.BIT.MSTPB25
00590 #define MSTP_SCI7 SYSTEM.MSTPCRB.BIT.MSTPB24
00591 #define MSTP_SMCI7 SYSTEM.MSTPCRB.BIT.MSTPB24
00592 #define MSTP_CRC SYSTEM.MSTPCRB.BIT.MSTPB23
00593 #define MSTP_PDC SYSTEM.MSTPCRB.BIT.MSTPB22
00594 #define MSTP_RIIC0 SYSTEM.MSTPCRB.BIT.MSTPB21
```

```

00595 #define MSTP_RIIC1      SYSTEM.MSTPCRB.BIT.MSTPB20
00596 #define MSTP_USB0       SYSTEM.MSTPCRB.BIT.MSTPB19
00597 #define MSTP_RSPI0      SYSTEM.MSTPCRB.BIT.MSTPB17
00598 #define MSTP_RSPI1      SYSTEM.MSTPCRB.BIT.MSTPB16
00599 #define MSTP_ETHERC0    SYSTEM.MSTPCRB.BIT.MSTPB15
00600 #define MSTP_EDMAC0     SYSTEM.MSTPCRB.BIT.MSTPB15
00601 #define MSTP_PMGIO      SYSTEM.MSTPCRB.BIT.MSTPB15
00602 #define MSTP_ETHERC1    SYSTEM.MSTPCRB.BIT.MSTPB14
00603 #define MSTP_EDMAC1     SYSTEM.MSTPCRB.BIT.MSTPB14
00604 #define MSTP_PMG11      SYSTEM.MSTPCRB.BIT.MSTPB14
00605 #define MSTP_EPTPC       SYSTEM.MSTPCRB.BIT.MSTPB13
00606 #define MSTP_EPTPC0     SYSTEM.MSTPCRB.BIT.MSTPB13
00607 #define MSTP_EPTPC1     SYSTEM.MSTPCRB.BIT.MSTPB13
00608 #define MSTP_PTPEDMAC    SYSTEM.MSTPCRB.BIT.MSTPB13
00609 #define MSTP_ELC        SYSTEM.MSTPCRB.BIT.MSTPB9
00610 #define MSTP_TEMPS       SYSTEM.MSTPCRB.BIT.MSTPB8
00611 #define MSTP_DOC         SYSTEM.MSTPCRB.BIT.MSTPB6
00612 #define MSTP_SCI12      SYSTEM.MSTPCRB.BIT.MSTPB4
00613 #define MSTP_SMCI12     SYSTEM.MSTPCRB.BIT.MSTPB4
00614 #define MSTP_CAN2       SYSTEM.MSTPCRB.BIT.MSTPB2
00615 #define MSTP_CAN1       SYSTEM.MSTPCRB.BIT.MSTPB1
00616 #define MSTP_CAN0       SYSTEM.MSTPCRB.BIT.MSTPB0
00617 #define MSTP_GLCDC      SYSTEM.MSTPCRC.BIT.MSTPC29
00618 #define MSTP_DRW2D      SYSTEM.MSTPCRC.BIT.MSTPC28
00619 #define MSTP_SCI8       SYSTEM.MSTPCRC.BIT.MSTPC27
00620 #define MSTP_SMCI8      SYSTEM.MSTPCRC.BIT.MSTPC27
00621 #define MSTP_SCI9       SYSTEM.MSTPCRC.BIT.MSTPC26
00622 #define MSTP_SMCI9      SYSTEM.MSTPCRC.BIT.MSTPC26
00623 #define MSTP_SCI10      SYSTEM.MSTPCRC.BIT.MSTPC25
00624 #define MSTP_SMCI10     SYSTEM.MSTPCRC.BIT.MSTPC25
00625 #define MSTP_SCI11      SYSTEM.MSTPCRC.BIT.MSTPC24
00626 #define MSTP_SMCI11     SYSTEM.MSTPCRC.BIT.MSTPC24
00627 #define MSTP_QSPI        SYSTEM.MSTPCRC.BIT.MSTPC23
00628 #define MSTP_RSPI2      SYSTEM.MSTPCRC.BIT.MSTPC22
00629 #define MSTP_CAC         SYSTEM.MSTPCRC.BIT.MSTPC19
00630 #define MSTP_RIIC2       SYSTEM.MSTPCRC.BIT.MSTPC17
00631 #define MSTP_STBYRAM     SYSTEM.MSTPCRC.BIT.MSTPC7
00632 #define MSTP_ECCRAM      SYSTEM.MSTPCRC.BIT.MSTPC6
00633 #define MSTP_RAM2        SYSTEM.MSTPCRC.BIT.MSTPC2
00634 #define MSTP_RAM0        SYSTEM.MSTPCRC.BIT.MSTPC0
00635 #define MSTP_TSIP        SYSTEM.MSTPCRD.BIT.MSTPD27
00636 #define MSTP_MMCIIF      SYSTEM.MSTPCRD.BIT.MSTPD21
00637 #define MSTP_SDHI        SYSTEM.MSTPCRD.BIT.MSTPD19
00638 #define MSTP_SSIE0       SYSTEM.MSTPCRD.BIT.MSTPD15
00639 #define MSTP_SSIE1       SYSTEM.MSTPCRD.BIT.MSTPD14
00640
00641 #define IS_DPFPUP_DPFPUEX    IS0
00642 #define IS_CAN0_ERS0        IS0
00643 #define IS_CAN1_ERS1        IS1
00644 #define IS_CAN2_ERS2        IS2
00645 #define IS_SCI0_TEI0        IS0
00646 #define IS_SCI0_ERI0        IS1
00647 #define IS_SCI1_TEI1        IS2
00648 #define IS_SCI1_ERI1        IS3
00649 #define IS_SCI2_TEI2        IS4
00650 #define IS_SCI2_ERI2        IS5
00651 #define IS_SCI3_TEI3        IS6
00652 #define IS_SCI3_ERI3        IS7
00653 #define IS_SCI4_TEI4        IS8
00654 #define IS_SCI4_ERI4        IS9
00655 #define IS_SCI5_TEI5        IS10
00656 #define IS_SCI5_ERI5        IS11
00657 #define IS_SCI6_TEI6        IS12
00658 #define IS_SCI6_ERI6        IS13
00659 #define IS_SCI12_TEI12      IS16
00660 #define IS_SCI12_ERI12      IS17
00661 #define IS_SCI12_SCIX0      IS18
00662 #define IS_SCI12_SCIX1      IS19
00663 #define IS_SCI12_SCIX2      IS20
00664 #define IS_SCI12_SCIX3      IS21
00665 #define IS_QSPI_QSPSSLI     IS24
00666 #define IS_CAC_FERRI        IS26
00667 #define IS_CAC_MENDI        IS27
00668 #define IS_CAC_OVFI         IS28
00669 #define IS_DOC_DOPCI        IS29
00670 #define IS_PDC_PCFEI        IS30
00671 #define IS_PDC_PCERI        IS31
00672 #define IS_SDHI_CDETI       IS3
00673 #define IS_SDHI_CACI        IS4
00674 #define IS_SDHI_SDACI       IS5
00675 #define IS_MMCIIF_CDETIO     IS6
00676 #define IS_MMCIIF_ERRIO     IS7
00677 #define IS_MMCIIF_ACCIO     IS8
00678 #define IS_POE3_OEI1        IS9
00679 #define IS_POE3_OEI2        IS10
00680 #define IS_POE3_OEI3        IS11
00681 #define IS_POE3_OEI4        IS12

```

```

00682 #define IS_RIIC0_TEI0      IS13
00683 #define IS_RIIC0_EEI0      IS14
00684 #define IS_RIIC2_TEI2      IS15
00685 #define IS_RIIC2_EEI2      IS16
00686 #define IS_SSIE0_SSIF0      IS17
00687 #define IS_SSIE1_SSIF1      IS18
00688 #define IS_S12AD_S12CMPAI    IS20
00689 #define IS_S12AD_S12CMPBI    IS21
00690 #define IS_S12AD1_S12CMPAI1  IS22
00691 #define IS_S12AD1_S12CMPBI1  IS23
00692 #define IS_RIIC1_TEI1        IS28
00693 #define IS_RIIC1_EEI1        IS29
00694 #define IS_POEG_POEGGAI      IS7
00695 #define IS_POEG_POEGGBI      IS8
00696 #define IS_POEG_POEGGCI      IS9
00697 #define IS_POEG_POEGGDI      IS10
00698 #define IS_SCI8_TEI8         IS0
00699 #define IS_SCI8_ERI8         IS1
00700 #define IS_SCI9_TEI9         IS4
00701 #define IS_SCI9_ERI9         IS5
00702 #define IS_SCI10_TEI10      IS8
00703 #define IS_SCI10_ERI10      IS9
00704 #define IS_SCI11_TEI11      IS12
00705 #define IS_SCI11_ERI11      IS13
00706 #define IS_RSPI0_SPII0       IS16
00707 #define IS_RSPI0_SPEI0       IS17
00708 #define IS_RSPI1_SPII1       IS18
00709 #define IS_RSPI1_SPEI1       IS19
00710 #define IS_RSPI2_SPII2       IS20
00711 #define IS_RSPI2_SPEI2       IS21
00712 #define IS_SCI7_TEI7         IS22
00713 #define IS_SCI7_ERI7         IS23
00714 #define IS_EPTPC_MINT        IS0
00715 #define IS_PTPEDMAC_PINT      IS1
00716 #define IS_EDMAC0_EINT0       IS4
00717 #define IS_EDMAC1_EINT1       IS5
00718 #define IS_GLCDC_VPOS         IS8
00719 #define IS_GLCDC_GRIUF        IS9
00720 #define IS_GLCDC_GR2UF        IS10
00721 #define IS_DRW2D_DRWIRQ       IS11
00722
00723 #define EN_DPFPU_DPFPUX        EN0
00724 #define EN_CAN0_ERS0          EN0
00725 #define EN_CAN1_ERS1          EN1
00726 #define EN_CAN2_ERS2          EN2
00727 #define EN_SCI0_TEI0          EN0
00728 #define EN_SCI0_ERI0          EN1
00729 #define EN_SCI1_TEI1          EN2
00730 #define EN_SCI1_ERI1          EN3
00731 #define EN_SCI2_TEI2          EN4
00732 #define EN_SCI2_ERI2          EN5
00733 #define EN_SCI3_TEI3          EN6
00734 #define EN_SCI3_ERI3          EN7
00735 #define EN_SCI4_TEI4          EN8
00736 #define EN_SCI4_ERI4          EN9
00737 #define EN_SCI5_TEI5          EN10
00738 #define EN_SCI5_ERI5          EN11
00739 #define EN_SCI6_TEI6          EN12
00740 #define EN_SCI6_ERI6          EN13
00741 #define EN_SCI12_TEI12        EN16
00742 #define EN_SCI12_ERI12        EN17
00743 #define EN_SCI12_SCIX0        EN18
00744 #define EN_SCI12_SCIX1        EN19
00745 #define EN_SCI12_SCIX2        EN20
00746 #define EN_SCI12_SCIX3        EN21
00747 #define EN_QSPI_QSPSSLI       EN24
00748 #define EN_CAC_FERRI          EN26
00749 #define EN_CAC_MENDI          EN27
00750 #define EN_CAC_OVFI           EN28
00751 #define EN_DOC_DOPCI          EN29
00752 #define EN_PDC_PCFEI          EN30
00753 #define EN_PDC_PCERI          EN31
00754 #define EN_SDHI_CDETI         EN3
00755 #define EN_SDHI_CACI          EN4
00756 #define EN_SDHI_SDACI         EN5
00757 #define EN_MMCIF_CDETIO       EN6
00758 #define EN_MMCIF_ERRIO        EN7
00759 #define EN_MMCIF_ACCIO        EN8
00760 #define EN_POE3_OEI1          EN9
00761 #define EN_POE3_OEI2          EN10
00762 #define EN_POE3_OEI3          EN11
00763 #define EN_POE3_OEI4          EN12
00764 #define EN_RIIC0_TEI0        EN13
00765 #define EN_RIIC0_EEI0        EN14
00766 #define EN_RIIC2_TEI2        EN15
00767 #define EN_RIIC2_EEI2        EN16
00768 #define EN_SSIE0_SSIF0        EN17

```



```

00769 #define EN_SSIE1_SSIF1      EN18
00770 #define EN_S12AD_S12CMPAI     EN20
00771 #define EN_S12AD_S12CMPBI     EN21
00772 #define EN_S12AD1_S12CMPAI1    EN22
00773 #define EN_S12AD1_S12CMPBI1    EN23
00774 #define EN_RIIC1_TEI1        EN28
00775 #define EN_RIIC1_EEI1         EN29
00776 #define EN_POEG_POEGGAI       EN7
00777 #define EN_POEG_POEGGBI       EN8
00778 #define EN_POEG_POEGGCI       EN9
00779 #define EN_POEG_POEGGDI       EN10
00780 #define EN_SCI8_TEI8         EN0
00781 #define EN_SCI8_ERI8         EN1
00782 #define EN_SCI9_TEI9         EN4
00783 #define EN_SCI9_ERI9         EN5
00784 #define EN_SCI10_TEI10        EN8
00785 #define EN_SCI10_ERI10        EN9
00786 #define EN_SCI11_TEI11        EN12
00787 #define EN_SCI11_ERI11        EN13
00788 #define EN_RSPI0_SPII0        EN16
00789 #define EN_RSPI0_SPEI0        EN17
00790 #define EN_RSPI1_SPII1        EN18
00791 #define EN_RSPI1_SPEI1        EN19
00792 #define EN_RSPI2_SPII2        EN20
00793 #define EN_RSPI2_SPEI2        EN21
00794 #define EN_SCI7_TEI7          EN22
00795 #define EN_SCI7_ERI7          EN23
00796 #define EN_EPTPC_MINT         EN0
00797 #define EN_PTPEDMAC_PINT      EN1
00798 #define EN_EDMAC0_EINT0       EN4
00799 #define EN_EDMAC1_EINT1       EN5
00800 #define EN_GLCDC_VPOS         EN8
00801 #define EN_GLCDC_GR1UF        EN9
00802 #define EN_GLCDC_GR2UF        EN10
00803 #define EN_DRW2D_DRWIRQ       EN11
00804
00805 #define CLR_DPFPU_DPFPUEX      CLR0
00806 #define CLR_CAN0_ERS0         CLR0
00807 #define CLR_CAN1_ERS1         CLR1
00808 #define CLR_CAN2_ERS2         CLR2
00809
00810 #define GEN_DPFPU_DPFPUEX      GENIE0
00811 #define GEN_CAN0_ERS0         GENBE0
00812 #define GEN_CAN1_ERS1         GENBE0
00813 #define GEN_CAN2_ERS2         GENBE0
00814 #define GEN_SCI0_TEI0         GENBL0
00815 #define GEN_SCI0_ERI0         GENBL0
00816 #define GEN_SCI1_TEI1         GENBL0
00817 #define GEN_SCI1_ERI1         GENBL0
00818 #define GEN_SCI2_TEI2         GENBL0
00819 #define GEN_SCI2_ERI2         GENBL0
00820 #define GEN_SCI3_TEI3         GENBL0
00821 #define GEN_SCI3_ERI3         GENBL0
00822 #define GEN_SCI4_TEI4         GENBL0
00823 #define GEN_SCI4_ERI4         GENBL0
00824 #define GEN_SCI5_TEI5         GENBL0
00825 #define GEN_SCI5_ERI5         GENBL0
00826 #define GEN_SCI6_TEI6         GENBL0
00827 #define GEN_SCI6_ERI6         GENBL0
00828 #define GEN_SCI12_TEI12       GENBL0
00829 #define GEN_SCI12_ERI12       GENBL0
00830 #define GEN_SCI12_SCIX0       GENBL0
00831 #define GEN_SCI12_SCIX1       GENBL0
00832 #define GEN_SCI12_SCIX2       GENBL0
00833 #define GEN_SCI12_SCIX3       GENBL0
00834 #define GEN_QSPI_QSPSSLI      GENBL0
00835 #define GEN_CAC_FERRI         GENBL0
00836 #define GEN_CAC_MENDI         GENBL0
00837 #define GEN_CAC_OVFI          GENBL0
00838 #define GEN_DOC_DOPCI         GENBL0
00839 #define GEN_PDC_PCFEI         GENBL0
00840 #define GEN_PDC_PCERI         GENBL0
00841 #define GEN_SDHI_CDETI        GENBL1
00842 #define GEN_SDHI_CACI         GENBL1
00843 #define GEN_SDHI_SDACI        GENBL1
00844 #define GEN_MMCIF_CDETIO      GENBL1
00845 #define GEN_MMCIF_ERRIO       GENBL1
00846 #define GEN_MMCIF_ACCIO       GENBL1
00847 #define GEN_POE3_OEI1         GENBL1
00848 #define GEN_POE3_OEI2         GENBL1
00849 #define GEN_POE3_OEI3         GENBL1
00850 #define GEN_POE3_OEI4         GENBL1
00851 #define GEN_RIIC0_TEI0        GENBL1
00852 #define GEN_RIIC0_EEI0        GENBL1
00853 #define GEN_RIIC2_TEI2        GENBL1
00854 #define GEN_RIIC2_EEI2        GENBL1
00855 #define GEN_SSIE0_SSIF0       GENBL1

```

```

00856 #define GEN_SSIE1_SSIF1      GENBL1
00857 #define GEN_S12AD_S12CMPAI    GENBL1
00858 #define GEN_S12AD_S12CMPBI    GENBL1
00859 #define GEN_S12AD1_S12CMPAI1  GENBL1
00860 #define GEN_S12AD1_S12CMPBI1  GENBL1
00861 #define GEN_RIIC1_TEI1        GENBL1
00862 #define GEN_RIIC1_EEI1        GENBL1
00863 #define GEN_POEG_POEGGAI      GENBL2
00864 #define GEN_POEG_POEGGBI      GENBL2
00865 #define GEN_POEG_POEGGCI      GENBL2
00866 #define GEN_POEG_POEGGDI      GENBL2
00867 #define GEN_SCI8_TEI8         GENAL0
00868 #define GEN_SCI8_ERI8         GENAL0
00869 #define GEN_SCI9_TEI9         GENAL0
00870 #define GEN_SCI9_ERI9         GENAL0
00871 #define GEN_SCI10_TEI10       GENAL0
00872 #define GEN_SCI10_ERI10       GENAL0
00873 #define GEN_SCI11_TEI11       GENAL0
00874 #define GEN_SCI11_ERI11       GENAL0
00875 #define GEN_RSPI0_SPII0       GENAL0
00876 #define GEN_RSPI0_SPEI0       GENAL0
00877 #define GEN_RSPI1_SPII1       GENAL0
00878 #define GEN_RSPI1_SPEI1       GENAL0
00879 #define GEN_RSPI2_SPII2       GENAL0
00880 #define GEN_RSPI2_SPEI2       GENAL0
00881 #define GEN_SCI7_TEI7         GENAL0
00882 #define GEN_SCI7_ERI7         GENAL0
00883 #define GEN_EPTPC_MINT        GENAL1
00884 #define GEN_PTPEDMAC_PINT     GENAL1
00885 #define GEN_EDMAC0_EINT0      GENAL1
00886 #define GEN_EDMAC1_EINT1      GENAL1
00887 #define GEN_GLCDC_VPOS        GENAL1
00888 #define GEN_GLCDC_GR1UF       GENAL1
00889 #define GEN_GLCDC_GR2UF       GENAL1
00890 #define GEN_DRW2D_DRWIRQ      GENAL1
00891
00892 #define GRP_DFPUP_DFPUEX      GRPIE0
00893 #define GRP_CAN0_ERS0         GRPBE0
00894 #define GRP_CAN1_ERS1         GRPBE0
00895 #define GRP_CAN2_ERS2         GRPBE0
00896 #define GRP_SCI0_TEI0         GRPBL0
00897 #define GRP_SCI0_ERI0         GRPBL0
00898 #define GRP_SCI1_TEI1         GRPBL0
00899 #define GRP_SCI1_ERI1         GRPBL0
00900 #define GRP_SCI2_TEI2         GRPBL0
00901 #define GRP_SCI2_ERI2         GRPBL0
00902 #define GRP_SCI3_TEI3         GRPBL0
00903 #define GRP_SCI3_ERI3         GRPBL0
00904 #define GRP_SCI4_TEI4         GRPBL0
00905 #define GRP_SCI4_ERI4         GRPBL0
00906 #define GRP_SCI5_TEI5         GRPBL0
00907 #define GRP_SCI5_ERI5         GRPBL0
00908 #define GRP_SCI6_TEI6         GRPBL0
00909 #define GRP_SCI6_ERI6         GRPBL0
00910 #define GRP_SCI12_TEI12       GRPBL0
00911 #define GRP_SCI12_ERI12       GRPBL0
00912 #define GRP_SCI12_SCIX0       GRPBL0
00913 #define GRP_SCI12_SCIX1       GRPBL0
00914 #define GRP_SCI12_SCIX2       GRPBL0
00915 #define GRP_SCI12_SCIX3       GRPBL0
00916 #define GRP_QSPI_QSPSSLI      GRPBL0
00917 #define GRP_CAC_FERRI         GRPBL0
00918 #define GRP_CAC_MENDI         GRPBL0
00919 #define GRP_CAC_OVFI          GRPBL0
00920 #define GRP_DOC_DOPCI         GRPBL0
00921 #define GRP_PDC_PCFEI         GRPBL0
00922 #define GRP_PDC_PCERI         GRPBL0
00923 #define GRP_SDHI_CDETI        GRPBL1
00924 #define GRP_SDHI_CACI         GRPBL1
00925 #define GRP_SDHI_SDACI        GRPBL1
00926 #define GRP_MMCIF_CDETIO      GRPBL1
00927 #define GRP_MMCIF_ERRIO       GRPBL1
00928 #define GRP_MMCIF_ACCIO       GRPBL1
00929 #define GRP_POE3_OEI1         GRPBL1
00930 #define GRP_POE3_OEI2         GRPBL1
00931 #define GRP_POE3_OEI3         GRPBL1
00932 #define GRP_POE3_OEI4         GRPBL1
00933 #define GRP_RIIC0_TEI0        GRPBL1
00934 #define GRP_RIIC0_EEI0        GRPBL1
00935 #define GRP_RIIC2_TEI2        GRPBL1
00936 #define GRP_RIIC2_EEI2        GRPBL1
00937 #define GRP_SSIE0_SSIF0       GRPBL1
00938 #define GRP_SSIE1_SSIF1       GRPBL1
00939 #define GRP_S12AD_S12CMPAI    GRPBL1
00940 #define GRP_S12AD_S12CMPBI    GRPBL1
00941 #define GRP_S12AD1_S12CMPAI1  GRPBL1
00942 #define GRP_S12AD1_S12CMPBI1  GRPBL1

```

```

00943 #define GRP_RIIC1_TEI1      GRPBL1
00944 #define GRP_RIIC1_EEI1      GRPBL1
00945 #define GRP_POEG_POEGGAI     GRPBL2
00946 #define GRP_POEG_POEGGBI     GRPBL2
00947 #define GRP_POEG_POEGGCI     GRPBL2
00948 #define GRP_POEG_POEGGDI     GRPBL2
00949 #define GRP_SCI8_TEI8        GRPAL0
00950 #define GRP_SCI8_ERI8        GRPAL0
00951 #define GRP_SCI9_TEI9        GRPAL0
00952 #define GRP_SCI9_ERI9        GRPAL0
00953 #define GRP_SCI10_TEI10      GRPAL0
00954 #define GRP_SCI10_ERI10     GRPAL0
00955 #define GRP_SCI11_TEI11     GRPAL0
00956 #define GRP_SCI11_ERI11     GRPAL0
00957 #define GRP_RSPI0_SPII0      GRPAL0
00958 #define GRP_RSPI0_SPEI0      GRPAL0
00959 #define GRP_RSPI1_SPII1      GRPAL0
00960 #define GRP_RSPI1_SPEI1      GRPAL0
00961 #define GRP_RSPI2_SPII2      GRPAL0
00962 #define GRP_RSPI2_SPEI2      GRPAL0
00963 #define GRP_SCI7_TEI7        GRPAL0
00964 #define GRP_SCI7_ERI7        GRPAL0
00965 #define GRP_EPTPC_MINT       GRPAL1
00966 #define GRP_PTPEDMAC_PINT    GRPAL1
00967 #define GRP_EDMAC0_EINT0      GRPAL1
00968 #define GRP_EDMAC1_EINT1      GRPAL1
00969 #define GRP_GLCDC_VPOS       GRPAL1
00970 #define GRP_GLCDC_GR1UF      GRPAL1
00971 #define GRP_GLCDC_GR2UF      GRPAL1
00972 #define GRP_DRW2D_DRWIRQ     GRPAL1
00973
00974 #define GCR_DPFPUP_DPFPUEX    GCRIE0
00975 #define GCR_CAN0_ERS0        GCRBE0
00976 #define GCR_CAN1_ERS1        GCRBE0
00977 #define GCR_CAN2_ERS2        GCRBE0
00978
00979 #define __IR( x )             ICU.IR[ IR ## x ].BIT.IR
00980 #define __IR( x )             IR( x )
00981 #define IR( x , y )           IR( _ ## x ## _ ## y )
00982 #define __DTCE( x )          ICU.DTCER[ DTCE ## x ].BIT.DTCE
00983 #define __DTCE( x )          DTCE( x )
00984 #define DTCE( x , y )         DTCE( _ ## x ## _ ## y )
00985 #define __IEN( x )           ICU.IER[ IER ## x ].BIT.IEN ## x
00986 #define __IEN( x )           IEN( x )
00987 #define IEN( x , y )          IEN( _ ## x ## _ ## y )
00988 #define __IPR( x )           ICU.IPR[ IPR ## x ].BIT.IPR
00989 #define __IPR( x )           IPR( x )
00990 #define IPR( x , y )          IPR( _ ## x ## _ ## y )
00991 #define __VECT( x )          VECT ## x
00992 #define __VECT( x )          VECT( x )
00993 #define VECT( x , y )         VECT( _ ## x ## _ ## y )
00994 #define __MSTP( x )          MSTP ## x
00995 #define __MSTP( x )          MSTP( x )
00996 #define MSTP( x )             MSTP( _ ## x )
00997
00998 #define __IS( x )             ICU.GRP ## x.BIT.IS ## x
00999 #define __IS( x )             IS( x )
01000 #define IS( x , y )          IS( _ ## x ## _ ## y )
01001 #define __EN( x )           ICU.GEN ## x.BIT.EN ## x
01002 #define __EN( x )           EN( x )
01003 #define EN( x , y )          EN( _ ## x ## _ ## y )
01004 #define __CLR( x )          ICU.GCR ## x.BIT.CLR ## x
01005 #define __CLR( x )          CLR( x )
01006 #define CLR( x , y )         CLR( _ ## x ## _ ## y )
01007
01008 #define BSC                    (*(volatile struct st_bsc *)0x81300)
01009 #define CAC                    (*(volatile struct st_cac *)0x8B000)
01010 #define CAN0                   (*(volatile struct st_can *)0x90200)
01011 #define CAN1                   (*(volatile struct st_can *)0x91200)
01012 #define CAN2                   (*(volatile struct st_can *)0x92200)
01013 #define CMT                    (*(volatile struct st_cmt *)0x88000)
01014 #define CMT0                   (*(volatile struct st_cmt0 *)0x88002)
01015 #define CMT1                   (*(volatile struct st_cmt0 *)0x88008)
01016 #define CMT2                   (*(volatile struct st_cmt0 *)0x88012)
01017 #define CMT3                   (*(volatile struct st_cmt0 *)0x88018)
01018 #define CMTW0                  (*(volatile struct st_cmtw *)0x94200)
01019 #define CMTW1                  (*(volatile struct st_cmtw *)0x94280)
01020 #define CRC                    (*(volatile struct st_crc *)0x88280)
01021 #define DA                     (*(volatile struct st_da *)0x88040)
01022 #define DMAC                   (*(volatile struct st_dmac *)0x82200)
01023 #define DMAC0                  (*(volatile struct st_dmac0 *)0x82000)
01024 #define DMAC1                  (*(volatile struct st_dmac1 *)0x82040)
01025 #define DMAC2                  (*(volatile struct st_dmac1 *)0x82080)
01026 #define DMAC3                  (*(volatile struct st_dmac1 *)0x820C0)
01027 #define DMAC4                  (*(volatile struct st_dmac1 *)0x82100)
01028 #define DMAC5                  (*(volatile struct st_dmac1 *)0x82140)
01029 #define DMAC6                  (*(volatile struct st_dmac1 *)0x82180)

```



```

01030 #define DMAC7      (*(volatile struct st_dmac1 *)0x821C0)
01031 #define DOC          (*(volatile struct st_doc *)0x8B080)
01032 #define DRW2D        (*(volatile struct st_drw2d *)0xE3000)
01033 #define DTC          (*(volatile struct st_dtc *)0x82400)
01034 #define ECCRAM       (*(volatile struct st_eccram *)0x812C0)
01035 #define EDMAC0       (*(volatile struct st_edmac *)0xC0000)
01036 #define EDMAC1       (*(volatile struct st_edmac *)0xC0200)
01037 #define ELC          (*(volatile struct st_elc *)0x8B100)
01038 #define EPTPC        (*(volatile struct st_eptpc *)0xC0500)
01039 #define EPTPC0       (*(volatile struct st_eptpc0 *)0xC4800)
01040 #define EPTPC1       (*(volatile struct st_eptpc0 *)0xC4C00)
01041 #define ETHERC0      (*(volatile struct st_etherc *)0xC0100)
01042 #define ETHERC1      (*(volatile struct st_etherc *)0xC0300)
01043 #define EXDMAC       (*(volatile struct st_exdmac *)0x82A00)
01044 #define EXDMAC0      (*(volatile struct st_exdmac0 *)0x82800)
01045 #define EXDMAC1      (*(volatile struct st_exdmac1 *)0x82840)
01046 #define FLASH        (*(volatile struct st_flash *)0x81000)
01047 #define GLCDC        (*(volatile struct st_glcdc *)0xE0000)
01048 #define GPTW0        (*(volatile struct st_gptw *)0xC2000)
01049 #define GPTW1        (*(volatile struct st_gptw *)0xC2100)
01050 #define GPTW2        (*(volatile struct st_gptw *)0xC2200)
01051 #define GPTW3        (*(volatile struct st_gptw *)0xC2300)
01052 #define ICU          (*(volatile struct st_icu *)0x87000)
01053 #define IWDT         (*(volatile struct st_iwdt *)0x88030)
01054 #define MMCIF        (*(volatile struct st_mmcif *)0x88500)
01055 #define MPC          (*(volatile struct st_mpc *)0x8C100)
01056 #define MPU          (*(volatile struct st_mpu *)0x86400)
01057 #define MTU          (*(volatile struct st_mtu *)0xC120A)
01058 #define MTU0         (*(volatile struct st_mtu0 *)0xC1290)
01059 #define MTU1         (*(volatile struct st_mtu1 *)0xC1290)
01060 #define MTU2         (*(volatile struct st_mtu2 *)0xC1292)
01061 #define MTU3         (*(volatile struct st_mtu3 *)0xC1200)
01062 #define MTU4         (*(volatile struct st_mtu4 *)0xC1200)
01063 #define MTU5         (*(volatile struct st_mtu5 *)0xC1A94)
01064 #define MTU6         (*(volatile struct st_mtu6 *)0xC1A00)
01065 #define MTU7         (*(volatile struct st_mtu7 *)0xC1A00)
01066 #define MTU8         (*(volatile struct st_mtu8 *)0xC1298)
01067 #define OFSM         (*(volatile struct st_ofsm *)0xFE7F5D00)
01068 #define PDC          (*(volatile struct st_pdc *)0xA0500)
01069 #define PMGI0        (*(volatile struct st_pmgi *)0xC5880)
01070 #define PMGI1        (*(volatile struct st_pmgi *)0xC5890)
01071 #define POE3         (*(volatile struct st_poe *)0x8C4C0)
01072 #define POEG         (*(volatile struct st_poeg *)0x9E000)
01073 #define PORT0        (*(volatile struct st_port0 *)0x8C000)
01074 #define PORT1        (*(volatile struct st_port1 *)0x8C001)
01075 #define PORT2        (*(volatile struct st_port2 *)0x8C002)
01076 #define PORT3        (*(volatile struct st_port3 *)0x8C003)
01077 #define PORT4        (*(volatile struct st_port4 *)0x8C004)
01078 #define PORT5        (*(volatile struct st_port5 *)0x8C005)
01079 #define PORT6        (*(volatile struct st_port6 *)0x8C006)
01080 #define PORT7        (*(volatile struct st_port7 *)0x8C007)
01081 #define PORT8        (*(volatile struct st_port8 *)0x8C008)
01082 #define PORT9        (*(volatile struct st_port9 *)0x8C009)
01083 #define PORTA        (*(volatile struct st_porta *)0x8C00A)
01084 #define PORTB        (*(volatile struct st_portb *)0x8C00B)
01085 #define PORTC        (*(volatile struct st_portc *)0x8C00C)
01086 #define PORTD        (*(volatile struct st_portd *)0x8C00D)
01087 #define PORTE        (*(volatile struct st_porte *)0x8C00E)
01088 #define PORTF        (*(volatile struct st_portf *)0x8C00F)
01089 #define PORTG        (*(volatile struct st_portg *)0x8C010)
01090 #define PORTH        (*(volatile struct st_porth *)0x8C011)
01091 #define PORTJ        (*(volatile struct st_portj *)0x8C012)
01092 #define PORTK        (*(volatile struct st_portk *)0x8C013)
01093 #define PORTL        (*(volatile struct st_portl *)0x8C014)
01094 #define PORTM        (*(volatile struct st_portm *)0x8C015)
01095 #define PORTN        (*(volatile struct st_portn *)0x8C016)
01096 #define PORTQ        (*(volatile struct st_portq *)0x8C017)
01097 #define PPG0         (*(volatile struct st_ppg0 *)0x881E6)
01098 #define PPG1         (*(volatile struct st_ppg1 *)0x881F0)
01099 #define PTPEDMAC     (*(volatile struct st_ptpedmac *)0xC0400)
01100 #define QSPI         (*(volatile struct st_qspi *)0x89E00)
01101 #define RAM          (*(volatile struct st_ram *)0x81200)
01102 #define RIIC0        (*(volatile struct st_riic *)0x88300)
01103 #define RIIC1        (*(volatile struct st_riic *)0x88320)
01104 #define RIIC2        (*(volatile struct st_riic *)0x88340)
01105 #define RSPI0        (*(volatile struct st_rspi *)0xD0100)
01106 #define RSPI1        (*(volatile struct st_rspi *)0xD0140)
01107 #define RSPI2        (*(volatile struct st_rspi *)0xD0300)
01108 #define RTC          (*(volatile struct st_rtc *)0x8C400)
01109 #define S12AD        (*(volatile struct st_s12ad *)0x89000)
01110 #define S12AD1       (*(volatile struct st_s12ad1 *)0x89100)
01111 #define SCI0         (*(volatile struct st_sci0 *)0x8A000)
01112 #define SCI1         (*(volatile struct st_sci0 *)0x8A020)
01113 #define SCI2         (*(volatile struct st_sci0 *)0x8A040)
01114 #define SCI3         (*(volatile struct st_sci0 *)0x8A060)
01115 #define SCI4         (*(volatile struct st_sci0 *)0x8A080)
01116 #define SCI5         (*(volatile struct st_sci0 *)0x8A0A0)

```

```

01117 #define SCI6      (*(volatile struct st_sci0  *)0x8A0C0)
01118 #define SCI7      (*(volatile struct st_sci7  *)0xD00E0)
01119 #define SCI8      (*(volatile struct st_sci7  *)0xD0000)
01120 #define SCI9      (*(volatile struct st_sci7  *)0xD0020)
01121 #define SCI10     (*(volatile struct st_sci7  *)0xD0040)
01122 #define SCI11     (*(volatile struct st_sci7  *)0xD0060)
01123 #define SCI12     (*(volatile struct st_sci12 *)0x8B300)
01124 #define SDHI      (*(volatile struct st_sdhi  *)0x8AC00)
01125 #define SMCIO     (*(volatile struct st_smci  *)0x8A000)
01126 #define SMC11     (*(volatile struct st_smci  *)0x8A020)
01127 #define SMC12     (*(volatile struct st_smci  *)0x8A040)
01128 #define SMC13     (*(volatile struct st_smci  *)0x8A060)
01129 #define SMC14     (*(volatile struct st_smci  *)0x8A080)
01130 #define SMC15     (*(volatile struct st_smci  *)0x8A0A0)
01131 #define SMC16     (*(volatile struct st_smci  *)0x8A0C0)
01132 #define SMC17     (*(volatile struct st_smci  *)0xD00E0)
01133 #define SMC18     (*(volatile struct st_smci  *)0xD0000)
01134 #define SMC19     (*(volatile struct st_smci  *)0xD0020)
01135 #define SMC110    (*(volatile struct st_smci  *)0xD0040)
01136 #define SMC111    (*(volatile struct st_smci  *)0xD0060)
01137 #define SMC112    (*(volatile struct st_smci  *)0x8B300)
01138 #define SSIE0     (*(volatile struct st_ssie  *)0x8A500)
01139 #define SSIE1     (*(volatile struct st_ssie  *)0x8A540)
01140 #define SYSTEM    (*(volatile struct st_system *)0x80000)
01141 #define TEMPS     (*(volatile struct st_temps  *)0x8C500)
01142 #define TMR0      (*(volatile struct st_tmr0  *)0x88200)
01143 #define TMR1      (*(volatile struct st_tmr1  *)0x88201)
01144 #define TMR2      (*(volatile struct st_tmr0  *)0x88210)
01145 #define TMR3      (*(volatile struct st_tmr1  *)0x88211)
01146 #define TMR01     (*(volatile struct st_tmr01 *)0x88204)
01147 #define TMR23     (*(volatile struct st_tmr01 *)0x88214)
01148 #define TPU0      (*(volatile struct st_tpu0  *)0x88108)
01149 #define TPU1      (*(volatile struct st_tpu1  *)0x88108)
01150 #define TPU2      (*(volatile struct st_tpu2  *)0x8810A)
01151 #define TPU3      (*(volatile struct st_tpu3  *)0x8810A)
01152 #define TPU4      (*(volatile struct st_tpu4  *)0x8810C)
01153 #define TPU5      (*(volatile struct st_tpu5  *)0x8810C)
01154 #define TPUA      (*(volatile struct st_tpua  *)0x88100)
01155 #define USB       (*(volatile struct st_usb   *)0xA0400)
01156 #define USB0      (*(volatile struct st_usb0  *)0xA0000)
01157 #define WDT       (*(volatile struct st_wdt   *)0x88020)
01158 #define FLASHCONST (*(volatile struct st_flashconst *)0xFE7F7D90)
01159 #define TEMPSCONST (*(volatile struct st_tempsconst *)0xFE7F7D7C)
01160
01161 typedef enum enum_ir {
01162 IR_BSC_BUSERR=16,IR_ICU_GROUPIE0=17,
01163 IR_RAM_RAMERR,
01164 IR_FCU_FIFERR=21,IR_FCU_FRDYI=23,
01165 IR_ICU_SWINT2=26,IR_ICU_SWINT,
01166 IR_CMT0_CMI0,
01167 IR_CMT1_CMI1,
01168 IR_CMTW0_CMWI0,
01169 IR_CMTW1_CMWI1,
01170 IR_USB0_D0FIFO0=34,IR_USB0_D1FIFO0,
01171 IR_RSPI0_SPRI0=38,IR_RSPI0_SPTI0,
01172 IR_RSPI1_SPRI1,IR_RSPI1_SPTI1,
01173 IR_QSPI_SPRI,IR_QSPI_SPTI,
01174 IR_SDHI_SBFAL,
01175 IR_MMCF_MBFAI,
01176 IR_SSIE0_SSTXI0,IR_SSIE0_SSIRXI0,
01177 IR_SSIE1_SSIRTI1,
01178 IR_RIIC1_RXI1=50,IR_RIIC1_TXI1,
01179 IR_RIIC0_RXI0,IR_RIIC0_TXI0,
01180 IR_RIIC2_RXI2,IR_RIIC2_TXI2,
01181 IR_SCI0_RXI0=58,IR_SCI0_TXI0,
01182 IR_SCI1_RXI1,IR_SCI1_TXI1,
01183 IR_SCI2_RXI2,IR_SCI2_TXI2,
01184
IR_ICU_IRQ0,IR_ICU_IRQ1,IR_ICU_IRQ2,IR_ICU_IRQ3,IR_ICU_IRQ4,IR_ICU_IRQ5,IR_ICU_IRQ6,IR_ICU_IRQ7,
01185
IR_ICU_IRQ8,IR_ICU_IRQ9,IR_ICU_IRQ10,IR_ICU_IRQ11,IR_ICU_IRQ12,IR_ICU_IRQ13,IR_ICU_IRQ14,IR_ICU_IRQ15,
01186 IR_SCI3_RXI3,IR_SCI3_TXI3,
01187 IR_SCI4_RXI4,IR_SCI4_TXI4,
01188 IR_SCI5_RXI5,IR_SCI5_TXI5,
01189 IR_SCI6_RXI6,IR_SCI6_TXI6,
01190 IR_LVD1_LVD1,
01191 IR_LVD2_LVD2,
01192 IR_USB0_USBR0,
01193 IR_RTC_ALM=92,IR_RTC_PRD,
01194 IR_IWDT_IWUNI=95,
01195 IR_WDT_WUNI,
01196 IR_PDC_PCDFI,
01197 IR_SCI7_RXI7,IR_SCI7_TXI7,
01198 IR_SCI8_RXI8,IR_SCI8_TXI8,
01199 IR_SCI9_RXI9,IR_SCI9_TXI9,
01200 IR_SCI10_RXI10,IR_SCI10_TXI10,
01201 IR_ICU_GROUPBE0,IR_ICU_GROUPBL2,

```

```
01202 IR_RSPI2_SPRI2,IR_RSPI2_SPTI2,
01203 IR_ICU_GROUPBL0,IR_ICU_GROUPBL1,IR_ICU_GROUPAL0,IR_ICU_GROUPAL1,
01204 IR_SCI11_RXI11,IR_SCI11_TXI11,
01205 IR_SCI12_RXI12,IR_SCI12_TXI12,
01206 IR_DMAC_DMAC0I=120,IR_DMAC_DMAC1I,IR_DMAC_DMAC2I,IR_DMAC_DMAC3I,IR_DMAC_DMAC74I,
01207 IR_OST_OSTDI,
01208 IR_EXDMAC_EXDMAC0I,IR_EXDMAC_EXDMAC1I,
01209 IR_PERIB_INTB128,IR_PERIB_INTB129,IR_PERIB_INTB130,IR_PERIB_INTB131,IR_PERIB_INTB132,
01210 IR_PERIB_INTB133,IR_PERIB_INTB134,IR_PERIB_INTB135,IR_PERIB_INTB136,IR_PERIB_INTB137,
01211 IR_PERIB_INTB138,IR_PERIB_INTB139,IR_PERIB_INTB140,IR_PERIB_INTB141,IR_PERIB_INTB142,
01212 IR_PERIB_INTB143,IR_PERIB_INTB144,IR_PERIB_INTB145,IR_PERIB_INTB146,IR_PERIB_INTB147,
01213 IR_PERIB_INTB148,IR_PERIB_INTB149,IR_PERIB_INTB150,IR_PERIB_INTB151,IR_PERIB_INTB152,
01214 IR_PERIB_INTB153,IR_PERIB_INTB154,IR_PERIB_INTB155,IR_PERIB_INTB156,IR_PERIB_INTB157,
01215 IR_PERIB_INTB158,IR_PERIB_INTB159,IR_PERIB_INTB160,IR_PERIB_INTB161,IR_PERIB_INTB162,
01216 IR_PERIB_INTB163,IR_PERIB_INTB164,IR_PERIB_INTB165,IR_PERIB_INTB166,IR_PERIB_INTB167,
01217 IR_PERIB_INTB168,IR_PERIB_INTB169,IR_PERIB_INTB170,IR_PERIB_INTB171,IR_PERIB_INTB172,
01218 IR_PERIB_INTB173,IR_PERIB_INTB174,IR_PERIB_INTB175,IR_PERIB_INTB176,IR_PERIB_INTB177,
01219 IR_PERIB_INTB178,IR_PERIB_INTB179,IR_PERIB_INTB180,IR_PERIB_INTB181,IR_PERIB_INTB182,
01220 IR_PERIB_INTB183,IR_PERIB_INTB184,IR_PERIB_INTB185,IR_PERIB_INTB186,IR_PERIB_INTB187,
01221 IR_PERIB_INTB188,IR_PERIB_INTB189,IR_PERIB_INTB190,IR_PERIB_INTB191,IR_PERIB_INTB192,
01222 IR_PERIB_INTB193,IR_PERIB_INTB194,IR_PERIB_INTB195,IR_PERIB_INTB196,IR_PERIB_INTB197,
01223 IR_PERIB_INTB198,IR_PERIB_INTB199,IR_PERIB_INTB200,IR_PERIB_INTB201,IR_PERIB_INTB202,
01224 IR_PERIB_INTB203,IR_PERIB_INTB204,IR_PERIB_INTB205,IR_PERIB_INTB206,IR_PERIB_INTB207,
01225 IR_PERIA_INTA208,IR_PERIA_INTA209,IR_PERIA_INTA210,IR_PERIA_INTA211,IR_PERIA_INTA212,
01226 IR_PERIA_INTA213,IR_PERIA_INTA214,IR_PERIA_INTA215,IR_PERIA_INTA216,IR_PERIA_INTA217,
01227 IR_PERIA_INTA218,IR_PERIA_INTA219,IR_PERIA_INTA220,IR_PERIA_INTA221,IR_PERIA_INTA222,
01228 IR_PERIA_INTA223,IR_PERIA_INTA224,IR_PERIA_INTA225,IR_PERIA_INTA226,IR_PERIA_INTA227,
01229 IR_PERIA_INTA228,IR_PERIA_INTA229,IR_PERIA_INTA230,IR_PERIA_INTA231,IR_PERIA_INTA232,
01230 IR_PERIA_INTA233,IR_PERIA_INTA234,IR_PERIA_INTA235,IR_PERIA_INTA236,IR_PERIA_INTA237,
01231 IR_PERIA_INTA238,IR_PERIA_INTA239,IR_PERIA_INTA240,IR_PERIA_INTA241,IR_PERIA_INTA242,
01232 IR_PERIA_INTA243,IR_PERIA_INTA244,IR_PERIA_INTA245,IR_PERIA_INTA246,IR_PERIA_INTA247,
01233 IR_PERIA_INTA248,IR_PERIA_INTA249,IR_PERIA_INTA250,IR_PERIA_INTA251,IR_PERIA_INTA252,
01234 IR_PERIA_INTA253,IR_PERIA_INTA254,IR_PERIA_INTA255
01235 } enum_ir_t;
01236
01237 typedef enum enum_dtce {
01238 DTCE_ICU_SWINT2=26,DTCE_ICU_SWINT,
01239 DTCE_CMT0_CMIO,
01240 DTCE_CMT1_CMII,
01241 DTCE_CMTW0_CMWIO,
01242 DTCE_CMTW1_CMWII,
01243 DTCE_USB0_D0FIFO0=34,DTCE_USB0_D1FIFO0,
01244 DTCE_RSPI0_SPRI0=38,DTCE_RSPI0_SPTI0,
01245 DTCE_RSPI1_SPRI1,DTCE_RSPI1_SPTI1,
01246 DTCE_QSPI_SPRI,DTCE_QSPI_SPTI,
01247 DTCE_SDHI_SBFAL,
01248 DTCE_MMCI_MBFAI,
01249 DTCE_SSIE0_SSITXI0,DTCE_SSIE0_SSIRXI0,
01250 DTCE_SSIE1_SSIRTI1,
01251 DTCE_RIIC1_RXI1=50,DTCE_RIIC1_TXI1,
01252 DTCE_RIIC0_RXI0,DTCE_RIIC0_TXI0,
01253 DTCE_RIIC2_RXI2,DTCE_RIIC2_TXI2,
01254 DTCE_SCI0_RXI0=58,DTCE_SCI0_TXI0,
01255 DTCE_SCI1_RXI1,DTCE_SCI1_TXI1,
01256 DTCE_SCI2_RXI2,DTCE_SCI2_TXI2,
01257
    DTCE_ICU_IRQ0,DTCE_ICU_IRQ1,DTCE_ICU_IRQ2,DTCE_ICU_IRQ3,DTCE_ICU_IRQ4,DTCE_ICU_IRQ5,DTCE_ICU_IRQ6,DTCE_ICU_IRQ7,
01258
    DTCE_ICU_IRQ8,DTCE_ICU_IRQ9,DTCE_ICU_IRQ10,DTCE_ICU_IRQ11,DTCE_ICU_IRQ12,DTCE_ICU_IRQ13,DTCE_ICU_IRQ14,DTCE_ICU_IRQ15,
01259 DTCE_SCI3_RXI3,DTCE_SCI3_TXI3,
01260 DTCE_SCI4_RXI4,DTCE_SCI4_TXI4,
01261 DTCE_SCI5_RXI5,DTCE_SCI5_TXI5,
01262 DTCE_SCI6_RXI6,DTCE_SCI6_TXI6,
01263 DTCE_PDC_PCDFI=97,
01264 DTCE_SCI7_RXI7,DTCE_SCI7_TXI7,
01265 DTCE_SCI8_RXI8,DTCE_SCI8_TXI8,
01266 DTCE_SCI9_RXI9,DTCE_SCI9_TXI9,
01267 DTCE_SCI10_RXI10,DTCE_SCI10_TXI10,
01268 DTCE_RSPI2_SPRI2=108,DTCE_RSPI2_SPTI2,
01269 DTCE_SCI11_RXI11=114,DTCE_SCI11_TXI11,
01270 DTCE_SCI12_RXI12,DTCE_SCI12_TXI12,
01271 DTCE_DMAC_DMAC0I=120,DTCE_DMAC_DMAC1I,DTCE_DMAC_DMAC2I,DTCE_DMAC_DMAC3I,
01272 DTCE_EXDMAC_EXDMAC0I=126,DTCE_EXDMAC_EXDMAC1I,
01273
    DTCE_PERIB_INTB128,DTCE_PERIB_INTB129,DTCE_PERIB_INTB130,DTCE_PERIB_INTB131,DTCE_PERIB_INTB132,
01274
    DTCE_PERIB_INTB133,DTCE_PERIB_INTB134,DTCE_PERIB_INTB135,DTCE_PERIB_INTB136,DTCE_PERIB_INTB137,
01275
    DTCE_PERIB_INTB138,DTCE_PERIB_INTB139,DTCE_PERIB_INTB140,DTCE_PERIB_INTB141,DTCE_PERIB_INTB142,
01276
    DTCE_PERIB_INTB143,DTCE_PERIB_INTB144,DTCE_PERIB_INTB145,DTCE_PERIB_INTB146,DTCE_PERIB_INTB147,
01277
    DTCE_PERIB_INTB148,DTCE_PERIB_INTB149,DTCE_PERIB_INTB150,DTCE_PERIB_INTB151,DTCE_PERIB_INTB152,
01278
    DTCE_PERIB_INTB153,DTCE_PERIB_INTB154,DTCE_PERIB_INTB155,DTCE_PERIB_INTB156,DTCE_PERIB_INTB157,
01279
    DTCE_PERIB_INTB158,DTCE_PERIB_INTB159,DTCE_PERIB_INTB160,DTCE_PERIB_INTB161,DTCE_PERIB_INTB162,
```

```
01280 DTCE_PERIB_INTB163,DTCE_PERIB_INTB164,DTCE_PERIB_INTB165,DTCE_PERIB_INTB166,DTCE_PERIB_INTB167,
01281 DTCE_PERIB_INTB168,DTCE_PERIB_INTB169,DTCE_PERIB_INTB170,DTCE_PERIB_INTB171,DTCE_PERIB_INTB172,
01282 DTCE_PERIB_INTB173,DTCE_PERIB_INTB174,DTCE_PERIB_INTB175,DTCE_PERIB_INTB176,DTCE_PERIB_INTB177,
01283 DTCE_PERIB_INTB178,DTCE_PERIB_INTB179,DTCE_PERIB_INTB180,DTCE_PERIB_INTB181,DTCE_PERIB_INTB182,
01284 DTCE_PERIB_INTB183,DTCE_PERIB_INTB184,DTCE_PERIB_INTB185,DTCE_PERIB_INTB186,DTCE_PERIB_INTB187,
01285 DTCE_PERIB_INTB188,DTCE_PERIB_INTB189,DTCE_PERIB_INTB190,DTCE_PERIB_INTB191,DTCE_PERIB_INTB192,
01286 DTCE_PERIB_INTB193,DTCE_PERIB_INTB194,DTCE_PERIB_INTB195,DTCE_PERIB_INTB196,DTCE_PERIB_INTB197,
01287 DTCE_PERIB_INTB198,DTCE_PERIB_INTB199,DTCE_PERIB_INTB200,DTCE_PERIB_INTB201,DTCE_PERIB_INTB202,
01288 DTCE_PERIB_INTB203,DTCE_PERIB_INTB204,DTCE_PERIB_INTB205,DTCE_PERIB_INTB206,DTCE_PERIB_INTB207,
01289 DTCE_PERIA_INTA208,DTCE_PERIA_INTA209,DTCE_PERIA_INTA210,DTCE_PERIA_INTA211,DTCE_PERIA_INTA212,
01290 DTCE_PERIA_INTA213,DTCE_PERIA_INTA214,DTCE_PERIA_INTA215,DTCE_PERIA_INTA216,DTCE_PERIA_INTA217,
01291 DTCE_PERIA_INTA218,DTCE_PERIA_INTA219,DTCE_PERIA_INTA220,DTCE_PERIA_INTA221,DTCE_PERIA_INTA222,
01292 DTCE_PERIA_INTA223,DTCE_PERIA_INTA224,DTCE_PERIA_INTA225,DTCE_PERIA_INTA226,DTCE_PERIA_INTA227,
01293 DTCE_PERIA_INTA228,DTCE_PERIA_INTA229,DTCE_PERIA_INTA230,DTCE_PERIA_INTA231,DTCE_PERIA_INTA232,
01294 DTCE_PERIA_INTA233,DTCE_PERIA_INTA234,DTCE_PERIA_INTA235,DTCE_PERIA_INTA236,DTCE_PERIA_INTA237,
01295 DTCE_PERIA_INTA238,DTCE_PERIA_INTA239,DTCE_PERIA_INTA240,DTCE_PERIA_INTA241,DTCE_PERIA_INTA242,
01296 DTCE_PERIA_INTA243,DTCE_PERIA_INTA244,DTCE_PERIA_INTA245,DTCE_PERIA_INTA246,DTCE_PERIA_INTA247,
01297 DTCE_PERIA_INTA248,DTCE_PERIA_INTA249,DTCE_PERIA_INTA250,DTCE_PERIA_INTA251,DTCE_PERIA_INTA252,
01298 DTCE_PERIA_INTA253,DTCE_PERIA_INTA254,DTCE_PERIA_INTA255
01299 } enum_dtce_t;
01300
01301 typedef enum enum_ier {
01302 IER_BSC_BUSERR=0x02,
01303 IER_ICU_GROUPIE0=0x02,
01304 IER_RAM_RAMERR=0x02,
01305 IER_FCU_FIFERR=0x02,IER_FCU_FRDYI=0x02,
01306 IER_ICU_SWINT2=0x03,IER_ICU_SWINT=0x03,
01307 IER_CMT0_CMI0=0x03,
01308 IER_CMT1_CMI1=0x03,
01309 IER_CMTW0_CMWI0=0x03,
01310 IER_CMTW1_CMWI1=0x03,
01311 IER_USB0_D0FIFO0=0x04,IER_USB0_D1FIFO0=0x04,
01312 IER_RSPI0_SPRI0=0x04,IER_RSPI0_SPTI0=0x04,
01313 IER_RSPI1_SPRI1=0x05,IER_RSPI1_SPTI1=0x05,
01314 IER_QSPI_SPRI=0x05,IER_QSPI_SPTI=0x05,
01315 IER_SDHI_SBFBI=0x05,
01316 IER_MMCIF_MBFBI=0x05,
01317 IER_SSIE0_SSITXI0=0x05,IER_SSIE0_SSIRXI0=0x05,
01318 IER_SSIE1_SSIRTI1=0x06,
01319 IER_RIIC0_RXI1=0x06,IER_RIIC1_TXI1=0x06,
01320 IER_RIIC0_RXI0=0x06,IER_RIIC0_TXI0=0x06,
01321 IER_RIIC2_RXI2=0x06,IER_RIIC2_TXI2=0x06,
01322 IER_SCI0_RXI0=0x07,IER_SCI0_TXI0=0x07,
01323 IER_SCI1_RXI1=0x07,IER_SCI1_TXI1=0x07,
01324 IER_SCI2_RXI2=0x07,IER_SCI2_TXI2=0x07,
01325 IER_ICU_IRQ0=0x08,IER_ICU_IRQ1=0x08,IER_ICU_IRQ2=0x08,IER_ICU_IRQ3=0x08,IER_ICU_IRQ4=0x08,IER_ICU_IRQ5=0x08,
01326 IER_ICU_IRQ8=0x09,IER_ICU_IRQ9=0x09,IER_ICU_IRQ10=0x09,IER_ICU_IRQ11=0x09,IER_ICU_IRQ12=0x09,IER_ICU_IRQ13=0x09,
01327 IER_SCI3_RXI3=0x0A,IER_SCI3_TXI3=0x0A,
01328 IER_SCI4_RXI4=0x0A,IER_SCI4_TXI4=0x0A,
01329 IER_SCI5_RXI5=0x0A,IER_SCI5_TXI5=0x0A,
01330 IER_SCI6_RXI6=0x0A,IER_SCI6_TXI6=0x0A,
01331 IER_LVD1_LVD1=0x0B,
01332 IER_LVD2_LVD2=0x0B,
01333 IER_USB0_USBR0=0x0B,
01334 IER_RTC_ALM=0x0B,IER_RTC_PRD=0x0B,
01335 IER_IWDT_IWUNI=0x0B,
01336 IER_WDT_WUNI=0x0C,
01337 IER_PDC_PCDFI=0x0C,
01338 IER_SCI7_RXI7=0x0C,IER_SCI7_TXI7=0x0C,
01339 IER_SCI8_RXI8=0x0C,IER_SCI8_TXI8=0x0C,
01340 IER_SCI9_RXI9=0x0C,IER_SCI9_TXI9=0x0C,
01341 IER_SCI10_RXI10=0x0D,IER_SCI10_TXI10=0x0D,
01342 IER_ICU_GROUPBE0=0x0D,IER_ICU_GROUPBL2=0x0D,
01343 IER_RSPI2_SPRI2=0x0D,IER_RSPI2_SPTI2=0x0D,
01344 IER_ICU_GROUPBL0=0x0D,IER_ICU_GROUPBL1=0x0D,IER_ICU_GROUPAL0=0x0E,IER_ICU_GROUPAL1=0x0E,
01345 IER_SCI11_RXI11=0x0E,IER_SCI11_TXI11=0x0E,
```

```

01346 IER_SCI12_RXI12=0x0E,IER_SCI12_TXI12=0x0E,
01347     IER_DMAC_DMAC0I=0x0F,IER_DMAC_DMAC1I=0x0F,IER_DMAC_DMAC2I=0x0F,IER_DMAC_DMAC3I=0x0F,IER_DMAC_DMAC4I=0x0F,
01348 IER_OST_OSTD1=0x0F,
01349 IER_EXDMAC_EXDMAC0I=0x0F,IER_EXDMAC_EXDMAC1I=0x0F,
01350     IER_PERIB_INTB128=0x10,IER_PERIB_INTB129=0x10,IER_PERIB_INTB130=0x10,IER_PERIB_INTB131=0x10,IER_PERIB_INTB132=0x10,
01351     IER_PERIB_INTB133=0x10,IER_PERIB_INTB134=0x10,IER_PERIB_INTB135=0x10,IER_PERIB_INTB136=0x11,IER_PERIB_INTB137=0x11,
01352     IER_PERIB_INTB138=0x11,IER_PERIB_INTB139=0x11,IER_PERIB_INTB140=0x11,IER_PERIB_INTB141=0x11,IER_PERIB_INTB142=0x11,
01353     IER_PERIB_INTB143=0x11,IER_PERIB_INTB144=0x12,IER_PERIB_INTB145=0x12,IER_PERIB_INTB146=0x12,IER_PERIB_INTB147=0x12,
01354     IER_PERIB_INTB148=0x12,IER_PERIB_INTB149=0x12,IER_PERIB_INTB150=0x12,IER_PERIB_INTB151=0x12,IER_PERIB_INTB152=0x12,
01355     IER_PERIB_INTB153=0x13,IER_PERIB_INTB154=0x13,IER_PERIB_INTB155=0x13,IER_PERIB_INTB156=0x13,IER_PERIB_INTB157=0x13,
01356     IER_PERIB_INTB158=0x13,IER_PERIB_INTB159=0x13,IER_PERIB_INTB160=0x14,IER_PERIB_INTB161=0x14,IER_PERIB_INTB162=0x14,
01357     IER_PERIB_INTB163=0x14,IER_PERIB_INTB164=0x14,IER_PERIB_INTB165=0x14,IER_PERIB_INTB166=0x14,IER_PERIB_INTB167=0x14,
01358     IER_PERIB_INTB168=0x15,IER_PERIB_INTB169=0x15,IER_PERIB_INTB170=0x15,IER_PERIB_INTB171=0x15,IER_PERIB_INTB172=0x15,
01359     IER_PERIB_INTB173=0x15,IER_PERIB_INTB174=0x15,IER_PERIB_INTB175=0x15,IER_PERIB_INTB176=0x16,IER_PERIB_INTB177=0x16,
01360     IER_PERIB_INTB178=0x16,IER_PERIB_INTB179=0x16,IER_PERIB_INTB180=0x16,IER_PERIB_INTB181=0x16,IER_PERIB_INTB182=0x16,
01361     IER_PERIB_INTB183=0x16,IER_PERIB_INTB184=0x17,IER_PERIB_INTB185=0x17,IER_PERIB_INTB186=0x17,IER_PERIB_INTB187=0x17,
01362     IER_PERIB_INTB188=0x17,IER_PERIB_INTB189=0x17,IER_PERIB_INTB190=0x17,IER_PERIB_INTB191=0x17,IER_PERIB_INTB192=0x17,
01363     IER_PERIB_INTB193=0x18,IER_PERIB_INTB194=0x18,IER_PERIB_INTB195=0x18,IER_PERIB_INTB196=0x18,IER_PERIB_INTB197=0x18,
01364     IER_PERIB_INTB198=0x18,IER_PERIB_INTB199=0x18,IER_PERIB_INTB200=0x19,IER_PERIB_INTB201=0x19,IER_PERIB_INTB202=0x19,
01365     IER_PERIB_INTB203=0x19,IER_PERIB_INTB204=0x19,IER_PERIB_INTB205=0x19,IER_PERIB_INTB206=0x19,IER_PERIB_INTB207=0x19,
01366     IER_PERIA_INTA208=0x1A,IER_PERIA_INTA209=0x1A,IER_PERIA_INTA210=0x1A,IER_PERIA_INTA211=0x1A,IER_PERIA_INTA212=0x1A,
01367     IER_PERIA_INTA213=0x1A,IER_PERIA_INTA214=0x1A,IER_PERIA_INTA215=0x1A,IER_PERIA_INTA216=0x1B,IER_PERIA_INTA217=0x1B,
01368     IER_PERIA_INTA218=0x1B,IER_PERIA_INTA219=0x1B,IER_PERIA_INTA220=0x1B,IER_PERIA_INTA221=0x1B,IER_PERIA_INTA222=0x1B,
01369     IER_PERIA_INTA223=0x1B,IER_PERIA_INTA224=0x1C,IER_PERIA_INTA225=0x1C,IER_PERIA_INTA226=0x1C,IER_PERIA_INTA227=0x1C,
01370     IER_PERIA_INTA228=0x1C,IER_PERIA_INTA229=0x1C,IER_PERIA_INTA230=0x1C,IER_PERIA_INTA231=0x1C,IER_PERIA_INTA232=0x1C,
01371     IER_PERIA_INTA233=0x1D,IER_PERIA_INTA234=0x1D,IER_PERIA_INTA235=0x1D,IER_PERIA_INTA236=0x1D,IER_PERIA_INTA237=0x1D,
01372     IER_PERIA_INTA238=0x1D,IER_PERIA_INTA239=0x1D,IER_PERIA_INTA240=0x1E,IER_PERIA_INTA241=0x1E,IER_PERIA_INTA242=0x1E,
01373     IER_PERIA_INTA243=0x1E,IER_PERIA_INTA244=0x1E,IER_PERIA_INTA245=0x1E,IER_PERIA_INTA246=0x1E,IER_PERIA_INTA247=0x1E,
01374     IER_PERIA_INTA248=0x1F,IER_PERIA_INTA249=0x1F,IER_PERIA_INTA250=0x1F,IER_PERIA_INTA251=0x1F,IER_PERIA_INTA252=0x1F,
01375 IER_PERIA_INTA253=0x1F,IER_PERIA_INTA254=0x1F,IER_PERIA_INTA255=0x1F
01376 } enum_ier_t;
01377
01378 typedef enum enum_ipr {
01379     IPR_BSC_BUSERR=0,
01380     IPR_ICU_GROUPIE0=0,
01381     IPR_RAM_RAMERR=0,
01382     IPR_FCU_FIFERR=1,IPR_FCU_FRDYI=2,
01383     IPR_ICU_SWINT2=3,IPR_ICU_SWINT=3,
01384     IPR_CMT0_CMI0=4,
01385     IPR_CMT1_CMI1=5,
01386     IPR_CMTW0_CMWI0=6,
01387     IPR_CMTW1_CMWI1=7,
01388     IPR_USB0_D0FIFO0=34,IPR_USB0_D1FIFO0=35,
01389     IPR_RSPI0_SPRI0=38,IPR_RSPI0_SPTI0=39,
01390     IPR_RSPI1_SPRI1=40,IPR_RSPI1_SPTI1=41,
01391     IPR_QSPI_SPRI=42,IPR_QSPI_SPTI=43,
01392     IPR_SDHI_SBFBI=44,
01393     IPR_MMCI0_MBFBI=45,
01394     IPR_SSIE0_SSITXI0=46,IPR_SSIE0_SSIRXI0=47,
01395     IPR_SSIE1_SSITXI1=48,
01396     IPR_RIIC1_RXI1=50,IPR_RIIC1_TXI1=51,
01397     IPR_RIIC0_RXI0=52,IPR_RIIC0_TXI0=53,
01398     IPR_RIIC2_RXI2=54,IPR_RIIC2_TXI2=55,
01399     IPR_SCI0_RXI0=58,IPR_SCI0_TXI0=59,
01400     IPR_SCI1_RXI1=60,IPR_SCI1_TXI1=61,
01401     IPR_SCI2_RXI2=62,IPR_SCI2_TXI2=63,
01402     IPR_ICU_IRQ0=64,IPR_ICU_IRQ1=65,IPR_ICU_IRQ2=66,IPR_ICU_IRQ3=67,IPR_ICU_IRQ4=68,IPR_ICU_IRQ5=69,IPR_ICU_IRQ6=70,
01403     IPR_ICU_IRQ8=72,IPR_ICU_IRQ9=73,IPR_ICU_IRQ10=74,IPR_ICU_IRQ11=75,IPR_ICU_IRQ12=76,IPR_ICU_IRQ13=77,IPR_ICU_IRQ14=78,
01404     IPR_SCI3_RXI3=80,IPR_SCI3_TXI3=81,

```

01405 IPR_SCI4_RXI4=82,IPR_SCI4_TXI4=83,
01406 IPR_SCI5_RXI5=84,IPR_SCI5_TXI5=85,
01407 IPR_SCI6_RXI6=86,IPR_SCI6_TXI6=87,
01408 IPR_LVD1_LVD1=88,
01409 IPR_LVD2_LVD2=89,
01410 IPR_USB0_USBR0=90,
01411 IPR_RTC_ALM=92,IPR_RTC_PRD=93,
01412 IPR_IWDT_IWUNI=95,
01413 IPR_WDT_WUNI=96,
01414 IPR_PDC_PCDFI=97,
01415 IPR_SCI7_RXI7=98,IPR_SCI7_TXI7=99,
01416 IPR_SCI8_RXI8=100,IPR_SCI8_TXI8=101,
01417 IPR_SCI9_RXI9=102,IPR_SCI9_TXI9=103,
01418 IPR_SCI10_RXI10=104,IPR_SCI10_TXI10=105,
01419 IPR_ICU_GROUPBE0=106,IPR_ICU_GROUPBL2=107,
01420 IPR_RSPI2_SPRI2=108,IPR_RSPI2_SPTI2=109,
01421 IPR_ICU_GROUPBL0=110,IPR_ICU_GROUPBL1=111,IPR_ICU_GROUPAL0=112,IPR_ICU_GROUPAL1=113,
01422 IPR_SCI11_RXI11=114,IPR_SCI11_TXI11=115,
01423 IPR_SCI12_RXI12=116,IPR_SCI12_TXI12=117,
01424 IPR_DMAC_DMAC0I=120,IPR_DMAC_DMAC1I=121,IPR_DMAC_DMAC2I=122,IPR_DMAC_DMAC3I=123,IPR_DMAC_DMAC74I=
01425 IPR_OST_OSTDI=125,
01426 IPR_EXDMAC_EXDMAC0I=126,IPR_EXDMAC_EXDMAC1I=127,
01427 IPR_PERIB_INTB128=128,IPR_PERIB_INTB129=129,IPR_PERIB_INTB130=130,IPR_PERIB_INTB131=131,IPR_PERIB_INTB132=
01428 IPR_PERIB_INTB133=133,IPR_PERIB_INTB134=134,IPR_PERIB_INTB135=135,IPR_PERIB_INTB136=136,IPR_PERIB_INTB137=
01429 IPR_PERIB_INTB138=138,IPR_PERIB_INTB139=139,IPR_PERIB_INTB140=140,IPR_PERIB_INTB141=141,IPR_PERIB_INTB142=
01430 IPR_PERIB_INTB143=143,IPR_PERIB_INTB144=144,IPR_PERIB_INTB145=145,IPR_PERIB_INTB146=146,IPR_PERIB_INTB147=
01431 IPR_PERIB_INTB148=148,IPR_PERIB_INTB149=149,IPR_PERIB_INTB150=150,IPR_PERIB_INTB151=151,IPR_PERIB_INTB152=
01432 IPR_PERIB_INTB153=153,IPR_PERIB_INTB154=154,IPR_PERIB_INTB155=155,IPR_PERIB_INTB156=156,IPR_PERIB_INTB157=
01433 IPR_PERIB_INTB158=158,IPR_PERIB_INTB159=159,IPR_PERIB_INTB160=160,IPR_PERIB_INTB161=161,IPR_PERIB_INTB162=
01434 IPR_PERIB_INTB163=163,IPR_PERIB_INTB164=164,IPR_PERIB_INTB165=165,IPR_PERIB_INTB166=166,IPR_PERIB_INTB167=
01435 IPR_PERIB_INTB168=168,IPR_PERIB_INTB169=169,IPR_PERIB_INTB170=170,IPR_PERIB_INTB171=171,IPR_PERIB_INTB172=
01436 IPR_PERIB_INTB173=173,IPR_PERIB_INTB174=174,IPR_PERIB_INTB175=175,IPR_PERIB_INTB176=176,IPR_PERIB_INTB177=
01437 IPR_PERIB_INTB178=178,IPR_PERIB_INTB179=179,IPR_PERIB_INTB180=180,IPR_PERIB_INTB181=181,IPR_PERIB_INTB182=
01438 IPR_PERIB_INTB183=183,IPR_PERIB_INTB184=184,IPR_PERIB_INTB185=185,IPR_PERIB_INTB186=186,IPR_PERIB_INTB187=
01439 IPR_PERIB_INTB188=188,IPR_PERIB_INTB189=189,IPR_PERIB_INTB190=190,IPR_PERIB_INTB191=191,IPR_PERIB_INTB192=
01440 IPR_PERIB_INTB193=193,IPR_PERIB_INTB194=194,IPR_PERIB_INTB195=195,IPR_PERIB_INTB196=196,IPR_PERIB_INTB197=
01441 IPR_PERIB_INTB198=198,IPR_PERIB_INTB199=199,IPR_PERIB_INTB200=200,IPR_PERIB_INTB201=201,IPR_PERIB_INTB202=
01442 IPR_PERIB_INTB203=203,IPR_PERIB_INTB204=204,IPR_PERIB_INTB205=205,IPR_PERIB_INTB206=206,IPR_PERIB_INTB207=
01443 IPR_PERIA_INTA208=208,IPR_PERIA_INTA209=209,IPR_PERIA_INTA210=210,IPR_PERIA_INTA211=211,IPR_PERIA_INTA212=
01444 IPR_PERIA_INTA213=213,IPR_PERIA_INTA214=214,IPR_PERIA_INTA215=215,IPR_PERIA_INTA216=216,IPR_PERIA_INTA217=
01445 IPR_PERIA_INTA218=218,IPR_PERIA_INTA219=219,IPR_PERIA_INTA220=220,IPR_PERIA_INTA221=221,IPR_PERIA_INTA222=
01446 IPR_PERIA_INTA223=223,IPR_PERIA_INTA224=224,IPR_PERIA_INTA225=225,IPR_PERIA_INTA226=226,IPR_PERIA_INTA227=
01447 IPR_PERIA_INTA228=228,IPR_PERIA_INTA229=229,IPR_PERIA_INTA230=230,IPR_PERIA_INTA231=231,IPR_PERIA_INTA232=
01448 IPR_PERIA_INTA233=233,IPR_PERIA_INTA234=234,IPR_PERIA_INTA235=235,IPR_PERIA_INTA236=236,IPR_PERIA_INTA237=
01449 IPR_PERIA_INTA238=238,IPR_PERIA_INTA239=239,IPR_PERIA_INTA240=240,IPR_PERIA_INTA241=241,IPR_PERIA_INTA242=
01450 IPR_PERIA_INTA243=243,IPR_PERIA_INTA244=244,IPR_PERIA_INTA245=245,IPR_PERIA_INTA246=246,IPR_PERIA_INTA247=
01451 IPR_PERIA_INTA248=248,IPR_PERIA_INTA249=249,IPR_PERIA_INTA250=250,IPR_PERIA_INTA251=251,IPR_PERIA_INTA252=
01452 IPR_PERIA_INTA253=253,IPR_PERIA_INTA254=254,IPR_PERIA_INTA255=255,
01453 IPR_ICU_SWI=3,
01454 IPR_CMT0_=4,
01455 IPR_CMT1_=5,
01456 IPR_CMTW0_=6,
01457 IPR_CMTW1_=7,
01458 IPR_SDHI_=44,
01459 IPR_MMCI_F_=45,
01460 IPR_SSIE1_=48,
01461 IPR_LVD1_=88,
01462 IPR_LVD2_=89,
01463 IPR_IWDT_=95,
01464 IPR_WDT_=96,
01465 IPR_PDC_=97,

```

01466 IPR_OST_=125
01467 } enum_ipr_t;
01468
01469
01470 #pragma pack(4)
01471
01472
01473 typedef struct st_bsc {
01474     union {
01475         unsigned char BYTE;
01476         struct {
01477
01478 #ifdef __RX_LITTLE_ENDIAN__
01479         unsigned char STSCLR : 1;
01480         unsigned char : 7;
01481 #else
01482         unsigned char : 7;
01483         unsigned char STSCLR : 1;
01484 #endif
01485         } BIT;
01486         } BERCLR;
01487         char          wk0[3];
01488         union {
01489             unsigned char BYTE;
01490             struct {
01491
01492 #ifdef __RX_LITTLE_ENDIAN__
01493             unsigned char IGAEN : 1;
01494             unsigned char TOEN : 1;
01495             unsigned char : 6;
01496 #else
01497             unsigned char : 6;
01498             unsigned char TOEN : 1;
01499             unsigned char IGAEN : 1;
01500 #endif
01501             } BIT;
01502             } BEREN;
01503             char          wk1[3];
01504             union {
01505                 unsigned char BYTE;
01506                 struct {
01507
01508 #ifdef __RX_LITTLE_ENDIAN__
01509                 unsigned char IA : 1;
01510                 unsigned char TO : 1;
01511                 unsigned char : 2;
01512                 unsigned char MST : 3;
01513                 unsigned char : 1;
01514 #else
01515                 unsigned char : 1;
01516                 unsigned char MST : 3;
01517                 unsigned char : 2;
01518                 unsigned char TO : 1;
01519                 unsigned char IA : 1;
01520 #endif
01521                 } BIT;
01522                 } BERSR1;
01523                 char          wk2[1];
01524                 union {
01525                     unsigned short WORD;
01526                     struct {
01527
01528 #ifdef __RX_LITTLE_ENDIAN__
01529                     unsigned short : 3;
01530                     unsigned short ADDR : 13;
01531 #else
01532                     unsigned short ADDR : 13;
01533                     unsigned short : 3;
01534 #endif
01535                     } BIT;
01536                     } BERSR2;
01537                     char          wk3[4];
01538                     union {
01539                         unsigned short WORD;
01540                         struct {
01541
01542 #ifdef __RX_LITTLE_ENDIAN__
01543                         unsigned short BPRA : 2;
01544                         unsigned short BPRO : 2;
01545                         unsigned short BPIB : 2;
01546                         unsigned short BPGb : 2;
01547                         unsigned short BPHB : 2;
01548                         unsigned short BPFb : 2;
01549                         unsigned short BPEB : 2;
01550                         unsigned short : 2;
01551 #else
01552                         unsigned short : 2;

```



```

01553         unsigned short BPEB : 2;
01554         unsigned short BPFb : 2;
01555         unsigned short BPHB : 2;
01556         unsigned short BPGb : 2;
01557         unsigned short BPIB : 2;
01558         unsigned short BPRO : 2;
01559         unsigned short BPRA : 2;
01560     #endif
01561     } BIT;
01562     } BUSPRI;
01563     char          wk4[7408];
01564     union {
01565         unsigned short WORD;
01566         struct {
01567
01568     #ifdef __RX_LITTLE_ENDIAN__
01569         unsigned short WRMOD : 1;
01570         unsigned short : 2;
01571         unsigned short EWENB : 1;
01572         unsigned short : 4;
01573         unsigned short PRENB : 1;
01574         unsigned short PWENB : 1;
01575         unsigned short : 5;
01576         unsigned short PRMOD : 1;
01577     #else
01578         unsigned short PRMOD : 1;
01579         unsigned short : 5;
01580         unsigned short PWENB : 1;
01581         unsigned short PRENB : 1;
01582         unsigned short : 4;
01583         unsigned short EWENB : 1;
01584         unsigned short : 2;
01585         unsigned short WRMOD : 1;
01586     #endif
01587     } BIT;
01588     } CS0MOD;
01589     union {
01590         unsigned long LONG;
01591         struct {
01592
01593     #ifdef __RX_LITTLE_ENDIAN__
01594         unsigned long CSPWWAIT : 3;
01595         unsigned long : 5;
01596         unsigned long CSPRWAIT : 3;
01597         unsigned long : 5;
01598         unsigned long CSWWAIT : 5;
01599         unsigned long : 3;
01600         unsigned long CSRWAIT : 5;
01601         unsigned long : 3;
01602     #else
01603         unsigned long : 3;
01604         unsigned long CSRWAIT : 5;
01605         unsigned long : 3;
01606         unsigned long CSWWAIT : 5;
01607         unsigned long : 5;
01608         unsigned long CSPRWAIT : 3;
01609         unsigned long : 5;
01610         unsigned long CSPWWAIT : 3;
01611     #endif
01612     } BIT;
01613     } CS0WCR1;
01614     union {
01615         unsigned long LONG;
01616         struct {
01617
01618     #ifdef __RX_LITTLE_ENDIAN__
01619         unsigned long CSROFF : 3;
01620         unsigned long : 1;
01621         unsigned long CSWOFF : 3;
01622         unsigned long : 1;
01623         unsigned long WDOFF : 3;
01624         unsigned long : 1;
01625         unsigned long AWAIT : 2;
01626         unsigned long : 2;
01627         unsigned long RDON : 3;
01628         unsigned long : 1;
01629         unsigned long WRON : 3;
01630         unsigned long : 1;
01631         unsigned long WDON : 3;
01632         unsigned long : 1;
01633         unsigned long CSON : 3;
01634         unsigned long : 1;
01635     #else
01636         unsigned long : 1;
01637         unsigned long CSON : 3;
01638         unsigned long : 1;
01639         unsigned long WDON : 3;

```



```

01640         unsigned long : 1;
01641         unsigned long WRON : 3;
01642         unsigned long : 1;
01643         unsigned long RDON : 3;
01644         unsigned long : 2;
01645         unsigned long AWAIT : 2;
01646         unsigned long : 1;
01647         unsigned long WDOFF : 3;
01648         unsigned long : 1;
01649         unsigned long CSWOFF : 3;
01650         unsigned long : 1;
01651         unsigned long CSROFF : 3;
01652     #endif
01653     } BIT;
01654     } CS0WCR2;
01655     char      wk5[6];
01656     union {
01657         unsigned short WORD;
01658         struct {
01659
01660     #ifdef __RX_LITTLE_ENDIAN__
01661         unsigned short WRMOD : 1;
01662         unsigned short : 2;
01663         unsigned short EWENB : 1;
01664         unsigned short : 4;
01665         unsigned short PRENB : 1;
01666         unsigned short PWENB : 1;
01667         unsigned short : 5;
01668         unsigned short PRMOD : 1;
01669     #else
01670         unsigned short PRMOD : 1;
01671         unsigned short : 5;
01672         unsigned short PWENB : 1;
01673         unsigned short PRENB : 1;
01674         unsigned short : 4;
01675         unsigned short EWENB : 1;
01676         unsigned short : 2;
01677         unsigned short WRMOD : 1;
01678     #endif
01679         } BIT;
01680         } CS1MOD;
01681         union {
01682             unsigned long LONG;
01683             struct {
01684
01685     #ifdef __RX_LITTLE_ENDIAN__
01686         unsigned long CSPWAIT : 3;
01687         unsigned long : 5;
01688         unsigned long CSPRWAIT : 3;
01689         unsigned long : 5;
01690         unsigned long CSWAIT : 5;
01691         unsigned long : 3;
01692         unsigned long CSRWAIT : 5;
01693         unsigned long : 3;
01694     #else
01695         unsigned long : 3;
01696         unsigned long CSRWAIT : 5;
01697         unsigned long : 3;
01698         unsigned long CSWAIT : 5;
01699         unsigned long : 5;
01700         unsigned long CSPRWAIT : 3;
01701         unsigned long : 5;
01702         unsigned long CSPWAIT : 3;
01703     #endif
01704         } BIT;
01705         } CS1WCR1;
01706         union {
01707             unsigned long LONG;
01708             struct {
01709
01710     #ifdef __RX_LITTLE_ENDIAN__
01711         unsigned long CSROFF : 3;
01712         unsigned long : 1;
01713         unsigned long CSWOFF : 3;
01714         unsigned long : 1;
01715         unsigned long WDOFF : 3;
01716         unsigned long : 1;
01717         unsigned long AWAIT : 2;
01718         unsigned long : 2;
01719         unsigned long RDON : 3;
01720         unsigned long : 1;
01721         unsigned long WRON : 3;
01722         unsigned long : 1;
01723         unsigned long WDON : 3;
01724         unsigned long : 1;
01725         unsigned long CSON : 3;
01726         unsigned long : 1;

```

```

01727 #else
01728     unsigned long : 1;
01729     unsigned long CSON : 3;
01730     unsigned long : 1;
01731     unsigned long WDON : 3;
01732     unsigned long : 1;
01733     unsigned long WRON : 3;
01734     unsigned long : 1;
01735     unsigned long RDON : 3;
01736     unsigned long : 2;
01737     unsigned long AWAIT : 2;
01738     unsigned long : 1;
01739     unsigned long WDOFF : 3;
01740     unsigned long : 1;
01741     unsigned long CSWOFF : 3;
01742     unsigned long : 1;
01743     unsigned long CSROFF : 3;
01744 #endif
01745     } BIT;
01746     } CS1WCR2;
01747     char        wk6[6];
01748     union {
01749         unsigned short WORD;
01750         struct {
01751
01752 #ifdef __RX_LITTLE_ENDIAN__
01753         unsigned short WRMOD : 1;
01754         unsigned short : 2;
01755         unsigned short EWENB : 1;
01756         unsigned short : 4;
01757         unsigned short PRENB : 1;
01758         unsigned short PWENB : 1;
01759         unsigned short : 5;
01760         unsigned short PRMOD : 1;
01761 #else
01762         unsigned short PRMOD : 1;
01763         unsigned short : 5;
01764         unsigned short PWENB : 1;
01765         unsigned short PRENB : 1;
01766         unsigned short : 4;
01767         unsigned short EWENB : 1;
01768         unsigned short : 2;
01769         unsigned short WRMOD : 1;
01770 #endif
01771         } BIT;
01772         } CS2MOD;
01773         union {
01774             unsigned long LONG;
01775             struct {
01776
01777 #ifdef __RX_LITTLE_ENDIAN__
01778             unsigned long CSPWAIT : 3;
01779             unsigned long : 5;
01780             unsigned long CSPRWAIT : 3;
01781             unsigned long : 5;
01782             unsigned long CSWWAIT : 5;
01783             unsigned long : 3;
01784             unsigned long CSRWAIT : 5;
01785             unsigned long : 3;
01786 #else
01787             unsigned long : 3;
01788             unsigned long CSRWAIT : 5;
01789             unsigned long : 3;
01790             unsigned long CSWWAIT : 5;
01791             unsigned long : 5;
01792             unsigned long CSPRWAIT : 3;
01793             unsigned long : 5;
01794             unsigned long CSPWAIT : 3;
01795 #endif
01796             } BIT;
01797             } CS2WCR1;
01798             union {
01799                 unsigned long LONG;
01800                 struct {
01801
01802 #ifdef __RX_LITTLE_ENDIAN__
01803                 unsigned long CSROFF : 3;
01804                 unsigned long : 1;
01805                 unsigned long CSWOFF : 3;
01806                 unsigned long : 1;
01807                 unsigned long WDOFF : 3;
01808                 unsigned long : 1;
01809                 unsigned long AWAIT : 2;
01810                 unsigned long : 2;
01811                 unsigned long RDON : 3;
01812                 unsigned long : 1;
01813                 unsigned long WRON : 3;

```

```

01814         unsigned long : 1;
01815         unsigned long WDON : 3;
01816         unsigned long : 1;
01817         unsigned long CSON : 3;
01818         unsigned long : 1;
01819 #else
01820         unsigned long : 1;
01821         unsigned long CSON : 3;
01822         unsigned long : 1;
01823         unsigned long WDON : 3;
01824         unsigned long : 1;
01825         unsigned long WRON : 3;
01826         unsigned long : 1;
01827         unsigned long RDON : 3;
01828         unsigned long : 2;
01829         unsigned long AWAIT : 2;
01830         unsigned long : 1;
01831         unsigned long WDOFF : 3;
01832         unsigned long : 1;
01833         unsigned long CSWOFF : 3;
01834         unsigned long : 1;
01835         unsigned long CSROFF : 3;
01836 #endif
01837     } BIT;
01838     } CS2WCR2;
01839     char wk7[6];
01840     union {
01841         unsigned short WORD;
01842     struct {
01843
01844 #ifdef __RX_LITTLE_ENDIAN__
01845         unsigned short WRMOD : 1;
01846         unsigned short : 2;
01847         unsigned short EWENB : 1;
01848         unsigned short : 4;
01849         unsigned short PRENB : 1;
01850         unsigned short PWENB : 1;
01851         unsigned short : 5;
01852         unsigned short PRMOD : 1;
01853 #else
01854         unsigned short PRMOD : 1;
01855         unsigned short : 5;
01856         unsigned short PWENB : 1;
01857         unsigned short PRENB : 1;
01858         unsigned short : 4;
01859         unsigned short EWENB : 1;
01860         unsigned short : 2;
01861         unsigned short WRMOD : 1;
01862 #endif
01863     } BIT;
01864     } CS3MOD;
01865     union {
01866         unsigned long LONG;
01867     struct {
01868
01869 #ifdef __RX_LITTLE_ENDIAN__
01870         unsigned long CSPWAIT : 3;
01871         unsigned long : 5;
01872         unsigned long CSPRWAIT : 3;
01873         unsigned long : 5;
01874         unsigned long CSWWAIT : 5;
01875         unsigned long : 3;
01876         unsigned long CSRWAIT : 5;
01877         unsigned long : 3;
01878 #else
01879         unsigned long : 3;
01880         unsigned long CSRWAIT : 5;
01881         unsigned long : 3;
01882         unsigned long CSWWAIT : 5;
01883         unsigned long : 5;
01884         unsigned long CSPRWAIT : 3;
01885         unsigned long : 5;
01886         unsigned long CSPWAIT : 3;
01887 #endif
01888     } BIT;
01889     } CS3WCR1;
01890     union {
01891         unsigned long LONG;
01892     struct {
01893
01894 #ifdef __RX_LITTLE_ENDIAN__
01895         unsigned long CSROFF : 3;
01896         unsigned long : 1;
01897         unsigned long CSWOFF : 3;
01898         unsigned long : 1;
01899         unsigned long WDOFF : 3;
01900         unsigned long : 1;

```

```

01901         unsigned long AWAIT : 2;
01902         unsigned long  : 2;
01903         unsigned long RDON : 3;
01904         unsigned long  : 1;
01905         unsigned long WRON : 3;
01906         unsigned long  : 1;
01907         unsigned long WDON : 3;
01908         unsigned long  : 1;
01909         unsigned long CSON : 3;
01910         unsigned long  : 1;
01911 #else
01912         unsigned long  : 1;
01913         unsigned long CSON : 3;
01914         unsigned long  : 1;
01915         unsigned long WDON : 3;
01916         unsigned long  : 1;
01917         unsigned long WRON : 3;
01918         unsigned long  : 1;
01919         unsigned long RDON : 3;
01920         unsigned long  : 2;
01921         unsigned long AWAIT : 2;
01922         unsigned long  : 1;
01923         unsigned long WDOFF : 3;
01924         unsigned long  : 1;
01925         unsigned long CSWOFF : 3;
01926         unsigned long  : 1;
01927         unsigned long CSROFF : 3;
01928 #endif
01929     } BIT;
01930     } CS3WCR2;
01931     char      wk8[6];
01932     union {
01933         unsigned short WORD;
01934         struct {
01935
01936 #ifdef __RX_LITTLE_ENDIAN__
01937         unsigned short WRMOD : 1;
01938         unsigned short  : 2;
01939         unsigned short EWENB : 1;
01940         unsigned short  : 4;
01941         unsigned short PRENB : 1;
01942         unsigned short PWENB : 1;
01943         unsigned short  : 5;
01944         unsigned short PRMOD : 1;
01945 #else
01946         unsigned short PRMOD : 1;
01947         unsigned short  : 5;
01948         unsigned short PWENB : 1;
01949         unsigned short PRENB : 1;
01950         unsigned short  : 4;
01951         unsigned short EWENB : 1;
01952         unsigned short  : 2;
01953         unsigned short WRMOD : 1;
01954 #endif
01955     } BIT;
01956     } CS4MOD;
01957     union {
01958         unsigned long LONG;
01959         struct {
01960
01961 #ifdef __RX_LITTLE_ENDIAN__
01962         unsigned long CSPWWAIT : 3;
01963         unsigned long  : 5;
01964         unsigned long CSPrWAIT : 3;
01965         unsigned long  : 5;
01966         unsigned long CSWWAIT : 5;
01967         unsigned long  : 3;
01968         unsigned long CSRWAIT : 5;
01969         unsigned long  : 3;
01970 #else
01971         unsigned long  : 3;
01972         unsigned long CSRWAIT : 5;
01973         unsigned long  : 3;
01974         unsigned long CSWWAIT : 5;
01975         unsigned long  : 5;
01976         unsigned long CSPrWAIT : 3;
01977         unsigned long  : 5;
01978         unsigned long CSPWWAIT : 3;
01979 #endif
01980     } BIT;
01981     } CS4WCR1;
01982     union {
01983         unsigned long LONG;
01984         struct {
01985
01986 #ifdef __RX_LITTLE_ENDIAN__
01987         unsigned long CSROFF : 3;

```

```

01988     unsigned long : 1;
01989     unsigned long CSWOFF : 3;
01990     unsigned long : 1;
01991     unsigned long WDOFF : 3;
01992     unsigned long : 1;
01993     unsigned long AWAIT : 2;
01994     unsigned long : 2;
01995     unsigned long RDON : 3;
01996     unsigned long : 1;
01997     unsigned long WRON : 3;
01998     unsigned long : 1;
01999     unsigned long WDON : 3;
02000     unsigned long : 1;
02001     unsigned long CSON : 3;
02002     unsigned long : 1;
02003 #else
02004     unsigned long : 1;
02005     unsigned long CSON : 3;
02006     unsigned long : 1;
02007     unsigned long WDON : 3;
02008     unsigned long : 1;
02009     unsigned long WRON : 3;
02010     unsigned long : 1;
02011     unsigned long RDON : 3;
02012     unsigned long : 2;
02013     unsigned long AWAIT : 2;
02014     unsigned long : 1;
02015     unsigned long WDOFF : 3;
02016     unsigned long : 1;
02017     unsigned long CSWOFF : 3;
02018     unsigned long : 1;
02019     unsigned long CSROFF : 3;
02020 #endif
02021 } BIT;
02022 } CS4WCR2;
02023 char      wk9[6];
02024 union {
02025     unsigned short WORD;
02026     struct {
02027
02028 #ifdef __RX_LITTLE_ENDIAN__
02029         unsigned short WRMOD : 1;
02030         unsigned short : 2;
02031         unsigned short EWENB : 1;
02032         unsigned short : 4;
02033         unsigned short PRENB : 1;
02034         unsigned short PWENB : 1;
02035         unsigned short : 5;
02036         unsigned short PRMOD : 1;
02037 #else
02038         unsigned short PRMOD : 1;
02039         unsigned short : 5;
02040         unsigned short PWENB : 1;
02041         unsigned short PRENB : 1;
02042         unsigned short : 4;
02043         unsigned short EWENB : 1;
02044         unsigned short : 2;
02045         unsigned short WRMOD : 1;
02046 #endif
02047     } BIT;
02048     } CS5MOD;
02049     union {
02050         unsigned long LONG;
02051         struct {
02052
02053 #ifdef __RX_LITTLE_ENDIAN__
02054         unsigned long CSPWWAIT : 3;
02055         unsigned long : 5;
02056         unsigned long CSPRWAIT : 3;
02057         unsigned long : 5;
02058         unsigned long CSWWAIT : 5;
02059         unsigned long : 3;
02060         unsigned long CSRWAIT : 5;
02061         unsigned long : 3;
02062 #else
02063         unsigned long : 3;
02064         unsigned long CSRWAIT : 5;
02065         unsigned long : 3;
02066         unsigned long CSWWAIT : 5;
02067         unsigned long : 5;
02068         unsigned long CSPRWAIT : 3;
02069         unsigned long : 5;
02070         unsigned long CSPWWAIT : 3;
02071 #endif
02072     } BIT;
02073     } CS5WCR1;
02074     union {

```

```

02075     unsigned long LONG;
02076     struct {
02077
02078 #ifdef __RX_LITTLE_ENDIAN__
02079     unsigned long CSROFF : 3;
02080     unsigned long  : 1;
02081     unsigned long CSWOFF : 3;
02082     unsigned long  : 1;
02083     unsigned long WDOFF : 3;
02084     unsigned long  : 1;
02085     unsigned long AWAIT : 2;
02086     unsigned long  : 2;
02087     unsigned long RDON : 3;
02088     unsigned long  : 1;
02089     unsigned long WRON : 3;
02090     unsigned long  : 1;
02091     unsigned long WDON : 3;
02092     unsigned long  : 1;
02093     unsigned long CSON : 3;
02094     unsigned long  : 1;
02095 #else
02096     unsigned long  : 1;
02097     unsigned long CSON : 3;
02098     unsigned long  : 1;
02099     unsigned long WDON : 3;
02100     unsigned long  : 1;
02101     unsigned long WRON : 3;
02102     unsigned long  : 1;
02103     unsigned long RDON : 3;
02104     unsigned long  : 2;
02105     unsigned long AWAIT : 2;
02106     unsigned long  : 1;
02107     unsigned long WDOFF : 3;
02108     unsigned long  : 1;
02109     unsigned long CSWOFF : 3;
02110     unsigned long  : 1;
02111     unsigned long CSROFF : 3;
02112 #endif
02113     } BIT;
02114     } CS5WCR2;
02115     char          wk10[6];
02116     union {
02117         unsigned short WORD;
02118         struct {
02119
02120 #ifdef __RX_LITTLE_ENDIAN__
02121         unsigned short WRMOD : 1;
02122         unsigned short  : 2;
02123         unsigned short EWENB : 1;
02124         unsigned short  : 4;
02125         unsigned short PRENB : 1;
02126         unsigned short PWENB : 1;
02127         unsigned short  : 5;
02128         unsigned short PRMOD : 1;
02129 #else
02130         unsigned short PRMOD : 1;
02131         unsigned short  : 5;
02132         unsigned short PWENB : 1;
02133         unsigned short PRENB : 1;
02134         unsigned short  : 4;
02135         unsigned short EWENB : 1;
02136         unsigned short  : 2;
02137         unsigned short WRMOD : 1;
02138 #endif
02139         } BIT;
02140         } CS6MOD;
02141     union {
02142         unsigned long LONG;
02143         struct {
02144
02145 #ifdef __RX_LITTLE_ENDIAN__
02146         unsigned long CSPWAIT : 3;
02147         unsigned long  : 5;
02148         unsigned long CSPRWAIT : 3;
02149         unsigned long  : 5;
02150         unsigned long CSWWAIT : 5;
02151         unsigned long  : 3;
02152         unsigned long CSRWAIT : 5;
02153         unsigned long  : 3;
02154 #else
02155         unsigned long  : 3;
02156         unsigned long CSRWAIT : 5;
02157         unsigned long  : 3;
02158         unsigned long CSWWAIT : 5;
02159         unsigned long  : 5;
02160         unsigned long CSPRWAIT : 3;
02161         unsigned long  : 5;

```

```

02162         unsigned long CSPWAIT : 3;
02163 #endif
02164     } BIT;
02165     } CS6WCR1;
02166     union {
02167         unsigned long LONG;
02168         struct {
02169
02170 #ifdef __RX_LITTLE_ENDIAN__
02171         unsigned long CSROFF : 3;
02172         unsigned long : 1;
02173         unsigned long CSWOFF : 3;
02174         unsigned long : 1;
02175         unsigned long WDOFF : 3;
02176         unsigned long : 1;
02177         unsigned long AWAIT : 2;
02178         unsigned long : 2;
02179         unsigned long RDON : 3;
02180         unsigned long : 1;
02181         unsigned long WRON : 3;
02182         unsigned long : 1;
02183         unsigned long WDON : 3;
02184         unsigned long : 1;
02185         unsigned long CSON : 3;
02186         unsigned long : 1;
02187 #else
02188         unsigned long : 1;
02189         unsigned long CSON : 3;
02190         unsigned long : 1;
02191         unsigned long WDON : 3;
02192         unsigned long : 1;
02193         unsigned long WRON : 3;
02194         unsigned long : 1;
02195         unsigned long RDON : 3;
02196         unsigned long : 2;
02197         unsigned long AWAIT : 2;
02198         unsigned long : 1;
02199         unsigned long WDOFF : 3;
02200         unsigned long : 1;
02201         unsigned long CSWOFF : 3;
02202         unsigned long : 1;
02203         unsigned long CSROFF : 3;
02204 #endif
02205     } BIT;
02206     } CS6WCR2;
02207     char        wk11[6];
02208     union {
02209         unsigned short WORD;
02210         struct {
02211
02212 #ifdef __RX_LITTLE_ENDIAN__
02213         unsigned short WRMOD : 1;
02214         unsigned short : 2;
02215         unsigned short EWENB : 1;
02216         unsigned short : 4;
02217         unsigned short PRENB : 1;
02218         unsigned short PWENB : 1;
02219         unsigned short : 5;
02220         unsigned short PRMOD : 1;
02221 #else
02222         unsigned short PRMOD : 1;
02223         unsigned short : 5;
02224         unsigned short PWENB : 1;
02225         unsigned short PRENB : 1;
02226         unsigned short : 4;
02227         unsigned short EWENB : 1;
02228         unsigned short : 2;
02229         unsigned short WRMOD : 1;
02230 #endif
02231     } BIT;
02232     } CS7MOD;
02233     union {
02234         unsigned long LONG;
02235         struct {
02236
02237 #ifdef __RX_LITTLE_ENDIAN__
02238         unsigned long CSPWAIT : 3;
02239         unsigned long : 5;
02240         unsigned long CSPRWAIT : 3;
02241         unsigned long : 5;
02242         unsigned long CSWWAIT : 5;
02243         unsigned long : 3;
02244         unsigned long CSRWAIT : 5;
02245         unsigned long : 3;
02246 #else
02247         unsigned long : 3;
02248         unsigned long CSRWAIT : 5;

```

```

02249         unsigned long : 3;
02250         unsigned long CSWAIT : 5;
02251         unsigned long : 5;
02252         unsigned long CSPRWAIT : 3;
02253         unsigned long : 5;
02254         unsigned long CSPWAIT : 3;
02255     #endif
02256     } BIT;
02257     } CS7WCR1;
02258     union {
02259         unsigned long LONG;
02260         struct {
02261
02262     #ifdef __RX_LITTLE_ENDIAN__
02263         unsigned long CSROFF : 3;
02264         unsigned long : 1;
02265         unsigned long CSWOFF : 3;
02266         unsigned long : 1;
02267         unsigned long WDOFF : 3;
02268         unsigned long : 1;
02269         unsigned long AWAIT : 2;
02270         unsigned long : 2;
02271         unsigned long RDON : 3;
02272         unsigned long : 1;
02273         unsigned long WRON : 3;
02274         unsigned long : 1;
02275         unsigned long WDON : 3;
02276         unsigned long : 1;
02277         unsigned long CSON : 3;
02278         unsigned long : 1;
02279     #else
02280         unsigned long : 1;
02281         unsigned long CSON : 3;
02282         unsigned long : 1;
02283         unsigned long WDON : 3;
02284         unsigned long : 1;
02285         unsigned long WRON : 3;
02286         unsigned long : 1;
02287         unsigned long RDON : 3;
02288         unsigned long : 2;
02289         unsigned long AWAIT : 2;
02290         unsigned long : 1;
02291         unsigned long WDOFF : 3;
02292         unsigned long : 1;
02293         unsigned long CSWOFF : 3;
02294         unsigned long : 1;
02295         unsigned long CSROFF : 3;
02296     #endif
02297     } BIT;
02298     } CS7WCR2;
02299     char      wk12[1926];
02300     union {
02301         unsigned short WORD;
02302         struct {
02303
02304     #ifdef __RX_LITTLE_ENDIAN__
02305         unsigned short EXENB : 1;
02306         unsigned short : 3;
02307         unsigned short BSIZE : 2;
02308         unsigned short : 2;
02309         unsigned short EMODE : 1;
02310         unsigned short : 3;
02311         unsigned short MPXEN : 1;
02312         unsigned short : 3;
02313     #else
02314         unsigned short : 3;
02315         unsigned short MPXEN : 1;
02316         unsigned short : 3;
02317         unsigned short EMODE : 1;
02318         unsigned short : 2;
02319         unsigned short BSIZE : 2;
02320         unsigned short : 3;
02321         unsigned short EXENB : 1;
02322     #endif
02323     } BIT;
02324     } CS0CR;
02325     char      wk13[6];
02326     union {
02327         unsigned short WORD;
02328         struct {
02329
02330     #ifdef __RX_LITTLE_ENDIAN__
02331         unsigned short RRCV : 4;
02332         unsigned short : 4;
02333         unsigned short WRCV : 4;
02334         unsigned short : 4;
02335     #else

```



```

02336         unsigned short : 4;
02337         unsigned short WRCV : 4;
02338         unsigned short : 4;
02339         unsigned short RRCV : 4;
02340     #endif
02341     } BIT;
02342     } CS0REC;
02343     char          wk14[6];
02344     union {
02345         unsigned short WORD;
02346     struct {
02347
02348     #ifdef __RX_LITTLE_ENDIAN__
02349         unsigned short EXENB : 1;
02350         unsigned short : 3;
02351         unsigned short BSIZE : 2;
02352         unsigned short : 2;
02353         unsigned short EMODE : 1;
02354         unsigned short : 3;
02355         unsigned short MPXEN : 1;
02356         unsigned short : 3;
02357     #else
02358         unsigned short : 3;
02359         unsigned short MPXEN : 1;
02360         unsigned short : 3;
02361         unsigned short EMODE : 1;
02362         unsigned short : 2;
02363         unsigned short BSIZE : 2;
02364         unsigned short : 3;
02365         unsigned short EXENB : 1;
02366     #endif
02367     } BIT;
02368     } CS1CR;
02369     char          wk15[6];
02370     union {
02371         unsigned short WORD;
02372     struct {
02373
02374     #ifdef __RX_LITTLE_ENDIAN__
02375         unsigned short RRCV : 4;
02376         unsigned short : 4;
02377         unsigned short WRCV : 4;
02378         unsigned short : 4;
02379     #else
02380         unsigned short : 4;
02381         unsigned short WRCV : 4;
02382         unsigned short : 4;
02383         unsigned short RRCV : 4;
02384     #endif
02385     } BIT;
02386     } CS1REC;
02387     char          wk16[6];
02388     union {
02389         unsigned short WORD;
02390     struct {
02391
02392     #ifdef __RX_LITTLE_ENDIAN__
02393         unsigned short EXENB : 1;
02394         unsigned short : 3;
02395         unsigned short BSIZE : 2;
02396         unsigned short : 2;
02397         unsigned short EMODE : 1;
02398         unsigned short : 3;
02399         unsigned short MPXEN : 1;
02400         unsigned short : 3;
02401     #else
02402         unsigned short : 3;
02403         unsigned short MPXEN : 1;
02404         unsigned short : 3;
02405         unsigned short EMODE : 1;
02406         unsigned short : 2;
02407         unsigned short BSIZE : 2;
02408         unsigned short : 3;
02409         unsigned short EXENB : 1;
02410     #endif
02411     } BIT;
02412     } CS2CR;
02413     char          wk17[6];
02414     union {
02415         unsigned short WORD;
02416     struct {
02417
02418     #ifdef __RX_LITTLE_ENDIAN__
02419         unsigned short RRCV : 4;
02420         unsigned short : 4;
02421         unsigned short WRCV : 4;
02422         unsigned short : 4;

```

```

02423 #else
02424     unsigned short : 4;
02425     unsigned short WRCV : 4;
02426     unsigned short : 4;
02427     unsigned short RRCV : 4;
02428 #endif
02429 } BIT;
02430 } CS2REC;
02431 char      wk18[6];
02432 union {
02433     unsigned short WORD;
02434     struct {
02435
02436 #ifdef __RX_LITTLE_ENDIAN__
02437         unsigned short EXENB : 1;
02438         unsigned short : 3;
02439         unsigned short BSIZE : 2;
02440         unsigned short : 2;
02441         unsigned short EMODE : 1;
02442         unsigned short : 3;
02443         unsigned short MPXEN : 1;
02444         unsigned short : 3;
02445 #else
02446         unsigned short : 3;
02447         unsigned short MPXEN : 1;
02448         unsigned short : 3;
02449         unsigned short EMODE : 1;
02450         unsigned short : 2;
02451         unsigned short BSIZE : 2;
02452         unsigned short : 3;
02453         unsigned short EXENB : 1;
02454 #endif
02455     } BIT;
02456     } CS3CR;
02457     char      wk19[6];
02458     union {
02459         unsigned short WORD;
02460         struct {
02461
02462 #ifdef __RX_LITTLE_ENDIAN__
02463         unsigned short RRCV : 4;
02464         unsigned short : 4;
02465         unsigned short WRCV : 4;
02466         unsigned short : 4;
02467 #else
02468         unsigned short : 4;
02469         unsigned short WRCV : 4;
02470         unsigned short : 4;
02471         unsigned short RRCV : 4;
02472 #endif
02473     } BIT;
02474     } CS3REC;
02475     char      wk20[6];
02476     union {
02477         unsigned short WORD;
02478         struct {
02479
02480 #ifdef __RX_LITTLE_ENDIAN__
02481         unsigned short EXENB : 1;
02482         unsigned short : 3;
02483         unsigned short BSIZE : 2;
02484         unsigned short : 2;
02485         unsigned short EMODE : 1;
02486         unsigned short : 3;
02487         unsigned short MPXEN : 1;
02488         unsigned short : 3;
02489 #else
02490         unsigned short : 3;
02491         unsigned short MPXEN : 1;
02492         unsigned short : 3;
02493         unsigned short EMODE : 1;
02494         unsigned short : 2;
02495         unsigned short BSIZE : 2;
02496         unsigned short : 3;
02497         unsigned short EXENB : 1;
02498 #endif
02499     } BIT;
02500     } CS4CR;
02501     char      wk21[6];
02502     union {
02503         unsigned short WORD;
02504         struct {
02505
02506 #ifdef __RX_LITTLE_ENDIAN__
02507         unsigned short RRCV : 4;
02508         unsigned short : 4;
02509         unsigned short WRCV : 4;

```

```

02510         unsigned short : 4;
02511 #else
02512         unsigned short : 4;
02513         unsigned short WRCV : 4;
02514         unsigned short : 4;
02515         unsigned short RRCV : 4;
02516 #endif
02517     } BIT;
02518     } CS4REC;
02519     char      wk22[6];
02520     union {
02521         unsigned short WORD;
02522         struct {
02523
02524 #ifdef __RX_LITTLE_ENDIAN__
02525         unsigned short EXENB : 1;
02526         unsigned short : 3;
02527         unsigned short BSIZE : 2;
02528         unsigned short : 2;
02529         unsigned short EMODE : 1;
02530         unsigned short : 3;
02531         unsigned short MPXEN : 1;
02532         unsigned short : 3;
02533 #else
02534         unsigned short : 3;
02535         unsigned short MPXEN : 1;
02536         unsigned short : 3;
02537         unsigned short EMODE : 1;
02538         unsigned short : 2;
02539         unsigned short BSIZE : 2;
02540         unsigned short : 3;
02541         unsigned short EXENB : 1;
02542 #endif
02543     } BIT;
02544     } CS5CR;
02545     char      wk23[6];
02546     union {
02547         unsigned short WORD;
02548         struct {
02549
02550 #ifdef __RX_LITTLE_ENDIAN__
02551         unsigned short RRCV : 4;
02552         unsigned short : 4;
02553         unsigned short WRCV : 4;
02554         unsigned short : 4;
02555 #else
02556         unsigned short : 4;
02557         unsigned short WRCV : 4;
02558         unsigned short : 4;
02559         unsigned short RRCV : 4;
02560 #endif
02561     } BIT;
02562     } CS5REC;
02563     char      wk24[6];
02564     union {
02565         unsigned short WORD;
02566         struct {
02567
02568 #ifdef __RX_LITTLE_ENDIAN__
02569         unsigned short EXENB : 1;
02570         unsigned short : 3;
02571         unsigned short BSIZE : 2;
02572         unsigned short : 2;
02573         unsigned short EMODE : 1;
02574         unsigned short : 3;
02575         unsigned short MPXEN : 1;
02576         unsigned short : 3;
02577 #else
02578         unsigned short : 3;
02579         unsigned short MPXEN : 1;
02580         unsigned short : 3;
02581         unsigned short EMODE : 1;
02582         unsigned short : 2;
02583         unsigned short BSIZE : 2;
02584         unsigned short : 3;
02585         unsigned short EXENB : 1;
02586 #endif
02587     } BIT;
02588     } CS6CR;
02589     char      wk25[6];
02590     union {
02591         unsigned short WORD;
02592         struct {
02593
02594 #ifdef __RX_LITTLE_ENDIAN__
02595         unsigned short RRCV : 4;
02596         unsigned short : 4;

```

```

02597         unsigned short WRCV : 4;
02598         unsigned short : 4;
02599 #else
02600         unsigned short : 4;
02601         unsigned short WRCV : 4;
02602         unsigned short : 4;
02603         unsigned short RRCV : 4;
02604 #endif
02605     } BIT;
02606     } CS6REC;
02607     char          wk26[6];
02608     union {
02609         unsigned short WORD;
02610     struct {
02611
02612 #ifdef __RX_LITTLE_ENDIAN__
02613         unsigned short EXENB : 1;
02614         unsigned short : 3;
02615         unsigned short BSIZE : 2;
02616         unsigned short : 2;
02617         unsigned short EMODE : 1;
02618         unsigned short : 3;
02619         unsigned short MPXEN : 1;
02620         unsigned short : 3;
02621 #else
02622         unsigned short : 3;
02623         unsigned short MPXEN : 1;
02624         unsigned short : 3;
02625         unsigned short EMODE : 1;
02626         unsigned short : 2;
02627         unsigned short BSIZE : 2;
02628         unsigned short : 3;
02629         unsigned short EXENB : 1;
02630 #endif
02631     } BIT;
02632     } CS7CR;
02633     char          wk27[6];
02634     union {
02635         unsigned short WORD;
02636     struct {
02637
02638 #ifdef __RX_LITTLE_ENDIAN__
02639         unsigned short RRCV : 4;
02640         unsigned short : 4;
02641         unsigned short WRCV : 4;
02642         unsigned short : 4;
02643 #else
02644         unsigned short : 4;
02645         unsigned short WRCV : 4;
02646         unsigned short : 4;
02647         unsigned short RRCV : 4;
02648 #endif
02649     } BIT;
02650     } CS7REC;
02651     char          wk28[4];
02652     union {
02653         unsigned short WORD;
02654     struct {
02655
02656 #ifdef __RX_LITTLE_ENDIAN__
02657         unsigned short RCVEN0 : 1;
02658         unsigned short RCVEN1 : 1;
02659         unsigned short RCVEN2 : 1;
02660         unsigned short RCVEN3 : 1;
02661         unsigned short RCVEN4 : 1;
02662         unsigned short RCVEN5 : 1;
02663         unsigned short RCVEN6 : 1;
02664         unsigned short RCVEN7 : 1;
02665         unsigned short RCVENM0 : 1;
02666         unsigned short RCVENM1 : 1;
02667         unsigned short RCVENM2 : 1;
02668         unsigned short RCVENM3 : 1;
02669         unsigned short RCVENM4 : 1;
02670         unsigned short RCVENM5 : 1;
02671         unsigned short RCVENM6 : 1;
02672         unsigned short RCVENM7 : 1;
02673 #else
02674         unsigned short RCVENM7 : 1;
02675         unsigned short RCVENM6 : 1;
02676         unsigned short RCVENM5 : 1;
02677         unsigned short RCVENM4 : 1;
02678         unsigned short RCVENM3 : 1;
02679         unsigned short RCVENM2 : 1;
02680         unsigned short RCVENM1 : 1;
02681         unsigned short RCVENM0 : 1;
02682         unsigned short RCVEN7 : 1;
02683         unsigned short RCVEN6 : 1;

```

```

02684         unsigned short RCVEN5 : 1;
02685         unsigned short RCVEN4 : 1;
02686         unsigned short RCVEN3 : 1;
02687         unsigned short RCVEN2 : 1;
02688         unsigned short RCVEN1 : 1;
02689         unsigned short RCVEN0 : 1;
02690     #endif
02691     } BIT;
02692     } CSRECEN;
02693     char      wk29[894];
02694     union {
02695         unsigned char BYTE;
02696         struct {
02697
02698     #ifdef __RX_LITTLE_ENDIAN__
02699         unsigned char EXENB : 1;
02700         unsigned char  : 3;
02701         unsigned char BSIZE : 2;
02702         unsigned char  : 2;
02703     #else
02704         unsigned char  : 2;
02705         unsigned char BSIZE : 2;
02706         unsigned char  : 3;
02707         unsigned char EXENB : 1;
02708     #endif
02709     } BIT;
02710     } SDCCR;
02711     union {
02712         unsigned char BYTE;
02713         struct {
02714
02715     #ifdef __RX_LITTLE_ENDIAN__
02716         unsigned char EMODE : 1;
02717         unsigned char  : 7;
02718     #else
02719         unsigned char  : 7;
02720         unsigned char EMODE : 1;
02721     #endif
02722     } BIT;
02723     } SDCMOD;
02724     union {
02725         unsigned char BYTE;
02726         struct {
02727
02728     #ifdef __RX_LITTLE_ENDIAN__
02729         unsigned char BE : 1;
02730         unsigned char  : 7;
02731     #else
02732         unsigned char  : 7;
02733         unsigned char BE : 1;
02734     #endif
02735     } BIT;
02736     } SDAMOD;
02737     char      wk30[13];
02738     union {
02739         unsigned char BYTE;
02740         struct {
02741
02742     #ifdef __RX_LITTLE_ENDIAN__
02743         unsigned char SFEN : 1;
02744         unsigned char  : 7;
02745     #else
02746         unsigned char  : 7;
02747         unsigned char SFEN : 1;
02748     #endif
02749     } BIT;
02750     } SDSELF;
02751     char      wk31[3];
02752     union {
02753         unsigned short WORD;
02754         struct {
02755
02756     #ifdef __RX_LITTLE_ENDIAN__
02757         unsigned short RFC : 12;
02758         unsigned short REFW : 4;
02759     #else
02760         unsigned short REFW : 4;
02761         unsigned short RFC : 12;
02762     #endif
02763     } BIT;
02764     } SDRFCR;
02765     union {
02766         unsigned char BYTE;
02767         struct {
02768
02769     #ifdef __RX_LITTLE_ENDIAN__
02770         unsigned char RFEN : 1;

```

```

02771         unsigned char : 7;
02772 #else
02773         unsigned char : 7;
02774         unsigned char RFEN : 1;
02775 #endif
02776     } BIT;
02777     } SDRFEN;
02778     char          wk32[9];
02779     union {
02780         unsigned char BYTE;
02781         struct {
02782
02783 #ifdef __RX_LITTLE_ENDIAN__
02784         unsigned char INIRQ : 1;
02785         unsigned char : 7;
02786 #else
02787         unsigned char : 7;
02788         unsigned char INIRQ : 1;
02789 #endif
02790     } BIT;
02791     } SDICR;
02792     char          wk33[3];
02793     union {
02794         unsigned short WORD;
02795         struct {
02796
02797 #ifdef __RX_LITTLE_ENDIAN__
02798         unsigned short ARFI : 4;
02799         unsigned short ARFC : 4;
02800         unsigned short PRC : 3;
02801         unsigned short : 5;
02802 #else
02803         unsigned short : 5;
02804         unsigned short PRC : 3;
02805         unsigned short ARFC : 4;
02806         unsigned short ARFI : 4;
02807 #endif
02808     } BIT;
02809     } SDIR;
02810     char          wk34[26];
02811     union {
02812         unsigned char BYTE;
02813         struct {
02814
02815 #ifdef __RX_LITTLE_ENDIAN__
02816         unsigned char MXC : 2;
02817         unsigned char : 6;
02818 #else
02819         unsigned char : 6;
02820         unsigned char MXC : 2;
02821 #endif
02822     } BIT;
02823     } SDADR;
02824     char          wk35[3];
02825     union {
02826         unsigned long LONG;
02827         struct {
02828
02829 #ifdef __RX_LITTLE_ENDIAN__
02830         unsigned long CL : 3;
02831         unsigned long : 5;
02832         unsigned long WR : 1;
02833         unsigned long RP : 3;
02834         unsigned long RCD : 2;
02835         unsigned long : 2;
02836         unsigned long RAS : 3;
02837         unsigned long : 13;
02838 #else
02839         unsigned long : 13;
02840         unsigned long RAS : 3;
02841         unsigned long : 2;
02842         unsigned long RCD : 2;
02843         unsigned long RP : 3;
02844         unsigned long WR : 1;
02845         unsigned long : 5;
02846         unsigned long CL : 3;
02847 #endif
02848     } BIT;
02849     } SDTR;
02850     union {
02851         unsigned short WORD;
02852         struct {
02853
02854 #ifdef __RX_LITTLE_ENDIAN__
02855         unsigned short MR : 15;
02856         unsigned short : 1;
02857 #else

```

```

02858         unsigned short : 1;
02859         unsigned short MR : 15;
02860 #endif
02861     } BIT;
02862     } SDMOD;
02863     char          wk36[6];
02864     union {
02865         unsigned char BYTE;
02866         struct {
02867
02868 #ifdef __RX_LITTLE_ENDIAN__
02869         unsigned char MRSST : 1;
02870         unsigned char : 2;
02871         unsigned char INIST : 1;
02872         unsigned char SRFST : 1;
02873         unsigned char : 3;
02874 #else
02875         unsigned char : 3;
02876         unsigned char SRFST : 1;
02877         unsigned char INIST : 1;
02878         unsigned char : 2;
02879         unsigned char MRSST : 1;
02880 #endif
02881     } BIT;
02882     } SDSR;
02883     char          wk37[269231];
02884     union {
02885         unsigned long LONG;
02886         struct {
02887
02888 #ifdef __RX_LITTLE_ENDIAN__
02889         unsigned long PR1SEL : 3;
02890         unsigned long : 1;
02891         unsigned long PR2SEL : 3;
02892         unsigned long : 1;
02893         unsigned long PR3SEL : 3;
02894         unsigned long : 1;
02895         unsigned long PR4SEL : 3;
02896         unsigned long : 1;
02897         unsigned long PR5SEL : 3;
02898         unsigned long : 12;
02899         unsigned long PRERR : 1;
02900 #else
02901         unsigned long PRERR : 1;
02902         unsigned long : 12;
02903         unsigned long PR5SEL : 3;
02904         unsigned long : 1;
02905         unsigned long PR4SEL : 3;
02906         unsigned long : 1;
02907         unsigned long PR3SEL : 3;
02908         unsigned long : 1;
02909         unsigned long PR2SEL : 3;
02910         unsigned long : 1;
02911         unsigned long PR1SEL : 3;
02912 #endif
02913     } BIT;
02914     } EBMAPCR;
02915 } st_bsc_t;
02916
02917 typedef struct st_cac {
02918     union {
02919         unsigned char BYTE;
02920         struct {
02921
02922 #ifdef __RX_LITTLE_ENDIAN__
02923         unsigned char CFME : 1;
02924         unsigned char : 7;
02925 #else
02926         unsigned char : 7;
02927         unsigned char CFME : 1;
02928 #endif
02929     } BIT;
02930     } CACR0;
02931     union {
02932         unsigned char BYTE;
02933         struct {
02934
02935 #ifdef __RX_LITTLE_ENDIAN__
02936         unsigned char CACREFE : 1;
02937         unsigned char FMCS : 3;
02938         unsigned char TCSS : 2;
02939         unsigned char EDGES : 2;
02940 #else
02941         unsigned char EDGES : 2;
02942         unsigned char TCSS : 2;
02943         unsigned char FMCS : 3;
02944         unsigned char CACREFE : 1;

```

```

02945 #endif
02946 } BIT;
02947 } CACR1;
02948 union {
02949     unsigned char BYTE;
02950     struct {
02951
02952 #ifdef __RX_LITTLE_ENDIAN__
02953         unsigned char RPS : 1;
02954         unsigned char RSCS : 3;
02955         unsigned char RCDS : 2;
02956         unsigned char DFS : 2;
02957 #else
02958         unsigned char DFS : 2;
02959         unsigned char RCDS : 2;
02960         unsigned char RSCS : 3;
02961         unsigned char RPS : 1;
02962 #endif
02963     } BIT;
02964 } CACR2;
02965 union {
02966     unsigned char BYTE;
02967     struct {
02968
02969 #ifdef __RX_LITTLE_ENDIAN__
02970         unsigned char FERRIE : 1;
02971         unsigned char MENDIE : 1;
02972         unsigned char OVFIE : 1;
02973         unsigned char : 1;
02974         unsigned char FERRFCL : 1;
02975         unsigned char MENDFCL : 1;
02976         unsigned char OVFFCL : 1;
02977         unsigned char : 1;
02978 #else
02979         unsigned char : 1;
02980         unsigned char OVFFCL : 1;
02981         unsigned char MENDFCL : 1;
02982         unsigned char FERRFCL : 1;
02983         unsigned char : 1;
02984         unsigned char OVFIE : 1;
02985         unsigned char MENDIE : 1;
02986         unsigned char FERRIE : 1;
02987 #endif
02988     } BIT;
02989 } CAICR;
02990 union {
02991     unsigned char BYTE;
02992     struct {
02993
02994 #ifdef __RX_LITTLE_ENDIAN__
02995         unsigned char FERRF : 1;
02996         unsigned char MENDF : 1;
02997         unsigned char OVFF : 1;
02998         unsigned char : 5;
02999 #else
03000         unsigned char : 5;
03001         unsigned char OVFF : 1;
03002         unsigned char MENDF : 1;
03003         unsigned char FERRF : 1;
03004 #endif
03005     } BIT;
03006 } CASTR;
03007 char      wk0[1];
03008 unsigned short CAULVR;
03009 unsigned short CALLVR;
03010 unsigned short CACNTBR;
03011 } st_cac_t;
03012
03013 typedef struct st_can {
03014     struct {
03015         union {
03016             unsigned long LONG;
03017             struct {
03018                 unsigned short H;
03019                 unsigned short L;
03020             } WORD;
03021             struct {
03022                 unsigned char HH;
03023                 unsigned char HL;
03024                 unsigned char LH;
03025                 unsigned char LL;
03026             } BYTE;
03027             struct {
03028
03029 #ifdef __RX_LITTLE_ENDIAN__
03030                 unsigned long EID : 18;
03031                 unsigned long SID : 11;

```



```

03032         unsigned long : 1;
03033         unsigned long RTR : 1;
03034         unsigned long IDE : 1;
03035     #else
03036         unsigned long IDE : 1;
03037         unsigned long RTR : 1;
03038         unsigned long : 1;
03039         unsigned long SID : 11;
03040         unsigned long EID : 18;
03041     #endif
03042     } BIT;
03043     } ID;
03044     unsigned short DLC;
03045     unsigned char DATA[8];
03046     unsigned short TS;
03047     } MB[32];
03048     union {
03049         unsigned long LONG;
03050         struct {
03051             unsigned short H;
03052             unsigned short L;
03053         } WORD;
03054         struct {
03055             unsigned char HH;
03056             unsigned char HL;
03057             unsigned char LH;
03058             unsigned char LL;
03059         } BYTE;
03060     } struct {
03061
03062     #ifdef __RX_LITTLE_ENDIAN__
03063         unsigned long EID : 18;
03064         unsigned long SID : 11;
03065         unsigned long : 3;
03066     #else
03067         unsigned long : 3;
03068         unsigned long SID : 11;
03069         unsigned long EID : 18;
03070     #endif
03071     } BIT;
03072     } MKR[8];
03073     union {
03074         unsigned long LONG;
03075         struct {
03076             unsigned short H;
03077             unsigned short L;
03078         } WORD;
03079         struct {
03080             unsigned char HH;
03081             unsigned char HL;
03082             unsigned char LH;
03083             unsigned char LL;
03084         } BYTE;
03085     } struct {
03086
03087     #ifdef __RX_LITTLE_ENDIAN__
03088         unsigned long EID : 18;
03089         unsigned long SID : 11;
03090         unsigned long : 1;
03091         unsigned long RTR : 1;
03092         unsigned long IDE : 1;
03093     #else
03094         unsigned long IDE : 1;
03095         unsigned long RTR : 1;
03096         unsigned long : 1;
03097         unsigned long SID : 11;
03098         unsigned long EID : 18;
03099     #endif
03100     } BIT;
03101     } FIDCR0;
03102     union {
03103         unsigned long LONG;
03104         struct {
03105             unsigned short H;
03106             unsigned short L;
03107         } WORD;
03108         struct {
03109             unsigned char HH;
03110             unsigned char HL;
03111             unsigned char LH;
03112             unsigned char LL;
03113         } BYTE;
03114     } struct {
03115
03116     #ifdef __RX_LITTLE_ENDIAN__
03117         unsigned long EID : 18;
03118         unsigned long SID : 11;

```

```

03119         unsigned long : 1;
03120         unsigned long RTR : 1;
03121         unsigned long IDE : 1;
03122     #else
03123         unsigned long IDE : 1;
03124         unsigned long RTR : 1;
03125         unsigned long : 1;
03126         unsigned long SID : 11;
03127         unsigned long EID : 18;
03128     #endif
03129     } BIT;
03130     } FIDCR1;
03131     union {
03132         unsigned long LONG;
03133         struct {
03134             unsigned short H;
03135             unsigned short L;
03136         } WORD;
03137         struct {
03138             unsigned char HH;
03139             unsigned char HL;
03140             unsigned char LH;
03141             unsigned char LL;
03142         } BYTE;
03143         struct {
03144
03145     #ifdef __RX_LITTLE_ENDIAN__
03146         unsigned long MB0 : 1;
03147         unsigned long MB1 : 1;
03148         unsigned long MB2 : 1;
03149         unsigned long MB3 : 1;
03150         unsigned long MB4 : 1;
03151         unsigned long MB5 : 1;
03152         unsigned long MB6 : 1;
03153         unsigned long MB7 : 1;
03154         unsigned long MB8 : 1;
03155         unsigned long MB9 : 1;
03156         unsigned long MB10 : 1;
03157         unsigned long MB11 : 1;
03158         unsigned long MB12 : 1;
03159         unsigned long MB13 : 1;
03160         unsigned long MB14 : 1;
03161         unsigned long MB15 : 1;
03162         unsigned long MB16 : 1;
03163         unsigned long MB17 : 1;
03164         unsigned long MB18 : 1;
03165         unsigned long MB19 : 1;
03166         unsigned long MB20 : 1;
03167         unsigned long MB21 : 1;
03168         unsigned long MB22 : 1;
03169         unsigned long MB23 : 1;
03170         unsigned long MB24 : 1;
03171         unsigned long MB25 : 1;
03172         unsigned long MB26 : 1;
03173         unsigned long MB27 : 1;
03174         unsigned long MB28 : 1;
03175         unsigned long MB29 : 1;
03176         unsigned long MB30 : 1;
03177         unsigned long MB31 : 1;
03178     #else
03179         unsigned long MB31 : 1;
03180         unsigned long MB30 : 1;
03181         unsigned long MB29 : 1;
03182         unsigned long MB28 : 1;
03183         unsigned long MB27 : 1;
03184         unsigned long MB26 : 1;
03185         unsigned long MB25 : 1;
03186         unsigned long MB24 : 1;
03187         unsigned long MB23 : 1;
03188         unsigned long MB22 : 1;
03189         unsigned long MB21 : 1;
03190         unsigned long MB20 : 1;
03191         unsigned long MB19 : 1;
03192         unsigned long MB18 : 1;
03193         unsigned long MB17 : 1;
03194         unsigned long MB16 : 1;
03195         unsigned long MB15 : 1;
03196         unsigned long MB14 : 1;
03197         unsigned long MB13 : 1;
03198         unsigned long MB12 : 1;
03199         unsigned long MB11 : 1;
03200         unsigned long MB10 : 1;
03201         unsigned long MB9 : 1;
03202         unsigned long MB8 : 1;
03203         unsigned long MB7 : 1;
03204         unsigned long MB6 : 1;
03205         unsigned long MB5 : 1;

```

```

03206         unsigned long MB4 : 1;
03207         unsigned long MB3 : 1;
03208         unsigned long MB2 : 1;
03209         unsigned long MB1 : 1;
03210         unsigned long MB0 : 1;
03211     #endif
03212     } BIT;
03213     } MKIVLR;
03214     union {
03215         unsigned long LONG;
03216         struct {
03217             unsigned short H;
03218             unsigned short L;
03219         } WORD;
03220         struct {
03221             unsigned char HH;
03222             unsigned char HL;
03223             unsigned char LH;
03224             unsigned char LL;
03225         } BYTE;
03226         struct {
03227
03228     #ifdef __RX_LITTLE_ENDIAN__
03229         unsigned long MB0 : 1;
03230         unsigned long MB1 : 1;
03231         unsigned long MB2 : 1;
03232         unsigned long MB3 : 1;
03233         unsigned long MB4 : 1;
03234         unsigned long MB5 : 1;
03235         unsigned long MB6 : 1;
03236         unsigned long MB7 : 1;
03237         unsigned long MB8 : 1;
03238         unsigned long MB9 : 1;
03239         unsigned long MB10 : 1;
03240         unsigned long MB11 : 1;
03241         unsigned long MB12 : 1;
03242         unsigned long MB13 : 1;
03243         unsigned long MB14 : 1;
03244         unsigned long MB15 : 1;
03245         unsigned long MB16 : 1;
03246         unsigned long MB17 : 1;
03247         unsigned long MB18 : 1;
03248         unsigned long MB19 : 1;
03249         unsigned long MB20 : 1;
03250         unsigned long MB21 : 1;
03251         unsigned long MB22 : 1;
03252         unsigned long MB23 : 1;
03253         unsigned long MB24 : 1;
03254         unsigned long MB25 : 1;
03255         unsigned long MB26 : 1;
03256         unsigned long MB27 : 1;
03257         unsigned long MB28 : 1;
03258         unsigned long MB29 : 1;
03259         unsigned long MB30 : 1;
03260         unsigned long MB31 : 1;
03261     #else
03262         unsigned long MB31 : 1;
03263         unsigned long MB30 : 1;
03264         unsigned long MB29 : 1;
03265         unsigned long MB28 : 1;
03266         unsigned long MB27 : 1;
03267         unsigned long MB26 : 1;
03268         unsigned long MB25 : 1;
03269         unsigned long MB24 : 1;
03270         unsigned long MB23 : 1;
03271         unsigned long MB22 : 1;
03272         unsigned long MB21 : 1;
03273         unsigned long MB20 : 1;
03274         unsigned long MB19 : 1;
03275         unsigned long MB18 : 1;
03276         unsigned long MB17 : 1;
03277         unsigned long MB16 : 1;
03278         unsigned long MB15 : 1;
03279         unsigned long MB14 : 1;
03280         unsigned long MB13 : 1;
03281         unsigned long MB12 : 1;
03282         unsigned long MB11 : 1;
03283         unsigned long MB10 : 1;
03284         unsigned long MB9 : 1;
03285         unsigned long MB8 : 1;
03286         unsigned long MB7 : 1;
03287         unsigned long MB6 : 1;
03288         unsigned long MB5 : 1;
03289         unsigned long MB4 : 1;
03290         unsigned long MB3 : 1;
03291         unsigned long MB2 : 1;
03292         unsigned long MB1 : 1;

```

```

03293         unsigned long MB0 : 1;
03294 #endif
03295     } BIT;
03296     } MIER;
03297     char          wk0[1008];
03298     union {
03299         unsigned char BYTE;
03300         union {
03301             struct {
03302
03303 #ifdef __RX_LITTLE_ENDIAN__
03304         unsigned char SENDDATA : 1;
03305         unsigned char TRMACTIVE : 1;
03306         unsigned char TRMABT : 1;
03307         unsigned char      : 1;
03308         unsigned char ONESHOT : 1;
03309         unsigned char      : 1;
03310         unsigned char RECREQ : 1;
03311         unsigned char TRMREQ : 1;
03312 #else
03313         unsigned char TRMREQ : 1;
03314         unsigned char RECREQ : 1;
03315         unsigned char      : 1;
03316         unsigned char ONESHOT : 1;
03317         unsigned char      : 1;
03318         unsigned char TRMABT : 1;
03319         unsigned char TRMACTIVE : 1;
03320         unsigned char SENDDATA : 1;
03321 #endif
03322     } TX;
03323     struct {
03324
03325 #ifdef __RX_LITTLE_ENDIAN__
03326         unsigned char NEWDATA : 1;
03327         unsigned char INVALIDDATA : 1;
03328         unsigned char MSGLOST : 1;
03329         unsigned char      : 1;
03330         unsigned char ONESHOT : 1;
03331         unsigned char      : 1;
03332         unsigned char RECREQ : 1;
03333         unsigned char TRMREQ : 1;
03334 #else
03335         unsigned char TRMREQ : 1;
03336         unsigned char RECREQ : 1;
03337         unsigned char      : 1;
03338         unsigned char ONESHOT : 1;
03339         unsigned char      : 1;
03340         unsigned char MSGLOST : 1;
03341         unsigned char INVALIDDATA : 1;
03342         unsigned char NEWDATA : 1;
03343 #endif
03344     } RX;
03345     } BIT;
03346     } MCTL[32];
03347     union {
03348         unsigned short WORD;
03349         struct {
03350             unsigned char H;
03351             unsigned char L;
03352         } BYTE;
03353     struct {
03354
03355 #ifdef __RX_LITTLE_ENDIAN__
03356         unsigned short MBM : 1;
03357         unsigned short IDFM : 2;
03358         unsigned short MLM : 1;
03359         unsigned short TPM : 1;
03360         unsigned short TSRC : 1;
03361         unsigned short TSPS : 2;
03362         unsigned short CANM : 2;
03363         unsigned short SLPM : 1;
03364         unsigned short BOM : 2;
03365         unsigned short RBOC : 1;
03366         unsigned short      : 2;
03367 #else
03368         unsigned short      : 2;
03369         unsigned short RBOC : 1;
03370         unsigned short BOM : 2;
03371         unsigned short SLPM : 1;
03372         unsigned short CANM : 2;
03373         unsigned short TSPS : 2;
03374         unsigned short TSRC : 1;
03375         unsigned short TPM : 1;
03376         unsigned short MLM : 1;
03377         unsigned short IDFM : 2;
03378         unsigned short MBM : 1;
03379 #endif

```

```

03380     } BIT;
03381     } CTRL;
03382     union {
03383         unsigned short WORD;
03384         struct {
03385             unsigned char H;
03386             unsigned char L;
03387         } BYTE;
03388     } struct {
03389
03390 #ifdef __RX_LITTLE_ENDIAN__
03391         unsigned short NDST : 1;
03392         unsigned short SDST : 1;
03393         unsigned short RFST : 1;
03394         unsigned short TFST : 1;
03395         unsigned short NMLST : 1;
03396         unsigned short FMLST : 1;
03397         unsigned short TABST : 1;
03398         unsigned short EST : 1;
03399         unsigned short RSTST : 1;
03400         unsigned short HLTST : 1;
03401         unsigned short SLPST : 1;
03402         unsigned short EPST : 1;
03403         unsigned short BOST : 1;
03404         unsigned short TRMST : 1;
03405         unsigned short RECST : 1;
03406         unsigned short : 1;
03407 #else
03408         unsigned short : 1;
03409         unsigned short RECST : 1;
03410         unsigned short TRMST : 1;
03411         unsigned short BOST : 1;
03412         unsigned short EPST : 1;
03413         unsigned short SLPST : 1;
03414         unsigned short HLTST : 1;
03415         unsigned short RSTST : 1;
03416         unsigned short EST : 1;
03417         unsigned short TABST : 1;
03418         unsigned short FMLST : 1;
03419         unsigned short NMLST : 1;
03420         unsigned short TFST : 1;
03421         unsigned short RFST : 1;
03422         unsigned short SDST : 1;
03423         unsigned short NDST : 1;
03424 #endif
03425     } BIT;
03426     } STR;
03427     union {
03428         unsigned long LONG;
03429         struct {
03430             unsigned short H;
03431             unsigned short L;
03432         } WORD;
03433         struct {
03434             unsigned char HH;
03435             unsigned char HL;
03436             unsigned char LH;
03437             unsigned char LL;
03438         } BYTE;
03439     } struct {
03440
03441 #ifdef __RX_LITTLE_ENDIAN__
03442         unsigned long CCLKS : 1;
03443         unsigned long : 7;
03444         unsigned long TSEG2 : 3;
03445         unsigned long : 1;
03446         unsigned long SJW : 2;
03447         unsigned long : 2;
03448         unsigned long BRP : 10;
03449         unsigned long : 2;
03450         unsigned long TSEG1 : 4;
03451 #else
03452         unsigned long TSEG1 : 4;
03453         unsigned long : 2;
03454         unsigned long BRP : 10;
03455         unsigned long : 2;
03456         unsigned long SJW : 2;
03457         unsigned long : 1;
03458         unsigned long TSEG2 : 3;
03459         unsigned long : 7;
03460         unsigned long CCLKS : 1;
03461 #endif
03462     } BIT;
03463     } BCR;
03464     union {
03465         unsigned char BYTE;
03466     } struct {

```

```

03467
03468 #ifdef __RX_LITTLE_ENDIAN__
03469     unsigned char RFE : 1;
03470     unsigned char RFUST : 3;
03471     unsigned char RFMLF : 1;
03472     unsigned char RFFST : 1;
03473     unsigned char RFWST : 1;
03474     unsigned char RFEST : 1;
03475 #else
03476     unsigned char RFEST : 1;
03477     unsigned char RFWST : 1;
03478     unsigned char RFFST : 1;
03479     unsigned char RFMLF : 1;
03480     unsigned char RFUST : 3;
03481     unsigned char RFE : 1;
03482 #endif
03483 } BIT;
03484 } RFCR;
03485 unsigned char RFPCR;
03486 union {
03487     unsigned char BYTE;
03488     struct {
03489
03490 #ifdef __RX_LITTLE_ENDIAN__
03491     unsigned char TFE : 1;
03492     unsigned char TFUST : 3;
03493     unsigned char : 2;
03494     unsigned char TFFST : 1;
03495     unsigned char TFEST : 1;
03496 #else
03497     unsigned char TFEST : 1;
03498     unsigned char TFFST : 1;
03499     unsigned char : 2;
03500     unsigned char TFUST : 3;
03501     unsigned char TFE : 1;
03502 #endif
03503 } BIT;
03504 } TFCR;
03505 unsigned char TFPCR;
03506 union {
03507     unsigned char BYTE;
03508     struct {
03509
03510 #ifdef __RX_LITTLE_ENDIAN__
03511     unsigned char BEIE : 1;
03512     unsigned char EWIE : 1;
03513     unsigned char EPIE : 1;
03514     unsigned char BOEIE : 1;
03515     unsigned char BORIE : 1;
03516     unsigned char ORIE : 1;
03517     unsigned char OLIE : 1;
03518     unsigned char BLIE : 1;
03519 #else
03520     unsigned char BLIE : 1;
03521     unsigned char OLIE : 1;
03522     unsigned char ORIE : 1;
03523     unsigned char BORIE : 1;
03524     unsigned char BOEIE : 1;
03525     unsigned char EPIE : 1;
03526     unsigned char EWIE : 1;
03527     unsigned char BEIE : 1;
03528 #endif
03529 } BIT;
03530 } EIER;
03531 union {
03532     unsigned char BYTE;
03533     struct {
03534
03535 #ifdef __RX_LITTLE_ENDIAN__
03536     unsigned char BEIF : 1;
03537     unsigned char EWIF : 1;
03538     unsigned char EPIF : 1;
03539     unsigned char BOEIF : 1;
03540     unsigned char BORIF : 1;
03541     unsigned char ORIF : 1;
03542     unsigned char OLIF : 1;
03543     unsigned char BLIF : 1;
03544 #else
03545     unsigned char BLIF : 1;
03546     unsigned char OLIF : 1;
03547     unsigned char ORIF : 1;
03548     unsigned char BORIF : 1;
03549     unsigned char BOEIF : 1;
03550     unsigned char EPIF : 1;
03551     unsigned char EWIF : 1;
03552     unsigned char BEIF : 1;
03553 #endif
03554 }

```

```

03554     } BIT;
03555     } EIFR;
03556     unsigned char RECR;
03557     unsigned char TECR;
03558     union {
03559         unsigned char BYTE;
03560         struct {
03561
03562 #ifdef __RX_LITTLE_ENDIAN__
03563         unsigned char SEF : 1;
03564         unsigned char FEF : 1;
03565         unsigned char AEF : 1;
03566         unsigned char CEF : 1;
03567         unsigned char BE1F : 1;
03568         unsigned char BE0F : 1;
03569         unsigned char ADEF : 1;
03570         unsigned char EDPM : 1;
03571 #else
03572         unsigned char EDPM : 1;
03573         unsigned char ADEF : 1;
03574         unsigned char BE0F : 1;
03575         unsigned char BE1F : 1;
03576         unsigned char CEF : 1;
03577         unsigned char AEF : 1;
03578         unsigned char FEF : 1;
03579         unsigned char SEF : 1;
03580 #endif
03581     } BIT;
03582     } ECSR;
03583     unsigned char CSSR;
03584     union {
03585         unsigned char BYTE;
03586         struct {
03587
03588 #ifdef __RX_LITTLE_ENDIAN__
03589         unsigned char MBNST : 5;
03590         unsigned char : 2;
03591         unsigned char SEST : 1;
03592 #else
03593         unsigned char SEST : 1;
03594         unsigned char : 2;
03595         unsigned char MBNST : 5;
03596 #endif
03597     } BIT;
03598     } MSSR;
03599     union {
03600         unsigned char BYTE;
03601         struct {
03602
03603 #ifdef __RX_LITTLE_ENDIAN__
03604         unsigned char MBSM : 2;
03605         unsigned char : 6;
03606 #else
03607         unsigned char : 6;
03608         unsigned char MBSM : 2;
03609 #endif
03610     } BIT;
03611     } MSMR;
03612     unsigned short TSR;
03613     unsigned short AFSR;
03614     union {
03615         unsigned char BYTE;
03616         struct {
03617
03618 #ifdef __RX_LITTLE_ENDIAN__
03619         unsigned char TSTE : 1;
03620         unsigned char TSTM : 2;
03621         unsigned char : 5;
03622 #else
03623         unsigned char : 5;
03624         unsigned char TSTM : 2;
03625         unsigned char TSTE : 1;
03626 #endif
03627     } BIT;
03628     } TCR;
03629 } st_can_t;
03630
03631 typedef struct st_cmt {
03632     union {
03633         unsigned short WORD;
03634         struct {
03635
03636 #ifdef __RX_LITTLE_ENDIAN__
03637         unsigned short STR0 : 1;
03638         unsigned short STR1 : 1;
03639         unsigned short : 14;
03640 #else

```

```

03641         unsigned short : 14;
03642         unsigned short STR1 : 1;
03643         unsigned short STR0 : 1;
03644     #endif
03645     } BIT;
03646     } CMSTR0;
03647     char        wk0[14];
03648     union {
03649         unsigned short WORD;
03650         struct {
03651
03652     #ifdef __RX_LITTLE_ENDIAN__
03653         unsigned short STR2 : 1;
03654         unsigned short STR3 : 1;
03655         unsigned short : 14;
03656     #else
03657         unsigned short : 14;
03658         unsigned short STR3 : 1;
03659         unsigned short STR2 : 1;
03660     #endif
03661     } BIT;
03662     } CMSTR1;
03663 } st_cmt_t;
03664
03665 typedef struct st_cmt0 {
03666     union {
03667         unsigned short WORD;
03668         struct {
03669
03670     #ifdef __RX_LITTLE_ENDIAN__
03671         unsigned short CKS : 2;
03672         unsigned short : 4;
03673         unsigned short CMIE : 1;
03674         unsigned short : 9;
03675     #else
03676         unsigned short : 9;
03677         unsigned short CMIE : 1;
03678         unsigned short : 4;
03679         unsigned short CKS : 2;
03680     #endif
03681     } BIT;
03682     } CMCR;
03683     unsigned short CMCNT;
03684     unsigned short CMCOR;
03685 } st_cmt0_t;
03686
03687 typedef struct st_cmtw {
03688     union {
03689         unsigned short WORD;
03690         struct {
03691
03692     #ifdef __RX_LITTLE_ENDIAN__
03693         unsigned short STR : 1;
03694         unsigned short : 15;
03695     #else
03696         unsigned short : 15;
03697         unsigned short STR : 1;
03698     #endif
03699     } BIT;
03700     } CMWSTR;
03701     char        wk0[2];
03702     union {
03703         unsigned short WORD;
03704         struct {
03705
03706     #ifdef __RX_LITTLE_ENDIAN__
03707         unsigned short CKS : 2;
03708         unsigned short : 1;
03709         unsigned short CMWIE : 1;
03710         unsigned short IC0IE : 1;
03711         unsigned short IC1IE : 1;
03712         unsigned short OC0IE : 1;
03713         unsigned short OC1IE : 1;
03714         unsigned short : 1;
03715         unsigned short CMS : 1;
03716         unsigned short : 3;
03717         unsigned short CCLR : 3;
03718     #else
03719         unsigned short CCLR : 3;
03720         unsigned short : 3;
03721         unsigned short CMS : 1;
03722         unsigned short : 1;
03723         unsigned short OC1IE : 1;
03724         unsigned short OC0IE : 1;
03725         unsigned short IC1IE : 1;
03726         unsigned short IC0IE : 1;
03727         unsigned short CMWIE : 1;

```



```

03728         unsigned short : 1;
03729         unsigned short CKS : 2;
03730 #endif
03731     } BIT;
03732     } CMWCR;
03733     char      wk1[2];
03734     union {
03735         unsigned short WORD;
03736         struct {
03737
03738 #ifdef __RX_LITTLE_ENDIAN__
03739         unsigned short IC0 : 2;
03740         unsigned short IC1 : 2;
03741         unsigned short IC0E : 1;
03742         unsigned short IC1E : 1;
03743         unsigned short : 2;
03744         unsigned short OC0 : 2;
03745         unsigned short OC1 : 2;
03746         unsigned short OC0E : 1;
03747         unsigned short OC1E : 1;
03748         unsigned short : 1;
03749         unsigned short CMWE : 1;
03750 #else
03751         unsigned short CMWE : 1;
03752         unsigned short : 1;
03753         unsigned short OC1E : 1;
03754         unsigned short OC0E : 1;
03755         unsigned short OC1 : 2;
03756         unsigned short OC0 : 2;
03757         unsigned short : 2;
03758         unsigned short IC1E : 1;
03759         unsigned short IC0E : 1;
03760         unsigned short IC1 : 2;
03761         unsigned short IC0 : 2;
03762 #endif
03763     } BIT;
03764     } CMWIOR;
03765     char      wk2[6];
03766     unsigned long CMWCNT;
03767     unsigned long CMWCOR;
03768     unsigned long CMWICR0;
03769     unsigned long CMWICR1;
03770     unsigned long CMWOCR0;
03771     unsigned long CMWOCR1;
03772 } st_cmtw_t;
03773
03774 typedef struct st_crc {
03775     union {
03776         unsigned char BYTE;
03777         struct {
03778
03779 #ifdef __RX_LITTLE_ENDIAN__
03780         unsigned char GPS : 3;
03781         unsigned char : 3;
03782         unsigned char LMS : 1;
03783         unsigned char DORCLR : 1;
03784 #else
03785         unsigned char DORCLR : 1;
03786         unsigned char LMS : 1;
03787         unsigned char : 3;
03788         unsigned char GPS : 3;
03789 #endif
03790     } BIT;
03791     } CRCCR;
03792     char      wk0[3];
03793     union {
03794         unsigned long LONG;
03795         unsigned char BYTE;
03796     } CRCDIR;
03797     union {
03798         unsigned long LONG;
03799         unsigned short WORD;
03800         unsigned char BYTE;
03801     } CRCDOR;
03802 } st_crc_t;
03803
03804 typedef struct st_da {
03805     unsigned short DADR0;
03806     unsigned short DADR1;
03807     union {
03808         unsigned char BYTE;
03809         struct {
03810
03811 #ifdef __RX_LITTLE_ENDIAN__
03812         unsigned char : 5;
03813         unsigned char DAE : 1;
03814         unsigned char DAOE0 : 1;

```

```

03815     unsigned char DAOE1 : 1;
03816 #else
03817     unsigned char DAOE1 : 1;
03818     unsigned char DAOE0 : 1;
03819     unsigned char DAE : 1;
03820     unsigned char : 5;
03821 #endif
03822 } BIT;
03823 } DACR;
03824 union {
03825     unsigned char BYTE;
03826     struct {
03827
03828 #ifdef __RX_LITTLE_ENDIAN__
03829         unsigned char : 7;
03830         unsigned char DPSEL : 1;
03831 #else
03832         unsigned char DPSEL : 1;
03833         unsigned char : 7;
03834 #endif
03835     } BIT;
03836     } DADPR;
03837     union {
03838         unsigned char BYTE;
03839         struct {
03840
03841 #ifdef __RX_LITTLE_ENDIAN__
03842         unsigned char : 7;
03843         unsigned char DAADST : 1;
03844 #else
03845         unsigned char DAADST : 1;
03846         unsigned char : 7;
03847 #endif
03848     } BIT;
03849     } DAADSCR;
03850     char wk0[1];
03851     union {
03852         unsigned char BYTE;
03853         struct {
03854
03855 #ifdef __RX_LITTLE_ENDIAN__
03856         unsigned char : 6;
03857         unsigned char DAAMP0 : 1;
03858         unsigned char DAAMP1 : 1;
03859 #else
03860         unsigned char DAAMP1 : 1;
03861         unsigned char DAAMP0 : 1;
03862         unsigned char : 6;
03863 #endif
03864     } BIT;
03865     } DAAMPCR;
03866     char wk1[19];
03867     union {
03868         unsigned char BYTE;
03869         struct {
03870
03871 #ifdef __RX_LITTLE_ENDIAN__
03872         unsigned char : 6;
03873         unsigned char DAASW0 : 1;
03874         unsigned char DAASW1 : 1;
03875 #else
03876         unsigned char DAASW1 : 1;
03877         unsigned char DAASW0 : 1;
03878         unsigned char : 6;
03879 #endif
03880     } BIT;
03881     } DAASWCR;
03882     char wk2[17763];
03883     union {
03884         unsigned char BYTE;
03885         struct {
03886
03887 #ifdef __RX_LITTLE_ENDIAN__
03888         unsigned char : 1;
03889         unsigned char AMADSEL1 : 1;
03890         unsigned char : 6;
03891 #else
03892         unsigned char : 6;
03893         unsigned char AMADSEL1 : 1;
03894         unsigned char : 1;
03895 #endif
03896     } BIT;
03897     } DAADUSR;
03898 } st_da_t;
03899
03900 typedef struct st_dmac {
03901     union {

```

```

03902     unsigned char BYTE;
03903     struct {
03904
03905 #ifdef __RX_LITTLE_ENDIAN__
03906     unsigned char DMST : 1;
03907     unsigned char : 7;
03908 #else
03909     unsigned char : 7;
03910     unsigned char DMST : 1;
03911 #endif
03912     } BIT;
03913     } DMAST;
03914     char wk0[3];
03915     union {
03916     unsigned char BYTE;
03917     struct {
03918
03919 #ifdef __RX_LITTLE_ENDIAN__
03920     unsigned char : 4;
03921     unsigned char DMIS4 : 1;
03922     unsigned char DMIS5 : 1;
03923     unsigned char DMIS6 : 1;
03924     unsigned char DMIS7 : 1;
03925 #else
03926     unsigned char DMIS7 : 1;
03927     unsigned char DMIS6 : 1;
03928     unsigned char DMIS5 : 1;
03929     unsigned char DMIS4 : 1;
03930     unsigned char : 4;
03931 #endif
03932     } BIT;
03933     } DMIST;
03934 } st_dmac_t;
03935
03936 typedef struct st_dmac0 {
03937     void *DMSAR;
03938     void *DMDAR;
03939     unsigned long DMCRA;
03940     unsigned short DMCRB;
03941     char wk0[2];
03942     union {
03943     unsigned short WORD;
03944     struct {
03945
03946 #ifdef __RX_LITTLE_ENDIAN__
03947     unsigned short DCTG : 2;
03948     unsigned short : 6;
03949     unsigned short SZ : 2;
03950     unsigned short : 2;
03951     unsigned short DTS : 2;
03952     unsigned short MD : 2;
03953 #else
03954     unsigned short MD : 2;
03955     unsigned short DTS : 2;
03956     unsigned short : 2;
03957     unsigned short SZ : 2;
03958     unsigned short : 6;
03959     unsigned short DCTG : 2;
03960 #endif
03961     } BIT;
03962     } DMTMD;
03963     char wk1[1];
03964     union {
03965     unsigned char BYTE;
03966     struct {
03967
03968 #ifdef __RX_LITTLE_ENDIAN__
03969     unsigned char DARIE : 1;
03970     unsigned char SARIE : 1;
03971     unsigned char RPTIE : 1;
03972     unsigned char ESIE : 1;
03973     unsigned char DTIE : 1;
03974     unsigned char : 3;
03975 #else
03976     unsigned char : 3;
03977     unsigned char DTIE : 1;
03978     unsigned char ESIE : 1;
03979     unsigned char RPTIE : 1;
03980     unsigned char SARIE : 1;
03981     unsigned char DARIE : 1;
03982 #endif
03983     } BIT;
03984     } DMINT;
03985     union {
03986     unsigned short WORD;
03987     struct {
03988

```

```

03989 #ifdef __RX_LITTLE_ENDIAN__
03990     unsigned short DARA : 5;
03991     unsigned short : 1;
03992     unsigned short DM : 2;
03993     unsigned short SARA : 5;
03994     unsigned short : 1;
03995     unsigned short SM : 2;
03996 #else
03997     unsigned short SM : 2;
03998     unsigned short : 1;
03999     unsigned short SARA : 5;
04000     unsigned short DM : 2;
04001     unsigned short : 1;
04002     unsigned short DARA : 5;
04003 #endif
04004     } BIT;
04005     } DMAMD;
04006     char          wk2[2];
04007     unsigned long  DMOFR;
04008     union {
04009         unsigned char BYTE;
04010         struct {
04011
04012 #ifdef __RX_LITTLE_ENDIAN__
04013         unsigned char DTE : 1;
04014         unsigned char : 7;
04015 #else
04016         unsigned char : 7;
04017         unsigned char DTE : 1;
04018 #endif
04019         } BIT;
04020         } DMCNT;
04021         union {
04022             unsigned char BYTE;
04023             struct {
04024
04025 #ifdef __RX_LITTLE_ENDIAN__
04026             unsigned char SWREQ : 1;
04027             unsigned char : 3;
04028             unsigned char CLRS : 1;
04029             unsigned char : 3;
04030 #else
04031             unsigned char : 3;
04032             unsigned char CLRS : 1;
04033             unsigned char : 3;
04034             unsigned char SWREQ : 1;
04035 #endif
04036             } BIT;
04037             } DMREQ;
04038             union {
04039                 unsigned char BYTE;
04040                 struct {
04041
04042 #ifdef __RX_LITTLE_ENDIAN__
04043                 unsigned char ESIF : 1;
04044                 unsigned char : 3;
04045                 unsigned char DTIF : 1;
04046                 unsigned char : 2;
04047                 unsigned char ACT : 1;
04048 #else
04049                 unsigned char ACT : 1;
04050                 unsigned char : 2;
04051                 unsigned char DTIF : 1;
04052                 unsigned char : 3;
04053                 unsigned char ESIF : 1;
04054 #endif
04055                 } BIT;
04056                 } DMSTS;
04057                 union {
04058                     unsigned char BYTE;
04059                     struct {
04060
04061 #ifdef __RX_LITTLE_ENDIAN__
04062                     unsigned char DISEL : 1;
04063                     unsigned char : 7;
04064 #else
04065                     unsigned char : 7;
04066                     unsigned char DISEL : 1;
04067 #endif
04068                     } BIT;
04069                     } DMCSL;
04070             } st_dmac0_t;
04071
04072 typedef struct st_dmac1 {
04073     void          *DMSAR;
04074     void          *DMDAR;
04075     unsigned long  DMCRA;

```

```

04076     unsigned short DMCRB;
04077     char          wk0[2];
04078     union {
04079         unsigned short WORD;
04080         struct {
04081
04082 #ifdef __RX_LITTLE_ENDIAN__
04083         unsigned short DCTG : 2;
04084         unsigned short : 6;
04085         unsigned short SZ : 2;
04086         unsigned short : 2;
04087         unsigned short DTS : 2;
04088         unsigned short MD : 2;
04089 #else
04090         unsigned short MD : 2;
04091         unsigned short DTS : 2;
04092         unsigned short : 2;
04093         unsigned short SZ : 2;
04094         unsigned short : 6;
04095         unsigned short DCTG : 2;
04096 #endif
04097     } BIT;
04098     } DMTMD;
04099     char          wk1[1];
04100     union {
04101         unsigned char BYTE;
04102         struct {
04103
04104 #ifdef __RX_LITTLE_ENDIAN__
04105         unsigned char DARIE : 1;
04106         unsigned char SARIE : 1;
04107         unsigned char RPTIE : 1;
04108         unsigned char ESIE : 1;
04109         unsigned char DTIE : 1;
04110         unsigned char : 3;
04111 #else
04112         unsigned char : 3;
04113         unsigned char DTIE : 1;
04114         unsigned char ESIE : 1;
04115         unsigned char RPTIE : 1;
04116         unsigned char SARIE : 1;
04117         unsigned char DARIE : 1;
04118 #endif
04119     } BIT;
04120     } DMINT;
04121     union {
04122         unsigned short WORD;
04123         struct {
04124
04125 #ifdef __RX_LITTLE_ENDIAN__
04126         unsigned short DARA : 5;
04127         unsigned short : 1;
04128         unsigned short DM : 2;
04129         unsigned short SARA : 5;
04130         unsigned short : 1;
04131         unsigned short SM : 2;
04132 #else
04133         unsigned short SM : 2;
04134         unsigned short : 1;
04135         unsigned short SARA : 5;
04136         unsigned short DM : 2;
04137         unsigned short : 1;
04138         unsigned short DARA : 5;
04139 #endif
04140     } BIT;
04141     } DMAMD;
04142     char          wk2[6];
04143     union {
04144         unsigned char BYTE;
04145         struct {
04146
04147 #ifdef __RX_LITTLE_ENDIAN__
04148         unsigned char DTE : 1;
04149         unsigned char : 7;
04150 #else
04151         unsigned char : 7;
04152         unsigned char DTE : 1;
04153 #endif
04154     } BIT;
04155     } DMCNT;
04156     union {
04157         unsigned char BYTE;
04158         struct {
04159
04160 #ifdef __RX_LITTLE_ENDIAN__
04161         unsigned char SWREQ : 1;
04162         unsigned char : 3;

```

```

04163         unsigned char CLRS : 1;
04164         unsigned char : 3;
04165     #else
04166         unsigned char : 3;
04167         unsigned char CLRS : 1;
04168         unsigned char : 3;
04169         unsigned char SWREQ : 1;
04170     #endif
04171     } BIT;
04172     } DMREQ;
04173     union {
04174         unsigned char BYTE;
04175         struct {
04176
04177     #ifdef __RX_LITTLE_ENDIAN__
04178         unsigned char ESIF : 1;
04179         unsigned char : 3;
04180         unsigned char DTIF : 1;
04181         unsigned char : 2;
04182         unsigned char ACT : 1;
04183     #else
04184         unsigned char ACT : 1;
04185         unsigned char : 2;
04186         unsigned char DTIF : 1;
04187         unsigned char : 3;
04188         unsigned char ESIF : 1;
04189     #endif
04190     } BIT;
04191     } DMSTS;
04192     union {
04193         unsigned char BYTE;
04194         struct {
04195
04196     #ifdef __RX_LITTLE_ENDIAN__
04197         unsigned char DISEL : 1;
04198         unsigned char : 7;
04199     #else
04200         unsigned char : 7;
04201         unsigned char DISEL : 1;
04202     #endif
04203     } BIT;
04204     } DMCSL;
04205 } st_dmac1_t;
04206
04207 typedef struct st_doc {
04208     union {
04209         unsigned char BYTE;
04210         struct {
04211
04212     #ifdef __RX_LITTLE_ENDIAN__
04213         unsigned char OMS : 2;
04214         unsigned char DCSEL : 1;
04215         unsigned char : 1;
04216         unsigned char DOPCIE : 1;
04217         unsigned char DOPCF : 1;
04218         unsigned char DOPCFCL : 1;
04219         unsigned char : 1;
04220     #else
04221         unsigned char : 1;
04222         unsigned char DOPCFCL : 1;
04223         unsigned char DOPCF : 1;
04224         unsigned char DOPCIE : 1;
04225         unsigned char : 1;
04226         unsigned char DCSEL : 1;
04227         unsigned char OMS : 2;
04228     #endif
04229     } BIT;
04230     } DOCR;
04231     char wk0[1];
04232     unsigned short DODIR;
04233     unsigned short DODSR;
04234 } st_doc_t;
04235
04236 typedef struct st_drw2d {
04237     union {
04238         union {
04239             unsigned long LONG;
04240             struct {
04241
04242     #ifdef __RX_LITTLE_ENDIAN__
04243         unsigned long LIM1EN : 1;
04244         unsigned long LIM2EN : 1;
04245         unsigned long LIM3EN : 1;
04246         unsigned long LIM4EN : 1;
04247         unsigned long LIM5EN : 1;
04248         unsigned long LIM6EN : 1;
04249         unsigned long QUAD1EN : 1;

```

```

04250     unsigned long QUAD2EN : 1;
04251     unsigned long QUAD3EN : 1;
04252     unsigned long LIM1TH : 1;
04253     unsigned long LIM2TH : 1;
04254     unsigned long LIM3TH : 1;
04255     unsigned long LIM4TH : 1;
04256     unsigned long LIM5TH : 1;
04257     unsigned long LIM6TH : 1;
04258     unsigned long BAND1EN : 1;
04259     unsigned long BAND2EN : 1;
04260     unsigned long UNION12 : 1;
04261     unsigned long UNION34 : 1;
04262     unsigned long UNION56 : 1;
04263     unsigned long UNIONAB : 1;
04264     unsigned long UNIONCD : 1;
04265     unsigned long SPANABT : 1;
04266     unsigned long SPANSTR : 1;
04267     unsigned long      : 8;
04268 #else
04269     unsigned long      : 8;
04270     unsigned long SPANSTR : 1;
04271     unsigned long SPANABT : 1;
04272     unsigned long UNIONCD : 1;
04273     unsigned long UNIONAB : 1;
04274     unsigned long UNION56 : 1;
04275     unsigned long UNION34 : 1;
04276     unsigned long UNION12 : 1;
04277     unsigned long BAND2EN : 1;
04278     unsigned long BAND1EN : 1;
04279     unsigned long LIM6TH : 1;
04280     unsigned long LIM5TH : 1;
04281     unsigned long LIM4TH : 1;
04282     unsigned long LIM3TH : 1;
04283     unsigned long LIM2TH : 1;
04284     unsigned long LIM1TH : 1;
04285     unsigned long QUAD3EN : 1;
04286     unsigned long QUAD2EN : 1;
04287     unsigned long QUAD1EN : 1;
04288     unsigned long LIM6EN : 1;
04289     unsigned long LIM5EN : 1;
04290     unsigned long LIM4EN : 1;
04291     unsigned long LIM3EN : 1;
04292     unsigned long LIM2EN : 1;
04293     unsigned long LIM1EN : 1;
04294 #endif
04295 } BIT;
04296 } CONTROL;
04297 union {
04298     unsigned long LONG;
04299     struct {
04300
04301 #ifdef __RX_LITTLE_ENDIAN__
04302     unsigned long BSYENUM : 1;
04303     unsigned long BSYWR : 1;
04304     unsigned long CACHEDTY : 1;
04305     unsigned long DLSTACT : 1;
04306     unsigned long ENUIR : 1;
04307     unsigned long DLIR : 1;
04308     unsigned long      : 26;
04309 #else
04310     unsigned long      : 26;
04311     unsigned long DLIR : 1;
04312     unsigned long ENUIR : 1;
04313     unsigned long DLSTACT : 1;
04314     unsigned long CACHEDTY : 1;
04315     unsigned long BSYWR : 1;
04316     unsigned long BSYENUM : 1;
04317 #endif
04318 } BIT;
04319 } STATUS;
04320 };
04321 union {
04322     union {
04323     unsigned long LONG;
04324     struct {
04325
04326 #ifdef __RX_LITTLE_ENDIAN__
04327     unsigned long PTNEN : 1;
04328     unsigned long TEXENA : 1;
04329     unsigned long PTNSRCL5 : 1;
04330     unsigned long USEACB : 1;
04331     unsigned long RDFMT2 : 2;
04332     unsigned long BSFA : 1;
04333     unsigned long BDFA : 1;
04334     unsigned long WRFMT2 : 1;
04335     unsigned long BSF : 1;
04336     unsigned long BDF : 1;

```

```

04337     unsigned long BSI : 1;
04338     unsigned long BDI : 1;
04339     unsigned long BC2 : 1;
04340     unsigned long TEXCLPX : 1;
04341     unsigned long TEXCLPY : 1;
04342     unsigned long TEXTFLT : 1;
04343     unsigned long TEXTFLTY : 1;
04344     unsigned long RDFMT : 2;
04345     unsigned long WRFMT : 2;
04346     unsigned long WRALPHA : 2;
04347     unsigned long RLEEN : 1;
04348     unsigned long CLUTEN : 1;
04349     unsigned long COLKEYEN : 1;
04350     unsigned long CLUTFORM : 1;
04351     unsigned long BSIA : 1;
04352     unsigned long BDIA : 1;
04353     unsigned long RLEPIXW : 2;
04354 #else
04355     unsigned long RLEPIXW : 2;
04356     unsigned long BDIA : 1;
04357     unsigned long BSIA : 1;
04358     unsigned long CLUTFORM : 1;
04359     unsigned long COLKEYEN : 1;
04360     unsigned long CLUTEN : 1;
04361     unsigned long RLEEN : 1;
04362     unsigned long WRALPHA : 2;
04363     unsigned long WRFMT : 2;
04364     unsigned long RDFMT : 2;
04365     unsigned long TEXTFLTY : 1;
04366     unsigned long TEXTFLT : 1;
04367     unsigned long TEXCLPY : 1;
04368     unsigned long TEXCLPX : 1;
04369     unsigned long BC2 : 1;
04370     unsigned long BDI : 1;
04371     unsigned long BSI : 1;
04372     unsigned long BDF : 1;
04373     unsigned long BSF : 1;
04374     unsigned long WRFMT2 : 1;
04375     unsigned long BDFA : 1;
04376     unsigned long BSFA : 1;
04377     unsigned long RDFMT2 : 2;
04378     unsigned long USEACB : 1;
04379     unsigned long PTNSRCL5 : 1;
04380     unsigned long TEXENA : 1;
04381     unsigned long PTNEN : 1;
04382 #endif
04383 } BIT;
04384 } CONTROL2;
04385 union {
04386     unsigned long LONG;
04387     struct {
04388
04389 #ifdef __RX_LITTLE_ENDIAN__
04390     unsigned long REV : 12;
04391     unsigned long : 5;
04392     unsigned long DLR : 1;
04393     unsigned long FBCACHE : 1;
04394     unsigned long TXCACHE : 1;
04395     unsigned long PERFCNT : 1;
04396     unsigned long TEXCLUT : 1;
04397     unsigned long : 1;
04398     unsigned long RLEUNIT : 1;
04399     unsigned long TEXCLUT256 : 1;
04400     unsigned long COLKEY : 1;
04401     unsigned long : 1;
04402     unsigned long ACBLD : 1;
04403     unsigned long : 4;
04404 #else
04405     unsigned long : 4;
04406     unsigned long ACBLD : 1;
04407     unsigned long : 1;
04408     unsigned long COLKEY : 1;
04409     unsigned long TEXCLUT256 : 1;
04410     unsigned long RLEUNIT : 1;
04411     unsigned long : 1;
04412     unsigned long TEXCLUT : 1;
04413     unsigned long PERFCNT : 1;
04414     unsigned long TXCACHE : 1;
04415     unsigned long FBCACHE : 1;
04416     unsigned long DLR : 1;
04417     unsigned long : 5;
04418     unsigned long REV : 12;
04419 #endif
04420 } BIT;
04421 } HWVER;
04422 };
04423 char      wk0[8];

```



```

04424 unsigned long L1START;
04425 unsigned long L2START;
04426 unsigned long L3START;
04427 unsigned long L4START;
04428 unsigned long L5START;
04429 unsigned long L6START;
04430 unsigned long L1XADD;
04431 unsigned long L2XADD;
04432 unsigned long L3XADD;
04433 unsigned long L4XADD;
04434 unsigned long L5XADD;
04435 unsigned long L6XADD;
04436 unsigned long L1YADD;
04437 unsigned long L2YADD;
04438 unsigned long L3YADD;
04439 unsigned long L4YADD;
04440 unsigned long L5YADD;
04441 unsigned long L6YADD;
04442 unsigned long L1BAND;
04443 unsigned long L2BAND;
04444 char wk1[4];
04445 union {
04446     unsigned long LONG;
04447     struct {
04448
04449 #ifdef __RX_LITTLE_ENDIAN__
04450     unsigned long COL1B : 8;
04451     unsigned long COL1G : 8;
04452     unsigned long COL1R : 8;
04453     unsigned long COL1A : 8;
04454 #else
04455     unsigned long COL1A : 8;
04456     unsigned long COL1R : 8;
04457     unsigned long COL1G : 8;
04458     unsigned long COL1B : 8;
04459 #endif
04460     } BIT;
04461     } COLOR1;
04462     union {
04463     unsigned long LONG;
04464     struct {
04465
04466 #ifdef __RX_LITTLE_ENDIAN__
04467     unsigned long COL2B : 8;
04468     unsigned long COL2G : 8;
04469     unsigned long COL2R : 8;
04470     unsigned long COL2A : 8;
04471 #else
04472     unsigned long COL2A : 8;
04473     unsigned long COL2R : 8;
04474     unsigned long COL2G : 8;
04475     unsigned long COL2B : 8;
04476 #endif
04477     } BIT;
04478     } COLOR2;
04479     char wk2[8];
04480     unsigned long PATTERN;
04481     union {
04482     unsigned long LONG;
04483     struct {
04484
04485 #ifdef __RX_LITTLE_ENDIAN__
04486     unsigned long X : 16;
04487     unsigned long Y : 16;
04488 #else
04489     unsigned long Y : 16;
04490     unsigned long X : 16;
04491 #endif
04492     } BIT;
04493     } SIZE;
04494     union {
04495     unsigned long LONG;
04496     struct {
04497
04498 #ifdef __RX_LITTLE_ENDIAN__
04499     unsigned long PITCH : 16;
04500     unsigned long SSD : 16;
04501 #else
04502     unsigned long SSD : 16;
04503     unsigned long PITCH : 16;
04504 #endif
04505     } BIT;
04506     } PITCH;
04507     unsigned long ORIGIN;
04508     char wk3[12];
04509     unsigned long LUST;
04510     unsigned long LUXADD;

```

```

04511 unsigned long LUYADD;
04512 unsigned long LVSTI;
04513 unsigned long LVSTF;
04514 unsigned long LVXADDI;
04515 unsigned long LVYADDI;
04516 union {
04517     unsigned long LONG;
04518     struct {
04519
04520 #ifdef __RX_LITTLE_ENDIAN__
04521     unsigned long LVXADDF : 16;
04522     unsigned long LVYADDF : 16;
04523 #else
04524     unsigned long LVYADDF : 16;
04525     unsigned long LVXADDF : 16;
04526 #endif
04527     } BIT;
04528     } LVYXADDF;
04529     char wk4[4];
04530 unsigned long TEXPITCH;
04531 union {
04532     unsigned long LONG;
04533     struct {
04534
04535 #ifdef __RX_LITTLE_ENDIAN__
04536     unsigned long TEXUMSK : 11;
04537     unsigned long TEXVMSK : 21;
04538 #else
04539     unsigned long TEXVMSK : 21;
04540     unsigned long TEXUMSK : 11;
04541 #endif
04542     } BIT;
04543     } TEXMSK;
04544 unsigned long TEXORG;
04545 union {
04546     unsigned long LONG;
04547     struct {
04548
04549 #ifdef __RX_LITTLE_ENDIAN__
04550     unsigned long ENUIREN : 1;
04551     unsigned long DLIREN : 1;
04552     unsigned long ENUIRCLR : 1;
04553     unsigned long DLIRCLR : 1;
04554     unsigned long : 28;
04555 #else
04556     unsigned long : 28;
04557     unsigned long DLIRCLR : 1;
04558     unsigned long ENUIRCLR : 1;
04559     unsigned long DLIREN : 1;
04560     unsigned long ENUIREN : 1;
04561 #endif
04562     } BIT;
04563     } IRQCTL;
04564 union {
04565     unsigned long LONG;
04566     struct {
04567
04568 #ifdef __RX_LITTLE_ENDIAN__
04569     unsigned long CENFX : 1;
04570     unsigned long CFLUFY : 1;
04571     unsigned long CENTX : 1;
04572     unsigned long CFLUTX : 1;
04573     unsigned long : 28;
04574 #else
04575     unsigned long : 28;
04576     unsigned long CFLUTX : 1;
04577     unsigned long CENTX : 1;
04578     unsigned long CFLUFY : 1;
04579     unsigned long CENFX : 1;
04580 #endif
04581     } BIT;
04582     } CACHECTL;
04583 unsigned long DLISTST;
04584 unsigned long PERFCNT1;
04585 unsigned long PERFCNT2;
04586 union {
04587     unsigned long LONG;
04588     struct {
04589
04590 #ifdef __RX_LITTLE_ENDIAN__
04591     unsigned long TRG1 : 16;
04592     unsigned long TRG2 : 16;
04593 #else
04594     unsigned long TRG2 : 16;
04595     unsigned long TRG1 : 16;
04596 #endif
04597     } BIT;

```

```

04598     } PERFTRG;
04599     char      wk5[4];
04600     unsigned long  TEXCLADDR;
04601     unsigned long  TEXCLDATA;
04602     unsigned long  TEXCLOFST;
04603     union {
04604         unsigned long LONG;
04605         struct {
04606
04607 #ifdef  __RX_LITTLE_ENDIAN__
04608         unsigned long B : 8;
04609         unsigned long G : 8;
04610         unsigned long R : 8;
04611         unsigned long : 8;
04612 #else
04613         unsigned long : 8;
04614         unsigned long R : 8;
04615         unsigned long G : 8;
04616         unsigned long B : 8;
04617 #endif
04618     } BIT;
04619     } COLKEY;
04620 } st_drw2d_t;
04621
04622 typedef struct st_dtc {
04623     union {
04624         unsigned char BYTE;
04625         struct {
04626
04627 #ifdef  __RX_LITTLE_ENDIAN__
04628         unsigned char : 4;
04629         unsigned char RRS : 1;
04630         unsigned char : 3;
04631 #else
04632         unsigned char : 3;
04633         unsigned char RRS : 1;
04634         unsigned char : 4;
04635 #endif
04636     } BIT;
04637     } DTCCR;
04638     char      wk0[3];
04639     void      *DTCVBR;
04640     union {
04641         unsigned char BYTE;
04642         struct {
04643
04644 #ifdef  __RX_LITTLE_ENDIAN__
04645         unsigned char SHORT : 1;
04646         unsigned char : 7;
04647 #else
04648         unsigned char : 7;
04649         unsigned char SHORT : 1;
04650 #endif
04651     } BIT;
04652     } DTCADMOD;
04653     char      wk1[3];
04654     union {
04655         unsigned char BYTE;
04656         struct {
04657
04658 #ifdef  __RX_LITTLE_ENDIAN__
04659         unsigned char DTCST : 1;
04660         unsigned char : 7;
04661 #else
04662         unsigned char : 7;
04663         unsigned char DTCST : 1;
04664 #endif
04665     } BIT;
04666     } DTCST;
04667     char      wk2[1];
04668     union {
04669         unsigned short WORD;
04670         struct {
04671
04672 #ifdef  __RX_LITTLE_ENDIAN__
04673         unsigned short VECN : 8;
04674         unsigned short : 7;
04675         unsigned short ACT : 1;
04676 #else
04677         unsigned short ACT : 1;
04678         unsigned short : 7;
04679         unsigned short VECN : 8;
04680 #endif
04681     } BIT;
04682     } DTCSTS;
04683     void      *DTCIBR;
04684     union {

```

```

04685     unsigned char BYTE;
04686     struct {
04687
04688 #ifdef __RX_LITTLE_ENDIAN__
04689     unsigned char SQTFRRL : 1;
04690     unsigned char : 7;
04691 #else
04692     unsigned char : 7;
04693     unsigned char SQTFRRL : 1;
04694 #endif
04695     } BIT;
04696     } DTCOR;
04697     char          wk3[1];
04698     union {
04699     unsigned short WORD;
04700     struct {
04701
04702 #ifdef __RX_LITTLE_ENDIAN__
04703     unsigned short VECN : 8;
04704     unsigned short : 7;
04705     unsigned short ESPSEL : 1;
04706 #else
04707     unsigned short ESPSEL : 1;
04708     unsigned short : 7;
04709     unsigned short VECN : 8;
04710 #endif
04711     } BIT;
04712     } DTCSQE;
04713     unsigned long DTCDISP;
04714 } st_dtc_t;
04715
04716 typedef struct st_eccram {
04717     union {
04718     unsigned char BYTE;
04719     struct {
04720
04721 #ifdef __RX_LITTLE_ENDIAN__
04722     unsigned char RAMMOD : 2;
04723     unsigned char : 6;
04724 #else
04725     unsigned char : 6;
04726     unsigned char RAMMOD : 2;
04727 #endif
04728     } BIT;
04729     } ECCRAMMODE;
04730     union {
04731     unsigned char BYTE;
04732     struct {
04733
04734 #ifdef __RX_LITTLE_ENDIAN__
04735     unsigned char ECC2ERR : 1;
04736     unsigned char : 7;
04737 #else
04738     unsigned char : 7;
04739     unsigned char ECC2ERR : 1;
04740 #endif
04741     } BIT;
04742     } ECCRAM2STS;
04743     union {
04744     unsigned char BYTE;
04745     struct {
04746
04747 #ifdef __RX_LITTLE_ENDIAN__
04748     unsigned char ECC1STSEN : 1;
04749     unsigned char : 7;
04750 #else
04751     unsigned char : 7;
04752     unsigned char ECC1STSEN : 1;
04753 #endif
04754     } BIT;
04755     } ECCRAM1STSEN;
04756     union {
04757     unsigned char BYTE;
04758     struct {
04759
04760 #ifdef __RX_LITTLE_ENDIAN__
04761     unsigned char ECC1ERR : 1;
04762     unsigned char : 7;
04763 #else
04764     unsigned char : 7;
04765     unsigned char ECC1ERR : 1;
04766 #endif
04767     } BIT;
04768     } ECCRAM1STS;
04769     union {
04770     unsigned char BYTE;
04771     struct {

```

```

04772
04773 #ifdef __RX_LITTLE_ENDIAN__
04774     unsigned char PRCR : 1;
04775     unsigned char KW : 7;
04776 #else
04777     unsigned char KW : 7;
04778     unsigned char PRCR : 1;
04779 #endif
04780 } BIT;
04781 } ECCRAMPRCR;
04782 char      wk0[3];
04783 union {
04784     unsigned long LONG;
04785     struct {
04786
04787 #ifdef __RX_LITTLE_ENDIAN__
04788     unsigned long : 3;
04789     unsigned long ECC2EAD : 12;
04790     unsigned long : 17;
04791 #else
04792     unsigned long : 17;
04793     unsigned long ECC2EAD : 12;
04794     unsigned long : 3;
04795 #endif
04796 } BIT;
04797 } ECCRAM2ECAD;
04798 union {
04799     unsigned long LONG;
04800     struct {
04801
04802 #ifdef __RX_LITTLE_ENDIAN__
04803     unsigned long : 3;
04804     unsigned long ECC1EAD : 12;
04805     unsigned long : 17;
04806 #else
04807     unsigned long : 17;
04808     unsigned long ECC1EAD : 12;
04809     unsigned long : 3;
04810 #endif
04811 } BIT;
04812 } ECCRAM1ECAD;
04813 union {
04814     unsigned char BYTE;
04815     struct {
04816
04817 #ifdef __RX_LITTLE_ENDIAN__
04818     unsigned char PRCR2 : 1;
04819     unsigned char KW2 : 7;
04820 #else
04821     unsigned char KW2 : 7;
04822     unsigned char PRCR2 : 1;
04823 #endif
04824 } BIT;
04825 } ECCRAMPRCR2;
04826 char      wk1[3];
04827 union {
04828     unsigned char BYTE;
04829     struct {
04830
04831 #ifdef __RX_LITTLE_ENDIAN__
04832     unsigned char TSTBYP : 1;
04833     unsigned char : 7;
04834 #else
04835     unsigned char : 7;
04836     unsigned char TSTBYP : 1;
04837 #endif
04838 } BIT;
04839 } ECCRAMETST;
04840 } st_eccram_t;
04841
04842 typedef struct st_edmac {
04843     union {
04844         unsigned long LONG;
04845         struct {
04846
04847 #ifdef __RX_LITTLE_ENDIAN__
04848     unsigned long SWR : 1;
04849     unsigned long : 3;
04850     unsigned long DL : 2;
04851     unsigned long DE : 1;
04852     unsigned long : 25;
04853 #else
04854     unsigned long : 25;
04855     unsigned long DE : 1;
04856     unsigned long DL : 2;
04857     unsigned long : 3;
04858     unsigned long SWR : 1;

```

```

04859 #endif
04860 } BIT;
04861 } EDMR;
04862 char      wk0[4];
04863 union {
04864     unsigned long LONG;
04865     struct {
04866
04867 #ifdef __RX_LITTLE_ENDIAN__
04868     unsigned long TR : 1;
04869     unsigned long  : 31;
04870 #else
04871     unsigned long  : 31;
04872     unsigned long TR : 1;
04873 #endif
04874 } BIT;
04875 } EDTRR;
04876 char      wk1[4];
04877 union {
04878     unsigned long LONG;
04879     struct {
04880
04881 #ifdef __RX_LITTLE_ENDIAN__
04882     unsigned long RR : 1;
04883     unsigned long  : 31;
04884 #else
04885     unsigned long  : 31;
04886     unsigned long RR : 1;
04887 #endif
04888 } BIT;
04889 } EDRRR;
04890 char      wk2[4];
04891 void      *TDLAR;
04892 char      wk3[4];
04893 void      *RDLAR;
04894 char      wk4[4];
04895 union {
04896     unsigned long LONG;
04897     struct {
04898
04899 #ifdef __RX_LITTLE_ENDIAN__
04900     unsigned long CERF : 1;
04901     unsigned long PRE : 1;
04902     unsigned long RTSF : 1;
04903     unsigned long RTLF : 1;
04904     unsigned long RRF : 1;
04905     unsigned long  : 2;
04906     unsigned long RMAF : 1;
04907     unsigned long TRO : 1;
04908     unsigned long CD : 1;
04909     unsigned long DLC : 1;
04910     unsigned long CND : 1;
04911     unsigned long  : 4;
04912     unsigned long RFOF : 1;
04913     unsigned long RDE : 1;
04914     unsigned long FR : 1;
04915     unsigned long TFUF : 1;
04916     unsigned long TDE : 1;
04917     unsigned long TC : 1;
04918     unsigned long ECI : 1;
04919     unsigned long  : 1;
04920     unsigned long RFCOF : 1;
04921     unsigned long RABT : 1;
04922     unsigned long TABT : 1;
04923     unsigned long  : 3;
04924     unsigned long TWB : 1;
04925     unsigned long  : 1;
04926 #else
04927     unsigned long  : 1;
04928     unsigned long TWB : 1;
04929     unsigned long  : 3;
04930     unsigned long TABT : 1;
04931     unsigned long RABT : 1;
04932     unsigned long RFCOF : 1;
04933     unsigned long  : 1;
04934     unsigned long ECI : 1;
04935     unsigned long TC : 1;
04936     unsigned long TDE : 1;
04937     unsigned long TFUF : 1;
04938     unsigned long FR : 1;
04939     unsigned long RDE : 1;
04940     unsigned long RFOF : 1;
04941     unsigned long  : 4;
04942     unsigned long CND : 1;
04943     unsigned long DLC : 1;
04944     unsigned long CD : 1;
04945     unsigned long TRO : 1;

```

```

04946         unsigned long RMAF : 1;
04947         unsigned long   : 2;
04948         unsigned long RRF : 1;
04949         unsigned long RTLF : 1;
04950         unsigned long RTSF : 1;
04951         unsigned long PRE : 1;
04952         unsigned long CERF : 1;
04953 #endif
04954     } BIT;
04955     } EESR;
04956     char      wk5[4];
04957     union {
04958         unsigned long LONG;
04959     struct {
04960
04961 #ifdef __RX_LITTLE_ENDIAN__
04962         unsigned long CERFIP : 1;
04963         unsigned long PREIP : 1;
04964         unsigned long RTSFIP : 1;
04965         unsigned long RTLFIP : 1;
04966         unsigned long RRFIP : 1;
04967         unsigned long   : 2;
04968         unsigned long RMAFIP : 1;
04969         unsigned long TROIP : 1;
04970         unsigned long CDIP : 1;
04971         unsigned long DLCIP : 1;
04972         unsigned long CNDIP : 1;
04973         unsigned long   : 4;
04974         unsigned long RFOFIP : 1;
04975         unsigned long RDEIP : 1;
04976         unsigned long FRIP : 1;
04977         unsigned long TFUFIP : 1;
04978         unsigned long TDEIP : 1;
04979         unsigned long TCIP : 1;
04980         unsigned long ECIIP : 1;
04981         unsigned long   : 1;
04982         unsigned long RFCOFIP : 1;
04983         unsigned long RABTIP : 1;
04984         unsigned long TABTIP : 1;
04985         unsigned long   : 3;
04986         unsigned long TWBIP : 1;
04987         unsigned long   : 1;
04988 #else
04989         unsigned long   : 1;
04990         unsigned long TWBIP : 1;
04991         unsigned long   : 3;
04992         unsigned long TABTIP : 1;
04993         unsigned long RABTIP : 1;
04994         unsigned long RFCOFIP : 1;
04995         unsigned long   : 1;
04996         unsigned long ECIIP : 1;
04997         unsigned long TCIP : 1;
04998         unsigned long TDEIP : 1;
04999         unsigned long TFUFIP : 1;
05000         unsigned long FRIP : 1;
05001         unsigned long RDEIP : 1;
05002         unsigned long RFOFIP : 1;
05003         unsigned long   : 4;
05004         unsigned long CNDIP : 1;
05005         unsigned long DLCIP : 1;
05006         unsigned long CDIP : 1;
05007         unsigned long TROIP : 1;
05008         unsigned long RMAFIP : 1;
05009         unsigned long   : 2;
05010         unsigned long RRFIP : 1;
05011         unsigned long RTLFIP : 1;
05012         unsigned long RTSFIP : 1;
05013         unsigned long PREIP : 1;
05014         unsigned long CERFIP : 1;
05015 #endif
05016     } BIT;
05017     } EESIPR;
05018     char      wk6[4];
05019     union {
05020         unsigned long LONG;
05021     struct {
05022
05023 #ifdef __RX_LITTLE_ENDIAN__
05024         unsigned long   : 4;
05025         unsigned long RRFCE : 1;
05026         unsigned long   : 2;
05027         unsigned long RMAFCE : 1;
05028         unsigned long   : 24;
05029 #else
05030         unsigned long   : 24;
05031         unsigned long RMAFCE : 1;
05032         unsigned long   : 2;

```

```

05033         unsigned long RRFCE : 1;
05034         unsigned long : 4;
05035     #endif
05036     } BIT;
05037     } TRSCER;
05038     char        wk7[4];
05039     union {
05040         unsigned long LONG;
05041         struct {
05042
05043         #ifdef __RX_LITTLE_ENDIAN__
05044             unsigned long MFC : 16;
05045             unsigned long : 16;
05046         #else
05047             unsigned long : 16;
05048             unsigned long MFC : 16;
05049         #endif
05050         } BIT;
05051         } RMFCR;
05052         char        wk8[4];
05053         union {
05054             unsigned long LONG;
05055             struct {
05056
05057             #ifdef __RX_LITTLE_ENDIAN__
05058                 unsigned long TFT : 11;
05059                 unsigned long : 21;
05060             #else
05061                 unsigned long : 21;
05062                 unsigned long TFT : 11;
05063             #endif
05064             } BIT;
05065             } TFTR;
05066             char        wk9[4];
05067             union {
05068                 unsigned long LONG;
05069                 struct {
05070
05071                 #ifdef __RX_LITTLE_ENDIAN__
05072                     unsigned long RFD : 5;
05073                     unsigned long : 3;
05074                     unsigned long TFD : 5;
05075                     unsigned long : 19;
05076                 #else
05077                     unsigned long : 19;
05078                     unsigned long TFD : 5;
05079                     unsigned long : 3;
05080                     unsigned long RFD : 5;
05081                 #endif
05082                 } BIT;
05083                 } FDR;
05084                 char        wk10[4];
05085                 union {
05086                     unsigned long LONG;
05087                     struct {
05088
05089                     #ifdef __RX_LITTLE_ENDIAN__
05090                         unsigned long RNR : 1;
05091                         unsigned long : 31;
05092                     #else
05093                         unsigned long : 31;
05094                         unsigned long RNR : 1;
05095                     #endif
05096                     } BIT;
05097                     } RMCR;
05098                     char        wk11[8];
05099                     union {
05100                         unsigned long LONG;
05101                         struct {
05102
05103                         #ifdef __RX_LITTLE_ENDIAN__
05104                             unsigned long UNDER : 16;
05105                             unsigned long : 16;
05106                         #else
05107                             unsigned long : 16;
05108                             unsigned long UNDER : 16;
05109                         #endif
05110                         } BIT;
05111                         } TFUCR;
05112                         union {
05113                             unsigned long LONG;
05114                             struct {
05115
05116                             #ifdef __RX_LITTLE_ENDIAN__
05117                                 unsigned long OVER : 16;
05118                                 unsigned long : 16;
05119                             #else

```



```

05120         unsigned long : 16;
05121         unsigned long OVER : 16;
05122 #endif
05123     } BIT;
05124     } RFOCR;
05125     union {
05126         unsigned long LONG;
05127         struct {
05128
05129 #ifdef __RX_LITTLE_ENDIAN__
05130         unsigned long ELB : 1;
05131         unsigned long : 31;
05132 #else
05133         unsigned long : 31;
05134         unsigned long ELB : 1;
05135 #endif
05136     } BIT;
05137     } IOSR;
05138     union {
05139         unsigned long LONG;
05140         struct {
05141
05142 #ifdef __RX_LITTLE_ENDIAN__
05143         unsigned long RFDO : 3;
05144         unsigned long : 13;
05145         unsigned long RFFO : 3;
05146         unsigned long : 13;
05147 #else
05148         unsigned long : 13;
05149         unsigned long RFFO : 3;
05150         unsigned long : 13;
05151         unsigned long RFDO : 3;
05152 #endif
05153     } BIT;
05154     } FCFTR;
05155     char      wk12[4];
05156     union {
05157         unsigned long LONG;
05158         struct {
05159
05160 #ifdef __RX_LITTLE_ENDIAN__
05161         unsigned long PADR : 6;
05162         unsigned long : 10;
05163         unsigned long PADS : 2;
05164         unsigned long : 14;
05165 #else
05166         unsigned long : 14;
05167         unsigned long PADS : 2;
05168         unsigned long : 10;
05169         unsigned long PADR : 6;
05170 #endif
05171     } BIT;
05172     } RPADIR;
05173     union {
05174         unsigned long LONG;
05175         struct {
05176
05177 #ifdef __RX_LITTLE_ENDIAN__
05178         unsigned long TIS : 1;
05179         unsigned long : 3;
05180         unsigned long TIM : 1;
05181         unsigned long : 27;
05182 #else
05183         unsigned long : 27;
05184         unsigned long TIM : 1;
05185         unsigned long : 3;
05186         unsigned long TIS : 1;
05187 #endif
05188     } BIT;
05189     } TRIMD;
05190     char      wk13[72];
05191     void      *RBWAR;
05192     void      *RDFAR;
05193     char      wk14[4];
05194     void      *TBRAR;
05195     void      *TDFAR;
05196 } st_edmac_t;
05197
05198 typedef struct st_elc {
05199     union {
05200         unsigned char BYTE;
05201         struct {
05202
05203 #ifdef __RX_LITTLE_ENDIAN__
05204         unsigned char : 7;
05205         unsigned char ELCON : 1;
05206 #else

```

```

05207         unsigned char ELCON : 1;
05208         unsigned char   : 7;
05209 #endif
05210     } BIT;
05211     } ELCR;
05212     union {
05213         unsigned char BYTE;
05214         struct {
05215
05216 #ifdef __RX_LITTLE_ENDIAN__
05217         unsigned char ELS : 8;
05218 #else
05219         unsigned char ELS : 8;
05220 #endif
05221     } BIT;
05222     } ELSR0;
05223     char      wk0[2];
05224     union {
05225         unsigned char BYTE;
05226         struct {
05227
05228 #ifdef __RX_LITTLE_ENDIAN__
05229         unsigned char ELS : 8;
05230 #else
05231         unsigned char ELS : 8;
05232 #endif
05233     } BIT;
05234     } ELSR3;
05235     union {
05236         unsigned char BYTE;
05237         struct {
05238
05239 #ifdef __RX_LITTLE_ENDIAN__
05240         unsigned char ELS : 8;
05241 #else
05242         unsigned char ELS : 8;
05243 #endif
05244     } BIT;
05245     } ELSR4;
05246     char      wk1[2];
05247     union {
05248         unsigned char BYTE;
05249         struct {
05250
05251 #ifdef __RX_LITTLE_ENDIAN__
05252         unsigned char ELS : 8;
05253 #else
05254         unsigned char ELS : 8;
05255 #endif
05256     } BIT;
05257     } ELSR7;
05258     char      wk2[2];
05259     union {
05260         unsigned char BYTE;
05261         struct {
05262
05263 #ifdef __RX_LITTLE_ENDIAN__
05264         unsigned char ELS : 8;
05265 #else
05266         unsigned char ELS : 8;
05267 #endif
05268     } BIT;
05269     } ELSR10;
05270     union {
05271         unsigned char BYTE;
05272         struct {
05273
05274 #ifdef __RX_LITTLE_ENDIAN__
05275         unsigned char ELS : 8;
05276 #else
05277         unsigned char ELS : 8;
05278 #endif
05279     } BIT;
05280     } ELSR11;
05281     union {
05282         unsigned char BYTE;
05283         struct {
05284
05285 #ifdef __RX_LITTLE_ENDIAN__
05286         unsigned char ELS : 8;
05287 #else
05288         unsigned char ELS : 8;
05289 #endif
05290     } BIT;
05291     } ELSR12;
05292     union {
05293         unsigned char BYTE;

```

```

05294     struct {
05295
05296 #ifdef __RX_LITTLE_ENDIAN__
05297     unsigned char ELS : 8;
05298 #else
05299     unsigned char ELS : 8;
05300 #endif
05301     } BIT;
05302     } ELSR13;
05303     char      wk3[1];
05304     union {
05305         unsigned char BYTE;
05306         struct {
05307
05308 #ifdef __RX_LITTLE_ENDIAN__
05309         unsigned char ELS : 8;
05310 #else
05311         unsigned char ELS : 8;
05312 #endif
05313         } BIT;
05314         } ELSR15;
05315         union {
05316             unsigned char BYTE;
05317             struct {
05318
05319 #ifdef __RX_LITTLE_ENDIAN__
05320             unsigned char ELS : 8;
05321 #else
05322             unsigned char ELS : 8;
05323 #endif
05324             } BIT;
05325             } ELSR16;
05326             char      wk4[1];
05327             union {
05328                 unsigned char BYTE;
05329                 struct {
05330
05331 #ifdef __RX_LITTLE_ENDIAN__
05332                 unsigned char ELS : 8;
05333 #else
05334                 unsigned char ELS : 8;
05335 #endif
05336                 } BIT;
05337                 } ELSR18;
05338                 union {
05339                     unsigned char BYTE;
05340                     struct {
05341
05342 #ifdef __RX_LITTLE_ENDIAN__
05343                     unsigned char ELS : 8;
05344 #else
05345                     unsigned char ELS : 8;
05346 #endif
05347                     } BIT;
05348                     } ELSR19;
05349                     union {
05350                         unsigned char BYTE;
05351                         struct {
05352
05353 #ifdef __RX_LITTLE_ENDIAN__
05354                         unsigned char ELS : 8;
05355 #else
05356                         unsigned char ELS : 8;
05357 #endif
05358                         } BIT;
05359                         } ELSR20;
05360                         union {
05361                             unsigned char BYTE;
05362                             struct {
05363
05364 #ifdef __RX_LITTLE_ENDIAN__
05365                             unsigned char ELS : 8;
05366 #else
05367                             unsigned char ELS : 8;
05368 #endif
05369                             } BIT;
05370                             } ELSR21;
05371                             union {
05372                                 unsigned char BYTE;
05373                                 struct {
05374
05375 #ifdef __RX_LITTLE_ENDIAN__
05376                                 unsigned char ELS : 8;
05377 #else
05378                                 unsigned char ELS : 8;
05379 #endif
05380                                 } BIT;

```

```

05381     } ELSR22;
05382     union {
05383         unsigned char BYTE;
05384         struct {
05385
05386 #ifdef __RX_LITTLE_ENDIAN__
05387         unsigned char ELS : 8;
05388 #else
05389         unsigned char ELS : 8;
05390 #endif
05391     } BIT;
05392     } ELSR23;
05393     union {
05394         unsigned char BYTE;
05395         struct {
05396
05397 #ifdef __RX_LITTLE_ENDIAN__
05398         unsigned char ELS : 8;
05399 #else
05400         unsigned char ELS : 8;
05401 #endif
05402     } BIT;
05403     } ELSR24;
05404     union {
05405         unsigned char BYTE;
05406         struct {
05407
05408 #ifdef __RX_LITTLE_ENDIAN__
05409         unsigned char ELS : 8;
05410 #else
05411         unsigned char ELS : 8;
05412 #endif
05413     } BIT;
05414     } ELSR25;
05415     union {
05416         unsigned char BYTE;
05417         struct {
05418
05419 #ifdef __RX_LITTLE_ENDIAN__
05420         unsigned char ELS : 8;
05421 #else
05422         unsigned char ELS : 8;
05423 #endif
05424     } BIT;
05425     } ELSR26;
05426     union {
05427         unsigned char BYTE;
05428         struct {
05429
05430 #ifdef __RX_LITTLE_ENDIAN__
05431         unsigned char ELS : 8;
05432 #else
05433         unsigned char ELS : 8;
05434 #endif
05435     } BIT;
05436     } ELSR27;
05437     union {
05438         unsigned char BYTE;
05439         struct {
05440
05441 #ifdef __RX_LITTLE_ENDIAN__
05442         unsigned char ELS : 8;
05443 #else
05444         unsigned char ELS : 8;
05445 #endif
05446     } BIT;
05447     } ELSR28;
05448     char          wk5[1];
05449     union {
05450         unsigned char BYTE;
05451         struct {
05452
05453 #ifdef __RX_LITTLE_ENDIAN__
05454         unsigned char MTU0MD : 2;
05455         unsigned char      : 4;
05456         unsigned char MTU3MD : 2;
05457 #else
05458         unsigned char MTU3MD : 2;
05459         unsigned char      : 4;
05460         unsigned char MTU0MD : 2;
05461 #endif
05462     } BIT;
05463     } ELOPA;
05464     union {
05465         unsigned char BYTE;
05466         struct {
05467

```

```

05468 #ifdef __RX_LITTLE_ENDIAN__
05469     unsigned char MTU4MD : 2;
05470     unsigned char : 6;
05471 #else
05472     unsigned char : 6;
05473     unsigned char MTU4MD : 2;
05474 #endif
05475     } BIT;
05476     } ELOPB;
05477     union {
05478         unsigned char BYTE;
05479         struct {
05480
05481 #ifdef __RX_LITTLE_ENDIAN__
05482         unsigned char : 2;
05483         unsigned char CMT1MD : 2;
05484         unsigned char : 4;
05485 #else
05486         unsigned char : 4;
05487         unsigned char CMT1MD : 2;
05488         unsigned char : 2;
05489 #endif
05490         } BIT;
05491         } ELOPC;
05492         union {
05493             unsigned char BYTE;
05494             struct {
05495
05496 #ifdef __RX_LITTLE_ENDIAN__
05497             unsigned char TMR0MD : 2;
05498             unsigned char TMR1MD : 2;
05499             unsigned char TMR2MD : 2;
05500             unsigned char TMR3MD : 2;
05501 #else
05502             unsigned char TMR3MD : 2;
05503             unsigned char TMR2MD : 2;
05504             unsigned char TMR1MD : 2;
05505             unsigned char TMR0MD : 2;
05506 #endif
05507             } BIT;
05508             } ELOPD;
05509             union {
05510                 unsigned char BYTE;
05511                 struct {
05512
05513 #ifdef __RX_LITTLE_ENDIAN__
05514                 unsigned char PGR0 : 1;
05515                 unsigned char PGR1 : 1;
05516                 unsigned char PGR2 : 1;
05517                 unsigned char PGR3 : 1;
05518                 unsigned char PGR4 : 1;
05519                 unsigned char PGR5 : 1;
05520                 unsigned char PGR6 : 1;
05521                 unsigned char PGR7 : 1;
05522 #else
05523                 unsigned char PGR7 : 1;
05524                 unsigned char PGR6 : 1;
05525                 unsigned char PGR5 : 1;
05526                 unsigned char PGR4 : 1;
05527                 unsigned char PGR3 : 1;
05528                 unsigned char PGR2 : 1;
05529                 unsigned char PGR1 : 1;
05530                 unsigned char PGR0 : 1;
05531 #endif
05532                 } BIT;
05533                 } PGR1;
05534                 union {
05535                     unsigned char BYTE;
05536                     struct {
05537
05538 #ifdef __RX_LITTLE_ENDIAN__
05539                     unsigned char PGR0 : 1;
05540                     unsigned char PGR1 : 1;
05541                     unsigned char PGR2 : 1;
05542                     unsigned char PGR3 : 1;
05543                     unsigned char PGR4 : 1;
05544                     unsigned char PGR5 : 1;
05545                     unsigned char PGR6 : 1;
05546                     unsigned char PGR7 : 1;
05547 #else
05548                     unsigned char PGR7 : 1;
05549                     unsigned char PGR6 : 1;
05550                     unsigned char PGR5 : 1;
05551                     unsigned char PGR4 : 1;
05552                     unsigned char PGR3 : 1;
05553                     unsigned char PGR2 : 1;
05554                     unsigned char PGR1 : 1;

```

```

05555         unsigned char PGR0 : 1;
05556 #endif
05557     } BIT;
05558     } PGR2;
05559     union {
05560         unsigned char BYTE;
05561         struct {
05562
05563 #ifdef __RX_LITTLE_ENDIAN__
05564         unsigned char PGCI : 2;
05565         unsigned char PGCOVE : 1;
05566         unsigned char : 1;
05567         unsigned char PGCO : 3;
05568         unsigned char : 1;
05569 #else
05570         unsigned char : 1;
05571         unsigned char PGCO : 3;
05572         unsigned char : 1;
05573         unsigned char PGCOVE : 1;
05574         unsigned char PGCI : 2;
05575 #endif
05576     } BIT;
05577     } PGC1;
05578     union {
05579         unsigned char BYTE;
05580         struct {
05581
05582 #ifdef __RX_LITTLE_ENDIAN__
05583         unsigned char PGCI : 2;
05584         unsigned char PGCOVE : 1;
05585         unsigned char : 1;
05586         unsigned char PGCO : 3;
05587         unsigned char : 1;
05588 #else
05589         unsigned char : 1;
05590         unsigned char PGCO : 3;
05591         unsigned char : 1;
05592         unsigned char PGCOVE : 1;
05593         unsigned char PGCI : 2;
05594 #endif
05595     } BIT;
05596     } PGC2;
05597     union {
05598         unsigned char BYTE;
05599         struct {
05600
05601 #ifdef __RX_LITTLE_ENDIAN__
05602         unsigned char PDBF0 : 1;
05603         unsigned char PDBF1 : 1;
05604         unsigned char PDBF2 : 1;
05605         unsigned char PDBF3 : 1;
05606         unsigned char PDBF4 : 1;
05607         unsigned char PDBF5 : 1;
05608         unsigned char PDBF6 : 1;
05609         unsigned char PDBF7 : 1;
05610 #else
05611         unsigned char PDBF7 : 1;
05612         unsigned char PDBF6 : 1;
05613         unsigned char PDBF5 : 1;
05614         unsigned char PDBF4 : 1;
05615         unsigned char PDBF3 : 1;
05616         unsigned char PDBF2 : 1;
05617         unsigned char PDBF1 : 1;
05618         unsigned char PDBF0 : 1;
05619 #endif
05620     } BIT;
05621     } PDBF1;
05622     union {
05623         unsigned char BYTE;
05624         struct {
05625
05626 #ifdef __RX_LITTLE_ENDIAN__
05627         unsigned char PDBF0 : 1;
05628         unsigned char PDBF1 : 1;
05629         unsigned char PDBF2 : 1;
05630         unsigned char PDBF3 : 1;
05631         unsigned char PDBF4 : 1;
05632         unsigned char PDBF5 : 1;
05633         unsigned char PDBF6 : 1;
05634         unsigned char PDBF7 : 1;
05635 #else
05636         unsigned char PDBF7 : 1;
05637         unsigned char PDBF6 : 1;
05638         unsigned char PDBF5 : 1;
05639         unsigned char PDBF4 : 1;
05640         unsigned char PDBF3 : 1;
05641         unsigned char PDBF2 : 1;

```

```

05642         unsigned char PDBF1 : 1;
05643         unsigned char PDBF0 : 1;
05644     #endif
05645     } BIT;
05646     } PDBF2;
05647     union {
05648         unsigned char BYTE;
05649         struct {
05650
05651     #ifdef __RX_LITTLE_ENDIAN__
05652         unsigned char PSB : 3;
05653         unsigned char PSP : 2;
05654         unsigned char PSM : 2;
05655         unsigned char : 1;
05656     #else
05657         unsigned char : 1;
05658         unsigned char PSM : 2;
05659         unsigned char PSP : 2;
05660         unsigned char PSB : 3;
05661     #endif
05662     } BIT;
05663     } PEL0;
05664     union {
05665         unsigned char BYTE;
05666         struct {
05667
05668     #ifdef __RX_LITTLE_ENDIAN__
05669         unsigned char PSB : 3;
05670         unsigned char PSP : 2;
05671         unsigned char PSM : 2;
05672         unsigned char : 1;
05673     #else
05674         unsigned char : 1;
05675         unsigned char PSM : 2;
05676         unsigned char PSP : 2;
05677         unsigned char PSB : 3;
05678     #endif
05679     } BIT;
05680     } PEL1;
05681     union {
05682         unsigned char BYTE;
05683         struct {
05684
05685     #ifdef __RX_LITTLE_ENDIAN__
05686         unsigned char PSB : 3;
05687         unsigned char PSP : 2;
05688         unsigned char PSM : 2;
05689         unsigned char : 1;
05690     #else
05691         unsigned char : 1;
05692         unsigned char PSM : 2;
05693         unsigned char PSP : 2;
05694         unsigned char PSB : 3;
05695     #endif
05696     } BIT;
05697     } PEL2;
05698     union {
05699         unsigned char BYTE;
05700         struct {
05701
05702     #ifdef __RX_LITTLE_ENDIAN__
05703         unsigned char PSB : 3;
05704         unsigned char PSP : 2;
05705         unsigned char PSM : 2;
05706         unsigned char : 1;
05707     #else
05708         unsigned char : 1;
05709         unsigned char PSM : 2;
05710         unsigned char PSP : 2;
05711         unsigned char PSB : 3;
05712     #endif
05713     } BIT;
05714     } PEL3;
05715     union {
05716         unsigned char BYTE;
05717     #ifdef IODEFINE_H_HISTORY
05718         struct {
05719
05720     #ifdef __RX_LITTLE_ENDIAN__
05721         unsigned char SEG : 1;
05722         unsigned char : 5;
05723         unsigned char WE : 1;
05724         unsigned char WI : 1;
05725     #else
05726         unsigned char WI : 1;
05727         unsigned char WE : 1;
05728         unsigned char : 5;

```

```

05729         unsigned char SEG : 1;
05730 #endif
05731     } BIT;
05732 #endif
05733     } ELSEGR;
05734     char        wk6[3];
05735     union {
05736         unsigned char BYTE;
05737         struct {
05738
05739 #ifdef __RX_LITTLE_ENDIAN__
05740         unsigned char ELS : 8;
05741 #else
05742         unsigned char ELS : 8;
05743 #endif
05744         } BIT;
05745         } ELSR33;
05746         char        wk7[1];
05747         union {
05748             unsigned char BYTE;
05749             struct {
05750
05751 #ifdef __RX_LITTLE_ENDIAN__
05752             unsigned char ELS : 8;
05753 #else
05754             unsigned char ELS : 8;
05755 #endif
05756             } BIT;
05757             } ELSR35;
05758             union {
05759                 unsigned char BYTE;
05760                 struct {
05761
05762 #ifdef __RX_LITTLE_ENDIAN__
05763                 unsigned char ELS : 8;
05764 #else
05765                 unsigned char ELS : 8;
05766 #endif
05767                 } BIT;
05768                 } ELSR36;
05769                 union {
05770                     unsigned char BYTE;
05771                     struct {
05772
05773 #ifdef __RX_LITTLE_ENDIAN__
05774                     unsigned char ELS : 8;
05775 #else
05776                     unsigned char ELS : 8;
05777 #endif
05778                     } BIT;
05779                     } ELSR37;
05780                     union {
05781                         unsigned char BYTE;
05782                         struct {
05783
05784 #ifdef __RX_LITTLE_ENDIAN__
05785                         unsigned char ELS : 8;
05786 #else
05787                         unsigned char ELS : 8;
05788 #endif
05789                         } BIT;
05790                         } ELSR38;
05791                         char        wk8[6];
05792                         union {
05793                             unsigned char BYTE;
05794                             struct {
05795
05796 #ifdef __RX_LITTLE_ENDIAN__
05797                             unsigned char ELS : 8;
05798 #else
05799                             unsigned char ELS : 8;
05800 #endif
05801                             } BIT;
05802                             } ELSR45;
05803                             char        wk9[1];
05804                             union {
05805                                 unsigned char BYTE;
05806                                 struct {
05807
05808 #ifdef __RX_LITTLE_ENDIAN__
05809                                 unsigned char TPU0MD : 2;
05810                                 unsigned char TPU1MD : 2;
05811                                 unsigned char TPU2MD : 2;
05812                                 unsigned char TPU3MD : 2;
05813 #else
05814                                 unsigned char TPU3MD : 2;
05815                                 unsigned char TPU2MD : 2;

```



```

05816         unsigned char TPU1MD : 2;
05817         unsigned char TPU0MD : 2;
05818     #endif
05819     } BIT;
05820     } ELOPF;
05821     char          wk10[1];
05822     union {
05823         unsigned char BYTE;
05824         struct {
05825
05826 #ifdef __RX_LITTLE_ENDIAN__
05827         unsigned char CMTW0MD : 2;
05828         unsigned char : 6;
05829 #else
05830         unsigned char : 6;
05831         unsigned char CMTW0MD : 2;
05832 #endif
05833     } BIT;
05834     } ELOPH;
05835     char          wk11[4];
05836     union {
05837         unsigned char BYTE;
05838         struct {
05839
05840 #ifdef __RX_LITTLE_ENDIAN__
05841         unsigned char ELS : 8;
05842 #else
05843         unsigned char ELS : 8;
05844 #endif
05845     } BIT;
05846     } ELSR48;
05847     union {
05848         unsigned char BYTE;
05849         struct {
05850
05851 #ifdef __RX_LITTLE_ENDIAN__
05852         unsigned char ELS : 8;
05853 #else
05854         unsigned char ELS : 8;
05855 #endif
05856     } BIT;
05857     } ELSR49;
05858     union {
05859         unsigned char BYTE;
05860         struct {
05861
05862 #ifdef __RX_LITTLE_ENDIAN__
05863         unsigned char ELS : 8;
05864 #else
05865         unsigned char ELS : 8;
05866 #endif
05867     } BIT;
05868     } ELSR50;
05869     union {
05870         unsigned char BYTE;
05871         struct {
05872
05873 #ifdef __RX_LITTLE_ENDIAN__
05874         unsigned char ELS : 8;
05875 #else
05876         unsigned char ELS : 8;
05877 #endif
05878     } BIT;
05879     } ELSR51;
05880     union {
05881         unsigned char BYTE;
05882         struct {
05883
05884 #ifdef __RX_LITTLE_ENDIAN__
05885         unsigned char ELS : 8;
05886 #else
05887         unsigned char ELS : 8;
05888 #endif
05889     } BIT;
05890     } ELSR52;
05891     union {
05892         unsigned char BYTE;
05893         struct {
05894
05895 #ifdef __RX_LITTLE_ENDIAN__
05896         unsigned char ELS : 8;
05897 #else
05898         unsigned char ELS : 8;
05899 #endif
05900     } BIT;
05901     } ELSR53;
05902     union {

```

```

05903     unsigned char BYTE;
05904     struct {
05905
05906 #ifdef __RX_LITTLE_ENDIAN__
05907     unsigned char ELS : 8;
05908 #else
05909     unsigned char ELS : 8;
05910 #endif
05911     } BIT;
05912     } ELSR54;
05913     union {
05914     unsigned char BYTE;
05915     struct {
05916
05917 #ifdef __RX_LITTLE_ENDIAN__
05918     unsigned char ELS : 8;
05919 #else
05920     unsigned char ELS : 8;
05921 #endif
05922     } BIT;
05923     } ELSR55;
05924     union {
05925     unsigned char BYTE;
05926     struct {
05927
05928 #ifdef __RX_LITTLE_ENDIAN__
05929     unsigned char ELS : 8;
05930 #else
05931     unsigned char ELS : 8;
05932 #endif
05933     } BIT;
05934     } ELSR56;
05935     union {
05936     unsigned char BYTE;
05937     struct {
05938
05939 #ifdef __RX_LITTLE_ENDIAN__
05940     unsigned char ELS : 8;
05941 #else
05942     unsigned char ELS : 8;
05943 #endif
05944     } BIT;
05945     } ELSR57;
05946 } st_elc_t;
05947
05948 typedef struct st_eptpc {
05949     union {
05950     unsigned long LONG;
05951     struct {
05952
05953 #ifdef __RX_LITTLE_ENDIAN__
05954     unsigned long RESET : 1;
05955     unsigned long : 31;
05956 #else
05957     unsigned long : 31;
05958     unsigned long RESET : 1;
05959 #endif
05960     } BIT;
05961     } PTRSTR;
05962     union {
05963     unsigned long LONG;
05964     struct {
05965
05966 #ifdef __RX_LITTLE_ENDIAN__
05967     unsigned long SCLKDIV : 3;
05968     unsigned long : 5;
05969     unsigned long SCLKSEL : 3;
05970     unsigned long : 21;
05971 #else
05972     unsigned long : 21;
05973     unsigned long SCLKSEL : 3;
05974     unsigned long : 5;
05975     unsigned long SCLKDIV : 3;
05976 #endif
05977     } BIT;
05978     } STCSEL;
05979     union {
05980     unsigned long LONG;
05981     struct {
05982
05983 #ifdef __RX_LITTLE_ENDIAN__
05984     unsigned long BYPASS0 : 1;
05985     unsigned long : 15;
05986     unsigned long BYPASS1 : 1;
05987     unsigned long : 15;
05988 #else
05989     unsigned long : 15;

```

```

05990         unsigned long BYPASS1 : 1;
05991         unsigned long  : 15;
05992         unsigned long BYPASS0 : 1;
05993     #endif
05994     } BIT;
05995     } SYBYPSPR;
05996     char      wk0[15092];
05997     unsigned long MIESR;
05998     union {
05999         unsigned long LONG;
06000         struct {
06001
06002     #ifdef __RX_LITTLE_ENDIAN__
06003         unsigned long ST : 1;
06004         unsigned long SY0 : 1;
06005         unsigned long SY1 : 1;
06006         unsigned long PR : 1;
06007         unsigned long  : 12;
06008         unsigned long CYC0 : 1;
06009         unsigned long CYC1 : 1;
06010         unsigned long CYC2 : 1;
06011         unsigned long CYC3 : 1;
06012         unsigned long CYC4 : 1;
06013         unsigned long CYC5 : 1;
06014         unsigned long  : 10;
06015     #else
06016         unsigned long  : 10;
06017         unsigned long CYC5 : 1;
06018         unsigned long CYC4 : 1;
06019         unsigned long CYC3 : 1;
06020         unsigned long CYC2 : 1;
06021         unsigned long CYC1 : 1;
06022         unsigned long CYC0 : 1;
06023         unsigned long  : 12;
06024         unsigned long PR : 1;
06025         unsigned long SY1 : 1;
06026         unsigned long SY0 : 1;
06027         unsigned long ST : 1;
06028     #endif
06029     } BIT;
06030     } MIEIPR;
06031     char      wk1[8];
06032     union {
06033         unsigned long LONG;
06034         struct {
06035
06036     #ifdef __RX_LITTLE_ENDIAN__
06037         unsigned long CYCP0 : 1;
06038         unsigned long CYCP1 : 1;
06039         unsigned long CYCP2 : 1;
06040         unsigned long CYCP3 : 1;
06041         unsigned long CYCP4 : 1;
06042         unsigned long CYCP5 : 1;
06043         unsigned long  : 2;
06044         unsigned long CYCN0 : 1;
06045         unsigned long CYCN1 : 1;
06046         unsigned long CYCN2 : 1;
06047         unsigned long CYCN3 : 1;
06048         unsigned long CYCN4 : 1;
06049         unsigned long CYCN5 : 1;
06050         unsigned long  : 2;
06051         unsigned long PLSN : 1;
06052         unsigned long  : 7;
06053         unsigned long PLSN : 1;
06054         unsigned long  : 7;
06055     #else
06056         unsigned long  : 7;
06057         unsigned long PLSN : 1;
06058         unsigned long  : 7;
06059         unsigned long PLSN : 1;
06060         unsigned long  : 2;
06061         unsigned long CYCN5 : 1;
06062         unsigned long CYCN4 : 1;
06063         unsigned long CYCN3 : 1;
06064         unsigned long CYCN2 : 1;
06065         unsigned long CYCN1 : 1;
06066         unsigned long CYCN0 : 1;
06067         unsigned long  : 2;
06068         unsigned long CYCP5 : 1;
06069         unsigned long CYCP4 : 1;
06070         unsigned long CYCP3 : 1;
06071         unsigned long CYCP2 : 1;
06072         unsigned long CYCP1 : 1;
06073         unsigned long CYCP0 : 1;
06074     #endif
06075     } BIT;
06076     } ELIPPR;

```

```

06077     union {
06078         unsigned long LONG;
06079     struct {
06080
06081 #ifdef __RX_LITTLE_ENDIAN__
06082         unsigned long CYCP0 : 1;
06083         unsigned long CYCP1 : 1;
06084         unsigned long CYCP2 : 1;
06085         unsigned long CYCP3 : 1;
06086         unsigned long CYCP4 : 1;
06087         unsigned long CYCP5 : 1;
06088         unsigned long : 2;
06089         unsigned long CYCN0 : 1;
06090         unsigned long CYCN1 : 1;
06091         unsigned long CYCN2 : 1;
06092         unsigned long CYCN3 : 1;
06093         unsigned long CYCN4 : 1;
06094         unsigned long CYCN5 : 1;
06095         unsigned long : 2;
06096         unsigned long PLSP : 1;
06097         unsigned long : 7;
06098         unsigned long PLSN : 1;
06099         unsigned long : 7;
06100 #else
06101         unsigned long : 7;
06102         unsigned long PLSN : 1;
06103         unsigned long : 7;
06104         unsigned long PLSP : 1;
06105         unsigned long : 2;
06106         unsigned long CYCN5 : 1;
06107         unsigned long CYCN4 : 1;
06108         unsigned long CYCN3 : 1;
06109         unsigned long CYCN2 : 1;
06110         unsigned long CYCN1 : 1;
06111         unsigned long CYCN0 : 1;
06112         unsigned long : 2;
06113         unsigned long CYCP5 : 1;
06114         unsigned long CYCP4 : 1;
06115         unsigned long CYCP3 : 1;
06116         unsigned long CYCP2 : 1;
06117         unsigned long CYCP1 : 1;
06118         unsigned long CYCP0 : 1;
06119 #endif
06120     } BIT;
06121     } ELIPACR;
06122     char          wk2[40];
06123     unsigned long STSR;
06124     union {
06125         unsigned long LONG;
06126     struct {
06127
06128 #ifdef __RX_LITTLE_ENDIAN__
06129         unsigned long SYNC : 1;
06130         unsigned long SYNCOUT : 1;
06131         unsigned long : 1;
06132         unsigned long SYNTOUT : 1;
06133         unsigned long W10D : 1;
06134         unsigned long : 27;
06135 #else
06136         unsigned long : 27;
06137         unsigned long W10D : 1;
06138         unsigned long SYNTOUT : 1;
06139         unsigned long : 1;
06140         unsigned long SYNCOUT : 1;
06141         unsigned long SYNC : 1;
06142 #endif
06143     } BIT;
06144     } STIPR;
06145     char          wk3[8];
06146     union {
06147         unsigned long LONG;
06148     struct {
06149
06150 #ifdef __RX_LITTLE_ENDIAN__
06151         unsigned long STCF : 2;
06152         unsigned long : 30;
06153 #else
06154         unsigned long : 30;
06155         unsigned long STCF : 2;
06156 #endif
06157     } BIT;
06158     } STCFR;
06159     union {
06160         unsigned long LONG;
06161     struct {
06162
06163 #ifdef __RX_LITTLE_ENDIAN__

```

```

06164         unsigned long WINT : 8;
06165         unsigned long  : 5;
06166         unsigned long CMOD : 1;
06167         unsigned long  : 1;
06168         unsigned long W10S : 1;
06169         unsigned long SYTH : 4;
06170         unsigned long DVTH : 4;
06171         unsigned long  : 4;
06172         unsigned long ALEN0 : 1;
06173         unsigned long ALEN1 : 1;
06174         unsigned long  : 2;
06175 #else
06176         unsigned long  : 2;
06177         unsigned long ALEN1 : 1;
06178         unsigned long ALEN0 : 1;
06179         unsigned long  : 4;
06180         unsigned long DVTH : 4;
06181         unsigned long SYTH : 4;
06182         unsigned long W10S : 1;
06183         unsigned long  : 1;
06184         unsigned long CMOD : 1;
06185         unsigned long  : 5;
06186         unsigned long WINT : 8;
06187 #endif
06188     } BIT;
06189     } STMR;
06190     unsigned long SYNTOR;
06191     char          wk4[4];
06192     union {
06193         unsigned long LONG;
06194         struct {
06195
06196 #ifdef __RX_LITTLE_ENDIAN__
06197             unsigned long IPTSEL0 : 1;
06198             unsigned long IPTSEL1 : 1;
06199             unsigned long IPTSEL2 : 1;
06200             unsigned long IPTSEL3 : 1;
06201             unsigned long IPTSEL4 : 1;
06202             unsigned long IPTSEL5 : 1;
06203             unsigned long  : 26;
06204 #else
06205             unsigned long  : 26;
06206             unsigned long IPTSEL5 : 1;
06207             unsigned long IPTSEL4 : 1;
06208             unsigned long IPTSEL3 : 1;
06209             unsigned long IPTSEL2 : 1;
06210             unsigned long IPTSEL1 : 1;
06211             unsigned long IPTSEL0 : 1;
06212 #endif
06213         } BIT;
06214         } IPTSELR;
06215         union {
06216             unsigned long LONG;
06217             struct {
06218
06219 #ifdef __RX_LITTLE_ENDIAN__
06220             unsigned long MINTEN0 : 1;
06221             unsigned long MINTEN1 : 1;
06222             unsigned long MINTEN2 : 1;
06223             unsigned long MINTEN3 : 1;
06224             unsigned long MINTEN4 : 1;
06225             unsigned long MINTEN5 : 1;
06226             unsigned long  : 26;
06227 #else
06228             unsigned long  : 26;
06229             unsigned long MINTEN5 : 1;
06230             unsigned long MINTEN4 : 1;
06231             unsigned long MINTEN3 : 1;
06232             unsigned long MINTEN2 : 1;
06233             unsigned long MINTEN1 : 1;
06234             unsigned long MINTEN0 : 1;
06235 #endif
06236         } BIT;
06237         } MITSELR;
06238         union {
06239             unsigned long LONG;
06240             struct {
06241
06242 #ifdef __RX_LITTLE_ENDIAN__
06243             unsigned long ELTDIS0 : 1;
06244             unsigned long ELTDIS1 : 1;
06245             unsigned long ELTDIS2 : 1;
06246             unsigned long ELTDIS3 : 1;
06247             unsigned long ELTDIS4 : 1;
06248             unsigned long ELTDIS5 : 1;
06249             unsigned long  : 26;
06250 #else

```

```

06251         unsigned long : 26;
06252         unsigned long ELTDIS5 : 1;
06253         unsigned long ELTDIS4 : 1;
06254         unsigned long ELTDIS3 : 1;
06255         unsigned long ELTDIS2 : 1;
06256         unsigned long ELTDIS1 : 1;
06257         unsigned long ELTDIS0 : 1;
06258     #endif
06259     } BIT;
06260     } ELTSEL;
06261     union {
06262         unsigned long LONG;
06263         struct {
06264
06265     #ifdef __RX_LITTLE_ENDIAN__
06266         unsigned long SYSEL : 1;
06267         unsigned long : 31;
06268     #else
06269         unsigned long : 31;
06270         unsigned long SYSEL : 1;
06271     #endif
06272     } BIT;
06273     } STCHSEL;
06274     char          wk5[16];
06275     union {
06276         unsigned long LONG;
06277         struct {
06278
06279     #ifdef __RX_LITTLE_ENDIAN__
06280         unsigned long STR : 1;
06281         unsigned long : 31;
06282     #else
06283         unsigned long : 31;
06284         unsigned long STR : 1;
06285     #endif
06286     } BIT;
06287     } SYNSTARTR;
06288     union {
06289         unsigned long LONG;
06290         struct {
06291
06292     #ifdef __RX_LITTLE_ENDIAN__
06293         unsigned long LOAD : 1;
06294         unsigned long : 31;
06295     #else
06296         unsigned long : 31;
06297         unsigned long LOAD : 1;
06298     #endif
06299     } BIT;
06300     } LCIVLDR;
06301     char          wk6[8];
06302     unsigned long SYNTDARU;
06303     unsigned long SYNTDARL;
06304     unsigned long SYNTDBRU;
06305     unsigned long SYNTDBRL;
06306     char          wk7[16];
06307     union {
06308         unsigned long LONG;
06309         struct {
06310
06311     #ifdef __RX_LITTLE_ENDIAN__
06312         unsigned long VALU : 16;
06313         unsigned long : 16;
06314     #else
06315         unsigned long : 16;
06316         unsigned long VALU : 16;
06317     #endif
06318     } BIT;
06319     } LCIVRU;
06320     unsigned long LCIVRM;
06321     unsigned long LCIVRL;
06322     char          wk8[104];
06323     union {
06324         unsigned long LONG;
06325         struct {
06326
06327     #ifdef __RX_LITTLE_ENDIAN__
06328         unsigned long GW10 : 1;
06329         unsigned long : 31;
06330     #else
06331         unsigned long : 31;
06332         unsigned long GW10 : 1;
06333     #endif
06334     } BIT;
06335     } GETW10R;
06336     union {
06337         unsigned long LONG;

```

```

06338     struct {
06339
06340 #ifdef __RX_LITTLE_ENDIAN__
06341     unsigned long LMTU : 31;
06342     unsigned long : 1;
06343 #else
06344     unsigned long : 1;
06345     unsigned long LMTU : 31;
06346 #endif
06347     } BIT;
06348     } PLIMITRU;
06349     unsigned long PLIMITRM;
06350     unsigned long PLIMITRL;
06351     union {
06352         unsigned long LONG;
06353         struct {
06354
06355 #ifdef __RX_LITTLE_ENDIAN__
06356         unsigned long LMTU : 31;
06357         unsigned long : 1;
06358 #else
06359         unsigned long : 1;
06360         unsigned long LMTU : 31;
06361 #endif
06362         } BIT;
06363         } MLIMITRU;
06364         unsigned long MLIMITRM;
06365         unsigned long MLIMITRL;
06366         union {
06367             unsigned long LONG;
06368             struct {
06369
06370 #ifdef __RX_LITTLE_ENDIAN__
06371             unsigned long INFO : 1;
06372             unsigned long : 31;
06373 #else
06374             unsigned long : 31;
06375             unsigned long INFO : 1;
06376 #endif
06377             } BIT;
06378             } GETINFOR;
06379             char wk9[44];
06380             union {
06381                 unsigned long LONG;
06382                 struct {
06383
06384 #ifdef __RX_LITTLE_ENDIAN__
06385                 unsigned long CNTU : 16;
06386                 unsigned long : 16;
06387 #else
06388                 unsigned long : 16;
06389                 unsigned long CNTU : 16;
06390 #endif
06391                 } BIT;
06392                 } LCCVRU;
06393                 unsigned long LCCVRM;
06394                 unsigned long LCCVRL;
06395                 char wk10[148];
06396                 unsigned long PW10VRU;
06397                 unsigned long PW10VRM;
06398                 unsigned long PW10VRL;
06399                 char wk11[180];
06400                 unsigned long MW10RU;
06401                 unsigned long MW10RM;
06402                 unsigned long MW10RL;
06403                 char wk12[36];
06404                 unsigned long TMSTTRU0;
06405                 unsigned long TMSTTRL0;
06406                 union {
06407                     unsigned long LONG;
06408                     struct {
06409
06410 #ifdef __RX_LITTLE_ENDIAN__
06411                     unsigned long CYC : 30;
06412                     unsigned long : 2;
06413 #else
06414                     unsigned long : 2;
06415                     unsigned long CYC : 30;
06416 #endif
06417                     } BIT;
06418                     } TMCYCRO0;
06419                     union {
06420                         unsigned long LONG;
06421                         struct {
06422
06423 #ifdef __RX_LITTLE_ENDIAN__
06424                         unsigned long WTH : 29;

```

```

06425         unsigned long : 3;
06426 #else
06427         unsigned long : 3;
06428         unsigned long WTH : 29;
06429 #endif
06430     } BIT;
06431     } TMPLSR0;
06432     unsigned long TMSTTRU1;
06433     unsigned long TMSTTRL1;
06434     union {
06435         unsigned long LONG;
06436         struct {
06437
06438 #ifdef __RX_LITTLE_ENDIAN__
06439         unsigned long CYC : 30;
06440         unsigned long : 2;
06441 #else
06442         unsigned long : 2;
06443         unsigned long CYC : 30;
06444 #endif
06445     } BIT;
06446     } TMCYCR1;
06447     union {
06448         unsigned long LONG;
06449         struct {
06450
06451 #ifdef __RX_LITTLE_ENDIAN__
06452         unsigned long WTH : 29;
06453         unsigned long : 3;
06454 #else
06455         unsigned long : 3;
06456         unsigned long WTH : 29;
06457 #endif
06458     } BIT;
06459     } TMPLSR1;
06460     unsigned long TMSTTRU2;
06461     unsigned long TMSTTRL2;
06462     union {
06463         unsigned long LONG;
06464         struct {
06465
06466 #ifdef __RX_LITTLE_ENDIAN__
06467         unsigned long CYC : 30;
06468         unsigned long : 2;
06469 #else
06470         unsigned long : 2;
06471         unsigned long CYC : 30;
06472 #endif
06473     } BIT;
06474     } TMCYCR2;
06475     union {
06476         unsigned long LONG;
06477         struct {
06478
06479 #ifdef __RX_LITTLE_ENDIAN__
06480         unsigned long WTH : 29;
06481         unsigned long : 3;
06482 #else
06483         unsigned long : 3;
06484         unsigned long WTH : 29;
06485 #endif
06486     } BIT;
06487     } TMPLSR2;
06488     unsigned long TMSTTRU3;
06489     unsigned long TMSTTRL3;
06490     union {
06491         unsigned long LONG;
06492         struct {
06493
06494 #ifdef __RX_LITTLE_ENDIAN__
06495         unsigned long CYC : 30;
06496         unsigned long : 2;
06497 #else
06498         unsigned long : 2;
06499         unsigned long CYC : 30;
06500 #endif
06501     } BIT;
06502     } TMCYCR3;
06503     union {
06504         unsigned long LONG;
06505         struct {
06506
06507 #ifdef __RX_LITTLE_ENDIAN__
06508         unsigned long WTH : 29;
06509         unsigned long : 3;
06510 #else
06511         unsigned long : 3;

```



```

06512         unsigned long WTH : 29;
06513 #endif
06514     } BIT;
06515     } TMPLSR3;
06516     unsigned long  TMSTTRU4;
06517     unsigned long  TMSTTRL4;
06518     union {
06519         unsigned long LONG;
06520         struct {
06521
06522 #ifdef  __RX_LITTLE_ENDIAN__
06523         unsigned long CYC : 30;
06524         unsigned long  : 2;
06525 #else
06526         unsigned long  : 2;
06527         unsigned long CYC : 30;
06528 #endif
06529     } BIT;
06530     } TMCYCR4;
06531     union {
06532         unsigned long LONG;
06533         struct {
06534
06535 #ifdef  __RX_LITTLE_ENDIAN__
06536         unsigned long WTH : 29;
06537         unsigned long  : 3;
06538 #else
06539         unsigned long  : 3;
06540         unsigned long WTH : 29;
06541 #endif
06542     } BIT;
06543     } TMPLSR4;
06544     unsigned long  TMSTTRU5;
06545     unsigned long  TMSTTRL5;
06546     union {
06547         unsigned long LONG;
06548         struct {
06549
06550 #ifdef  __RX_LITTLE_ENDIAN__
06551         unsigned long CYC : 30;
06552         unsigned long  : 2;
06553 #else
06554         unsigned long  : 2;
06555         unsigned long CYC : 30;
06556 #endif
06557     } BIT;
06558     } TMCYCR5;
06559     union {
06560         unsigned long LONG;
06561         struct {
06562
06563 #ifdef  __RX_LITTLE_ENDIAN__
06564         unsigned long WTH : 29;
06565         unsigned long  : 3;
06566 #else
06567         unsigned long  : 3;
06568         unsigned long WTH : 29;
06569 #endif
06570     } BIT;
06571     } TMPLSR5;
06572     char          wk13[28];
06573     union {
06574         unsigned long LONG;
06575         struct {
06576
06577 #ifdef  __RX_LITTLE_ENDIAN__
06578         unsigned long EN0 : 1;
06579         unsigned long EN1 : 1;
06580         unsigned long EN2 : 1;
06581         unsigned long EN3 : 1;
06582         unsigned long EN4 : 1;
06583         unsigned long EN5 : 1;
06584         unsigned long  : 26;
06585 #else
06586         unsigned long  : 26;
06587         unsigned long EN5 : 1;
06588         unsigned long EN4 : 1;
06589         unsigned long EN3 : 1;
06590         unsigned long EN2 : 1;
06591         unsigned long EN1 : 1;
06592         unsigned long EN0 : 1;
06593 #endif
06594     } BIT;
06595     } TMSTARTR;
06596     char          wk14[128];
06597     unsigned long  PRSR;
06598     union {

```

```

06599     unsigned long LONG;
06600     struct {
06601
06602 #ifdef __RX_LITTLE_ENDIAN__
06603     unsigned long OVRE0 : 1;
06604     unsigned long OVRE1 : 1;
06605     unsigned long OVRE2 : 1;
06606     unsigned long OVRE3 : 1;
06607     unsigned long : 4;
06608     unsigned long MACE : 1;
06609     unsigned long : 19;
06610     unsigned long URE0 : 1;
06611     unsigned long URE1 : 1;
06612     unsigned long : 2;
06613 #else
06614     unsigned long : 2;
06615     unsigned long URE1 : 1;
06616     unsigned long URE0 : 1;
06617     unsigned long : 19;
06618     unsigned long MACE : 1;
06619     unsigned long : 4;
06620     unsigned long OVRE3 : 1;
06621     unsigned long OVRE2 : 1;
06622     unsigned long OVRE1 : 1;
06623     unsigned long OVRE0 : 1;
06624 #endif
06625     } BIT;
06626     } PRIPR;
06627     char wk15[8];
06628     union {
06629     unsigned long LONG;
06630     struct {
06631
06632 #ifdef __RX_LITTLE_ENDIAN__
06633     unsigned long MACU : 24;
06634     unsigned long : 8;
06635 #else
06636     unsigned long : 8;
06637     unsigned long MACU : 24;
06638 #endif
06639     } BIT;
06640     } PRMACRU0;
06641     union {
06642     unsigned long LONG;
06643     struct {
06644
06645 #ifdef __RX_LITTLE_ENDIAN__
06646     unsigned long MACL : 24;
06647     unsigned long : 8;
06648 #else
06649     unsigned long : 8;
06650     unsigned long MACL : 24;
06651 #endif
06652     } BIT;
06653     } PRMACRL0;
06654     union {
06655     unsigned long LONG;
06656     struct {
06657
06658 #ifdef __RX_LITTLE_ENDIAN__
06659     unsigned long MACU : 24;
06660     unsigned long : 8;
06661 #else
06662     unsigned long : 8;
06663     unsigned long MACU : 24;
06664 #endif
06665     } BIT;
06666     } PRMACRU1;
06667     union {
06668     unsigned long LONG;
06669     struct {
06670
06671 #ifdef __RX_LITTLE_ENDIAN__
06672     unsigned long MACL : 24;
06673     unsigned long : 8;
06674 #else
06675     unsigned long : 8;
06676     unsigned long MACL : 24;
06677 #endif
06678     } BIT;
06679     } PRMACRL1;
06680     union {
06681     unsigned long LONG;
06682     struct {
06683
06684 #ifdef __RX_LITTLE_ENDIAN__
06685     unsigned long TDIS : 2;

```

```

06686         unsigned long : 30;
06687 #else
06688         unsigned long : 30;
06689         unsigned long TDIS : 2;
06690 #endif
06691     } BIT;
06692     } TRNDISR;
06693     char        wk16[12];
06694     union {
06695         unsigned long LONG;
06696         struct {
06697
06698 #ifdef __RX_LITTLE_ENDIAN__
06699         unsigned long MOD : 1;
06700         unsigned long : 7;
06701         unsigned long FWD0 : 1;
06702         unsigned long FWD1 : 1;
06703         unsigned long : 22;
06704 #else
06705         unsigned long : 22;
06706         unsigned long FWD1 : 1;
06707         unsigned long FWD0 : 1;
06708         unsigned long : 7;
06709         unsigned long MOD : 1;
06710 #endif
06711     } BIT;
06712     } TRNMR;
06713     union {
06714         unsigned long LONG;
06715         struct {
06716
06717 #ifdef __RX_LITTLE_ENDIAN__
06718         unsigned long THVAL : 11;
06719         unsigned long : 21;
06720 #else
06721         unsigned long : 21;
06722         unsigned long THVAL : 11;
06723 #endif
06724     } BIT;
06725     } TRNCTDR;
06726 } st_eptpc_t;
06727
06728 typedef struct st_eptpc0 {
06729     unsigned long SYSR;
06730     union {
06731         unsigned long LONG;
06732         struct {
06733
06734 #ifdef __RX_LITTLE_ENDIAN__
06735         unsigned long OFMUD : 1;
06736         unsigned long INTCHG : 1;
06737         unsigned long MPDUD : 1;
06738         unsigned long : 1;
06739         unsigned long DRPTO : 1;
06740         unsigned long INTDEV : 1;
06741         unsigned long DRQOVR : 1;
06742         unsigned long : 5;
06743         unsigned long RECLP : 1;
06744         unsigned long : 1;
06745         unsigned long INFABT : 1;
06746         unsigned long : 1;
06747         unsigned long RESDN : 1;
06748         unsigned long GENDN : 1;
06749         unsigned long : 14;
06750 #else
06751         unsigned long : 14;
06752         unsigned long GENDN : 1;
06753         unsigned long RESDN : 1;
06754         unsigned long : 1;
06755         unsigned long INFABT : 1;
06756         unsigned long : 1;
06757         unsigned long RECLP : 1;
06758         unsigned long : 5;
06759         unsigned long DRQOVR : 1;
06760         unsigned long INTDEV : 1;
06761         unsigned long DRPTO : 1;
06762         unsigned long : 1;
06763         unsigned long MPDUD : 1;
06764         unsigned long INTCHG : 1;
06765         unsigned long OFMUD : 1;
06766 #endif
06767     } BIT;
06768     } SYIPR;
06769     char        wk0[8];
06770     union {
06771         unsigned long LONG;
06772         struct {

```

```

06773
06774 #ifdef __RX_LITTLE_ENDIAN__
06775     unsigned long MACU : 24;
06776     unsigned long : 8;
06777 #else
06778     unsigned long : 8;
06779     unsigned long MACU : 24;
06780 #endif
06781 } BIT;
06782 } SYMACRU;
06783 union {
06784     unsigned long LONG;
06785     struct {
06786
06787 #ifdef __RX_LITTLE_ENDIAN__
06788     unsigned long MACL : 24;
06789     unsigned long : 8;
06790 #else
06791     unsigned long : 8;
06792     unsigned long MACL : 24;
06793 #endif
06794 } BIT;
06795 } SYMACRL;
06796 unsigned long SYLLCCTLR;
06797 unsigned long SYIPADDRR;
06798 char wk1[32];
06799 union {
06800     unsigned long LONG;
06801     struct {
06802
06803 #ifdef __RX_LITTLE_ENDIAN__
06804     unsigned long VER : 4;
06805     unsigned long TRSP : 4;
06806     unsigned long : 24;
06807 #else
06808     unsigned long : 24;
06809     unsigned long TRSP : 4;
06810     unsigned long VER : 4;
06811 #endif
06812 } BIT;
06813 } SYSPVRR;
06814 union {
06815     unsigned long LONG;
06816     struct {
06817
06818 #ifdef __RX_LITTLE_ENDIAN__
06819     unsigned long DNUM : 8;
06820     unsigned long : 24;
06821 #else
06822     unsigned long : 24;
06823     unsigned long DNUM : 8;
06824 #endif
06825 } BIT;
06826 } SYDOMR;
06827 char wk2[8];
06828 union {
06829     unsigned long LONG;
06830     struct {
06831
06832 #ifdef __RX_LITTLE_ENDIAN__
06833     unsigned long FLAG0 : 1;
06834     unsigned long FLAG1 : 1;
06835     unsigned long FLAG2 : 1;
06836     unsigned long FLAG3 : 1;
06837     unsigned long FLAG4 : 1;
06838     unsigned long FLAG5 : 1;
06839     unsigned long : 2;
06840     unsigned long FLAG8 : 1;
06841     unsigned long : 1;
06842     unsigned long FLAG10 : 1;
06843     unsigned long : 2;
06844     unsigned long FLAG13 : 1;
06845     unsigned long FLAG14 : 1;
06846     unsigned long : 17;
06847 #else
06848     unsigned long : 17;
06849     unsigned long FLAG14 : 1;
06850     unsigned long FLAG13 : 1;
06851     unsigned long : 2;
06852     unsigned long FLAG10 : 1;
06853     unsigned long : 1;
06854     unsigned long FLAG8 : 1;
06855     unsigned long : 2;
06856     unsigned long FLAG5 : 1;
06857     unsigned long FLAG4 : 1;
06858     unsigned long FLAG3 : 1;
06859     unsigned long FLAG2 : 1;

```

```

06860         unsigned long FLAG1 : 1;
06861         unsigned long FLAG0 : 1;
06862     #endif
06863     } BIT;
06864     } ANFR;
06865     union {
06866         unsigned long LONG;
06867         struct {
06868
06869     #ifdef __RX_LITTLE_ENDIAN__
06870         unsigned long : 8;
06871         unsigned long FLAG8 : 1;
06872         unsigned long FLAG9 : 1;
06873         unsigned long FLAG10 : 1;
06874         unsigned long : 2;
06875         unsigned long FLAG13 : 1;
06876         unsigned long FLAG14 : 1;
06877         unsigned long : 17;
06878     #else
06879         unsigned long : 17;
06880         unsigned long FLAG14 : 1;
06881         unsigned long FLAG13 : 1;
06882         unsigned long : 2;
06883         unsigned long FLAG10 : 1;
06884         unsigned long FLAG9 : 1;
06885         unsigned long FLAG8 : 1;
06886         unsigned long : 8;
06887     #endif
06888     } BIT;
06889     } SYNFR;
06890     union {
06891         unsigned long LONG;
06892         struct {
06893
06894     #ifdef __RX_LITTLE_ENDIAN__
06895         unsigned long : 10;
06896         unsigned long FLAG10 : 1;
06897         unsigned long : 2;
06898         unsigned long FLAG13 : 1;
06899         unsigned long FLAG14 : 1;
06900         unsigned long : 17;
06901     #else
06902         unsigned long : 17;
06903         unsigned long FLAG14 : 1;
06904         unsigned long FLAG13 : 1;
06905         unsigned long : 2;
06906         unsigned long FLAG10 : 1;
06907         unsigned long : 10;
06908     #endif
06909     } BIT;
06910     } DYRQFR;
06911     union {
06912         unsigned long LONG;
06913         struct {
06914
06915     #ifdef __RX_LITTLE_ENDIAN__
06916         unsigned long : 8;
06917         unsigned long FLAG8 : 1;
06918         unsigned long FLAG9 : 1;
06919         unsigned long FLAG10 : 1;
06920         unsigned long : 2;
06921         unsigned long FLAG13 : 1;
06922         unsigned long FLAG14 : 1;
06923         unsigned long : 17;
06924     #else
06925         unsigned long : 17;
06926         unsigned long FLAG14 : 1;
06927         unsigned long FLAG13 : 1;
06928         unsigned long : 2;
06929         unsigned long FLAG10 : 1;
06930         unsigned long FLAG9 : 1;
06931         unsigned long FLAG8 : 1;
06932         unsigned long : 8;
06933     #endif
06934     } BIT;
06935     } DYRPFR;
06936     unsigned long SYCIDRU;
06937     unsigned long SYCIDRL;
06938     union {
06939         unsigned long LONG;
06940         struct {
06941
06942     #ifdef __RX_LITTLE_ENDIAN__
06943         unsigned long PNUM : 16;
06944         unsigned long : 16;
06945     #else
06946         unsigned long : 16;

```

```

06947         unsigned long PNUM : 16;
06948 #endif
06949     } BIT;
06950     } SYPNUMR;
06951     char        wk3[20];
06952     union {
06953         unsigned long LONG;
06954         struct {
06955
06956 #ifdef __RX_LITTLE_ENDIAN__
06957         unsigned long BMUP : 1;
06958         unsigned long STUP : 1;
06959         unsigned long ANUP : 1;
06960         unsigned long      : 29;
06961 #else
06962         unsigned long      : 29;
06963         unsigned long ANUP : 1;
06964         unsigned long STUP : 1;
06965         unsigned long BMUP : 1;
06966 #endif
06967     } BIT;
06968     } SYRVLDR;
06969     char        wk4[12];
06970     union {
06971         unsigned long LONG;
06972         struct {
06973
06974 #ifdef __RX_LITTLE_ENDIAN__
06975         unsigned long ANCE : 2;
06976         unsigned long      : 2;
06977         unsigned long SYNC : 3;
06978         unsigned long      : 1;
06979         unsigned long FUP : 3;
06980         unsigned long      : 1;
06981         unsigned long DRQ : 3;
06982         unsigned long      : 1;
06983         unsigned long DRP : 3;
06984         unsigned long      : 1;
06985         unsigned long PDRQ : 3;
06986         unsigned long      : 1;
06987         unsigned long PDRP : 3;
06988         unsigned long      : 1;
06989         unsigned long PDFUP : 3;
06990         unsigned long      : 1;
06991 #else
06992         unsigned long      : 1;
06993         unsigned long PDFUP : 3;
06994         unsigned long      : 1;
06995         unsigned long PDRP : 3;
06996         unsigned long      : 1;
06997         unsigned long PDRQ : 3;
06998         unsigned long      : 1;
06999         unsigned long DRP : 3;
07000         unsigned long      : 1;
07001         unsigned long DRQ : 3;
07002         unsigned long      : 1;
07003         unsigned long FUP : 3;
07004         unsigned long      : 1;
07005         unsigned long SYNC : 3;
07006         unsigned long      : 2;
07007         unsigned long ANCE : 2;
07008 #endif
07009     } BIT;
07010     } SYRFL1R;
07011     union {
07012         unsigned long LONG;
07013         struct {
07014
07015 #ifdef __RX_LITTLE_ENDIAN__
07016         unsigned long MAN : 2;
07017         unsigned long      : 2;
07018         unsigned long SIG : 2;
07019         unsigned long      : 22;
07020         unsigned long ILL : 2;
07021         unsigned long      : 2;
07022 #else
07023         unsigned long      : 2;
07024         unsigned long ILL : 2;
07025         unsigned long      : 22;
07026         unsigned long SIG : 2;
07027         unsigned long      : 2;
07028         unsigned long MAN : 2;
07029 #endif
07030     } BIT;
07031     } SYRFL2R;
07032     union {
07033         unsigned long LONG;

```

```

07034     struct {
07035
07036 #ifdef __RX_LITTLE_ENDIAN__
07037     unsigned long ANCE : 1;
07038     unsigned long : 3;
07039     unsigned long SYNC : 1;
07040     unsigned long : 3;
07041     unsigned long DRQ : 1;
07042     unsigned long : 3;
07043     unsigned long PDRQ : 1;
07044     unsigned long : 19;
07045 #else
07046     unsigned long : 19;
07047     unsigned long PDRQ : 1;
07048     unsigned long : 3;
07049     unsigned long DRQ : 1;
07050     unsigned long : 3;
07051     unsigned long SYNC : 1;
07052     unsigned long : 3;
07053     unsigned long ANCE : 1;
07054 #endif
07055     } BIT;
07056     } SYTRENR;
07057     char      wk5[4];
07058     unsigned long MTCIDU;
07059     unsigned long MTCIDL;
07060     union {
07061         unsigned long LONG;
07062     } struct {
07063
07064 #ifdef __RX_LITTLE_ENDIAN__
07065     unsigned long PNUM : 16;
07066     unsigned long : 16;
07067 #else
07068     unsigned long : 16;
07069     unsigned long PNUM : 16;
07070 #endif
07071     } BIT;
07072     } MTPID;
07073     char      wk6[20];
07074     union {
07075         unsigned long LONG;
07076     } struct {
07077
07078 #ifdef __RX_LITTLE_ENDIAN__
07079     unsigned long ANCE : 8;
07080     unsigned long SYNC : 8;
07081     unsigned long DREQ : 8;
07082     unsigned long : 8;
07083 #else
07084     unsigned long : 8;
07085     unsigned long DREQ : 8;
07086     unsigned long SYNC : 8;
07087     unsigned long ANCE : 8;
07088 #endif
07089     } BIT;
07090     } SYTLIR;
07091     union {
07092         unsigned long LONG;
07093     } struct {
07094
07095 #ifdef __RX_LITTLE_ENDIAN__
07096     unsigned long ANCE : 8;
07097     unsigned long SYNC : 8;
07098     unsigned long DRESP : 8;
07099     unsigned long : 8;
07100 #else
07101     unsigned long : 8;
07102     unsigned long DRESP : 8;
07103     unsigned long SYNC : 8;
07104     unsigned long ANCE : 8;
07105 #endif
07106     } BIT;
07107     } SYRLIR;
07108     unsigned long OFMRU;
07109     unsigned long OFMRL;
07110     unsigned long MPDRU;
07111     unsigned long MPDRL;
07112     char      wk7[8];
07113     union {
07114         unsigned long LONG;
07115     } struct {
07116
07117 #ifdef __RX_LITTLE_ENDIAN__
07118     unsigned long GMPR2 : 8;
07119     unsigned long : 8;
07120     unsigned long GMPR1 : 8;

```

```

07121         unsigned long : 8;
07122 #else
07123         unsigned long : 8;
07124         unsigned long GMPR1 : 8;
07125         unsigned long : 8;
07126         unsigned long GMPR2 : 8;
07127 #endif
07128     } BIT;
07129     } GMPR;
07130     unsigned long GMCQR;
07131     unsigned long GMIDRU;
07132     unsigned long GMIDRL;
07133     union {
07134         unsigned long LONG;
07135         struct {
07136
07137 #ifdef __RX_LITTLE_ENDIAN__
07138         unsigned long TSRC : 8;
07139         unsigned long : 8;
07140         unsigned long CUTO : 16;
07141 #else
07142         unsigned long CUTO : 16;
07143         unsigned long : 8;
07144         unsigned long TSRC : 8;
07145 #endif
07146     } BIT;
07147     } CUOTSR;
07148     union {
07149         unsigned long LONG;
07150         struct {
07151
07152 #ifdef __RX_LITTLE_ENDIAN__
07153         unsigned long SRMV : 16;
07154         unsigned long : 16;
07155 #else
07156         unsigned long : 16;
07157         unsigned long SRMV : 16;
07158 #endif
07159     } BIT;
07160     } SRR;
07161     char wk8[8];
07162     union {
07163         unsigned long LONG;
07164         struct {
07165
07166 #ifdef __RX_LITTLE_ENDIAN__
07167         unsigned long MACU : 24;
07168         unsigned long : 8;
07169 #else
07170         unsigned long : 8;
07171         unsigned long MACU : 24;
07172 #endif
07173     } BIT;
07174     } PPMACRU;
07175     union {
07176         unsigned long LONG;
07177         struct {
07178
07179 #ifdef __RX_LITTLE_ENDIAN__
07180         unsigned long MACL : 24;
07181         unsigned long : 8;
07182 #else
07183         unsigned long : 8;
07184         unsigned long MACL : 24;
07185 #endif
07186     } BIT;
07187     } PPMACRL;
07188     union {
07189         unsigned long LONG;
07190         struct {
07191
07192 #ifdef __RX_LITTLE_ENDIAN__
07193         unsigned long MACU : 24;
07194         unsigned long : 8;
07195 #else
07196         unsigned long : 8;
07197         unsigned long MACU : 24;
07198 #endif
07199     } BIT;
07200     } PDMACRU;
07201     union {
07202         unsigned long LONG;
07203         struct {
07204
07205 #ifdef __RX_LITTLE_ENDIAN__
07206         unsigned long MACL : 24;
07207         unsigned long : 8;

```



```

07208 #else
07209     unsigned long : 8;
07210     unsigned long MACL : 24;
07211 #endif
07212 } BIT;
07213 } PDMACRL;
07214 union {
07215     unsigned long LONG;
07216     struct {
07217
07218 #ifdef __RX_LITTLE_ENDIAN__
07219     unsigned long TYPE : 16;
07220     unsigned long : 16;
07221 #else
07222     unsigned long : 16;
07223     unsigned long TYPE : 16;
07224 #endif
07225     } BIT;
07226     } PETYPER;
07227     char wk9[12];
07228     unsigned long PPIPR;
07229     unsigned long PDIPR;
07230     union {
07231         unsigned long LONG;
07232         struct {
07233
07234 #ifdef __RX_LITTLE_ENDIAN__
07235         unsigned long EVTO : 8;
07236         unsigned long : 24;
07237 #else
07238         unsigned long : 24;
07239         unsigned long EVTO : 8;
07240 #endif
07241         } BIT;
07242         } PETOSR;
07243         union {
07244             unsigned long LONG;
07245             struct {
07246
07247 #ifdef __RX_LITTLE_ENDIAN__
07248             unsigned long GETO : 8;
07249             unsigned long : 24;
07250 #else
07251             unsigned long : 24;
07252             unsigned long GETO : 8;
07253 #endif
07254             } BIT;
07255             } PGTO SR;
07256             union {
07257                 unsigned long LONG;
07258                 struct {
07259
07260 #ifdef __RX_LITTLE_ENDIAN__
07261                 unsigned long PRTL : 8;
07262                 unsigned long : 24;
07263 #else
07264                 unsigned long : 24;
07265                 unsigned long PRTL : 8;
07266 #endif
07267                 } BIT;
07268                 } PPTTLR;
07269                 union {
07270                     unsigned long LONG;
07271                     struct {
07272
07273 #ifdef __RX_LITTLE_ENDIAN__
07274                     unsigned long PDTL : 8;
07275                     unsigned long : 24;
07276 #else
07277                     unsigned long : 24;
07278                     unsigned long PDTL : 8;
07279 #endif
07280                     } BIT;
07281                     } PDTTLR;
07282                     union {
07283                         unsigned long LONG;
07284                         struct {
07285
07286 #ifdef __RX_LITTLE_ENDIAN__
07287                         unsigned long EVUPT : 16;
07288                         unsigned long : 16;
07289 #else
07290                         unsigned long : 16;
07291                         unsigned long EVUPT : 16;
07292 #endif
07293                         } BIT;
07294                         } PEUDPR;

```

```

07295     union {
07296         unsigned long LONG;
07297     struct {
07298
07299 #ifdef __RX_LITTLE_ENDIAN__
07300         unsigned long GEUPT : 16;
07301         unsigned long : 16;
07302 #else
07303         unsigned long : 16;
07304         unsigned long GEUPT : 16;
07305 #endif
07306     } BIT;
07307     } PGUDPR;
07308     union {
07309         unsigned long LONG;
07310     struct {
07311
07312 #ifdef __RX_LITTLE_ENDIAN__
07313         unsigned long SEL : 1;
07314         unsigned long PRT : 1;
07315         unsigned long ENB : 1;
07316         unsigned long : 13;
07317         unsigned long EXTPRM : 1;
07318         unsigned long : 15;
07319 #else
07320         unsigned long : 15;
07321         unsigned long EXTPRM : 1;
07322         unsigned long : 13;
07323         unsigned long ENB : 1;
07324         unsigned long PRT : 1;
07325         unsigned long SEL : 1;
07326 #endif
07327     } BIT;
07328     } FFLTR;
07329     char          wk10[28];
07330     union {
07331         unsigned long LONG;
07332     struct {
07333
07334 #ifdef __RX_LITTLE_ENDIAN__
07335         unsigned long MACU : 24;
07336         unsigned long : 8;
07337 #else
07338         unsigned long : 8;
07339         unsigned long MACU : 24;
07340 #endif
07341     } BIT;
07342     } FMAC0RU;
07343     union {
07344         unsigned long LONG;
07345     struct {
07346
07347 #ifdef __RX_LITTLE_ENDIAN__
07348         unsigned long MACL : 24;
07349         unsigned long : 8;
07350 #else
07351         unsigned long : 8;
07352         unsigned long MACL : 24;
07353 #endif
07354     } BIT;
07355     } FMAC0RL;
07356     union {
07357         unsigned long LONG;
07358     struct {
07359
07360 #ifdef __RX_LITTLE_ENDIAN__
07361         unsigned long MACU : 24;
07362         unsigned long : 8;
07363 #else
07364         unsigned long : 8;
07365         unsigned long MACU : 24;
07366 #endif
07367     } BIT;
07368     } FMAC1RU;
07369     union {
07370         unsigned long LONG;
07371     struct {
07372
07373 #ifdef __RX_LITTLE_ENDIAN__
07374         unsigned long MACL : 24;
07375         unsigned long : 8;
07376 #else
07377         unsigned long : 8;
07378         unsigned long MACL : 24;
07379 #endif
07380     } BIT;
07381     } FMAC1RL;

```

```

07382     char          wk11[80];
07383     union {
07384         unsigned long LONG;
07385         struct {
07386
07387 #ifdef __RX_LITTLE_ENDIAN__
07388         unsigned long ASYMU : 16;
07389         unsigned long : 16;
07390 #else
07391         unsigned long : 16;
07392         unsigned long ASYMU : 16;
07393 #endif
07394     } BIT;
07395     } DASYMRU;
07396     unsigned long DASYMRL;
07397     union {
07398         unsigned long LONG;
07399         struct {
07400
07401 #ifdef __RX_LITTLE_ENDIAN__
07402         unsigned long EGP : 16;
07403         unsigned long INGP : 16;
07404 #else
07405         unsigned long INGP : 16;
07406         unsigned long EGP : 16;
07407 #endif
07408     } BIT;
07409     } TSLATR;
07410     union {
07411         unsigned long LONG;
07412         struct {
07413
07414 #ifdef __RX_LITTLE_ENDIAN__
07415         unsigned long TCYC : 8;
07416         unsigned long : 4;
07417         unsigned long SBDIS : 1;
07418         unsigned long : 3;
07419         unsigned long FILDIS : 1;
07420         unsigned long : 3;
07421         unsigned long TCMOD : 1;
07422         unsigned long : 11;
07423 #else
07424         unsigned long : 11;
07425         unsigned long TCMOD : 1;
07426         unsigned long : 3;
07427         unsigned long FILDIS : 1;
07428         unsigned long : 3;
07429         unsigned long SBDIS : 1;
07430         unsigned long : 4;
07431         unsigned long TCYC : 8;
07432 #endif
07433     } BIT;
07434     } SYCONFR;
07435     union {
07436         unsigned long LONG;
07437         struct {
07438
07439 #ifdef __RX_LITTLE_ENDIAN__
07440         unsigned long FORM0 : 1;
07441         unsigned long FORM1 : 1;
07442         unsigned long : 30;
07443 #else
07444         unsigned long : 30;
07445         unsigned long FORM1 : 1;
07446         unsigned long FORM0 : 1;
07447 #endif
07448     } BIT;
07449     } SYFORMR;
07450     unsigned long RSTOUTR;
07451 } st_eptpc0_t;
07452
07453 typedef struct st_etherc {
07454     union {
07455         unsigned long LONG;
07456         struct {
07457
07458 #ifdef __RX_LITTLE_ENDIAN__
07459         unsigned long PRM : 1;
07460         unsigned long DM : 1;
07461         unsigned long RTM : 1;
07462         unsigned long ILB : 1;
07463         unsigned long : 1;
07464         unsigned long TE : 1;
07465         unsigned long RE : 1;
07466         unsigned long : 2;
07467         unsigned long MPDE : 1;
07468         unsigned long : 2;

```

```

07469         unsigned long PRCEF : 1;
07470         unsigned long  : 3;
07471         unsigned long TXF : 1;
07472         unsigned long RXF : 1;
07473         unsigned long PFR : 1;
07474         unsigned long ZPF : 1;
07475         unsigned long TPC : 1;
07476         unsigned long  : 11;
07477 #else
07478         unsigned long  : 11;
07479         unsigned long TPC : 1;
07480         unsigned long ZPF : 1;
07481         unsigned long PFR : 1;
07482         unsigned long RXF : 1;
07483         unsigned long TXF : 1;
07484         unsigned long  : 3;
07485         unsigned long PRCEF : 1;
07486         unsigned long  : 2;
07487         unsigned long MPDE : 1;
07488         unsigned long  : 2;
07489         unsigned long RE : 1;
07490         unsigned long TE : 1;
07491         unsigned long  : 1;
07492         unsigned long ILB : 1;
07493         unsigned long RTM : 1;
07494         unsigned long DM : 1;
07495         unsigned long PRM : 1;
07496 #endif
07497     } BIT;
07498     } ECMR;
07499     char        wk0[4];
07500     union {
07501         unsigned long LONG;
07502         struct {
07503
07504 #ifdef __RX_LITTLE_ENDIAN__
07505         unsigned long RFL : 12;
07506         unsigned long  : 20;
07507 #else
07508         unsigned long  : 20;
07509         unsigned long RFL : 12;
07510 #endif
07511     } BIT;
07512     } RFLR;
07513     char        wk1[4];
07514     union {
07515         unsigned long LONG;
07516         struct {
07517
07518 #ifdef __RX_LITTLE_ENDIAN__
07519         unsigned long ICD : 1;
07520         unsigned long MPD : 1;
07521         unsigned long LCHNG : 1;
07522         unsigned long  : 1;
07523         unsigned long PSRTO : 1;
07524         unsigned long BFR : 1;
07525         unsigned long  : 26;
07526 #else
07527         unsigned long  : 26;
07528         unsigned long BFR : 1;
07529         unsigned long PSRTO : 1;
07530         unsigned long  : 1;
07531         unsigned long LCHNG : 1;
07532         unsigned long MPD : 1;
07533         unsigned long ICD : 1;
07534 #endif
07535     } BIT;
07536     } ECSR;
07537     char        wk2[4];
07538     union {
07539         unsigned long LONG;
07540         struct {
07541
07542 #ifdef __RX_LITTLE_ENDIAN__
07543         unsigned long ICDIP : 1;
07544         unsigned long MPDIP : 1;
07545         unsigned long LCHNGIP : 1;
07546         unsigned long  : 1;
07547         unsigned long PSRTOIP : 1;
07548         unsigned long BFSIPR : 1;
07549         unsigned long  : 26;
07550 #else
07551         unsigned long  : 26;
07552         unsigned long BFSIPR : 1;
07553         unsigned long PSRTOIP : 1;
07554         unsigned long  : 1;
07555         unsigned long LCHNGIP : 1;

```

```

07556         unsigned long MPDIP : 1;
07557         unsigned long ICDIP : 1;
07558     #endif
07559     } BIT;
07560     } ECSIPR;
07561     char        wk3[4];
07562     union {
07563         unsigned long LONG;
07564         struct {
07565
07566     #ifdef __RX_LITTLE_ENDIAN__
07567         unsigned long MDC : 1;
07568         unsigned long MMD : 1;
07569         unsigned long MDO : 1;
07570         unsigned long MDI : 1;
07571         unsigned long      : 28;
07572     #else
07573         unsigned long      : 28;
07574         unsigned long MDI : 1;
07575         unsigned long MDO : 1;
07576         unsigned long MMD : 1;
07577         unsigned long MDC : 1;
07578     #endif
07579     } BIT;
07580     } PIR;
07581     char        wk4[4];
07582     union {
07583         unsigned long LONG;
07584         struct {
07585
07586     #ifdef __RX_LITTLE_ENDIAN__
07587         unsigned long LMON : 1;
07588         unsigned long      : 31;
07589     #else
07590         unsigned long      : 31;
07591         unsigned long LMON : 1;
07592     #endif
07593     } BIT;
07594     } PSR;
07595     char        wk5[20];
07596     union {
07597         unsigned long LONG;
07598         struct {
07599
07600     #ifdef __RX_LITTLE_ENDIAN__
07601         unsigned long RMD : 20;
07602         unsigned long      : 12;
07603     #else
07604         unsigned long      : 12;
07605         unsigned long RMD : 20;
07606     #endif
07607     } BIT;
07608     } RDMLR;
07609     char        wk6[12];
07610     union {
07611         unsigned long LONG;
07612         struct {
07613
07614     #ifdef __RX_LITTLE_ENDIAN__
07615         unsigned long IPG : 5;
07616         unsigned long      : 27;
07617     #else
07618         unsigned long      : 27;
07619         unsigned long IPG : 5;
07620     #endif
07621     } BIT;
07622     } IPGR;
07623     union {
07624         unsigned long LONG;
07625         struct {
07626
07627     #ifdef __RX_LITTLE_ENDIAN__
07628         unsigned long AP : 16;
07629         unsigned long      : 16;
07630     #else
07631         unsigned long      : 16;
07632         unsigned long AP : 16;
07633     #endif
07634     } BIT;
07635     } APR;
07636     union {
07637         unsigned long LONG;
07638         struct {
07639
07640     #ifdef __RX_LITTLE_ENDIAN__
07641         unsigned long MP : 16;
07642         unsigned long      : 16;

```

```

07643 #else
07644     unsigned long : 16;
07645     unsigned long MP : 16;
07646 #endif
07647 } BIT;
07648 } MPR;
07649 char      wk7[4];
07650 union {
07651     unsigned long LONG;
07652     struct {
07653
07654 #ifdef __RX_LITTLE_ENDIAN__
07655     unsigned long RPAUSE : 8;
07656     unsigned long : 24;
07657 #else
07658     unsigned long : 24;
07659     unsigned long RPAUSE : 8;
07660 #endif
07661 } BIT;
07662 } RFCF;
07663 union {
07664     unsigned long LONG;
07665     struct {
07666
07667 #ifdef __RX_LITTLE_ENDIAN__
07668     unsigned long TPAUSE : 16;
07669     unsigned long : 16;
07670 #else
07671     unsigned long : 16;
07672     unsigned long TPAUSE : 16;
07673 #endif
07674 } BIT;
07675 } TPAUSER;
07676 union {
07677     unsigned long LONG;
07678     struct {
07679
07680 #ifdef __RX_LITTLE_ENDIAN__
07681     unsigned long TXP : 8;
07682     unsigned long : 24;
07683 #else
07684     unsigned long : 24;
07685     unsigned long TXP : 8;
07686 #endif
07687 } BIT;
07688 } TPAUSECR;
07689 union {
07690     unsigned long LONG;
07691     struct {
07692
07693 #ifdef __RX_LITTLE_ENDIAN__
07694     unsigned long BCF : 16;
07695     unsigned long : 16;
07696 #else
07697     unsigned long : 16;
07698     unsigned long BCF : 16;
07699 #endif
07700 } BIT;
07701 } BCRR;
07702 char      wk8[80];
07703 unsigned long MAHR;
07704 char      wk9[4];
07705 union {
07706     unsigned long LONG;
07707     struct {
07708
07709 #ifdef __RX_LITTLE_ENDIAN__
07710     unsigned long MA : 16;
07711     unsigned long : 16;
07712 #else
07713     unsigned long : 16;
07714     unsigned long MA : 16;
07715 #endif
07716 } BIT;
07717 } MALR;
07718 char      wk10[4];
07719 unsigned long TROCR;
07720 unsigned long CDCR;
07721 unsigned long LCCR;
07722 unsigned long CNDCR;
07723 char      wk11[4];
07724 unsigned long CEFCR;
07725 unsigned long FRECR;
07726 unsigned long TSFRCR;
07727 unsigned long TLFRCR;
07728 unsigned long RFCR;
07729 unsigned long MAFCR;

```

```

07730 } st_etherc_t;
07731
07732 typedef struct st_exdmac {
07733     union {
07734         unsigned char BYTE;
07735         struct {
07736
07737 #ifdef __RX_LITTLE_ENDIAN__
07738         unsigned char DMST : 1;
07739         unsigned char : 7;
07740 #else
07741         unsigned char : 7;
07742         unsigned char DMST : 1;
07743 #endif
07744         } BIT;
07745         } EDMAST;
07746         char wk0[479];
07747         unsigned long CLSBR0;
07748         unsigned long CLSBR1;
07749         unsigned long CLSBR2;
07750         unsigned long CLSBR3;
07751         unsigned long CLSBR4;
07752         unsigned long CLSBR5;
07753         unsigned long CLSBR6;
07754         unsigned long CLSBR7;
07755     } st_exdmac_t;
07756
07757 typedef struct st_exdmac0 {
07758     void *EDMSAR;
07759     void *EDMDAR;
07760     unsigned long EDMCRA;
07761     unsigned short EDMCRB;
07762     char wk0[2];
07763     union {
07764         unsigned short WORD;
07765         struct {
07766
07767 #ifdef __RX_LITTLE_ENDIAN__
07768         unsigned short DCTG : 2;
07769         unsigned short : 6;
07770         unsigned short SZ : 2;
07771         unsigned short : 2;
07772         unsigned short DTS : 2;
07773         unsigned short MD : 2;
07774 #else
07775         unsigned short MD : 2;
07776         unsigned short DTS : 2;
07777         unsigned short : 2;
07778         unsigned short SZ : 2;
07779         unsigned short : 6;
07780         unsigned short DCTG : 2;
07781 #endif
07782         } BIT;
07783         } EDMTMD;
07784         union {
07785         unsigned char BYTE;
07786         struct {
07787
07788 #ifdef __RX_LITTLE_ENDIAN__
07789         unsigned char DACKSEL : 1;
07790         unsigned char DACKW : 1;
07791         unsigned char DACK : 1;
07792         unsigned char DACKS : 1;
07793         unsigned char : 4;
07794 #else
07795         unsigned char : 4;
07796         unsigned char DACKS : 1;
07797         unsigned char DACK : 1;
07798         unsigned char DACKW : 1;
07799         unsigned char DACKSEL : 1;
07800 #endif
07801         } BIT;
07802         } EDMOMD;
07803         union {
07804         unsigned char BYTE;
07805         struct {
07806
07807 #ifdef __RX_LITTLE_ENDIAN__
07808         unsigned char DARIE : 1;
07809         unsigned char SARIE : 1;
07810         unsigned char RPTIE : 1;
07811         unsigned char ESIE : 1;
07812         unsigned char DTIE : 1;
07813         unsigned char : 3;
07814 #else
07815         unsigned char : 3;
07816         unsigned char DTIE : 1;

```

```

07817         unsigned char ESIE : 1;
07818         unsigned char RPTIE : 1;
07819         unsigned char SARIE : 1;
07820         unsigned char DARIE : 1;
07821     #endif
07822     } BIT;
07823     } EDMINT;
07824     union {
07825         unsigned long LONG;
07826         struct {
07827
07828     #ifdef __RX_LITTLE_ENDIAN__
07829         unsigned long DARA : 5;
07830         unsigned long : 1;
07831         unsigned long DM : 2;
07832         unsigned long SARA : 5;
07833         unsigned long : 1;
07834         unsigned long SM : 2;
07835         unsigned long DIR : 1;
07836         unsigned long AMS : 1;
07837         unsigned long : 14;
07838     #else
07839         unsigned long : 14;
07840         unsigned long AMS : 1;
07841         unsigned long DIR : 1;
07842         unsigned long SM : 2;
07843         unsigned long : 1;
07844         unsigned long SARA : 5;
07845         unsigned long DM : 2;
07846         unsigned long : 1;
07847         unsigned long DARA : 5;
07848     #endif
07849     } BIT;
07850     } EDMAMD;
07851     unsigned long EDMOFR;
07852     union {
07853         unsigned char BYTE;
07854         struct {
07855
07856     #ifdef __RX_LITTLE_ENDIAN__
07857         unsigned char DTE : 1;
07858         unsigned char : 7;
07859     #else
07860         unsigned char : 7;
07861         unsigned char DTE : 1;
07862     #endif
07863     } BIT;
07864     } EDMCNT;
07865     union {
07866         unsigned char BYTE;
07867         struct {
07868
07869     #ifdef __RX_LITTLE_ENDIAN__
07870         unsigned char SWREQ : 1;
07871         unsigned char : 3;
07872         unsigned char CLRS : 1;
07873         unsigned char : 3;
07874     #else
07875         unsigned char : 3;
07876         unsigned char CLRS : 1;
07877         unsigned char : 3;
07878         unsigned char SWREQ : 1;
07879     #endif
07880     } BIT;
07881     } EDMREQ;
07882     union {
07883         unsigned char BYTE;
07884         struct {
07885
07886     #ifdef __RX_LITTLE_ENDIAN__
07887         unsigned char ESIF : 1;
07888         unsigned char : 3;
07889         unsigned char DTIF : 1;
07890         unsigned char : 2;
07891         unsigned char ACT : 1;
07892     #else
07893         unsigned char ACT : 1;
07894         unsigned char : 2;
07895         unsigned char DTIF : 1;
07896         unsigned char : 3;
07897         unsigned char ESIF : 1;
07898     #endif
07899     } BIT;
07900     } EDMSTS;
07901     char wk1[1];
07902     union {
07903         unsigned char BYTE;

```



```

07904     struct {
07905
07906 #ifdef __RX_LITTLE_ENDIAN__
07907     unsigned char DREQS : 2;
07908     unsigned char : 6;
07909 #else
07910     unsigned char : 6;
07911     unsigned char DREQS : 2;
07912 #endif
07913     } BIT;
07914     } EDMRMD;
07915     union {
07916     unsigned char BYTE;
07917     struct {
07918
07919 #ifdef __RX_LITTLE_ENDIAN__
07920     unsigned char EREQ : 1;
07921     unsigned char : 7;
07922 #else
07923     unsigned char : 7;
07924     unsigned char EREQ : 1;
07925 #endif
07926     } BIT;
07927     } EDMERF;
07928     union {
07929     unsigned char BYTE;
07930     struct {
07931
07932 #ifdef __RX_LITTLE_ENDIAN__
07933     unsigned char PREQ : 1;
07934     unsigned char : 7;
07935 #else
07936     unsigned char : 7;
07937     unsigned char PREQ : 1;
07938 #endif
07939     } BIT;
07940     } EDMPRF;
07941 } st_exdmac0_t;
07942
07943 typedef struct st_exdmac1 {
07944     void *EDMSAR;
07945     void *EDMDAR;
07946     unsigned long EDMCRA;
07947     unsigned short EDMCRB;
07948     char wk0[2];
07949     union {
07950     unsigned short WORD;
07951     struct {
07952
07953 #ifdef __RX_LITTLE_ENDIAN__
07954     unsigned short DCTG : 2;
07955     unsigned short : 6;
07956     unsigned short SZ : 2;
07957     unsigned short : 2;
07958     unsigned short DTS : 2;
07959     unsigned short MD : 2;
07960 #else
07961     unsigned short MD : 2;
07962     unsigned short DTS : 2;
07963     unsigned short : 2;
07964     unsigned short SZ : 2;
07965     unsigned short : 6;
07966     unsigned short DCTG : 2;
07967 #endif
07968     } BIT;
07969     } EDMTMD;
07970     union {
07971     unsigned char BYTE;
07972     struct {
07973
07974 #ifdef __RX_LITTLE_ENDIAN__
07975     unsigned char DACKSEL : 1;
07976     unsigned char DACKW : 1;
07977     unsigned char DACK : 1;
07978     unsigned char DACKS : 1;
07979     unsigned char : 4;
07980 #else
07981     unsigned char : 4;
07982     unsigned char DACKS : 1;
07983     unsigned char DACK : 1;
07984     unsigned char DACKW : 1;
07985     unsigned char DACKSEL : 1;
07986 #endif
07987     } BIT;
07988     } EDMOMD;
07989     union {
07990     unsigned char BYTE;

```

```

07991     struct {
07992
07993 #ifdef __RX_LITTLE_ENDIAN__
07994     unsigned char DARIE : 1;
07995     unsigned char SARIE : 1;
07996     unsigned char RPTIE : 1;
07997     unsigned char ESIE : 1;
07998     unsigned char DTIE : 1;
07999     unsigned char : 3;
08000 #else
08001     unsigned char : 3;
08002     unsigned char DTIE : 1;
08003     unsigned char ESIE : 1;
08004     unsigned char RPTIE : 1;
08005     unsigned char SARIE : 1;
08006     unsigned char DARIE : 1;
08007 #endif
08008     } BIT;
08009     } EDMINT;
08010     union {
08011         unsigned long LONG;
08012         struct {
08013
08014 #ifdef __RX_LITTLE_ENDIAN__
08015         unsigned long DARA : 5;
08016         unsigned long : 1;
08017         unsigned long DM : 2;
08018         unsigned long SARA : 5;
08019         unsigned long : 1;
08020         unsigned long SM : 2;
08021         unsigned long DIR : 1;
08022         unsigned long AMS : 1;
08023         unsigned long : 14;
08024 #else
08025         unsigned long : 14;
08026         unsigned long AMS : 1;
08027         unsigned long DIR : 1;
08028         unsigned long SM : 2;
08029         unsigned long : 1;
08030         unsigned long SARA : 5;
08031         unsigned long DM : 2;
08032         unsigned long : 1;
08033         unsigned long DARA : 5;
08034 #endif
08035         } BIT;
08036         } EDMAMD;
08037         char wk1[4];
08038         union {
08039             unsigned char BYTE;
08040             struct {
08041
08042 #ifdef __RX_LITTLE_ENDIAN__
08043             unsigned char DTE : 1;
08044             unsigned char : 7;
08045 #else
08046             unsigned char : 7;
08047             unsigned char DTE : 1;
08048 #endif
08049             } BIT;
08050             } EDMCNT;
08051         union {
08052             unsigned char BYTE;
08053             struct {
08054
08055 #ifdef __RX_LITTLE_ENDIAN__
08056             unsigned char SWREQ : 1;
08057             unsigned char : 3;
08058             unsigned char CLRS : 1;
08059             unsigned char : 3;
08060 #else
08061             unsigned char : 3;
08062             unsigned char CLRS : 1;
08063             unsigned char : 3;
08064             unsigned char SWREQ : 1;
08065 #endif
08066             } BIT;
08067             } EDMREQ;
08068         union {
08069             unsigned char BYTE;
08070             struct {
08071
08072 #ifdef __RX_LITTLE_ENDIAN__
08073             unsigned char ESIF : 1;
08074             unsigned char : 3;
08075             unsigned char DTIF : 1;
08076             unsigned char : 2;
08077             unsigned char ACT : 1;

```

```

08078 #else
08079     unsigned char ACT : 1;
08080     unsigned char : 2;
08081     unsigned char DTIF : 1;
08082     unsigned char : 3;
08083     unsigned char ESIF : 1;
08084 #endif
08085     } BIT;
08086     } EDMSTS;
08087     char wk2[1];
08088     union {
08089         unsigned char BYTE;
08090         struct {
08091
08092 #ifdef __RX_LITTLE_ENDIAN__
08093         unsigned char DREQS : 2;
08094         unsigned char : 6;
08095 #else
08096         unsigned char : 6;
08097         unsigned char DREQS : 2;
08098 #endif
08099         } BIT;
08100         } EDMRMD;
08101         union {
08102             unsigned char BYTE;
08103             struct {
08104
08105 #ifdef __RX_LITTLE_ENDIAN__
08106             unsigned char EREQ : 1;
08107             unsigned char : 7;
08108 #else
08109             unsigned char : 7;
08110             unsigned char EREQ : 1;
08111 #endif
08112             } BIT;
08113             } EDMERF;
08114             union {
08115                 unsigned char BYTE;
08116                 struct {
08117
08118 #ifdef __RX_LITTLE_ENDIAN__
08119                 unsigned char PREQ : 1;
08120                 unsigned char : 7;
08121 #else
08122                 unsigned char : 7;
08123                 unsigned char PREQ : 1;
08124 #endif
08125                 } BIT;
08126                 } EDMPRF;
08127     } st_exdmac1_t;
08128
08129 typedef struct st_flash {
08130     union {
08131         unsigned short WORD;
08132         struct {
08133
08134 #ifdef __RX_LITTLE_ENDIAN__
08135         unsigned short ROMCEN : 1;
08136         unsigned short : 15;
08137 #else
08138         unsigned short : 15;
08139         unsigned short ROMCEN : 1;
08140 #endif
08141         } BIT;
08142         } ROMCE;
08143         char wk0[2];
08144         union {
08145             unsigned short WORD;
08146             struct {
08147
08148 #ifdef __RX_LITTLE_ENDIAN__
08149             unsigned short ROMCIV : 1;
08150             unsigned short : 15;
08151 #else
08152             unsigned short : 15;
08153             unsigned short ROMCIV : 1;
08154 #endif
08155             } BIT;
08156             } ROMCIV;
08157             char wk1[58];
08158             unsigned long NCRG0;
08159             union {
08160                 unsigned long LONG;
08161                 struct {
08162
08163 #ifdef __RX_LITTLE_ENDIAN__
08164                 unsigned long : 1;

```

```

08165         unsigned long NC1E : 1;
08166         unsigned long NC2E : 1;
08167         unsigned long NC3E : 1;
08168         unsigned long NCSZ : 17;
08169         unsigned long  : 11;
08170 #else
08171         unsigned long  : 11;
08172         unsigned long NCSZ : 17;
08173         unsigned long NC3E : 1;
08174         unsigned long NC2E : 1;
08175         unsigned long NC1E : 1;
08176         unsigned long  : 1;
08177 #endif
08178     } BIT;
08179     } NCRC0;
08180     unsigned long  NCRG1;
08181     union {
08182         unsigned long LONG;
08183         struct {
08184
08185 #ifdef __RX_LITTLE_ENDIAN__
08186         unsigned long  : 1;
08187         unsigned long NC1E : 1;
08188         unsigned long NC2E : 1;
08189         unsigned long NC3E : 1;
08190         unsigned long NCSZ : 17;
08191         unsigned long  : 11;
08192 #else
08193         unsigned long  : 11;
08194         unsigned long NCSZ : 17;
08195         unsigned long NC3E : 1;
08196         unsigned long NC2E : 1;
08197         unsigned long NC1E : 1;
08198         unsigned long  : 1;
08199 #endif
08200     } BIT;
08201     } NCRC1;
08202     char          wk2[45638];
08203     union {
08204         unsigned char BYTE;
08205         struct {
08206
08207 #ifdef __RX_LITTLE_ENDIAN__
08208         unsigned char FLWE : 2;
08209         unsigned char  : 6;
08210 #else
08211         unsigned char  : 6;
08212         unsigned char FLWE : 2;
08213 #endif
08214     } BIT;
08215     } FWEPOR;
08216     char          wk3[7798185];
08217     unsigned char EEPFLK;
08218     char          wk4[8143];
08219     union {
08220         unsigned char BYTE;
08221         struct {
08222
08223 #ifdef __RX_LITTLE_ENDIAN__
08224         unsigned char  : 3;
08225         unsigned char DFAE : 1;
08226         unsigned char CMDLK : 1;
08227         unsigned char  : 2;
08228         unsigned char CFAE : 1;
08229 #else
08230         unsigned char CFAE : 1;
08231         unsigned char  : 2;
08232         unsigned char CMDLK : 1;
08233         unsigned char DFAE : 1;
08234         unsigned char  : 3;
08235 #endif
08236     } BIT;
08237     } FASTAT;
08238     char          wk5[3];
08239     union {
08240         unsigned char BYTE;
08241         struct {
08242
08243 #ifdef __RX_LITTLE_ENDIAN__
08244         unsigned char  : 3;
08245         unsigned char DFAEIE : 1;
08246         unsigned char CMDLKIE : 1;
08247         unsigned char  : 2;
08248         unsigned char CFAEIE : 1;
08249 #else
08250         unsigned char CFAEIE : 1;
08251         unsigned char  : 2;

```

```

08252         unsigned char CMDLKIE : 1;
08253         unsigned char DFAEIE : 1;
08254         unsigned char : 3;
08255     #endif
08256     } BIT;
08257     } FAEINT;
08258     char          wk6[3];
08259     union {
08260         unsigned char BYTE;
08261         struct {
08262
08263     #ifdef __RX_LITTLE_ENDIAN__
08264         unsigned char FRDYIE : 1;
08265         unsigned char : 7;
08266     #else
08267         unsigned char : 7;
08268         unsigned char FRDYIE : 1;
08269     #endif
08270     } BIT;
08271     } FRDYIE;
08272     char          wk7[23];
08273     union {
08274         unsigned long LONG;
08275         struct {
08276
08277     #ifdef __RX_LITTLE_ENDIAN__
08278         unsigned long FSADDR : 32;
08279     #else
08280         unsigned long FSADDR : 32;
08281     #endif
08282     } BIT;
08283     } FSADDR;
08284     union {
08285         unsigned long LONG;
08286         struct {
08287
08288     #ifdef __RX_LITTLE_ENDIAN__
08289         unsigned long FEADDR : 32;
08290     #else
08291         unsigned long FEADDR : 32;
08292     #endif
08293     } BIT;
08294     } FEADDR;
08295     char          wk8[72];
08296     union {
08297         unsigned long LONG;
08298         struct {
08299
08300     #ifdef __RX_LITTLE_ENDIAN__
08301         unsigned long : 6;
08302         unsigned long FLWEERR : 1;
08303         unsigned long : 1;
08304         unsigned long PRGSPD : 1;
08305         unsigned long ERSSPD : 1;
08306         unsigned long DBFULL : 1;
08307         unsigned long SUSRDY : 1;
08308         unsigned long PRGERR : 1;
08309         unsigned long ERSERR : 1;
08310         unsigned long ILGLERR : 1;
08311         unsigned long FRDY : 1;
08312         unsigned long : 4;
08313         unsigned long OTERR : 1;
08314         unsigned long SECERR : 1;
08315         unsigned long FESETERR : 1;
08316         unsigned long ILGCOMERR : 1;
08317         unsigned long : 8;
08318     #else
08319         unsigned long : 8;
08320         unsigned long ILGCOMERR : 1;
08321         unsigned long FESETERR : 1;
08322         unsigned long SECERR : 1;
08323         unsigned long OTERR : 1;
08324         unsigned long : 4;
08325         unsigned long FRDY : 1;
08326         unsigned long ILGLERR : 1;
08327         unsigned long ERSERR : 1;
08328         unsigned long PRGERR : 1;
08329         unsigned long SUSRDY : 1;
08330         unsigned long DBFULL : 1;
08331         unsigned long ERSSPD : 1;
08332         unsigned long PRGSPD : 1;
08333         unsigned long : 1;
08334         unsigned long FLWEERR : 1;
08335         unsigned long : 6;
08336     #endif
08337     } BIT;
08338     } FSTATR;

```

```

08339     union {
08340         unsigned short WORD;
08341     struct {
08342
08343 #ifdef __RX_LITTLE_ENDIAN__
08344         unsigned short FENTRYC : 1;
08345         unsigned short : 6;
08346         unsigned short FENTRYD : 1;
08347         unsigned short KEY : 8;
08348 #else
08349         unsigned short KEY : 8;
08350         unsigned short FENTRYD : 1;
08351         unsigned short : 6;
08352         unsigned short FENTRYC : 1;
08353 #endif
08354     } BIT;
08355     } FENTRYR;
08356     char        wk9[6];
08357     union {
08358         unsigned short WORD;
08359     struct {
08360
08361 #ifdef __RX_LITTLE_ENDIAN__
08362         unsigned short SUINIT : 1;
08363         unsigned short : 7;
08364         unsigned short KEY : 8;
08365 #else
08366         unsigned short KEY : 8;
08367         unsigned short : 7;
08368         unsigned short SUINIT : 1;
08369 #endif
08370     } BIT;
08371     } FSUINIR;
08372     char        wk10[18];
08373     union {
08374         unsigned short WORD;
08375     struct {
08376
08377 #ifdef __RX_LITTLE_ENDIAN__
08378         unsigned short PCMDR : 8;
08379         unsigned short CMDR : 8;
08380 #else
08381         unsigned short CMDR : 8;
08382         unsigned short PCMDR : 8;
08383 #endif
08384     } BIT;
08385     } FCMDR;
08386     char        wk11[46];
08387     union {
08388         unsigned char BYTE;
08389     struct {
08390
08391 #ifdef __RX_LITTLE_ENDIAN__
08392         unsigned char BCDIR : 1;
08393         unsigned char : 7;
08394 #else
08395         unsigned char : 7;
08396         unsigned char BCDIR : 1;
08397 #endif
08398     } BIT;
08399     } FBCCNT;
08400     char        wk12[3];
08401     union {
08402         unsigned char BYTE;
08403     struct {
08404
08405 #ifdef __RX_LITTLE_ENDIAN__
08406         unsigned char BCST : 1;
08407         unsigned char : 7;
08408 #else
08409         unsigned char : 7;
08410         unsigned char BCST : 1;
08411 #endif
08412     } BIT;
08413     } FBCSTAT;
08414     char        wk13[3];
08415     union {
08416         unsigned long LONG;
08417     struct {
08418
08419 #ifdef __RX_LITTLE_ENDIAN__
08420         unsigned long PSADR : 17;
08421         unsigned long : 15;
08422 #else
08423         unsigned long : 15;
08424         unsigned long PSADR : 17;
08425 #endif

```

```

08426     } BIT;
08427     } FPSADDR;
08428     union {
08429         unsigned long LONG;
08430     struct {
08431
08432     #ifdef __RX_LITTLE_ENDIAN__
08433         unsigned long FAWS : 12;
08434         unsigned long : 3;
08435         unsigned long FSPR : 1;
08436         unsigned long Fawe : 12;
08437         unsigned long : 3;
08438         unsigned long BTFLG : 1;
08439     #else
08440         unsigned long BTFLG : 1;
08441         unsigned long : 3;
08442         unsigned long Fawe : 12;
08443         unsigned long FSPR : 1;
08444         unsigned long : 3;
08445         unsigned long FAWS : 12;
08446     #endif
08447     } BIT;
08448     } FAWMON;
08449     union {
08450         unsigned short WORD;
08451     struct {
08452
08453     #ifdef __RX_LITTLE_ENDIAN__
08454         unsigned short ESUSPMD : 1;
08455         unsigned short : 15;
08456     #else
08457         unsigned short : 15;
08458         unsigned short ESUSPMD : 1;
08459     #endif
08460     } BIT;
08461     } FCPSR;
08462     char          wk14[2];
08463     union {
08464         unsigned short WORD;
08465     struct {
08466
08467     #ifdef __RX_LITTLE_ENDIAN__
08468         unsigned short PCKA : 8;
08469         unsigned short KEY : 8;
08470     #else
08471         unsigned short KEY : 8;
08472         unsigned short PCKA : 8;
08473     #endif
08474     } BIT;
08475     } FPCKAR;
08476     char          wk15[2];
08477     union {
08478         unsigned short WORD;
08479     struct {
08480
08481     #ifdef __RX_LITTLE_ENDIAN__
08482         unsigned short SAS : 2;
08483         unsigned short : 6;
08484         unsigned short KEY : 8;
08485     #else
08486         unsigned short KEY : 8;
08487         unsigned short : 6;
08488         unsigned short SAS : 2;
08489     #endif
08490     } BIT;
08491     } FSUACR;
08492 } st_flash_t;
08493
08494 typedef struct st_glcdc {
08495     union {
08496         unsigned long LONG;
08497     struct {
08498
08499     #ifdef __RX_LITTLE_ENDIAN__
08500         unsigned long B : 8;
08501         unsigned long G : 8;
08502         unsigned long R : 8;
08503         unsigned long A : 8;
08504     #else
08505         unsigned long A : 8;
08506         unsigned long R : 8;
08507         unsigned long G : 8;
08508         unsigned long B : 8;
08509     #endif
08510     } BIT;
08511     } GR1CLUT0[256];
08512     union {

```

```

08513     unsigned long LONG;
08514     struct {
08515
08516 #ifdef __RX_LITTLE_ENDIAN__
08517     unsigned long B : 8;
08518     unsigned long G : 8;
08519     unsigned long R : 8;
08520     unsigned long A : 8;
08521 #else
08522     unsigned long A : 8;
08523     unsigned long R : 8;
08524     unsigned long G : 8;
08525     unsigned long B : 8;
08526 #endif
08527     } BIT;
08528     } GR1CLUT1[256];
08529     union {
08530     unsigned long LONG;
08531     struct {
08532
08533 #ifdef __RX_LITTLE_ENDIAN__
08534     unsigned long B : 8;
08535     unsigned long G : 8;
08536     unsigned long R : 8;
08537     unsigned long A : 8;
08538 #else
08539     unsigned long A : 8;
08540     unsigned long R : 8;
08541     unsigned long G : 8;
08542     unsigned long B : 8;
08543 #endif
08544     } BIT;
08545     } GR2CLUT0[256];
08546     union {
08547     unsigned long LONG;
08548     struct {
08549
08550 #ifdef __RX_LITTLE_ENDIAN__
08551     unsigned long B : 8;
08552     unsigned long G : 8;
08553     unsigned long R : 8;
08554     unsigned long A : 8;
08555 #else
08556     unsigned long A : 8;
08557     unsigned long R : 8;
08558     unsigned long G : 8;
08559     unsigned long B : 8;
08560 #endif
08561     } BIT;
08562     } GR2CLUT1[256];
08563     union {
08564     unsigned long LONG;
08565     struct {
08566
08567 #ifdef __RX_LITTLE_ENDIAN__
08568     unsigned long EN : 1;
08569     unsigned long : 7;
08570     unsigned long VEN : 1;
08571     unsigned long : 7;
08572     unsigned long SWRST : 1;
08573     unsigned long : 15;
08574 #else
08575     unsigned long : 15;
08576     unsigned long SWRST : 1;
08577     unsigned long : 7;
08578     unsigned long VEN : 1;
08579     unsigned long : 7;
08580     unsigned long EN : 1;
08581 #endif
08582     } BIT;
08583     } BGEN;
08584     union {
08585     unsigned long LONG;
08586     struct {
08587
08588 #ifdef __RX_LITTLE_ENDIAN__
08589     unsigned long FH : 11;
08590     unsigned long : 5;
08591     unsigned long FV : 11;
08592     unsigned long : 5;
08593 #else
08594     unsigned long : 5;
08595     unsigned long FV : 11;
08596     unsigned long : 5;
08597     unsigned long FH : 11;
08598 #endif
08599     } BIT;

```



```

08600     } BGPRI;
08601     union {
08602         unsigned long LONG;
08603         struct {
08604
08605 #ifdef __RX_LITTLE_ENDIAN__
08606         unsigned long HP : 4;
08607         unsigned long : 12;
08608         unsigned long VP : 4;
08609         unsigned long : 12;
08610 #else
08611         unsigned long : 12;
08612         unsigned long VP : 4;
08613         unsigned long : 12;
08614         unsigned long HP : 4;
08615 #endif
08616     } BIT;
08617     } BGSYNC;
08618     union {
08619         unsigned long LONG;
08620         struct {
08621
08622 #ifdef __RX_LITTLE_ENDIAN__
08623         unsigned long VW : 11;
08624         unsigned long : 5;
08625         unsigned long VP : 11;
08626         unsigned long : 5;
08627 #else
08628         unsigned long : 5;
08629         unsigned long VP : 11;
08630         unsigned long : 5;
08631         unsigned long VW : 11;
08632 #endif
08633     } BIT;
08634     } BGVSIZE;
08635     union {
08636         unsigned long LONG;
08637         struct {
08638
08639 #ifdef __RX_LITTLE_ENDIAN__
08640         unsigned long HW : 11;
08641         unsigned long : 5;
08642         unsigned long HP : 11;
08643         unsigned long : 5;
08644 #else
08645         unsigned long : 5;
08646         unsigned long HP : 11;
08647         unsigned long : 5;
08648         unsigned long HW : 11;
08649 #endif
08650     } BIT;
08651     } BGHSIZE;
08652     union {
08653         unsigned long LONG;
08654         struct {
08655
08656 #ifdef __RX_LITTLE_ENDIAN__
08657         unsigned long B : 8;
08658         unsigned long G : 8;
08659         unsigned long R : 8;
08660         unsigned long : 8;
08661 #else
08662         unsigned long : 8;
08663         unsigned long R : 8;
08664         unsigned long G : 8;
08665         unsigned long B : 8;
08666 #endif
08667     } BIT;
08668     } BGCOLOR;
08669     union {
08670         unsigned long LONG;
08671         struct {
08672
08673 #ifdef __RX_LITTLE_ENDIAN__
08674         unsigned long EN : 1;
08675         unsigned long : 7;
08676         unsigned long VEN : 1;
08677         unsigned long : 7;
08678         unsigned long SWRST : 1;
08679         unsigned long : 15;
08680 #else
08681         unsigned long : 15;
08682         unsigned long SWRST : 1;
08683         unsigned long : 7;
08684         unsigned long VEN : 1;
08685         unsigned long : 7;
08686         unsigned long EN : 1;

```

```

08687 #endif
08688     } BIT;
08689     } BGMON;
08690     char          wk0[228];
08691     union {
08692         unsigned long LONG;
08693         struct {
08694
08695 #ifdef __RX_LITTLE_ENDIAN__
08696         unsigned long VEN : 1;
08697         unsigned long      : 31;
08698 #else
08699         unsigned long      : 31;
08700         unsigned long VEN : 1;
08701 #endif
08702     } BIT;
08703     } GR1VEN;
08704     union {
08705         unsigned long LONG;
08706         struct {
08707
08708 #ifdef __RX_LITTLE_ENDIAN__
08709         unsigned long RENB : 1;
08710         unsigned long      : 31;
08711 #else
08712         unsigned long      : 31;
08713         unsigned long RENB : 1;
08714 #endif
08715     } BIT;
08716     } GR1FLMRD;
08717     char          wk1[4];
08718     unsigned long GR1FLM2;
08719     union {
08720         unsigned long LONG;
08721         struct {
08722
08723 #ifdef __RX_LITTLE_ENDIAN__
08724         unsigned long      : 16;
08725         unsigned long LNOFF : 16;
08726 #else
08727         unsigned long LNOFF : 16;
08728         unsigned long      : 16;
08729 #endif
08730     } BIT;
08731     } GR1FLM3;
08732     char          wk2[4];
08733     union {
08734         unsigned long LONG;
08735         struct {
08736
08737 #ifdef __RX_LITTLE_ENDIAN__
08738         unsigned long DATANUM : 16;
08739         unsigned long LNNUM : 11;
08740         unsigned long      : 5;
08741 #else
08742         unsigned long      : 5;
08743         unsigned long LNNUM : 11;
08744         unsigned long DATANUM : 16;
08745 #endif
08746     } BIT;
08747     } GR1FLM5;
08748     union {
08749         unsigned long LONG;
08750         struct {
08751
08752 #ifdef __RX_LITTLE_ENDIAN__
08753         unsigned long      : 28;
08754         unsigned long FORMAT : 3;
08755         unsigned long      : 1;
08756 #else
08757         unsigned long      : 1;
08758         unsigned long FORMAT : 3;
08759         unsigned long      : 28;
08760 #endif
08761     } BIT;
08762     } GR1FLM6;
08763     union {
08764         unsigned long LONG;
08765         struct {
08766
08767 #ifdef __RX_LITTLE_ENDIAN__
08768         unsigned long DISPSEL : 2;
08769         unsigned long      : 2;
08770         unsigned long GRCDISPON : 1;
08771         unsigned long      : 3;
08772         unsigned long ARCDISPON : 1;
08773         unsigned long      : 3;

```

```

08774         unsigned long ARCON : 1;
08775         unsigned long : 19;
08776     #else
08777         unsigned long : 19;
08778         unsigned long ARCON : 1;
08779         unsigned long : 3;
08780         unsigned long ARCDISPON : 1;
08781         unsigned long : 3;
08782         unsigned long GRCDISPON : 1;
08783         unsigned long : 2;
08784         unsigned long DISPSEL : 2;
08785     #endif
08786     } BIT;
08787     } GR1AB1;
08788     union {
08789         unsigned long LONG;
08790     struct {
08791
08792     #ifdef __RX_LITTLE_ENDIAN__
08793         unsigned long GRCVW : 11;
08794         unsigned long : 5;
08795         unsigned long GRCVS : 11;
08796         unsigned long : 5;
08797     #else
08798         unsigned long : 5;
08799         unsigned long GRCVS : 11;
08800         unsigned long : 5;
08801         unsigned long GRCVW : 11;
08802     #endif
08803     } BIT;
08804     } GR1AB2;
08805     union {
08806         unsigned long LONG;
08807     struct {
08808
08809     #ifdef __RX_LITTLE_ENDIAN__
08810         unsigned long GRCHW : 11;
08811         unsigned long : 5;
08812         unsigned long GRCHS : 11;
08813         unsigned long : 5;
08814     #else
08815         unsigned long : 5;
08816         unsigned long GRCHS : 11;
08817         unsigned long : 5;
08818         unsigned long GRCHW : 11;
08819     #endif
08820     } BIT;
08821     } GR1AB3;
08822     union {
08823         unsigned long LONG;
08824     struct {
08825
08826     #ifdef __RX_LITTLE_ENDIAN__
08827         unsigned long ARCVW : 11;
08828         unsigned long : 5;
08829         unsigned long ARCVS : 11;
08830         unsigned long : 5;
08831     #else
08832         unsigned long : 5;
08833         unsigned long ARCVS : 11;
08834         unsigned long : 5;
08835         unsigned long ARCVW : 11;
08836     #endif
08837     } BIT;
08838     } GR1AB4;
08839     union {
08840         unsigned long LONG;
08841     struct {
08842
08843     #ifdef __RX_LITTLE_ENDIAN__
08844         unsigned long ARCHW : 11;
08845         unsigned long : 5;
08846         unsigned long ARCHS : 11;
08847         unsigned long : 5;
08848     #else
08849         unsigned long : 5;
08850         unsigned long ARCHS : 11;
08851         unsigned long : 5;
08852         unsigned long ARCHW : 11;
08853     #endif
08854     } BIT;
08855     } GR1AB5;
08856     union {
08857         unsigned long LONG;
08858     struct {
08859
08860     #ifdef __RX_LITTLE_ENDIAN__

```

```

08861         unsigned long ARCRATE : 8;
08862         unsigned long : 8;
08863         unsigned long ARCCOEF : 9;
08864         unsigned long : 7;
08865     #else
08866         unsigned long : 7;
08867         unsigned long ARCCOEF : 9;
08868         unsigned long : 8;
08869         unsigned long ARCRATE : 8;
08870     #endif
08871     } BIT;
08872     } GR1AB6;
08873     union {
08874         unsigned long LONG;
08875         struct {
08876
08877     #ifdef __RX_LITTLE_ENDIAN__
08878         unsigned long CKON : 1;
08879         unsigned long : 15;
08880         unsigned long ARCDEF : 8;
08881         unsigned long : 8;
08882     #else
08883         unsigned long : 8;
08884         unsigned long ARCDEF : 8;
08885         unsigned long : 15;
08886         unsigned long CKON : 1;
08887     #endif
08888     } BIT;
08889     } GR1AB7;
08890     union {
08891         unsigned long LONG;
08892         struct {
08893
08894     #ifdef __RX_LITTLE_ENDIAN__
08895         unsigned long CKKR : 8;
08896         unsigned long CKKB : 8;
08897         unsigned long CKKG : 8;
08898         unsigned long : 8;
08899     #else
08900         unsigned long : 8;
08901         unsigned long CKKG : 8;
08902         unsigned long CKKB : 8;
08903         unsigned long CKKR : 8;
08904     #endif
08905     } BIT;
08906     } GR1AB8;
08907     union {
08908         unsigned long LONG;
08909         struct {
08910
08911     #ifdef __RX_LITTLE_ENDIAN__
08912         unsigned long CKR : 8;
08913         unsigned long CKB : 8;
08914         unsigned long CKG : 8;
08915         unsigned long CKA : 8;
08916     #else
08917         unsigned long CKA : 8;
08918         unsigned long CKG : 8;
08919         unsigned long CKB : 8;
08920         unsigned long CKR : 8;
08921     #endif
08922     } BIT;
08923     } GR1AB9;
08924     char wk3[8];
08925     union {
08926         unsigned long LONG;
08927         struct {
08928
08929     #ifdef __RX_LITTLE_ENDIAN__
08930         unsigned long R : 8;
08931         unsigned long B : 8;
08932         unsigned long G : 8;
08933         unsigned long : 8;
08934     #else
08935         unsigned long : 8;
08936         unsigned long G : 8;
08937         unsigned long B : 8;
08938         unsigned long R : 8;
08939     #endif
08940     } BIT;
08941     } GRIBASE;
08942     union {
08943         unsigned long LONG;
08944         struct {
08945
08946     #ifdef __RX_LITTLE_ENDIAN__
08947         unsigned long LINE : 11;

```

```

08948         unsigned long : 5;
08949         unsigned long SEL : 1;
08950         unsigned long : 15;
08951     #else
08952         unsigned long : 15;
08953         unsigned long SEL : 1;
08954         unsigned long : 5;
08955         unsigned long LINE : 11;
08956     #endif
08957     } BIT;
08958     } GR1CLUTINT;
08959     union {
08960         unsigned long LONG;
08961         struct {
08962
08963     #ifdef __RX_LITTLE_ENDIAN__
08964         unsigned long ARCST : 1;
08965         unsigned long : 15;
08966         unsigned long UFST : 1;
08967         unsigned long : 15;
08968     #else
08969         unsigned long : 15;
08970         unsigned long UFST : 1;
08971         unsigned long : 15;
08972         unsigned long ARCST : 1;
08973     #endif
08974     } BIT;
08975     } GR1MON;
08976     char          wk4[168];
08977     union {
08978         unsigned long LONG;
08979         struct {
08980
08981     #ifdef __RX_LITTLE_ENDIAN__
08982         unsigned long VEN : 1;
08983         unsigned long : 31;
08984     #else
08985         unsigned long : 31;
08986         unsigned long VEN : 1;
08987     #endif
08988     } BIT;
08989     } GR2VEN;
08990     union {
08991         unsigned long LONG;
08992         struct {
08993
08994     #ifdef __RX_LITTLE_ENDIAN__
08995         unsigned long RENB : 1;
08996         unsigned long : 31;
08997     #else
08998         unsigned long : 31;
08999         unsigned long RENB : 1;
09000     #endif
09001     } BIT;
09002     } GR2FLMRD;
09003     char          wk5[4];
09004     unsigned long GR2FLM2;
09005     union {
09006         unsigned long LONG;
09007         struct {
09008
09009     #ifdef __RX_LITTLE_ENDIAN__
09010         unsigned long : 16;
09011         unsigned long LNOFF : 16;
09012     #else
09013         unsigned long LNOFF : 16;
09014         unsigned long : 16;
09015     #endif
09016     } BIT;
09017     } GR2FLM3;
09018     char          wk6[4];
09019     union {
09020         unsigned long LONG;
09021         struct {
09022
09023     #ifdef __RX_LITTLE_ENDIAN__
09024         unsigned long DATANUM : 16;
09025         unsigned long LNNUM : 11;
09026         unsigned long : 5;
09027     #else
09028         unsigned long : 5;
09029         unsigned long LNNUM : 11;
09030         unsigned long DATANUM : 16;
09031     #endif
09032     } BIT;
09033     } GR2FLM5;
09034     union {

```

```

09035     unsigned long LONG;
09036     struct {
09037
09038 #ifdef __RX_LITTLE_ENDIAN__
09039     unsigned long : 28;
09040     unsigned long FORMAT : 3;
09041     unsigned long : 1;
09042 #else
09043     unsigned long : 1;
09044     unsigned long FORMAT : 3;
09045     unsigned long : 28;
09046 #endif
09047     } BIT;
09048     } GR2FLM6;
09049     union {
09050     unsigned long LONG;
09051     struct {
09052
09053 #ifdef __RX_LITTLE_ENDIAN__
09054     unsigned long DISPSEL : 2;
09055     unsigned long : 2;
09056     unsigned long GRCDISPON : 1;
09057     unsigned long : 3;
09058     unsigned long ARCDISPON : 1;
09059     unsigned long : 3;
09060     unsigned long ARCON : 1;
09061     unsigned long : 19;
09062 #else
09063     unsigned long : 19;
09064     unsigned long ARCON : 1;
09065     unsigned long : 3;
09066     unsigned long ARCDISPON : 1;
09067     unsigned long : 3;
09068     unsigned long GRCDISPON : 1;
09069     unsigned long : 2;
09070     unsigned long DISPSEL : 2;
09071 #endif
09072     } BIT;
09073     } GR2AB1;
09074     union {
09075     unsigned long LONG;
09076     struct {
09077
09078 #ifdef __RX_LITTLE_ENDIAN__
09079     unsigned long GRCVW : 11;
09080     unsigned long : 5;
09081     unsigned long GRCVS : 11;
09082     unsigned long : 5;
09083 #else
09084     unsigned long : 5;
09085     unsigned long GRCVS : 11;
09086     unsigned long : 5;
09087     unsigned long GRCVW : 11;
09088 #endif
09089     } BIT;
09090     } GR2AB2;
09091     union {
09092     unsigned long LONG;
09093     struct {
09094
09095 #ifdef __RX_LITTLE_ENDIAN__
09096     unsigned long GRCHW : 11;
09097     unsigned long : 5;
09098     unsigned long GRCHS : 11;
09099     unsigned long : 5;
09100 #else
09101     unsigned long : 5;
09102     unsigned long GRCHS : 11;
09103     unsigned long : 5;
09104     unsigned long GRCHW : 11;
09105 #endif
09106     } BIT;
09107     } GR2AB3;
09108     union {
09109     unsigned long LONG;
09110     struct {
09111
09112 #ifdef __RX_LITTLE_ENDIAN__
09113     unsigned long ARCVW : 11;
09114     unsigned long : 5;
09115     unsigned long ARCVS : 11;
09116     unsigned long : 5;
09117 #else
09118     unsigned long : 5;
09119     unsigned long ARCVS : 11;
09120     unsigned long : 5;
09121     unsigned long ARCVW : 11;

```

```

09122 #endif
09123     } BIT;
09124     } GR2AB4;
09125     union {
09126         unsigned long LONG;
09127         struct {
09128
09129 #ifdef __RX_LITTLE_ENDIAN__
09130         unsigned long ARCHW : 11;
09131         unsigned long : 5;
09132         unsigned long ARCHS : 11;
09133         unsigned long : 5;
09134 #else
09135         unsigned long : 5;
09136         unsigned long ARCHS : 11;
09137         unsigned long : 5;
09138         unsigned long ARCHW : 11;
09139 #endif
09140     } BIT;
09141     } GR2AB5;
09142     union {
09143         unsigned long LONG;
09144         struct {
09145
09146 #ifdef __RX_LITTLE_ENDIAN__
09147         unsigned long ARCRATE : 8;
09148         unsigned long : 8;
09149         unsigned long ARCCOEF : 9;
09150         unsigned long : 7;
09151 #else
09152         unsigned long : 7;
09153         unsigned long ARCCOEF : 9;
09154         unsigned long : 8;
09155         unsigned long ARCRATE : 8;
09156 #endif
09157     } BIT;
09158     } GR2AB6;
09159     union {
09160         unsigned long LONG;
09161         struct {
09162
09163 #ifdef __RX_LITTLE_ENDIAN__
09164         unsigned long CKON : 1;
09165         unsigned long : 15;
09166         unsigned long ARCDEF : 8;
09167         unsigned long : 8;
09168 #else
09169         unsigned long : 8;
09170         unsigned long ARCDEF : 8;
09171         unsigned long : 15;
09172         unsigned long CKON : 1;
09173 #endif
09174     } BIT;
09175     } GR2AB7;
09176     union {
09177         unsigned long LONG;
09178         struct {
09179
09180 #ifdef __RX_LITTLE_ENDIAN__
09181         unsigned long CKKR : 8;
09182         unsigned long CKKB : 8;
09183         unsigned long CKKG : 8;
09184         unsigned long : 8;
09185 #else
09186         unsigned long : 8;
09187         unsigned long CKKG : 8;
09188         unsigned long CKKB : 8;
09189         unsigned long CKKR : 8;
09190 #endif
09191     } BIT;
09192     } GR2AB8;
09193     union {
09194         unsigned long LONG;
09195         struct {
09196
09197 #ifdef __RX_LITTLE_ENDIAN__
09198         unsigned long CKR : 8;
09199         unsigned long CKB : 8;
09200         unsigned long CKG : 8;
09201         unsigned long CKA : 8;
09202 #else
09203         unsigned long CKA : 8;
09204         unsigned long CKG : 8;
09205         unsigned long CKB : 8;
09206         unsigned long CKR : 8;
09207 #endif
09208     } BIT;

```

```

09209     } GR2AB9;
09210     char      wk7[8];
09211     union {
09212         unsigned long LONG;
09213         struct {
09214
09215 #ifdef __RX_LITTLE_ENDIAN__
09216         unsigned long R : 8;
09217         unsigned long B : 8;
09218         unsigned long G : 8;
09219         unsigned long  : 8;
09220 #else
09221         unsigned long  : 8;
09222         unsigned long G : 8;
09223         unsigned long B : 8;
09224         unsigned long R : 8;
09225 #endif
09226     } BIT;
09227     } GR2BASE;
09228     union {
09229         unsigned long LONG;
09230         struct {
09231
09232 #ifdef __RX_LITTLE_ENDIAN__
09233         unsigned long LINE : 11;
09234         unsigned long  : 5;
09235         unsigned long SEL : 1;
09236         unsigned long  : 15;
09237 #else
09238         unsigned long  : 15;
09239         unsigned long SEL : 1;
09240         unsigned long  : 5;
09241         unsigned long LINE : 11;
09242 #endif
09243     } BIT;
09244     } GR2CLUTINT;
09245     union {
09246         unsigned long LONG;
09247         struct {
09248
09249 #ifdef __RX_LITTLE_ENDIAN__
09250         unsigned long ARCST : 1;
09251         unsigned long  : 15;
09252         unsigned long UFST : 1;
09253         unsigned long  : 15;
09254 #else
09255         unsigned long  : 15;
09256         unsigned long UFST : 1;
09257         unsigned long  : 15;
09258         unsigned long ARCST : 1;
09259 #endif
09260     } BIT;
09261     } GR2MON;
09262     char      wk8[168];
09263     union {
09264         unsigned long LONG;
09265         struct {
09266
09267 #ifdef __RX_LITTLE_ENDIAN__
09268         unsigned long VEN : 1;
09269         unsigned long  : 31;
09270 #else
09271         unsigned long  : 31;
09272         unsigned long VEN : 1;
09273 #endif
09274     } BIT;
09275     } GAMGVEN;
09276     union {
09277         unsigned long LONG;
09278         struct {
09279
09280 #ifdef __RX_LITTLE_ENDIAN__
09281         unsigned long GAMON : 1;
09282         unsigned long  : 31;
09283 #else
09284         unsigned long  : 31;
09285         unsigned long GAMON : 1;
09286 #endif
09287     } BIT;
09288     } GAMSW;
09289     union {
09290         unsigned long LONG;
09291         struct {
09292
09293 #ifdef __RX_LITTLE_ENDIAN__
09294         unsigned long GAIN01 : 11;
09295         unsigned long  : 5;

```



```

09296         unsigned long GAIN00 : 11;
09297         unsigned long   : 5;
09298     #else
09299         unsigned long   : 5;
09300         unsigned long GAIN00 : 11;
09301         unsigned long   : 5;
09302         unsigned long GAIN01 : 11;
09303     #endif
09304     } BIT;
09305     } GAMGLUT1;
09306     union {
09307         unsigned long LONG;
09308     struct {
09309
09310     #ifdef __RX_LITTLE_ENDIAN__
09311         unsigned long GAIN03 : 11;
09312         unsigned long   : 5;
09313         unsigned long GAIN02 : 11;
09314         unsigned long   : 5;
09315     #else
09316         unsigned long   : 5;
09317         unsigned long GAIN02 : 11;
09318         unsigned long   : 5;
09319         unsigned long GAIN03 : 11;
09320     #endif
09321     } BIT;
09322     } GAMGLUT2;
09323     union {
09324         unsigned long LONG;
09325     struct {
09326
09327     #ifdef __RX_LITTLE_ENDIAN__
09328         unsigned long GAIN05 : 11;
09329         unsigned long   : 5;
09330         unsigned long GAIN04 : 11;
09331         unsigned long   : 5;
09332     #else
09333         unsigned long   : 5;
09334         unsigned long GAIN04 : 11;
09335         unsigned long   : 5;
09336         unsigned long GAIN05 : 11;
09337     #endif
09338     } BIT;
09339     } GAMGLUT3;
09340     union {
09341         unsigned long LONG;
09342     struct {
09343
09344     #ifdef __RX_LITTLE_ENDIAN__
09345         unsigned long GAIN07 : 11;
09346         unsigned long   : 5;
09347         unsigned long GAIN06 : 11;
09348         unsigned long   : 5;
09349     #else
09350         unsigned long   : 5;
09351         unsigned long GAIN06 : 11;
09352         unsigned long   : 5;
09353         unsigned long GAIN07 : 11;
09354     #endif
09355     } BIT;
09356     } GAMGLUT4;
09357     union {
09358         unsigned long LONG;
09359     struct {
09360
09361     #ifdef __RX_LITTLE_ENDIAN__
09362         unsigned long GAIN09 : 11;
09363         unsigned long   : 5;
09364         unsigned long GAIN08 : 11;
09365         unsigned long   : 5;
09366     #else
09367         unsigned long   : 5;
09368         unsigned long GAIN08 : 11;
09369         unsigned long   : 5;
09370         unsigned long GAIN09 : 11;
09371     #endif
09372     } BIT;
09373     } GAMGLUT5;
09374     union {
09375         unsigned long LONG;
09376     struct {
09377
09378     #ifdef __RX_LITTLE_ENDIAN__
09379         unsigned long GAIN11 : 11;
09380         unsigned long   : 5;
09381         unsigned long GAIN10 : 11;
09382         unsigned long   : 5;

```

```

09383 #else
09384     unsigned long : 5;
09385     unsigned long GAIN10 : 11;
09386     unsigned long : 5;
09387     unsigned long GAIN11 : 11;
09388 #endif
09389 } BIT;
09390 } GAMGLUT6;
09391 union {
09392     unsigned long LONG;
09393     struct {
09394
09395 #ifdef __RX_LITTLE_ENDIAN__
09396     unsigned long GAIN13 : 11;
09397     unsigned long : 5;
09398     unsigned long GAIN12 : 11;
09399     unsigned long : 5;
09400 #else
09401     unsigned long : 5;
09402     unsigned long GAIN12 : 11;
09403     unsigned long : 5;
09404     unsigned long GAIN13 : 11;
09405 #endif
09406 } BIT;
09407 } GAMGLUT7;
09408 union {
09409     unsigned long LONG;
09410     struct {
09411
09412 #ifdef __RX_LITTLE_ENDIAN__
09413     unsigned long GAIN15 : 11;
09414     unsigned long : 5;
09415     unsigned long GAIN14 : 11;
09416     unsigned long : 5;
09417 #else
09418     unsigned long : 5;
09419     unsigned long GAIN14 : 11;
09420     unsigned long : 5;
09421     unsigned long GAIN15 : 11;
09422 #endif
09423 } BIT;
09424 } GAMGLUT8;
09425 union {
09426     unsigned long LONG;
09427     struct {
09428
09429 #ifdef __RX_LITTLE_ENDIAN__
09430     unsigned long TH03 : 10;
09431     unsigned long TH02 : 10;
09432     unsigned long TH01 : 10;
09433     unsigned long : 2;
09434 #else
09435     unsigned long : 2;
09436     unsigned long TH01 : 10;
09437     unsigned long TH02 : 10;
09438     unsigned long TH03 : 10;
09439 #endif
09440 } BIT;
09441 } GAMGAREA1;
09442 union {
09443     unsigned long LONG;
09444     struct {
09445
09446 #ifdef __RX_LITTLE_ENDIAN__
09447     unsigned long TH06 : 10;
09448     unsigned long TH05 : 10;
09449     unsigned long TH04 : 10;
09450     unsigned long : 2;
09451 #else
09452     unsigned long : 2;
09453     unsigned long TH04 : 10;
09454     unsigned long TH05 : 10;
09455     unsigned long TH06 : 10;
09456 #endif
09457 } BIT;
09458 } GAMGAREA2;
09459 union {
09460     unsigned long LONG;
09461     struct {
09462
09463 #ifdef __RX_LITTLE_ENDIAN__
09464     unsigned long TH09 : 10;
09465     unsigned long TH08 : 10;
09466     unsigned long TH07 : 10;
09467     unsigned long : 2;
09468 #else
09469     unsigned long : 2;

```

```

09470         unsigned long TH07 : 10;
09471         unsigned long TH08 : 10;
09472         unsigned long TH09 : 10;
09473     #endif
09474     } BIT;
09475     } GAMGAREA3;
09476     union {
09477         unsigned long LONG;
09478         struct {
09479
09480     #ifdef __RX_LITTLE_ENDIAN__
09481         unsigned long TH12 : 10;
09482         unsigned long TH11 : 10;
09483         unsigned long TH10 : 10;
09484         unsigned long : 2;
09485     #else
09486         unsigned long : 2;
09487         unsigned long TH10 : 10;
09488         unsigned long TH11 : 10;
09489         unsigned long TH12 : 10;
09490     #endif
09491     } BIT;
09492     } GAMGAREA4;
09493     union {
09494         unsigned long LONG;
09495         struct {
09496
09497     #ifdef __RX_LITTLE_ENDIAN__
09498         unsigned long TH15 : 10;
09499         unsigned long TH14 : 10;
09500         unsigned long TH13 : 10;
09501         unsigned long : 2;
09502     #else
09503         unsigned long : 2;
09504         unsigned long TH13 : 10;
09505         unsigned long TH14 : 10;
09506         unsigned long TH15 : 10;
09507     #endif
09508     } BIT;
09509     } GAMGAREA5;
09510     char          wk9[4];
09511     union {
09512         unsigned long LONG;
09513         struct {
09514
09515     #ifdef __RX_LITTLE_ENDIAN__
09516         unsigned long VEN : 1;
09517         unsigned long : 31;
09518     #else
09519         unsigned long : 31;
09520         unsigned long VEN : 1;
09521     #endif
09522     } BIT;
09523     } GAMBVEN;
09524     char          wk10[4];
09525     union {
09526         unsigned long LONG;
09527         struct {
09528
09529     #ifdef __RX_LITTLE_ENDIAN__
09530         unsigned long GAIN01 : 11;
09531         unsigned long : 5;
09532         unsigned long GAIN00 : 11;
09533         unsigned long : 5;
09534     #else
09535         unsigned long : 5;
09536         unsigned long GAIN00 : 11;
09537         unsigned long : 5;
09538         unsigned long GAIN01 : 11;
09539     #endif
09540     } BIT;
09541     } GAMBLUT1;
09542     union {
09543         unsigned long LONG;
09544         struct {
09545
09546     #ifdef __RX_LITTLE_ENDIAN__
09547         unsigned long GAIN03 : 11;
09548         unsigned long : 5;
09549         unsigned long GAIN02 : 11;
09550         unsigned long : 5;
09551     #else
09552         unsigned long : 5;
09553         unsigned long GAIN02 : 11;
09554         unsigned long : 5;
09555         unsigned long GAIN03 : 11;
09556     #endif

```

```

09557     } BIT;
09558     } GAMBLUT2;
09559     union {
09560         unsigned long LONG;
09561     struct {
09562
09563 #ifdef __RX_LITTLE_ENDIAN__
09564         unsigned long GAIN05 : 11;
09565         unsigned long : 5;
09566         unsigned long GAIN04 : 11;
09567         unsigned long : 5;
09568 #else
09569         unsigned long : 5;
09570         unsigned long GAIN04 : 11;
09571         unsigned long : 5;
09572         unsigned long GAIN05 : 11;
09573 #endif
09574     } BIT;
09575     } GAMBLUT3;
09576     union {
09577         unsigned long LONG;
09578     struct {
09579
09580 #ifdef __RX_LITTLE_ENDIAN__
09581         unsigned long GAIN07 : 11;
09582         unsigned long : 5;
09583         unsigned long GAIN06 : 11;
09584         unsigned long : 5;
09585 #else
09586         unsigned long : 5;
09587         unsigned long GAIN06 : 11;
09588         unsigned long : 5;
09589         unsigned long GAIN07 : 11;
09590 #endif
09591     } BIT;
09592     } GAMBLUT4;
09593     union {
09594         unsigned long LONG;
09595     struct {
09596
09597 #ifdef __RX_LITTLE_ENDIAN__
09598         unsigned long GAIN09 : 11;
09599         unsigned long : 5;
09600         unsigned long GAIN08 : 11;
09601         unsigned long : 5;
09602 #else
09603         unsigned long : 5;
09604         unsigned long GAIN08 : 11;
09605         unsigned long : 5;
09606         unsigned long GAIN09 : 11;
09607 #endif
09608     } BIT;
09609     } GAMBLUT5;
09610     union {
09611         unsigned long LONG;
09612     struct {
09613
09614 #ifdef __RX_LITTLE_ENDIAN__
09615         unsigned long GAIN11 : 11;
09616         unsigned long : 5;
09617         unsigned long GAIN10 : 11;
09618         unsigned long : 5;
09619 #else
09620         unsigned long : 5;
09621         unsigned long GAIN10 : 11;
09622         unsigned long : 5;
09623         unsigned long GAIN11 : 11;
09624 #endif
09625     } BIT;
09626     } GAMBLUT6;
09627     union {
09628         unsigned long LONG;
09629     struct {
09630
09631 #ifdef __RX_LITTLE_ENDIAN__
09632         unsigned long GAIN13 : 11;
09633         unsigned long : 5;
09634         unsigned long GAIN12 : 11;
09635         unsigned long : 5;
09636 #else
09637         unsigned long : 5;
09638         unsigned long GAIN12 : 11;
09639         unsigned long : 5;
09640         unsigned long GAIN13 : 11;
09641 #endif
09642     } BIT;
09643     } GAMBLUT7;

```

```

09644     union {
09645         unsigned long LONG;
09646     struct {
09647
09648 #ifdef __RX_LITTLE_ENDIAN__
09649         unsigned long GAIN15 : 11;
09650         unsigned long : 5;
09651         unsigned long GAIN14 : 11;
09652         unsigned long : 5;
09653 #else
09654         unsigned long : 5;
09655         unsigned long GAIN14 : 11;
09656         unsigned long : 5;
09657         unsigned long GAIN15 : 11;
09658 #endif
09659     } BIT;
09660     } GAMBLUT8;
09661     union {
09662         unsigned long LONG;
09663     struct {
09664
09665 #ifdef __RX_LITTLE_ENDIAN__
09666         unsigned long TH03 : 10;
09667         unsigned long TH02 : 10;
09668         unsigned long TH01 : 10;
09669         unsigned long : 2;
09670 #else
09671         unsigned long : 2;
09672         unsigned long TH01 : 10;
09673         unsigned long TH02 : 10;
09674         unsigned long TH03 : 10;
09675 #endif
09676     } BIT;
09677     } GAMBAREA1;
09678     union {
09679         unsigned long LONG;
09680     struct {
09681
09682 #ifdef __RX_LITTLE_ENDIAN__
09683         unsigned long TH06 : 10;
09684         unsigned long TH05 : 10;
09685         unsigned long TH04 : 10;
09686         unsigned long : 2;
09687 #else
09688         unsigned long : 2;
09689         unsigned long TH04 : 10;
09690         unsigned long TH05 : 10;
09691         unsigned long TH06 : 10;
09692 #endif
09693     } BIT;
09694     } GAMBAREA2;
09695     union {
09696         unsigned long LONG;
09697     struct {
09698
09699 #ifdef __RX_LITTLE_ENDIAN__
09700         unsigned long TH09 : 10;
09701         unsigned long TH08 : 10;
09702         unsigned long TH07 : 10;
09703         unsigned long : 2;
09704 #else
09705         unsigned long : 2;
09706         unsigned long TH07 : 10;
09707         unsigned long TH08 : 10;
09708         unsigned long TH09 : 10;
09709 #endif
09710     } BIT;
09711     } GAMBAREA3;
09712     union {
09713         unsigned long LONG;
09714     struct {
09715
09716 #ifdef __RX_LITTLE_ENDIAN__
09717         unsigned long TH12 : 10;
09718         unsigned long TH11 : 10;
09719         unsigned long TH10 : 10;
09720         unsigned long : 2;
09721 #else
09722         unsigned long : 2;
09723         unsigned long TH10 : 10;
09724         unsigned long TH11 : 10;
09725         unsigned long TH12 : 10;
09726 #endif
09727     } BIT;
09728     } GAMBAREA4;
09729     union {
09730         unsigned long LONG;

```

```

09731     struct {
09732
09733 #ifdef __RX_LITTLE_ENDIAN__
09734     unsigned long TH15 : 10;
09735     unsigned long TH14 : 10;
09736     unsigned long TH13 : 10;
09737     unsigned long : 2;
09738 #else
09739     unsigned long : 2;
09740     unsigned long TH13 : 10;
09741     unsigned long TH14 : 10;
09742     unsigned long TH15 : 10;
09743 #endif
09744     } BIT;
09745     } GAMBAREA5;
09746     char      wk11[4];
09747     union {
09748         unsigned long LONG;
09749         struct {
09750
09751 #ifdef __RX_LITTLE_ENDIAN__
09752         unsigned long VEN : 1;
09753         unsigned long : 31;
09754 #else
09755         unsigned long : 31;
09756         unsigned long VEN : 1;
09757 #endif
09758         } BIT;
09759         } GAMRVEN;
09760         char      wk12[4];
09761         union {
09762             unsigned long LONG;
09763             struct {
09764
09765 #ifdef __RX_LITTLE_ENDIAN__
09766             unsigned long GAIN01 : 11;
09767             unsigned long : 5;
09768             unsigned long GAIN00 : 11;
09769             unsigned long : 5;
09770 #else
09771             unsigned long : 5;
09772             unsigned long GAIN00 : 11;
09773             unsigned long : 5;
09774             unsigned long GAIN01 : 11;
09775 #endif
09776             } BIT;
09777             } GAMRLUT1;
09778             union {
09779                 unsigned long LONG;
09780                 struct {
09781
09782 #ifdef __RX_LITTLE_ENDIAN__
09783                 unsigned long GAIN03 : 11;
09784                 unsigned long : 5;
09785                 unsigned long GAIN02 : 11;
09786                 unsigned long : 5;
09787 #else
09788                 unsigned long : 5;
09789                 unsigned long GAIN02 : 11;
09790                 unsigned long : 5;
09791                 unsigned long GAIN03 : 11;
09792 #endif
09793                 } BIT;
09794                 } GAMRLUT2;
09795                 union {
09796                     unsigned long LONG;
09797                     struct {
09798
09799 #ifdef __RX_LITTLE_ENDIAN__
09800                     unsigned long GAIN05 : 11;
09801                     unsigned long : 5;
09802                     unsigned long GAIN04 : 11;
09803                     unsigned long : 5;
09804 #else
09805                     unsigned long : 5;
09806                     unsigned long GAIN04 : 11;
09807                     unsigned long : 5;
09808                     unsigned long GAIN05 : 11;
09809 #endif
09810                     } BIT;
09811                     } GAMRLUT3;
09812                     union {
09813                         unsigned long LONG;
09814                         struct {
09815
09816 #ifdef __RX_LITTLE_ENDIAN__
09817                         unsigned long GAIN07 : 11;

```

```

09818         unsigned long : 5;
09819         unsigned long GAIN06 : 11;
09820         unsigned long : 5;
09821     #else
09822         unsigned long : 5;
09823         unsigned long GAIN06 : 11;
09824         unsigned long : 5;
09825         unsigned long GAIN07 : 11;
09826     #endif
09827     } BIT;
09828     } GAMRLUT4;
09829     union {
09830         unsigned long LONG;
09831     struct {
09832
09833     #ifdef __RX_LITTLE_ENDIAN__
09834         unsigned long GAIN09 : 11;
09835         unsigned long : 5;
09836         unsigned long GAIN08 : 11;
09837         unsigned long : 5;
09838     #else
09839         unsigned long : 5;
09840         unsigned long GAIN08 : 11;
09841         unsigned long : 5;
09842         unsigned long GAIN09 : 11;
09843     #endif
09844     } BIT;
09845     } GAMRLUT5;
09846     union {
09847         unsigned long LONG;
09848     struct {
09849
09850     #ifdef __RX_LITTLE_ENDIAN__
09851         unsigned long GAIN11 : 11;
09852         unsigned long : 5;
09853         unsigned long GAIN10 : 11;
09854         unsigned long : 5;
09855     #else
09856         unsigned long : 5;
09857         unsigned long GAIN10 : 11;
09858         unsigned long : 5;
09859         unsigned long GAIN11 : 11;
09860     #endif
09861     } BIT;
09862     } GAMRLUT6;
09863     union {
09864         unsigned long LONG;
09865     struct {
09866
09867     #ifdef __RX_LITTLE_ENDIAN__
09868         unsigned long GAIN13 : 11;
09869         unsigned long : 5;
09870         unsigned long GAIN12 : 11;
09871         unsigned long : 5;
09872     #else
09873         unsigned long : 5;
09874         unsigned long GAIN12 : 11;
09875         unsigned long : 5;
09876         unsigned long GAIN13 : 11;
09877     #endif
09878     } BIT;
09879     } GAMRLUT7;
09880     union {
09881         unsigned long LONG;
09882     struct {
09883
09884     #ifdef __RX_LITTLE_ENDIAN__
09885         unsigned long GAIN15 : 11;
09886         unsigned long : 5;
09887         unsigned long GAIN14 : 11;
09888         unsigned long : 5;
09889     #else
09890         unsigned long : 5;
09891         unsigned long GAIN14 : 11;
09892         unsigned long : 5;
09893         unsigned long GAIN15 : 11;
09894     #endif
09895     } BIT;
09896     } GAMRLUT8;
09897     union {
09898         unsigned long LONG;
09899     struct {
09900
09901     #ifdef __RX_LITTLE_ENDIAN__
09902         unsigned long TH03 : 10;
09903         unsigned long TH02 : 10;
09904         unsigned long TH01 : 10;

```

```

09905         unsigned long : 2;
09906 #else
09907         unsigned long : 2;
09908         unsigned long TH01 : 10;
09909         unsigned long TH02 : 10;
09910         unsigned long TH03 : 10;
09911 #endif
09912     } BIT;
09913     } GAMRAREA1;
09914     union {
09915         unsigned long LONG;
09916         struct {
09917
09918 #ifdef __RX_LITTLE_ENDIAN__
09919         unsigned long TH06 : 10;
09920         unsigned long TH05 : 10;
09921         unsigned long TH04 : 10;
09922         unsigned long : 2;
09923 #else
09924         unsigned long : 2;
09925         unsigned long TH04 : 10;
09926         unsigned long TH05 : 10;
09927         unsigned long TH06 : 10;
09928 #endif
09929     } BIT;
09930     } GAMRAREA2;
09931     union {
09932         unsigned long LONG;
09933         struct {
09934
09935 #ifdef __RX_LITTLE_ENDIAN__
09936         unsigned long TH09 : 10;
09937         unsigned long TH08 : 10;
09938         unsigned long TH07 : 10;
09939         unsigned long : 2;
09940 #else
09941         unsigned long : 2;
09942         unsigned long TH07 : 10;
09943         unsigned long TH08 : 10;
09944         unsigned long TH09 : 10;
09945 #endif
09946     } BIT;
09947     } GAMRAREA3;
09948     union {
09949         unsigned long LONG;
09950         struct {
09951
09952 #ifdef __RX_LITTLE_ENDIAN__
09953         unsigned long TH12 : 10;
09954         unsigned long TH11 : 10;
09955         unsigned long TH10 : 10;
09956         unsigned long : 2;
09957 #else
09958         unsigned long : 2;
09959         unsigned long TH10 : 10;
09960         unsigned long TH11 : 10;
09961         unsigned long TH12 : 10;
09962 #endif
09963     } BIT;
09964     } GAMRAREA4;
09965     union {
09966         unsigned long LONG;
09967         struct {
09968
09969 #ifdef __RX_LITTLE_ENDIAN__
09970         unsigned long TH15 : 10;
09971         unsigned long TH14 : 10;
09972         unsigned long TH13 : 10;
09973         unsigned long : 2;
09974 #else
09975         unsigned long : 2;
09976         unsigned long TH13 : 10;
09977         unsigned long TH14 : 10;
09978         unsigned long TH15 : 10;
09979 #endif
09980     } BIT;
09981     } GAMRAREA5;
09982     char wk13[4];
09983     union {
09984         unsigned long LONG;
09985         struct {
09986
09987 #ifdef __RX_LITTLE_ENDIAN__
09988         unsigned long VEN : 1;
09989         unsigned long : 31;
09990 #else
09991         unsigned long : 31;

```



```

09992         unsigned long VEN : 1;
09993 #endif
09994     } BIT;
09995     } OUTVEN;
09996     union {
09997         unsigned long LONG;
09998         struct {
09999
10000 #ifdef __RX_LITTLE_ENDIAN__
10001         unsigned long PHASE : 2;
10002         unsigned long : 2;
10003         unsigned long DIRSEL : 1;
10004         unsigned long : 4;
10005         unsigned long FRQSEL : 1;
10006         unsigned long : 2;
10007         unsigned long FORMAT : 2;
10008         unsigned long : 10;
10009         unsigned long SWAPON : 1;
10010         unsigned long : 3;
10011         unsigned long ENDIANON : 1;
10012         unsigned long : 3;
10013 #else
10014         unsigned long : 3;
10015         unsigned long ENDIANON : 1;
10016         unsigned long : 3;
10017         unsigned long SWAPON : 1;
10018         unsigned long : 10;
10019         unsigned long FORMAT : 2;
10020         unsigned long : 2;
10021         unsigned long FRQSEL : 1;
10022         unsigned long : 4;
10023         unsigned long DIRSEL : 1;
10024         unsigned long : 2;
10025         unsigned long PHASE : 2;
10026 #endif
10027     } BIT;
10028     } OUTSET;
10029     union {
10030         unsigned long LONG;
10031         struct {
10032
10033 #ifdef __RX_LITTLE_ENDIAN__
10034         unsigned long BRTG : 10;
10035         unsigned long : 22;
10036 #else
10037         unsigned long : 22;
10038         unsigned long BRTG : 10;
10039 #endif
10040     } BIT;
10041     } BRIGHT1;
10042     union {
10043         unsigned long LONG;
10044         struct {
10045
10046 #ifdef __RX_LITTLE_ENDIAN__
10047         unsigned long BRTR : 10;
10048         unsigned long : 6;
10049         unsigned long BRTB : 10;
10050         unsigned long : 6;
10051 #else
10052         unsigned long : 6;
10053         unsigned long BRTB : 10;
10054         unsigned long : 6;
10055         unsigned long BRTR : 10;
10056 #endif
10057     } BIT;
10058     } BRIGHT2;
10059     union {
10060         unsigned long LONG;
10061         struct {
10062
10063 #ifdef __RX_LITTLE_ENDIAN__
10064         unsigned long CONTR : 8;
10065         unsigned long CONTB : 8;
10066         unsigned long CONTG : 8;
10067         unsigned long : 8;
10068 #else
10069         unsigned long : 8;
10070         unsigned long CONTG : 8;
10071         unsigned long CONTB : 8;
10072         unsigned long CONTR : 8;
10073 #endif
10074     } BIT;
10075     } CONTRAST;
10076     union {
10077         unsigned long LONG;
10078         struct {

```

```

10079
10080 #ifdef __RX_LITTLE_ENDIAN__
10081     unsigned long PD : 2;
10082     unsigned long : 2;
10083     unsigned long PC : 2;
10084     unsigned long : 2;
10085     unsigned long PB : 2;
10086     unsigned long : 2;
10087     unsigned long PA : 2;
10088     unsigned long : 2;
10089     unsigned long FORM : 2;
10090     unsigned long : 2;
10091     unsigned long SEL : 2;
10092     unsigned long : 10;
10093 #else
10094     unsigned long : 10;
10095     unsigned long SEL : 2;
10096     unsigned long : 2;
10097     unsigned long FORM : 2;
10098     unsigned long : 2;
10099     unsigned long PA : 2;
10100     unsigned long : 2;
10101     unsigned long PB : 2;
10102     unsigned long : 2;
10103     unsigned long PC : 2;
10104     unsigned long : 2;
10105     unsigned long PD : 2;
10106 #endif
10107 } BIT;
10108 } PANELDTHA;
10109 char      wk14[12];
10110 union {
10111     unsigned long LONG;
10112     struct {
10113
10114 #ifdef __RX_LITTLE_ENDIAN__
10115         unsigned long : 3;
10116         unsigned long TCON3EDG : 1;
10117         unsigned long TCON2EDG : 1;
10118         unsigned long TCON1EDG : 1;
10119         unsigned long TCON0EDG : 1;
10120         unsigned long : 1;
10121         unsigned long LCDEDG : 1;
10122         unsigned long : 3;
10123         unsigned long FRONTGAM : 1;
10124         unsigned long : 19;
10125 #else
10126         unsigned long : 19;
10127         unsigned long FRONTGAM : 1;
10128         unsigned long : 3;
10129         unsigned long LCDEDG : 1;
10130         unsigned long : 1;
10131         unsigned long TCON0EDG : 1;
10132         unsigned long TCON1EDG : 1;
10133         unsigned long TCON2EDG : 1;
10134         unsigned long TCON3EDG : 1;
10135         unsigned long : 3;
10136 #endif
10137     } BIT;
10138     CLKPHASE;
10139     char      wk15[28];
10140     union {
10141         unsigned long LONG;
10142         struct {
10143
10144 #ifdef __RX_LITTLE_ENDIAN__
10145             unsigned long OFFSET : 11;
10146             unsigned long : 5;
10147             unsigned long HALF : 11;
10148             unsigned long : 5;
10149 #else
10150             unsigned long : 5;
10151             unsigned long HALF : 11;
10152             unsigned long : 5;
10153             unsigned long OFFSET : 11;
10154 #endif
10155         } BIT;
10156         TCONTIM;
10157         union {
10158             unsigned long LONG;
10159             struct {
10160
10161 #ifdef __RX_LITTLE_ENDIAN__
10162                 unsigned long VW : 11;
10163                 unsigned long : 5;
10164                 unsigned long VS : 11;
10165                 unsigned long : 5;

```

```

10166 #else
10167     unsigned long : 5;
10168     unsigned long VS : 11;
10169     unsigned long : 5;
10170     unsigned long VW : 11;
10171 #endif
10172 } BIT;
10173 } TCONSTVA1;
10174 union {
10175     unsigned long LONG;
10176     struct {
10177
10178 #ifdef __RX_LITTLE_ENDIAN__
10179     unsigned long SEL : 3;
10180     unsigned long : 1;
10181     unsigned long INV : 1;
10182     unsigned long : 27;
10183 #else
10184     unsigned long : 27;
10185     unsigned long INV : 1;
10186     unsigned long : 1;
10187     unsigned long SEL : 3;
10188 #endif
10189 } BIT;
10190 } TCONSTVA2;
10191 union {
10192     unsigned long LONG;
10193     struct {
10194
10195 #ifdef __RX_LITTLE_ENDIAN__
10196     unsigned long VW : 11;
10197     unsigned long : 5;
10198     unsigned long VS : 11;
10199     unsigned long : 5;
10200 #else
10201     unsigned long : 5;
10202     unsigned long VS : 11;
10203     unsigned long : 5;
10204     unsigned long VW : 11;
10205 #endif
10206 } BIT;
10207 } TCONSTVB1;
10208 union {
10209     unsigned long LONG;
10210     struct {
10211
10212 #ifdef __RX_LITTLE_ENDIAN__
10213     unsigned long SEL : 3;
10214     unsigned long : 1;
10215     unsigned long INV : 1;
10216     unsigned long : 27;
10217 #else
10218     unsigned long : 27;
10219     unsigned long INV : 1;
10220     unsigned long : 1;
10221     unsigned long SEL : 3;
10222 #endif
10223 } BIT;
10224 } TCONSTVB2;
10225 union {
10226     unsigned long LONG;
10227     struct {
10228
10229 #ifdef __RX_LITTLE_ENDIAN__
10230     unsigned long HW : 11;
10231     unsigned long : 5;
10232     unsigned long HS : 11;
10233     unsigned long : 5;
10234 #else
10235     unsigned long : 5;
10236     unsigned long HS : 11;
10237     unsigned long : 5;
10238     unsigned long HW : 11;
10239 #endif
10240 } BIT;
10241 } TCONSTHA1;
10242 union {
10243     unsigned long LONG;
10244     struct {
10245
10246 #ifdef __RX_LITTLE_ENDIAN__
10247     unsigned long SEL : 3;
10248     unsigned long : 1;
10249     unsigned long INV : 1;
10250     unsigned long : 3;
10251     unsigned long HSSEL : 1;
10252     unsigned long : 23;

```

```

10253 #else
10254     unsigned long : 23;
10255     unsigned long HSSEL : 1;
10256     unsigned long : 3;
10257     unsigned long INV : 1;
10258     unsigned long : 1;
10259     unsigned long SEL : 3;
10260 #endif
10261 } BIT;
10262 } TCONSTHA2;
10263 union {
10264     unsigned long LONG;
10265     struct {
10266
10267 #ifdef __RX_LITTLE_ENDIAN__
10268     unsigned long HW : 11;
10269     unsigned long : 5;
10270     unsigned long HS : 11;
10271     unsigned long : 5;
10272 #else
10273     unsigned long : 5;
10274     unsigned long HS : 11;
10275     unsigned long : 5;
10276     unsigned long HW : 11;
10277 #endif
10278 } BIT;
10279 } TCONSTHB1;
10280 union {
10281     unsigned long LONG;
10282     struct {
10283
10284 #ifdef __RX_LITTLE_ENDIAN__
10285     unsigned long SEL : 3;
10286     unsigned long : 1;
10287     unsigned long INV : 1;
10288     unsigned long : 3;
10289     unsigned long HSSEL : 1;
10290     unsigned long : 23;
10291 #else
10292     unsigned long : 23;
10293     unsigned long HSSEL : 1;
10294     unsigned long : 3;
10295     unsigned long INV : 1;
10296     unsigned long : 1;
10297     unsigned long SEL : 3;
10298 #endif
10299 } BIT;
10300 } TCONSTHB2;
10301 union {
10302     unsigned long LONG;
10303     struct {
10304
10305 #ifdef __RX_LITTLE_ENDIAN__
10306     unsigned long INV : 1;
10307     unsigned long : 31;
10308 #else
10309     unsigned long : 31;
10310     unsigned long INV : 1;
10311 #endif
10312 } BIT;
10313 } TCONDE;
10314 char wk16[20];
10315 union {
10316     unsigned long LONG;
10317     struct {
10318
10319 #ifdef __RX_LITTLE_ENDIAN__
10320     unsigned long VPOSDTC : 1;
10321     unsigned long GRIUFDTC : 1;
10322     unsigned long GR2UFDTC : 1;
10323     unsigned long : 29;
10324 #else
10325     unsigned long : 29;
10326     unsigned long GR2UFDTC : 1;
10327     unsigned long GRIUFDTC : 1;
10328     unsigned long VPOSDTC : 1;
10329 #endif
10330 } BIT;
10331 } DTCTEN;
10332 union {
10333     unsigned long LONG;
10334     struct {
10335
10336 #ifdef __RX_LITTLE_ENDIAN__
10337     unsigned long VPOSINTEN : 1;
10338     unsigned long GRIUFINTEN : 1;
10339     unsigned long GR2UFINTEN : 1;

```

```

10340     unsigned long : 29;
10341 #else
10342     unsigned long : 29;
10343     unsigned long GR2UFINTEN : 1;
10344     unsigned long GR1UFINTEN : 1;
10345     unsigned long VPOSINTEN : 1;
10346 #endif
10347     } BIT;
10348     } INTEN;
10349     union {
10350         unsigned long LONG;
10351         struct {
10352
10353 #ifdef __RX_LITTLE_ENDIAN__
10354         unsigned long VPOSCLR : 1;
10355         unsigned long GR1UFCLR : 1;
10356         unsigned long GR2UFCLR : 1;
10357         unsigned long : 29;
10358 #else
10359         unsigned long : 29;
10360         unsigned long GR2UFCLR : 1;
10361         unsigned long GR1UFCLR : 1;
10362         unsigned long VPOSCLR : 1;
10363 #endif
10364         } BIT;
10365         } STCLR;
10366         union {
10367             unsigned long LONG;
10368             struct {
10369
10370 #ifdef __RX_LITTLE_ENDIAN__
10371             unsigned long VPOS : 1;
10372             unsigned long GR1UF : 1;
10373             unsigned long GR2UF : 1;
10374             unsigned long : 29;
10375 #else
10376             unsigned long : 29;
10377             unsigned long GR2UF : 1;
10378             unsigned long GR1UF : 1;
10379             unsigned long VPOS : 1;
10380 #endif
10381             } BIT;
10382             } STMON;
10383             union {
10384                 unsigned long LONG;
10385                 struct {
10386
10387 #ifdef __RX_LITTLE_ENDIAN__
10388                 unsigned long DCDR : 6;
10389                 unsigned long CLKEN : 1;
10390                 unsigned long : 1;
10391                 unsigned long CLKSEL : 1;
10392                 unsigned long : 3;
10393                 unsigned long PIXSEL : 1;
10394                 unsigned long : 19;
10395 #else
10396                 unsigned long : 19;
10397                 unsigned long PIXSEL : 1;
10398                 unsigned long : 3;
10399                 unsigned long CLKSEL : 1;
10400                 unsigned long : 1;
10401                 unsigned long CLKEN : 1;
10402                 unsigned long DCDR : 6;
10403 #endif
10404                 } BIT;
10405                 } PANELCLK;
10406             } st_glcde_t;
10407
10408 typedef struct st_gptw {
10409     union {
10410         unsigned long LONG;
10411         struct {
10412
10413 #ifdef __RX_LITTLE_ENDIAN__
10414         unsigned long WP : 1;
10415         unsigned long STRWP : 1;
10416         unsigned long STPWP : 1;
10417         unsigned long CLRWP : 1;
10418         unsigned long CMNWP : 1;
10419         unsigned long : 3;
10420         unsigned long PRKEY : 8;
10421         unsigned long : 16;
10422 #else
10423         unsigned long : 16;
10424         unsigned long PRKEY : 8;
10425         unsigned long : 3;
10426         unsigned long CMNWP : 1;

```

```

10427         unsigned long CLRWP : 1;
10428         unsigned long STPWP : 1;
10429         unsigned long STRWP : 1;
10430         unsigned long WP : 1;
10431     #endif
10432     } BIT;
10433     } GTWP;
10434     union {
10435         unsigned long LONG;
10436         struct {
10437
10438     #ifdef __RX_LITTLE_ENDIAN__
10439         unsigned long CSTRT0 : 1;
10440         unsigned long CSTRT1 : 1;
10441         unsigned long CSTRT2 : 1;
10442         unsigned long CSTRT3 : 1;
10443         unsigned long      : 28;
10444     #else
10445         unsigned long      : 28;
10446         unsigned long CSTRT3 : 1;
10447         unsigned long CSTRT2 : 1;
10448         unsigned long CSTRT1 : 1;
10449         unsigned long CSTRT0 : 1;
10450     #endif
10451     } BIT;
10452     } GTSTR;
10453     union {
10454         unsigned long LONG;
10455         struct {
10456
10457     #ifdef __RX_LITTLE_ENDIAN__
10458         unsigned long CSTOP0 : 1;
10459         unsigned long CSTOP1 : 1;
10460         unsigned long CSTOP2 : 1;
10461         unsigned long CSTOP3 : 1;
10462         unsigned long      : 28;
10463     #else
10464         unsigned long      : 28;
10465         unsigned long CSTOP3 : 1;
10466         unsigned long CSTOP2 : 1;
10467         unsigned long CSTOP1 : 1;
10468         unsigned long CSTOP0 : 1;
10469     #endif
10470     } BIT;
10471     } GTSTP;
10472     union {
10473         unsigned long LONG;
10474         struct {
10475
10476     #ifdef __RX_LITTLE_ENDIAN__
10477         unsigned long CCLR0 : 1;
10478         unsigned long CCLR1 : 1;
10479         unsigned long CCLR2 : 1;
10480         unsigned long CCLR3 : 1;
10481         unsigned long      : 28;
10482     #else
10483         unsigned long      : 28;
10484         unsigned long CCLR3 : 1;
10485         unsigned long CCLR2 : 1;
10486         unsigned long CCLR1 : 1;
10487         unsigned long CCLR0 : 1;
10488     #endif
10489     } BIT;
10490     } GTCLR;
10491     union {
10492         unsigned long LONG;
10493         struct {
10494
10495     #ifdef __RX_LITTLE_ENDIAN__
10496         unsigned long SSGTRGAR : 1;
10497         unsigned long SSGTRGAF : 1;
10498         unsigned long SSGTRGBR : 1;
10499         unsigned long SSGTRGBF : 1;
10500         unsigned long SSGTRGCR : 1;
10501         unsigned long SSGTRGCF : 1;
10502         unsigned long SSGTRGDR : 1;
10503         unsigned long SSGTRGDF : 1;
10504         unsigned long SSCARBL : 1;
10505         unsigned long SSCARBH : 1;
10506         unsigned long SSCAFBL : 1;
10507         unsigned long SSCAFBH : 1;
10508         unsigned long SSCBRAL : 1;
10509         unsigned long SSCBRAH : 1;
10510         unsigned long SSCBFAL : 1;
10511         unsigned long SSCBFAH : 1;
10512         unsigned long SSELCA : 1;
10513         unsigned long SSELCB : 1;

```

```

10514     unsigned long SSELCC : 1;
10515     unsigned long SSELCD : 1;
10516     unsigned long SSELCE : 1;
10517     unsigned long SSELCF : 1;
10518     unsigned long SSELCG : 1;
10519     unsigned long SSELCH : 1;
10520     unsigned long : 7;
10521     unsigned long CSTRT : 1;
10522 #else
10523     unsigned long CSTRT : 1;
10524     unsigned long : 7;
10525     unsigned long SSELCH : 1;
10526     unsigned long SSELCG : 1;
10527     unsigned long SSELCF : 1;
10528     unsigned long SSELCE : 1;
10529     unsigned long SSELCD : 1;
10530     unsigned long SSELCC : 1;
10531     unsigned long SSELCEB : 1;
10532     unsigned long SSELCA : 1;
10533     unsigned long SSCBFAH : 1;
10534     unsigned long SSCBFAL : 1;
10535     unsigned long SSCBRAH : 1;
10536     unsigned long SSCBRAL : 1;
10537     unsigned long SSCAFBH : 1;
10538     unsigned long SSCAFBL : 1;
10539     unsigned long SSCARBH : 1;
10540     unsigned long SSCARBL : 1;
10541     unsigned long SSGTRGDF : 1;
10542     unsigned long SSGTRGDR : 1;
10543     unsigned long SSGTRGCF : 1;
10544     unsigned long SSGTRGCR : 1;
10545     unsigned long SSGTRGBF : 1;
10546     unsigned long SSGTRGBR : 1;
10547     unsigned long SSGTRGAF : 1;
10548     unsigned long SSGTRGAR : 1;
10549 #endif
10550 } BIT;
10551 } GTSSR;
10552 union {
10553     unsigned long LONG;
10554     struct {
10555
10556 #ifdef __RX_LITTLE_ENDIAN__
10557     unsigned long PSGTRGAR : 1;
10558     unsigned long PSGTRGAF : 1;
10559     unsigned long PSGTRGBR : 1;
10560     unsigned long PSGTRGBF : 1;
10561     unsigned long PSGTRGCR : 1;
10562     unsigned long PSGTRGCF : 1;
10563     unsigned long PSGTRGDR : 1;
10564     unsigned long PSGTRGDF : 1;
10565     unsigned long PSCARBL : 1;
10566     unsigned long PSCARBH : 1;
10567     unsigned long PSCAFBL : 1;
10568     unsigned long PSCAFBH : 1;
10569     unsigned long PSCBRAL : 1;
10570     unsigned long PSCBRAH : 1;
10571     unsigned long PSCBFAL : 1;
10572     unsigned long PSCBFAH : 1;
10573     unsigned long PSELCA : 1;
10574     unsigned long PSELCEB : 1;
10575     unsigned long PSELCC : 1;
10576     unsigned long PSELCD : 1;
10577     unsigned long PSELCE : 1;
10578     unsigned long PSELCF : 1;
10579     unsigned long PSELCG : 1;
10580     unsigned long PSELCH : 1;
10581     unsigned long : 7;
10582     unsigned long CSTOP : 1;
10583 #else
10584     unsigned long CSTOP : 1;
10585     unsigned long : 7;
10586     unsigned long PSELCH : 1;
10587     unsigned long PSELCG : 1;
10588     unsigned long PSELCF : 1;
10589     unsigned long PSELCE : 1;
10590     unsigned long PSELCD : 1;
10591     unsigned long PSELCC : 1;
10592     unsigned long PSELCEB : 1;
10593     unsigned long PSELCA : 1;
10594     unsigned long PSCBFAH : 1;
10595     unsigned long PSCBFAL : 1;
10596     unsigned long PSCBRAH : 1;
10597     unsigned long PSCBRAL : 1;
10598     unsigned long PSCAFBH : 1;
10599     unsigned long PSCAFBL : 1;
10600     unsigned long PSCARBH : 1;

```

```

10601         unsigned long PSCARBL : 1;
10602         unsigned long PSGTRGDF : 1;
10603         unsigned long PSGTRGDR : 1;
10604         unsigned long PSGTRGCF : 1;
10605         unsigned long PSGTRGCR : 1;
10606         unsigned long PSGTRGBF : 1;
10607         unsigned long PSGTRGBR : 1;
10608         unsigned long PSGTRGAF : 1;
10609         unsigned long PSGTRGAR : 1;
10610     #endif
10611     } BIT;
10612     } GTPSR;
10613     union {
10614         unsigned long LONG;
10615         struct {
10616
10617     #ifdef __RX_LITTLE_ENDIAN__
10618         unsigned long CSGTRGAR : 1;
10619         unsigned long CSGTRGAF : 1;
10620         unsigned long CSGTRGBR : 1;
10621         unsigned long CSGTRGBF : 1;
10622         unsigned long CSGTRGCR : 1;
10623         unsigned long CSGTRGCF : 1;
10624         unsigned long CSGTRGDR : 1;
10625         unsigned long CSGTRGDF : 1;
10626         unsigned long CSCARBL : 1;
10627         unsigned long CSCARBH : 1;
10628         unsigned long CSCAFBL : 1;
10629         unsigned long CSCAFBH : 1;
10630         unsigned long CSCBRAL : 1;
10631         unsigned long CSCBRAH : 1;
10632         unsigned long CSCBFAL : 1;
10633         unsigned long CSCBFAH : 1;
10634         unsigned long CSELCA : 1;
10635         unsigned long CSELCB : 1;
10636         unsigned long CSELCC : 1;
10637         unsigned long CSELCD : 1;
10638         unsigned long CSELCE : 1;
10639         unsigned long CSELCF : 1;
10640         unsigned long CSELCH : 1;
10641         unsigned long CSELCH : 1;
10642         unsigned long : 7;
10643         unsigned long CCLR : 1;
10644     #else
10645         unsigned long CCLR : 1;
10646         unsigned long : 7;
10647         unsigned long CSELCH : 1;
10648         unsigned long CSELCH : 1;
10649         unsigned long CSELCH : 1;
10650         unsigned long CSELCH : 1;
10651         unsigned long CSELCH : 1;
10652         unsigned long CSELCH : 1;
10653         unsigned long CSELCH : 1;
10654         unsigned long CSELCH : 1;
10655         unsigned long CSELCH : 1;
10656         unsigned long CSELCH : 1;
10657         unsigned long CSELCH : 1;
10658         unsigned long CSELCH : 1;
10659         unsigned long CSELCH : 1;
10660         unsigned long CSELCH : 1;
10661         unsigned long CSELCH : 1;
10662         unsigned long CSELCH : 1;
10663         unsigned long CSELCH : 1;
10664         unsigned long CSELCH : 1;
10665         unsigned long CSELCH : 1;
10666         unsigned long CSELCH : 1;
10667         unsigned long CSELCH : 1;
10668         unsigned long CSELCH : 1;
10669         unsigned long CSELCH : 1;
10670         unsigned long CSELCH : 1;
10671     #endif
10672     } BIT;
10673     } GTCPSR;
10674     union {
10675         unsigned long LONG;
10676         struct {
10677
10678     #ifdef __RX_LITTLE_ENDIAN__
10679         unsigned long USGTRGAR : 1;
10680         unsigned long USGTRGAF : 1;
10681         unsigned long USGTRGBR : 1;
10682         unsigned long USGTRGBF : 1;
10683         unsigned long USGTRGCR : 1;
10684         unsigned long USGTRGCF : 1;
10685         unsigned long USGTRGDR : 1;
10686         unsigned long USGTRGDF : 1;
10687         unsigned long USCARBL : 1;

```



```

10688     unsigned long USCARBH : 1;
10689     unsigned long USCAFBH : 1;
10690     unsigned long USCAFBH : 1;
10691     unsigned long USCBRAL : 1;
10692     unsigned long USCBRAH : 1;
10693     unsigned long USCBFAL : 1;
10694     unsigned long USCBFAH : 1;
10695     unsigned long USELCA : 1;
10696     unsigned long USELCB : 1;
10697     unsigned long USELCC : 1;
10698     unsigned long USELCD : 1;
10699     unsigned long USELCE : 1;
10700     unsigned long USELCF : 1;
10701     unsigned long USELCG : 1;
10702     unsigned long USELCH : 1;
10703     unsigned long : 8;
10704 #else
10705     unsigned long : 8;
10706     unsigned long USELCH : 1;
10707     unsigned long USELCG : 1;
10708     unsigned long USELCF : 1;
10709     unsigned long USELCE : 1;
10710     unsigned long USELCD : 1;
10711     unsigned long USELCC : 1;
10712     unsigned long USELCB : 1;
10713     unsigned long USELCA : 1;
10714     unsigned long USCBFAH : 1;
10715     unsigned long USCBFAL : 1;
10716     unsigned long USCBRAH : 1;
10717     unsigned long USCBRAL : 1;
10718     unsigned long USCAFBH : 1;
10719     unsigned long USCAFBH : 1;
10720     unsigned long USCARBH : 1;
10721     unsigned long USCARBL : 1;
10722     unsigned long USGTRGDF : 1;
10723     unsigned long USGTRGDR : 1;
10724     unsigned long USGTRGCF : 1;
10725     unsigned long USGTRGCR : 1;
10726     unsigned long USGTRGBF : 1;
10727     unsigned long USGTRGBR : 1;
10728     unsigned long USGTRGAF : 1;
10729     unsigned long USGTRGAR : 1;
10730 #endif
10731 } BIT;
10732 } GTUPSR;
10733 union {
10734     unsigned long LONG;
10735     struct {
10736
10737 #ifdef __RX_LITTLE_ENDIAN__
10738     unsigned long DSGTRGAR : 1;
10739     unsigned long DSGTRGAF : 1;
10740     unsigned long DSGTRGBR : 1;
10741     unsigned long DSGTRGBF : 1;
10742     unsigned long DSGTRGCR : 1;
10743     unsigned long DSGTRGCF : 1;
10744     unsigned long DSGTRGDR : 1;
10745     unsigned long DSGTRGDF : 1;
10746     unsigned long DSCARBL : 1;
10747     unsigned long DSCARBH : 1;
10748     unsigned long DSCAFBL : 1;
10749     unsigned long DSCAFBH : 1;
10750     unsigned long DSCBRAL : 1;
10751     unsigned long DSCBRAH : 1;
10752     unsigned long DSCBFAL : 1;
10753     unsigned long DSCBFAH : 1;
10754     unsigned long DSELCA : 1;
10755     unsigned long DSELCB : 1;
10756     unsigned long DSELCC : 1;
10757     unsigned long DSELCD : 1;
10758     unsigned long DSELCE : 1;
10759     unsigned long DSELCF : 1;
10760     unsigned long DSELCG : 1;
10761     unsigned long DSELCH : 1;
10762     unsigned long : 8;
10763 #else
10764     unsigned long : 8;
10765     unsigned long DSELCH : 1;
10766     unsigned long DSELCG : 1;
10767     unsigned long DSELCF : 1;
10768     unsigned long DSELCE : 1;
10769     unsigned long DSELCD : 1;
10770     unsigned long DSELCC : 1;
10771     unsigned long DSELCB : 1;
10772     unsigned long DSELCA : 1;
10773     unsigned long DSCBFAH : 1;
10774     unsigned long DSCBFAL : 1;

```

```

10775         unsigned long DSCBRAH : 1;
10776         unsigned long DSCBRAL : 1;
10777         unsigned long DSCAFBH : 1;
10778         unsigned long DSCAFBL : 1;
10779         unsigned long DSCARBH : 1;
10780         unsigned long DSCARBL : 1;
10781         unsigned long DSGTRGDF : 1;
10782         unsigned long DSGTRGDR : 1;
10783         unsigned long DSGTRGCF : 1;
10784         unsigned long DSGTRGCR : 1;
10785         unsigned long DSGTRGBF : 1;
10786         unsigned long DSGTRGBR : 1;
10787         unsigned long DSGTRGAF : 1;
10788         unsigned long DSGTRGAR : 1;
10789     #endif
10790     } BIT;
10791     } GTDNSR;
10792     union {
10793         unsigned long LONG;
10794     struct {
10795
10796     #ifdef __RX_LITTLE_ENDIAN__
10797         unsigned long ASGTRGAR : 1;
10798         unsigned long ASGTRGAF : 1;
10799         unsigned long ASGTRGBR : 1;
10800         unsigned long ASGTRGBF : 1;
10801         unsigned long ASGTRGCR : 1;
10802         unsigned long ASGTRGCF : 1;
10803         unsigned long ASGTRGDR : 1;
10804         unsigned long ASGTRGDF : 1;
10805         unsigned long ASCARBL : 1;
10806         unsigned long ASCARBH : 1;
10807         unsigned long ASCAFBL : 1;
10808         unsigned long ASCAFBH : 1;
10809         unsigned long ASCBRAL : 1;
10810         unsigned long ASCBRAH : 1;
10811         unsigned long ASCBFAL : 1;
10812         unsigned long ASCBFAH : 1;
10813         unsigned long ASELCA : 1;
10814         unsigned long ASELCB : 1;
10815         unsigned long ASELCC : 1;
10816         unsigned long ASELCD : 1;
10817         unsigned long ASELCE : 1;
10818         unsigned long ASELCF : 1;
10819         unsigned long ASELCG : 1;
10820         unsigned long ASELCH : 1;
10821         unsigned long : 8;
10822     #else
10823         unsigned long : 8;
10824         unsigned long ASELCH : 1;
10825         unsigned long ASELCG : 1;
10826         unsigned long ASELCF : 1;
10827         unsigned long ASELCE : 1;
10828         unsigned long ASELCD : 1;
10829         unsigned long ASELCC : 1;
10830         unsigned long ASELCB : 1;
10831         unsigned long ASELCA : 1;
10832         unsigned long ASCBFAH : 1;
10833         unsigned long ASCBFAL : 1;
10834         unsigned long ASCBRAH : 1;
10835         unsigned long ASCBRAL : 1;
10836         unsigned long ASCAFBH : 1;
10837         unsigned long ASCAFBL : 1;
10838         unsigned long ASCARBH : 1;
10839         unsigned long ASCARBL : 1;
10840         unsigned long ASGTRGDF : 1;
10841         unsigned long ASGTRGDR : 1;
10842         unsigned long ASGTRGCF : 1;
10843         unsigned long ASGTRGCR : 1;
10844         unsigned long ASGTRGBF : 1;
10845         unsigned long ASGTRGBR : 1;
10846         unsigned long ASGTRGAF : 1;
10847         unsigned long ASGTRGAR : 1;
10848     #endif
10849     } BIT;
10850     } GTICASR;
10851     union {
10852         unsigned long LONG;
10853     struct {
10854
10855     #ifdef __RX_LITTLE_ENDIAN__
10856         unsigned long BSGTRGAR : 1;
10857         unsigned long BSGTRGAF : 1;
10858         unsigned long BSGTRGBR : 1;
10859         unsigned long BSGTRGBF : 1;
10860         unsigned long BSGTRGCR : 1;
10861         unsigned long BSGTRGCF : 1;

```

```

10862     unsigned long BSGTRGDR : 1;
10863     unsigned long BSGTRGDF : 1;
10864     unsigned long BSCARBL : 1;
10865     unsigned long BSCARBH : 1;
10866     unsigned long BSCAFBL : 1;
10867     unsigned long BSCAFBH : 1;
10868     unsigned long BSCBRAL : 1;
10869     unsigned long BSCBRAH : 1;
10870     unsigned long BSCBFAL : 1;
10871     unsigned long BSCBFAH : 1;
10872     unsigned long BSELCA : 1;
10873     unsigned long BSELCEB : 1;
10874     unsigned long BSELCC : 1;
10875     unsigned long BSELCD : 1;
10876     unsigned long BSELCE : 1;
10877     unsigned long BSELCEB : 1;
10878     unsigned long BSELCEG : 1;
10879     unsigned long BSELCH : 1;
10880     unsigned long : 8;
10881 #else
10882     unsigned long : 8;
10883     unsigned long BSELCH : 1;
10884     unsigned long BSELCEG : 1;
10885     unsigned long BSELCEB : 1;
10886     unsigned long BSELCE : 1;
10887     unsigned long BSELCD : 1;
10888     unsigned long BSELCC : 1;
10889     unsigned long BSELCEB : 1;
10890     unsigned long BSELCA : 1;
10891     unsigned long BSCBFAH : 1;
10892     unsigned long BSCBFAL : 1;
10893     unsigned long BSCBRAH : 1;
10894     unsigned long BSCBRAL : 1;
10895     unsigned long BSCAFBH : 1;
10896     unsigned long BSCAFBL : 1;
10897     unsigned long BSCARBH : 1;
10898     unsigned long BSCARBL : 1;
10899     unsigned long BSGTRGDF : 1;
10900     unsigned long BSGTRGDR : 1;
10901     unsigned long BSGTRGCF : 1;
10902     unsigned long BSGTRGCR : 1;
10903     unsigned long BSGTRGBF : 1;
10904     unsigned long BSGTRGBR : 1;
10905     unsigned long BSGTRGAF : 1;
10906     unsigned long BSGTRGAR : 1;
10907 #endif
10908 } BIT;
10909 } GTICBSR;
10910 union {
10911     unsigned long LONG;
10912     struct {
10913
10914 #ifdef __RX_LITTLE_ENDIAN__
10915     unsigned long CST : 1;
10916     unsigned long : 7;
10917     unsigned long ICDS : 1;
10918     unsigned long : 7;
10919     unsigned long MD : 3;
10920     unsigned long : 4;
10921     unsigned long TPCS : 4;
10922     unsigned long : 5;
10923 #else
10924     unsigned long : 5;
10925     unsigned long TPCS : 4;
10926     unsigned long : 4;
10927     unsigned long MD : 3;
10928     unsigned long : 7;
10929     unsigned long ICDS : 1;
10930     unsigned long : 7;
10931     unsigned long CST : 1;
10932 #endif
10933 } BIT;
10934 } GTCR;
10935 union {
10936     unsigned long LONG;
10937     struct {
10938
10939 #ifdef __RX_LITTLE_ENDIAN__
10940     unsigned long UD : 1;
10941     unsigned long UDF : 1;
10942     unsigned long : 14;
10943     unsigned long OADTY : 2;
10944     unsigned long OADTYF : 1;
10945     unsigned long OADTYR : 1;
10946     unsigned long : 4;
10947     unsigned long OBDTY : 2;
10948     unsigned long OBDTYF : 1;

```

```

10949         unsigned long OBDTYR : 1;
10950         unsigned long      : 4;
10951 #else
10952         unsigned long      : 4;
10953         unsigned long OBDTYR : 1;
10954         unsigned long OBDTYF : 1;
10955         unsigned long OBDTY : 2;
10956         unsigned long      : 4;
10957         unsigned long OADTYR : 1;
10958         unsigned long OADTYF : 1;
10959         unsigned long OADTY : 2;
10960         unsigned long      : 14;
10961         unsigned long UDF : 1;
10962         unsigned long UD : 1;
10963 #endif
10964     } BIT;
10965     } GTUDDTYC;
10966     union {
10967         unsigned long LONG;
10968     struct {
10969
10970 #ifdef __RX_LITTLE_ENDIAN__
10971         unsigned long GTIOA : 5;
10972         unsigned long      : 1;
10973         unsigned long OADFLT : 1;
10974         unsigned long OAHL : 1;
10975         unsigned long OAE : 1;
10976         unsigned long OADF : 2;
10977         unsigned long      : 2;
10978         unsigned long NFAEN : 1;
10979         unsigned long NFCSA : 2;
10980         unsigned long GTIOB : 5;
10981         unsigned long      : 1;
10982         unsigned long OBDFLT : 1;
10983         unsigned long OBHLD : 1;
10984         unsigned long OBE : 1;
10985         unsigned long OBDF : 2;
10986         unsigned long      : 2;
10987         unsigned long NFBEN : 1;
10988         unsigned long NFCSB : 2;
10989 #else
10990         unsigned long NFCSB : 2;
10991         unsigned long NFBEN : 1;
10992         unsigned long      : 2;
10993         unsigned long OBDF : 2;
10994         unsigned long OBE : 1;
10995         unsigned long OBHLD : 1;
10996         unsigned long OBDFLT : 1;
10997         unsigned long      : 1;
10998         unsigned long GTIOB : 5;
10999         unsigned long NFCSA : 2;
11000         unsigned long NFAEN : 1;
11001         unsigned long      : 2;
11002         unsigned long OADF : 2;
11003         unsigned long OAE : 1;
11004         unsigned long OAHL : 1;
11005         unsigned long OADFLT : 1;
11006         unsigned long      : 1;
11007         unsigned long GTIOA : 5;
11008 #endif
11009     } BIT;
11010     } GTIOR;
11011     union {
11012         unsigned long LONG;
11013     struct {
11014
11015 #ifdef __RX_LITTLE_ENDIAN__
11016         unsigned long GTINTA : 1;
11017         unsigned long GTINTB : 1;
11018         unsigned long GTINTC : 1;
11019         unsigned long GTINTD : 1;
11020         unsigned long GTINTE : 1;
11021         unsigned long GTINTF : 1;
11022         unsigned long GTINTPR : 2;
11023         unsigned long      : 8;
11024         unsigned long ADTRAUEN : 1;
11025         unsigned long ADTRADEN : 1;
11026         unsigned long ADTRBUEN : 1;
11027         unsigned long ADTRBDEN : 1;
11028         unsigned long      : 4;
11029         unsigned long GRP : 2;
11030         unsigned long      : 2;
11031         unsigned long GRPDTE : 1;
11032         unsigned long GRPABH : 1;
11033         unsigned long GRPABL : 1;
11034         unsigned long      : 1;
11035 #else

```

```

11036     unsigned long : 1;
11037     unsigned long GRPABL : 1;
11038     unsigned long GRPABH : 1;
11039     unsigned long GRPDTE : 1;
11040     unsigned long : 2;
11041     unsigned long GRP : 2;
11042     unsigned long : 4;
11043     unsigned long ADTRBDEN : 1;
11044     unsigned long ADTRBUEN : 1;
11045     unsigned long ADTRADEN : 1;
11046     unsigned long ADTRAUEN : 1;
11047     unsigned long : 8;
11048     unsigned long GTINTPR : 2;
11049     unsigned long GTINTF : 1;
11050     unsigned long GTINTE : 1;
11051     unsigned long GTINTD : 1;
11052     unsigned long GTINTC : 1;
11053     unsigned long GTINTB : 1;
11054     unsigned long GTINTA : 1;
11055 #endif
11056     } BIT;
11057     } GTINTAD;
11058     union {
11059         unsigned long LONG;
11060     struct {
11061
11062 #ifdef __RX_LITTLE_ENDIAN__
11063         unsigned long : 8;
11064         unsigned long ITCNT : 3;
11065         unsigned long : 4;
11066         unsigned long TUCF : 1;
11067         unsigned long ADTRAUF : 1;
11068         unsigned long ADTRADF : 1;
11069         unsigned long ADTRBUF : 1;
11070         unsigned long ADTRBDF : 1;
11071         unsigned long : 4;
11072         unsigned long ODF : 1;
11073         unsigned long : 3;
11074         unsigned long DTEF : 1;
11075         unsigned long OABHF : 1;
11076         unsigned long OABLF : 1;
11077         unsigned long : 1;
11078 #else
11079         unsigned long : 1;
11080         unsigned long OABLF : 1;
11081         unsigned long OABHF : 1;
11082         unsigned long DTEF : 1;
11083         unsigned long : 3;
11084         unsigned long ODF : 1;
11085         unsigned long : 4;
11086         unsigned long ADTRBDF : 1;
11087         unsigned long ADTRBUF : 1;
11088         unsigned long ADTRADF : 1;
11089         unsigned long ADTRAUF : 1;
11090         unsigned long TUCF : 1;
11091         unsigned long : 4;
11092         unsigned long ITCNT : 3;
11093         unsigned long : 8;
11094 #endif
11095     } BIT;
11096     } GTST;
11097     union {
11098         unsigned long LONG;
11099     struct {
11100
11101 #ifdef __RX_LITTLE_ENDIAN__
11102         unsigned long BD : 4;
11103         unsigned long : 4;
11104         unsigned long DBRTECA : 1;
11105         unsigned long : 1;
11106         unsigned long DBRTECB : 1;
11107         unsigned long : 5;
11108         unsigned long CCRA : 2;
11109         unsigned long CCRB : 2;
11110         unsigned long PR : 2;
11111         unsigned long CCRSWT : 1;
11112         unsigned long : 1;
11113         unsigned long ADTTA : 2;
11114         unsigned long ADTDA : 1;
11115         unsigned long : 1;
11116         unsigned long ADTTB : 2;
11117         unsigned long ADTDB : 1;
11118         unsigned long : 1;
11119 #else
11120         unsigned long : 1;
11121         unsigned long ADTDB : 1;
11122         unsigned long ADTTB : 2;

```

```

11123         unsigned long : 1;
11124         unsigned long ADTDA : 1;
11125         unsigned long ADTTA : 2;
11126         unsigned long : 1;
11127         unsigned long CCRSWT : 1;
11128         unsigned long PR : 2;
11129         unsigned long CCRB : 2;
11130         unsigned long CCRA : 2;
11131         unsigned long : 5;
11132         unsigned long DBRTECB : 1;
11133         unsigned long : 1;
11134         unsigned long DBRTECA : 1;
11135         unsigned long : 4;
11136         unsigned long BD : 4;
11137     #endif
11138     } BIT;
11139     } GTBER;
11140     union {
11141         unsigned long LONG;
11142     struct {
11143
11144     #ifdef __RX_LITTLE_ENDIAN__
11145         unsigned long ITLA : 1;
11146         unsigned long ITLB : 1;
11147         unsigned long ITLC : 1;
11148         unsigned long ITLD : 1;
11149         unsigned long ITLE : 1;
11150         unsigned long ITLF : 1;
11151         unsigned long IVTC : 2;
11152         unsigned long IVTT : 3;
11153         unsigned long : 1;
11154         unsigned long ADTAL : 1;
11155         unsigned long : 1;
11156         unsigned long ADTBL : 1;
11157         unsigned long : 17;
11158     #else
11159         unsigned long : 17;
11160         unsigned long ADTBL : 1;
11161         unsigned long : 1;
11162         unsigned long ADTAL : 1;
11163         unsigned long : 1;
11164         unsigned long IVTT : 3;
11165         unsigned long IVTC : 2;
11166         unsigned long ITLF : 1;
11167         unsigned long ITLE : 1;
11168         unsigned long ITLD : 1;
11169         unsigned long ITLC : 1;
11170         unsigned long ITLB : 1;
11171         unsigned long ITLA : 1;
11172     #endif
11173     } BIT;
11174     } GTITC;
11175     unsigned long GTCNT;
11176     unsigned long GTCCRA;
11177     unsigned long GTCCRB;
11178     unsigned long GTCCRC;
11179     unsigned long GTCCRE;
11180     unsigned long GTCCRD;
11181     unsigned long GTCCRF;
11182     unsigned long GTPR;
11183     unsigned long GTPBR;
11184     unsigned long GTPDBR;
11185     unsigned long GTADTRA;
11186     unsigned long GTADTBRA;
11187     unsigned long GTADTDBRA;
11188     unsigned long GTADTRB;
11189     unsigned long GTADTBRB;
11190     unsigned long GTADTDBRB;
11191     union {
11192         unsigned long LONG;
11193     struct {
11194
11195     #ifdef __RX_LITTLE_ENDIAN__
11196         unsigned long TDE : 1;
11197         unsigned long : 3;
11198         unsigned long TDBUE : 1;
11199         unsigned long TDBDE : 1;
11200         unsigned long : 2;
11201         unsigned long TDFER : 1;
11202         unsigned long : 23;
11203     #else
11204         unsigned long : 23;
11205         unsigned long TDFER : 1;
11206         unsigned long : 2;
11207         unsigned long TDBDE : 1;
11208         unsigned long TDBUE : 1;
11209         unsigned long : 3;

```

```

11210         unsigned long TDE : 1;
11211     #endif
11212     } BIT;
11213     } GTDTCR;
11214     unsigned long GTDVU;
11215     unsigned long GTDVD;
11216     unsigned long GTDBU;
11217     unsigned long GTDBD;
11218     union {
11219         unsigned long LONG;
11220     struct {
11221
11222     #ifdef __RX_LITTLE_ENDIAN__
11223         unsigned long SOS : 2;
11224         unsigned long : 30;
11225     #else
11226         unsigned long : 30;
11227         unsigned long SOS : 2;
11228     #endif
11229     } BIT;
11230     } GTSOS;
11231     union {
11232         unsigned long LONG;
11233     struct {
11234
11235     #ifdef __RX_LITTLE_ENDIAN__
11236         unsigned long SOTR : 1;
11237         unsigned long : 31;
11238     #else
11239         unsigned long : 31;
11240         unsigned long SOTR : 1;
11241     #endif
11242     } BIT;
11243     } GTSOTR;
11244     union {
11245         unsigned long LONG;
11246     struct {
11247
11248     #ifdef __RX_LITTLE_ENDIAN__
11249         unsigned long ADSMS0 : 2;
11250         unsigned long : 6;
11251         unsigned long ADSMEN0 : 1;
11252         unsigned long : 7;
11253         unsigned long ADSMS1 : 2;
11254         unsigned long : 6;
11255         unsigned long ADSMEN1 : 1;
11256         unsigned long : 7;
11257     #else
11258         unsigned long : 7;
11259         unsigned long ADSMEN1 : 1;
11260         unsigned long : 6;
11261         unsigned long ADSMS1 : 2;
11262         unsigned long : 7;
11263         unsigned long ADSMEN0 : 1;
11264         unsigned long : 6;
11265         unsigned long ADSMS0 : 2;
11266     #endif
11267     } BIT;
11268     } GTADSMR;
11269     union {
11270         unsigned long LONG;
11271     struct {
11272
11273     #ifdef __RX_LITTLE_ENDIAN__
11274         unsigned long EIVTC1 : 2;
11275         unsigned long : 2;
11276         unsigned long EIVTT1 : 4;
11277         unsigned long : 4;
11278         unsigned long EITCNT1 : 4;
11279         unsigned long EIVTC2 : 2;
11280         unsigned long : 2;
11281         unsigned long EIVTT2 : 4;
11282         unsigned long EITCNT2IV : 4;
11283         unsigned long EITCNT2 : 4;
11284     #else
11285         unsigned long EITCNT2 : 4;
11286         unsigned long EITCNT2IV : 4;
11287         unsigned long EIVTT2 : 4;
11288         unsigned long : 2;
11289         unsigned long EIVTC2 : 2;
11290         unsigned long EITCNT1 : 4;
11291         unsigned long : 4;
11292         unsigned long EIVTT1 : 4;
11293         unsigned long : 2;
11294         unsigned long EIVTC1 : 2;
11295     #endif
11296     } BIT;

```

```

11297     } GTEITC;
11298     union {
11299         unsigned long LONG;
11300     struct {
11301
11302 #ifdef __RX_LITTLE_ENDIAN__
11303         unsigned long EITLA : 3;
11304         unsigned long  : 1;
11305         unsigned long EITLB : 3;
11306         unsigned long  : 1;
11307         unsigned long EITLC : 3;
11308         unsigned long  : 1;
11309         unsigned long EITLD : 3;
11310         unsigned long  : 1;
11311         unsigned long EITLE : 3;
11312         unsigned long  : 1;
11313         unsigned long EITLF : 3;
11314         unsigned long  : 1;
11315         unsigned long EITLV : 3;
11316         unsigned long  : 1;
11317         unsigned long EITLU : 3;
11318         unsigned long  : 1;
11319 #else
11320         unsigned long  : 1;
11321         unsigned long EITLU : 3;
11322         unsigned long  : 1;
11323         unsigned long EITLV : 3;
11324         unsigned long  : 1;
11325         unsigned long EITLF : 3;
11326         unsigned long  : 1;
11327         unsigned long EITLE : 3;
11328         unsigned long  : 1;
11329         unsigned long EITLD : 3;
11330         unsigned long  : 1;
11331         unsigned long EITLC : 3;
11332         unsigned long  : 1;
11333         unsigned long EITLB : 3;
11334         unsigned long  : 1;
11335         unsigned long EITLA : 3;
11336 #endif
11337     } BIT;
11338     } GTEITLI1;
11339     union {
11340         unsigned long LONG;
11341     struct {
11342
11343 #ifdef __RX_LITTLE_ENDIAN__
11344         unsigned long EADTAL : 3;
11345         unsigned long  : 1;
11346         unsigned long EADTBL : 3;
11347         unsigned long  : 25;
11348 #else
11349         unsigned long  : 25;
11350         unsigned long EADTBL : 3;
11351         unsigned long  : 1;
11352         unsigned long EADTAL : 3;
11353 #endif
11354     } BIT;
11355     } GTEITLI2;
11356     union {
11357         unsigned long LONG;
11358     struct {
11359
11360 #ifdef __RX_LITTLE_ENDIAN__
11361         unsigned long EBTLCA : 3;
11362         unsigned long  : 1;
11363         unsigned long EBTLCB : 3;
11364         unsigned long  : 1;
11365         unsigned long EBTLPR : 3;
11366         unsigned long  : 5;
11367         unsigned long EBTLADA : 3;
11368         unsigned long  : 1;
11369         unsigned long EBTLADB : 3;
11370         unsigned long  : 1;
11371         unsigned long EBTLDVU : 3;
11372         unsigned long  : 1;
11373         unsigned long EBTLDVD : 3;
11374         unsigned long  : 1;
11375 #else
11376         unsigned long  : 1;
11377         unsigned long EBTLDVD : 3;
11378         unsigned long  : 1;
11379         unsigned long EBTLDVU : 3;
11380         unsigned long  : 1;
11381         unsigned long EBTLADB : 3;
11382         unsigned long  : 1;
11383         unsigned long EBTLADA : 3;

```



```

11384         unsigned long : 5;
11385         unsigned long EBTLPB : 3;
11386         unsigned long : 1;
11387         unsigned long EBTLCB : 3;
11388         unsigned long : 1;
11389         unsigned long EBTLCB : 3;
11390     #endif
11391     } BIT;
11392     } GTEITLB;
11393     char      wk0[24];
11394     union {
11395         unsigned long LONG;
11396         struct {
11397
11398     #ifdef __RX_LITTLE_ENDIAN__
11399         unsigned long SECSEL0 : 1;
11400         unsigned long SECSEL1 : 1;
11401         unsigned long SECSEL2 : 1;
11402         unsigned long SECSEL3 : 1;
11403         unsigned long : 28;
11404     #else
11405         unsigned long : 28;
11406         unsigned long SECSEL3 : 1;
11407         unsigned long SECSEL2 : 1;
11408         unsigned long SECSEL1 : 1;
11409         unsigned long SECSEL0 : 1;
11410     #endif
11411     } BIT;
11412     } GTSECSR;
11413     union {
11414         unsigned long LONG;
11415         struct {
11416
11417     #ifdef __RX_LITTLE_ENDIAN__
11418         unsigned long SBDCE : 1;
11419         unsigned long SBDPE : 1;
11420         unsigned long SBDDE : 1;
11421         unsigned long SBDDE : 1;
11422         unsigned long : 4;
11423         unsigned long SBDCE : 1;
11424         unsigned long SBDPE : 1;
11425         unsigned long SBDDE : 1;
11426         unsigned long SBDDE : 1;
11427         unsigned long : 20;
11428     #else
11429         unsigned long : 20;
11430         unsigned long SBDDE : 1;
11431         unsigned long SBDDE : 1;
11432         unsigned long SBDPE : 1;
11433         unsigned long SBDCE : 1;
11434         unsigned long : 4;
11435         unsigned long SBDDE : 1;
11436         unsigned long SBDDE : 1;
11437         unsigned long SBDPE : 1;
11438         unsigned long SBDCE : 1;
11439     #endif
11440     } BIT;
11441     } GTSECR;
11442 } st_gptw_t;
11443
11444 typedef struct st_icu {
11445     union {
11446         unsigned char BYTE;
11447         struct {
11448
11449     #ifdef __RX_LITTLE_ENDIAN__
11450         unsigned char IR : 1;
11451         unsigned char : 7;
11452     #else
11453         unsigned char : 7;
11454         unsigned char IR : 1;
11455     #endif
11456     } BIT;
11457     } IR[256];
11458     union {
11459         unsigned char BYTE;
11460         struct {
11461
11462     #ifdef __RX_LITTLE_ENDIAN__
11463         unsigned char DTCE : 1;
11464         unsigned char : 7;
11465     #else
11466         unsigned char : 7;
11467         unsigned char DTCE : 1;
11468     #endif
11469     } BIT;
11470     } DTCER[256];

```

```

11471     union {
11472         unsigned char BYTE;
11473     struct {
11474
11475 #ifdef __RX_LITTLE_ENDIAN__
11476         unsigned char IEN0 : 1;
11477         unsigned char IEN1 : 1;
11478         unsigned char IEN2 : 1;
11479         unsigned char IEN3 : 1;
11480         unsigned char IEN4 : 1;
11481         unsigned char IEN5 : 1;
11482         unsigned char IEN6 : 1;
11483         unsigned char IEN7 : 1;
11484 #else
11485         unsigned char IEN7 : 1;
11486         unsigned char IEN6 : 1;
11487         unsigned char IEN5 : 1;
11488         unsigned char IEN4 : 1;
11489         unsigned char IEN3 : 1;
11490         unsigned char IEN2 : 1;
11491         unsigned char IEN1 : 1;
11492         unsigned char IEN0 : 1;
11493 #endif
11494     } BIT;
11495     } IER[32];
11496     char          wk0[192];
11497     union {
11498         unsigned char BYTE;
11499     struct {
11500
11501 #ifdef __RX_LITTLE_ENDIAN__
11502         unsigned char SWINT : 1;
11503         unsigned char  : 7;
11504 #else
11505         unsigned char  : 7;
11506         unsigned char SWINT : 1;
11507 #endif
11508     } BIT;
11509     } SWINTR;
11510     union {
11511         unsigned char BYTE;
11512     struct {
11513
11514 #ifdef __RX_LITTLE_ENDIAN__
11515         unsigned char SWINT2 : 1;
11516         unsigned char  : 7;
11517 #else
11518         unsigned char  : 7;
11519         unsigned char SWINT2 : 1;
11520 #endif
11521     } BIT;
11522     } SWINT2R;
11523     char          wk1[14];
11524     union {
11525         unsigned short WORD;
11526     struct {
11527
11528 #ifdef __RX_LITTLE_ENDIAN__
11529         unsigned short FVCT : 8;
11530         unsigned short  : 7;
11531         unsigned short FIEN : 1;
11532 #else
11533         unsigned short FIEN : 1;
11534         unsigned short  : 7;
11535         unsigned short FVCT : 8;
11536 #endif
11537     } BIT;
11538     } FIR;
11539     char          wk2[14];
11540     union {
11541         unsigned char BYTE;
11542     struct {
11543
11544 #ifdef __RX_LITTLE_ENDIAN__
11545         unsigned char IPR : 4;
11546         unsigned char  : 4;
11547 #else
11548         unsigned char  : 4;
11549         unsigned char IPR : 4;
11550 #endif
11551     } BIT;
11552     } IPR[256];
11553     unsigned char  DMRSR0;
11554     char          wk3[3];
11555     unsigned char  DMRSR1;
11556     char          wk4[3];
11557     unsigned char  DMRSR2;

```

```

11558     char          wk5[3];
11559     unsigned char  DMRSR3;
11560     char          wk6[3];
11561     unsigned char  DMRSR4;
11562     char          wk7[3];
11563     unsigned char  DMRSR5;
11564     char          wk8[3];
11565     unsigned char  DMRSR6;
11566     char          wk9[3];
11567     unsigned char  DMRSR7;
11568     char          wk10[227];
11569     union {
11570         unsigned char BYTE;
11571     } struct {
11572
11573     #ifdef __RX_LITTLE_ENDIAN__
11574         unsigned char : 2;
11575         unsigned char IRQMD : 2;
11576         unsigned char : 4;
11577     #else
11578         unsigned char : 4;
11579         unsigned char IRQMD : 2;
11580         unsigned char : 2;
11581     #endif
11582     } BIT;
11583     } IRQCR[16];
11584     char          wk11[16];
11585     union {
11586         unsigned char BYTE;
11587     } struct {
11588
11589     #ifdef __RX_LITTLE_ENDIAN__
11590         unsigned char FLTEN0 : 1;
11591         unsigned char FLTEN1 : 1;
11592         unsigned char FLTEN2 : 1;
11593         unsigned char FLTEN3 : 1;
11594         unsigned char FLTEN4 : 1;
11595         unsigned char FLTEN5 : 1;
11596         unsigned char FLTEN6 : 1;
11597         unsigned char FLTEN7 : 1;
11598     #else
11599         unsigned char FLTEN7 : 1;
11600         unsigned char FLTEN6 : 1;
11601         unsigned char FLTEN5 : 1;
11602         unsigned char FLTEN4 : 1;
11603         unsigned char FLTEN3 : 1;
11604         unsigned char FLTEN2 : 1;
11605         unsigned char FLTEN1 : 1;
11606         unsigned char FLTEN0 : 1;
11607     #endif
11608     } BIT;
11609     } IRQFLTE0;
11610     union {
11611         unsigned char BYTE;
11612     } struct {
11613
11614     #ifdef __RX_LITTLE_ENDIAN__
11615         unsigned char FLTEN8 : 1;
11616         unsigned char FLTEN9 : 1;
11617         unsigned char FLTEN10 : 1;
11618         unsigned char FLTEN11 : 1;
11619         unsigned char FLTEN12 : 1;
11620         unsigned char FLTEN13 : 1;
11621         unsigned char FLTEN14 : 1;
11622         unsigned char FLTEN15 : 1;
11623     #else
11624         unsigned char FLTEN15 : 1;
11625         unsigned char FLTEN14 : 1;
11626         unsigned char FLTEN13 : 1;
11627         unsigned char FLTEN12 : 1;
11628         unsigned char FLTEN11 : 1;
11629         unsigned char FLTEN10 : 1;
11630         unsigned char FLTEN9 : 1;
11631         unsigned char FLTEN8 : 1;
11632     #endif
11633     } BIT;
11634     } IRQFLTE1;
11635     char          wk12[6];
11636     union {
11637         unsigned short WORD;
11638     } struct {
11639
11640     #ifdef __RX_LITTLE_ENDIAN__
11641         unsigned short FCLKSEL0 : 2;
11642         unsigned short FCLKSEL1 : 2;
11643         unsigned short FCLKSEL2 : 2;
11644         unsigned short FCLKSEL3 : 2;

```

```

11645         unsigned short FCLKSEL4 : 2;
11646         unsigned short FCLKSEL5 : 2;
11647         unsigned short FCLKSEL6 : 2;
11648         unsigned short FCLKSEL7 : 2;
11649 #else
11650         unsigned short FCLKSEL7 : 2;
11651         unsigned short FCLKSEL6 : 2;
11652         unsigned short FCLKSEL5 : 2;
11653         unsigned short FCLKSEL4 : 2;
11654         unsigned short FCLKSEL3 : 2;
11655         unsigned short FCLKSEL2 : 2;
11656         unsigned short FCLKSEL1 : 2;
11657         unsigned short FCLKSEL0 : 2;
11658 #endif
11659     } BIT;
11660 } IRQFLTC0;
11661 union {
11662     unsigned short WORD;
11663     struct {
11664
11665 #ifdef __RX_LITTLE_ENDIAN__
11666         unsigned short FCLKSEL8 : 2;
11667         unsigned short FCLKSEL9 : 2;
11668         unsigned short FCLKSEL10 : 2;
11669         unsigned short FCLKSEL11 : 2;
11670         unsigned short FCLKSEL12 : 2;
11671         unsigned short FCLKSEL13 : 2;
11672         unsigned short FCLKSEL14 : 2;
11673         unsigned short FCLKSEL15 : 2;
11674 #else
11675         unsigned short FCLKSEL15 : 2;
11676         unsigned short FCLKSEL14 : 2;
11677         unsigned short FCLKSEL13 : 2;
11678         unsigned short FCLKSEL12 : 2;
11679         unsigned short FCLKSEL11 : 2;
11680         unsigned short FCLKSEL10 : 2;
11681         unsigned short FCLKSEL9 : 2;
11682         unsigned short FCLKSEL8 : 2;
11683 #endif
11684     } BIT;
11685     } IRQFLTC1;
11686     char        wk13[84];
11687     union {
11688         unsigned char BYTE;
11689         struct {
11690
11691 #ifdef __RX_LITTLE_ENDIAN__
11692         unsigned char NMIST : 1;
11693         unsigned char OSTST : 1;
11694         unsigned char WDTST : 1;
11695         unsigned char IWDTST : 1;
11696         unsigned char LVD1ST : 1;
11697         unsigned char LVD2ST : 1;
11698         unsigned char EXNMIST : 1;
11699         unsigned char : 1;
11700 #else
11701         unsigned char : 1;
11702         unsigned char EXNMIST : 1;
11703         unsigned char LVD2ST : 1;
11704         unsigned char LVD1ST : 1;
11705         unsigned char IWDTST : 1;
11706         unsigned char WDTST : 1;
11707         unsigned char OSTST : 1;
11708         unsigned char NMIST : 1;
11709 #endif
11710     } BIT;
11711     } NMISR;
11712     union {
11713         unsigned char BYTE;
11714         struct {
11715
11716 #ifdef __RX_LITTLE_ENDIAN__
11717         unsigned char NMIEN : 1;
11718         unsigned char OSTEN : 1;
11719         unsigned char WDTEN : 1;
11720         unsigned char IWDTEN : 1;
11721         unsigned char LVD1EN : 1;
11722         unsigned char LVD2EN : 1;
11723         unsigned char EXNMIEN : 1;
11724         unsigned char : 1;
11725 #else
11726         unsigned char : 1;
11727         unsigned char EXNMIEN : 1;
11728         unsigned char LVD2EN : 1;
11729         unsigned char LVD1EN : 1;
11730         unsigned char IWDTEN : 1;
11731         unsigned char WDTEN : 1;

```

```

11732         unsigned char OSTEN : 1;
11733         unsigned char NMIEEN : 1;
11734     #endif
11735     } BIT;
11736     } NMIER;
11737     union {
11738         unsigned char BYTE;
11739         struct {
11740
11741     #ifdef __RX_LITTLE_ENDIAN__
11742         unsigned char NMICLR : 1;
11743         unsigned char OSTCLR : 1;
11744         unsigned char WDTCLR : 1;
11745         unsigned char IWDTCCLR : 1;
11746         unsigned char LVD1CLR : 1;
11747         unsigned char LVD2CLR : 1;
11748         unsigned char : 2;
11749     #else
11750         unsigned char : 2;
11751         unsigned char LVD2CLR : 1;
11752         unsigned char LVD1CLR : 1;
11753         unsigned char IWDTCCLR : 1;
11754         unsigned char WDTCLR : 1;
11755         unsigned char OSTCLR : 1;
11756         unsigned char NMICLR : 1;
11757     #endif
11758     } BIT;
11759     } NMICLR;
11760     union {
11761         unsigned char BYTE;
11762         struct {
11763
11764     #ifdef __RX_LITTLE_ENDIAN__
11765         unsigned char : 3;
11766         unsigned char NMIMD : 1;
11767         unsigned char : 4;
11768     #else
11769         unsigned char : 4;
11770         unsigned char NMIMD : 1;
11771         unsigned char : 3;
11772     #endif
11773     } BIT;
11774     } NMICR;
11775     union {
11776         unsigned char BYTE;
11777         struct {
11778
11779     #ifdef __RX_LITTLE_ENDIAN__
11780         unsigned char RAMST : 1;
11781         unsigned char DPFPUST : 1;
11782         unsigned char : 6;
11783     #else
11784         unsigned char : 6;
11785         unsigned char DPFPUST : 1;
11786         unsigned char RAMST : 1;
11787     #endif
11788     } BIT;
11789     } EXNMISR;
11790     union {
11791         unsigned char BYTE;
11792         struct {
11793
11794     #ifdef __RX_LITTLE_ENDIAN__
11795         unsigned char RAMEN : 1;
11796         unsigned char DPFPUEN : 1;
11797         unsigned char : 6;
11798     #else
11799         unsigned char : 6;
11800         unsigned char DPFPUEN : 1;
11801         unsigned char RAMEN : 1;
11802     #endif
11803     } BIT;
11804     } EXNMIER;
11805     union {
11806         unsigned char BYTE;
11807         struct {
11808
11809     #ifdef __RX_LITTLE_ENDIAN__
11810         unsigned char : 1;
11811         unsigned char DPFPUCLR : 1;
11812         unsigned char : 6;
11813     #else
11814         unsigned char : 6;
11815         unsigned char DPFPUCLR : 1;
11816         unsigned char : 1;
11817     #endif
11818     } BIT;

```

```
11819     } EXNMICLR;
11820     char          wk14[9];
11821     union {
11822         unsigned char BYTE;
11823         struct {
11824
11825 #ifdef __RX_LITTLE_ENDIAN__
11826         unsigned char NFLTEN : 1;
11827         unsigned char      : 7;
11828 #else
11829         unsigned char      : 7;
11830         unsigned char NFLTEN : 1;
11831 #endif
11832     } BIT;
11833     } NMIFLTE;
11834     char          wk15[3];
11835     union {
11836         unsigned char BYTE;
11837         struct {
11838
11839 #ifdef __RX_LITTLE_ENDIAN__
11840         unsigned char NFCLKSEL : 2;
11841         unsigned char      : 6;
11842 #else
11843         unsigned char      : 6;
11844         unsigned char NFCLKSEL : 2;
11845 #endif
11846     } BIT;
11847     } NMIFLTC;
11848     char          wk16[27];
11849     union {
11850         unsigned long LONG;
11851         struct {
11852
11853 #ifdef __RX_LITTLE_ENDIAN__
11854         unsigned long IS0 : 1;
11855         unsigned long IS1 : 1;
11856         unsigned long IS2 : 1;
11857         unsigned long IS3 : 1;
11858         unsigned long IS4 : 1;
11859         unsigned long IS5 : 1;
11860         unsigned long IS6 : 1;
11861         unsigned long IS7 : 1;
11862         unsigned long IS8 : 1;
11863         unsigned long IS9 : 1;
11864         unsigned long IS10 : 1;
11865         unsigned long IS11 : 1;
11866         unsigned long IS12 : 1;
11867         unsigned long IS13 : 1;
11868         unsigned long IS14 : 1;
11869         unsigned long IS15 : 1;
11870         unsigned long IS16 : 1;
11871         unsigned long IS17 : 1;
11872         unsigned long IS18 : 1;
11873         unsigned long IS19 : 1;
11874         unsigned long IS20 : 1;
11875         unsigned long IS21 : 1;
11876         unsigned long IS22 : 1;
11877         unsigned long IS23 : 1;
11878         unsigned long IS24 : 1;
11879         unsigned long IS25 : 1;
11880         unsigned long IS26 : 1;
11881         unsigned long IS27 : 1;
11882         unsigned long IS28 : 1;
11883         unsigned long IS29 : 1;
11884         unsigned long IS30 : 1;
11885         unsigned long IS31 : 1;
11886 #else
11887         unsigned long IS31 : 1;
11888         unsigned long IS30 : 1;
11889         unsigned long IS29 : 1;
11890         unsigned long IS28 : 1;
11891         unsigned long IS27 : 1;
11892         unsigned long IS26 : 1;
11893         unsigned long IS25 : 1;
11894         unsigned long IS24 : 1;
11895         unsigned long IS23 : 1;
11896         unsigned long IS22 : 1;
11897         unsigned long IS21 : 1;
11898         unsigned long IS20 : 1;
11899         unsigned long IS19 : 1;
11900         unsigned long IS18 : 1;
11901         unsigned long IS17 : 1;
11902         unsigned long IS16 : 1;
11903         unsigned long IS15 : 1;
11904         unsigned long IS14 : 1;
11905         unsigned long IS13 : 1;
```

```
11906         unsigned long IS12 : 1;
11907         unsigned long IS11 : 1;
11908         unsigned long IS10 : 1;
11909         unsigned long IS9 : 1;
11910         unsigned long IS8 : 1;
11911         unsigned long IS7 : 1;
11912         unsigned long IS6 : 1;
11913         unsigned long IS5 : 1;
11914         unsigned long IS4 : 1;
11915         unsigned long IS3 : 1;
11916         unsigned long IS2 : 1;
11917         unsigned long IS1 : 1;
11918         unsigned long IS0 : 1;
11919     #endif
11920     } BIT;
11921     } GRPIE0;
11922     union {
11923         unsigned long LONG;
11924         struct {
11925
11926     #ifdef __RX_LITTLE_ENDIAN__
11927         unsigned long EN0 : 1;
11928         unsigned long EN1 : 1;
11929         unsigned long EN2 : 1;
11930         unsigned long EN3 : 1;
11931         unsigned long EN4 : 1;
11932         unsigned long EN5 : 1;
11933         unsigned long EN6 : 1;
11934         unsigned long EN7 : 1;
11935         unsigned long EN8 : 1;
11936         unsigned long EN9 : 1;
11937         unsigned long EN10 : 1;
11938         unsigned long EN11 : 1;
11939         unsigned long EN12 : 1;
11940         unsigned long EN13 : 1;
11941         unsigned long EN14 : 1;
11942         unsigned long EN15 : 1;
11943         unsigned long EN16 : 1;
11944         unsigned long EN17 : 1;
11945         unsigned long EN18 : 1;
11946         unsigned long EN19 : 1;
11947         unsigned long EN20 : 1;
11948         unsigned long EN21 : 1;
11949         unsigned long EN22 : 1;
11950         unsigned long EN23 : 1;
11951         unsigned long EN24 : 1;
11952         unsigned long EN25 : 1;
11953         unsigned long EN26 : 1;
11954         unsigned long EN27 : 1;
11955         unsigned long EN28 : 1;
11956         unsigned long EN29 : 1;
11957         unsigned long EN30 : 1;
11958         unsigned long EN31 : 1;
11959     #else
11960         unsigned long EN31 : 1;
11961         unsigned long EN30 : 1;
11962         unsigned long EN29 : 1;
11963         unsigned long EN28 : 1;
11964         unsigned long EN27 : 1;
11965         unsigned long EN26 : 1;
11966         unsigned long EN25 : 1;
11967         unsigned long EN24 : 1;
11968         unsigned long EN23 : 1;
11969         unsigned long EN22 : 1;
11970         unsigned long EN21 : 1;
11971         unsigned long EN20 : 1;
11972         unsigned long EN19 : 1;
11973         unsigned long EN18 : 1;
11974         unsigned long EN17 : 1;
11975         unsigned long EN16 : 1;
11976         unsigned long EN15 : 1;
11977         unsigned long EN14 : 1;
11978         unsigned long EN13 : 1;
11979         unsigned long EN12 : 1;
11980         unsigned long EN11 : 1;
11981         unsigned long EN10 : 1;
11982         unsigned long EN9 : 1;
11983         unsigned long EN8 : 1;
11984         unsigned long EN7 : 1;
11985         unsigned long EN6 : 1;
11986         unsigned long EN5 : 1;
11987         unsigned long EN4 : 1;
11988         unsigned long EN3 : 1;
11989         unsigned long EN2 : 1;
11990         unsigned long EN1 : 1;
11991         unsigned long EN0 : 1;
11992     #endif
```

```

11993     } BIT;
11994     } GENIE0;
11995     union {
11996         unsigned long LONG;
11997     struct {
11998
11999 #ifdef __RX_LITTLE_ENDIAN__
12000         unsigned long CLR0 : 1;
12001         unsigned long CLR1 : 1;
12002         unsigned long CLR2 : 1;
12003         unsigned long CLR3 : 1;
12004         unsigned long CLR4 : 1;
12005         unsigned long CLR5 : 1;
12006         unsigned long CLR6 : 1;
12007         unsigned long CLR7 : 1;
12008         unsigned long CLR8 : 1;
12009         unsigned long CLR9 : 1;
12010         unsigned long CLR10 : 1;
12011         unsigned long CLR11 : 1;
12012         unsigned long CLR12 : 1;
12013         unsigned long CLR13 : 1;
12014         unsigned long CLR14 : 1;
12015         unsigned long CLR15 : 1;
12016         unsigned long CLR16 : 1;
12017         unsigned long CLR17 : 1;
12018         unsigned long CLR18 : 1;
12019         unsigned long CLR19 : 1;
12020         unsigned long CLR20 : 1;
12021         unsigned long CLR21 : 1;
12022         unsigned long CLR22 : 1;
12023         unsigned long CLR23 : 1;
12024         unsigned long CLR24 : 1;
12025         unsigned long CLR25 : 1;
12026         unsigned long CLR26 : 1;
12027         unsigned long CLR27 : 1;
12028         unsigned long CLR28 : 1;
12029         unsigned long CLR29 : 1;
12030         unsigned long CLR30 : 1;
12031         unsigned long CLR31 : 1;
12032 #else
12033         unsigned long CLR31 : 1;
12034         unsigned long CLR30 : 1;
12035         unsigned long CLR29 : 1;
12036         unsigned long CLR28 : 1;
12037         unsigned long CLR27 : 1;
12038         unsigned long CLR26 : 1;
12039         unsigned long CLR25 : 1;
12040         unsigned long CLR24 : 1;
12041         unsigned long CLR23 : 1;
12042         unsigned long CLR22 : 1;
12043         unsigned long CLR21 : 1;
12044         unsigned long CLR20 : 1;
12045         unsigned long CLR19 : 1;
12046         unsigned long CLR18 : 1;
12047         unsigned long CLR17 : 1;
12048         unsigned long CLR16 : 1;
12049         unsigned long CLR15 : 1;
12050         unsigned long CLR14 : 1;
12051         unsigned long CLR13 : 1;
12052         unsigned long CLR12 : 1;
12053         unsigned long CLR11 : 1;
12054         unsigned long CLR10 : 1;
12055         unsigned long CLR9 : 1;
12056         unsigned long CLR8 : 1;
12057         unsigned long CLR7 : 1;
12058         unsigned long CLR6 : 1;
12059         unsigned long CLR5 : 1;
12060         unsigned long CLR4 : 1;
12061         unsigned long CLR3 : 1;
12062         unsigned long CLR2 : 1;
12063         unsigned long CLR1 : 1;
12064         unsigned long CLR0 : 1;
12065 #endif
12066     } BIT;
12067     } GCRIE0;
12068     char        wk17[68];
12069     union {
12070         unsigned long LONG;
12071     struct {
12072
12073 #ifdef __RX_LITTLE_ENDIAN__
12074         unsigned long IS0 : 1;
12075         unsigned long IS1 : 1;
12076         unsigned long IS2 : 1;
12077         unsigned long IS3 : 1;
12078         unsigned long IS4 : 1;
12079         unsigned long IS5 : 1;

```



```
12080     unsigned long IS6 : 1;
12081     unsigned long IS7 : 1;
12082     unsigned long IS8 : 1;
12083     unsigned long IS9 : 1;
12084     unsigned long IS10 : 1;
12085     unsigned long IS11 : 1;
12086     unsigned long IS12 : 1;
12087     unsigned long IS13 : 1;
12088     unsigned long IS14 : 1;
12089     unsigned long IS15 : 1;
12090     unsigned long IS16 : 1;
12091     unsigned long IS17 : 1;
12092     unsigned long IS18 : 1;
12093     unsigned long IS19 : 1;
12094     unsigned long IS20 : 1;
12095     unsigned long IS21 : 1;
12096     unsigned long IS22 : 1;
12097     unsigned long IS23 : 1;
12098     unsigned long IS24 : 1;
12099     unsigned long IS25 : 1;
12100     unsigned long IS26 : 1;
12101     unsigned long IS27 : 1;
12102     unsigned long IS28 : 1;
12103     unsigned long IS29 : 1;
12104     unsigned long IS30 : 1;
12105     unsigned long IS31 : 1;
12106 #else
12107     unsigned long IS31 : 1;
12108     unsigned long IS30 : 1;
12109     unsigned long IS29 : 1;
12110     unsigned long IS28 : 1;
12111     unsigned long IS27 : 1;
12112     unsigned long IS26 : 1;
12113     unsigned long IS25 : 1;
12114     unsigned long IS24 : 1;
12115     unsigned long IS23 : 1;
12116     unsigned long IS22 : 1;
12117     unsigned long IS21 : 1;
12118     unsigned long IS20 : 1;
12119     unsigned long IS19 : 1;
12120     unsigned long IS18 : 1;
12121     unsigned long IS17 : 1;
12122     unsigned long IS16 : 1;
12123     unsigned long IS15 : 1;
12124     unsigned long IS14 : 1;
12125     unsigned long IS13 : 1;
12126     unsigned long IS12 : 1;
12127     unsigned long IS11 : 1;
12128     unsigned long IS10 : 1;
12129     unsigned long IS9 : 1;
12130     unsigned long IS8 : 1;
12131     unsigned long IS7 : 1;
12132     unsigned long IS6 : 1;
12133     unsigned long IS5 : 1;
12134     unsigned long IS4 : 1;
12135     unsigned long IS3 : 1;
12136     unsigned long IS2 : 1;
12137     unsigned long IS1 : 1;
12138     unsigned long IS0 : 1;
12139 #endif
12140     } BIT;
12141     } GRPBE0;
12142     char      wk18[44];
12143     union {
12144         unsigned long LONG;
12145         struct {
12146
12147 #ifdef __RX_LITTLE_ENDIAN__
12148         unsigned long IS0 : 1;
12149         unsigned long IS1 : 1;
12150         unsigned long IS2 : 1;
12151         unsigned long IS3 : 1;
12152         unsigned long IS4 : 1;
12153         unsigned long IS5 : 1;
12154         unsigned long IS6 : 1;
12155         unsigned long IS7 : 1;
12156         unsigned long IS8 : 1;
12157         unsigned long IS9 : 1;
12158         unsigned long IS10 : 1;
12159         unsigned long IS11 : 1;
12160         unsigned long IS12 : 1;
12161         unsigned long IS13 : 1;
12162         unsigned long IS14 : 1;
12163         unsigned long IS15 : 1;
12164         unsigned long IS16 : 1;
12165         unsigned long IS17 : 1;
12166         unsigned long IS18 : 1;
```

```

12167         unsigned long IS19 : 1;
12168         unsigned long IS20 : 1;
12169         unsigned long IS21 : 1;
12170         unsigned long IS22 : 1;
12171         unsigned long IS23 : 1;
12172         unsigned long IS24 : 1;
12173         unsigned long IS25 : 1;
12174         unsigned long IS26 : 1;
12175         unsigned long IS27 : 1;
12176         unsigned long IS28 : 1;
12177         unsigned long IS29 : 1;
12178         unsigned long IS30 : 1;
12179         unsigned long IS31 : 1;
12180 #else
12181         unsigned long IS31 : 1;
12182         unsigned long IS30 : 1;
12183         unsigned long IS29 : 1;
12184         unsigned long IS28 : 1;
12185         unsigned long IS27 : 1;
12186         unsigned long IS26 : 1;
12187         unsigned long IS25 : 1;
12188         unsigned long IS24 : 1;
12189         unsigned long IS23 : 1;
12190         unsigned long IS22 : 1;
12191         unsigned long IS21 : 1;
12192         unsigned long IS20 : 1;
12193         unsigned long IS19 : 1;
12194         unsigned long IS18 : 1;
12195         unsigned long IS17 : 1;
12196         unsigned long IS16 : 1;
12197         unsigned long IS15 : 1;
12198         unsigned long IS14 : 1;
12199         unsigned long IS13 : 1;
12200         unsigned long IS12 : 1;
12201         unsigned long IS11 : 1;
12202         unsigned long IS10 : 1;
12203         unsigned long IS9 : 1;
12204         unsigned long IS8 : 1;
12205         unsigned long IS7 : 1;
12206         unsigned long IS6 : 1;
12207         unsigned long IS5 : 1;
12208         unsigned long IS4 : 1;
12209         unsigned long IS3 : 1;
12210         unsigned long IS2 : 1;
12211         unsigned long IS1 : 1;
12212         unsigned long IS0 : 1;
12213 #endif
12214     } BIT;
12215     } GRPBL0;
12216     union {
12217         unsigned long LONG;
12218         struct {
12219
12220 #ifdef __RX_LITTLE_ENDIAN__
12221         unsigned long IS0 : 1;
12222         unsigned long IS1 : 1;
12223         unsigned long IS2 : 1;
12224         unsigned long IS3 : 1;
12225         unsigned long IS4 : 1;
12226         unsigned long IS5 : 1;
12227         unsigned long IS6 : 1;
12228         unsigned long IS7 : 1;
12229         unsigned long IS8 : 1;
12230         unsigned long IS9 : 1;
12231         unsigned long IS10 : 1;
12232         unsigned long IS11 : 1;
12233         unsigned long IS12 : 1;
12234         unsigned long IS13 : 1;
12235         unsigned long IS14 : 1;
12236         unsigned long IS15 : 1;
12237         unsigned long IS16 : 1;
12238         unsigned long IS17 : 1;
12239         unsigned long IS18 : 1;
12240         unsigned long IS19 : 1;
12241         unsigned long IS20 : 1;
12242         unsigned long IS21 : 1;
12243         unsigned long IS22 : 1;
12244         unsigned long IS23 : 1;
12245         unsigned long IS24 : 1;
12246         unsigned long IS25 : 1;
12247         unsigned long IS26 : 1;
12248         unsigned long IS27 : 1;
12249         unsigned long IS28 : 1;
12250         unsigned long IS29 : 1;
12251         unsigned long IS30 : 1;
12252         unsigned long IS31 : 1;
12253 #else

```

```

12254     unsigned long IS31 : 1;
12255     unsigned long IS30 : 1;
12256     unsigned long IS29 : 1;
12257     unsigned long IS28 : 1;
12258     unsigned long IS27 : 1;
12259     unsigned long IS26 : 1;
12260     unsigned long IS25 : 1;
12261     unsigned long IS24 : 1;
12262     unsigned long IS23 : 1;
12263     unsigned long IS22 : 1;
12264     unsigned long IS21 : 1;
12265     unsigned long IS20 : 1;
12266     unsigned long IS19 : 1;
12267     unsigned long IS18 : 1;
12268     unsigned long IS17 : 1;
12269     unsigned long IS16 : 1;
12270     unsigned long IS15 : 1;
12271     unsigned long IS14 : 1;
12272     unsigned long IS13 : 1;
12273     unsigned long IS12 : 1;
12274     unsigned long IS11 : 1;
12275     unsigned long IS10 : 1;
12276     unsigned long IS9 : 1;
12277     unsigned long IS8 : 1;
12278     unsigned long IS7 : 1;
12279     unsigned long IS6 : 1;
12280     unsigned long IS5 : 1;
12281     unsigned long IS4 : 1;
12282     unsigned long IS3 : 1;
12283     unsigned long IS2 : 1;
12284     unsigned long IS1 : 1;
12285     unsigned long IS0 : 1;
12286 #endif
12287     } BIT;
12288     } GRPBL1;
12289     union {
12290         unsigned long LONG;
12291         struct {
12292
12293 #ifdef __RX_LITTLE_ENDIAN__
12294         unsigned long IS0 : 1;
12295         unsigned long IS1 : 1;
12296         unsigned long IS2 : 1;
12297         unsigned long IS3 : 1;
12298         unsigned long IS4 : 1;
12299         unsigned long IS5 : 1;
12300         unsigned long IS6 : 1;
12301         unsigned long IS7 : 1;
12302         unsigned long IS8 : 1;
12303         unsigned long IS9 : 1;
12304         unsigned long IS10 : 1;
12305         unsigned long IS11 : 1;
12306         unsigned long IS12 : 1;
12307         unsigned long IS13 : 1;
12308         unsigned long IS14 : 1;
12309         unsigned long IS15 : 1;
12310         unsigned long IS16 : 1;
12311         unsigned long IS17 : 1;
12312         unsigned long IS18 : 1;
12313         unsigned long IS19 : 1;
12314         unsigned long IS20 : 1;
12315         unsigned long IS21 : 1;
12316         unsigned long IS22 : 1;
12317         unsigned long IS23 : 1;
12318         unsigned long IS24 : 1;
12319         unsigned long IS25 : 1;
12320         unsigned long IS26 : 1;
12321         unsigned long IS27 : 1;
12322         unsigned long IS28 : 1;
12323         unsigned long IS29 : 1;
12324         unsigned long IS30 : 1;
12325         unsigned long IS31 : 1;
12326 #else
12327         unsigned long IS31 : 1;
12328         unsigned long IS30 : 1;
12329         unsigned long IS29 : 1;
12330         unsigned long IS28 : 1;
12331         unsigned long IS27 : 1;
12332         unsigned long IS26 : 1;
12333         unsigned long IS25 : 1;
12334         unsigned long IS24 : 1;
12335         unsigned long IS23 : 1;
12336         unsigned long IS22 : 1;
12337         unsigned long IS21 : 1;
12338         unsigned long IS20 : 1;
12339         unsigned long IS19 : 1;
12340         unsigned long IS18 : 1;

```

```
12341         unsigned long IS17 : 1;
12342         unsigned long IS16 : 1;
12343         unsigned long IS15 : 1;
12344         unsigned long IS14 : 1;
12345         unsigned long IS13 : 1;
12346         unsigned long IS12 : 1;
12347         unsigned long IS11 : 1;
12348         unsigned long IS10 : 1;
12349         unsigned long IS9 : 1;
12350         unsigned long IS8 : 1;
12351         unsigned long IS7 : 1;
12352         unsigned long IS6 : 1;
12353         unsigned long IS5 : 1;
12354         unsigned long IS4 : 1;
12355         unsigned long IS3 : 1;
12356         unsigned long IS2 : 1;
12357         unsigned long IS1 : 1;
12358         unsigned long IS0 : 1;
12359     #endif
12360     } BIT;
12361     } GRPBL2;
12362     char        wk19[4];
12363     union {
12364         unsigned long LONG;
12365         struct {
12366
12367     #ifdef __RX_LITTLE_ENDIAN__
12368         unsigned long EN0 : 1;
12369         unsigned long EN1 : 1;
12370         unsigned long EN2 : 1;
12371         unsigned long EN3 : 1;
12372         unsigned long EN4 : 1;
12373         unsigned long EN5 : 1;
12374         unsigned long EN6 : 1;
12375         unsigned long EN7 : 1;
12376         unsigned long EN8 : 1;
12377         unsigned long EN9 : 1;
12378         unsigned long EN10 : 1;
12379         unsigned long EN11 : 1;
12380         unsigned long EN12 : 1;
12381         unsigned long EN13 : 1;
12382         unsigned long EN14 : 1;
12383         unsigned long EN15 : 1;
12384         unsigned long EN16 : 1;
12385         unsigned long EN17 : 1;
12386         unsigned long EN18 : 1;
12387         unsigned long EN19 : 1;
12388         unsigned long EN20 : 1;
12389         unsigned long EN21 : 1;
12390         unsigned long EN22 : 1;
12391         unsigned long EN23 : 1;
12392         unsigned long EN24 : 1;
12393         unsigned long EN25 : 1;
12394         unsigned long EN26 : 1;
12395         unsigned long EN27 : 1;
12396         unsigned long EN28 : 1;
12397         unsigned long EN29 : 1;
12398         unsigned long EN30 : 1;
12399         unsigned long EN31 : 1;
12400     #else
12401         unsigned long EN31 : 1;
12402         unsigned long EN30 : 1;
12403         unsigned long EN29 : 1;
12404         unsigned long EN28 : 1;
12405         unsigned long EN27 : 1;
12406         unsigned long EN26 : 1;
12407         unsigned long EN25 : 1;
12408         unsigned long EN24 : 1;
12409         unsigned long EN23 : 1;
12410         unsigned long EN22 : 1;
12411         unsigned long EN21 : 1;
12412         unsigned long EN20 : 1;
12413         unsigned long EN19 : 1;
12414         unsigned long EN18 : 1;
12415         unsigned long EN17 : 1;
12416         unsigned long EN16 : 1;
12417         unsigned long EN15 : 1;
12418         unsigned long EN14 : 1;
12419         unsigned long EN13 : 1;
12420         unsigned long EN12 : 1;
12421         unsigned long EN11 : 1;
12422         unsigned long EN10 : 1;
12423         unsigned long EN9 : 1;
12424         unsigned long EN8 : 1;
12425         unsigned long EN7 : 1;
12426         unsigned long EN6 : 1;
12427         unsigned long EN5 : 1;
```

```
12428         unsigned long EN4 : 1;
12429         unsigned long EN3 : 1;
12430         unsigned long EN2 : 1;
12431         unsigned long EN1 : 1;
12432         unsigned long EN0 : 1;
12433     #endif
12434     } BIT;
12435     } GENBE0;
12436     char          wk20[44];
12437     union {
12438         unsigned long LONG;
12439         struct {
12440
12441     #ifdef __RX_LITTLE_ENDIAN__
12442         unsigned long EN0 : 1;
12443         unsigned long EN1 : 1;
12444         unsigned long EN2 : 1;
12445         unsigned long EN3 : 1;
12446         unsigned long EN4 : 1;
12447         unsigned long EN5 : 1;
12448         unsigned long EN6 : 1;
12449         unsigned long EN7 : 1;
12450         unsigned long EN8 : 1;
12451         unsigned long EN9 : 1;
12452         unsigned long EN10 : 1;
12453         unsigned long EN11 : 1;
12454         unsigned long EN12 : 1;
12455         unsigned long EN13 : 1;
12456         unsigned long EN14 : 1;
12457         unsigned long EN15 : 1;
12458         unsigned long EN16 : 1;
12459         unsigned long EN17 : 1;
12460         unsigned long EN18 : 1;
12461         unsigned long EN19 : 1;
12462         unsigned long EN20 : 1;
12463         unsigned long EN21 : 1;
12464         unsigned long EN22 : 1;
12465         unsigned long EN23 : 1;
12466         unsigned long EN24 : 1;
12467         unsigned long EN25 : 1;
12468         unsigned long EN26 : 1;
12469         unsigned long EN27 : 1;
12470         unsigned long EN28 : 1;
12471         unsigned long EN29 : 1;
12472         unsigned long EN30 : 1;
12473         unsigned long EN31 : 1;
12474     #else
12475         unsigned long EN31 : 1;
12476         unsigned long EN30 : 1;
12477         unsigned long EN29 : 1;
12478         unsigned long EN28 : 1;
12479         unsigned long EN27 : 1;
12480         unsigned long EN26 : 1;
12481         unsigned long EN25 : 1;
12482         unsigned long EN24 : 1;
12483         unsigned long EN23 : 1;
12484         unsigned long EN22 : 1;
12485         unsigned long EN21 : 1;
12486         unsigned long EN20 : 1;
12487         unsigned long EN19 : 1;
12488         unsigned long EN18 : 1;
12489         unsigned long EN17 : 1;
12490         unsigned long EN16 : 1;
12491         unsigned long EN15 : 1;
12492         unsigned long EN14 : 1;
12493         unsigned long EN13 : 1;
12494         unsigned long EN12 : 1;
12495         unsigned long EN11 : 1;
12496         unsigned long EN10 : 1;
12497         unsigned long EN9 : 1;
12498         unsigned long EN8 : 1;
12499         unsigned long EN7 : 1;
12500         unsigned long EN6 : 1;
12501         unsigned long EN5 : 1;
12502         unsigned long EN4 : 1;
12503         unsigned long EN3 : 1;
12504         unsigned long EN2 : 1;
12505         unsigned long EN1 : 1;
12506         unsigned long EN0 : 1;
12507     #endif
12508     } BIT;
12509     } GENBL0;
12510     union {
12511         unsigned long LONG;
12512         struct {
12513
12514     #ifdef __RX_LITTLE_ENDIAN__
```

```

12515     unsigned long EN0 : 1;
12516     unsigned long EN1 : 1;
12517     unsigned long EN2 : 1;
12518     unsigned long EN3 : 1;
12519     unsigned long EN4 : 1;
12520     unsigned long EN5 : 1;
12521     unsigned long EN6 : 1;
12522     unsigned long EN7 : 1;
12523     unsigned long EN8 : 1;
12524     unsigned long EN9 : 1;
12525     unsigned long EN10 : 1;
12526     unsigned long EN11 : 1;
12527     unsigned long EN12 : 1;
12528     unsigned long EN13 : 1;
12529     unsigned long EN14 : 1;
12530     unsigned long EN15 : 1;
12531     unsigned long EN16 : 1;
12532     unsigned long EN17 : 1;
12533     unsigned long EN18 : 1;
12534     unsigned long EN19 : 1;
12535     unsigned long EN20 : 1;
12536     unsigned long EN21 : 1;
12537     unsigned long EN22 : 1;
12538     unsigned long EN23 : 1;
12539     unsigned long EN24 : 1;
12540     unsigned long EN25 : 1;
12541     unsigned long EN26 : 1;
12542     unsigned long EN27 : 1;
12543     unsigned long EN28 : 1;
12544     unsigned long EN29 : 1;
12545     unsigned long EN30 : 1;
12546     unsigned long EN31 : 1;
12547 #else
12548     unsigned long EN31 : 1;
12549     unsigned long EN30 : 1;
12550     unsigned long EN29 : 1;
12551     unsigned long EN28 : 1;
12552     unsigned long EN27 : 1;
12553     unsigned long EN26 : 1;
12554     unsigned long EN25 : 1;
12555     unsigned long EN24 : 1;
12556     unsigned long EN23 : 1;
12557     unsigned long EN22 : 1;
12558     unsigned long EN21 : 1;
12559     unsigned long EN20 : 1;
12560     unsigned long EN19 : 1;
12561     unsigned long EN18 : 1;
12562     unsigned long EN17 : 1;
12563     unsigned long EN16 : 1;
12564     unsigned long EN15 : 1;
12565     unsigned long EN14 : 1;
12566     unsigned long EN13 : 1;
12567     unsigned long EN12 : 1;
12568     unsigned long EN11 : 1;
12569     unsigned long EN10 : 1;
12570     unsigned long EN9 : 1;
12571     unsigned long EN8 : 1;
12572     unsigned long EN7 : 1;
12573     unsigned long EN6 : 1;
12574     unsigned long EN5 : 1;
12575     unsigned long EN4 : 1;
12576     unsigned long EN3 : 1;
12577     unsigned long EN2 : 1;
12578     unsigned long EN1 : 1;
12579     unsigned long EN0 : 1;
12580 #endif
12581     } BIT;
12582     } GENBL1;
12583     union {
12584         unsigned long LONG;
12585         struct {
12586
12587 #ifdef __RX_LITTLE_ENDIAN__
12588         unsigned long EN0 : 1;
12589         unsigned long EN1 : 1;
12590         unsigned long EN2 : 1;
12591         unsigned long EN3 : 1;
12592         unsigned long EN4 : 1;
12593         unsigned long EN5 : 1;
12594         unsigned long EN6 : 1;
12595         unsigned long EN7 : 1;
12596         unsigned long EN8 : 1;
12597         unsigned long EN9 : 1;
12598         unsigned long EN10 : 1;
12599         unsigned long EN11 : 1;
12600         unsigned long EN12 : 1;
12601         unsigned long EN13 : 1;

```

```
12602     unsigned long EN14 : 1;
12603     unsigned long EN15 : 1;
12604     unsigned long EN16 : 1;
12605     unsigned long EN17 : 1;
12606     unsigned long EN18 : 1;
12607     unsigned long EN19 : 1;
12608     unsigned long EN20 : 1;
12609     unsigned long EN21 : 1;
12610     unsigned long EN22 : 1;
12611     unsigned long EN23 : 1;
12612     unsigned long EN24 : 1;
12613     unsigned long EN25 : 1;
12614     unsigned long EN26 : 1;
12615     unsigned long EN27 : 1;
12616     unsigned long EN28 : 1;
12617     unsigned long EN29 : 1;
12618     unsigned long EN30 : 1;
12619     unsigned long EN31 : 1;
12620 #else
12621     unsigned long EN31 : 1;
12622     unsigned long EN30 : 1;
12623     unsigned long EN29 : 1;
12624     unsigned long EN28 : 1;
12625     unsigned long EN27 : 1;
12626     unsigned long EN26 : 1;
12627     unsigned long EN25 : 1;
12628     unsigned long EN24 : 1;
12629     unsigned long EN23 : 1;
12630     unsigned long EN22 : 1;
12631     unsigned long EN21 : 1;
12632     unsigned long EN20 : 1;
12633     unsigned long EN19 : 1;
12634     unsigned long EN18 : 1;
12635     unsigned long EN17 : 1;
12636     unsigned long EN16 : 1;
12637     unsigned long EN15 : 1;
12638     unsigned long EN14 : 1;
12639     unsigned long EN13 : 1;
12640     unsigned long EN12 : 1;
12641     unsigned long EN11 : 1;
12642     unsigned long EN10 : 1;
12643     unsigned long EN9 : 1;
12644     unsigned long EN8 : 1;
12645     unsigned long EN7 : 1;
12646     unsigned long EN6 : 1;
12647     unsigned long EN5 : 1;
12648     unsigned long EN4 : 1;
12649     unsigned long EN3 : 1;
12650     unsigned long EN2 : 1;
12651     unsigned long EN1 : 1;
12652     unsigned long EN0 : 1;
12653 #endif
12654 } BIT;
12655 } GENBL2;
12656 char      wk21[4];
12657 union {
12658     unsigned long LONG;
12659     struct {
12660
12661 #ifdef __RX_LITTLE_ENDIAN__
12662     unsigned long CLR0 : 1;
12663     unsigned long CLR1 : 1;
12664     unsigned long CLR2 : 1;
12665     unsigned long CLR3 : 1;
12666     unsigned long CLR4 : 1;
12667     unsigned long CLR5 : 1;
12668     unsigned long CLR6 : 1;
12669     unsigned long CLR7 : 1;
12670     unsigned long CLR8 : 1;
12671     unsigned long CLR9 : 1;
12672     unsigned long CLR10 : 1;
12673     unsigned long CLR11 : 1;
12674     unsigned long CLR12 : 1;
12675     unsigned long CLR13 : 1;
12676     unsigned long CLR14 : 1;
12677     unsigned long CLR15 : 1;
12678     unsigned long CLR16 : 1;
12679     unsigned long CLR17 : 1;
12680     unsigned long CLR18 : 1;
12681     unsigned long CLR19 : 1;
12682     unsigned long CLR20 : 1;
12683     unsigned long CLR21 : 1;
12684     unsigned long CLR22 : 1;
12685     unsigned long CLR23 : 1;
12686     unsigned long CLR24 : 1;
12687     unsigned long CLR25 : 1;
12688     unsigned long CLR26 : 1;
```

```
12689         unsigned long CLR27 : 1;
12690         unsigned long CLR28 : 1;
12691         unsigned long CLR29 : 1;
12692         unsigned long CLR30 : 1;
12693         unsigned long CLR31 : 1;
12694     #else
12695         unsigned long CLR31 : 1;
12696         unsigned long CLR30 : 1;
12697         unsigned long CLR29 : 1;
12698         unsigned long CLR28 : 1;
12699         unsigned long CLR27 : 1;
12700         unsigned long CLR26 : 1;
12701         unsigned long CLR25 : 1;
12702         unsigned long CLR24 : 1;
12703         unsigned long CLR23 : 1;
12704         unsigned long CLR22 : 1;
12705         unsigned long CLR21 : 1;
12706         unsigned long CLR20 : 1;
12707         unsigned long CLR19 : 1;
12708         unsigned long CLR18 : 1;
12709         unsigned long CLR17 : 1;
12710         unsigned long CLR16 : 1;
12711         unsigned long CLR15 : 1;
12712         unsigned long CLR14 : 1;
12713         unsigned long CLR13 : 1;
12714         unsigned long CLR12 : 1;
12715         unsigned long CLR11 : 1;
12716         unsigned long CLR10 : 1;
12717         unsigned long CLR9 : 1;
12718         unsigned long CLR8 : 1;
12719         unsigned long CLR7 : 1;
12720         unsigned long CLR6 : 1;
12721         unsigned long CLR5 : 1;
12722         unsigned long CLR4 : 1;
12723         unsigned long CLR3 : 1;
12724         unsigned long CLR2 : 1;
12725         unsigned long CLR1 : 1;
12726         unsigned long CLR0 : 1;
12727     #endif
12728     } BIT;
12729     } GCRBE0;
12730     char      wk22[124];
12731     union {
12732         unsigned char BYTE;
12733         struct {
12734
12735     #ifdef __RX_LITTLE_ENDIAN__
12736         unsigned char PIR0 : 1;
12737         unsigned char PIR1 : 1;
12738         unsigned char PIR2 : 1;
12739         unsigned char PIR3 : 1;
12740         unsigned char PIR4 : 1;
12741         unsigned char PIR5 : 1;
12742         unsigned char PIR6 : 1;
12743         unsigned char PIR7 : 1;
12744     #else
12745         unsigned char PIR7 : 1;
12746         unsigned char PIR6 : 1;
12747         unsigned char PIR5 : 1;
12748         unsigned char PIR4 : 1;
12749         unsigned char PIR3 : 1;
12750         unsigned char PIR2 : 1;
12751         unsigned char PIR1 : 1;
12752         unsigned char PIR0 : 1;
12753     #endif
12754         } BIT;
12755         } PIBR0;
12756     union {
12757         unsigned char BYTE;
12758         struct {
12759
12760     #ifdef __RX_LITTLE_ENDIAN__
12761         unsigned char PIR0 : 1;
12762         unsigned char PIR1 : 1;
12763         unsigned char PIR2 : 1;
12764         unsigned char PIR3 : 1;
12765         unsigned char PIR4 : 1;
12766         unsigned char PIR5 : 1;
12767         unsigned char PIR6 : 1;
12768         unsigned char PIR7 : 1;
12769     #else
12770         unsigned char PIR7 : 1;
12771         unsigned char PIR6 : 1;
12772         unsigned char PIR5 : 1;
12773         unsigned char PIR4 : 1;
12774         unsigned char PIR3 : 1;
12775         unsigned char PIR2 : 1;
```



```
12776         unsigned char PIR1 : 1;
12777         unsigned char PIR0 : 1;
12778     #endif
12779     } BIT;
12780     } PIBR1;
12781     union {
12782         unsigned char BYTE;
12783         struct {
12784
12785     #ifdef __RX_LITTLE_ENDIAN__
12786         unsigned char PIR0 : 1;
12787         unsigned char PIR1 : 1;
12788         unsigned char PIR2 : 1;
12789         unsigned char PIR3 : 1;
12790         unsigned char PIR4 : 1;
12791         unsigned char PIR5 : 1;
12792         unsigned char PIR6 : 1;
12793         unsigned char PIR7 : 1;
12794     #else
12795         unsigned char PIR7 : 1;
12796         unsigned char PIR6 : 1;
12797         unsigned char PIR5 : 1;
12798         unsigned char PIR4 : 1;
12799         unsigned char PIR3 : 1;
12800         unsigned char PIR2 : 1;
12801         unsigned char PIR1 : 1;
12802         unsigned char PIR0 : 1;
12803     #endif
12804     } BIT;
12805     } PIBR2;
12806     union {
12807         unsigned char BYTE;
12808         struct {
12809
12810     #ifdef __RX_LITTLE_ENDIAN__
12811         unsigned char PIR0 : 1;
12812         unsigned char PIR1 : 1;
12813         unsigned char PIR2 : 1;
12814         unsigned char PIR3 : 1;
12815         unsigned char PIR4 : 1;
12816         unsigned char PIR5 : 1;
12817         unsigned char PIR6 : 1;
12818         unsigned char PIR7 : 1;
12819     #else
12820         unsigned char PIR7 : 1;
12821         unsigned char PIR6 : 1;
12822         unsigned char PIR5 : 1;
12823         unsigned char PIR4 : 1;
12824         unsigned char PIR3 : 1;
12825         unsigned char PIR2 : 1;
12826         unsigned char PIR1 : 1;
12827         unsigned char PIR0 : 1;
12828     #endif
12829     } BIT;
12830     } PIBR3;
12831     union {
12832         unsigned char BYTE;
12833         struct {
12834
12835     #ifdef __RX_LITTLE_ENDIAN__
12836         unsigned char PIR0 : 1;
12837         unsigned char PIR1 : 1;
12838         unsigned char PIR2 : 1;
12839         unsigned char PIR3 : 1;
12840         unsigned char PIR4 : 1;
12841         unsigned char PIR5 : 1;
12842         unsigned char PIR6 : 1;
12843         unsigned char PIR7 : 1;
12844     #else
12845         unsigned char PIR7 : 1;
12846         unsigned char PIR6 : 1;
12847         unsigned char PIR5 : 1;
12848         unsigned char PIR4 : 1;
12849         unsigned char PIR3 : 1;
12850         unsigned char PIR2 : 1;
12851         unsigned char PIR1 : 1;
12852         unsigned char PIR0 : 1;
12853     #endif
12854     } BIT;
12855     } PIBR4;
12856     union {
12857         unsigned char BYTE;
12858         struct {
12859
12860     #ifdef __RX_LITTLE_ENDIAN__
12861         unsigned char PIR0 : 1;
12862         unsigned char PIR1 : 1;
```

```
12863         unsigned char PIR2 : 1;
12864         unsigned char PIR3 : 1;
12865         unsigned char PIR4 : 1;
12866         unsigned char PIR5 : 1;
12867         unsigned char PIR6 : 1;
12868         unsigned char PIR7 : 1;
12869     #else
12870         unsigned char PIR7 : 1;
12871         unsigned char PIR6 : 1;
12872         unsigned char PIR5 : 1;
12873         unsigned char PIR4 : 1;
12874         unsigned char PIR3 : 1;
12875         unsigned char PIR2 : 1;
12876         unsigned char PIR1 : 1;
12877         unsigned char PIR0 : 1;
12878 #endif
12879     } BIT;
12880     } PIBR5;
12881     union {
12882         unsigned char BYTE;
12883         struct {
12884
12885 #ifdef __RX_LITTLE_ENDIAN__
12886         unsigned char PIR0 : 1;
12887         unsigned char PIR1 : 1;
12888         unsigned char PIR2 : 1;
12889         unsigned char PIR3 : 1;
12890         unsigned char PIR4 : 1;
12891         unsigned char PIR5 : 1;
12892         unsigned char PIR6 : 1;
12893         unsigned char PIR7 : 1;
12894     #else
12895         unsigned char PIR7 : 1;
12896         unsigned char PIR6 : 1;
12897         unsigned char PIR5 : 1;
12898         unsigned char PIR4 : 1;
12899         unsigned char PIR3 : 1;
12900         unsigned char PIR2 : 1;
12901         unsigned char PIR1 : 1;
12902         unsigned char PIR0 : 1;
12903     #endif
12904     } BIT;
12905     } PIBR6;
12906     union {
12907         unsigned char BYTE;
12908         struct {
12909
12910 #ifdef __RX_LITTLE_ENDIAN__
12911         unsigned char PIR0 : 1;
12912         unsigned char PIR1 : 1;
12913         unsigned char PIR2 : 1;
12914         unsigned char PIR3 : 1;
12915         unsigned char PIR4 : 1;
12916         unsigned char PIR5 : 1;
12917         unsigned char PIR6 : 1;
12918         unsigned char PIR7 : 1;
12919     #else
12920         unsigned char PIR7 : 1;
12921         unsigned char PIR6 : 1;
12922         unsigned char PIR5 : 1;
12923         unsigned char PIR4 : 1;
12924         unsigned char PIR3 : 1;
12925         unsigned char PIR2 : 1;
12926         unsigned char PIR1 : 1;
12927         unsigned char PIR0 : 1;
12928     #endif
12929     } BIT;
12930     } PIBR7;
12931     union {
12932         unsigned char BYTE;
12933         struct {
12934
12935 #ifdef __RX_LITTLE_ENDIAN__
12936         unsigned char PIR0 : 1;
12937         unsigned char PIR1 : 1;
12938         unsigned char PIR2 : 1;
12939         unsigned char PIR3 : 1;
12940         unsigned char PIR4 : 1;
12941         unsigned char PIR5 : 1;
12942         unsigned char PIR6 : 1;
12943         unsigned char PIR7 : 1;
12944     #else
12945         unsigned char PIR7 : 1;
12946         unsigned char PIR6 : 1;
12947         unsigned char PIR5 : 1;
12948         unsigned char PIR4 : 1;
12949         unsigned char PIR3 : 1;
```

```

12950         unsigned char PIR2 : 1;
12951         unsigned char PIR1 : 1;
12952         unsigned char PIR0 : 1;
12953 #endif
12954     } BIT;
12955     } PIBR8;
12956     union {
12957         unsigned char BYTE;
12958         struct {
12959
12960 #ifdef __RX_LITTLE_ENDIAN__
12961         unsigned char PIR0 : 1;
12962         unsigned char PIR1 : 1;
12963         unsigned char PIR2 : 1;
12964         unsigned char PIR3 : 1;
12965         unsigned char PIR4 : 1;
12966         unsigned char PIR5 : 1;
12967         unsigned char PIR6 : 1;
12968         unsigned char PIR7 : 1;
12969 #else
12970         unsigned char PIR7 : 1;
12971         unsigned char PIR6 : 1;
12972         unsigned char PIR5 : 1;
12973         unsigned char PIR4 : 1;
12974         unsigned char PIR3 : 1;
12975         unsigned char PIR2 : 1;
12976         unsigned char PIR1 : 1;
12977         unsigned char PIR0 : 1;
12978 #endif
12979     } BIT;
12980     } PIBR9;
12981     union {
12982         unsigned char BYTE;
12983         struct {
12984
12985 #ifdef __RX_LITTLE_ENDIAN__
12986         unsigned char PIR0 : 1;
12987         unsigned char PIR1 : 1;
12988         unsigned char PIR2 : 1;
12989         unsigned char PIR3 : 1;
12990         unsigned char PIR4 : 1;
12991         unsigned char PIR5 : 1;
12992         unsigned char PIR6 : 1;
12993         unsigned char PIR7 : 1;
12994 #else
12995         unsigned char PIR7 : 1;
12996         unsigned char PIR6 : 1;
12997         unsigned char PIR5 : 1;
12998         unsigned char PIR4 : 1;
12999         unsigned char PIR3 : 1;
13000         unsigned char PIR2 : 1;
13001         unsigned char PIR1 : 1;
13002         unsigned char PIR0 : 1;
13003 #endif
13004     } BIT;
13005     } PIBRA;
13006     union {
13007         unsigned char BYTE;
13008         struct {
13009
13010 #ifdef __RX_LITTLE_ENDIAN__
13011         unsigned char PIR0 : 1;
13012         unsigned char PIR1 : 1;
13013         unsigned char PIR2 : 1;
13014         unsigned char PIR3 : 1;
13015         unsigned char PIR4 : 1;
13016         unsigned char PIR5 : 1;
13017         unsigned char PIR6 : 1;
13018         unsigned char PIR7 : 1;
13019 #else
13020         unsigned char PIR7 : 1;
13021         unsigned char PIR6 : 1;
13022         unsigned char PIR5 : 1;
13023         unsigned char PIR4 : 1;
13024         unsigned char PIR3 : 1;
13025         unsigned char PIR2 : 1;
13026         unsigned char PIR1 : 1;
13027         unsigned char PIR0 : 1;
13028 #endif
13029     } BIT;
13030     } PIBRB;
13031     char wk23[116];
13032     union {
13033         unsigned char BYTE;
13034         struct {
13035
13036 #ifdef __RX_LITTLE_ENDIAN__

```

```
13037         unsigned char SLI : 8;
13038 #else
13039         unsigned char SLI : 8;
13040 #endif
13041     } BIT;
13042     } SLIBXR128;
13043     union {
13044         unsigned char BYTE;
13045         struct {
13046
13047 #ifdef __RX_LITTLE_ENDIAN__
13048         unsigned char SLI : 8;
13049 #else
13050         unsigned char SLI : 8;
13051 #endif
13052     } BIT;
13053     } SLIBXR129;
13054     union {
13055         unsigned char BYTE;
13056         struct {
13057
13058 #ifdef __RX_LITTLE_ENDIAN__
13059         unsigned char SLI : 8;
13060 #else
13061         unsigned char SLI : 8;
13062 #endif
13063     } BIT;
13064     } SLIBXR130;
13065     union {
13066         unsigned char BYTE;
13067         struct {
13068
13069 #ifdef __RX_LITTLE_ENDIAN__
13070         unsigned char SLI : 8;
13071 #else
13072         unsigned char SLI : 8;
13073 #endif
13074     } BIT;
13075     } SLIBXR131;
13076     union {
13077         unsigned char BYTE;
13078         struct {
13079
13080 #ifdef __RX_LITTLE_ENDIAN__
13081         unsigned char SLI : 8;
13082 #else
13083         unsigned char SLI : 8;
13084 #endif
13085     } BIT;
13086     } SLIBXR132;
13087     union {
13088         unsigned char BYTE;
13089         struct {
13090
13091 #ifdef __RX_LITTLE_ENDIAN__
13092         unsigned char SLI : 8;
13093 #else
13094         unsigned char SLI : 8;
13095 #endif
13096     } BIT;
13097     } SLIBXR133;
13098     union {
13099         unsigned char BYTE;
13100         struct {
13101
13102 #ifdef __RX_LITTLE_ENDIAN__
13103         unsigned char SLI : 8;
13104 #else
13105         unsigned char SLI : 8;
13106 #endif
13107     } BIT;
13108     } SLIBXR134;
13109     union {
13110         unsigned char BYTE;
13111         struct {
13112
13113 #ifdef __RX_LITTLE_ENDIAN__
13114         unsigned char SLI : 8;
13115 #else
13116         unsigned char SLI : 8;
13117 #endif
13118     } BIT;
13119     } SLIBXR135;
13120     union {
13121         unsigned char BYTE;
13122         struct {
13123
```

```
13124 #ifdef __RX_LITTLE_ENDIAN__
13125     unsigned char SLI : 8;
13126 #else
13127     unsigned char SLI : 8;
13128 #endif
13129     } BIT;
13130     } SLIBXR136;
13131     union {
13132         unsigned char BYTE;
13133         struct {
13134
13135 #ifdef __RX_LITTLE_ENDIAN__
13136         unsigned char SLI : 8;
13137 #else
13138         unsigned char SLI : 8;
13139 #endif
13140         } BIT;
13141         } SLIBXR137;
13142         union {
13143             unsigned char BYTE;
13144             struct {
13145
13146 #ifdef __RX_LITTLE_ENDIAN__
13147             unsigned char SLI : 8;
13148 #else
13149             unsigned char SLI : 8;
13150 #endif
13151             } BIT;
13152             } SLIBXR138;
13153             union {
13154                 unsigned char BYTE;
13155                 struct {
13156
13157 #ifdef __RX_LITTLE_ENDIAN__
13158                 unsigned char SLI : 8;
13159 #else
13160                 unsigned char SLI : 8;
13161 #endif
13162                 } BIT;
13163                 } SLIBXR139;
13164                 union {
13165                     unsigned char BYTE;
13166                     struct {
13167
13168 #ifdef __RX_LITTLE_ENDIAN__
13169                     unsigned char SLI : 8;
13170 #else
13171                     unsigned char SLI : 8;
13172 #endif
13173                     } BIT;
13174                     } SLIBXR140;
13175                     union {
13176                         unsigned char BYTE;
13177                         struct {
13178
13179 #ifdef __RX_LITTLE_ENDIAN__
13180                         unsigned char SLI : 8;
13181 #else
13182                         unsigned char SLI : 8;
13183 #endif
13184                         } BIT;
13185                         } SLIBXR141;
13186                         union {
13187                             unsigned char BYTE;
13188                             struct {
13189
13190 #ifdef __RX_LITTLE_ENDIAN__
13191                             unsigned char SLI : 8;
13192 #else
13193                             unsigned char SLI : 8;
13194 #endif
13195                             } BIT;
13196                             } SLIBXR142;
13197                             union {
13198                                 unsigned char BYTE;
13199                                 struct {
13200
13201 #ifdef __RX_LITTLE_ENDIAN__
13202                                 unsigned char SLI : 8;
13203 #else
13204                                 unsigned char SLI : 8;
13205 #endif
13206                                 } BIT;
13207                                 } SLIBXR143;
13208                                 union {
13209                                     unsigned char BYTE;
13210                                     struct {
```

```
13211
13212 #ifdef __RX_LITTLE_ENDIAN__
13213     unsigned char SLI : 8;
13214 #else
13215     unsigned char SLI : 8;
13216 #endif
13217     } BIT;
13218     } SLIBR144;
13219     union {
13220         unsigned char BYTE;
13221         struct {
13222
13223 #ifdef __RX_LITTLE_ENDIAN__
13224         unsigned char SLI : 8;
13225 #else
13226         unsigned char SLI : 8;
13227 #endif
13228         } BIT;
13229         } SLIBR145;
13230         union {
13231             unsigned char BYTE;
13232             struct {
13233
13234 #ifdef __RX_LITTLE_ENDIAN__
13235             unsigned char SLI : 8;
13236 #else
13237             unsigned char SLI : 8;
13238 #endif
13239             } BIT;
13240             } SLIBR146;
13241             union {
13242                 unsigned char BYTE;
13243                 struct {
13244
13245 #ifdef __RX_LITTLE_ENDIAN__
13246                 unsigned char SLI : 8;
13247 #else
13248                 unsigned char SLI : 8;
13249 #endif
13250                 } BIT;
13251                 } SLIBR147;
13252                 union {
13253                     unsigned char BYTE;
13254                     struct {
13255
13256 #ifdef __RX_LITTLE_ENDIAN__
13257                     unsigned char SLI : 8;
13258 #else
13259                     unsigned char SLI : 8;
13260 #endif
13261                     } BIT;
13262                     } SLIBR148;
13263                     union {
13264                         unsigned char BYTE;
13265                         struct {
13266
13267 #ifdef __RX_LITTLE_ENDIAN__
13268                         unsigned char SLI : 8;
13269 #else
13270                         unsigned char SLI : 8;
13271 #endif
13272                         } BIT;
13273                         } SLIBR149;
13274                         union {
13275                             unsigned char BYTE;
13276                             struct {
13277
13278 #ifdef __RX_LITTLE_ENDIAN__
13279                             unsigned char SLI : 8;
13280 #else
13281                             unsigned char SLI : 8;
13282 #endif
13283                             } BIT;
13284                             } SLIBR150;
13285                             union {
13286                                 unsigned char BYTE;
13287                                 struct {
13288
13289 #ifdef __RX_LITTLE_ENDIAN__
13290                                 unsigned char SLI : 8;
13291 #else
13292                                 unsigned char SLI : 8;
13293 #endif
13294                                 } BIT;
13295                                 } SLIBR151;
13296                                 union {
13297                                     unsigned char BYTE;
```

```

13298     struct {
13299
13300 #ifdef __RX_LITTLE_ENDIAN__
13301     unsigned char SLI : 8;
13302 #else
13303     unsigned char SLI : 8;
13304 #endif
13305     } BIT;
13306     } SLIBR152;
13307     union {
13308     unsigned char BYTE;
13309     struct {
13310
13311 #ifdef __RX_LITTLE_ENDIAN__
13312     unsigned char SLI : 8;
13313 #else
13314     unsigned char SLI : 8;
13315 #endif
13316     } BIT;
13317     } SLIBR153;
13318     union {
13319     unsigned char BYTE;
13320     struct {
13321
13322 #ifdef __RX_LITTLE_ENDIAN__
13323     unsigned char SLI : 8;
13324 #else
13325     unsigned char SLI : 8;
13326 #endif
13327     } BIT;
13328     } SLIBR154;
13329     union {
13330     unsigned char BYTE;
13331     struct {
13332
13333 #ifdef __RX_LITTLE_ENDIAN__
13334     unsigned char SLI : 8;
13335 #else
13336     unsigned char SLI : 8;
13337 #endif
13338     } BIT;
13339     } SLIBR155;
13340     union {
13341     unsigned char BYTE;
13342     struct {
13343
13344 #ifdef __RX_LITTLE_ENDIAN__
13345     unsigned char SLI : 8;
13346 #else
13347     unsigned char SLI : 8;
13348 #endif
13349     } BIT;
13350     } SLIBR156;
13351     union {
13352     unsigned char BYTE;
13353     struct {
13354
13355 #ifdef __RX_LITTLE_ENDIAN__
13356     unsigned char SLI : 8;
13357 #else
13358     unsigned char SLI : 8;
13359 #endif
13360     } BIT;
13361     } SLIBR157;
13362     union {
13363     unsigned char BYTE;
13364     struct {
13365
13366 #ifdef __RX_LITTLE_ENDIAN__
13367     unsigned char SLI : 8;
13368 #else
13369     unsigned char SLI : 8;
13370 #endif
13371     } BIT;
13372     } SLIBR158;
13373     union {
13374     unsigned char BYTE;
13375     struct {
13376
13377 #ifdef __RX_LITTLE_ENDIAN__
13378     unsigned char SLI : 8;
13379 #else
13380     unsigned char SLI : 8;
13381 #endif
13382     } BIT;
13383     } SLIBR159;
13384     union {

```

```
13385     unsigned char BYTE;
13386     struct {
13387
13388 #ifdef __RX_LITTLE_ENDIAN__
13389     unsigned char SLI : 8;
13390 #else
13391     unsigned char SLI : 8;
13392 #endif
13393     } BIT;
13394     } SLIBR160;
13395     union {
13396     unsigned char BYTE;
13397     struct {
13398
13399 #ifdef __RX_LITTLE_ENDIAN__
13400     unsigned char SLI : 8;
13401 #else
13402     unsigned char SLI : 8;
13403 #endif
13404     } BIT;
13405     } SLIBR161;
13406     union {
13407     unsigned char BYTE;
13408     struct {
13409
13410 #ifdef __RX_LITTLE_ENDIAN__
13411     unsigned char SLI : 8;
13412 #else
13413     unsigned char SLI : 8;
13414 #endif
13415     } BIT;
13416     } SLIBR162;
13417     union {
13418     unsigned char BYTE;
13419     struct {
13420
13421 #ifdef __RX_LITTLE_ENDIAN__
13422     unsigned char SLI : 8;
13423 #else
13424     unsigned char SLI : 8;
13425 #endif
13426     } BIT;
13427     } SLIBR163;
13428     union {
13429     unsigned char BYTE;
13430     struct {
13431
13432 #ifdef __RX_LITTLE_ENDIAN__
13433     unsigned char SLI : 8;
13434 #else
13435     unsigned char SLI : 8;
13436 #endif
13437     } BIT;
13438     } SLIBR164;
13439     union {
13440     unsigned char BYTE;
13441     struct {
13442
13443 #ifdef __RX_LITTLE_ENDIAN__
13444     unsigned char SLI : 8;
13445 #else
13446     unsigned char SLI : 8;
13447 #endif
13448     } BIT;
13449     } SLIBR165;
13450     union {
13451     unsigned char BYTE;
13452     struct {
13453
13454 #ifdef __RX_LITTLE_ENDIAN__
13455     unsigned char SLI : 8;
13456 #else
13457     unsigned char SLI : 8;
13458 #endif
13459     } BIT;
13460     } SLIBR166;
13461     union {
13462     unsigned char BYTE;
13463     struct {
13464
13465 #ifdef __RX_LITTLE_ENDIAN__
13466     unsigned char SLI : 8;
13467 #else
13468     unsigned char SLI : 8;
13469 #endif
13470     } BIT;
13471     } SLIBR167;
```



```
13472     union {
13473         unsigned char BYTE;
13474         struct {
13475
13476 #ifdef __RX_LITTLE_ENDIAN__
13477         unsigned char SLI : 8;
13478 #else
13479         unsigned char SLI : 8;
13480 #endif
13481         } BIT;
13482         } SLIBR168;
13483         union {
13484             unsigned char BYTE;
13485             struct {
13486
13487 #ifdef __RX_LITTLE_ENDIAN__
13488             unsigned char SLI : 8;
13489 #else
13490             unsigned char SLI : 8;
13491 #endif
13492             } BIT;
13493             } SLIBR169;
13494         union {
13495             unsigned char BYTE;
13496             struct {
13497
13498 #ifdef __RX_LITTLE_ENDIAN__
13499             unsigned char SLI : 8;
13500 #else
13501             unsigned char SLI : 8;
13502 #endif
13503             } BIT;
13504             } SLIBR170;
13505         union {
13506             unsigned char BYTE;
13507             struct {
13508
13509 #ifdef __RX_LITTLE_ENDIAN__
13510             unsigned char SLI : 8;
13511 #else
13512             unsigned char SLI : 8;
13513 #endif
13514             } BIT;
13515             } SLIBR171;
13516         union {
13517             unsigned char BYTE;
13518             struct {
13519
13520 #ifdef __RX_LITTLE_ENDIAN__
13521             unsigned char SLI : 8;
13522 #else
13523             unsigned char SLI : 8;
13524 #endif
13525             } BIT;
13526             } SLIBR172;
13527         union {
13528             unsigned char BYTE;
13529             struct {
13530
13531 #ifdef __RX_LITTLE_ENDIAN__
13532             unsigned char SLI : 8;
13533 #else
13534             unsigned char SLI : 8;
13535 #endif
13536             } BIT;
13537             } SLIBR173;
13538         union {
13539             unsigned char BYTE;
13540             struct {
13541
13542 #ifdef __RX_LITTLE_ENDIAN__
13543             unsigned char SLI : 8;
13544 #else
13545             unsigned char SLI : 8;
13546 #endif
13547             } BIT;
13548             } SLIBR174;
13549         union {
13550             unsigned char BYTE;
13551             struct {
13552
13553 #ifdef __RX_LITTLE_ENDIAN__
13554             unsigned char SLI : 8;
13555 #else
13556             unsigned char SLI : 8;
13557 #endif
13558             } BIT;
```

```
13559     } SLIBR175;
13560     union {
13561         unsigned char BYTE;
13562         struct {
13563
13564 #ifdef __RX_LITTLE_ENDIAN__
13565         unsigned char SLI : 8;
13566 #else
13567         unsigned char SLI : 8;
13568 #endif
13569     } BIT;
13570     } SLIBR176;
13571     union {
13572         unsigned char BYTE;
13573         struct {
13574
13575 #ifdef __RX_LITTLE_ENDIAN__
13576         unsigned char SLI : 8;
13577 #else
13578         unsigned char SLI : 8;
13579 #endif
13580     } BIT;
13581     } SLIBR177;
13582     union {
13583         unsigned char BYTE;
13584         struct {
13585
13586 #ifdef __RX_LITTLE_ENDIAN__
13587         unsigned char SLI : 8;
13588 #else
13589         unsigned char SLI : 8;
13590 #endif
13591     } BIT;
13592     } SLIBR178;
13593     union {
13594         unsigned char BYTE;
13595         struct {
13596
13597 #ifdef __RX_LITTLE_ENDIAN__
13598         unsigned char SLI : 8;
13599 #else
13600         unsigned char SLI : 8;
13601 #endif
13602     } BIT;
13603     } SLIBR179;
13604     union {
13605         unsigned char BYTE;
13606         struct {
13607
13608 #ifdef __RX_LITTLE_ENDIAN__
13609         unsigned char SLI : 8;
13610 #else
13611         unsigned char SLI : 8;
13612 #endif
13613     } BIT;
13614     } SLIBR180;
13615     union {
13616         unsigned char BYTE;
13617         struct {
13618
13619 #ifdef __RX_LITTLE_ENDIAN__
13620         unsigned char SLI : 8;
13621 #else
13622         unsigned char SLI : 8;
13623 #endif
13624     } BIT;
13625     } SLIBR181;
13626     union {
13627         unsigned char BYTE;
13628         struct {
13629
13630 #ifdef __RX_LITTLE_ENDIAN__
13631         unsigned char SLI : 8;
13632 #else
13633         unsigned char SLI : 8;
13634 #endif
13635     } BIT;
13636     } SLIBR182;
13637     union {
13638         unsigned char BYTE;
13639         struct {
13640
13641 #ifdef __RX_LITTLE_ENDIAN__
13642         unsigned char SLI : 8;
13643 #else
13644         unsigned char SLI : 8;
13645 #endif
```

```
13646     } BIT;
13647     } SLIBR183;
13648     union {
13649         unsigned char BYTE;
13650         struct {
13651
13652 #ifdef __RX_LITTLE_ENDIAN__
13653         unsigned char SLI : 8;
13654 #else
13655         unsigned char SLI : 8;
13656 #endif
13657     } BIT;
13658     } SLIBR184;
13659     union {
13660         unsigned char BYTE;
13661         struct {
13662
13663 #ifdef __RX_LITTLE_ENDIAN__
13664         unsigned char SLI : 8;
13665 #else
13666         unsigned char SLI : 8;
13667 #endif
13668     } BIT;
13669     } SLIBR185;
13670     union {
13671         unsigned char BYTE;
13672         struct {
13673
13674 #ifdef __RX_LITTLE_ENDIAN__
13675         unsigned char SLI : 8;
13676 #else
13677         unsigned char SLI : 8;
13678 #endif
13679     } BIT;
13680     } SLIBR186;
13681     union {
13682         unsigned char BYTE;
13683         struct {
13684
13685 #ifdef __RX_LITTLE_ENDIAN__
13686         unsigned char SLI : 8;
13687 #else
13688         unsigned char SLI : 8;
13689 #endif
13690     } BIT;
13691     } SLIBR187;
13692     union {
13693         unsigned char BYTE;
13694         struct {
13695
13696 #ifdef __RX_LITTLE_ENDIAN__
13697         unsigned char SLI : 8;
13698 #else
13699         unsigned char SLI : 8;
13700 #endif
13701     } BIT;
13702     } SLIBR188;
13703     union {
13704         unsigned char BYTE;
13705         struct {
13706
13707 #ifdef __RX_LITTLE_ENDIAN__
13708         unsigned char SLI : 8;
13709 #else
13710         unsigned char SLI : 8;
13711 #endif
13712     } BIT;
13713     } SLIBR189;
13714     union {
13715         unsigned char BYTE;
13716         struct {
13717
13718 #ifdef __RX_LITTLE_ENDIAN__
13719         unsigned char SLI : 8;
13720 #else
13721         unsigned char SLI : 8;
13722 #endif
13723     } BIT;
13724     } SLIBR190;
13725     union {
13726         unsigned char BYTE;
13727         struct {
13728
13729 #ifdef __RX_LITTLE_ENDIAN__
13730         unsigned char SLI : 8;
13731 #else
13732         unsigned char SLI : 8;
```

```
13733 #endif
13734     } BIT;
13735     } SLIBR191;
13736     union {
13737         unsigned char BYTE;
13738         struct {
13739
13740 #ifdef __RX_LITTLE_ENDIAN__
13741         unsigned char SLI : 8;
13742 #else
13743         unsigned char SLI : 8;
13744 #endif
13745     } BIT;
13746     } SLIBR192;
13747     union {
13748         unsigned char BYTE;
13749         struct {
13750
13751 #ifdef __RX_LITTLE_ENDIAN__
13752         unsigned char SLI : 8;
13753 #else
13754         unsigned char SLI : 8;
13755 #endif
13756     } BIT;
13757     } SLIBR193;
13758     union {
13759         unsigned char BYTE;
13760         struct {
13761
13762 #ifdef __RX_LITTLE_ENDIAN__
13763         unsigned char SLI : 8;
13764 #else
13765         unsigned char SLI : 8;
13766 #endif
13767     } BIT;
13768     } SLIBR194;
13769     union {
13770         unsigned char BYTE;
13771         struct {
13772
13773 #ifdef __RX_LITTLE_ENDIAN__
13774         unsigned char SLI : 8;
13775 #else
13776         unsigned char SLI : 8;
13777 #endif
13778     } BIT;
13779     } SLIBR195;
13780     union {
13781         unsigned char BYTE;
13782         struct {
13783
13784 #ifdef __RX_LITTLE_ENDIAN__
13785         unsigned char SLI : 8;
13786 #else
13787         unsigned char SLI : 8;
13788 #endif
13789     } BIT;
13790     } SLIBR196;
13791     union {
13792         unsigned char BYTE;
13793         struct {
13794
13795 #ifdef __RX_LITTLE_ENDIAN__
13796         unsigned char SLI : 8;
13797 #else
13798         unsigned char SLI : 8;
13799 #endif
13800     } BIT;
13801     } SLIBR197;
13802     union {
13803         unsigned char BYTE;
13804         struct {
13805
13806 #ifdef __RX_LITTLE_ENDIAN__
13807         unsigned char SLI : 8;
13808 #else
13809         unsigned char SLI : 8;
13810 #endif
13811     } BIT;
13812     } SLIBR198;
13813     union {
13814         unsigned char BYTE;
13815         struct {
13816
13817 #ifdef __RX_LITTLE_ENDIAN__
13818         unsigned char SLI : 8;
13819 #else
```

```
13820         unsigned char SLI : 8;
13821     #endif
13822     } BIT;
13823     } SLIBR199;
13824     union {
13825         unsigned char BYTE;
13826         struct {
13827
13828 #ifdef __RX_LITTLE_ENDIAN__
13829         unsigned char SLI : 8;
13830 #else
13831         unsigned char SLI : 8;
13832 #endif
13833     } BIT;
13834     } SLIBR200;
13835     union {
13836         unsigned char BYTE;
13837         struct {
13838
13839 #ifdef __RX_LITTLE_ENDIAN__
13840         unsigned char SLI : 8;
13841 #else
13842         unsigned char SLI : 8;
13843 #endif
13844     } BIT;
13845     } SLIBR201;
13846     union {
13847         unsigned char BYTE;
13848         struct {
13849
13850 #ifdef __RX_LITTLE_ENDIAN__
13851         unsigned char SLI : 8;
13852 #else
13853         unsigned char SLI : 8;
13854 #endif
13855     } BIT;
13856     } SLIBR202;
13857     union {
13858         unsigned char BYTE;
13859         struct {
13860
13861 #ifdef __RX_LITTLE_ENDIAN__
13862         unsigned char SLI : 8;
13863 #else
13864         unsigned char SLI : 8;
13865 #endif
13866     } BIT;
13867     } SLIBR203;
13868     union {
13869         unsigned char BYTE;
13870         struct {
13871
13872 #ifdef __RX_LITTLE_ENDIAN__
13873         unsigned char SLI : 8;
13874 #else
13875         unsigned char SLI : 8;
13876 #endif
13877     } BIT;
13878     } SLIBR204;
13879     union {
13880         unsigned char BYTE;
13881         struct {
13882
13883 #ifdef __RX_LITTLE_ENDIAN__
13884         unsigned char SLI : 8;
13885 #else
13886         unsigned char SLI : 8;
13887 #endif
13888     } BIT;
13889     } SLIBR205;
13890     union {
13891         unsigned char BYTE;
13892         struct {
13893
13894 #ifdef __RX_LITTLE_ENDIAN__
13895         unsigned char SLI : 8;
13896 #else
13897         unsigned char SLI : 8;
13898 #endif
13899     } BIT;
13900     } SLIBR206;
13901     union {
13902         unsigned char BYTE;
13903         struct {
13904
13905 #ifdef __RX_LITTLE_ENDIAN__
13906         unsigned char SLI : 8;
```

```
13907 #else
13908     unsigned char SLI : 8;
13909 #endif
13910 } BIT;
13911 } SLIBR207;
13912 char      wk24[96];
13913 union {
13914     unsigned long LONG;
13915     struct {
13916
13917 #ifdef __RX_LITTLE_ENDIAN__
13918         unsigned long IS0 : 1;
13919         unsigned long IS1 : 1;
13920         unsigned long IS2 : 1;
13921         unsigned long IS3 : 1;
13922         unsigned long IS4 : 1;
13923         unsigned long IS5 : 1;
13924         unsigned long IS6 : 1;
13925         unsigned long IS7 : 1;
13926         unsigned long IS8 : 1;
13927         unsigned long IS9 : 1;
13928         unsigned long IS10 : 1;
13929         unsigned long IS11 : 1;
13930         unsigned long IS12 : 1;
13931         unsigned long IS13 : 1;
13932         unsigned long IS14 : 1;
13933         unsigned long IS15 : 1;
13934         unsigned long IS16 : 1;
13935         unsigned long IS17 : 1;
13936         unsigned long IS18 : 1;
13937         unsigned long IS19 : 1;
13938         unsigned long IS20 : 1;
13939         unsigned long IS21 : 1;
13940         unsigned long IS22 : 1;
13941         unsigned long IS23 : 1;
13942         unsigned long IS24 : 1;
13943         unsigned long IS25 : 1;
13944         unsigned long IS26 : 1;
13945         unsigned long IS27 : 1;
13946         unsigned long IS28 : 1;
13947         unsigned long IS29 : 1;
13948         unsigned long IS30 : 1;
13949         unsigned long IS31 : 1;
13950 #else
13951         unsigned long IS31 : 1;
13952         unsigned long IS30 : 1;
13953         unsigned long IS29 : 1;
13954         unsigned long IS28 : 1;
13955         unsigned long IS27 : 1;
13956         unsigned long IS26 : 1;
13957         unsigned long IS25 : 1;
13958         unsigned long IS24 : 1;
13959         unsigned long IS23 : 1;
13960         unsigned long IS22 : 1;
13961         unsigned long IS21 : 1;
13962         unsigned long IS20 : 1;
13963         unsigned long IS19 : 1;
13964         unsigned long IS18 : 1;
13965         unsigned long IS17 : 1;
13966         unsigned long IS16 : 1;
13967         unsigned long IS15 : 1;
13968         unsigned long IS14 : 1;
13969         unsigned long IS13 : 1;
13970         unsigned long IS12 : 1;
13971         unsigned long IS11 : 1;
13972         unsigned long IS10 : 1;
13973         unsigned long IS9 : 1;
13974         unsigned long IS8 : 1;
13975         unsigned long IS7 : 1;
13976         unsigned long IS6 : 1;
13977         unsigned long IS5 : 1;
13978         unsigned long IS4 : 1;
13979         unsigned long IS3 : 1;
13980         unsigned long IS2 : 1;
13981         unsigned long IS1 : 1;
13982         unsigned long IS0 : 1;
13983 #endif
13984     } BIT;
13985     } GRPAL0;
13986     union {
13987         unsigned long LONG;
13988         struct {
13989
13990 #ifdef __RX_LITTLE_ENDIAN__
13991         unsigned long IS0 : 1;
13992         unsigned long IS1 : 1;
13993         unsigned long IS2 : 1;
```

```
13994     unsigned long IS3 : 1;
13995     unsigned long IS4 : 1;
13996     unsigned long IS5 : 1;
13997     unsigned long IS6 : 1;
13998     unsigned long IS7 : 1;
13999     unsigned long IS8 : 1;
14000     unsigned long IS9 : 1;
14001     unsigned long IS10 : 1;
14002     unsigned long IS11 : 1;
14003     unsigned long IS12 : 1;
14004     unsigned long IS13 : 1;
14005     unsigned long IS14 : 1;
14006     unsigned long IS15 : 1;
14007     unsigned long IS16 : 1;
14008     unsigned long IS17 : 1;
14009     unsigned long IS18 : 1;
14010     unsigned long IS19 : 1;
14011     unsigned long IS20 : 1;
14012     unsigned long IS21 : 1;
14013     unsigned long IS22 : 1;
14014     unsigned long IS23 : 1;
14015     unsigned long IS24 : 1;
14016     unsigned long IS25 : 1;
14017     unsigned long IS26 : 1;
14018     unsigned long IS27 : 1;
14019     unsigned long IS28 : 1;
14020     unsigned long IS29 : 1;
14021     unsigned long IS30 : 1;
14022     unsigned long IS31 : 1;
14023 #else
14024     unsigned long IS31 : 1;
14025     unsigned long IS30 : 1;
14026     unsigned long IS29 : 1;
14027     unsigned long IS28 : 1;
14028     unsigned long IS27 : 1;
14029     unsigned long IS26 : 1;
14030     unsigned long IS25 : 1;
14031     unsigned long IS24 : 1;
14032     unsigned long IS23 : 1;
14033     unsigned long IS22 : 1;
14034     unsigned long IS21 : 1;
14035     unsigned long IS20 : 1;
14036     unsigned long IS19 : 1;
14037     unsigned long IS18 : 1;
14038     unsigned long IS17 : 1;
14039     unsigned long IS16 : 1;
14040     unsigned long IS15 : 1;
14041     unsigned long IS14 : 1;
14042     unsigned long IS13 : 1;
14043     unsigned long IS12 : 1;
14044     unsigned long IS11 : 1;
14045     unsigned long IS10 : 1;
14046     unsigned long IS9 : 1;
14047     unsigned long IS8 : 1;
14048     unsigned long IS7 : 1;
14049     unsigned long IS6 : 1;
14050     unsigned long IS5 : 1;
14051     unsigned long IS4 : 1;
14052     unsigned long IS3 : 1;
14053     unsigned long IS2 : 1;
14054     unsigned long IS1 : 1;
14055     unsigned long IS0 : 1;
14056 #endif
14057     } BIT;
14058     } GRPAL1;
14059     char wk25[56];
14060     union {
14061         unsigned long LONG;
14062         struct {
14063
14064 #ifdef __RX_LITTLE_ENDIAN__
14065         unsigned long EN0 : 1;
14066         unsigned long EN1 : 1;
14067         unsigned long EN2 : 1;
14068         unsigned long EN3 : 1;
14069         unsigned long EN4 : 1;
14070         unsigned long EN5 : 1;
14071         unsigned long EN6 : 1;
14072         unsigned long EN7 : 1;
14073         unsigned long EN8 : 1;
14074         unsigned long EN9 : 1;
14075         unsigned long EN10 : 1;
14076         unsigned long EN11 : 1;
14077         unsigned long EN12 : 1;
14078         unsigned long EN13 : 1;
14079         unsigned long EN14 : 1;
14080         unsigned long EN15 : 1;
```

```
14081         unsigned long EN16 : 1;
14082         unsigned long EN17 : 1;
14083         unsigned long EN18 : 1;
14084         unsigned long EN19 : 1;
14085         unsigned long EN20 : 1;
14086         unsigned long EN21 : 1;
14087         unsigned long EN22 : 1;
14088         unsigned long EN23 : 1;
14089         unsigned long EN24 : 1;
14090         unsigned long EN25 : 1;
14091         unsigned long EN26 : 1;
14092         unsigned long EN27 : 1;
14093         unsigned long EN28 : 1;
14094         unsigned long EN29 : 1;
14095         unsigned long EN30 : 1;
14096         unsigned long EN31 : 1;
14097     #else
14098         unsigned long EN31 : 1;
14099         unsigned long EN30 : 1;
14100         unsigned long EN29 : 1;
14101         unsigned long EN28 : 1;
14102         unsigned long EN27 : 1;
14103         unsigned long EN26 : 1;
14104         unsigned long EN25 : 1;
14105         unsigned long EN24 : 1;
14106         unsigned long EN23 : 1;
14107         unsigned long EN22 : 1;
14108         unsigned long EN21 : 1;
14109         unsigned long EN20 : 1;
14110         unsigned long EN19 : 1;
14111         unsigned long EN18 : 1;
14112         unsigned long EN17 : 1;
14113         unsigned long EN16 : 1;
14114         unsigned long EN15 : 1;
14115         unsigned long EN14 : 1;
14116         unsigned long EN13 : 1;
14117         unsigned long EN12 : 1;
14118         unsigned long EN11 : 1;
14119         unsigned long EN10 : 1;
14120         unsigned long EN9 : 1;
14121         unsigned long EN8 : 1;
14122         unsigned long EN7 : 1;
14123         unsigned long EN6 : 1;
14124         unsigned long EN5 : 1;
14125         unsigned long EN4 : 1;
14126         unsigned long EN3 : 1;
14127         unsigned long EN2 : 1;
14128         unsigned long EN1 : 1;
14129         unsigned long EN0 : 1;
14130     #endif
14131     } BIT;
14132     } GENAL0;
14133     union {
14134         unsigned long LONG;
14135         struct {
14136
14137     #ifdef __RX_LITTLE_ENDIAN__
14138         unsigned long EN0 : 1;
14139         unsigned long EN1 : 1;
14140         unsigned long EN2 : 1;
14141         unsigned long EN3 : 1;
14142         unsigned long EN4 : 1;
14143         unsigned long EN5 : 1;
14144         unsigned long EN6 : 1;
14145         unsigned long EN7 : 1;
14146         unsigned long EN8 : 1;
14147         unsigned long EN9 : 1;
14148         unsigned long EN10 : 1;
14149         unsigned long EN11 : 1;
14150         unsigned long EN12 : 1;
14151         unsigned long EN13 : 1;
14152         unsigned long EN14 : 1;
14153         unsigned long EN15 : 1;
14154         unsigned long EN16 : 1;
14155         unsigned long EN17 : 1;
14156         unsigned long EN18 : 1;
14157         unsigned long EN19 : 1;
14158         unsigned long EN20 : 1;
14159         unsigned long EN21 : 1;
14160         unsigned long EN22 : 1;
14161         unsigned long EN23 : 1;
14162         unsigned long EN24 : 1;
14163         unsigned long EN25 : 1;
14164         unsigned long EN26 : 1;
14165         unsigned long EN27 : 1;
14166         unsigned long EN28 : 1;
14167         unsigned long EN29 : 1;
```



```
14168         unsigned long EN30 : 1;
14169         unsigned long EN31 : 1;
14170 #else
14171         unsigned long EN31 : 1;
14172         unsigned long EN30 : 1;
14173         unsigned long EN29 : 1;
14174         unsigned long EN28 : 1;
14175         unsigned long EN27 : 1;
14176         unsigned long EN26 : 1;
14177         unsigned long EN25 : 1;
14178         unsigned long EN24 : 1;
14179         unsigned long EN23 : 1;
14180         unsigned long EN22 : 1;
14181         unsigned long EN21 : 1;
14182         unsigned long EN20 : 1;
14183         unsigned long EN19 : 1;
14184         unsigned long EN18 : 1;
14185         unsigned long EN17 : 1;
14186         unsigned long EN16 : 1;
14187         unsigned long EN15 : 1;
14188         unsigned long EN14 : 1;
14189         unsigned long EN13 : 1;
14190         unsigned long EN12 : 1;
14191         unsigned long EN11 : 1;
14192         unsigned long EN10 : 1;
14193         unsigned long EN9 : 1;
14194         unsigned long EN8 : 1;
14195         unsigned long EN7 : 1;
14196         unsigned long EN6 : 1;
14197         unsigned long EN5 : 1;
14198         unsigned long EN4 : 1;
14199         unsigned long EN3 : 1;
14200         unsigned long EN2 : 1;
14201         unsigned long EN1 : 1;
14202         unsigned long EN0 : 1;
14203 #endif
14204     } BIT;
14205     } GENAL1;
14206     char      wk26[136];
14207     union {
14208         unsigned char BYTE;
14209         struct {
14210
14211 #ifdef __RX_LITTLE_ENDIAN__
14212         unsigned char PIR0 : 1;
14213         unsigned char PIR1 : 1;
14214         unsigned char PIR2 : 1;
14215         unsigned char PIR3 : 1;
14216         unsigned char PIR4 : 1;
14217         unsigned char PIR5 : 1;
14218         unsigned char PIR6 : 1;
14219         unsigned char PIR7 : 1;
14220 #else
14221         unsigned char PIR7 : 1;
14222         unsigned char PIR6 : 1;
14223         unsigned char PIR5 : 1;
14224         unsigned char PIR4 : 1;
14225         unsigned char PIR3 : 1;
14226         unsigned char PIR2 : 1;
14227         unsigned char PIR1 : 1;
14228         unsigned char PIR0 : 1;
14229 #endif
14230     } BIT;
14231     } PIAR0;
14232     union {
14233         unsigned char BYTE;
14234         struct {
14235
14236 #ifdef __RX_LITTLE_ENDIAN__
14237         unsigned char PIR0 : 1;
14238         unsigned char PIR1 : 1;
14239         unsigned char PIR2 : 1;
14240         unsigned char PIR3 : 1;
14241         unsigned char PIR4 : 1;
14242         unsigned char PIR5 : 1;
14243         unsigned char PIR6 : 1;
14244         unsigned char PIR7 : 1;
14245 #else
14246         unsigned char PIR7 : 1;
14247         unsigned char PIR6 : 1;
14248         unsigned char PIR5 : 1;
14249         unsigned char PIR4 : 1;
14250         unsigned char PIR3 : 1;
14251         unsigned char PIR2 : 1;
14252         unsigned char PIR1 : 1;
14253         unsigned char PIR0 : 1;
14254 #endif
14255     }
```

```
14255     } BIT;
14256     } PIAR1;
14257     union {
14258         unsigned char BYTE;
14259         struct {
14260
14261 #ifdef __RX_LITTLE_ENDIAN__
14262         unsigned char PIR0 : 1;
14263         unsigned char PIR1 : 1;
14264         unsigned char PIR2 : 1;
14265         unsigned char PIR3 : 1;
14266         unsigned char PIR4 : 1;
14267         unsigned char PIR5 : 1;
14268         unsigned char PIR6 : 1;
14269         unsigned char PIR7 : 1;
14270 #else
14271         unsigned char PIR7 : 1;
14272         unsigned char PIR6 : 1;
14273         unsigned char PIR5 : 1;
14274         unsigned char PIR4 : 1;
14275         unsigned char PIR3 : 1;
14276         unsigned char PIR2 : 1;
14277         unsigned char PIR1 : 1;
14278         unsigned char PIR0 : 1;
14279 #endif
14280     } BIT;
14281     } PIAR2;
14282     union {
14283         unsigned char BYTE;
14284         struct {
14285
14286 #ifdef __RX_LITTLE_ENDIAN__
14287         unsigned char PIR0 : 1;
14288         unsigned char PIR1 : 1;
14289         unsigned char PIR2 : 1;
14290         unsigned char PIR3 : 1;
14291         unsigned char PIR4 : 1;
14292         unsigned char PIR5 : 1;
14293         unsigned char PIR6 : 1;
14294         unsigned char PIR7 : 1;
14295 #else
14296         unsigned char PIR7 : 1;
14297         unsigned char PIR6 : 1;
14298         unsigned char PIR5 : 1;
14299         unsigned char PIR4 : 1;
14300         unsigned char PIR3 : 1;
14301         unsigned char PIR2 : 1;
14302         unsigned char PIR1 : 1;
14303         unsigned char PIR0 : 1;
14304 #endif
14305     } BIT;
14306     } PIAR3;
14307     union {
14308         unsigned char BYTE;
14309         struct {
14310
14311 #ifdef __RX_LITTLE_ENDIAN__
14312         unsigned char PIR0 : 1;
14313         unsigned char PIR1 : 1;
14314         unsigned char PIR2 : 1;
14315         unsigned char PIR3 : 1;
14316         unsigned char PIR4 : 1;
14317         unsigned char PIR5 : 1;
14318         unsigned char PIR6 : 1;
14319         unsigned char PIR7 : 1;
14320 #else
14321         unsigned char PIR7 : 1;
14322         unsigned char PIR6 : 1;
14323         unsigned char PIR5 : 1;
14324         unsigned char PIR4 : 1;
14325         unsigned char PIR3 : 1;
14326         unsigned char PIR2 : 1;
14327         unsigned char PIR1 : 1;
14328         unsigned char PIR0 : 1;
14329 #endif
14330     } BIT;
14331     } PIAR4;
14332     union {
14333         unsigned char BYTE;
14334         struct {
14335
14336 #ifdef __RX_LITTLE_ENDIAN__
14337         unsigned char PIR0 : 1;
14338         unsigned char PIR1 : 1;
14339         unsigned char PIR2 : 1;
14340         unsigned char PIR3 : 1;
14341         unsigned char PIR4 : 1;
```

```

14342     unsigned char PIR5 : 1;
14343     unsigned char PIR6 : 1;
14344     unsigned char PIR7 : 1;
14345 #else
14346     unsigned char PIR7 : 1;
14347     unsigned char PIR6 : 1;
14348     unsigned char PIR5 : 1;
14349     unsigned char PIR4 : 1;
14350     unsigned char PIR3 : 1;
14351     unsigned char PIR2 : 1;
14352     unsigned char PIR1 : 1;
14353     unsigned char PIR0 : 1;
14354 #endif
14355     } BIT;
14356     } PIAR5;
14357     union {
14358         unsigned char BYTE;
14359         struct {
14360
14361 #ifdef __RX_LITTLE_ENDIAN__
14362         unsigned char PIR0 : 1;
14363         unsigned char PIR1 : 1;
14364         unsigned char PIR2 : 1;
14365         unsigned char PIR3 : 1;
14366         unsigned char PIR4 : 1;
14367         unsigned char PIR5 : 1;
14368         unsigned char PIR6 : 1;
14369         unsigned char PIR7 : 1;
14370 #else
14371         unsigned char PIR7 : 1;
14372         unsigned char PIR6 : 1;
14373         unsigned char PIR5 : 1;
14374         unsigned char PIR4 : 1;
14375         unsigned char PIR3 : 1;
14376         unsigned char PIR2 : 1;
14377         unsigned char PIR1 : 1;
14378         unsigned char PIR0 : 1;
14379 #endif
14380     } BIT;
14381     } PIAR6;
14382     union {
14383         unsigned char BYTE;
14384         struct {
14385
14386 #ifdef __RX_LITTLE_ENDIAN__
14387         unsigned char PIR0 : 1;
14388         unsigned char PIR1 : 1;
14389         unsigned char PIR2 : 1;
14390         unsigned char PIR3 : 1;
14391         unsigned char PIR4 : 1;
14392         unsigned char PIR5 : 1;
14393         unsigned char PIR6 : 1;
14394         unsigned char PIR7 : 1;
14395 #else
14396         unsigned char PIR7 : 1;
14397         unsigned char PIR6 : 1;
14398         unsigned char PIR5 : 1;
14399         unsigned char PIR4 : 1;
14400         unsigned char PIR3 : 1;
14401         unsigned char PIR2 : 1;
14402         unsigned char PIR1 : 1;
14403         unsigned char PIR0 : 1;
14404 #endif
14405     } BIT;
14406     } PIAR7;
14407     union {
14408         unsigned char BYTE;
14409         struct {
14410
14411 #ifdef __RX_LITTLE_ENDIAN__
14412         unsigned char PIR0 : 1;
14413         unsigned char PIR1 : 1;
14414         unsigned char PIR2 : 1;
14415         unsigned char PIR3 : 1;
14416         unsigned char PIR4 : 1;
14417         unsigned char PIR5 : 1;
14418         unsigned char PIR6 : 1;
14419         unsigned char PIR7 : 1;
14420 #else
14421         unsigned char PIR7 : 1;
14422         unsigned char PIR6 : 1;
14423         unsigned char PIR5 : 1;
14424         unsigned char PIR4 : 1;
14425         unsigned char PIR3 : 1;
14426         unsigned char PIR2 : 1;
14427         unsigned char PIR1 : 1;
14428         unsigned char PIR0 : 1;

```

```
14429 #endif
14430     } BIT;
14431     } PIAR8;
14432     union {
14433         unsigned char BYTE;
14434         struct {
14435
14436 #ifdef __RX_LITTLE_ENDIAN__
14437         unsigned char PIR0 : 1;
14438         unsigned char PIR1 : 1;
14439         unsigned char PIR2 : 1;
14440         unsigned char PIR3 : 1;
14441         unsigned char PIR4 : 1;
14442         unsigned char PIR5 : 1;
14443         unsigned char PIR6 : 1;
14444         unsigned char PIR7 : 1;
14445 #else
14446         unsigned char PIR7 : 1;
14447         unsigned char PIR6 : 1;
14448         unsigned char PIR5 : 1;
14449         unsigned char PIR4 : 1;
14450         unsigned char PIR3 : 1;
14451         unsigned char PIR2 : 1;
14452         unsigned char PIR1 : 1;
14453         unsigned char PIR0 : 1;
14454 #endif
14455     } BIT;
14456     } PIAR9;
14457     union {
14458         unsigned char BYTE;
14459         struct {
14460
14461 #ifdef __RX_LITTLE_ENDIAN__
14462         unsigned char PIR0 : 1;
14463         unsigned char PIR1 : 1;
14464         unsigned char PIR2 : 1;
14465         unsigned char PIR3 : 1;
14466         unsigned char PIR4 : 1;
14467         unsigned char PIR5 : 1;
14468         unsigned char PIR6 : 1;
14469         unsigned char PIR7 : 1;
14470 #else
14471         unsigned char PIR7 : 1;
14472         unsigned char PIR6 : 1;
14473         unsigned char PIR5 : 1;
14474         unsigned char PIR4 : 1;
14475         unsigned char PIR3 : 1;
14476         unsigned char PIR2 : 1;
14477         unsigned char PIR1 : 1;
14478         unsigned char PIR0 : 1;
14479 #endif
14480     } BIT;
14481     } PIARA;
14482     char          wk27[1];
14483     union {
14484         unsigned char BYTE;
14485         struct {
14486
14487 #ifdef __RX_LITTLE_ENDIAN__
14488         unsigned char PIR0 : 1;
14489         unsigned char PIR1 : 1;
14490         unsigned char PIR2 : 1;
14491         unsigned char PIR3 : 1;
14492         unsigned char PIR4 : 1;
14493         unsigned char PIR5 : 1;
14494         unsigned char PIR6 : 1;
14495         unsigned char PIR7 : 1;
14496 #else
14497         unsigned char PIR7 : 1;
14498         unsigned char PIR6 : 1;
14499         unsigned char PIR5 : 1;
14500         unsigned char PIR4 : 1;
14501         unsigned char PIR3 : 1;
14502         unsigned char PIR2 : 1;
14503         unsigned char PIR1 : 1;
14504         unsigned char PIR0 : 1;
14505 #endif
14506     } BIT;
14507     } PIARC;
14508     char          wk28[195];
14509     union {
14510         unsigned char BYTE;
14511     } SLIAR208;
14512     union {
14513         unsigned char BYTE;
14514     } SLIAR209;
14515     union {
```

```
14516     unsigned char BYTE;
14517 } SLIAR210;
14518 union {
14519     unsigned char BYTE;
14520 } SLIAR211;
14521 union {
14522     unsigned char BYTE;
14523 } SLIAR212;
14524 union {
14525     unsigned char BYTE;
14526 } SLIAR213;
14527 union {
14528     unsigned char BYTE;
14529 } SLIAR214;
14530 union {
14531     unsigned char BYTE;
14532 } SLIAR215;
14533 union {
14534     unsigned char BYTE;
14535 } SLIAR216;
14536 union {
14537     unsigned char BYTE;
14538 } SLIAR217;
14539 union {
14540     unsigned char BYTE;
14541 } SLIAR218;
14542 union {
14543     unsigned char BYTE;
14544 } SLIAR219;
14545 union {
14546     unsigned char BYTE;
14547 } SLIAR220;
14548 union {
14549     unsigned char BYTE;
14550 } SLIAR221;
14551 union {
14552     unsigned char BYTE;
14553 } SLIAR222;
14554 union {
14555     unsigned char BYTE;
14556 } SLIAR223;
14557 union {
14558     unsigned char BYTE;
14559 } SLIAR224;
14560 union {
14561     unsigned char BYTE;
14562 } SLIAR225;
14563 union {
14564     unsigned char BYTE;
14565 } SLIAR226;
14566 union {
14567     unsigned char BYTE;
14568 } SLIAR227;
14569 union {
14570     unsigned char BYTE;
14571 } SLIAR228;
14572 union {
14573     unsigned char BYTE;
14574 } SLIAR229;
14575 union {
14576     unsigned char BYTE;
14577 } SLIAR230;
14578 union {
14579     unsigned char BYTE;
14580 } SLIAR231;
14581 union {
14582     unsigned char BYTE;
14583 } SLIAR232;
14584 union {
14585     unsigned char BYTE;
14586 } SLIAR233;
14587 union {
14588     unsigned char BYTE;
14589 } SLIAR234;
14590 union {
14591     unsigned char BYTE;
14592 } SLIAR235;
14593 union {
14594     unsigned char BYTE;
14595 } SLIAR236;
14596 union {
14597     unsigned char BYTE;
14598 } SLIAR237;
14599 union {
14600     unsigned char BYTE;
14601 } SLIAR238;
14602 union {
```

```

14603     unsigned char BYTE;
14604 } SLIAR239;
14605 union {
14606     unsigned char BYTE;
14607 } SLIAR240;
14608 union {
14609     unsigned char BYTE;
14610 } SLIAR241;
14611 union {
14612     unsigned char BYTE;
14613 } SLIAR242;
14614 union {
14615     unsigned char BYTE;
14616 } SLIAR243;
14617 union {
14618     unsigned char BYTE;
14619 } SLIAR244;
14620 union {
14621     unsigned char BYTE;
14622 } SLIAR245;
14623 union {
14624     unsigned char BYTE;
14625 } SLIAR246;
14626 union {
14627     unsigned char BYTE;
14628 } SLIAR247;
14629 union {
14630     unsigned char BYTE;
14631 } SLIAR248;
14632 union {
14633     unsigned char BYTE;
14634 } SLIAR249;
14635 union {
14636     unsigned char BYTE;
14637 } SLIAR250;
14638 union {
14639     unsigned char BYTE;
14640 } SLIAR251;
14641 union {
14642     unsigned char BYTE;
14643 } SLIAR252;
14644 union {
14645     unsigned char BYTE;
14646 } SLIAR253;
14647 union {
14648     unsigned char BYTE;
14649 } SLIAR254;
14650 union {
14651     unsigned char BYTE;
14652 } SLIAR255;
14653 union {
14654     unsigned char BYTE;
14655     struct {
14656
14657 #ifdef __RX_LITTLE_ENDIAN__
14658     unsigned char WPRC : 1;
14659     unsigned char : 7;
14660 #else
14661     unsigned char : 7;
14662     unsigned char WPRC : 1;
14663 #endif
14664     } BIT;
14665     } SLIPRCR;
14666     union {
14667         unsigned char BYTE;
14668         struct {
14669
14670 #ifdef __RX_LITTLE_ENDIAN__
14671         unsigned char SELEXD0 : 1;
14672         unsigned char SELEXD1 : 1;
14673         unsigned char : 6;
14674 #else
14675         unsigned char : 6;
14676         unsigned char SELEXD1 : 1;
14677         unsigned char SELEXD0 : 1;
14678 #endif
14679         } BIT;
14680         } SELEXDR;
14681     } st_icu_t;
14682
14683 typedef struct st_iwdt {
14684     unsigned char IWDTRR;
14685     char wk0[1];
14686     union {
14687         unsigned short WORD;
14688         struct {
14689

```

```

14690 #ifdef __RX_LITTLE_ENDIAN__
14691     unsigned short TOPS : 2;
14692     unsigned short : 2;
14693     unsigned short CKS : 4;
14694     unsigned short RPES : 2;
14695     unsigned short : 2;
14696     unsigned short RPSS : 2;
14697     unsigned short : 2;
14698 #else
14699     unsigned short : 2;
14700     unsigned short RPSS : 2;
14701     unsigned short : 2;
14702     unsigned short RPES : 2;
14703     unsigned short CKS : 4;
14704     unsigned short : 2;
14705     unsigned short TOPS : 2;
14706 #endif
14707 } BIT;
14708 } IWDTCR;
14709 union {
14710     unsigned short WORD;
14711     struct {
14712
14713 #ifdef __RX_LITTLE_ENDIAN__
14714     unsigned short CNTVAL : 14;
14715     unsigned short UNDFE : 1;
14716     unsigned short REFE : 1;
14717 #else
14718     unsigned short REFE : 1;
14719     unsigned short UNDFE : 1;
14720     unsigned short CNTVAL : 14;
14721 #endif
14722 } BIT;
14723 } IWDTSR;
14724 union {
14725     unsigned char BYTE;
14726     struct {
14727
14728 #ifdef __RX_LITTLE_ENDIAN__
14729     unsigned char : 7;
14730     unsigned char RSTIRQS : 1;
14731 #else
14732     unsigned char RSTIRQS : 1;
14733     unsigned char : 7;
14734 #endif
14735 } BIT;
14736 } IWDTRCR;
14737 char wk1[1];
14738 union {
14739     unsigned char BYTE;
14740     struct {
14741
14742 #ifdef __RX_LITTLE_ENDIAN__
14743     unsigned char : 7;
14744     unsigned char SLCSTP : 1;
14745 #else
14746     unsigned char SLCSTP : 1;
14747     unsigned char : 7;
14748 #endif
14749 } BIT;
14750 } IWDTCSTPR;
14751 } st_iwdt_t;
14752
14753 typedef struct st_mmcif {
14754     union {
14755         unsigned long LONG;
14756 #ifdef IODEFINE_H_HISTORY
14757         struct {
14758
14759 #ifdef __RX_LITTLE_ENDIAN__
14760         unsigned long DATW : 2;
14761         unsigned long : 1;
14762         unsigned long SBIT : 1;
14763         unsigned long : 2;
14764         unsigned long OPDM : 1;
14765         unsigned long TBIT : 1;
14766         unsigned long CRCSTE : 1;
14767         unsigned long BOOTACK : 1;
14768         unsigned long CRC16C : 1;
14769         unsigned long : 1;
14770         unsigned long RCRC7C : 2;
14771         unsigned long RIDXC : 2;
14772         unsigned long CMD12EN : 1;
14773         unsigned long CMLTE : 1;
14774         unsigned long DWEN : 1;
14775         unsigned long WDAT : 1;
14776         unsigned long : 1;

```

```

14777     unsigned long RBSY : 1;
14778     unsigned long RTYP : 2;
14779     unsigned long CMD : 6;
14780     unsigned long BOOT : 1;
14781     unsigned long : 1;
14782 #else
14783     unsigned long : 1;
14784     unsigned long BOOT : 1;
14785     unsigned long CMD : 6;
14786     unsigned long RTYP : 2;
14787     unsigned long RBSY : 1;
14788     unsigned long : 1;
14789     unsigned long WDAT : 1;
14790     unsigned long DWEN : 1;
14791     unsigned long CMLTE : 1;
14792     unsigned long CMD12EN : 1;
14793     unsigned long RIDXC : 2;
14794     unsigned long RCRC7C : 2;
14795     unsigned long : 1;
14796     unsigned long CRC16C : 1;
14797     unsigned long BOOTACK : 1;
14798     unsigned long CRCSTE : 1;
14799     unsigned long TBIT : 1;
14800     unsigned long OPDM : 1;
14801     unsigned long : 2;
14802     unsigned long SBIT : 1;
14803     unsigned long : 1;
14804     unsigned long DATW : 2;
14805 #endif
14806 } BIT;
14807 #endif
14808 } CECMDSET;
14809 char    wk0[4];
14810 union {
14811     unsigned long LONG;
14812 } CEARG;
14813 union {
14814     unsigned long LONG;
14815     struct {
14816
14817 #ifdef __RX_LITTLE_ENDIAN__
14818     unsigned long C12ARG : 32;
14819 #else
14820     unsigned long C12ARG : 32;
14821 #endif
14822     } BIT;
14823     } CEARGCMD12;
14824     union {
14825         unsigned long LONG;
14826         struct {
14827
14828 #ifdef __RX_LITTLE_ENDIAN__
14829         unsigned long BREAK : 1;
14830         unsigned long : 31;
14831 #else
14832         unsigned long : 31;
14833         unsigned long BREAK : 1;
14834 #endif
14835         } BIT;
14836         } CECMDCTRL;
14837         union {
14838             unsigned long LONG;
14839             struct {
14840
14841 #ifdef __RX_LITTLE_ENDIAN__
14842             unsigned long BLKSIZ : 16;
14843             unsigned long BLKCNT : 16;
14844 #else
14845             unsigned long BLKCNT : 16;
14846             unsigned long BLKSIZ : 16;
14847 #endif
14848             } BIT;
14849             } CEBLOCKSET;
14850             union {
14851                 unsigned long LONG;
14852                 struct {
14853
14854 #ifdef __RX_LITTLE_ENDIAN__
14855                 unsigned long : 4;
14856                 unsigned long SRWDTO : 4;
14857                 unsigned long SRBSYTO : 4;
14858                 unsigned long SRSPTO : 2;
14859                 unsigned long : 2;
14860                 unsigned long CLKDIV : 4;
14861                 unsigned long : 4;
14862                 unsigned long CLKEN : 1;
14863                 unsigned long : 6;

```



```

14864     unsigned long MMCBUSBSY : 1;
14865 #else
14866     unsigned long MMCBUSBSY : 1;
14867     unsigned long : 6;
14868     unsigned long CLKEN : 1;
14869     unsigned long : 4;
14870     unsigned long CLKDIV : 4;
14871     unsigned long : 2;
14872     unsigned long SRSPTO : 2;
14873     unsigned long SRBSYTO : 4;
14874     unsigned long SRWDTO : 4;
14875     unsigned long : 4;
14876 #endif
14877 } BIT;
14878 } CECLKCTRL;
14879 union {
14880     unsigned long LONG;
14881     struct {
14882
14883 #ifdef __RX_LITTLE_ENDIAN__
14884     unsigned long : 16;
14885     unsigned long ATYP : 1;
14886     unsigned long : 7;
14887     unsigned long DMAREN : 1;
14888     unsigned long DMAWEN : 1;
14889     unsigned long DMATYP : 1;
14890     unsigned long : 5;
14891 #else
14892     unsigned long : 5;
14893     unsigned long DMATYP : 1;
14894     unsigned long DMAWEN : 1;
14895     unsigned long DMAREN : 1;
14896     unsigned long : 7;
14897     unsigned long ATYP : 1;
14898     unsigned long : 16;
14899 #endif
14900 } BIT;
14901 } CEBUFACC;
14902 unsigned long CERESP3;
14903 unsigned long CERESP2;
14904 unsigned long CERESP1;
14905 unsigned long CERESP0;
14906 union {
14907     unsigned long LONG;
14908     struct {
14909
14910 #ifdef __RX_LITTLE_ENDIAN__
14911     unsigned long RSP12 : 32;
14912 #else
14913     unsigned long RSP12 : 32;
14914 #endif
14915 } BIT;
14916 } CERESPCMD12;
14917 unsigned long CEDATA;
14918 char wk1[4];
14919 union {
14920     unsigned long LONG;
14921     struct {
14922
14923 #ifdef __RX_LITTLE_ENDIAN__
14924     unsigned long : 16;
14925     unsigned long SBTDATTO : 4;
14926     unsigned long SFSTBTDATTO : 4;
14927     unsigned long SBTACKTO : 4;
14928     unsigned long SBTCLKDIV : 4;
14929 #else
14930     unsigned long SBTCLKDIV : 4;
14931     unsigned long SBTACKTO : 4;
14932     unsigned long SFSTBTDATTO : 4;
14933     unsigned long SBTDATTO : 4;
14934     unsigned long : 16;
14935 #endif
14936 } BIT;
14937 } CEBOOT;
14938 union {
14939     unsigned long LONG;
14940     struct {
14941
14942 #ifdef __RX_LITTLE_ENDIAN__
14943     unsigned long RSPTO : 1;
14944     unsigned long RBSYTO : 1;
14945     unsigned long RDATTO : 1;
14946     unsigned long WDATTO : 1;
14947     unsigned long CRCSTO : 1;
14948     unsigned long : 3;
14949     unsigned long RSPERR : 1;
14950     unsigned long RIDXERR : 1;

```

```

14951     unsigned long RDATERR : 1;
14952     unsigned long WDATERR : 1;
14953     unsigned long : 2;
14954     unsigned long BUFVIO : 1;
14955     unsigned long CMDVIO : 1;
14956     unsigned long CRSPE : 1;
14957     unsigned long RBSYE : 1;
14958     unsigned long : 2;
14959     unsigned long BUFREN : 1;
14960     unsigned long BUFWEN : 1;
14961     unsigned long BUFRE : 1;
14962     unsigned long DTRANE : 1;
14963     unsigned long CMD12CRE : 1;
14964     unsigned long CMD12RBE : 1;
14965     unsigned long CMD12DRE : 1;
14966     unsigned long : 5;
14967 #else
14968     unsigned long : 5;
14969     unsigned long CMD12DRE : 1;
14970     unsigned long CMD12RBE : 1;
14971     unsigned long CMD12CRE : 1;
14972     unsigned long DTRANE : 1;
14973     unsigned long BUFRE : 1;
14974     unsigned long BUFWEN : 1;
14975     unsigned long BUFREN : 1;
14976     unsigned long : 2;
14977     unsigned long RBSYE : 1;
14978     unsigned long CRSPE : 1;
14979     unsigned long CMDVIO : 1;
14980     unsigned long BUFVIO : 1;
14981     unsigned long : 2;
14982     unsigned long WDATERR : 1;
14983     unsigned long RDATERR : 1;
14984     unsigned long RIDXERR : 1;
14985     unsigned long RSPERR : 1;
14986     unsigned long : 3;
14987     unsigned long CRCSTO : 1;
14988     unsigned long WDATTO : 1;
14989     unsigned long RDATTO : 1;
14990     unsigned long RBSYTO : 1;
14991     unsigned long RSPTO : 1;
14992 #endif
14993 } BIT;
14994 } CEINT;
14995 union {
14996     unsigned long LONG;
14997     struct {
14998
14999 #ifdef __RX_LITTLE_ENDIAN__
15000     unsigned long MRSPTO : 1;
15001     unsigned long MRBSYTO : 1;
15002     unsigned long MRDATTO : 1;
15003     unsigned long MWDATTO : 1;
15004     unsigned long MCRCSTO : 1;
15005     unsigned long : 3;
15006     unsigned long MRSPERR : 1;
15007     unsigned long MRIDXERR : 1;
15008     unsigned long MRDATERR : 1;
15009     unsigned long MWDATERR : 1;
15010     unsigned long : 2;
15011     unsigned long MBUFVIO : 1;
15012     unsigned long MCMDVIO : 1;
15013     unsigned long MCRSPE : 1;
15014     unsigned long MRBSYE : 1;
15015     unsigned long : 2;
15016     unsigned long MBUFREN : 1;
15017     unsigned long MBUFWEN : 1;
15018     unsigned long MBUFRE : 1;
15019     unsigned long MDTRANE : 1;
15020     unsigned long MCMD12CRE : 1;
15021     unsigned long MCMD12RBE : 1;
15022     unsigned long MCMD12DRE : 1;
15023     unsigned long : 5;
15024 #else
15025     unsigned long : 5;
15026     unsigned long MCMD12DRE : 1;
15027     unsigned long MCMD12RBE : 1;
15028     unsigned long MCMD12CRE : 1;
15029     unsigned long MDTRANE : 1;
15030     unsigned long MBUFRE : 1;
15031     unsigned long MBUFWEN : 1;
15032     unsigned long MBUFREN : 1;
15033     unsigned long : 2;
15034     unsigned long MRBSYE : 1;
15035     unsigned long MCRSPE : 1;
15036     unsigned long MCMDVIO : 1;
15037     unsigned long MBUFVIO : 1;

```

```

15038         unsigned long : 2;
15039         unsigned long MWDATERR : 1;
15040         unsigned long MRDATERR : 1;
15041         unsigned long MRIDXERR : 1;
15042         unsigned long MRSPERR : 1;
15043         unsigned long : 3;
15044         unsigned long MCRCSTO : 1;
15045         unsigned long MWDATTO : 1;
15046         unsigned long MRDATTO : 1;
15047         unsigned long MRBSYTO : 1;
15048         unsigned long MRSPTO : 1;
15049 #endif
15050     } BIT;
15051     } CEINTEN;
15052     union {
15053         unsigned long LONG;
15054         struct {
15055
15056 #ifdef __RX_LITTLE_ENDIAN__
15057         unsigned long RCVBLK : 16;
15058         unsigned long DATSIG : 8;
15059         unsigned long RSPIDX : 6;
15060         unsigned long CMDSIG : 1;
15061         unsigned long CMDSEQ : 1;
15062 #else
15063         unsigned long CMDSEQ : 1;
15064         unsigned long CMDSIG : 1;
15065         unsigned long RSPIDX : 6;
15066         unsigned long DATSIG : 8;
15067         unsigned long RCVBLK : 16;
15068 #endif
15069     } BIT;
15070     } CEHOSTSTS1;
15071     union {
15072         unsigned long LONG;
15073         struct {
15074
15075 #ifdef __RX_LITTLE_ENDIAN__
15076         unsigned long : 5;
15077         unsigned long BTDATTO : 1;
15078         unsigned long FSTBTDATTO : 1;
15079         unsigned long BTACKTO : 1;
15080         unsigned long STRSPTO : 1;
15081         unsigned long AC12RSPTO : 1;
15082         unsigned long RSPBSYTO : 1;
15083         unsigned long AC12BSYTO : 1;
15084         unsigned long CRCSTTO : 1;
15085         unsigned long DATBSYTO : 1;
15086         unsigned long STRDATTO : 1;
15087         unsigned long : 1;
15088         unsigned long CRCST : 3;
15089         unsigned long : 1;
15090         unsigned long BTACKEBE : 1;
15091         unsigned long BTACKPATE : 1;
15092         unsigned long RSPIDX : 1;
15093         unsigned long AC12IDX : 1;
15094         unsigned long RSPEBE : 1;
15095         unsigned long AC12REBE : 1;
15096         unsigned long RDATEBE : 1;
15097         unsigned long CRCSTEBE : 1;
15098         unsigned long RSPCRC7E : 1;
15099         unsigned long AC12CRCE : 1;
15100         unsigned long CRC16E : 1;
15101         unsigned long CRCSTE : 1;
15102 #else
15103         unsigned long CRCSTE : 1;
15104         unsigned long CRC16E : 1;
15105         unsigned long AC12CRCE : 1;
15106         unsigned long RSPCRC7E : 1;
15107         unsigned long CRCSTEBE : 1;
15108         unsigned long RDATEBE : 1;
15109         unsigned long AC12REBE : 1;
15110         unsigned long RSPEBE : 1;
15111         unsigned long AC12IDX : 1;
15112         unsigned long RSPIDX : 1;
15113         unsigned long BTACKPATE : 1;
15114         unsigned long BTACKEBE : 1;
15115         unsigned long : 1;
15116         unsigned long CRCST : 3;
15117         unsigned long : 1;
15118         unsigned long STRDATTO : 1;
15119         unsigned long DATBSYTO : 1;
15120         unsigned long CRCSTTO : 1;
15121         unsigned long AC12BSYTO : 1;
15122         unsigned long RSPBSYTO : 1;
15123         unsigned long AC12RSPTO : 1;
15124         unsigned long STRSPTO : 1;

```

```

15125         unsigned long BTACKTO : 1;
15126         unsigned long FSTBTDATTO : 1;
15127         unsigned long BTDATTO : 1;
15128         unsigned long : 5;
15129 #endif
15130     } BIT;
15131     } CEHOSTSTS2;
15132     char        wk2[32];
15133     union {
15134         unsigned long LONG;
15135         struct {
15136
15137 #ifdef __RX_LITTLE_ENDIAN__
15138         unsigned long : 4;
15139         unsigned long MCDFALL : 1;
15140         unsigned long MCDRISE : 1;
15141         unsigned long : 6;
15142         unsigned long CDFALL : 1;
15143         unsigned long CDRISE : 1;
15144         unsigned long CDSIG : 1;
15145         unsigned long : 17;
15146 #else
15147         unsigned long : 17;
15148         unsigned long CDSIG : 1;
15149         unsigned long CDRISE : 1;
15150         unsigned long CDFALL : 1;
15151         unsigned long : 6;
15152         unsigned long MCDRISE : 1;
15153         unsigned long MCDFALL : 1;
15154         unsigned long : 4;
15155 #endif
15156     } BIT;
15157     } CEDETECT;
15158     union {
15159         unsigned long LONG;
15160         struct {
15161
15162 #ifdef __RX_LITTLE_ENDIAN__
15163         unsigned long : 19;
15164         unsigned long CLKMAIN : 1;
15165         unsigned long : 1;
15166         unsigned long RESNOUT : 1;
15167         unsigned long : 10;
15168 #else
15169         unsigned long : 10;
15170         unsigned long RESNOUT : 1;
15171         unsigned long : 1;
15172         unsigned long CLKMAIN : 1;
15173         unsigned long : 19;
15174 #endif
15175     } BIT;
15176     } CEADDMODE;
15177     char        wk3[4];
15178     union {
15179         unsigned long LONG;
15180         struct {
15181
15182 #ifdef __RX_LITTLE_ENDIAN__
15183         unsigned long VERSION : 16;
15184         unsigned long : 15;
15185         unsigned long SWRST : 1;
15186 #else
15187         unsigned long SWRST : 1;
15188         unsigned long : 15;
15189         unsigned long VERSION : 16;
15190 #endif
15191     } BIT;
15192     } CEVERSION;
15193 } st_mmcif_t;
15194
15195 typedef struct st_mpc {
15196     union {
15197         unsigned char BYTE;
15198         struct {
15199
15200 #ifdef __RX_LITTLE_ENDIAN__
15201         unsigned char CS0E : 1;
15202         unsigned char CS1E : 1;
15203         unsigned char CS2E : 1;
15204         unsigned char CS3E : 1;
15205         unsigned char CS4E : 1;
15206         unsigned char CS5E : 1;
15207         unsigned char CS6E : 1;
15208         unsigned char CS7E : 1;
15209 #else
15210         unsigned char CS7E : 1;
15211         unsigned char CS6E : 1;

```

```

15212         unsigned char CS5E : 1;
15213         unsigned char CS4E : 1;
15214         unsigned char CS3E : 1;
15215         unsigned char CS2E : 1;
15216         unsigned char CS1E : 1;
15217         unsigned char CS0E : 1;
15218     #endif
15219     } BIT;
15220     } PFCSE;
15221     char          wk0[1];
15222     union {
15223         unsigned char BYTE;
15224         struct {
15225
15226     #ifdef __RX_LITTLE_ENDIAN__
15227         unsigned char CS0S : 1;
15228         unsigned char  : 1;
15229         unsigned char CS1S : 2;
15230         unsigned char CS2S : 2;
15231         unsigned char CS3S : 2;
15232     #else
15233         unsigned char CS3S : 2;
15234         unsigned char CS2S : 2;
15235         unsigned char CS1S : 2;
15236         unsigned char  : 1;
15237         unsigned char CS0S : 1;
15238     #endif
15239     } BIT;
15240     } PFCSS0;
15241     union {
15242         unsigned char BYTE;
15243         struct {
15244
15245     #ifdef __RX_LITTLE_ENDIAN__
15246         unsigned char CS4S : 2;
15247         unsigned char CS5S : 2;
15248         unsigned char CS6S : 2;
15249         unsigned char CS7S : 2;
15250     #else
15251         unsigned char CS7S : 2;
15252         unsigned char CS6S : 2;
15253         unsigned char CS5S : 2;
15254         unsigned char CS4S : 2;
15255     #endif
15256     } BIT;
15257     } PFCSS1;
15258     union {
15259         unsigned char BYTE;
15260         struct {
15261
15262     #ifdef __RX_LITTLE_ENDIAN__
15263         unsigned char A8E : 1;
15264         unsigned char A9E : 1;
15265         unsigned char A10E : 1;
15266         unsigned char A11E : 1;
15267         unsigned char A12E : 1;
15268         unsigned char A13E : 1;
15269         unsigned char A14E : 1;
15270         unsigned char A15E : 1;
15271     #else
15272         unsigned char A15E : 1;
15273         unsigned char A14E : 1;
15274         unsigned char A13E : 1;
15275         unsigned char A12E : 1;
15276         unsigned char A11E : 1;
15277         unsigned char A10E : 1;
15278         unsigned char A9E : 1;
15279         unsigned char A8E : 1;
15280     #endif
15281     } BIT;
15282     } PFAOE0;
15283     union {
15284         unsigned char BYTE;
15285         struct {
15286
15287     #ifdef __RX_LITTLE_ENDIAN__
15288         unsigned char A16E : 1;
15289         unsigned char A17E : 1;
15290         unsigned char A18E : 1;
15291         unsigned char A19E : 1;
15292         unsigned char A20E : 1;
15293         unsigned char A21E : 1;
15294         unsigned char A22E : 1;
15295         unsigned char A23E : 1;
15296     #else
15297         unsigned char A23E : 1;
15298         unsigned char A22E : 1;

```

```

15299         unsigned char A21E : 1;
15300         unsigned char A20E : 1;
15301         unsigned char A19E : 1;
15302         unsigned char A18E : 1;
15303         unsigned char A17E : 1;
15304         unsigned char A16E : 1;
15305     #endif
15306     } BIT;
15307     } PFAOE1;
15308     union {
15309         unsigned char BYTE;
15310         struct {
15311
15312     #ifdef __RX_LITTLE_ENDIAN__
15313         unsigned char ADRLE : 1;
15314         unsigned char ADRHMS : 1;
15315         unsigned char ADRHMS2 : 1;
15316         unsigned char BCLKO : 1;
15317         unsigned char DHE : 1;
15318         unsigned char DH32E : 1;
15319         unsigned char WR1BC1E : 1;
15320         unsigned char WR32BC32E : 1;
15321     #else
15322         unsigned char WR32BC32E : 1;
15323         unsigned char WR1BC1E : 1;
15324         unsigned char DH32E : 1;
15325         unsigned char DHE : 1;
15326         unsigned char BCLKO : 1;
15327         unsigned char ADRHMS2 : 1;
15328         unsigned char ADRHMS : 1;
15329         unsigned char ADRLE : 1;
15330     #endif
15331     } BIT;
15332     } PFBCR0;
15333     union {
15334         unsigned char BYTE;
15335         struct {
15336
15337     #ifdef __RX_LITTLE_ENDIAN__
15338         unsigned char WAITS : 2;
15339         unsigned char ALEOE : 1;
15340         unsigned char ALES : 1;
15341         unsigned char MDSDE : 1;
15342         unsigned char : 1;
15343         unsigned char DQM1E : 1;
15344         unsigned char SDCLKE : 1;
15345     #else
15346         unsigned char SDCLKE : 1;
15347         unsigned char DQM1E : 1;
15348         unsigned char : 1;
15349         unsigned char MDSDE : 1;
15350         unsigned char ALES : 1;
15351         unsigned char ALEOE : 1;
15352         unsigned char WAITS : 2;
15353     #endif
15354     } BIT;
15355     } PFBCR1;
15356     union {
15357         unsigned char BYTE;
15358         struct {
15359
15360     #ifdef __RX_LITTLE_ENDIAN__
15361         unsigned char D0S : 2;
15362         unsigned char D1S : 2;
15363         unsigned char D2S : 2;
15364         unsigned char D3S : 2;
15365     #else
15366         unsigned char D3S : 2;
15367         unsigned char D2S : 2;
15368         unsigned char D1S : 2;
15369         unsigned char D0S : 2;
15370     #endif
15371     } BIT;
15372     } PFBCR2;
15373     union {
15374         unsigned char BYTE;
15375         struct {
15376
15377     #ifdef __RX_LITTLE_ENDIAN__
15378         unsigned char DLHS : 1;
15379         unsigned char : 5;
15380         unsigned char SDCLKDRV : 1;
15381         unsigned char WAITS2 : 1;
15382     #else
15383         unsigned char WAITS2 : 1;
15384         unsigned char SDCLKDRV : 1;
15385         unsigned char : 5;

```

```

15386         unsigned char DLHS : 1;
15387     #endif
15388     } BIT;
15389     } PFBCR3;
15390     char          wk1[4];
15391     union {
15392         unsigned char BYTE;
15393         struct {
15394
15395     #ifdef __RX_LITTLE_ENDIAN__
15396         unsigned char : 4;
15397         unsigned char PHYMODE0 : 1;
15398         unsigned char PHYMODE1 : 1;
15399         unsigned char : 2;
15400     #else
15401         unsigned char : 2;
15402         unsigned char PHYMODE1 : 1;
15403         unsigned char PHYMODE0 : 1;
15404         unsigned char : 4;
15405     #endif
15406     } BIT;
15407     } PFENET;
15408     char          wk2[16];
15409     union {
15410         unsigned char BYTE;
15411         struct {
15412
15413     #ifdef __RX_LITTLE_ENDIAN__
15414         unsigned char : 6;
15415         unsigned char PFSWE : 1;
15416         unsigned char BOWI : 1;
15417     #else
15418         unsigned char BOWI : 1;
15419         unsigned char PFSWE : 1;
15420         unsigned char : 6;
15421     #endif
15422     } BIT;
15423     } PWPR;
15424     char          wk3[32];
15425     union {
15426         unsigned char BYTE;
15427         struct {
15428
15429     #ifdef __RX_LITTLE_ENDIAN__
15430         unsigned char PSEL : 6;
15431         unsigned char ISEL : 1;
15432         unsigned char ASEL : 1;
15433     #else
15434         unsigned char ASEL : 1;
15435         unsigned char ISEL : 1;
15436         unsigned char PSEL : 6;
15437     #endif
15438     } BIT;
15439     } P00PFS;
15440     union {
15441         unsigned char BYTE;
15442         struct {
15443
15444     #ifdef __RX_LITTLE_ENDIAN__
15445         unsigned char PSEL : 6;
15446         unsigned char ISEL : 1;
15447         unsigned char ASEL : 1;
15448     #else
15449         unsigned char ASEL : 1;
15450         unsigned char ISEL : 1;
15451         unsigned char PSEL : 6;
15452     #endif
15453     } BIT;
15454     } P01PFS;
15455     union {
15456         unsigned char BYTE;
15457         struct {
15458
15459     #ifdef __RX_LITTLE_ENDIAN__
15460         unsigned char PSEL : 6;
15461         unsigned char ISEL : 1;
15462         unsigned char ASEL : 1;
15463     #else
15464         unsigned char ASEL : 1;
15465         unsigned char ISEL : 1;
15466         unsigned char PSEL : 6;
15467     #endif
15468     } BIT;
15469     } P02PFS;
15470     union {
15471         unsigned char BYTE;
15472         struct {

```

```

15473
15474 #ifdef __RX_LITTLE_ENDIAN__
15475     unsigned char : 6;
15476     unsigned char ISEL : 1;
15477     unsigned char ASEL : 1;
15478 #else
15479     unsigned char ASEL : 1;
15480     unsigned char ISEL : 1;
15481     unsigned char : 6;
15482 #endif
15483     } BIT;
15484     } P03PFS;
15485     char          wk4[1];
15486     union {
15487         unsigned char BYTE;
15488         struct {
15489
15490 #ifdef __RX_LITTLE_ENDIAN__
15491         unsigned char : 6;
15492         unsigned char ISEL : 1;
15493         unsigned char ASEL : 1;
15494 #else
15495         unsigned char ASEL : 1;
15496         unsigned char ISEL : 1;
15497         unsigned char : 6;
15498 #endif
15499         } BIT;
15500         } P05PFS;
15501         char          wk5[1];
15502         union {
15503             unsigned char BYTE;
15504             struct {
15505
15506 #ifdef __RX_LITTLE_ENDIAN__
15507             unsigned char PSEL : 6;
15508             unsigned char ISEL : 1;
15509             unsigned char : 1;
15510 #else
15511             unsigned char : 1;
15512             unsigned char ISEL : 1;
15513             unsigned char PSEL : 6;
15514 #endif
15515             } BIT;
15516             } P07PFS;
15517             union {
15518                 unsigned char BYTE;
15519                 struct {
15520
15521 #ifdef __RX_LITTLE_ENDIAN__
15522                 unsigned char PSEL : 6;
15523                 unsigned char ISEL : 1;
15524                 unsigned char : 1;
15525 #else
15526                 unsigned char : 1;
15527                 unsigned char ISEL : 1;
15528                 unsigned char PSEL : 6;
15529 #endif
15530                 } BIT;
15531                 } P10PFS;
15532                 union {
15533                     unsigned char BYTE;
15534                     struct {
15535
15536 #ifdef __RX_LITTLE_ENDIAN__
15537                     unsigned char PSEL : 6;
15538                     unsigned char ISEL : 1;
15539                     unsigned char : 1;
15540 #else
15541                     unsigned char : 1;
15542                     unsigned char ISEL : 1;
15543                     unsigned char PSEL : 6;
15544 #endif
15545                     } BIT;
15546                     } P11PFS;
15547                     union {
15548                         unsigned char BYTE;
15549                         struct {
15550
15551 #ifdef __RX_LITTLE_ENDIAN__
15552                         unsigned char PSEL : 6;
15553                         unsigned char ISEL : 1;
15554                         unsigned char : 1;
15555 #else
15556                         unsigned char : 1;
15557                         unsigned char ISEL : 1;
15558                         unsigned char PSEL : 6;
15559 #endif

```



```

15560     } BIT;
15561     } P12PFS;
15562     union {
15563         unsigned char BYTE;
15564         struct {
15565
15566 #ifdef __RX_LITTLE_ENDIAN__
15567         unsigned char PSEL : 6;
15568         unsigned char ISEL : 1;
15569         unsigned char : 1;
15570 #else
15571         unsigned char : 1;
15572         unsigned char ISEL : 1;
15573         unsigned char PSEL : 6;
15574 #endif
15575     } BIT;
15576     } P13PFS;
15577     union {
15578         unsigned char BYTE;
15579         struct {
15580
15581 #ifdef __RX_LITTLE_ENDIAN__
15582         unsigned char PSEL : 6;
15583         unsigned char ISEL : 1;
15584         unsigned char : 1;
15585 #else
15586         unsigned char : 1;
15587         unsigned char ISEL : 1;
15588         unsigned char PSEL : 6;
15589 #endif
15590     } BIT;
15591     } P14PFS;
15592     union {
15593         unsigned char BYTE;
15594         struct {
15595
15596 #ifdef __RX_LITTLE_ENDIAN__
15597         unsigned char PSEL : 6;
15598         unsigned char ISEL : 1;
15599         unsigned char : 1;
15600 #else
15601         unsigned char : 1;
15602         unsigned char ISEL : 1;
15603         unsigned char PSEL : 6;
15604 #endif
15605     } BIT;
15606     } P15PFS;
15607     union {
15608         unsigned char BYTE;
15609         struct {
15610
15611 #ifdef __RX_LITTLE_ENDIAN__
15612         unsigned char PSEL : 6;
15613         unsigned char ISEL : 1;
15614         unsigned char : 1;
15615 #else
15616         unsigned char : 1;
15617         unsigned char ISEL : 1;
15618         unsigned char PSEL : 6;
15619 #endif
15620     } BIT;
15621     } P16PFS;
15622     union {
15623         unsigned char BYTE;
15624         struct {
15625
15626 #ifdef __RX_LITTLE_ENDIAN__
15627         unsigned char PSEL : 6;
15628         unsigned char ISEL : 1;
15629         unsigned char : 1;
15630 #else
15631         unsigned char : 1;
15632         unsigned char ISEL : 1;
15633         unsigned char PSEL : 6;
15634 #endif
15635     } BIT;
15636     } P17PFS;
15637     union {
15638         unsigned char BYTE;
15639         struct {
15640
15641 #ifdef __RX_LITTLE_ENDIAN__
15642         unsigned char PSEL : 6;
15643         unsigned char ISEL : 1;
15644         unsigned char : 1;
15645 #else
15646         unsigned char : 1;

```

```
15647         unsigned char ISEL : 1;
15648         unsigned char PSEL : 6;
15649     #endif
15650     } BIT;
15651     } P20PFS;
15652     union {
15653         unsigned char BYTE;
15654         struct {
15655
15656     #ifdef __RX_LITTLE_ENDIAN__
15657         unsigned char PSEL : 6;
15658         unsigned char ISEL : 1;
15659         unsigned char : 1;
15660     #else
15661         unsigned char : 1;
15662         unsigned char ISEL : 1;
15663         unsigned char PSEL : 6;
15664     #endif
15665     } BIT;
15666     } P21PFS;
15667     union {
15668         unsigned char BYTE;
15669         struct {
15670
15671     #ifdef __RX_LITTLE_ENDIAN__
15672         unsigned char PSEL : 6;
15673         unsigned char : 2;
15674     #else
15675         unsigned char : 2;
15676         unsigned char PSEL : 6;
15677     #endif
15678     } BIT;
15679     } P22PFS;
15680     union {
15681         unsigned char BYTE;
15682         struct {
15683
15684     #ifdef __RX_LITTLE_ENDIAN__
15685         unsigned char PSEL : 6;
15686         unsigned char : 2;
15687     #else
15688         unsigned char : 2;
15689         unsigned char PSEL : 6;
15690     #endif
15691     } BIT;
15692     } P23PFS;
15693     union {
15694         unsigned char BYTE;
15695         struct {
15696
15697     #ifdef __RX_LITTLE_ENDIAN__
15698         unsigned char PSEL : 6;
15699         unsigned char : 2;
15700     #else
15701         unsigned char : 2;
15702         unsigned char PSEL : 6;
15703     #endif
15704     } BIT;
15705     } P24PFS;
15706     union {
15707         unsigned char BYTE;
15708         struct {
15709
15710     #ifdef __RX_LITTLE_ENDIAN__
15711         unsigned char PSEL : 6;
15712         unsigned char : 2;
15713     #else
15714         unsigned char : 2;
15715         unsigned char PSEL : 6;
15716     #endif
15717     } BIT;
15718     } P25PFS;
15719     union {
15720         unsigned char BYTE;
15721         struct {
15722
15723     #ifdef __RX_LITTLE_ENDIAN__
15724         unsigned char PSEL : 6;
15725         unsigned char : 2;
15726     #else
15727         unsigned char : 2;
15728         unsigned char PSEL : 6;
15729     #endif
15730     } BIT;
15731     } P26PFS;
15732     union {
15733         unsigned char BYTE;
```

```

15734     struct {
15735
15736 #ifdef __RX_LITTLE_ENDIAN__
15737     unsigned char PSEL : 6;
15738     unsigned char : 2;
15739 #else
15740     unsigned char : 2;
15741     unsigned char PSEL : 6;
15742 #endif
15743     } BIT;
15744     } P27PFS;
15745     union {
15746     unsigned char BYTE;
15747     struct {
15748
15749 #ifdef __RX_LITTLE_ENDIAN__
15750     unsigned char PSEL : 6;
15751     unsigned char ISEL : 1;
15752     unsigned char : 1;
15753 #else
15754     unsigned char : 1;
15755     unsigned char ISEL : 1;
15756     unsigned char PSEL : 6;
15757 #endif
15758     } BIT;
15759     } P30PFS;
15760     union {
15761     unsigned char BYTE;
15762     struct {
15763
15764 #ifdef __RX_LITTLE_ENDIAN__
15765     unsigned char PSEL : 6;
15766     unsigned char ISEL : 1;
15767     unsigned char : 1;
15768 #else
15769     unsigned char : 1;
15770     unsigned char ISEL : 1;
15771     unsigned char PSEL : 6;
15772 #endif
15773     } BIT;
15774     } P31PFS;
15775     union {
15776     unsigned char BYTE;
15777     struct {
15778
15779 #ifdef __RX_LITTLE_ENDIAN__
15780     unsigned char PSEL : 6;
15781     unsigned char ISEL : 1;
15782     unsigned char : 1;
15783 #else
15784     unsigned char : 1;
15785     unsigned char ISEL : 1;
15786     unsigned char PSEL : 6;
15787 #endif
15788     } BIT;
15789     } P32PFS;
15790     union {
15791     unsigned char BYTE;
15792     struct {
15793
15794 #ifdef __RX_LITTLE_ENDIAN__
15795     unsigned char PSEL : 6;
15796     unsigned char ISEL : 1;
15797     unsigned char : 1;
15798 #else
15799     unsigned char : 1;
15800     unsigned char ISEL : 1;
15801     unsigned char PSEL : 6;
15802 #endif
15803     } BIT;
15804     } P33PFS;
15805     union {
15806     unsigned char BYTE;
15807     struct {
15808
15809 #ifdef __RX_LITTLE_ENDIAN__
15810     unsigned char PSEL : 6;
15811     unsigned char ISEL : 1;
15812     unsigned char : 1;
15813 #else
15814     unsigned char : 1;
15815     unsigned char ISEL : 1;
15816     unsigned char PSEL : 6;
15817 #endif
15818     } BIT;
15819     } P34PFS;
15820     char      wk6[3];

```

```
15821     union {
15822         unsigned char BYTE;
15823         struct {
15824
15825 #ifdef __RX_LITTLE_ENDIAN__
15826         unsigned char : 6;
15827         unsigned char ISEL : 1;
15828         unsigned char ASEL : 1;
15829 #else
15830         unsigned char ASEL : 1;
15831         unsigned char ISEL : 1;
15832         unsigned char : 6;
15833 #endif
15834     } BIT;
15835     } P40PFS;
15836     union {
15837         unsigned char BYTE;
15838         struct {
15839
15840 #ifdef __RX_LITTLE_ENDIAN__
15841         unsigned char : 6;
15842         unsigned char ISEL : 1;
15843         unsigned char ASEL : 1;
15844 #else
15845         unsigned char ASEL : 1;
15846         unsigned char ISEL : 1;
15847         unsigned char : 6;
15848 #endif
15849     } BIT;
15850     } P41PFS;
15851     union {
15852         unsigned char BYTE;
15853         struct {
15854
15855 #ifdef __RX_LITTLE_ENDIAN__
15856         unsigned char : 6;
15857         unsigned char ISEL : 1;
15858         unsigned char ASEL : 1;
15859 #else
15860         unsigned char ASEL : 1;
15861         unsigned char ISEL : 1;
15862         unsigned char : 6;
15863 #endif
15864     } BIT;
15865     } P42PFS;
15866     union {
15867         unsigned char BYTE;
15868         struct {
15869
15870 #ifdef __RX_LITTLE_ENDIAN__
15871         unsigned char : 6;
15872         unsigned char ISEL : 1;
15873         unsigned char ASEL : 1;
15874 #else
15875         unsigned char ASEL : 1;
15876         unsigned char ISEL : 1;
15877         unsigned char : 6;
15878 #endif
15879     } BIT;
15880     } P43PFS;
15881     union {
15882         unsigned char BYTE;
15883         struct {
15884
15885 #ifdef __RX_LITTLE_ENDIAN__
15886         unsigned char : 6;
15887         unsigned char ISEL : 1;
15888         unsigned char ASEL : 1;
15889 #else
15890         unsigned char ASEL : 1;
15891         unsigned char ISEL : 1;
15892         unsigned char : 6;
15893 #endif
15894     } BIT;
15895     } P44PFS;
15896     union {
15897         unsigned char BYTE;
15898         struct {
15899
15900 #ifdef __RX_LITTLE_ENDIAN__
15901         unsigned char : 6;
15902         unsigned char ISEL : 1;
15903         unsigned char ASEL : 1;
15904 #else
15905         unsigned char ASEL : 1;
15906         unsigned char ISEL : 1;
15907         unsigned char : 6;
```

```

15908 #endif
15909     } BIT;
15910     } P45PFS;
15911     union {
15912         unsigned char BYTE;
15913         struct {
15914
15915 #ifdef __RX_LITTLE_ENDIAN__
15916         unsigned char : 6;
15917         unsigned char ISEL : 1;
15918         unsigned char ASEL : 1;
15919 #else
15920         unsigned char ASEL : 1;
15921         unsigned char ISEL : 1;
15922         unsigned char : 6;
15923 #endif
15924     } BIT;
15925     } P46PFS;
15926     union {
15927         unsigned char BYTE;
15928         struct {
15929
15930 #ifdef __RX_LITTLE_ENDIAN__
15931         unsigned char : 6;
15932         unsigned char ISEL : 1;
15933         unsigned char ASEL : 1;
15934 #else
15935         unsigned char ASEL : 1;
15936         unsigned char ISEL : 1;
15937         unsigned char : 6;
15938 #endif
15939     } BIT;
15940     } P47PFS;
15941     union {
15942         unsigned char BYTE;
15943         struct {
15944
15945 #ifdef __RX_LITTLE_ENDIAN__
15946         unsigned char PSEL : 6;
15947         unsigned char : 2;
15948 #else
15949         unsigned char : 2;
15950         unsigned char PSEL : 6;
15951 #endif
15952     } BIT;
15953     } P50PFS;
15954     union {
15955         unsigned char BYTE;
15956         struct {
15957
15958 #ifdef __RX_LITTLE_ENDIAN__
15959         unsigned char PSEL : 6;
15960         unsigned char : 2;
15961 #else
15962         unsigned char : 2;
15963         unsigned char PSEL : 6;
15964 #endif
15965     } BIT;
15966     } P51PFS;
15967     union {
15968         unsigned char BYTE;
15969         struct {
15970
15971 #ifdef __RX_LITTLE_ENDIAN__
15972         unsigned char PSEL : 6;
15973         unsigned char : 2;
15974 #else
15975         unsigned char : 2;
15976         unsigned char PSEL : 6;
15977 #endif
15978     } BIT;
15979     } P52PFS;
15980     char wk7[1];
15981     union {
15982         unsigned char BYTE;
15983         struct {
15984
15985 #ifdef __RX_LITTLE_ENDIAN__
15986         unsigned char PSEL : 6;
15987         unsigned char : 2;
15988 #else
15989         unsigned char : 2;
15990         unsigned char PSEL : 6;
15991 #endif
15992     } BIT;
15993     } P54PFS;
15994     union {

```

```

15995     unsigned char BYTE;
15996     struct {
15997
15998 #ifdef __RX_LITTLE_ENDIAN__
15999     unsigned char PSEL : 6;
16000     unsigned char ISEL : 1;
16001     unsigned char : 1;
16002 #else
16003     unsigned char : 1;
16004     unsigned char ISEL : 1;
16005     unsigned char PSEL : 6;
16006 #endif
16007     } BIT;
16008     } P55PFS;
16009     union {
16010     unsigned char BYTE;
16011     struct {
16012
16013 #ifdef __RX_LITTLE_ENDIAN__
16014     unsigned char PSEL : 6;
16015     unsigned char : 2;
16016 #else
16017     unsigned char : 2;
16018     unsigned char PSEL : 6;
16019 #endif
16020     } BIT;
16021     } P56PFS;
16022     union {
16023     unsigned char BYTE;
16024     struct {
16025
16026 #ifdef __RX_LITTLE_ENDIAN__
16027     unsigned char PSEL : 6;
16028     unsigned char : 2;
16029 #else
16030     unsigned char : 2;
16031     unsigned char PSEL : 6;
16032 #endif
16033     } BIT;
16034     } P57PFS;
16035     union {
16036     unsigned char BYTE;
16037     struct {
16038
16039 #ifdef __RX_LITTLE_ENDIAN__
16040     unsigned char PSEL : 6;
16041     unsigned char : 2;
16042 #else
16043     unsigned char : 2;
16044     unsigned char PSEL : 6;
16045 #endif
16046     } BIT;
16047     } P60PFS;
16048     union {
16049     unsigned char BYTE;
16050     struct {
16051
16052 #ifdef __RX_LITTLE_ENDIAN__
16053     unsigned char PSEL : 6;
16054     unsigned char : 2;
16055 #else
16056     unsigned char : 2;
16057     unsigned char PSEL : 6;
16058 #endif
16059     } BIT;
16060     } P61PFS;
16061     union {
16062     unsigned char BYTE;
16063     struct {
16064
16065 #ifdef __RX_LITTLE_ENDIAN__
16066     unsigned char PSEL : 6;
16067     unsigned char : 2;
16068 #else
16069     unsigned char : 2;
16070     unsigned char PSEL : 6;
16071 #endif
16072     } BIT;
16073     } P62PFS;
16074     union {
16075     unsigned char BYTE;
16076     struct {
16077
16078 #ifdef __RX_LITTLE_ENDIAN__
16079     unsigned char PSEL : 6;
16080     unsigned char : 2;
16081 #else

```

```

16082         unsigned char : 2;
16083         unsigned char PSEL : 6;
16084     #endif
16085     } BIT;
16086     } P63PFS;
16087     union {
16088         unsigned char BYTE;
16089         struct {
16090
16091     #ifdef __RX_LITTLE_ENDIAN__
16092         unsigned char PSEL : 6;
16093         unsigned char : 2;
16094     #else
16095         unsigned char : 2;
16096         unsigned char PSEL : 6;
16097     #endif
16098     } BIT;
16099     } P64PFS;
16100     char      wk8[1];
16101     union {
16102         unsigned char BYTE;
16103         struct {
16104
16105     #ifdef __RX_LITTLE_ENDIAN__
16106         unsigned char PSEL : 6;
16107         unsigned char : 2;
16108     #else
16109         unsigned char : 2;
16110         unsigned char PSEL : 6;
16111     #endif
16112     } BIT;
16113     } P66PFS;
16114     union {
16115         unsigned char BYTE;
16116         struct {
16117
16118     #ifdef __RX_LITTLE_ENDIAN__
16119         unsigned char PSEL : 6;
16120         unsigned char ISEL : 1;
16121         unsigned char : 1;
16122     #else
16123         unsigned char : 1;
16124         unsigned char ISEL : 1;
16125         unsigned char PSEL : 6;
16126     #endif
16127     } BIT;
16128     } P67PFS;
16129     char      wk9[1];
16130     union {
16131         unsigned char BYTE;
16132         struct {
16133
16134     #ifdef __RX_LITTLE_ENDIAN__
16135         unsigned char PSEL : 6;
16136         unsigned char : 2;
16137     #else
16138         unsigned char : 2;
16139         unsigned char PSEL : 6;
16140     #endif
16141     } BIT;
16142     } P71PFS;
16143     union {
16144         unsigned char BYTE;
16145         struct {
16146
16147     #ifdef __RX_LITTLE_ENDIAN__
16148         unsigned char PSEL : 6;
16149         unsigned char : 2;
16150     #else
16151         unsigned char : 2;
16152         unsigned char PSEL : 6;
16153     #endif
16154     } BIT;
16155     } P72PFS;
16156     union {
16157         unsigned char BYTE;
16158         struct {
16159
16160     #ifdef __RX_LITTLE_ENDIAN__
16161         unsigned char PSEL : 6;
16162         unsigned char : 2;
16163     #else
16164         unsigned char : 2;
16165         unsigned char PSEL : 6;
16166     #endif
16167     } BIT;
16168     } P73PFS;

```

```

16169     union {
16170         unsigned char BYTE;
16171     struct {
16172
16173 #ifdef __RX_LITTLE_ENDIAN__
16174         unsigned char PSEL : 6;
16175         unsigned char : 2;
16176 #else
16177         unsigned char : 2;
16178         unsigned char PSEL : 6;
16179 #endif
16180     } BIT;
16181     } P74PFS;
16182     union {
16183         unsigned char BYTE;
16184     struct {
16185
16186 #ifdef __RX_LITTLE_ENDIAN__
16187         unsigned char PSEL : 6;
16188         unsigned char : 2;
16189 #else
16190         unsigned char : 2;
16191         unsigned char PSEL : 6;
16192 #endif
16193     } BIT;
16194     } P75PFS;
16195     union {
16196         unsigned char BYTE;
16197     struct {
16198
16199 #ifdef __RX_LITTLE_ENDIAN__
16200         unsigned char PSEL : 6;
16201         unsigned char : 2;
16202 #else
16203         unsigned char : 2;
16204         unsigned char PSEL : 6;
16205 #endif
16206     } BIT;
16207     } P76PFS;
16208     union {
16209         unsigned char BYTE;
16210     struct {
16211
16212 #ifdef __RX_LITTLE_ENDIAN__
16213         unsigned char PSEL : 6;
16214         unsigned char : 2;
16215 #else
16216         unsigned char : 2;
16217         unsigned char PSEL : 6;
16218 #endif
16219     } BIT;
16220     } P77PFS;
16221     union {
16222         unsigned char BYTE;
16223     struct {
16224
16225 #ifdef __RX_LITTLE_ENDIAN__
16226         unsigned char PSEL : 6;
16227         unsigned char : 2;
16228 #else
16229         unsigned char : 2;
16230         unsigned char PSEL : 6;
16231 #endif
16232     } BIT;
16233     } P80PFS;
16234     union {
16235         unsigned char BYTE;
16236     struct {
16237
16238 #ifdef __RX_LITTLE_ENDIAN__
16239         unsigned char PSEL : 6;
16240         unsigned char : 2;
16241 #else
16242         unsigned char : 2;
16243         unsigned char PSEL : 6;
16244 #endif
16245     } BIT;
16246     } P81PFS;
16247     union {
16248         unsigned char BYTE;
16249     struct {
16250
16251 #ifdef __RX_LITTLE_ENDIAN__
16252         unsigned char PSEL : 6;
16253         unsigned char : 2;
16254 #else
16255         unsigned char : 2;

```



```

16256         unsigned char PSEL : 6;
16257     #endif
16258     } BIT;
16259     } P82PFS;
16260     union {
16261         unsigned char BYTE;
16262         struct {
16263
16264     #ifdef __RX_LITTLE_ENDIAN__
16265         unsigned char PSEL : 6;
16266         unsigned char : 2;
16267     #else
16268         unsigned char : 2;
16269         unsigned char PSEL : 6;
16270     #endif
16271     } BIT;
16272     } P83PFS;
16273     union {
16274         unsigned char BYTE;
16275         struct {
16276
16277     #ifdef __RX_LITTLE_ENDIAN__
16278         unsigned char PSEL : 6;
16279         unsigned char : 2;
16280     #else
16281         unsigned char : 2;
16282         unsigned char PSEL : 6;
16283     #endif
16284     } BIT;
16285     } P84PFS;
16286     union {
16287         unsigned char BYTE;
16288         struct {
16289
16290     #ifdef __RX_LITTLE_ENDIAN__
16291         unsigned char PSEL : 6;
16292         unsigned char : 2;
16293     #else
16294         unsigned char : 2;
16295         unsigned char PSEL : 6;
16296     #endif
16297     } BIT;
16298     } P85PFS;
16299     union {
16300         unsigned char BYTE;
16301         struct {
16302
16303     #ifdef __RX_LITTLE_ENDIAN__
16304         unsigned char PSEL : 6;
16305         unsigned char : 2;
16306     #else
16307         unsigned char : 2;
16308         unsigned char PSEL : 6;
16309     #endif
16310     } BIT;
16311     } P86PFS;
16312     union {
16313         unsigned char BYTE;
16314         struct {
16315
16316     #ifdef __RX_LITTLE_ENDIAN__
16317         unsigned char PSEL : 6;
16318         unsigned char : 2;
16319     #else
16320         unsigned char : 2;
16321         unsigned char PSEL : 6;
16322     #endif
16323     } BIT;
16324     } P87PFS;
16325     union {
16326         unsigned char BYTE;
16327         struct {
16328
16329     #ifdef __RX_LITTLE_ENDIAN__
16330         unsigned char PSEL : 6;
16331         unsigned char : 1;
16332         unsigned char ASEL : 1;
16333     #else
16334         unsigned char ASEL : 1;
16335         unsigned char : 1;
16336         unsigned char PSEL : 6;
16337     #endif
16338     } BIT;
16339     } P90PFS;
16340     union {
16341         unsigned char BYTE;
16342         struct {

```

```

16343
16344 #ifndef __RX_LITTLE_ENDIAN__
16345     unsigned char PSEL : 6;
16346     unsigned char : 1;
16347     unsigned char ASEL : 1;
16348 #else
16349     unsigned char ASEL : 1;
16350     unsigned char : 1;
16351     unsigned char PSEL : 6;
16352 #endif
16353 } BIT;
16354 } P91PFS;
16355 union {
16356     unsigned char BYTE;
16357     struct {
16358
16359 #ifndef __RX_LITTLE_ENDIAN__
16360     unsigned char PSEL : 6;
16361     unsigned char : 1;
16362     unsigned char ASEL : 1;
16363 #else
16364     unsigned char ASEL : 1;
16365     unsigned char : 1;
16366     unsigned char PSEL : 6;
16367 #endif
16368 } BIT;
16369 } P92PFS;
16370 union {
16371     unsigned char BYTE;
16372     struct {
16373
16374 #ifndef __RX_LITTLE_ENDIAN__
16375     unsigned char PSEL : 6;
16376     unsigned char : 1;
16377     unsigned char ASEL : 1;
16378 #else
16379     unsigned char ASEL : 1;
16380     unsigned char : 1;
16381     unsigned char PSEL : 6;
16382 #endif
16383 } BIT;
16384 } P93PFS;
16385 union {
16386     unsigned char BYTE;
16387     struct {
16388
16389 #ifndef __RX_LITTLE_ENDIAN__
16390     unsigned char PSEL : 6;
16391     unsigned char : 2;
16392 #else
16393     unsigned char : 2;
16394     unsigned char PSEL : 6;
16395 #endif
16396 } BIT;
16397 } P94PFS;
16398 union {
16399     unsigned char BYTE;
16400     struct {
16401
16402 #ifndef __RX_LITTLE_ENDIAN__
16403     unsigned char PSEL : 6;
16404     unsigned char : 2;
16405 #else
16406     unsigned char : 2;
16407     unsigned char PSEL : 6;
16408 #endif
16409 } BIT;
16410 } P95PFS;
16411 union {
16412     unsigned char BYTE;
16413     struct {
16414
16415 #ifndef __RX_LITTLE_ENDIAN__
16416     unsigned char PSEL : 6;
16417     unsigned char : 2;
16418 #else
16419     unsigned char : 2;
16420     unsigned char PSEL : 6;
16421 #endif
16422 } BIT;
16423 } P96PFS;
16424 union {
16425     unsigned char BYTE;
16426     struct {
16427
16428 #ifndef __RX_LITTLE_ENDIAN__
16429     unsigned char PSEL : 6;

```

```

16430         unsigned char : 2;
16431 #else
16432         unsigned char : 2;
16433         unsigned char PSEL : 6;
16434 #endif
16435     } BIT;
16436     } P97PFS;
16437     union {
16438         unsigned char BYTE;
16439         struct {
16440
16441 #ifdef __RX_LITTLE_ENDIAN__
16442         unsigned char PSEL : 6;
16443         unsigned char : 2;
16444 #else
16445         unsigned char : 2;
16446         unsigned char PSEL : 6;
16447 #endif
16448     } BIT;
16449     } PA0PFS;
16450     union {
16451         unsigned char BYTE;
16452         struct {
16453
16454 #ifdef __RX_LITTLE_ENDIAN__
16455         unsigned char PSEL : 6;
16456         unsigned char ISEL : 1;
16457         unsigned char : 1;
16458 #else
16459         unsigned char : 1;
16460         unsigned char ISEL : 1;
16461         unsigned char PSEL : 6;
16462 #endif
16463     } BIT;
16464     } PA1PFS;
16465     union {
16466         unsigned char BYTE;
16467         struct {
16468
16469 #ifdef __RX_LITTLE_ENDIAN__
16470         unsigned char PSEL : 6;
16471         unsigned char : 2;
16472 #else
16473         unsigned char : 2;
16474         unsigned char PSEL : 6;
16475 #endif
16476     } BIT;
16477     } PA2PFS;
16478     union {
16479         unsigned char BYTE;
16480         struct {
16481
16482 #ifdef __RX_LITTLE_ENDIAN__
16483         unsigned char PSEL : 6;
16484         unsigned char ISEL : 1;
16485         unsigned char : 1;
16486 #else
16487         unsigned char : 1;
16488         unsigned char ISEL : 1;
16489         unsigned char PSEL : 6;
16490 #endif
16491     } BIT;
16492     } PA3PFS;
16493     union {
16494         unsigned char BYTE;
16495         struct {
16496
16497 #ifdef __RX_LITTLE_ENDIAN__
16498         unsigned char PSEL : 6;
16499         unsigned char ISEL : 1;
16500         unsigned char : 1;
16501 #else
16502         unsigned char : 1;
16503         unsigned char ISEL : 1;
16504         unsigned char PSEL : 6;
16505 #endif
16506     } BIT;
16507     } PA4PFS;
16508     union {
16509         unsigned char BYTE;
16510         struct {
16511
16512 #ifdef __RX_LITTLE_ENDIAN__
16513         unsigned char PSEL : 6;
16514         unsigned char : 2;
16515 #else
16516         unsigned char : 2;

```

```

16517         unsigned char PSEL : 6;
16518 #endif
16519     } BIT;
16520     } PA5PFS;
16521     union {
16522         unsigned char BYTE;
16523         struct {
16524
16525 #ifdef __RX_LITTLE_ENDIAN__
16526         unsigned char PSEL : 6;
16527         unsigned char : 2;
16528 #else
16529         unsigned char : 2;
16530         unsigned char PSEL : 6;
16531 #endif
16532     } BIT;
16533     } PA6PFS;
16534     union {
16535         unsigned char BYTE;
16536         struct {
16537
16538 #ifdef __RX_LITTLE_ENDIAN__
16539         unsigned char PSEL : 6;
16540         unsigned char : 2;
16541 #else
16542         unsigned char : 2;
16543         unsigned char PSEL : 6;
16544 #endif
16545     } BIT;
16546     } PA7PFS;
16547     union {
16548         unsigned char BYTE;
16549         struct {
16550
16551 #ifdef __RX_LITTLE_ENDIAN__
16552         unsigned char PSEL : 6;
16553         unsigned char ISEL : 1;
16554         unsigned char : 1;
16555 #else
16556         unsigned char : 1;
16557         unsigned char ISEL : 1;
16558         unsigned char PSEL : 6;
16559 #endif
16560     } BIT;
16561     } PB0PFS;
16562     union {
16563         unsigned char BYTE;
16564         struct {
16565
16566 #ifdef __RX_LITTLE_ENDIAN__
16567         unsigned char PSEL : 6;
16568         unsigned char ISEL : 1;
16569         unsigned char : 1;
16570 #else
16571         unsigned char : 1;
16572         unsigned char ISEL : 1;
16573         unsigned char PSEL : 6;
16574 #endif
16575     } BIT;
16576     } PB1PFS;
16577     union {
16578         unsigned char BYTE;
16579         struct {
16580
16581 #ifdef __RX_LITTLE_ENDIAN__
16582         unsigned char PSEL : 6;
16583         unsigned char : 2;
16584 #else
16585         unsigned char : 2;
16586         unsigned char PSEL : 6;
16587 #endif
16588     } BIT;
16589     } PB2PFS;
16590     union {
16591         unsigned char BYTE;
16592         struct {
16593
16594 #ifdef __RX_LITTLE_ENDIAN__
16595         unsigned char PSEL : 6;
16596         unsigned char : 2;
16597 #else
16598         unsigned char : 2;
16599         unsigned char PSEL : 6;
16600 #endif
16601     } BIT;
16602     } PB3PFS;
16603     union {

```

```
16604     unsigned char BYTE;
16605     struct {
16606
16607 #ifdef __RX_LITTLE_ENDIAN__
16608     unsigned char PSEL : 6;
16609     unsigned char : 2;
16610 #else
16611     unsigned char : 2;
16612     unsigned char PSEL : 6;
16613 #endif
16614     } BIT;
16615     } PB4PFS;
16616     union {
16617     unsigned char BYTE;
16618     struct {
16619
16620 #ifdef __RX_LITTLE_ENDIAN__
16621     unsigned char PSEL : 6;
16622     unsigned char : 2;
16623 #else
16624     unsigned char : 2;
16625     unsigned char PSEL : 6;
16626 #endif
16627     } BIT;
16628     } PB5PFS;
16629     union {
16630     unsigned char BYTE;
16631     struct {
16632
16633 #ifdef __RX_LITTLE_ENDIAN__
16634     unsigned char PSEL : 6;
16635     unsigned char : 2;
16636 #else
16637     unsigned char : 2;
16638     unsigned char PSEL : 6;
16639 #endif
16640     } BIT;
16641     } PB6PFS;
16642     union {
16643     unsigned char BYTE;
16644     struct {
16645
16646 #ifdef __RX_LITTLE_ENDIAN__
16647     unsigned char PSEL : 6;
16648     unsigned char : 2;
16649 #else
16650     unsigned char : 2;
16651     unsigned char PSEL : 6;
16652 #endif
16653     } BIT;
16654     } PB7PFS;
16655     union {
16656     unsigned char BYTE;
16657     struct {
16658
16659 #ifdef __RX_LITTLE_ENDIAN__
16660     unsigned char PSEL : 6;
16661     unsigned char ISEL : 1;
16662     unsigned char : 1;
16663 #else
16664     unsigned char : 1;
16665     unsigned char ISEL : 1;
16666     unsigned char PSEL : 6;
16667 #endif
16668     } BIT;
16669     } PC0PFS;
16670     union {
16671     unsigned char BYTE;
16672     struct {
16673
16674 #ifdef __RX_LITTLE_ENDIAN__
16675     unsigned char PSEL : 6;
16676     unsigned char ISEL : 1;
16677     unsigned char : 1;
16678 #else
16679     unsigned char : 1;
16680     unsigned char ISEL : 1;
16681     unsigned char PSEL : 6;
16682 #endif
16683     } BIT;
16684     } PC1PFS;
16685     union {
16686     unsigned char BYTE;
16687     struct {
16688
16689 #ifdef __RX_LITTLE_ENDIAN__
16690     unsigned char PSEL : 6;
```

```

16691         unsigned char : 2;
16692 #else
16693         unsigned char : 2;
16694         unsigned char PSEL : 6;
16695 #endif
16696     } BIT;
16697     } PC2PFS;
16698     union {
16699         unsigned char BYTE;
16700         struct {
16701
16702 #ifdef __RX_LITTLE_ENDIAN__
16703         unsigned char PSEL : 6;
16704         unsigned char : 2;
16705 #else
16706         unsigned char : 2;
16707         unsigned char PSEL : 6;
16708 #endif
16709     } BIT;
16710     } PC3PFS;
16711     union {
16712         unsigned char BYTE;
16713         struct {
16714
16715 #ifdef __RX_LITTLE_ENDIAN__
16716         unsigned char PSEL : 6;
16717         unsigned char : 2;
16718 #else
16719         unsigned char : 2;
16720         unsigned char PSEL : 6;
16721 #endif
16722     } BIT;
16723     } PC4PFS;
16724     union {
16725         unsigned char BYTE;
16726         struct {
16727
16728 #ifdef __RX_LITTLE_ENDIAN__
16729         unsigned char PSEL : 6;
16730         unsigned char : 2;
16731 #else
16732         unsigned char : 2;
16733         unsigned char PSEL : 6;
16734 #endif
16735     } BIT;
16736     } PC5PFS;
16737     union {
16738         unsigned char BYTE;
16739         struct {
16740
16741 #ifdef __RX_LITTLE_ENDIAN__
16742         unsigned char PSEL : 6;
16743         unsigned char ISEL : 1;
16744         unsigned char : 1;
16745 #else
16746         unsigned char : 1;
16747         unsigned char ISEL : 1;
16748         unsigned char PSEL : 6;
16749 #endif
16750     } BIT;
16751     } PC6PFS;
16752     union {
16753         unsigned char BYTE;
16754         struct {
16755
16756 #ifdef __RX_LITTLE_ENDIAN__
16757         unsigned char PSEL : 6;
16758         unsigned char ISEL : 1;
16759         unsigned char : 1;
16760 #else
16761         unsigned char : 1;
16762         unsigned char ISEL : 1;
16763         unsigned char PSEL : 6;
16764 #endif
16765     } BIT;
16766     } PC7PFS;
16767     union {
16768         unsigned char BYTE;
16769         struct {
16770
16771 #ifdef __RX_LITTLE_ENDIAN__
16772         unsigned char PSEL : 6;
16773         unsigned char ISEL : 1;
16774         unsigned char ASEL : 1;
16775 #else
16776         unsigned char ASEL : 1;
16777         unsigned char ISEL : 1;

```

```

16778         unsigned char PSEL : 6;
16779 #endif
16780     } BIT;
16781     } PD0PFS;
16782     union {
16783         unsigned char BYTE;
16784         struct {
16785
16786 #ifdef __RX_LITTLE_ENDIAN__
16787         unsigned char PSEL : 6;
16788         unsigned char ISEL : 1;
16789         unsigned char ASEL : 1;
16790 #else
16791         unsigned char ASEL : 1;
16792         unsigned char ISEL : 1;
16793         unsigned char PSEL : 6;
16794 #endif
16795     } BIT;
16796     } PD1PFS;
16797     union {
16798         unsigned char BYTE;
16799         struct {
16800
16801 #ifdef __RX_LITTLE_ENDIAN__
16802         unsigned char PSEL : 6;
16803         unsigned char ISEL : 1;
16804         unsigned char ASEL : 1;
16805 #else
16806         unsigned char ASEL : 1;
16807         unsigned char ISEL : 1;
16808         unsigned char PSEL : 6;
16809 #endif
16810     } BIT;
16811     } PD2PFS;
16812     union {
16813         unsigned char BYTE;
16814         struct {
16815
16816 #ifdef __RX_LITTLE_ENDIAN__
16817         unsigned char PSEL : 6;
16818         unsigned char ISEL : 1;
16819         unsigned char ASEL : 1;
16820 #else
16821         unsigned char ASEL : 1;
16822         unsigned char ISEL : 1;
16823         unsigned char PSEL : 6;
16824 #endif
16825     } BIT;
16826     } PD3PFS;
16827     union {
16828         unsigned char BYTE;
16829         struct {
16830
16831 #ifdef __RX_LITTLE_ENDIAN__
16832         unsigned char PSEL : 6;
16833         unsigned char ISEL : 1;
16834         unsigned char ASEL : 1;
16835 #else
16836         unsigned char ASEL : 1;
16837         unsigned char ISEL : 1;
16838         unsigned char PSEL : 6;
16839 #endif
16840     } BIT;
16841     } PD4PFS;
16842     union {
16843         unsigned char BYTE;
16844         struct {
16845
16846 #ifdef __RX_LITTLE_ENDIAN__
16847         unsigned char PSEL : 6;
16848         unsigned char ISEL : 1;
16849         unsigned char ASEL : 1;
16850 #else
16851         unsigned char ASEL : 1;
16852         unsigned char ISEL : 1;
16853         unsigned char PSEL : 6;
16854 #endif
16855     } BIT;
16856     } PD5PFS;
16857     union {
16858         unsigned char BYTE;
16859         struct {
16860
16861 #ifdef __RX_LITTLE_ENDIAN__
16862         unsigned char PSEL : 6;
16863         unsigned char ISEL : 1;
16864         unsigned char ASEL : 1;

```

```

16865 #else
16866     unsigned char ASEL : 1;
16867     unsigned char ISEL : 1;
16868     unsigned char PSEL : 6;
16869 #endif
16870 } BIT;
16871 } PD6PFS;
16872 union {
16873     unsigned char BYTE;
16874     struct {
16875
16876 #ifdef __RX_LITTLE_ENDIAN__
16877     unsigned char PSEL : 6;
16878     unsigned char ISEL : 1;
16879     unsigned char ASEL : 1;
16880 #else
16881     unsigned char ASEL : 1;
16882     unsigned char ISEL : 1;
16883     unsigned char PSEL : 6;
16884 #endif
16885 } BIT;
16886 } PD7PFS;
16887 union {
16888     unsigned char BYTE;
16889     struct {
16890
16891 #ifdef __RX_LITTLE_ENDIAN__
16892     unsigned char PSEL : 6;
16893     unsigned char : 1;
16894     unsigned char ASEL : 1;
16895 #else
16896     unsigned char ASEL : 1;
16897     unsigned char : 1;
16898     unsigned char PSEL : 6;
16899 #endif
16900 } BIT;
16901 } PE0PFS;
16902 union {
16903     unsigned char BYTE;
16904     struct {
16905
16906 #ifdef __RX_LITTLE_ENDIAN__
16907     unsigned char PSEL : 6;
16908     unsigned char : 1;
16909     unsigned char ASEL : 1;
16910 #else
16911     unsigned char ASEL : 1;
16912     unsigned char : 1;
16913     unsigned char PSEL : 6;
16914 #endif
16915 } BIT;
16916 } PE1PFS;
16917 union {
16918     unsigned char BYTE;
16919     struct {
16920
16921 #ifdef __RX_LITTLE_ENDIAN__
16922     unsigned char PSEL : 6;
16923     unsigned char ISEL : 1;
16924     unsigned char ASEL : 1;
16925 #else
16926     unsigned char ASEL : 1;
16927     unsigned char ISEL : 1;
16928     unsigned char PSEL : 6;
16929 #endif
16930 } BIT;
16931 } PE2PFS;
16932 union {
16933     unsigned char BYTE;
16934     struct {
16935
16936 #ifdef __RX_LITTLE_ENDIAN__
16937     unsigned char PSEL : 6;
16938     unsigned char : 1;
16939     unsigned char ASEL : 1;
16940 #else
16941     unsigned char ASEL : 1;
16942     unsigned char : 1;
16943     unsigned char PSEL : 6;
16944 #endif
16945 } BIT;
16946 } PE3PFS;
16947 union {
16948     unsigned char BYTE;
16949     struct {
16950
16951 #ifdef __RX_LITTLE_ENDIAN__

```



```

16952         unsigned char PSEL : 6;
16953         unsigned char : 1;
16954         unsigned char ASEL : 1;
16955     #else
16956         unsigned char ASEL : 1;
16957         unsigned char : 1;
16958         unsigned char PSEL : 6;
16959     #endif
16960     } BIT;
16961     } PE4PFS;
16962     union {
16963         unsigned char BYTE;
16964         struct {
16965
16966     #ifdef __RX_LITTLE_ENDIAN__
16967         unsigned char PSEL : 6;
16968         unsigned char ISEL : 1;
16969         unsigned char ASEL : 1;
16970     #else
16971         unsigned char ASEL : 1;
16972         unsigned char ISEL : 1;
16973         unsigned char PSEL : 6;
16974     #endif
16975     } BIT;
16976     } PE5PFS;
16977     union {
16978         unsigned char BYTE;
16979         struct {
16980
16981     #ifdef __RX_LITTLE_ENDIAN__
16982         unsigned char PSEL : 6;
16983         unsigned char ISEL : 1;
16984         unsigned char ASEL : 1;
16985     #else
16986         unsigned char ASEL : 1;
16987         unsigned char ISEL : 1;
16988         unsigned char PSEL : 6;
16989     #endif
16990     } BIT;
16991     } PE6PFS;
16992     union {
16993         unsigned char BYTE;
16994         struct {
16995
16996     #ifdef __RX_LITTLE_ENDIAN__
16997         unsigned char PSEL : 6;
16998         unsigned char ISEL : 1;
16999         unsigned char ASEL : 1;
17000     #else
17001         unsigned char ASEL : 1;
17002         unsigned char ISEL : 1;
17003         unsigned char PSEL : 6;
17004     #endif
17005     } BIT;
17006     } PE7PFS;
17007     union {
17008         unsigned char BYTE;
17009         struct {
17010
17011     #ifdef __RX_LITTLE_ENDIAN__
17012         unsigned char PSEL : 6;
17013         unsigned char : 2;
17014     #else
17015         unsigned char : 2;
17016         unsigned char PSEL : 6;
17017     #endif
17018     } BIT;
17019     } PF0PFS;
17020     union {
17021         unsigned char BYTE;
17022         struct {
17023
17024     #ifdef __RX_LITTLE_ENDIAN__
17025         unsigned char PSEL : 6;
17026         unsigned char : 2;
17027     #else
17028         unsigned char : 2;
17029         unsigned char PSEL : 6;
17030     #endif
17031     } BIT;
17032     } PF1PFS;
17033     union {
17034         unsigned char BYTE;
17035         struct {
17036
17037     #ifdef __RX_LITTLE_ENDIAN__
17038         unsigned char PSEL : 6;

```

```

17039         unsigned char : 2;
17040 #else
17041         unsigned char : 2;
17042         unsigned char PSEL : 6;
17043 #endif
17044     } BIT;
17045     } PF2PFS;
17046     char          wk10[2];
17047     union {
17048         unsigned char BYTE;
17049         struct {
17050
17051 #ifdef __RX_LITTLE_ENDIAN__
17052         unsigned char PSEL : 6;
17053         unsigned char ISEL : 1;
17054         unsigned char : 1;
17055 #else
17056         unsigned char : 1;
17057         unsigned char ISEL : 1;
17058         unsigned char PSEL : 6;
17059 #endif
17060     } BIT;
17061     } PF5PFS;
17062     char          wk11[2];
17063     union {
17064         unsigned char BYTE;
17065         struct {
17066
17067 #ifdef __RX_LITTLE_ENDIAN__
17068         unsigned char PSEL : 6;
17069         unsigned char : 2;
17070 #else
17071         unsigned char : 2;
17072         unsigned char PSEL : 6;
17073 #endif
17074     } BIT;
17075     } PG0PFS;
17076     union {
17077         unsigned char BYTE;
17078         struct {
17079
17080 #ifdef __RX_LITTLE_ENDIAN__
17081         unsigned char PSEL : 6;
17082         unsigned char : 2;
17083 #else
17084         unsigned char : 2;
17085         unsigned char PSEL : 6;
17086 #endif
17087     } BIT;
17088     } PG1PFS;
17089     union {
17090         unsigned char BYTE;
17091         struct {
17092
17093 #ifdef __RX_LITTLE_ENDIAN__
17094         unsigned char PSEL : 6;
17095         unsigned char : 2;
17096 #else
17097         unsigned char : 2;
17098         unsigned char PSEL : 6;
17099 #endif
17100     } BIT;
17101     } PG2PFS;
17102     union {
17103         unsigned char BYTE;
17104         struct {
17105
17106 #ifdef __RX_LITTLE_ENDIAN__
17107         unsigned char PSEL : 6;
17108         unsigned char : 2;
17109 #else
17110         unsigned char : 2;
17111         unsigned char PSEL : 6;
17112 #endif
17113     } BIT;
17114     } PG3PFS;
17115     union {
17116         unsigned char BYTE;
17117         struct {
17118
17119 #ifdef __RX_LITTLE_ENDIAN__
17120         unsigned char PSEL : 6;
17121         unsigned char : 2;
17122 #else
17123         unsigned char : 2;
17124         unsigned char PSEL : 6;
17125 #endif

```

```

17126     } BIT;
17127     } PG4PFS;
17128     union {
17129         unsigned char BYTE;
17130         struct {
17131
17132 #ifdef __RX_LITTLE_ENDIAN__
17133         unsigned char PSEL : 6;
17134         unsigned char : 2;
17135 #else
17136         unsigned char : 2;
17137         unsigned char PSEL : 6;
17138 #endif
17139     } BIT;
17140     } PG5PFS;
17141     union {
17142         unsigned char BYTE;
17143         struct {
17144
17145 #ifdef __RX_LITTLE_ENDIAN__
17146         unsigned char PSEL : 6;
17147         unsigned char : 2;
17148 #else
17149         unsigned char : 2;
17150         unsigned char PSEL : 6;
17151 #endif
17152     } BIT;
17153     } PG6PFS;
17154     union {
17155         unsigned char BYTE;
17156         struct {
17157
17158 #ifdef __RX_LITTLE_ENDIAN__
17159         unsigned char PSEL : 6;
17160         unsigned char : 2;
17161 #else
17162         unsigned char : 2;
17163         unsigned char PSEL : 6;
17164 #endif
17165     } BIT;
17166     } PG7PFS;
17167     union {
17168         unsigned char BYTE;
17169         struct {
17170
17171 #ifdef __RX_LITTLE_ENDIAN__
17172         unsigned char PSEL : 6;
17173         unsigned char : 2;
17174 #else
17175         unsigned char : 2;
17176         unsigned char PSEL : 6;
17177 #endif
17178     } BIT;
17179     } PH0PFS;
17180     union {
17181         unsigned char BYTE;
17182         struct {
17183
17184 #ifdef __RX_LITTLE_ENDIAN__
17185         unsigned char PSEL : 6;
17186         unsigned char : 2;
17187 #else
17188         unsigned char : 2;
17189         unsigned char PSEL : 6;
17190 #endif
17191     } BIT;
17192     } PH1PFS;
17193     union {
17194         unsigned char BYTE;
17195         struct {
17196
17197 #ifdef __RX_LITTLE_ENDIAN__
17198         unsigned char PSEL : 6;
17199         unsigned char : 2;
17200 #else
17201         unsigned char : 2;
17202         unsigned char PSEL : 6;
17203 #endif
17204     } BIT;
17205     } PH2PFS;
17206     union {
17207         unsigned char BYTE;
17208         struct {
17209
17210 #ifdef __RX_LITTLE_ENDIAN__
17211         unsigned char PSEL : 6;
17212         unsigned char : 2;

```

```
17213 #else
17214     unsigned char : 2;
17215     unsigned char PSEL : 6;
17216 #endif
17217 } BIT;
17218 } PH3PFS;
17219 union {
17220     unsigned char BYTE;
17221     struct {
17222
17223 #ifdef __RX_LITTLE_ENDIAN__
17224     unsigned char PSEL : 6;
17225     unsigned char : 2;
17226 #else
17227     unsigned char : 2;
17228     unsigned char PSEL : 6;
17229 #endif
17230 } BIT;
17231 } PH4PFS;
17232 union {
17233     unsigned char BYTE;
17234     struct {
17235
17236 #ifdef __RX_LITTLE_ENDIAN__
17237     unsigned char PSEL : 6;
17238     unsigned char : 2;
17239 #else
17240     unsigned char : 2;
17241     unsigned char PSEL : 6;
17242 #endif
17243 } BIT;
17244 } PH5PFS;
17245 union {
17246     unsigned char BYTE;
17247     struct {
17248
17249 #ifdef __RX_LITTLE_ENDIAN__
17250     unsigned char PSEL : 6;
17251     unsigned char : 2;
17252 #else
17253     unsigned char : 2;
17254     unsigned char PSEL : 6;
17255 #endif
17256 } BIT;
17257 } PH6PFS;
17258 union {
17259     unsigned char BYTE;
17260     struct {
17261
17262 #ifdef __RX_LITTLE_ENDIAN__
17263     unsigned char PSEL : 6;
17264     unsigned char : 2;
17265 #else
17266     unsigned char : 2;
17267     unsigned char PSEL : 6;
17268 #endif
17269 } BIT;
17270 } PH7PFS;
17271 union {
17272     unsigned char BYTE;
17273     struct {
17274
17275 #ifdef __RX_LITTLE_ENDIAN__
17276     unsigned char PSEL : 6;
17277     unsigned char : 2;
17278 #else
17279     unsigned char : 2;
17280     unsigned char PSEL : 6;
17281 #endif
17282 } BIT;
17283 } PJ0PFS;
17284 union {
17285     unsigned char BYTE;
17286     struct {
17287
17288 #ifdef __RX_LITTLE_ENDIAN__
17289     unsigned char PSEL : 6;
17290     unsigned char : 2;
17291 #else
17292     unsigned char : 2;
17293     unsigned char PSEL : 6;
17294 #endif
17295 } BIT;
17296 } PJ1PFS;
17297 union {
17298     unsigned char BYTE;
17299     struct {
```

```
17300
17301 #ifdef __RX_LITTLE_ENDIAN__
17302     unsigned char PSEL : 6;
17303     unsigned char : 2;
17304 #else
17305     unsigned char : 2;
17306     unsigned char PSEL : 6;
17307 #endif
17308     } BIT;
17309     } PJ2PFS;
17310     union {
17311         unsigned char BYTE;
17312         struct {
17313
17314 #ifdef __RX_LITTLE_ENDIAN__
17315         unsigned char PSEL : 6;
17316         unsigned char : 2;
17317 #else
17318         unsigned char : 2;
17319         unsigned char PSEL : 6;
17320 #endif
17321         } BIT;
17322         } PJ3PFS;
17323         char wk12[1];
17324         union {
17325             unsigned char BYTE;
17326             struct {
17327
17328 #ifdef __RX_LITTLE_ENDIAN__
17329             unsigned char PSEL : 6;
17330             unsigned char : 2;
17331 #else
17332             unsigned char : 2;
17333             unsigned char PSEL : 6;
17334 #endif
17335             } BIT;
17336             } PJ5PFS;
17337             char wk13[2];
17338             union {
17339                 unsigned char BYTE;
17340                 struct {
17341
17342 #ifdef __RX_LITTLE_ENDIAN__
17343                 unsigned char PSEL : 6;
17344                 unsigned char : 2;
17345 #else
17346                 unsigned char : 2;
17347                 unsigned char PSEL : 6;
17348 #endif
17349                 } BIT;
17350                 } PK0PFS;
17351                 union {
17352                     unsigned char BYTE;
17353                     struct {
17354
17355 #ifdef __RX_LITTLE_ENDIAN__
17356                     unsigned char PSEL : 6;
17357                     unsigned char : 2;
17358 #else
17359                     unsigned char : 2;
17360                     unsigned char PSEL : 6;
17361 #endif
17362                     } BIT;
17363                     } PK1PFS;
17364                     union {
17365                         unsigned char BYTE;
17366                         struct {
17367
17368 #ifdef __RX_LITTLE_ENDIAN__
17369                         unsigned char PSEL : 6;
17370                         unsigned char : 2;
17371 #else
17372                         unsigned char : 2;
17373                         unsigned char PSEL : 6;
17374 #endif
17375                         } BIT;
17376                         } PK2PFS;
17377                         union {
17378                             unsigned char BYTE;
17379                             struct {
17380
17381 #ifdef __RX_LITTLE_ENDIAN__
17382                             unsigned char PSEL : 6;
17383                             unsigned char : 2;
17384 #else
17385                             unsigned char : 2;
17386                             unsigned char PSEL : 6;
```

```
17387 #endif
17388     } BIT;
17389     } PK3PFS;
17390     union {
17391         unsigned char BYTE;
17392         struct {
17393
17394 #ifdef __RX_LITTLE_ENDIAN__
17395         unsigned char PSEL : 6;
17396         unsigned char : 2;
17397 #else
17398         unsigned char : 2;
17399         unsigned char PSEL : 6;
17400 #endif
17401     } BIT;
17402     } PK4PFS;
17403     union {
17404         unsigned char BYTE;
17405         struct {
17406
17407 #ifdef __RX_LITTLE_ENDIAN__
17408         unsigned char PSEL : 6;
17409         unsigned char : 2;
17410 #else
17411         unsigned char : 2;
17412         unsigned char PSEL : 6;
17413 #endif
17414     } BIT;
17415     } PK5PFS;
17416     union {
17417         unsigned char BYTE;
17418         struct {
17419
17420 #ifdef __RX_LITTLE_ENDIAN__
17421         unsigned char PSEL : 6;
17422         unsigned char : 2;
17423 #else
17424         unsigned char : 2;
17425         unsigned char PSEL : 6;
17426 #endif
17427     } BIT;
17428     } PK6PFS;
17429     union {
17430         unsigned char BYTE;
17431         struct {
17432
17433 #ifdef __RX_LITTLE_ENDIAN__
17434         unsigned char PSEL : 6;
17435         unsigned char : 2;
17436 #else
17437         unsigned char : 2;
17438         unsigned char PSEL : 6;
17439 #endif
17440     } BIT;
17441     } PK7PFS;
17442     union {
17443         unsigned char BYTE;
17444         struct {
17445
17446 #ifdef __RX_LITTLE_ENDIAN__
17447         unsigned char PSEL : 6;
17448         unsigned char : 2;
17449 #else
17450         unsigned char : 2;
17451         unsigned char PSEL : 6;
17452 #endif
17453     } BIT;
17454     } PL0PFS;
17455     union {
17456         unsigned char BYTE;
17457         struct {
17458
17459 #ifdef __RX_LITTLE_ENDIAN__
17460         unsigned char PSEL : 6;
17461         unsigned char : 2;
17462 #else
17463         unsigned char : 2;
17464         unsigned char PSEL : 6;
17465 #endif
17466     } BIT;
17467     } PL1PFS;
17468     union {
17469         unsigned char BYTE;
17470         struct {
17471
17472 #ifdef __RX_LITTLE_ENDIAN__
17473         unsigned char PSEL : 6;
```

```

17474         unsigned char : 2;
17475 #else
17476         unsigned char : 2;
17477         unsigned char PSEL : 6;
17478 #endif
17479     } BIT;
17480     } PL2PFS;
17481     union {
17482         unsigned char BYTE;
17483         struct {
17484
17485 #ifdef __RX_LITTLE_ENDIAN__
17486         unsigned char PSEL : 6;
17487         unsigned char : 2;
17488 #else
17489         unsigned char : 2;
17490         unsigned char PSEL : 6;
17491 #endif
17492     } BIT;
17493     } PL3PFS;
17494     union {
17495         unsigned char BYTE;
17496         struct {
17497
17498 #ifdef __RX_LITTLE_ENDIAN__
17499         unsigned char PSEL : 6;
17500         unsigned char : 2;
17501 #else
17502         unsigned char : 2;
17503         unsigned char PSEL : 6;
17504 #endif
17505     } BIT;
17506     } PL4PFS;
17507     union {
17508         unsigned char BYTE;
17509         struct {
17510
17511 #ifdef __RX_LITTLE_ENDIAN__
17512         unsigned char PSEL : 6;
17513         unsigned char : 2;
17514 #else
17515         unsigned char : 2;
17516         unsigned char PSEL : 6;
17517 #endif
17518     } BIT;
17519     } PL5PFS;
17520     union {
17521         unsigned char BYTE;
17522         struct {
17523
17524 #ifdef __RX_LITTLE_ENDIAN__
17525         unsigned char PSEL : 6;
17526         unsigned char : 2;
17527 #else
17528         unsigned char : 2;
17529         unsigned char PSEL : 6;
17530 #endif
17531     } BIT;
17532     } PL6PFS;
17533     union {
17534         unsigned char BYTE;
17535         struct {
17536
17537 #ifdef __RX_LITTLE_ENDIAN__
17538         unsigned char PSEL : 6;
17539         unsigned char : 2;
17540 #else
17541         unsigned char : 2;
17542         unsigned char PSEL : 6;
17543 #endif
17544     } BIT;
17545     } PL7PFS;
17546     union {
17547         unsigned char BYTE;
17548         struct {
17549
17550 #ifdef __RX_LITTLE_ENDIAN__
17551         unsigned char PSEL : 6;
17552         unsigned char : 2;
17553 #else
17554         unsigned char : 2;
17555         unsigned char PSEL : 6;
17556 #endif
17557     } BIT;
17558     } PM0PFS;
17559     union {
17560         unsigned char BYTE;

```

```
17561     struct {
17562
17563 #ifdef __RX_LITTLE_ENDIAN__
17564     unsigned char PSEL : 6;
17565     unsigned char : 2;
17566 #else
17567     unsigned char : 2;
17568     unsigned char PSEL : 6;
17569 #endif
17570     } BIT;
17571     } PM1PFS;
17572     union {
17573     unsigned char BYTE;
17574     struct {
17575
17576 #ifdef __RX_LITTLE_ENDIAN__
17577     unsigned char PSEL : 6;
17578     unsigned char : 2;
17579 #else
17580     unsigned char : 2;
17581     unsigned char PSEL : 6;
17582 #endif
17583     } BIT;
17584     } PM2PFS;
17585     union {
17586     unsigned char BYTE;
17587     struct {
17588
17589 #ifdef __RX_LITTLE_ENDIAN__
17590     unsigned char PSEL : 6;
17591     unsigned char : 2;
17592 #else
17593     unsigned char : 2;
17594     unsigned char PSEL : 6;
17595 #endif
17596     } BIT;
17597     } PM3PFS;
17598     union {
17599     unsigned char BYTE;
17600     struct {
17601
17602 #ifdef __RX_LITTLE_ENDIAN__
17603     unsigned char PSEL : 6;
17604     unsigned char : 2;
17605 #else
17606     unsigned char : 2;
17607     unsigned char PSEL : 6;
17608 #endif
17609     } BIT;
17610     } PM4PFS;
17611     union {
17612     unsigned char BYTE;
17613     struct {
17614
17615 #ifdef __RX_LITTLE_ENDIAN__
17616     unsigned char PSEL : 6;
17617     unsigned char : 2;
17618 #else
17619     unsigned char : 2;
17620     unsigned char PSEL : 6;
17621 #endif
17622     } BIT;
17623     } PM5PFS;
17624     union {
17625     unsigned char BYTE;
17626     struct {
17627
17628 #ifdef __RX_LITTLE_ENDIAN__
17629     unsigned char PSEL : 6;
17630     unsigned char : 2;
17631 #else
17632     unsigned char : 2;
17633     unsigned char PSEL : 6;
17634 #endif
17635     } BIT;
17636     } PM6PFS;
17637     union {
17638     unsigned char BYTE;
17639     struct {
17640
17641 #ifdef __RX_LITTLE_ENDIAN__
17642     unsigned char PSEL : 6;
17643     unsigned char : 2;
17644 #else
17645     unsigned char : 2;
17646     unsigned char PSEL : 6;
17647 #endif
```



```

17648     } BIT;
17649     } PM7PFS;
17650     union {
17651         unsigned char BYTE;
17652         struct {
17653
17654 #ifdef __RX_LITTLE_ENDIAN__
17655         unsigned char PSEL : 6;
17656         unsigned char : 2;
17657 #else
17658         unsigned char : 2;
17659         unsigned char PSEL : 6;
17660 #endif
17661     } BIT;
17662     } PN0PFS;
17663     union {
17664         unsigned char BYTE;
17665         struct {
17666
17667 #ifdef __RX_LITTLE_ENDIAN__
17668         unsigned char PSEL : 6;
17669         unsigned char : 2;
17670 #else
17671         unsigned char : 2;
17672         unsigned char PSEL : 6;
17673 #endif
17674     } BIT;
17675     } PN1PFS;
17676     union {
17677         unsigned char BYTE;
17678         struct {
17679
17680 #ifdef __RX_LITTLE_ENDIAN__
17681         unsigned char PSEL : 6;
17682         unsigned char : 2;
17683 #else
17684         unsigned char : 2;
17685         unsigned char PSEL : 6;
17686 #endif
17687     } BIT;
17688     } PN2PFS;
17689     union {
17690         unsigned char BYTE;
17691         struct {
17692
17693 #ifdef __RX_LITTLE_ENDIAN__
17694         unsigned char PSEL : 6;
17695         unsigned char : 2;
17696 #else
17697         unsigned char : 2;
17698         unsigned char PSEL : 6;
17699 #endif
17700     } BIT;
17701     } PN3PFS;
17702     union {
17703         unsigned char BYTE;
17704         struct {
17705
17706 #ifdef __RX_LITTLE_ENDIAN__
17707         unsigned char PSEL : 6;
17708         unsigned char : 2;
17709 #else
17710         unsigned char : 2;
17711         unsigned char PSEL : 6;
17712 #endif
17713     } BIT;
17714     } PN4PFS;
17715     union {
17716         unsigned char BYTE;
17717         struct {
17718
17719 #ifdef __RX_LITTLE_ENDIAN__
17720         unsigned char PSEL : 6;
17721         unsigned char : 2;
17722 #else
17723         unsigned char : 2;
17724         unsigned char PSEL : 6;
17725 #endif
17726     } BIT;
17727     } PN5PFS;
17728     char          wk14[2];
17729     union {
17730         unsigned char BYTE;
17731         struct {
17732
17733 #ifdef __RX_LITTLE_ENDIAN__
17734         unsigned char PSEL : 6;

```

```

17735         unsigned char : 2;
17736 #else
17737         unsigned char : 2;
17738         unsigned char PSEL : 6;
17739 #endif
17740     } BIT;
17741     } PQ0PFS;
17742     union {
17743         unsigned char BYTE;
17744         struct {
17745
17746 #ifdef __RX_LITTLE_ENDIAN__
17747         unsigned char PSEL : 6;
17748         unsigned char : 2;
17749 #else
17750         unsigned char : 2;
17751         unsigned char PSEL : 6;
17752 #endif
17753     } BIT;
17754     } PQ1PFS;
17755     union {
17756         unsigned char BYTE;
17757         struct {
17758
17759 #ifdef __RX_LITTLE_ENDIAN__
17760         unsigned char PSEL : 6;
17761         unsigned char : 2;
17762 #else
17763         unsigned char : 2;
17764         unsigned char PSEL : 6;
17765 #endif
17766     } BIT;
17767     } PQ2PFS;
17768     union {
17769         unsigned char BYTE;
17770         struct {
17771
17772 #ifdef __RX_LITTLE_ENDIAN__
17773         unsigned char PSEL : 6;
17774         unsigned char : 2;
17775 #else
17776         unsigned char : 2;
17777         unsigned char PSEL : 6;
17778 #endif
17779     } BIT;
17780     } PQ3PFS;
17781     union {
17782         unsigned char BYTE;
17783         struct {
17784
17785 #ifdef __RX_LITTLE_ENDIAN__
17786         unsigned char PSEL : 6;
17787         unsigned char : 2;
17788 #else
17789         unsigned char : 2;
17790         unsigned char PSEL : 6;
17791 #endif
17792     } BIT;
17793     } PQ4PFS;
17794     union {
17795         unsigned char BYTE;
17796         struct {
17797
17798 #ifdef __RX_LITTLE_ENDIAN__
17799         unsigned char PSEL : 6;
17800         unsigned char : 2;
17801 #else
17802         unsigned char : 2;
17803         unsigned char PSEL : 6;
17804 #endif
17805     } BIT;
17806     } PQ5PFS;
17807     union {
17808         unsigned char BYTE;
17809         struct {
17810
17811 #ifdef __RX_LITTLE_ENDIAN__
17812         unsigned char PSEL : 6;
17813         unsigned char : 2;
17814 #else
17815         unsigned char : 2;
17816         unsigned char PSEL : 6;
17817 #endif
17818     } BIT;
17819     } PQ6PFS;
17820     union {
17821         unsigned char BYTE;

```

```

17822     struct {
17823
17824 #ifdef __RX_LITTLE_ENDIAN__
17825     unsigned char PSEL : 6;
17826     unsigned char : 2;
17827 #else
17828     unsigned char : 2;
17829     unsigned char PSEL : 6;
17830 #endif
17831     } BIT;
17832     } PQ7PFS;
17833 } st_mpc_t;
17834
17835 typedef struct st_mpu {
17836     union {
17837         unsigned long LONG;
17838         struct {
17839
17840 #ifdef __RX_LITTLE_ENDIAN__
17841         unsigned long : 4;
17842         unsigned long RSPN : 28;
17843 #else
17844         unsigned long RSPN : 28;
17845         unsigned long : 4;
17846 #endif
17847         } BIT;
17848         } RSPAGE0;
17849         union {
17850             unsigned long LONG;
17851             struct {
17852
17853 #ifdef __RX_LITTLE_ENDIAN__
17854             unsigned long V : 1;
17855             unsigned long UAC : 3;
17856             unsigned long REPN : 28;
17857 #else
17858             unsigned long REPN : 28;
17859             unsigned long UAC : 3;
17860             unsigned long V : 1;
17861 #endif
17862             } BIT;
17863             } REPAGE0;
17864             union {
17865                 unsigned long LONG;
17866                 struct {
17867
17868 #ifdef __RX_LITTLE_ENDIAN__
17869                 unsigned long : 4;
17870                 unsigned long RSPN : 28;
17871 #else
17872                 unsigned long RSPN : 28;
17873                 unsigned long : 4;
17874 #endif
17875                 } BIT;
17876                 } RSPAGE1;
17877                 union {
17878                     unsigned long LONG;
17879                     struct {
17880
17881 #ifdef __RX_LITTLE_ENDIAN__
17882                     unsigned long V : 1;
17883                     unsigned long UAC : 3;
17884                     unsigned long REPN : 28;
17885 #else
17886                     unsigned long REPN : 28;
17887                     unsigned long UAC : 3;
17888                     unsigned long V : 1;
17889 #endif
17890                     } BIT;
17891                     } REPAGE1;
17892                     union {
17893                         unsigned long LONG;
17894                         struct {
17895
17896 #ifdef __RX_LITTLE_ENDIAN__
17897                         unsigned long : 4;
17898                         unsigned long RSPN : 28;
17899 #else
17900                         unsigned long RSPN : 28;
17901                         unsigned long : 4;
17902 #endif
17903                         } BIT;
17904                         } RSPAGE2;
17905                         union {
17906                             unsigned long LONG;
17907                             struct {
17908

```

```

17909 #ifdef __RX_LITTLE_ENDIAN__
17910     unsigned long V : 1;
17911     unsigned long UAC : 3;
17912     unsigned long REPN : 28;
17913 #else
17914     unsigned long REPN : 28;
17915     unsigned long UAC : 3;
17916     unsigned long V : 1;
17917 #endif
17918 } BIT;
17919 } REPAGE2;
17920 union {
17921     unsigned long LONG;
17922     struct {
17923
17924 #ifdef __RX_LITTLE_ENDIAN__
17925     unsigned long : 4;
17926     unsigned long RSPN : 28;
17927 #else
17928     unsigned long RSPN : 28;
17929     unsigned long : 4;
17930 #endif
17931 } BIT;
17932 } RSPAGE3;
17933 union {
17934     unsigned long LONG;
17935     struct {
17936
17937 #ifdef __RX_LITTLE_ENDIAN__
17938     unsigned long V : 1;
17939     unsigned long UAC : 3;
17940     unsigned long REPN : 28;
17941 #else
17942     unsigned long REPN : 28;
17943     unsigned long UAC : 3;
17944     unsigned long V : 1;
17945 #endif
17946 } BIT;
17947 } REPAGE3;
17948 union {
17949     unsigned long LONG;
17950     struct {
17951
17952 #ifdef __RX_LITTLE_ENDIAN__
17953     unsigned long : 4;
17954     unsigned long RSPN : 28;
17955 #else
17956     unsigned long RSPN : 28;
17957     unsigned long : 4;
17958 #endif
17959 } BIT;
17960 } RSPAGE4;
17961 union {
17962     unsigned long LONG;
17963     struct {
17964
17965 #ifdef __RX_LITTLE_ENDIAN__
17966     unsigned long V : 1;
17967     unsigned long UAC : 3;
17968     unsigned long REPN : 28;
17969 #else
17970     unsigned long REPN : 28;
17971     unsigned long UAC : 3;
17972     unsigned long V : 1;
17973 #endif
17974 } BIT;
17975 } REPAGE4;
17976 union {
17977     unsigned long LONG;
17978     struct {
17979
17980 #ifdef __RX_LITTLE_ENDIAN__
17981     unsigned long : 4;
17982     unsigned long RSPN : 28;
17983 #else
17984     unsigned long RSPN : 28;
17985     unsigned long : 4;
17986 #endif
17987 } BIT;
17988 } RSPAGE5;
17989 union {
17990     unsigned long LONG;
17991     struct {
17992
17993 #ifdef __RX_LITTLE_ENDIAN__
17994     unsigned long V : 1;
17995     unsigned long UAC : 3;

```

```

17996         unsigned long REPN : 28;
17997 #else
17998         unsigned long REPN : 28;
17999         unsigned long UAC : 3;
18000         unsigned long V : 1;
18001 #endif
18002     } BIT;
18003     } REPAGE5;
18004     union {
18005         unsigned long LONG;
18006         struct {
18007
18008 #ifdef __RX_LITTLE_ENDIAN__
18009         unsigned long : 4;
18010         unsigned long RSPN : 28;
18011 #else
18012         unsigned long RSPN : 28;
18013         unsigned long : 4;
18014 #endif
18015     } BIT;
18016     } RSPAGE6;
18017     union {
18018         unsigned long LONG;
18019         struct {
18020
18021 #ifdef __RX_LITTLE_ENDIAN__
18022         unsigned long V : 1;
18023         unsigned long UAC : 3;
18024         unsigned long REPN : 28;
18025 #else
18026         unsigned long REPN : 28;
18027         unsigned long UAC : 3;
18028         unsigned long V : 1;
18029 #endif
18030     } BIT;
18031     } REPAGE6;
18032     union {
18033         unsigned long LONG;
18034         struct {
18035
18036 #ifdef __RX_LITTLE_ENDIAN__
18037         unsigned long : 4;
18038         unsigned long RSPN : 28;
18039 #else
18040         unsigned long RSPN : 28;
18041         unsigned long : 4;
18042 #endif
18043     } BIT;
18044     } RSPAGE7;
18045     union {
18046         unsigned long LONG;
18047         struct {
18048
18049 #ifdef __RX_LITTLE_ENDIAN__
18050         unsigned long V : 1;
18051         unsigned long UAC : 3;
18052         unsigned long REPN : 28;
18053 #else
18054         unsigned long REPN : 28;
18055         unsigned long UAC : 3;
18056         unsigned long V : 1;
18057 #endif
18058     } BIT;
18059     } REPAGE7;
18060     char wk0[192];
18061     union {
18062         unsigned long LONG;
18063         struct {
18064
18065 #ifdef __RX_LITTLE_ENDIAN__
18066         unsigned long MPEN : 1;
18067         unsigned long : 31;
18068 #else
18069         unsigned long : 31;
18070         unsigned long MPEN : 1;
18071 #endif
18072     } BIT;
18073     } MPEN;
18074     union {
18075         unsigned long LONG;
18076         struct {
18077
18078 #ifdef __RX_LITTLE_ENDIAN__
18079         unsigned long : 1;
18080         unsigned long UBAC : 3;
18081         unsigned long : 28;
18082 #else

```

```

18083         unsigned long : 28;
18084         unsigned long UBAC : 3;
18085         unsigned long : 1;
18086     #endif
18087     } BIT;
18088     } MPBAC;
18089     union {
18090         unsigned long LONG;
18091         struct {
18092
18093     #ifdef __RX_LITTLE_ENDIAN__
18094         unsigned long CLR : 1;
18095         unsigned long : 31;
18096     #else
18097         unsigned long : 31;
18098         unsigned long CLR : 1;
18099     #endif
18100     } BIT;
18101     } MPECLR;
18102     union {
18103         unsigned long LONG;
18104         struct {
18105
18106     #ifdef __RX_LITTLE_ENDIAN__
18107         unsigned long IMPER : 1;
18108         unsigned long DMPER : 1;
18109         unsigned long DRW : 1;
18110         unsigned long : 29;
18111     #else
18112         unsigned long : 29;
18113         unsigned long DRW : 1;
18114         unsigned long DMPER : 1;
18115         unsigned long IMPER : 1;
18116     #endif
18117     } BIT;
18118     } MPESTS;
18119     char          wk1[4];
18120     union {
18121         unsigned long LONG;
18122         struct {
18123
18124     #ifdef __RX_LITTLE_ENDIAN__
18125         unsigned long DEA : 32;
18126     #else
18127         unsigned long DEA : 32;
18128     #endif
18129     } BIT;
18130     } MPDEA;
18131     char          wk2[8];
18132     union {
18133         unsigned long LONG;
18134         struct {
18135
18136     #ifdef __RX_LITTLE_ENDIAN__
18137         unsigned long SA : 32;
18138     #else
18139         unsigned long SA : 32;
18140     #endif
18141     } BIT;
18142     } MPSA;
18143     union {
18144         unsigned short WORD;
18145         struct {
18146
18147     #ifdef __RX_LITTLE_ENDIAN__
18148         unsigned short S : 1;
18149         unsigned short : 15;
18150     #else
18151         unsigned short : 15;
18152         unsigned short S : 1;
18153     #endif
18154     } BIT;
18155     } MPOPS;
18156     union {
18157         unsigned short WORD;
18158         struct {
18159
18160     #ifdef __RX_LITTLE_ENDIAN__
18161         unsigned short INV : 1;
18162         unsigned short : 15;
18163     #else
18164         unsigned short : 15;
18165         unsigned short INV : 1;
18166     #endif
18167     } BIT;
18168     } MPOPI;
18169     union {

```

```

18170     unsigned long LONG;
18171     struct {
18172
18173 #ifdef __RX_LITTLE_ENDIAN__
18174     unsigned long : 1;
18175     unsigned long UHACI : 3;
18176     unsigned long : 12;
18177     unsigned long HITI : 8;
18178     unsigned long : 8;
18179 #else
18180     unsigned long : 8;
18181     unsigned long HITI : 8;
18182     unsigned long : 12;
18183     unsigned long UHACI : 3;
18184     unsigned long : 1;
18185 #endif
18186     } BIT;
18187     } MHITI;
18188     union {
18189     unsigned long LONG;
18190     struct {
18191
18192 #ifdef __RX_LITTLE_ENDIAN__
18193     unsigned long : 1;
18194     unsigned long UHACD : 3;
18195     unsigned long : 12;
18196     unsigned long HITD : 8;
18197     unsigned long : 8;
18198 #else
18199     unsigned long : 8;
18200     unsigned long HITD : 8;
18201     unsigned long : 12;
18202     unsigned long UHACD : 3;
18203     unsigned long : 1;
18204 #endif
18205     } BIT;
18206     } MHITD;
18207 } st_mpu_t;
18208
18209 typedef struct st_mtu {
18210     union {
18211     unsigned char BYTE;
18212     struct {
18213
18214 #ifdef __RX_LITTLE_ENDIAN__
18215     unsigned char OE3B : 1;
18216     unsigned char OE4A : 1;
18217     unsigned char OE4B : 1;
18218     unsigned char OE3D : 1;
18219     unsigned char OE4C : 1;
18220     unsigned char OE4D : 1;
18221     unsigned char : 2;
18222 #else
18223     unsigned char : 2;
18224     unsigned char OE4D : 1;
18225     unsigned char OE4C : 1;
18226     unsigned char OE3D : 1;
18227     unsigned char OE4B : 1;
18228     unsigned char OE4A : 1;
18229     unsigned char OE3B : 1;
18230 #endif
18231     } BIT;
18232     } TOERA;
18233     char wk0[2];
18234     union {
18235     unsigned char BYTE;
18236     struct {
18237
18238 #ifdef __RX_LITTLE_ENDIAN__
18239     unsigned char UF : 1;
18240     unsigned char VF : 1;
18241     unsigned char WF : 1;
18242     unsigned char FB : 1;
18243     unsigned char P : 1;
18244     unsigned char N : 1;
18245     unsigned char BDC : 1;
18246     unsigned char : 1;
18247 #else
18248     unsigned char : 1;
18249     unsigned char BDC : 1;
18250     unsigned char N : 1;
18251     unsigned char P : 1;
18252     unsigned char FB : 1;
18253     unsigned char WF : 1;
18254     unsigned char VF : 1;
18255     unsigned char UF : 1;
18256 #endif

```

```

18257     } BIT;
18258     } TGCRA;
18259     union {
18260         unsigned char BYTE;
18261     struct {
18262
18263 #ifdef __RX_LITTLE_ENDIAN__
18264         unsigned char OLSP : 1;
18265         unsigned char OLSN : 1;
18266         unsigned char TOCS : 1;
18267         unsigned char TOCL : 1;
18268         unsigned char : 2;
18269         unsigned char PSYE : 1;
18270         unsigned char : 1;
18271 #else
18272         unsigned char : 1;
18273         unsigned char PSYE : 1;
18274         unsigned char : 2;
18275         unsigned char TOCL : 1;
18276         unsigned char TOCS : 1;
18277         unsigned char OLSN : 1;
18278         unsigned char OLSP : 1;
18279 #endif
18280     } BIT;
18281     } TOCR1A;
18282     union {
18283         unsigned char BYTE;
18284     struct {
18285
18286 #ifdef __RX_LITTLE_ENDIAN__
18287         unsigned char OLS1P : 1;
18288         unsigned char OLS1N : 1;
18289         unsigned char OLS2P : 1;
18290         unsigned char OLS2N : 1;
18291         unsigned char OLS3P : 1;
18292         unsigned char OLS3N : 1;
18293         unsigned char BF : 2;
18294 #else
18295         unsigned char BF : 2;
18296         unsigned char OLS3N : 1;
18297         unsigned char OLS3P : 1;
18298         unsigned char OLS2N : 1;
18299         unsigned char OLS2P : 1;
18300         unsigned char OLS1N : 1;
18301         unsigned char OLS1P : 1;
18302 #endif
18303     } BIT;
18304     } TOCR2A;
18305     char      wk1[4];
18306     unsigned short TCDRA;
18307     unsigned short TDDRA;
18308     char      wk2[8];
18309     unsigned short TCNTSA;
18310     unsigned short TCBRA;
18311     char      wk3[12];
18312     union {
18313         unsigned char BYTE;
18314     struct {
18315
18316 #ifdef __RX_LITTLE_ENDIAN__
18317         unsigned char T4VCOR : 3;
18318         unsigned char T4VEN : 1;
18319         unsigned char T3ACOR : 3;
18320         unsigned char T3AEN : 1;
18321 #else
18322         unsigned char T3AEN : 1;
18323         unsigned char T3ACOR : 3;
18324         unsigned char T4VEN : 1;
18325         unsigned char T4VCOR : 3;
18326 #endif
18327     } BIT;
18328     } TITCR1A;
18329     union {
18330         unsigned char BYTE;
18331     struct {
18332
18333 #ifdef __RX_LITTLE_ENDIAN__
18334         unsigned char T4VCNT : 3;
18335         unsigned char : 1;
18336         unsigned char T3ACNT : 3;
18337         unsigned char : 1;
18338 #else
18339         unsigned char : 1;
18340         unsigned char T3ACNT : 3;
18341         unsigned char : 1;
18342         unsigned char T4VCNT : 3;
18343 #endif

```



```

18344     } BIT;
18345     } TITCNT1A;
18346     union {
18347         unsigned char BYTE;
18348     struct {
18349
18350 #ifdef __RX_LITTLE_ENDIAN__
18351         unsigned char BTE : 2;
18352         unsigned char : 6;
18353 #else
18354         unsigned char : 6;
18355         unsigned char BTE : 2;
18356 #endif
18357     } BIT;
18358     } TBTERA;
18359     char          wk4[1];
18360     union {
18361         unsigned char BYTE;
18362     struct {
18363
18364 #ifdef __RX_LITTLE_ENDIAN__
18365         unsigned char TDER : 1;
18366         unsigned char : 7;
18367 #else
18368         unsigned char : 7;
18369         unsigned char TDER : 1;
18370 #endif
18371     } BIT;
18372     } TDERA;
18373     char          wk5[1];
18374     union {
18375         unsigned char BYTE;
18376     struct {
18377
18378 #ifdef __RX_LITTLE_ENDIAN__
18379         unsigned char OLS1P : 1;
18380         unsigned char OLS1N : 1;
18381         unsigned char OLS2P : 1;
18382         unsigned char OLS2N : 1;
18383         unsigned char OLS3P : 1;
18384         unsigned char OLS3N : 1;
18385         unsigned char : 2;
18386 #else
18387         unsigned char : 2;
18388         unsigned char OLS3N : 1;
18389         unsigned char OLS3P : 1;
18390         unsigned char OLS2N : 1;
18391         unsigned char OLS2P : 1;
18392         unsigned char OLS1N : 1;
18393         unsigned char OLS1P : 1;
18394 #endif
18395     } BIT;
18396     } TOLBRA;
18397     char          wk6[3];
18398     union {
18399         unsigned char BYTE;
18400     struct {
18401
18402 #ifdef __RX_LITTLE_ENDIAN__
18403         unsigned char TITM : 1;
18404         unsigned char : 7;
18405 #else
18406         unsigned char : 7;
18407         unsigned char TITM : 1;
18408 #endif
18409     } BIT;
18410     } TITMRA;
18411     union {
18412         unsigned char BYTE;
18413     struct {
18414
18415 #ifdef __RX_LITTLE_ENDIAN__
18416         unsigned char TRG4COR : 3;
18417         unsigned char : 5;
18418 #else
18419         unsigned char : 5;
18420         unsigned char TRG4COR : 3;
18421 #endif
18422     } BIT;
18423     } TITCR2A;
18424     union {
18425         unsigned char BYTE;
18426     struct {
18427
18428 #ifdef __RX_LITTLE_ENDIAN__
18429         unsigned char TRG4CNT : 3;
18430         unsigned char : 5;

```

```

18431 #else
18432     unsigned char : 5;
18433     unsigned char TRG4CNT : 3;
18434 #endif
18435 } BIT;
18436 } TITCNT2A;
18437 char      wk7[35];
18438 union {
18439     unsigned char BYTE;
18440     struct {
18441
18442 #ifdef __RX_LITTLE_ENDIAN__
18443     unsigned char WRE : 1;
18444     unsigned char SCC : 1;
18445     unsigned char : 5;
18446     unsigned char CCE : 1;
18447 #else
18448     unsigned char CCE : 1;
18449     unsigned char : 5;
18450     unsigned char SCC : 1;
18451     unsigned char WRE : 1;
18452 #endif
18453 } BIT;
18454 } TWCRA;
18455 char      wk8[15];
18456 union {
18457     unsigned char BYTE;
18458     struct {
18459
18460 #ifdef __RX_LITTLE_ENDIAN__
18461     unsigned char DRS : 1;
18462     unsigned char : 7;
18463 #else
18464     unsigned char : 7;
18465     unsigned char DRS : 1;
18466 #endif
18467 } BIT;
18468 } TMDR2A;
18469 char      wk9[15];
18470 union {
18471     unsigned char BYTE;
18472     struct {
18473
18474 #ifdef __RX_LITTLE_ENDIAN__
18475     unsigned char CST0 : 1;
18476     unsigned char CST1 : 1;
18477     unsigned char CST2 : 1;
18478     unsigned char CST8 : 1;
18479     unsigned char : 2;
18480     unsigned char CST3 : 1;
18481     unsigned char CST4 : 1;
18482 #else
18483     unsigned char CST4 : 1;
18484     unsigned char CST3 : 1;
18485     unsigned char : 2;
18486     unsigned char CST8 : 1;
18487     unsigned char CST2 : 1;
18488     unsigned char CST1 : 1;
18489     unsigned char CST0 : 1;
18490 #endif
18491 } BIT;
18492 } TSTRA;
18493 union {
18494     unsigned char BYTE;
18495     struct {
18496
18497 #ifdef __RX_LITTLE_ENDIAN__
18498     unsigned char SYNC0 : 1;
18499     unsigned char SYNC1 : 1;
18500     unsigned char SYNC2 : 1;
18501     unsigned char : 3;
18502     unsigned char SYNC3 : 1;
18503     unsigned char SYNC4 : 1;
18504 #else
18505     unsigned char SYNC4 : 1;
18506     unsigned char SYNC3 : 1;
18507     unsigned char : 3;
18508     unsigned char SYNC2 : 1;
18509     unsigned char SYNC1 : 1;
18510     unsigned char SYNC0 : 1;
18511 #endif
18512 } BIT;
18513 } TSYRA;
18514 union {
18515     unsigned char BYTE;
18516     struct {
18517

```

```

18518 #ifdef __RX_LITTLE_ENDIAN__
18519     unsigned char SCH7 : 1;
18520     unsigned char SCH6 : 1;
18521     unsigned char : 1;
18522     unsigned char SCH4 : 1;
18523     unsigned char SCH3 : 1;
18524     unsigned char SCH2 : 1;
18525     unsigned char SCH1 : 1;
18526     unsigned char SCH0 : 1;
18527 #else
18528     unsigned char SCH0 : 1;
18529     unsigned char SCH1 : 1;
18530     unsigned char SCH2 : 1;
18531     unsigned char SCH3 : 1;
18532     unsigned char SCH4 : 1;
18533     unsigned char : 1;
18534     unsigned char SCH6 : 1;
18535     unsigned char SCH7 : 1;
18536 #endif
18537 } BIT;
18538 } TCSYSTR;
18539 char      wk10[1];
18540 union {
18541     unsigned char BYTE;
18542     struct {
18543
18544 #ifdef __RX_LITTLE_ENDIAN__
18545     unsigned char RWE : 1;
18546     unsigned char : 7;
18547 #else
18548     unsigned char : 7;
18549     unsigned char RWE : 1;
18550 #endif
18551 } BIT;
18552 } TRWERA;
18553 char      wk11[1925];
18554 union {
18555     unsigned char BYTE;
18556     struct {
18557
18558 #ifdef __RX_LITTLE_ENDIAN__
18559     unsigned char OE6B : 1;
18560     unsigned char OE7A : 1;
18561     unsigned char OE7B : 1;
18562     unsigned char OE6D : 1;
18563     unsigned char OE7C : 1;
18564     unsigned char OE7D : 1;
18565     unsigned char : 2;
18566 #else
18567     unsigned char : 2;
18568     unsigned char OE7D : 1;
18569     unsigned char OE7C : 1;
18570     unsigned char OE6D : 1;
18571     unsigned char OE7B : 1;
18572     unsigned char OE7A : 1;
18573     unsigned char OE6B : 1;
18574 #endif
18575 } BIT;
18576 } TOERB;
18577 char      wk12[3];
18578 union {
18579     unsigned char BYTE;
18580     struct {
18581
18582 #ifdef __RX_LITTLE_ENDIAN__
18583     unsigned char OLSP : 1;
18584     unsigned char OLSN : 1;
18585     unsigned char TOCS : 1;
18586     unsigned char TOCL : 1;
18587     unsigned char : 2;
18588     unsigned char PSYE : 1;
18589     unsigned char : 1;
18590 #else
18591     unsigned char : 1;
18592     unsigned char PSYE : 1;
18593     unsigned char : 2;
18594     unsigned char TOCL : 1;
18595     unsigned char TOCS : 1;
18596     unsigned char OLSN : 1;
18597     unsigned char OLSP : 1;
18598 #endif
18599 } BIT;
18600 } TOCR1B;
18601 union {
18602     unsigned char BYTE;
18603     struct {
18604

```

```

18605 #ifdef __RX_LITTLE_ENDIAN__
18606     unsigned char OLS1P : 1;
18607     unsigned char OLS1N : 1;
18608     unsigned char OLS2P : 1;
18609     unsigned char OLS2N : 1;
18610     unsigned char OLS3P : 1;
18611     unsigned char OLS3N : 1;
18612     unsigned char BF : 2;
18613 #else
18614     unsigned char BF : 2;
18615     unsigned char OLS3N : 1;
18616     unsigned char OLS3P : 1;
18617     unsigned char OLS2N : 1;
18618     unsigned char OLS2P : 1;
18619     unsigned char OLS1N : 1;
18620     unsigned char OLS1P : 1;
18621 #endif
18622 } BIT;
18623 } TOCR2B;
18624 char      wk13[4];
18625 unsigned short TCDRB;
18626 unsigned short TDDRB;
18627 char      wk14[8];
18628 unsigned short TCNTSB;
18629 unsigned short TCBRB;
18630 char      wk15[12];
18631 union {
18632     unsigned char BYTE;
18633     struct {
18634
18635 #ifdef __RX_LITTLE_ENDIAN__
18636     unsigned char T7VCOR : 3;
18637     unsigned char T7VEN : 1;
18638     unsigned char T6ACOR : 3;
18639     unsigned char T6AEN : 1;
18640 #else
18641     unsigned char T6AEN : 1;
18642     unsigned char T6ACOR : 3;
18643     unsigned char T7VEN : 1;
18644     unsigned char T7VCOR : 3;
18645 #endif
18646     } BIT;
18647     } TITCR1B;
18648     union {
18649         unsigned char BYTE;
18650         struct {
18651
18652 #ifdef __RX_LITTLE_ENDIAN__
18653     unsigned char T7VCNT : 3;
18654     unsigned char : 1;
18655     unsigned char T6ACNT : 3;
18656     unsigned char : 1;
18657 #else
18658     unsigned char : 1;
18659     unsigned char T6ACNT : 3;
18660     unsigned char : 1;
18661     unsigned char T7VCNT : 3;
18662 #endif
18663     } BIT;
18664     } TITCNT1B;
18665     union {
18666         unsigned char BYTE;
18667         struct {
18668
18669 #ifdef __RX_LITTLE_ENDIAN__
18670     unsigned char BTE : 2;
18671     unsigned char : 6;
18672 #else
18673     unsigned char : 6;
18674     unsigned char BTE : 2;
18675 #endif
18676     } BIT;
18677     } TBTERB;
18678     char      wk16[1];
18679     union {
18680         unsigned char BYTE;
18681         struct {
18682
18683 #ifdef __RX_LITTLE_ENDIAN__
18684     unsigned char TDER : 1;
18685     unsigned char : 7;
18686 #else
18687     unsigned char : 7;
18688     unsigned char TDER : 1;
18689 #endif
18690     } BIT;
18691     } TDERB;

```

```

18692     char          wk17[1];
18693     union {
18694         unsigned char BYTE;
18695         struct {
18696
18697 #ifdef __RX_LITTLE_ENDIAN__
18698         unsigned char OLS1P : 1;
18699         unsigned char OLS1N : 1;
18700         unsigned char OLS2P : 1;
18701         unsigned char OLS2N : 1;
18702         unsigned char OLS3P : 1;
18703         unsigned char OLS3N : 1;
18704         unsigned char : 2;
18705 #else
18706         unsigned char : 2;
18707         unsigned char OLS3N : 1;
18708         unsigned char OLS3P : 1;
18709         unsigned char OLS2N : 1;
18710         unsigned char OLS2P : 1;
18711         unsigned char OLS1N : 1;
18712         unsigned char OLS1P : 1;
18713 #endif
18714     } BIT;
18715     } TOLBRB;
18716     char          wk18[3];
18717     union {
18718         unsigned char BYTE;
18719         struct {
18720
18721 #ifdef __RX_LITTLE_ENDIAN__
18722         unsigned char TITM : 1;
18723         unsigned char : 7;
18724 #else
18725         unsigned char : 7;
18726         unsigned char TITM : 1;
18727 #endif
18728     } BIT;
18729     } TITMRB;
18730     union {
18731         unsigned char BYTE;
18732         struct {
18733
18734 #ifdef __RX_LITTLE_ENDIAN__
18735         unsigned char TRG7COR : 3;
18736         unsigned char : 5;
18737 #else
18738         unsigned char : 5;
18739         unsigned char TRG7COR : 3;
18740 #endif
18741     } BIT;
18742     } TITCR2B;
18743     union {
18744         unsigned char BYTE;
18745         struct {
18746
18747 #ifdef __RX_LITTLE_ENDIAN__
18748         unsigned char TRG7CNT : 3;
18749         unsigned char : 5;
18750 #else
18751         unsigned char : 5;
18752         unsigned char TRG7CNT : 3;
18753 #endif
18754     } BIT;
18755     } TITCNT2B;
18756     char          wk19[35];
18757     union {
18758         unsigned char BYTE;
18759         struct {
18760
18761 #ifdef __RX_LITTLE_ENDIAN__
18762         unsigned char WRE : 1;
18763         unsigned char SCC : 1;
18764         unsigned char : 5;
18765         unsigned char CCE : 1;
18766 #else
18767         unsigned char CCE : 1;
18768         unsigned char : 5;
18769         unsigned char SCC : 1;
18770         unsigned char WRE : 1;
18771 #endif
18772     } BIT;
18773     } TWCRB;
18774     char          wk20[15];
18775     union {
18776         unsigned char BYTE;
18777         struct {
18778

```

```

18779 #ifdef __RX_LITTLE_ENDIAN__
18780     unsigned char DRS : 1;
18781     unsigned char : 7;
18782 #else
18783     unsigned char : 7;
18784     unsigned char DRS : 1;
18785 #endif
18786     } BIT;
18787     } TMDR2B;
18788     char          wk21[15];
18789     union {
18790         unsigned char BYTE;
18791         struct {
18792
18793 #ifdef __RX_LITTLE_ENDIAN__
18794         unsigned char : 6;
18795         unsigned char CST6 : 1;
18796         unsigned char CST7 : 1;
18797 #else
18798         unsigned char CST7 : 1;
18799         unsigned char CST6 : 1;
18800         unsigned char : 6;
18801 #endif
18802         } BIT;
18803         } TSTRB;
18804         union {
18805             unsigned char BYTE;
18806             struct {
18807
18808 #ifdef __RX_LITTLE_ENDIAN__
18809             unsigned char : 6;
18810             unsigned char SYNC6 : 1;
18811             unsigned char SYNC7 : 1;
18812 #else
18813             unsigned char SYNC7 : 1;
18814             unsigned char SYNC6 : 1;
18815             unsigned char : 6;
18816 #endif
18817             } BIT;
18818             } TSYRB;
18819             char          wk22[2];
18820             union {
18821                 unsigned char BYTE;
18822                 struct {
18823
18824 #ifdef __RX_LITTLE_ENDIAN__
18825                 unsigned char RWE : 1;
18826                 unsigned char : 7;
18827 #else
18828                 unsigned char : 7;
18829                 unsigned char RWE : 1;
18830 #endif
18831                 } BIT;
18832                 } TRWERB;
18833             } st_mtu_t;
18834         typedef struct st_mtu0 {
18835             union {
18836                 unsigned char BYTE;
18837                 struct {
18838
18839 #ifdef __RX_LITTLE_ENDIAN__
18840                 unsigned char NFAEN : 1;
18841                 unsigned char NFBEN : 1;
18842                 unsigned char NFCEN : 1;
18843                 unsigned char NFDEN : 1;
18844                 unsigned char NFCS : 2;
18845                 unsigned char : 2;
18846 #else
18847                 unsigned char : 2;
18848                 unsigned char NFCS : 2;
18849                 unsigned char NFDEN : 1;
18850                 unsigned char NFCEN : 1;
18851                 unsigned char NFBEN : 1;
18852                 unsigned char NFAEN : 1;
18853 #endif
18854                 } BIT;
18855                 } NFCR0;
18856                 char          wk0[8];
18857                 union {
18858                     unsigned char BYTE;
18859                     struct {
18860
18861 #ifdef __RX_LITTLE_ENDIAN__
18862                     unsigned char NFAEN : 1;
18863                     unsigned char NFBEN : 1;
18864                     unsigned char NFCEN : 1;

```

```

18866         unsigned char NFDEN : 1;
18867         unsigned char NFCS : 2;
18868         unsigned char : 2;
18869     #else
18870         unsigned char : 2;
18871         unsigned char NFCS : 2;
18872         unsigned char NFDEN : 1;
18873         unsigned char NFCEN : 1;
18874         unsigned char NFBEN : 1;
18875         unsigned char NFAEN : 1;
18876     #endif
18877     } BIT;
18878     } NFCRC;
18879     char          wk1[102];
18880     union {
18881         unsigned char BYTE;
18882         struct {
18883
18884     #ifdef __RX_LITTLE_ENDIAN__
18885         unsigned char TPSC : 3;
18886         unsigned char CKEG : 2;
18887         unsigned char CCLR : 3;
18888     #else
18889         unsigned char CCLR : 3;
18890         unsigned char CKEG : 2;
18891         unsigned char TPSC : 3;
18892     #endif
18893     } BIT;
18894     } TCR;
18895     union {
18896         unsigned char BYTE;
18897         struct {
18898
18899     #ifdef __RX_LITTLE_ENDIAN__
18900         unsigned char MD : 4;
18901         unsigned char BFA : 1;
18902         unsigned char BFB : 1;
18903         unsigned char BFE : 1;
18904         unsigned char : 1;
18905     #else
18906         unsigned char : 1;
18907         unsigned char BFE : 1;
18908         unsigned char BFB : 1;
18909         unsigned char BFA : 1;
18910         unsigned char MD : 4;
18911     #endif
18912     } BIT;
18913     } TMDR1;
18914     union {
18915         unsigned char BYTE;
18916         struct {
18917
18918     #ifdef __RX_LITTLE_ENDIAN__
18919         unsigned char IOA : 4;
18920         unsigned char IOB : 4;
18921     #else
18922         unsigned char IOB : 4;
18923         unsigned char IOA : 4;
18924     #endif
18925     } BIT;
18926     } TIORH;
18927     union {
18928         unsigned char BYTE;
18929         struct {
18930
18931     #ifdef __RX_LITTLE_ENDIAN__
18932         unsigned char IOC : 4;
18933         unsigned char IOD : 4;
18934     #else
18935         unsigned char IOD : 4;
18936         unsigned char IOC : 4;
18937     #endif
18938     } BIT;
18939     } TIORL;
18940     union {
18941         unsigned char BYTE;
18942         struct {
18943
18944     #ifdef __RX_LITTLE_ENDIAN__
18945         unsigned char TGIEA : 1;
18946         unsigned char TGIEB : 1;
18947         unsigned char TGIEC : 1;
18948         unsigned char TGIED : 1;
18949         unsigned char TCIEV : 1;
18950         unsigned char : 2;
18951         unsigned char TTGE : 1;
18952     #else

```

```

18953     unsigned char TTGE : 1;
18954     unsigned char : 2;
18955     unsigned char TCIEV : 1;
18956     unsigned char TGIED : 1;
18957     unsigned char TGIEC : 1;
18958     unsigned char TGIEB : 1;
18959     unsigned char TGIEA : 1;
18960 #endif
18961 } BIT;
18962 } TIER;
18963 char      wk2[1];
18964 unsigned short TCNT;
18965 unsigned short TGRA;
18966 unsigned short TGRB;
18967 unsigned short TGRC;
18968 unsigned short TGRD;
18969 char      wk3[16];
18970 unsigned short TGRE;
18971 unsigned short TGRF;
18972 union {
18973     unsigned char BYTE;
18974     struct {
18975
18976 #ifdef __RX_LITTLE_ENDIAN__
18977     unsigned char TGIEE : 1;
18978     unsigned char TGIEF : 1;
18979     unsigned char : 5;
18980     unsigned char TTGE2 : 1;
18981 #else
18982     unsigned char TTGE2 : 1;
18983     unsigned char : 5;
18984     unsigned char TGIEF : 1;
18985     unsigned char TGIEE : 1;
18986 #endif
18987     } BIT;
18988     } TIER2;
18989 char      wk4[1];
18990 union {
18991     unsigned char BYTE;
18992     struct {
18993
18994 #ifdef __RX_LITTLE_ENDIAN__
18995     unsigned char TTSA : 1;
18996     unsigned char TTSE : 1;
18997     unsigned char TTSE : 1;
18998     unsigned char : 5;
18999 #else
19000     unsigned char : 5;
19001     unsigned char TTSE : 1;
19002     unsigned char TTSE : 1;
19003     unsigned char TTSA : 1;
19004 #endif
19005     } BIT;
19006     } TBTM;
19007 char      wk5[1];
19008 union {
19009     unsigned char BYTE;
19010     struct {
19011
19012 #ifdef __RX_LITTLE_ENDIAN__
19013     unsigned char TPSC2 : 3;
19014     unsigned char : 5;
19015 #else
19016     unsigned char : 5;
19017     unsigned char TPSC2 : 3;
19018 #endif
19019     } BIT;
19020     } TCR2;
19021 } st_mtu0_t;
19022
19023 typedef struct st_mtu1 {
19024     char      wk0[1];
19025     union {
19026         unsigned char BYTE;
19027         struct {
19028
19029 #ifdef __RX_LITTLE_ENDIAN__
19030     unsigned char NFAEN : 1;
19031     unsigned char NFBEN : 1;
19032     unsigned char NFCEN : 1;
19033     unsigned char NFDEN : 1;
19034     unsigned char NFCS : 2;
19035     unsigned char : 2;
19036 #else
19037     unsigned char : 2;
19038     unsigned char NFCS : 2;
19039     unsigned char NFDEN : 1;

```



```

19040         unsigned char NFCEN : 1;
19041         unsigned char NFBEN : 1;
19042         unsigned char NFAEN : 1;
19043     #endif
19044     } BIT;
19045     } NFCR1;
19046     char          wk1[238];
19047     union {
19048         unsigned char BYTE;
19049         struct {
19050
19051     #ifdef __RX_LITTLE_ENDIAN__
19052         unsigned char TPSC : 3;
19053         unsigned char CKEG : 2;
19054         unsigned char CCLR : 2;
19055         unsigned char : 1;
19056     #else
19057         unsigned char : 1;
19058         unsigned char CCLR : 2;
19059         unsigned char CKEG : 2;
19060         unsigned char TPSC : 3;
19061     #endif
19062     } BIT;
19063     } TCR;
19064     union {
19065         unsigned char BYTE;
19066         struct {
19067
19068     #ifdef __RX_LITTLE_ENDIAN__
19069         unsigned char MD : 4;
19070         unsigned char : 4;
19071     #else
19072         unsigned char : 4;
19073         unsigned char MD : 4;
19074     #endif
19075     } BIT;
19076     } TMDR1;
19077     union {
19078         unsigned char BYTE;
19079         struct {
19080
19081     #ifdef __RX_LITTLE_ENDIAN__
19082         unsigned char IOA : 4;
19083         unsigned char IOB : 4;
19084     #else
19085         unsigned char IOB : 4;
19086         unsigned char IOA : 4;
19087     #endif
19088     } BIT;
19089     } TIOR;
19090     char          wk2[1];
19091     union {
19092         unsigned char BYTE;
19093         struct {
19094
19095     #ifdef __RX_LITTLE_ENDIAN__
19096         unsigned char TGIEA : 1;
19097         unsigned char TGIEB : 1;
19098         unsigned char : 2;
19099         unsigned char TCIEV : 1;
19100         unsigned char TCIEU : 1;
19101         unsigned char : 1;
19102         unsigned char TTGE : 1;
19103     #else
19104         unsigned char TTGE : 1;
19105         unsigned char : 1;
19106         unsigned char TCIEU : 1;
19107         unsigned char TCIEV : 1;
19108         unsigned char : 2;
19109         unsigned char TGIEB : 1;
19110         unsigned char TGIEA : 1;
19111     #endif
19112     } BIT;
19113     } TIER;
19114     union {
19115         unsigned char BYTE;
19116         struct {
19117
19118     #ifdef __RX_LITTLE_ENDIAN__
19119         unsigned char : 7;
19120         unsigned char TCFD : 1;
19121     #else
19122         unsigned char TCFD : 1;
19123         unsigned char : 7;
19124     #endif
19125     } BIT;
19126     } TSR;

```

```

19127 unsigned short TCNT;
19128 unsigned short TGRA;
19129 unsigned short TGRB;
19130 char          wk3[4];
19131 union {
19132     unsigned char BYTE;
19133     struct {
19134
19135 #ifdef __RX_LITTLE_ENDIAN__
19136     unsigned char I1AE : 1;
19137     unsigned char I1BE : 1;
19138     unsigned char I2AE : 1;
19139     unsigned char I2BE : 1;
19140     unsigned char  : 4;
19141 #else
19142     unsigned char  : 4;
19143     unsigned char I2BE : 1;
19144     unsigned char I2AE : 1;
19145     unsigned char I1BE : 1;
19146     unsigned char I1AE : 1;
19147 #endif
19148     } BIT;
19149     } TICCR;
19150     union {
19151         unsigned char BYTE;
19152         struct {
19153
19154 #ifdef __RX_LITTLE_ENDIAN__
19155         unsigned char LWA : 1;
19156         unsigned char PHCKSEL : 1;
19157         unsigned char  : 6;
19158 #else
19159         unsigned char  : 6;
19160         unsigned char PHCKSEL : 1;
19161         unsigned char LWA : 1;
19162 #endif
19163     } BIT;
19164     } TMDR3;
19165     char          wk4[2];
19166     union {
19167         unsigned char BYTE;
19168         struct {
19169
19170 #ifdef __RX_LITTLE_ENDIAN__
19171         unsigned char TPSC2 : 3;
19172         unsigned char PCB : 2;
19173         unsigned char  : 3;
19174 #else
19175         unsigned char  : 3;
19176         unsigned char PCB : 2;
19177         unsigned char TPSC2 : 3;
19178 #endif
19179     } BIT;
19180     } TCR2;
19181     char          wk5[11];
19182     unsigned long TCNTLW;
19183     unsigned long TGRALW;
19184     unsigned long TGRBLW;
19185 } st_mtu1_t;
19186
19187 typedef struct st_mtu2 {
19188     union {
19189         unsigned char BYTE;
19190         struct {
19191
19192 #ifdef __RX_LITTLE_ENDIAN__
19193         unsigned char NFAEN : 1;
19194         unsigned char NFBEN : 1;
19195         unsigned char NFCEN : 1;
19196         unsigned char NFDEN : 1;
19197         unsigned char NFCS : 2;
19198         unsigned char  : 2;
19199 #else
19200         unsigned char  : 2;
19201         unsigned char NFCS : 2;
19202         unsigned char NFDEN : 1;
19203         unsigned char NFCEN : 1;
19204         unsigned char NFBEN : 1;
19205         unsigned char NFAEN : 1;
19206 #endif
19207     } BIT;
19208     } NFCR2;
19209     char          wk0[365];
19210     union {
19211         unsigned char BYTE;
19212         struct {
19213

```

```

19214 #ifdef __RX_LITTLE_ENDIAN__
19215     unsigned char TPSC : 3;
19216     unsigned char CKEG : 2;
19217     unsigned char CCLR : 2;
19218     unsigned char : 1;
19219 #else
19220     unsigned char : 1;
19221     unsigned char CCLR : 2;
19222     unsigned char CKEG : 2;
19223     unsigned char TPSC : 3;
19224 #endif
19225     } BIT;
19226     } TCR;
19227     union {
19228         unsigned char BYTE;
19229         struct {
19230
19231 #ifdef __RX_LITTLE_ENDIAN__
19232         unsigned char MD : 4;
19233         unsigned char : 4;
19234 #else
19235         unsigned char : 4;
19236         unsigned char MD : 4;
19237 #endif
19238         } BIT;
19239         } TMDR1;
19240     union {
19241         unsigned char BYTE;
19242         struct {
19243
19244 #ifdef __RX_LITTLE_ENDIAN__
19245         unsigned char IOA : 4;
19246         unsigned char IOB : 4;
19247 #else
19248         unsigned char IOB : 4;
19249         unsigned char IOA : 4;
19250 #endif
19251         } BIT;
19252         } TIOR;
19253     char wk1[1];
19254     union {
19255         unsigned char BYTE;
19256         struct {
19257
19258 #ifdef __RX_LITTLE_ENDIAN__
19259         unsigned char TGIEA : 1;
19260         unsigned char TGIEB : 1;
19261         unsigned char : 2;
19262         unsigned char TCIEV : 1;
19263         unsigned char TCIEU : 1;
19264         unsigned char : 1;
19265         unsigned char TTGE : 1;
19266 #else
19267         unsigned char TTGE : 1;
19268         unsigned char : 1;
19269         unsigned char TCIEU : 1;
19270         unsigned char TCIEV : 1;
19271         unsigned char : 2;
19272         unsigned char TGIEB : 1;
19273         unsigned char TGIEA : 1;
19274 #endif
19275         } BIT;
19276         } TIER;
19277     union {
19278         unsigned char BYTE;
19279         struct {
19280
19281 #ifdef __RX_LITTLE_ENDIAN__
19282         unsigned char : 7;
19283         unsigned char TCFD : 1;
19284 #else
19285         unsigned char TCFD : 1;
19286         unsigned char : 7;
19287 #endif
19288         } BIT;
19289         } TSR;
19290     unsigned short TCNT;
19291     unsigned short TGRA;
19292     unsigned short TGRB;
19293     union {
19294         unsigned char BYTE;
19295         struct {
19296
19297 #ifdef __RX_LITTLE_ENDIAN__
19298         unsigned char TPSC2 : 3;
19299         unsigned char PCB : 2;
19300         unsigned char : 3;

```

```

19301 #else
19302     unsigned char : 3;
19303     unsigned char PCB : 2;
19304     unsigned char TPSC2 : 3;
19305 #endif
19306 } BIT;
19307 } TCR2;
19308 } st_mtu2_t;
19309
19310 typedef struct st_mtu3 {
19311     union {
19312         unsigned char BYTE;
19313         struct {
19314
19315 #ifdef __RX_LITTLE_ENDIAN__
19316         unsigned char TPSC : 3;
19317         unsigned char CKEG : 2;
19318         unsigned char CCLR : 3;
19319 #else
19320         unsigned char CCLR : 3;
19321         unsigned char CKEG : 2;
19322         unsigned char TPSC : 3;
19323 #endif
19324         } BIT;
19325         } TCR;
19326         char wk0[1];
19327         union {
19328             unsigned char BYTE;
19329             struct {
19330
19331 #ifdef __RX_LITTLE_ENDIAN__
19332             unsigned char MD : 4;
19333             unsigned char BFA : 1;
19334             unsigned char BFB : 1;
19335             unsigned char : 2;
19336 #else
19337             unsigned char : 2;
19338             unsigned char BFB : 1;
19339             unsigned char BFA : 1;
19340             unsigned char MD : 4;
19341 #endif
19342             } BIT;
19343             } TMDR1;
19344             char wk1[1];
19345             union {
19346                 unsigned char BYTE;
19347                 struct {
19348
19349 #ifdef __RX_LITTLE_ENDIAN__
19350                 unsigned char IOA : 4;
19351                 unsigned char IOB : 4;
19352 #else
19353                 unsigned char IOB : 4;
19354                 unsigned char IOA : 4;
19355 #endif
19356                 } BIT;
19357                 } TIORH;
19358                 union {
19359                     unsigned char BYTE;
19360                     struct {
19361
19362 #ifdef __RX_LITTLE_ENDIAN__
19363                     unsigned char IOC : 4;
19364                     unsigned char IOD : 4;
19365 #else
19366                     unsigned char IOD : 4;
19367                     unsigned char IOC : 4;
19368 #endif
19369                     } BIT;
19370                     } TIORL;
19371                     char wk2[2];
19372                     union {
19373                         unsigned char BYTE;
19374                         struct {
19375
19376 #ifdef __RX_LITTLE_ENDIAN__
19377                         unsigned char TGIEA : 1;
19378                         unsigned char TGIEB : 1;
19379                         unsigned char TGIEC : 1;
19380                         unsigned char TGIED : 1;
19381                         unsigned char TCIEV : 1;
19382                         unsigned char : 2;
19383                         unsigned char TTGE : 1;
19384 #else
19385                         unsigned char TTGE : 1;
19386                         unsigned char : 2;
19387                         unsigned char TCIEV : 1;

```

```

19388         unsigned char TGIED : 1;
19389         unsigned char TGIEC : 1;
19390         unsigned char TGIEB : 1;
19391         unsigned char TGIEA : 1;
19392     #endif
19393     } BIT;
19394     } TIER;
19395     char          wk3[7];
19396     unsigned short TCNT;
19397     char          wk4[6];
19398     unsigned short TGRA;
19399     unsigned short TGRB;
19400     char          wk5[8];
19401     unsigned short TGRC;
19402     unsigned short TGRD;
19403     char          wk6[4];
19404     union {
19405         unsigned char BYTE;
19406         struct {
19407
19408     #ifdef __RX_LITTLE_ENDIAN__
19409         unsigned char : 7;
19410         unsigned char TCFD : 1;
19411     #else
19412         unsigned char TCFD : 1;
19413         unsigned char : 7;
19414     #endif
19415     } BIT;
19416     } TSR;
19417     char          wk7[11];
19418     union {
19419         unsigned char BYTE;
19420         struct {
19421
19422     #ifdef __RX_LITTLE_ENDIAN__
19423         unsigned char TTSA : 1;
19424         unsigned char TTSB : 1;
19425         unsigned char : 6;
19426     #else
19427         unsigned char : 6;
19428         unsigned char TTSB : 1;
19429         unsigned char TTSA : 1;
19430     #endif
19431     } BIT;
19432     } TBTM;
19433     char          wk8[19];
19434     union {
19435         unsigned char BYTE;
19436         struct {
19437
19438     #ifdef __RX_LITTLE_ENDIAN__
19439         unsigned char TPSC2 : 3;
19440         unsigned char : 5;
19441     #else
19442         unsigned char : 5;
19443         unsigned char TPSC2 : 3;
19444     #endif
19445     } BIT;
19446     } TCR2;
19447     char          wk9[37];
19448     unsigned short TGRE;
19449     char          wk10[31];
19450     union {
19451         unsigned char BYTE;
19452         struct {
19453
19454     #ifdef __RX_LITTLE_ENDIAN__
19455         unsigned char NFAEN : 1;
19456         unsigned char NFBEN : 1;
19457         unsigned char NFCEN : 1;
19458         unsigned char NFDEN : 1;
19459         unsigned char NFCS : 2;
19460         unsigned char : 2;
19461     #else
19462         unsigned char : 2;
19463         unsigned char NFCS : 2;
19464         unsigned char NFDEN : 1;
19465         unsigned char NFCEN : 1;
19466         unsigned char NFBEN : 1;
19467         unsigned char NFAEN : 1;
19468     #endif
19469     } BIT;
19470     } NFCR3;
19471 } st_mtu3_t;
19472
19473 typedef struct st_mtu4 {
19474     char          wk0[1];

```

```

19475     union {
19476         unsigned char BYTE;
19477     struct {
19478
19479 #ifdef __RX_LITTLE_ENDIAN__
19480         unsigned char TPSC : 3;
19481         unsigned char CKEG : 2;
19482         unsigned char CCLR : 3;
19483 #else
19484         unsigned char CCLR : 3;
19485         unsigned char CKEG : 2;
19486         unsigned char TPSC : 3;
19487 #endif
19488     } BIT;
19489     } TCR;
19490     char          wk1[1];
19491     union {
19492         unsigned char BYTE;
19493     struct {
19494
19495 #ifdef __RX_LITTLE_ENDIAN__
19496         unsigned char MD : 4;
19497         unsigned char BFA : 1;
19498         unsigned char BFB : 1;
19499         unsigned char  : 2;
19500 #else
19501         unsigned char  : 2;
19502         unsigned char BFB : 1;
19503         unsigned char BFA : 1;
19504         unsigned char MD : 4;
19505 #endif
19506     } BIT;
19507     } TMDR1;
19508     char          wk2[2];
19509     union {
19510         unsigned char BYTE;
19511     struct {
19512
19513 #ifdef __RX_LITTLE_ENDIAN__
19514         unsigned char IOA : 4;
19515         unsigned char IOB : 4;
19516 #else
19517         unsigned char IOB : 4;
19518         unsigned char IOA : 4;
19519 #endif
19520     } BIT;
19521     } TIORH;
19522     union {
19523         unsigned char BYTE;
19524     struct {
19525
19526 #ifdef __RX_LITTLE_ENDIAN__
19527         unsigned char IOC : 4;
19528         unsigned char IOD : 4;
19529 #else
19530         unsigned char IOD : 4;
19531         unsigned char IOC : 4;
19532 #endif
19533     } BIT;
19534     } TIORL;
19535     char          wk3[1];
19536     union {
19537         unsigned char BYTE;
19538     struct {
19539
19540 #ifdef __RX_LITTLE_ENDIAN__
19541         unsigned char TGIEA : 1;
19542         unsigned char TGIEB : 1;
19543         unsigned char TGIEC : 1;
19544         unsigned char TGIED : 1;
19545         unsigned char TCIEV : 1;
19546         unsigned char  : 1;
19547         unsigned char TTGE2 : 1;
19548         unsigned char TTGE : 1;
19549 #else
19550         unsigned char TTGE : 1;
19551         unsigned char TTGE2 : 1;
19552         unsigned char  : 1;
19553         unsigned char TCIEV : 1;
19554         unsigned char TGIED : 1;
19555         unsigned char TGIEC : 1;
19556         unsigned char TGIEB : 1;
19557         unsigned char TGIEA : 1;
19558 #endif
19559     } BIT;
19560     } TIER;
19561     char          wk4[8];

```

```

19562     unsigned short TCNT;
19563     char          wk5[8];
19564     unsigned short TGRA;
19565     unsigned short TGRB;
19566     char          wk6[8];
19567     unsigned short TGRC;
19568     unsigned short TGRD;
19569     char          wk7[1];
19570     union {
19571         unsigned char BYTE;
19572     } struct {
19573
19574     #ifdef __RX_LITTLE_ENDIAN__
19575         unsigned char : 7;
19576         unsigned char TCFD : 1;
19577     #else
19578         unsigned char TCFD : 1;
19579         unsigned char : 7;
19580     #endif
19581     } BIT;
19582     } TSR;
19583     char          wk8[11];
19584     union {
19585         unsigned char BYTE;
19586     } struct {
19587
19588     #ifdef __RX_LITTLE_ENDIAN__
19589         unsigned char TTSA : 1;
19590         unsigned char TTSB : 1;
19591         unsigned char : 6;
19592     #else
19593         unsigned char : 6;
19594         unsigned char TTSB : 1;
19595         unsigned char TTSA : 1;
19596     #endif
19597     } BIT;
19598     } TBTM;
19599     char          wk9[6];
19600     union {
19601         unsigned short WORD;
19602     } struct {
19603
19604     #ifdef __RX_LITTLE_ENDIAN__
19605         unsigned short ITB4VE : 1;
19606         unsigned short ITB3AE : 1;
19607         unsigned short ITA4VE : 1;
19608         unsigned short ITA3AE : 1;
19609         unsigned short DT4BE : 1;
19610         unsigned short UT4BE : 1;
19611         unsigned short DT4AE : 1;
19612         unsigned short UT4AE : 1;
19613         unsigned short : 6;
19614         unsigned short BF : 2;
19615     #else
19616         unsigned short BF : 2;
19617         unsigned short : 6;
19618         unsigned short UT4AE : 1;
19619         unsigned short DT4AE : 1;
19620         unsigned short UT4BE : 1;
19621         unsigned short DT4BE : 1;
19622         unsigned short ITA3AE : 1;
19623         unsigned short ITA4VE : 1;
19624         unsigned short ITB3AE : 1;
19625         unsigned short ITB4VE : 1;
19626     #endif
19627     } BIT;
19628     } TADCR;
19629     char          wk10[2];
19630     unsigned short TADCORA;
19631     unsigned short TADCORB;
19632     unsigned short TADCOBRA;
19633     unsigned short TADCOBRB;
19634     char          wk11[1];
19635     union {
19636         unsigned char BYTE;
19637     } struct {
19638
19639     #ifdef __RX_LITTLE_ENDIAN__
19640         unsigned char TPSC2 : 3;
19641         unsigned char : 5;
19642     #else
19643         unsigned char : 5;
19644         unsigned char TPSC2 : 3;
19645     #endif
19646     } BIT;
19647     } TCR2;
19648     char          wk12[38];

```

```

19649     unsigned short TGRE;
19650     unsigned short TGRF;
19651     char          wk13[28];
19652     union {
19653         unsigned char BYTE;
19654         struct {
19655
19656 #ifdef __RX_LITTLE_ENDIAN__
19657         unsigned char NFAEN : 1;
19658         unsigned char NFBEN : 1;
19659         unsigned char NFCEN : 1;
19660         unsigned char NFDEN : 1;
19661         unsigned char NFCS : 2;
19662         unsigned char  : 2;
19663 #else
19664         unsigned char  : 2;
19665         unsigned char NFCS : 2;
19666         unsigned char NFDEN : 1;
19667         unsigned char NFCEN : 1;
19668         unsigned char NFBEN : 1;
19669         unsigned char NFAEN : 1;
19670 #endif
19671     } BIT;
19672     } NFCR4;
19673 } st_mtu4_t;
19674
19675 typedef struct st_mtu5 {
19676     char          wk0[1];
19677     union {
19678         unsigned char BYTE;
19679         struct {
19680
19681 #ifdef __RX_LITTLE_ENDIAN__
19682         unsigned char NFUEN : 1;
19683         unsigned char NFVEN : 1;
19684         unsigned char NFWEN : 1;
19685         unsigned char  : 1;
19686         unsigned char NFCS : 2;
19687         unsigned char  : 2;
19688 #else
19689         unsigned char  : 2;
19690         unsigned char NFCS : 2;
19691         unsigned char  : 1;
19692         unsigned char NFWEN : 1;
19693         unsigned char NFVEN : 1;
19694         unsigned char NFUEN : 1;
19695 #endif
19696     } BIT;
19697     } NFCR5;
19698     char          wk1[490];
19699     unsigned short TCNTU;
19700     unsigned short TGRU;
19701     union {
19702         unsigned char BYTE;
19703         struct {
19704
19705 #ifdef __RX_LITTLE_ENDIAN__
19706         unsigned char TPSC : 2;
19707         unsigned char  : 6;
19708 #else
19709         unsigned char  : 6;
19710         unsigned char TPSC : 2;
19711 #endif
19712     } BIT;
19713     } TCRU;
19714     union {
19715         unsigned char BYTE;
19716         struct {
19717
19718 #ifdef __RX_LITTLE_ENDIAN__
19719         unsigned char TPSC2 : 3;
19720         unsigned char CKEG : 2;
19721         unsigned char  : 3;
19722 #else
19723         unsigned char  : 3;
19724         unsigned char CKEG : 2;
19725         unsigned char TPSC2 : 3;
19726 #endif
19727     } BIT;
19728     } TCR2U;
19729     union {
19730         unsigned char BYTE;
19731         struct {
19732
19733 #ifdef __RX_LITTLE_ENDIAN__
19734         unsigned char IOC : 5;
19735         unsigned char  : 3;

```



```

19736 #else
19737     unsigned char : 3;
19738     unsigned char IOC : 5;
19739 #endif
19740 } BIT;
19741 } TIORU;
19742 char      wk2[9];
19743 unsigned short TCNTV;
19744 unsigned short TGRV;
19745 union {
19746     unsigned char BYTE;
19747     struct {
19748
19749 #ifdef __RX_LITTLE_ENDIAN__
19750     unsigned char TPSC : 2;
19751     unsigned char : 6;
19752 #else
19753     unsigned char : 6;
19754     unsigned char TPSC : 2;
19755 #endif
19756 } BIT;
19757 } TCRV;
19758 union {
19759     unsigned char BYTE;
19760     struct {
19761
19762 #ifdef __RX_LITTLE_ENDIAN__
19763     unsigned char TPSC2 : 3;
19764     unsigned char CKEG : 2;
19765     unsigned char : 3;
19766 #else
19767     unsigned char : 3;
19768     unsigned char CKEG : 2;
19769     unsigned char TPSC2 : 3;
19770 #endif
19771 } BIT;
19772 } TCR2V;
19773 union {
19774     unsigned char BYTE;
19775     struct {
19776
19777 #ifdef __RX_LITTLE_ENDIAN__
19778     unsigned char IOC : 5;
19779     unsigned char : 3;
19780 #else
19781     unsigned char : 3;
19782     unsigned char IOC : 5;
19783 #endif
19784 } BIT;
19785 } TIORV;
19786 char      wk3[9];
19787 unsigned short TCNTW;
19788 unsigned short TGRW;
19789 union {
19790     unsigned char BYTE;
19791     struct {
19792
19793 #ifdef __RX_LITTLE_ENDIAN__
19794     unsigned char TPSC : 2;
19795     unsigned char : 6;
19796 #else
19797     unsigned char : 6;
19798     unsigned char TPSC : 2;
19799 #endif
19800 } BIT;
19801 } TCRW;
19802 union {
19803     unsigned char BYTE;
19804     struct {
19805
19806 #ifdef __RX_LITTLE_ENDIAN__
19807     unsigned char TPSC2 : 3;
19808     unsigned char CKEG : 2;
19809     unsigned char : 3;
19810 #else
19811     unsigned char : 3;
19812     unsigned char CKEG : 2;
19813     unsigned char TPSC2 : 3;
19814 #endif
19815 } BIT;
19816 } TCR2W;
19817 union {
19818     unsigned char BYTE;
19819     struct {
19820
19821 #ifdef __RX_LITTLE_ENDIAN__
19822     unsigned char IOC : 5;

```

```

19823         unsigned char : 3;
19824 #else
19825         unsigned char : 3;
19826         unsigned char IOC : 5;
19827 #endif
19828     } BIT;
19829     } TIORW;
19830     char          wk4[11];
19831     union {
19832         unsigned char BYTE;
19833         struct {
19834
19835 #ifdef __RX_LITTLE_ENDIAN__
19836         unsigned char TGIE5W : 1;
19837         unsigned char TGIE5V : 1;
19838         unsigned char TGIE5U : 1;
19839         unsigned char : 5;
19840 #else
19841         unsigned char : 5;
19842         unsigned char TGIE5U : 1;
19843         unsigned char TGIE5V : 1;
19844         unsigned char TGIE5W : 1;
19845 #endif
19846     } BIT;
19847     } TIER;
19848     char          wk5[1];
19849     union {
19850         unsigned char BYTE;
19851         struct {
19852
19853 #ifdef __RX_LITTLE_ENDIAN__
19854         unsigned char CSTW5 : 1;
19855         unsigned char CSTV5 : 1;
19856         unsigned char CSTU5 : 1;
19857         unsigned char : 5;
19858 #else
19859         unsigned char : 5;
19860         unsigned char CSTU5 : 1;
19861         unsigned char CSTV5 : 1;
19862         unsigned char CSTW5 : 1;
19863 #endif
19864     } BIT;
19865     } TSTR;
19866     char          wk6[1];
19867     union {
19868         unsigned char BYTE;
19869         struct {
19870
19871 #ifdef __RX_LITTLE_ENDIAN__
19872         unsigned char CMPCLR5W : 1;
19873         unsigned char CMPCLR5V : 1;
19874         unsigned char CMPCLR5U : 1;
19875         unsigned char : 5;
19876 #else
19877         unsigned char : 5;
19878         unsigned char CMPCLR5U : 1;
19879         unsigned char CMPCLR5V : 1;
19880         unsigned char CMPCLR5W : 1;
19881 #endif
19882     } BIT;
19883     } TCNTCMPCLR;
19884 } st_mtu5_t;
19885
19886 typedef struct st_mtu6 {
19887     union {
19888         unsigned char BYTE;
19889         struct {
19890
19891 #ifdef __RX_LITTLE_ENDIAN__
19892         unsigned char TPSC : 3;
19893         unsigned char CKEG : 2;
19894         unsigned char CCLR : 3;
19895 #else
19896         unsigned char CCLR : 3;
19897         unsigned char CKEG : 2;
19898         unsigned char TPSC : 3;
19899 #endif
19900     } BIT;
19901     } TCR;
19902     char          wk0[1];
19903     union {
19904         unsigned char BYTE;
19905         struct {
19906
19907 #ifdef __RX_LITTLE_ENDIAN__
19908         unsigned char MD : 4;
19909         unsigned char BFA : 1;

```

```

19910         unsigned char BFB : 1;
19911         unsigned char : 2;
19912 #else
19913         unsigned char : 2;
19914         unsigned char BFB : 1;
19915         unsigned char BFA : 1;
19916         unsigned char MD : 4;
19917 #endif
19918     } BIT;
19919     } TMDR1;
19920     char          wk1[1];
19921     union {
19922         unsigned char BYTE;
19923         struct {
19924
19925 #ifdef __RX_LITTLE_ENDIAN__
19926         unsigned char IOA : 4;
19927         unsigned char IOB : 4;
19928 #else
19929         unsigned char IOB : 4;
19930         unsigned char IOA : 4;
19931 #endif
19932     } BIT;
19933     } TIORH;
19934     union {
19935         unsigned char BYTE;
19936         struct {
19937
19938 #ifdef __RX_LITTLE_ENDIAN__
19939         unsigned char IOC : 4;
19940         unsigned char IOD : 4;
19941 #else
19942         unsigned char IOD : 4;
19943         unsigned char IOC : 4;
19944 #endif
19945     } BIT;
19946     } TIORL;
19947     char          wk2[2];
19948     union {
19949         unsigned char BYTE;
19950         struct {
19951
19952 #ifdef __RX_LITTLE_ENDIAN__
19953         unsigned char TGIEA : 1;
19954         unsigned char TGIEB : 1;
19955         unsigned char TGIEC : 1;
19956         unsigned char TGIED : 1;
19957         unsigned char TCIEV : 1;
19958         unsigned char : 2;
19959         unsigned char TTGE : 1;
19960 #else
19961         unsigned char TTGE : 1;
19962         unsigned char : 2;
19963         unsigned char TCIEV : 1;
19964         unsigned char TGIED : 1;
19965         unsigned char TGIEC : 1;
19966         unsigned char TGIEB : 1;
19967         unsigned char TGIEA : 1;
19968 #endif
19969     } BIT;
19970     } TIER;
19971     char          wk3[7];
19972     unsigned short TCNT;
19973     char          wk4[6];
19974     unsigned short TGRA;
19975     unsigned short TGRB;
19976     char          wk5[8];
19977     unsigned short TGRC;
19978     unsigned short TGRD;
19979     char          wk6[4];
19980     union {
19981         unsigned char BYTE;
19982         struct {
19983
19984 #ifdef __RX_LITTLE_ENDIAN__
19985         unsigned char : 7;
19986         unsigned char TCFD : 1;
19987 #else
19988         unsigned char TCFD : 1;
19989         unsigned char : 7;
19990 #endif
19991     } BIT;
19992     } TSR;
19993     char          wk7[11];
19994     union {
19995         unsigned char BYTE;
19996         struct {

```

```

19997
19998 #ifdef __RX_LITTLE_ENDIAN__
19999     unsigned char TTSA : 1;
20000     unsigned char TTSB : 1;
20001     unsigned char : 6;
20002 #else
20003     unsigned char : 6;
20004     unsigned char TTSB : 1;
20005     unsigned char TTSA : 1;
20006 #endif
20007     } BIT;
20008     } TBTM;
20009     char wk8[19];
20010     union {
20011         unsigned char BYTE;
20012         struct {
20013
20014 #ifdef __RX_LITTLE_ENDIAN__
20015         unsigned char TPSC2 : 3;
20016         unsigned char : 5;
20017 #else
20018         unsigned char : 5;
20019         unsigned char TPSC2 : 3;
20020 #endif
20021         } BIT;
20022         } TCR2;
20023         char wk9[3];
20024         union {
20025             unsigned char BYTE;
20026             struct {
20027
20028 #ifdef __RX_LITTLE_ENDIAN__
20029             unsigned char CE2B : 1;
20030             unsigned char CE2A : 1;
20031             unsigned char CE1B : 1;
20032             unsigned char CE1A : 1;
20033             unsigned char CE0D : 1;
20034             unsigned char CE0C : 1;
20035             unsigned char CE0B : 1;
20036             unsigned char CE0A : 1;
20037 #else
20038             unsigned char CE0A : 1;
20039             unsigned char CE0B : 1;
20040             unsigned char CE0C : 1;
20041             unsigned char CE0D : 1;
20042             unsigned char CE1A : 1;
20043             unsigned char CE1B : 1;
20044             unsigned char CE2A : 1;
20045             unsigned char CE2B : 1;
20046 #endif
20047             } BIT;
20048             } TSYCR;
20049             char wk10[33];
20050             unsigned short TGRE;
20051             char wk11[31];
20052             union {
20053                 unsigned char BYTE;
20054                 struct {
20055
20056 #ifdef __RX_LITTLE_ENDIAN__
20057                 unsigned char NFAEN : 1;
20058                 unsigned char NFBEN : 1;
20059                 unsigned char NFCEN : 1;
20060                 unsigned char NFDEN : 1;
20061                 unsigned char NFCS : 2;
20062                 unsigned char : 2;
20063 #else
20064                 unsigned char : 2;
20065                 unsigned char NFCS : 2;
20066                 unsigned char NFDEN : 1;
20067                 unsigned char NFCEN : 1;
20068                 unsigned char NFBEN : 1;
20069                 unsigned char NFAEN : 1;
20070 #endif
20071                 } BIT;
20072                 } NFCR6;
20073     } st_mtu6_t;
20074
20075 typedef struct st_mtu7 {
20076     char wk0[1];
20077     union {
20078         unsigned char BYTE;
20079         struct {
20080
20081 #ifdef __RX_LITTLE_ENDIAN__
20082         unsigned char TPSC : 3;
20083         unsigned char CKEG : 2;

```

```

20084         unsigned char CCLR : 3;
20085 #else
20086         unsigned char CCLR : 3;
20087         unsigned char CKEG : 2;
20088         unsigned char TPSC : 3;
20089 #endif
20090     } BIT;
20091     } TCR;
20092     char          wk1[1];
20093     union {
20094         unsigned char BYTE;
20095         struct {
20096
20097 #ifdef __RX_LITTLE_ENDIAN__
20098         unsigned char MD : 4;
20099         unsigned char BFA : 1;
20100         unsigned char BFB : 1;
20101         unsigned char  : 2;
20102 #else
20103         unsigned char  : 2;
20104         unsigned char BFB : 1;
20105         unsigned char BFA : 1;
20106         unsigned char MD : 4;
20107 #endif
20108     } BIT;
20109     } TMDR1;
20110     char          wk2[2];
20111     union {
20112         unsigned char BYTE;
20113         struct {
20114
20115 #ifdef __RX_LITTLE_ENDIAN__
20116         unsigned char IOA : 4;
20117         unsigned char IOB : 4;
20118 #else
20119         unsigned char IOB : 4;
20120         unsigned char IOA : 4;
20121 #endif
20122     } BIT;
20123     } TIORH;
20124     union {
20125         unsigned char BYTE;
20126         struct {
20127
20128 #ifdef __RX_LITTLE_ENDIAN__
20129         unsigned char IOC : 4;
20130         unsigned char IOD : 4;
20131 #else
20132         unsigned char IOD : 4;
20133         unsigned char IOC : 4;
20134 #endif
20135     } BIT;
20136     } TIORL;
20137     char          wk3[1];
20138     union {
20139         unsigned char BYTE;
20140         struct {
20141
20142 #ifdef __RX_LITTLE_ENDIAN__
20143         unsigned char TGIEA : 1;
20144         unsigned char TGIEB : 1;
20145         unsigned char TGIEC : 1;
20146         unsigned char TGIED : 1;
20147         unsigned char TCIEV : 1;
20148         unsigned char  : 1;
20149         unsigned char TTGE2 : 1;
20150         unsigned char TTGE : 1;
20151 #else
20152         unsigned char TTGE : 1;
20153         unsigned char TTGE2 : 1;
20154         unsigned char  : 1;
20155         unsigned char TCIEV : 1;
20156         unsigned char TGIED : 1;
20157         unsigned char TGIEC : 1;
20158         unsigned char TGIEB : 1;
20159         unsigned char TGIEA : 1;
20160 #endif
20161     } BIT;
20162     } TIER;
20163     char          wk4[8];
20164     unsigned short TCNT;
20165     char          wk5[8];
20166     unsigned short TGRA;
20167     unsigned short TGRB;
20168     char          wk6[8];
20169     unsigned short TGRC;
20170     unsigned short TGRD;

```

```

20171     char          wk7[1];
20172     union {
20173         unsigned char BYTE;
20174         struct {
20175
20176 #ifdef __RX_LITTLE_ENDIAN__
20177         unsigned char : 7;
20178         unsigned char TCFD : 1;
20179 #else
20180         unsigned char TCFD : 1;
20181         unsigned char : 7;
20182 #endif
20183     } BIT;
20184     } TSR;
20185     char          wk8[11];
20186     union {
20187         unsigned char BYTE;
20188         struct {
20189
20190 #ifdef __RX_LITTLE_ENDIAN__
20191         unsigned char TTSA : 1;
20192         unsigned char TTSB : 1;
20193         unsigned char : 6;
20194 #else
20195         unsigned char : 6;
20196         unsigned char TTSB : 1;
20197         unsigned char TTSA : 1;
20198 #endif
20199     } BIT;
20200     } TBTM;
20201     char          wk9[6];
20202     union {
20203         unsigned short WORD;
20204         struct {
20205
20206 #ifdef __RX_LITTLE_ENDIAN__
20207         unsigned short ITB7VE : 1;
20208         unsigned short ITB6AE : 1;
20209         unsigned short ITA7VE : 1;
20210         unsigned short ITA6AE : 1;
20211         unsigned short DT7BE : 1;
20212         unsigned short UT7BE : 1;
20213         unsigned short DT7AE : 1;
20214         unsigned short UT7AE : 1;
20215         unsigned short : 6;
20216         unsigned short BF : 2;
20217 #else
20218         unsigned short BF : 2;
20219         unsigned short : 6;
20220         unsigned short UT7AE : 1;
20221         unsigned short DT7AE : 1;
20222         unsigned short UT7BE : 1;
20223         unsigned short DT7BE : 1;
20224         unsigned short ITA6AE : 1;
20225         unsigned short ITA7VE : 1;
20226         unsigned short ITB6AE : 1;
20227         unsigned short ITB7VE : 1;
20228 #endif
20229     } BIT;
20230     } TADCR;
20231     char          wk10[2];
20232     unsigned short TADCORA;
20233     unsigned short TADCORB;
20234     unsigned short TADCOBRA;
20235     unsigned short TADCOBRB;
20236     char          wk11[1];
20237     union {
20238         unsigned char BYTE;
20239         struct {
20240
20241 #ifdef __RX_LITTLE_ENDIAN__
20242         unsigned char TPSC2 : 3;
20243         unsigned char : 5;
20244 #else
20245         unsigned char : 5;
20246         unsigned char TPSC2 : 3;
20247 #endif
20248     } BIT;
20249     } TCR2;
20250     char          wk12[38];
20251     unsigned short TGRE;
20252     unsigned short TGRF;
20253     char          wk13[28];
20254     union {
20255         unsigned char BYTE;
20256         struct {
20257

```

```

20258 #ifdef __RX_LITTLE_ENDIAN__
20259     unsigned char NFAEN : 1;
20260     unsigned char NFBEN : 1;
20261     unsigned char NFCEN : 1;
20262     unsigned char NFDEN : 1;
20263     unsigned char NFCS : 2;
20264     unsigned char : 2;
20265 #else
20266     unsigned char : 2;
20267     unsigned char NFCS : 2;
20268     unsigned char NFDEN : 1;
20269     unsigned char NFCEN : 1;
20270     unsigned char NFBEN : 1;
20271     unsigned char NFAEN : 1;
20272 #endif
20273     } BIT;
20274     } NFCR7;
20275 } st_mtu7_t;
20276
20277 typedef struct st_mtu8 {
20278     union {
20279         unsigned char BYTE;
20280         struct {
20281
20282 #ifdef __RX_LITTLE_ENDIAN__
20283         unsigned char NFAEN : 1;
20284         unsigned char NFBEN : 1;
20285         unsigned char NFCEN : 1;
20286         unsigned char NFDEN : 1;
20287         unsigned char NFCS : 2;
20288         unsigned char : 2;
20289 #else
20290         unsigned char : 2;
20291         unsigned char NFCS : 2;
20292         unsigned char NFDEN : 1;
20293         unsigned char NFCEN : 1;
20294         unsigned char NFBEN : 1;
20295         unsigned char NFAEN : 1;
20296 #endif
20297         } BIT;
20298         } NFCR8;
20299         char wk0[871];
20300         union {
20301             unsigned char BYTE;
20302             struct {
20303
20304 #ifdef __RX_LITTLE_ENDIAN__
20305             unsigned char TPSC : 3;
20306             unsigned char CKEG : 2;
20307             unsigned char CCLR : 3;
20308 #else
20309             unsigned char CCLR : 3;
20310             unsigned char CKEG : 2;
20311             unsigned char TPSC : 3;
20312 #endif
20313             } BIT;
20314             } TCR;
20315         union {
20316             unsigned char BYTE;
20317             struct {
20318
20319 #ifdef __RX_LITTLE_ENDIAN__
20320             unsigned char MD : 4;
20321             unsigned char BFA : 1;
20322             unsigned char BFB : 1;
20323             unsigned char : 2;
20324 #else
20325             unsigned char : 2;
20326             unsigned char BFB : 1;
20327             unsigned char BFA : 1;
20328             unsigned char MD : 4;
20329 #endif
20330             } BIT;
20331             } TMDR1;
20332         union {
20333             unsigned char BYTE;
20334             struct {
20335
20336 #ifdef __RX_LITTLE_ENDIAN__
20337             unsigned char IOA : 4;
20338             unsigned char IOB : 4;
20339 #else
20340             unsigned char IOB : 4;
20341             unsigned char IOA : 4;
20342 #endif
20343             } BIT;
20344             } TIORH;

```

```

20345     union {
20346         unsigned char BYTE;
20347     struct {
20348
20349 #ifdef __RX_LITTLE_ENDIAN__
20350         unsigned char IOC : 4;
20351         unsigned char IOD : 4;
20352 #else
20353         unsigned char IOD : 4;
20354         unsigned char IOC : 4;
20355 #endif
20356     } BIT;
20357     } TIORL;
20358     union {
20359         unsigned char BYTE;
20360     struct {
20361
20362 #ifdef __RX_LITTLE_ENDIAN__
20363         unsigned char TGIEA : 1;
20364         unsigned char TGIEB : 1;
20365         unsigned char TGIEC : 1;
20366         unsigned char TGIED : 1;
20367         unsigned char TCIEV : 1;
20368         unsigned char   : 3;
20369 #else
20370         unsigned char   : 3;
20371         unsigned char TCIEV : 1;
20372         unsigned char TGIED : 1;
20373         unsigned char TGIEC : 1;
20374         unsigned char TGIEB : 1;
20375         unsigned char TGIEA : 1;
20376 #endif
20377     } BIT;
20378     } TIER;
20379     char          wk1[1];
20380     union {
20381         unsigned char BYTE;
20382     struct {
20383
20384 #ifdef __RX_LITTLE_ENDIAN__
20385         unsigned char TPSC2 : 3;
20386         unsigned char   : 5;
20387 #else
20388         unsigned char   : 5;
20389         unsigned char TPSC2 : 3;
20390 #endif
20391     } BIT;
20392     } TCR2;
20393     char          wk2[1];
20394     unsigned long TCNT;
20395     unsigned long TGRA;
20396     unsigned long TGRB;
20397     unsigned long TGRC;
20398     unsigned long TGRD;
20399 } st_mtu8_t;
20400
20401 typedef struct st_ofsm {
20402     union {
20403         unsigned long LONG;
20404     struct {
20405
20406 #ifdef __RX_LITTLE_ENDIAN__
20407         unsigned long MDE : 3;
20408         unsigned long   : 1;
20409         unsigned long BANKMD : 3;
20410         unsigned long   : 25;
20411 #else
20412         unsigned long   : 25;
20413         unsigned long BANKMD : 3;
20414         unsigned long   : 1;
20415         unsigned long MDE : 3;
20416 #endif
20417     } BIT;
20418     } MDE;
20419     union {
20420         unsigned long LONG;
20421     struct {
20422
20423 #ifdef __RX_LITTLE_ENDIAN__
20424         unsigned long   : 1;
20425         unsigned long IWDTSTRT : 1;
20426         unsigned long IWDTTOPS : 2;
20427         unsigned long IWDTCKS : 4;
20428         unsigned long IWDTRPES : 2;
20429         unsigned long IWDTRPSS : 2;
20430         unsigned long IWDTRSTIRQS : 1;
20431         unsigned long   : 1;

```



```

20432         unsigned long IWDTSLCSTP : 1;
20433         unsigned long : 2;
20434         unsigned long WDTSTRT : 1;
20435         unsigned long WDTTOPS : 2;
20436         unsigned long WDTCKS : 4;
20437         unsigned long WDTRPES : 2;
20438         unsigned long WDTRPSS : 2;
20439         unsigned long WDTRSTIRQS : 1;
20440         unsigned long : 3;
20441     #else
20442         unsigned long : 3;
20443         unsigned long WDTRSTIRQS : 1;
20444         unsigned long WDTRPSS : 2;
20445         unsigned long WDTRPES : 2;
20446         unsigned long WDTCKS : 4;
20447         unsigned long WDTTOPS : 2;
20448         unsigned long WDTSTRT : 1;
20449         unsigned long : 2;
20450         unsigned long IWDTSLCSTP : 1;
20451         unsigned long : 1;
20452         unsigned long IWDTRSTIRQS : 1;
20453         unsigned long IWDTRPSS : 2;
20454         unsigned long IWDTRPES : 2;
20455         unsigned long IWDTCKS : 4;
20456         unsigned long IWDTTOPS : 2;
20457         unsigned long IWDTSTRT : 1;
20458         unsigned long : 1;
20459     #endif
20460     } BIT;
20461     } OFS0;
20462     union {
20463         unsigned long LONG;
20464         struct {
20465
20466     #ifdef __RX_LITTLE_ENDIAN__
20467         unsigned long VDSEL : 2;
20468         unsigned long LVDAS : 1;
20469         unsigned long : 5;
20470         unsigned long HOCOEN : 1;
20471         unsigned long : 23;
20472     #else
20473         unsigned long : 23;
20474         unsigned long HOCOEN : 1;
20475         unsigned long : 5;
20476         unsigned long LVDAS : 1;
20477         unsigned long VDSEL : 2;
20478     #endif
20479     } BIT;
20480     } OFS1;
20481     char wk0[4];
20482     unsigned long TMINF;
20483     char wk1[12];
20484     union {
20485         unsigned long LONG;
20486         struct {
20487
20488     #ifdef __RX_LITTLE_ENDIAN__
20489         unsigned long BANKSWP : 3;
20490         unsigned long : 29;
20491     #else
20492         unsigned long : 29;
20493         unsigned long BANKSWP : 3;
20494     #endif
20495     } BIT;
20496     } BANKSEL;
20497     char wk2[28];
20498     union {
20499         unsigned long LONG;
20500         struct {
20501
20502     #ifdef __RX_LITTLE_ENDIAN__
20503         unsigned long : 27;
20504         unsigned long SPE : 1;
20505         unsigned long : 4;
20506     #else
20507         unsigned long : 4;
20508         unsigned long SPE : 1;
20509         unsigned long : 27;
20510     #endif
20511     } BIT;
20512     } SPCC;
20513     char wk3[4];
20514     union {
20515         unsigned long LONG;
20516         struct {
20517
20518     #ifdef __RX_LITTLE_ENDIAN__

```

```

20519         unsigned long : 24;
20520         unsigned long TMEF : 3;
20521         unsigned long : 1;
20522         unsigned long TMEFDB : 3;
20523         unsigned long : 1;
20524 #else
20525         unsigned long : 1;
20526         unsigned long TMEFDB : 3;
20527         unsigned long : 1;
20528         unsigned long TMEF : 3;
20529         unsigned long : 24;
20530 #endif
20531     } BIT;
20532     } TMEF;
20533     char        wk4[4];
20534     union {
20535         struct {
20536             unsigned long ID4:8;
20537             unsigned long ID3:8;
20538             unsigned long ID2:8;
20539             unsigned long ID1:8;
20540             unsigned long ID8:8;
20541             unsigned long ID7:8;
20542             unsigned long ID6:8;
20543             unsigned long ID5:8;
20544             unsigned long ID12:8;
20545             unsigned long ID11:8;
20546             unsigned long ID10:8;
20547             unsigned long ID9:8;
20548             unsigned long ID16:8;
20549             unsigned long ID15:8;
20550             unsigned long ID14:8;
20551             unsigned long ID13:8;
20552         } BIT;
20553     } OSIS;
20554     char        wk5[4];
20555     union {
20556         unsigned long LONG;
20557         struct {
20558
20559 #ifdef __RX_LITTLE_ENDIAN__
20560         unsigned long FAWS : 12;
20561         unsigned long : 3;
20562         unsigned long FSPR : 1;
20563         unsigned long FAWE : 12;
20564         unsigned long : 3;
20565         unsigned long BTFLG : 1;
20566 #else
20567         unsigned long BTFLG : 1;
20568         unsigned long : 3;
20569         unsigned long FAWE : 12;
20570         unsigned long FSPR : 1;
20571         unsigned long : 3;
20572         unsigned long FAWS : 12;
20573 #endif
20574     } BIT;
20575     } FAW;
20576     char        wk6[8];
20577     union {
20578         unsigned long LONG;
20579         struct {
20580
20581 #ifdef __RX_LITTLE_ENDIAN__
20582         unsigned long CODE : 32;
20583 #else
20584         unsigned long CODE : 32;
20585 #endif
20586     } BIT;
20587     } ROMCODE;
20588 } st_ofsm_t;
20589
20590 typedef struct st_pdc {
20591     union {
20592         unsigned long LONG;
20593         struct {
20594
20595 #ifdef __RX_LITTLE_ENDIAN__
20596         unsigned long PCKE : 1;
20597         unsigned long VPS : 1;
20598         unsigned long HPS : 1;
20599         unsigned long PRST : 1;
20600         unsigned long DFIE : 1;
20601         unsigned long FEIE : 1;
20602         unsigned long OVIE : 1;
20603         unsigned long UDRIE : 1;
20604         unsigned long VERIE : 1;
20605         unsigned long HERIE : 1;

```

```

20606         unsigned long PCKOE : 1;
20607         unsigned long PCKDIV : 3;
20608         unsigned long EDS : 1;
20609         unsigned long : 17;
20610 #else
20611         unsigned long : 17;
20612         unsigned long EDS : 1;
20613         unsigned long PCKDIV : 3;
20614         unsigned long PCKOE : 1;
20615         unsigned long HERIE : 1;
20616         unsigned long VERIE : 1;
20617         unsigned long UDRIE : 1;
20618         unsigned long OVIE : 1;
20619         unsigned long FEIE : 1;
20620         unsigned long DFIE : 1;
20621         unsigned long PRST : 1;
20622         unsigned long HPS : 1;
20623         unsigned long VPS : 1;
20624         unsigned long PCKE : 1;
20625 #endif
20626     } BIT;
20627 } PCCR0;
20628 union {
20629     unsigned long LONG;
20630     struct {
20631
20632 #ifdef __RX_LITTLE_ENDIAN__
20633         unsigned long PCE : 1;
20634         unsigned long : 31;
20635 #else
20636         unsigned long : 31;
20637         unsigned long PCE : 1;
20638 #endif
20639     } BIT;
20640 } PCCR1;
20641 union {
20642     unsigned long LONG;
20643     struct {
20644
20645 #ifdef __RX_LITTLE_ENDIAN__
20646         unsigned long FBSY : 1;
20647         unsigned long FEMPF : 1;
20648         unsigned long FEF : 1;
20649         unsigned long OVRF : 1;
20650         unsigned long UDRF : 1;
20651         unsigned long VERF : 1;
20652         unsigned long HERF : 1;
20653         unsigned long : 25;
20654 #else
20655         unsigned long : 25;
20656         unsigned long HERF : 1;
20657         unsigned long VERF : 1;
20658         unsigned long UDRF : 1;
20659         unsigned long OVRF : 1;
20660         unsigned long FEF : 1;
20661         unsigned long FEMPF : 1;
20662         unsigned long FBSY : 1;
20663 #endif
20664     } BIT;
20665 } PCSR;
20666 union {
20667     unsigned long LONG;
20668     struct {
20669
20670 #ifdef __RX_LITTLE_ENDIAN__
20671         unsigned long VSYNC : 1;
20672         unsigned long HSYNC : 1;
20673         unsigned long : 30;
20674 #else
20675         unsigned long : 30;
20676         unsigned long HSYNC : 1;
20677         unsigned long VSYNC : 1;
20678 #endif
20679     } BIT;
20680 } PCMONR;
20681 union {
20682     unsigned long LONG;
20683 } PCDR;
20684 union {
20685     unsigned long LONG;
20686     struct {
20687
20688 #ifdef __RX_LITTLE_ENDIAN__
20689         unsigned long VST : 12;
20690         unsigned long : 4;
20691         unsigned long VSZ : 12;
20692         unsigned long : 4;

```

```
20693 #else
20694     unsigned long : 4;
20695     unsigned long VSZ : 12;
20696     unsigned long : 4;
20697     unsigned long VST : 12;
20698 #endif
20699     } BIT;
20700     } VCR;
20701     union {
20702         unsigned long LONG;
20703         struct {
20704
20705 #ifdef __RX_LITTLE_ENDIAN__
20706         unsigned long HST : 12;
20707         unsigned long : 4;
20708         unsigned long HSZ : 12;
20709         unsigned long : 4;
20710 #else
20711         unsigned long : 4;
20712         unsigned long HSZ : 12;
20713         unsigned long : 4;
20714         unsigned long HST : 12;
20715 #endif
20716     } BIT;
20717     } HCR;
20718 } st_pdc_t;
20719
20720 typedef struct st_pmg {
20721     union {
20722         unsigned long LONG;
20723         struct {
20724
20725 #ifdef __RX_LITTLE_ENDIAN__
20726         unsigned long : 8;
20727         unsigned long PSMCS : 6;
20728         unsigned long : 1;
20729         unsigned long PSMDB : 1;
20730         unsigned long PSMHT : 3;
20731         unsigned long : 1;
20732         unsigned long PSMCT : 3;
20733         unsigned long : 9;
20734 #else
20735         unsigned long : 9;
20736         unsigned long PSMCT : 3;
20737         unsigned long : 1;
20738         unsigned long PSMHT : 3;
20739         unsigned long PSMDB : 1;
20740         unsigned long : 1;
20741         unsigned long PSMCS : 6;
20742         unsigned long : 8;
20743 #endif
20744     } BIT;
20745     } PMGCR;
20746     union {
20747         unsigned long LONG;
20748         struct {
20749
20750 #ifdef __RX_LITTLE_ENDIAN__
20751         unsigned long PSME : 1;
20752         unsigned long PSMAD : 1;
20753         unsigned long : 1;
20754         unsigned long PDA : 5;
20755         unsigned long PRA : 5;
20756         unsigned long : 3;
20757         unsigned long PRD : 16;
20758 #else
20759         unsigned long PRD : 16;
20760         unsigned long : 3;
20761         unsigned long PRA : 5;
20762         unsigned long PDA : 5;
20763         unsigned long : 1;
20764         unsigned long PSMAD : 1;
20765         unsigned long PSME : 1;
20766 #endif
20767     } BIT;
20768     } PSMT;
20769 } st_pmg_t;
20770
20771 typedef struct st_poe {
20772     union {
20773         unsigned short WORD;
20774         struct {
20775
20776 #ifdef __RX_LITTLE_ENDIAN__
20777         unsigned short POE0M : 2;
20778         unsigned short : 6;
20779         unsigned short PIE1 : 1;
```

```

20780         unsigned short : 3;
20781         unsigned short POE0F : 1;
20782         unsigned short : 3;
20783 #else
20784         unsigned short : 3;
20785         unsigned short POE0F : 1;
20786         unsigned short : 3;
20787         unsigned short PIE1 : 1;
20788         unsigned short : 6;
20789         unsigned short POE0M : 2;
20790 #endif
20791     } BIT;
20792     } ICSR1;
20793     union {
20794         unsigned short WORD;
20795         struct {
20796
20797 #ifdef __RX_LITTLE_ENDIAN__
20798         unsigned short : 8;
20799         unsigned short OIE1 : 1;
20800         unsigned short OCE1 : 1;
20801         unsigned short : 5;
20802         unsigned short OSF1 : 1;
20803 #else
20804         unsigned short OSF1 : 1;
20805         unsigned short : 5;
20806         unsigned short OCE1 : 1;
20807         unsigned short OIE1 : 1;
20808         unsigned short : 8;
20809 #endif
20810     } BIT;
20811     } OCSR1;
20812     union {
20813         unsigned short WORD;
20814         struct {
20815
20816 #ifdef __RX_LITTLE_ENDIAN__
20817         unsigned short POE4M : 2;
20818         unsigned short : 6;
20819         unsigned short PIE2 : 1;
20820         unsigned short : 3;
20821         unsigned short POE4F : 1;
20822         unsigned short : 3;
20823 #else
20824         unsigned short : 3;
20825         unsigned short POE4F : 1;
20826         unsigned short : 3;
20827         unsigned short PIE2 : 1;
20828         unsigned short : 6;
20829         unsigned short POE4M : 2;
20830 #endif
20831     } BIT;
20832     } ICSR2;
20833     union {
20834         unsigned short WORD;
20835         struct {
20836
20837 #ifdef __RX_LITTLE_ENDIAN__
20838         unsigned short : 8;
20839         unsigned short OIE2 : 1;
20840         unsigned short OCE2 : 1;
20841         unsigned short : 5;
20842         unsigned short OSF2 : 1;
20843 #else
20844         unsigned short OSF2 : 1;
20845         unsigned short : 5;
20846         unsigned short OCE2 : 1;
20847         unsigned short OIE2 : 1;
20848         unsigned short : 8;
20849 #endif
20850     } BIT;
20851     } OCSR2;
20852     union {
20853         unsigned short WORD;
20854         struct {
20855
20856 #ifdef __RX_LITTLE_ENDIAN__
20857         unsigned short POE8M : 2;
20858         unsigned short : 6;
20859         unsigned short PIE3 : 1;
20860         unsigned short POE8E : 1;
20861         unsigned short : 2;
20862         unsigned short POE8F : 1;
20863         unsigned short : 3;
20864 #else
20865         unsigned short : 3;
20866         unsigned short POE8F : 1;

```

```

20867         unsigned short : 2;
20868         unsigned short POE8E : 1;
20869         unsigned short PIE3 : 1;
20870         unsigned short : 6;
20871         unsigned short POE8M : 2;
20872 #endif
20873     } BIT;
20874     } ICSR3;
20875     union {
20876         unsigned char BYTE;
20877         struct {
20878
20879 #ifdef __RX_LITTLE_ENDIAN__
20880         unsigned char MTUCH34HIZ : 1;
20881         unsigned char MTUCH67HIZ : 1;
20882         unsigned char MTUCH0HIZ : 1;
20883         unsigned char : 5;
20884 #else
20885         unsigned char : 5;
20886         unsigned char MTUCH0HIZ : 1;
20887         unsigned char MTUCH67HIZ : 1;
20888         unsigned char MTUCH34HIZ : 1;
20889 #endif
20890     } BIT;
20891     } SPOER;
20892     union {
20893         unsigned char BYTE;
20894         struct {
20895
20896 #ifdef __RX_LITTLE_ENDIAN__
20897         unsigned char MTU0AZE : 1;
20898         unsigned char MTU0BZE : 1;
20899         unsigned char MTU0CZE : 1;
20900         unsigned char MTU0DZE : 1;
20901         unsigned char : 4;
20902 #else
20903         unsigned char : 4;
20904         unsigned char MTU0DZE : 1;
20905         unsigned char MTU0CZE : 1;
20906         unsigned char MTU0BZE : 1;
20907         unsigned char MTU0AZE : 1;
20908 #endif
20909     } BIT;
20910     } POECR1;
20911     union {
20912         unsigned short WORD;
20913         struct {
20914
20915 #ifdef __RX_LITTLE_ENDIAN__
20916         unsigned short MTU7BDZE : 1;
20917         unsigned short MTU7ACZE : 1;
20918         unsigned short MTU6BDZE : 1;
20919         unsigned short : 5;
20920         unsigned short MTU4BDZE : 1;
20921         unsigned short MTU4ACZE : 1;
20922         unsigned short MTU3BDZE : 1;
20923         unsigned short : 5;
20924 #else
20925         unsigned short : 5;
20926         unsigned short MTU3BDZE : 1;
20927         unsigned short MTU4ACZE : 1;
20928         unsigned short MTU4BDZE : 1;
20929         unsigned short : 5;
20930         unsigned short MTU6BDZE : 1;
20931         unsigned short MTU7ACZE : 1;
20932         unsigned short MTU7BDZE : 1;
20933 #endif
20934     } BIT;
20935     } POECR2;
20936     char wk0[2];
20937     union {
20938         unsigned short WORD;
20939         struct {
20940
20941 #ifdef __RX_LITTLE_ENDIAN__
20942         unsigned short : 2;
20943         unsigned short IC2ADDMT34ZE : 1;
20944         unsigned short IC3ADDMT34ZE : 1;
20945         unsigned short IC4ADDMT34ZE : 1;
20946         unsigned short IC5ADDMT34ZE : 1;
20947         unsigned short : 3;
20948         unsigned short IC1ADDMT67ZE : 1;
20949         unsigned short : 1;
20950         unsigned short IC3ADDMT67ZE : 1;
20951         unsigned short IC4ADDMT67ZE : 1;
20952         unsigned short IC5ADDMT67ZE : 1;
20953         unsigned short : 2;

```

```

20954 #else
20955     unsigned short : 2;
20956     unsigned short IC5ADDMT67ZE : 1;
20957     unsigned short IC4ADDMT67ZE : 1;
20958     unsigned short IC3ADDMT67ZE : 1;
20959     unsigned short : 1;
20960     unsigned short IC1ADDMT67ZE : 1;
20961     unsigned short : 3;
20962     unsigned short IC5ADDMT34ZE : 1;
20963     unsigned short IC4ADDMT34ZE : 1;
20964     unsigned short IC3ADDMT34ZE : 1;
20965     unsigned short IC2ADDMT34ZE : 1;
20966     unsigned short : 2;
20967 #endif
20968 } BIT;
20969 } POECR4;
20970 union {
20971     unsigned short WORD;
20972     struct {
20973
20974 #ifdef __RX_LITTLE_ENDIAN__
20975         unsigned short : 1;
20976         unsigned short IC1ADDMT0ZE : 1;
20977         unsigned short IC2ADDMT0ZE : 1;
20978         unsigned short : 1;
20979         unsigned short IC4ADDMT0ZE : 1;
20980         unsigned short IC5ADDMT0ZE : 1;
20981         unsigned short : 10;
20982 #else
20983         unsigned short : 10;
20984         unsigned short IC5ADDMT0ZE : 1;
20985         unsigned short IC4ADDMT0ZE : 1;
20986         unsigned short : 1;
20987         unsigned short IC2ADDMT0ZE : 1;
20988         unsigned short IC1ADDMT0ZE : 1;
20989         unsigned short : 1;
20990 #endif
20991     } BIT;
20992     } POECR5;
20993     char          wk1[2];
20994     union {
20995         unsigned short WORD;
20996         struct {
20997
20998 #ifdef __RX_LITTLE_ENDIAN__
20999         unsigned short POE10M : 2;
21000         unsigned short : 6;
21001         unsigned short PIE4 : 1;
21002         unsigned short POE10E : 1;
21003         unsigned short : 2;
21004         unsigned short POE10F : 1;
21005         unsigned short : 3;
21006 #else
21007         unsigned short : 3;
21008         unsigned short POE10F : 1;
21009         unsigned short : 2;
21010         unsigned short POE10E : 1;
21011         unsigned short PIE4 : 1;
21012         unsigned short : 6;
21013         unsigned short POE10M : 2;
21014 #endif
21015     } BIT;
21016     } ICSR4;
21017     union {
21018         unsigned short WORD;
21019         struct {
21020
21021 #ifdef __RX_LITTLE_ENDIAN__
21022         unsigned short POE11M : 2;
21023         unsigned short : 6;
21024         unsigned short PIE5 : 1;
21025         unsigned short POE11E : 1;
21026         unsigned short : 2;
21027         unsigned short POE11F : 1;
21028         unsigned short : 3;
21029 #else
21030         unsigned short : 3;
21031         unsigned short POE11F : 1;
21032         unsigned short : 2;
21033         unsigned short POE11E : 1;
21034         unsigned short PIE5 : 1;
21035         unsigned short : 6;
21036         unsigned short POE11M : 2;
21037 #endif
21038     } BIT;
21039     } ICSR5;
21040     union {

```

```

21041     unsigned short WORD;
21042     struct {
21043
21044 #ifdef __RX_LITTLE_ENDIAN__
21045     unsigned short OLSG0A : 1;
21046     unsigned short OLSG0B : 1;
21047     unsigned short OLSG1A : 1;
21048     unsigned short OLSG1B : 1;
21049     unsigned short OLSG2A : 1;
21050     unsigned short OLSG2B : 1;
21051     unsigned short : 1;
21052     unsigned short OLSEN : 1;
21053     unsigned short : 8;
21054 #else
21055     unsigned short : 8;
21056     unsigned short OLSEN : 1;
21057     unsigned short : 1;
21058     unsigned short OLSG2B : 1;
21059     unsigned short OLSG2A : 1;
21060     unsigned short OLSG1B : 1;
21061     unsigned short OLSG1A : 1;
21062     unsigned short OLSG0B : 1;
21063     unsigned short OLSG0A : 1;
21064 #endif
21065     } BIT;
21066     } ALR1;
21067     union {
21068     unsigned short WORD;
21069     struct {
21070
21071 #ifdef __RX_LITTLE_ENDIAN__
21072     unsigned short : 9;
21073     unsigned short OSTSTE : 1;
21074     unsigned short : 2;
21075     unsigned short OSTSTF : 1;
21076     unsigned short : 3;
21077 #else
21078     unsigned short : 3;
21079     unsigned short OSTSTF : 1;
21080     unsigned short : 2;
21081     unsigned short OSTSTE : 1;
21082     unsigned short : 9;
21083 #endif
21084     } BIT;
21085     } ICSR6;
21086     char          wk2[6];
21087     union {
21088     unsigned char BYTE;
21089     struct {
21090
21091 #ifdef __RX_LITTLE_ENDIAN__
21092     unsigned char M0ASEL : 4;
21093     unsigned char M0BSEL : 4;
21094 #else
21095     unsigned char M0BSEL : 4;
21096     unsigned char M0ASEL : 4;
21097 #endif
21098     } BIT;
21099     } M0SELR1;
21100     union {
21101     unsigned char BYTE;
21102     struct {
21103
21104 #ifdef __RX_LITTLE_ENDIAN__
21105     unsigned char M0CSEL : 4;
21106     unsigned char M0DSEL : 4;
21107 #else
21108     unsigned char M0DSEL : 4;
21109     unsigned char M0CSEL : 4;
21110 #endif
21111     } BIT;
21112     } M0SELR2;
21113     union {
21114     unsigned char BYTE;
21115     struct {
21116
21117 #ifdef __RX_LITTLE_ENDIAN__
21118     unsigned char M3BSEL : 4;
21119     unsigned char M3DSEL : 4;
21120 #else
21121     unsigned char M3DSEL : 4;
21122     unsigned char M3BSEL : 4;
21123 #endif
21124     } BIT;
21125     } M3SELR;
21126     union {
21127     unsigned char BYTE;

```



```

21128     struct {
21129
21130 #ifdef __RX_LITTLE_ENDIAN__
21131     unsigned char M4ASEL : 4;
21132     unsigned char M4CSEL : 4;
21133 #else
21134     unsigned char M4CSEL : 4;
21135     unsigned char M4ASEL : 4;
21136 #endif
21137     } BIT;
21138     } M4SELR1;
21139     union {
21140     unsigned char BYTE;
21141     struct {
21142
21143 #ifdef __RX_LITTLE_ENDIAN__
21144     unsigned char M4BSEL : 4;
21145     unsigned char M4DSEL : 4;
21146 #else
21147     unsigned char M4DSEL : 4;
21148     unsigned char M4BSEL : 4;
21149 #endif
21150     } BIT;
21151     } M4SELR2;
21152     char      wk3[1];
21153     union {
21154     unsigned char BYTE;
21155     struct {
21156
21157 #ifdef __RX_LITTLE_ENDIAN__
21158     unsigned char M6BSEL : 4;
21159     unsigned char M6DSEL : 4;
21160 #else
21161     unsigned char M6DSEL : 4;
21162     unsigned char M6BSEL : 4;
21163 #endif
21164     } BIT;
21165     } M6SELR;
21166 } st_poe_t;
21167
21168 typedef struct st_poeg {
21169     union {
21170     unsigned long LONG;
21171     struct {
21172
21173 #ifdef __RX_LITTLE_ENDIAN__
21174     unsigned long PIDF : 1;
21175     unsigned long IOCF : 1;
21176     unsigned long OSTPF : 1;
21177     unsigned long SSF : 1;
21178     unsigned long PIDE : 1;
21179     unsigned long IOCE : 1;
21180     unsigned long OSTPE : 1;
21181     unsigned long  : 9;
21182     unsigned long ST : 1;
21183     unsigned long  : 11;
21184     unsigned long INV : 1;
21185     unsigned long NFEN : 1;
21186     unsigned long NFCS : 2;
21187 #else
21188     unsigned long NFCS : 2;
21189     unsigned long NFEN : 1;
21190     unsigned long INV : 1;
21191     unsigned long  : 11;
21192     unsigned long ST : 1;
21193     unsigned long  : 9;
21194     unsigned long OSTPE : 1;
21195     unsigned long IOCE : 1;
21196     unsigned long PIDE : 1;
21197     unsigned long SSF : 1;
21198     unsigned long OSTPF : 1;
21199     unsigned long IOCF : 1;
21200     unsigned long PIDF : 1;
21201 #endif
21202     } BIT;
21203     } POEGGA;
21204     char      wk0[252];
21205     union {
21206     unsigned long LONG;
21207     struct {
21208
21209 #ifdef __RX_LITTLE_ENDIAN__
21210     unsigned long PIDF : 1;
21211     unsigned long IOCF : 1;
21212     unsigned long OSTPF : 1;
21213     unsigned long SSF : 1;
21214     unsigned long PIDE : 1;

```

```

21215     unsigned long IOCE : 1;
21216     unsigned long OSTPE : 1;
21217     unsigned long  : 9;
21218     unsigned long ST : 1;
21219     unsigned long  : 11;
21220     unsigned long INV : 1;
21221     unsigned long NFEN : 1;
21222     unsigned long NFCS : 2;
21223 #else
21224     unsigned long NFCS : 2;
21225     unsigned long NFEN : 1;
21226     unsigned long INV : 1;
21227     unsigned long  : 11;
21228     unsigned long ST : 1;
21229     unsigned long  : 9;
21230     unsigned long OSTPE : 1;
21231     unsigned long IOCE : 1;
21232     unsigned long PIDE : 1;
21233     unsigned long SSF : 1;
21234     unsigned long OSTPF : 1;
21235     unsigned long IOCF : 1;
21236     unsigned long PIDF : 1;
21237 #endif
21238 } BIT;
21239 } POEGGB;
21240 char      wk1[252];
21241 union {
21242     unsigned long LONG;
21243     struct {
21244
21245 #ifdef __RX_LITTLE_ENDIAN__
21246     unsigned long PIDF : 1;
21247     unsigned long IOCF : 1;
21248     unsigned long OSTPF : 1;
21249     unsigned long SSF : 1;
21250     unsigned long PIDE : 1;
21251     unsigned long IOCE : 1;
21252     unsigned long OSTPE : 1;
21253     unsigned long  : 9;
21254     unsigned long ST : 1;
21255     unsigned long  : 11;
21256     unsigned long INV : 1;
21257     unsigned long NFEN : 1;
21258     unsigned long NFCS : 2;
21259 #else
21260     unsigned long NFCS : 2;
21261     unsigned long NFEN : 1;
21262     unsigned long INV : 1;
21263     unsigned long  : 11;
21264     unsigned long ST : 1;
21265     unsigned long  : 9;
21266     unsigned long OSTPE : 1;
21267     unsigned long IOCE : 1;
21268     unsigned long PIDE : 1;
21269     unsigned long SSF : 1;
21270     unsigned long OSTPF : 1;
21271     unsigned long IOCF : 1;
21272     unsigned long PIDF : 1;
21273 #endif
21274 } BIT;
21275 } POEGGC;
21276 char      wk2[252];
21277 union {
21278     unsigned long LONG;
21279     struct {
21280
21281 #ifdef __RX_LITTLE_ENDIAN__
21282     unsigned long PIDF : 1;
21283     unsigned long IOCF : 1;
21284     unsigned long OSTPF : 1;
21285     unsigned long SSF : 1;
21286     unsigned long PIDE : 1;
21287     unsigned long IOCE : 1;
21288     unsigned long OSTPE : 1;
21289     unsigned long  : 9;
21290     unsigned long ST : 1;
21291     unsigned long  : 11;
21292     unsigned long INV : 1;
21293     unsigned long NFEN : 1;
21294     unsigned long NFCS : 2;
21295 #else
21296     unsigned long NFCS : 2;
21297     unsigned long NFEN : 1;
21298     unsigned long INV : 1;
21299     unsigned long  : 11;
21300     unsigned long ST : 1;
21301     unsigned long  : 9;

```

```

21302         unsigned long OSTPE : 1;
21303         unsigned long IOCE : 1;
21304         unsigned long PIDE : 1;
21305         unsigned long SSF : 1;
21306         unsigned long OSTPF : 1;
21307         unsigned long IOCF : 1;
21308         unsigned long PIDF : 1;
21309     #endif
21310     } BIT;
21311     } POEGGD;
21312 } st_poeg_t;
21313
21314 typedef struct st_port0 {
21315     union {
21316         unsigned char BYTE;
21317         struct {
21318
21319     #ifdef __RX_LITTLE_ENDIAN__
21320         unsigned char B0 : 1;
21321         unsigned char B1 : 1;
21322         unsigned char B2 : 1;
21323         unsigned char B3 : 1;
21324         unsigned char : 1;
21325         unsigned char B5 : 1;
21326         unsigned char : 1;
21327         unsigned char B7 : 1;
21328     #else
21329         unsigned char B7 : 1;
21330         unsigned char : 1;
21331         unsigned char B5 : 1;
21332         unsigned char : 1;
21333         unsigned char B3 : 1;
21334         unsigned char B2 : 1;
21335         unsigned char B1 : 1;
21336         unsigned char B0 : 1;
21337     #endif
21338     } BIT;
21339     } PDR;
21340     char      wk0[31];
21341     union {
21342         unsigned char BYTE;
21343         struct {
21344
21345     #ifdef __RX_LITTLE_ENDIAN__
21346         unsigned char B0 : 1;
21347         unsigned char B1 : 1;
21348         unsigned char B2 : 1;
21349         unsigned char B3 : 1;
21350         unsigned char : 1;
21351         unsigned char B5 : 1;
21352         unsigned char : 1;
21353         unsigned char B7 : 1;
21354     #else
21355         unsigned char B7 : 1;
21356         unsigned char : 1;
21357         unsigned char B5 : 1;
21358         unsigned char : 1;
21359         unsigned char B3 : 1;
21360         unsigned char B2 : 1;
21361         unsigned char B1 : 1;
21362         unsigned char B0 : 1;
21363     #endif
21364     } BIT;
21365     } PODR;
21366     char      wk1[31];
21367     union {
21368         unsigned char BYTE;
21369         struct {
21370
21371     #ifdef __RX_LITTLE_ENDIAN__
21372         unsigned char B0 : 1;
21373         unsigned char B1 : 1;
21374         unsigned char B2 : 1;
21375         unsigned char B3 : 1;
21376         unsigned char : 1;
21377         unsigned char B5 : 1;
21378         unsigned char : 1;
21379         unsigned char B7 : 1;
21380     #else
21381         unsigned char B7 : 1;
21382         unsigned char : 1;
21383         unsigned char B5 : 1;
21384         unsigned char : 1;
21385         unsigned char B3 : 1;
21386         unsigned char B2 : 1;
21387         unsigned char B1 : 1;
21388         unsigned char B0 : 1;

```

```
21389 #endif
21390     } BIT;
21391     } PIDR;
21392     char          wk2[31];
21393     union {
21394         unsigned char BYTE;
21395         struct {
21396
21397 #ifdef __RX_LITTLE_ENDIAN__
21398         unsigned char B0 : 1;
21399         unsigned char B1 : 1;
21400         unsigned char B2 : 1;
21401         unsigned char B3 : 1;
21402         unsigned char  : 1;
21403         unsigned char B5 : 1;
21404         unsigned char  : 1;
21405         unsigned char B7 : 1;
21406 #else
21407         unsigned char B7 : 1;
21408         unsigned char  : 1;
21409         unsigned char B5 : 1;
21410         unsigned char  : 1;
21411         unsigned char B3 : 1;
21412         unsigned char B2 : 1;
21413         unsigned char B1 : 1;
21414         unsigned char B0 : 1;
21415 #endif
21416     } BIT;
21417     } PMR;
21418     char          wk3[31];
21419     union {
21420         unsigned char BYTE;
21421         struct {
21422
21423 #ifdef __RX_LITTLE_ENDIAN__
21424         unsigned char B0 : 1;
21425         unsigned char  : 1;
21426         unsigned char B2 : 1;
21427         unsigned char  : 1;
21428         unsigned char B4 : 1;
21429         unsigned char  : 1;
21430         unsigned char B6 : 1;
21431         unsigned char  : 1;
21432 #else
21433         unsigned char  : 1;
21434         unsigned char B6 : 1;
21435         unsigned char  : 1;
21436         unsigned char B4 : 1;
21437         unsigned char  : 1;
21438         unsigned char B2 : 1;
21439         unsigned char  : 1;
21440         unsigned char B0 : 1;
21441 #endif
21442     } BIT;
21443     } ODR0;
21444     union {
21445         unsigned char BYTE;
21446         struct {
21447
21448 #ifdef __RX_LITTLE_ENDIAN__
21449         unsigned char  : 2;
21450         unsigned char B2 : 1;
21451         unsigned char  : 3;
21452         unsigned char B6 : 1;
21453         unsigned char  : 1;
21454 #else
21455         unsigned char  : 1;
21456         unsigned char B6 : 1;
21457         unsigned char  : 3;
21458         unsigned char B2 : 1;
21459         unsigned char  : 2;
21460 #endif
21461     } BIT;
21462     } ODR1;
21463     char          wk4[62];
21464     union {
21465         unsigned char BYTE;
21466         struct {
21467
21468 #ifdef __RX_LITTLE_ENDIAN__
21469         unsigned char B0 : 1;
21470         unsigned char B1 : 1;
21471         unsigned char B2 : 1;
21472         unsigned char B3 : 1;
21473         unsigned char  : 1;
21474         unsigned char B5 : 1;
21475         unsigned char  : 1;
```

```

21476         unsigned char B7 : 1;
21477 #else
21478         unsigned char B7 : 1;
21479         unsigned char : 1;
21480         unsigned char B5 : 1;
21481         unsigned char : 1;
21482         unsigned char B3 : 1;
21483         unsigned char B2 : 1;
21484         unsigned char B1 : 1;
21485         unsigned char B0 : 1;
21486 #endif
21487     } BIT;
21488     } PCR;
21489     char          wk5[31];
21490     union {
21491         unsigned char BYTE;
21492     struct {
21493
21494 #ifdef __RX_LITTLE_ENDIAN__
21495         unsigned char B0 : 1;
21496         unsigned char B1 : 1;
21497         unsigned char B2 : 1;
21498         unsigned char : 5;
21499 #else
21500         unsigned char : 5;
21501         unsigned char B2 : 1;
21502         unsigned char B1 : 1;
21503         unsigned char B0 : 1;
21504 #endif
21505     } BIT;
21506     } DSCR;
21507     char          wk6[71];
21508     union {
21509         unsigned char BYTE;
21510     struct {
21511
21512 #ifdef __RX_LITTLE_ENDIAN__
21513         unsigned char B0 : 1;
21514         unsigned char B1 : 1;
21515         unsigned char B2 : 1;
21516         unsigned char : 5;
21517 #else
21518         unsigned char : 5;
21519         unsigned char B2 : 1;
21520         unsigned char B1 : 1;
21521         unsigned char B0 : 1;
21522 #endif
21523     } BIT;
21524     } DSCR2;
21525 } st_port0_t;
21526
21527 typedef struct st_port1 {
21528     union {
21529         unsigned char BYTE;
21530     struct {
21531
21532 #ifdef __RX_LITTLE_ENDIAN__
21533         unsigned char B0 : 1;
21534         unsigned char B1 : 1;
21535         unsigned char B2 : 1;
21536         unsigned char B3 : 1;
21537         unsigned char B4 : 1;
21538         unsigned char B5 : 1;
21539         unsigned char B6 : 1;
21540         unsigned char B7 : 1;
21541 #else
21542         unsigned char B7 : 1;
21543         unsigned char B6 : 1;
21544         unsigned char B5 : 1;
21545         unsigned char B4 : 1;
21546         unsigned char B3 : 1;
21547         unsigned char B2 : 1;
21548         unsigned char B1 : 1;
21549         unsigned char B0 : 1;
21550 #endif
21551     } BIT;
21552     } PDR;
21553     char          wk0[31];
21554     union {
21555         unsigned char BYTE;
21556     struct {
21557
21558 #ifdef __RX_LITTLE_ENDIAN__
21559         unsigned char B0 : 1;
21560         unsigned char B1 : 1;
21561         unsigned char B2 : 1;
21562         unsigned char B3 : 1;

```

```

21563         unsigned char B4 : 1;
21564         unsigned char B5 : 1;
21565         unsigned char B6 : 1;
21566         unsigned char B7 : 1;
21567 #else
21568         unsigned char B7 : 1;
21569         unsigned char B6 : 1;
21570         unsigned char B5 : 1;
21571         unsigned char B4 : 1;
21572         unsigned char B3 : 1;
21573         unsigned char B2 : 1;
21574         unsigned char B1 : 1;
21575         unsigned char B0 : 1;
21576 #endif
21577     } BIT;
21578     } PODR;
21579     char          wk1[31];
21580     union {
21581         unsigned char BYTE;
21582         struct {
21583
21584 #ifdef __RX_LITTLE_ENDIAN__
21585         unsigned char B0 : 1;
21586         unsigned char B1 : 1;
21587         unsigned char B2 : 1;
21588         unsigned char B3 : 1;
21589         unsigned char B4 : 1;
21590         unsigned char B5 : 1;
21591         unsigned char B6 : 1;
21592         unsigned char B7 : 1;
21593 #else
21594         unsigned char B7 : 1;
21595         unsigned char B6 : 1;
21596         unsigned char B5 : 1;
21597         unsigned char B4 : 1;
21598         unsigned char B3 : 1;
21599         unsigned char B2 : 1;
21600         unsigned char B1 : 1;
21601         unsigned char B0 : 1;
21602 #endif
21603     } BIT;
21604     } PIDR;
21605     char          wk2[31];
21606     union {
21607         unsigned char BYTE;
21608         struct {
21609
21610 #ifdef __RX_LITTLE_ENDIAN__
21611         unsigned char B0 : 1;
21612         unsigned char B1 : 1;
21613         unsigned char B2 : 1;
21614         unsigned char B3 : 1;
21615         unsigned char B4 : 1;
21616         unsigned char B5 : 1;
21617         unsigned char B6 : 1;
21618         unsigned char B7 : 1;
21619 #else
21620         unsigned char B7 : 1;
21621         unsigned char B6 : 1;
21622         unsigned char B5 : 1;
21623         unsigned char B4 : 1;
21624         unsigned char B3 : 1;
21625         unsigned char B2 : 1;
21626         unsigned char B1 : 1;
21627         unsigned char B0 : 1;
21628 #endif
21629     } BIT;
21630     } PMR;
21631     char          wk3[32];
21632     union {
21633         unsigned char BYTE;
21634         struct {
21635
21636 #ifdef __RX_LITTLE_ENDIAN__
21637         unsigned char B0 : 1;
21638         unsigned char  : 1;
21639         unsigned char B2 : 1;
21640         unsigned char  : 1;
21641         unsigned char B4 : 1;
21642         unsigned char  : 1;
21643         unsigned char B6 : 1;
21644         unsigned char  : 1;
21645 #else
21646         unsigned char  : 1;
21647         unsigned char B6 : 1;
21648         unsigned char  : 1;
21649         unsigned char B4 : 1;

```

```

21650         unsigned char : 1;
21651         unsigned char B2 : 1;
21652         unsigned char : 1;
21653         unsigned char B0 : 1;
21654 #endif
21655     } BIT;
21656     } ODR0;
21657     union {
21658         unsigned char BYTE;
21659         struct {
21660
21661 #ifdef __RX_LITTLE_ENDIAN__
21662         unsigned char B0 : 1;
21663         unsigned char : 1;
21664         unsigned char B2 : 1;
21665         unsigned char : 1;
21666         unsigned char B4 : 1;
21667         unsigned char : 1;
21668         unsigned char B6 : 1;
21669         unsigned char : 1;
21670 #else
21671         unsigned char : 1;
21672         unsigned char B6 : 1;
21673         unsigned char : 1;
21674         unsigned char B4 : 1;
21675         unsigned char : 1;
21676         unsigned char B2 : 1;
21677         unsigned char : 1;
21678         unsigned char B0 : 1;
21679 #endif
21680     } BIT;
21681     } ODR1;
21682     char        wk4[61];
21683     union {
21684         unsigned char BYTE;
21685         struct {
21686
21687 #ifdef __RX_LITTLE_ENDIAN__
21688         unsigned char B0 : 1;
21689         unsigned char B1 : 1;
21690         unsigned char B2 : 1;
21691         unsigned char B3 : 1;
21692         unsigned char B4 : 1;
21693         unsigned char B5 : 1;
21694         unsigned char B6 : 1;
21695         unsigned char B7 : 1;
21696 #else
21697         unsigned char B7 : 1;
21698         unsigned char B6 : 1;
21699         unsigned char B5 : 1;
21700         unsigned char B4 : 1;
21701         unsigned char B3 : 1;
21702         unsigned char B2 : 1;
21703         unsigned char B1 : 1;
21704         unsigned char B0 : 1;
21705 #endif
21706     } BIT;
21707     } PCR;
21708     char        wk5[31];
21709     union {
21710         unsigned char BYTE;
21711         struct {
21712
21713 #ifdef __RX_LITTLE_ENDIAN__
21714         unsigned char : 1;
21715         unsigned char B1 : 1;
21716         unsigned char B2 : 1;
21717         unsigned char B3 : 1;
21718         unsigned char B4 : 1;
21719         unsigned char : 3;
21720 #else
21721         unsigned char : 3;
21722         unsigned char B4 : 1;
21723         unsigned char B3 : 1;
21724         unsigned char B2 : 1;
21725         unsigned char B1 : 1;
21726         unsigned char : 1;
21727 #endif
21728     } BIT;
21729     } DSCR;
21730     char        wk6[71];
21731     union {
21732         unsigned char BYTE;
21733         struct {
21734
21735 #ifdef __RX_LITTLE_ENDIAN__
21736         unsigned char : 1;

```

```

21737         unsigned char B1 : 1;
21738         unsigned char B2 : 1;
21739         unsigned char B3 : 1;
21740         unsigned char B4 : 1;
21741         unsigned char : 2;
21742         unsigned char B7 : 1;
21743     #else
21744         unsigned char B7 : 1;
21745         unsigned char : 2;
21746         unsigned char B4 : 1;
21747         unsigned char B3 : 1;
21748         unsigned char B2 : 1;
21749         unsigned char B1 : 1;
21750         unsigned char : 1;
21751     #endif
21752     } BIT;
21753     } DSCR2;
21754 } st_port1_t;
21755
21756 typedef struct st_port2 {
21757     union {
21758         unsigned char BYTE;
21759         struct {
21760
21761     #ifdef __RX_LITTLE_ENDIAN__
21762         unsigned char B0 : 1;
21763         unsigned char B1 : 1;
21764         unsigned char B2 : 1;
21765         unsigned char B3 : 1;
21766         unsigned char B4 : 1;
21767         unsigned char B5 : 1;
21768         unsigned char B6 : 1;
21769         unsigned char B7 : 1;
21770     #else
21771         unsigned char B7 : 1;
21772         unsigned char B6 : 1;
21773         unsigned char B5 : 1;
21774         unsigned char B4 : 1;
21775         unsigned char B3 : 1;
21776         unsigned char B2 : 1;
21777         unsigned char B1 : 1;
21778         unsigned char B0 : 1;
21779     #endif
21780     } BIT;
21781     } PDR;
21782     char          wk0[31];
21783     union {
21784         unsigned char BYTE;
21785         struct {
21786
21787     #ifdef __RX_LITTLE_ENDIAN__
21788         unsigned char B0 : 1;
21789         unsigned char B1 : 1;
21790         unsigned char B2 : 1;
21791         unsigned char B3 : 1;
21792         unsigned char B4 : 1;
21793         unsigned char B5 : 1;
21794         unsigned char B6 : 1;
21795         unsigned char B7 : 1;
21796     #else
21797         unsigned char B7 : 1;
21798         unsigned char B6 : 1;
21799         unsigned char B5 : 1;
21800         unsigned char B4 : 1;
21801         unsigned char B3 : 1;
21802         unsigned char B2 : 1;
21803         unsigned char B1 : 1;
21804         unsigned char B0 : 1;
21805     #endif
21806     } BIT;
21807     } PODR;
21808     char          wk1[31];
21809     union {
21810         unsigned char BYTE;
21811         struct {
21812
21813     #ifdef __RX_LITTLE_ENDIAN__
21814         unsigned char B0 : 1;
21815         unsigned char B1 : 1;
21816         unsigned char B2 : 1;
21817         unsigned char B3 : 1;
21818         unsigned char B4 : 1;
21819         unsigned char B5 : 1;
21820         unsigned char B6 : 1;
21821         unsigned char B7 : 1;
21822     #else
21823         unsigned char B7 : 1;

```



```

21824         unsigned char B6 : 1;
21825         unsigned char B5 : 1;
21826         unsigned char B4 : 1;
21827         unsigned char B3 : 1;
21828         unsigned char B2 : 1;
21829         unsigned char B1 : 1;
21830         unsigned char B0 : 1;
21831 #endif
21832     } BIT;
21833     } PIDR;
21834     char          wk2[31];
21835     union {
21836         unsigned char BYTE;
21837         struct {
21838
21839 #ifdef __RX_LITTLE_ENDIAN__
21840         unsigned char B0 : 1;
21841         unsigned char B1 : 1;
21842         unsigned char B2 : 1;
21843         unsigned char B3 : 1;
21844         unsigned char B4 : 1;
21845         unsigned char B5 : 1;
21846         unsigned char B6 : 1;
21847         unsigned char B7 : 1;
21848 #else
21849         unsigned char B7 : 1;
21850         unsigned char B6 : 1;
21851         unsigned char B5 : 1;
21852         unsigned char B4 : 1;
21853         unsigned char B3 : 1;
21854         unsigned char B2 : 1;
21855         unsigned char B1 : 1;
21856         unsigned char B0 : 1;
21857 #endif
21858     } BIT;
21859     } PMR;
21860     char          wk3[33];
21861     union {
21862         unsigned char BYTE;
21863         struct {
21864
21865 #ifdef __RX_LITTLE_ENDIAN__
21866         unsigned char B0 : 1;
21867         unsigned char  : 1;
21868         unsigned char B2 : 1;
21869         unsigned char  : 1;
21870         unsigned char B4 : 1;
21871         unsigned char  : 1;
21872         unsigned char B6 : 1;
21873         unsigned char  : 1;
21874 #else
21875         unsigned char  : 1;
21876         unsigned char B6 : 1;
21877         unsigned char  : 1;
21878         unsigned char B4 : 1;
21879         unsigned char  : 1;
21880         unsigned char B2 : 1;
21881         unsigned char  : 1;
21882         unsigned char B0 : 1;
21883 #endif
21884     } BIT;
21885     } ODR0;
21886     union {
21887         unsigned char BYTE;
21888         struct {
21889
21890 #ifdef __RX_LITTLE_ENDIAN__
21891         unsigned char B0 : 1;
21892         unsigned char  : 1;
21893         unsigned char B2 : 1;
21894         unsigned char  : 1;
21895         unsigned char B4 : 1;
21896         unsigned char  : 1;
21897         unsigned char B6 : 1;
21898         unsigned char  : 1;
21899 #else
21900         unsigned char  : 1;
21901         unsigned char B6 : 1;
21902         unsigned char  : 1;
21903         unsigned char B4 : 1;
21904         unsigned char  : 1;
21905         unsigned char B2 : 1;
21906         unsigned char  : 1;
21907         unsigned char B0 : 1;
21908 #endif
21909     } BIT;
21910     } ODR1;

```

```

21911     char            wk4[60];
21912     union {
21913         unsigned char BYTE;
21914         struct {
21915
21916 #ifdef __RX_LITTLE_ENDIAN__
21917         unsigned char B0 : 1;
21918         unsigned char B1 : 1;
21919         unsigned char B2 : 1;
21920         unsigned char B3 : 1;
21921         unsigned char B4 : 1;
21922         unsigned char B5 : 1;
21923         unsigned char B6 : 1;
21924         unsigned char B7 : 1;
21925 #else
21926         unsigned char B7 : 1;
21927         unsigned char B6 : 1;
21928         unsigned char B5 : 1;
21929         unsigned char B4 : 1;
21930         unsigned char B3 : 1;
21931         unsigned char B2 : 1;
21932         unsigned char B1 : 1;
21933         unsigned char B0 : 1;
21934 #endif
21935     } BIT;
21936     } PCR;
21937     char            wk5[31];
21938     union {
21939         unsigned char BYTE;
21940         struct {
21941
21942 #ifdef __RX_LITTLE_ENDIAN__
21943         unsigned char : 7;
21944         unsigned char B7 : 1;
21945 #else
21946         unsigned char B7 : 1;
21947         unsigned char : 7;
21948 #endif
21949     } BIT;
21950     } DSCR;
21951     char            wk6[71];
21952     union {
21953         unsigned char BYTE;
21954         struct {
21955
21956 #ifdef __RX_LITTLE_ENDIAN__
21957         unsigned char B0 : 1;
21958         unsigned char B1 : 1;
21959         unsigned char B2 : 1;
21960         unsigned char B3 : 1;
21961         unsigned char : 3;
21962         unsigned char B7 : 1;
21963 #else
21964         unsigned char B7 : 1;
21965         unsigned char : 3;
21966         unsigned char B3 : 1;
21967         unsigned char B2 : 1;
21968         unsigned char B1 : 1;
21969         unsigned char B0 : 1;
21970 #endif
21971     } BIT;
21972     } DSCR2;
21973 } st_port2_t;
21974
21975 typedef struct st_port3 {
21976     union {
21977         unsigned char BYTE;
21978         struct {
21979
21980 #ifdef __RX_LITTLE_ENDIAN__
21981         unsigned char B0 : 1;
21982         unsigned char B1 : 1;
21983         unsigned char B2 : 1;
21984         unsigned char B3 : 1;
21985         unsigned char B4 : 1;
21986         unsigned char : 1;
21987         unsigned char B6 : 1;
21988         unsigned char B7 : 1;
21989 #else
21990         unsigned char B7 : 1;
21991         unsigned char B6 : 1;
21992         unsigned char : 1;
21993         unsigned char B4 : 1;
21994         unsigned char B3 : 1;
21995         unsigned char B2 : 1;
21996         unsigned char B1 : 1;
21997         unsigned char B0 : 1;

```

```

21998 #endif
21999     } BIT;
22000     } PDR;
22001     char          wk0[31];
22002     union {
22003         unsigned char BYTE;
22004         struct {
22005
22006 #ifdef __RX_LITTLE_ENDIAN__
22007         unsigned char B0 : 1;
22008         unsigned char B1 : 1;
22009         unsigned char B2 : 1;
22010         unsigned char B3 : 1;
22011         unsigned char B4 : 1;
22012         unsigned char  : 1;
22013         unsigned char B6 : 1;
22014         unsigned char B7 : 1;
22015 #else
22016         unsigned char B7 : 1;
22017         unsigned char B6 : 1;
22018         unsigned char  : 1;
22019         unsigned char B4 : 1;
22020         unsigned char B3 : 1;
22021         unsigned char B2 : 1;
22022         unsigned char B1 : 1;
22023         unsigned char B0 : 1;
22024 #endif
22025     } BIT;
22026     } PODR;
22027     char          wk1[31];
22028     union {
22029         unsigned char BYTE;
22030         struct {
22031
22032 #ifdef __RX_LITTLE_ENDIAN__
22033         unsigned char B0 : 1;
22034         unsigned char B1 : 1;
22035         unsigned char B2 : 1;
22036         unsigned char B3 : 1;
22037         unsigned char B4 : 1;
22038         unsigned char B5 : 1;
22039         unsigned char B6 : 1;
22040         unsigned char B7 : 1;
22041 #else
22042         unsigned char B7 : 1;
22043         unsigned char B6 : 1;
22044         unsigned char B5 : 1;
22045         unsigned char B4 : 1;
22046         unsigned char B3 : 1;
22047         unsigned char B2 : 1;
22048         unsigned char B1 : 1;
22049         unsigned char B0 : 1;
22050 #endif
22051     } BIT;
22052     } PIDR;
22053     char          wk2[31];
22054     union {
22055         unsigned char BYTE;
22056         struct {
22057
22058 #ifdef __RX_LITTLE_ENDIAN__
22059         unsigned char B0 : 1;
22060         unsigned char B1 : 1;
22061         unsigned char B2 : 1;
22062         unsigned char B3 : 1;
22063         unsigned char B4 : 1;
22064         unsigned char  : 1;
22065         unsigned char B6 : 1;
22066         unsigned char B7 : 1;
22067 #else
22068         unsigned char B7 : 1;
22069         unsigned char B6 : 1;
22070         unsigned char  : 1;
22071         unsigned char B4 : 1;
22072         unsigned char B3 : 1;
22073         unsigned char B2 : 1;
22074         unsigned char B1 : 1;
22075         unsigned char B0 : 1;
22076 #endif
22077     } BIT;
22078     } PMR;
22079     char          wk3[34];
22080     union {
22081         unsigned char BYTE;
22082         struct {
22083
22084 #ifdef __RX_LITTLE_ENDIAN__

```

```

22085         unsigned char B0 : 1;
22086         unsigned char : 1;
22087         unsigned char B2 : 1;
22088         unsigned char : 1;
22089         unsigned char B4 : 1;
22090         unsigned char : 1;
22091         unsigned char B6 : 1;
22092         unsigned char : 1;
22093 #else
22094         unsigned char : 1;
22095         unsigned char B6 : 1;
22096         unsigned char : 1;
22097         unsigned char B4 : 1;
22098         unsigned char : 1;
22099         unsigned char B2 : 1;
22100         unsigned char : 1;
22101         unsigned char B0 : 1;
22102 #endif
22103     } BIT;
22104     } ODR0;
22105     union {
22106         unsigned char BYTE;
22107     struct {
22108
22109 #ifdef __RX_LITTLE_ENDIAN__
22110         unsigned char B0 : 1;
22111         unsigned char : 3;
22112         unsigned char B4 : 1;
22113         unsigned char : 1;
22114         unsigned char B6 : 1;
22115         unsigned char : 1;
22116 #else
22117         unsigned char : 1;
22118         unsigned char B6 : 1;
22119         unsigned char : 1;
22120         unsigned char B4 : 1;
22121         unsigned char : 3;
22122         unsigned char B0 : 1;
22123 #endif
22124     } BIT;
22125     } ODR1;
22126     char          wk4[59];
22127     union {
22128         unsigned char BYTE;
22129     struct {
22130
22131 #ifdef __RX_LITTLE_ENDIAN__
22132         unsigned char B0 : 1;
22133         unsigned char B1 : 1;
22134         unsigned char B2 : 1;
22135         unsigned char B3 : 1;
22136         unsigned char B4 : 1;
22137         unsigned char : 1;
22138         unsigned char B6 : 1;
22139         unsigned char B7 : 1;
22140 #else
22141         unsigned char B7 : 1;
22142         unsigned char B6 : 1;
22143         unsigned char : 1;
22144         unsigned char B4 : 1;
22145         unsigned char B3 : 1;
22146         unsigned char B2 : 1;
22147         unsigned char B1 : 1;
22148         unsigned char B0 : 1;
22149 #endif
22150     } BIT;
22151     } PCR;
22152     char          wk5[103];
22153     union {
22154         unsigned char BYTE;
22155     struct {
22156
22157 #ifdef __RX_LITTLE_ENDIAN__
22158         unsigned char B0 : 1;
22159         unsigned char B1 : 1;
22160         unsigned char : 6;
22161 #else
22162         unsigned char : 6;
22163         unsigned char B1 : 1;
22164         unsigned char B0 : 1;
22165 #endif
22166     } BIT;
22167     } DSCR2;
22168 } st_port3_t;
22169
22170 typedef struct st_port4 {
22171     union {

```

```

22172     unsigned char BYTE;
22173     struct {
22174
22175 #ifdef __RX_LITTLE_ENDIAN__
22176     unsigned char B0 : 1;
22177     unsigned char B1 : 1;
22178     unsigned char B2 : 1;
22179     unsigned char B3 : 1;
22180     unsigned char B4 : 1;
22181     unsigned char B5 : 1;
22182     unsigned char B6 : 1;
22183     unsigned char B7 : 1;
22184 #else
22185     unsigned char B7 : 1;
22186     unsigned char B6 : 1;
22187     unsigned char B5 : 1;
22188     unsigned char B4 : 1;
22189     unsigned char B3 : 1;
22190     unsigned char B2 : 1;
22191     unsigned char B1 : 1;
22192     unsigned char B0 : 1;
22193 #endif
22194     } BIT;
22195     } PDR;
22196     char          wk0[31];
22197     union {
22198     unsigned char BYTE;
22199     struct {
22200
22201 #ifdef __RX_LITTLE_ENDIAN__
22202     unsigned char B0 : 1;
22203     unsigned char B1 : 1;
22204     unsigned char B2 : 1;
22205     unsigned char B3 : 1;
22206     unsigned char B4 : 1;
22207     unsigned char B5 : 1;
22208     unsigned char B6 : 1;
22209     unsigned char B7 : 1;
22210 #else
22211     unsigned char B7 : 1;
22212     unsigned char B6 : 1;
22213     unsigned char B5 : 1;
22214     unsigned char B4 : 1;
22215     unsigned char B3 : 1;
22216     unsigned char B2 : 1;
22217     unsigned char B1 : 1;
22218     unsigned char B0 : 1;
22219 #endif
22220     } BIT;
22221     } PODR;
22222     char          wk1[31];
22223     union {
22224     unsigned char BYTE;
22225     struct {
22226
22227 #ifdef __RX_LITTLE_ENDIAN__
22228     unsigned char B0 : 1;
22229     unsigned char B1 : 1;
22230     unsigned char B2 : 1;
22231     unsigned char B3 : 1;
22232     unsigned char B4 : 1;
22233     unsigned char B5 : 1;
22234     unsigned char B6 : 1;
22235     unsigned char B7 : 1;
22236 #else
22237     unsigned char B7 : 1;
22238     unsigned char B6 : 1;
22239     unsigned char B5 : 1;
22240     unsigned char B4 : 1;
22241     unsigned char B3 : 1;
22242     unsigned char B2 : 1;
22243     unsigned char B1 : 1;
22244     unsigned char B0 : 1;
22245 #endif
22246     } BIT;
22247     } PIDR;
22248     char          wk2[31];
22249     union {
22250     unsigned char BYTE;
22251     struct {
22252
22253 #ifdef __RX_LITTLE_ENDIAN__
22254     unsigned char B0 : 1;
22255     unsigned char B1 : 1;
22256     unsigned char B2 : 1;
22257     unsigned char B3 : 1;
22258     unsigned char B4 : 1;

```

```

22259         unsigned char B5 : 1;
22260         unsigned char B6 : 1;
22261         unsigned char B7 : 1;
22262 #else
22263         unsigned char B7 : 1;
22264         unsigned char B6 : 1;
22265         unsigned char B5 : 1;
22266         unsigned char B4 : 1;
22267         unsigned char B3 : 1;
22268         unsigned char B2 : 1;
22269         unsigned char B1 : 1;
22270         unsigned char B0 : 1;
22271 #endif
22272     } BIT;
22273     } PMR;
22274     char          wk3[35];
22275     union {
22276         unsigned char BYTE;
22277         struct {
22278
22279 #ifdef __RX_LITTLE_ENDIAN__
22280         unsigned char B0 : 1;
22281         unsigned char  : 1;
22282         unsigned char B2 : 1;
22283         unsigned char  : 1;
22284         unsigned char B4 : 1;
22285         unsigned char  : 1;
22286         unsigned char B6 : 1;
22287         unsigned char  : 1;
22288 #else
22289         unsigned char  : 1;
22290         unsigned char B6 : 1;
22291         unsigned char  : 1;
22292         unsigned char B4 : 1;
22293         unsigned char  : 1;
22294         unsigned char B2 : 1;
22295         unsigned char  : 1;
22296         unsigned char B0 : 1;
22297 #endif
22298     } BIT;
22299     } ODR0;
22300     union {
22301         unsigned char BYTE;
22302         struct {
22303
22304 #ifdef __RX_LITTLE_ENDIAN__
22305         unsigned char B0 : 1;
22306         unsigned char  : 1;
22307         unsigned char B2 : 1;
22308         unsigned char  : 1;
22309         unsigned char B4 : 1;
22310         unsigned char  : 1;
22311         unsigned char B6 : 1;
22312         unsigned char  : 1;
22313 #else
22314         unsigned char  : 1;
22315         unsigned char B6 : 1;
22316         unsigned char  : 1;
22317         unsigned char B4 : 1;
22318         unsigned char  : 1;
22319         unsigned char B2 : 1;
22320         unsigned char  : 1;
22321         unsigned char B0 : 1;
22322 #endif
22323     } BIT;
22324     } ODR1;
22325     char          wk4[58];
22326     union {
22327         unsigned char BYTE;
22328         struct {
22329
22330 #ifdef __RX_LITTLE_ENDIAN__
22331         unsigned char B0 : 1;
22332         unsigned char B1 : 1;
22333         unsigned char B2 : 1;
22334         unsigned char B3 : 1;
22335         unsigned char B4 : 1;
22336         unsigned char B5 : 1;
22337         unsigned char B6 : 1;
22338         unsigned char B7 : 1;
22339 #else
22340         unsigned char B7 : 1;
22341         unsigned char B6 : 1;
22342         unsigned char B5 : 1;
22343         unsigned char B4 : 1;
22344         unsigned char B3 : 1;
22345         unsigned char B2 : 1;

```

```

22346         unsigned char B1 : 1;
22347         unsigned char B0 : 1;
22348     #endif
22349     } BIT;
22350     } PCR;
22351 } st_port4_t;
22352
22353 typedef struct st_port5 {
22354     union {
22355         unsigned char BYTE;
22356         struct {
22357
22358     #ifdef __RX_LITTLE_ENDIAN__
22359         unsigned char B0 : 1;
22360         unsigned char B1 : 1;
22361         unsigned char B2 : 1;
22362         unsigned char B3 : 1;
22363         unsigned char B4 : 1;
22364         unsigned char B5 : 1;
22365         unsigned char B6 : 1;
22366         unsigned char B7 : 1;
22367     #else
22368         unsigned char B7 : 1;
22369         unsigned char B6 : 1;
22370         unsigned char B5 : 1;
22371         unsigned char B4 : 1;
22372         unsigned char B3 : 1;
22373         unsigned char B2 : 1;
22374         unsigned char B1 : 1;
22375         unsigned char B0 : 1;
22376     #endif
22377     } BIT;
22378     } PDR;
22379     char        wk0[31];
22380     union {
22381         unsigned char BYTE;
22382         struct {
22383
22384     #ifdef __RX_LITTLE_ENDIAN__
22385         unsigned char B0 : 1;
22386         unsigned char B1 : 1;
22387         unsigned char B2 : 1;
22388         unsigned char B3 : 1;
22389         unsigned char B4 : 1;
22390         unsigned char B5 : 1;
22391         unsigned char B6 : 1;
22392         unsigned char B7 : 1;
22393     #else
22394         unsigned char B7 : 1;
22395         unsigned char B6 : 1;
22396         unsigned char B5 : 1;
22397         unsigned char B4 : 1;
22398         unsigned char B3 : 1;
22399         unsigned char B2 : 1;
22400         unsigned char B1 : 1;
22401         unsigned char B0 : 1;
22402     #endif
22403     } BIT;
22404     } PODR;
22405     char        wk1[31];
22406     union {
22407         unsigned char BYTE;
22408         struct {
22409
22410     #ifdef __RX_LITTLE_ENDIAN__
22411         unsigned char B0 : 1;
22412         unsigned char B1 : 1;
22413         unsigned char B2 : 1;
22414         unsigned char B3 : 1;
22415         unsigned char B4 : 1;
22416         unsigned char B5 : 1;
22417         unsigned char B6 : 1;
22418         unsigned char B7 : 1;
22419     #else
22420         unsigned char B7 : 1;
22421         unsigned char B6 : 1;
22422         unsigned char B5 : 1;
22423         unsigned char B4 : 1;
22424         unsigned char B3 : 1;
22425         unsigned char B2 : 1;
22426         unsigned char B1 : 1;
22427         unsigned char B0 : 1;
22428     #endif
22429     } BIT;
22430     } PIDR;
22431     char        wk2[31];
22432     union {

```

```

22433     unsigned char BYTE;
22434     struct {
22435
22436 #ifdef __RX_LITTLE_ENDIAN__
22437     unsigned char B0 : 1;
22438     unsigned char B1 : 1;
22439     unsigned char B2 : 1;
22440     unsigned char B3 : 1;
22441     unsigned char B4 : 1;
22442     unsigned char B5 : 1;
22443     unsigned char B6 : 1;
22444     unsigned char B7 : 1;
22445 #else
22446     unsigned char B7 : 1;
22447     unsigned char B6 : 1;
22448     unsigned char B5 : 1;
22449     unsigned char B4 : 1;
22450     unsigned char B3 : 1;
22451     unsigned char B2 : 1;
22452     unsigned char B1 : 1;
22453     unsigned char B0 : 1;
22454 #endif
22455     } BIT;
22456     } PMR;
22457     char      wk3[36];
22458     union {
22459     unsigned char BYTE;
22460     struct {
22461
22462 #ifdef __RX_LITTLE_ENDIAN__
22463     unsigned char B0 : 1;
22464     unsigned char  : 1;
22465     unsigned char B2 : 1;
22466     unsigned char  : 1;
22467     unsigned char B4 : 1;
22468     unsigned char  : 1;
22469     unsigned char B6 : 1;
22470     unsigned char  : 1;
22471 #else
22472     unsigned char  : 1;
22473     unsigned char B6 : 1;
22474     unsigned char  : 1;
22475     unsigned char B4 : 1;
22476     unsigned char  : 1;
22477     unsigned char B2 : 1;
22478     unsigned char  : 1;
22479     unsigned char B0 : 1;
22480 #endif
22481     } BIT;
22482     } ODR0;
22483     union {
22484     unsigned char BYTE;
22485     struct {
22486
22487 #ifdef __RX_LITTLE_ENDIAN__
22488     unsigned char B0 : 1;
22489     unsigned char  : 1;
22490     unsigned char B2 : 1;
22491     unsigned char  : 1;
22492     unsigned char B4 : 1;
22493     unsigned char  : 1;
22494     unsigned char B6 : 1;
22495     unsigned char  : 1;
22496 #else
22497     unsigned char  : 1;
22498     unsigned char B6 : 1;
22499     unsigned char  : 1;
22500     unsigned char B4 : 1;
22501     unsigned char  : 1;
22502     unsigned char B2 : 1;
22503     unsigned char  : 1;
22504     unsigned char B0 : 1;
22505 #endif
22506     } BIT;
22507     } ODR1;
22508     char      wk4[57];
22509     union {
22510     unsigned char BYTE;
22511     struct {
22512
22513 #ifdef __RX_LITTLE_ENDIAN__
22514     unsigned char B0 : 1;
22515     unsigned char B1 : 1;
22516     unsigned char B2 : 1;
22517     unsigned char B3 : 1;
22518     unsigned char B4 : 1;
22519     unsigned char B5 : 1;

```



```

22520         unsigned char B6 : 1;
22521         unsigned char B7 : 1;
22522 #else
22523         unsigned char B7 : 1;
22524         unsigned char B6 : 1;
22525         unsigned char B5 : 1;
22526         unsigned char B4 : 1;
22527         unsigned char B3 : 1;
22528         unsigned char B2 : 1;
22529         unsigned char B1 : 1;
22530         unsigned char B0 : 1;
22531 #endif
22532     } BIT;
22533     } PCR;
22534     char        wk5[31];
22535     union {
22536         unsigned char BYTE;
22537         struct {
22538
22539 #ifdef __RX_LITTLE_ENDIAN__
22540         unsigned char B0 : 1;
22541         unsigned char B1 : 1;
22542         unsigned char B2 : 1;
22543         unsigned char : 1;
22544         unsigned char B4 : 1;
22545         unsigned char B5 : 1;
22546         unsigned char B6 : 1;
22547         unsigned char B7 : 1;
22548 #else
22549         unsigned char B7 : 1;
22550         unsigned char B6 : 1;
22551         unsigned char B5 : 1;
22552         unsigned char B4 : 1;
22553         unsigned char : 1;
22554         unsigned char B2 : 1;
22555         unsigned char B1 : 1;
22556         unsigned char B0 : 1;
22557 #endif
22558     } BIT;
22559     } DSCR;
22560     char        wk6[71];
22561     union {
22562         unsigned char BYTE;
22563         struct {
22564
22565 #ifdef __RX_LITTLE_ENDIAN__
22566         unsigned char B0 : 1;
22567         unsigned char B1 : 1;
22568         unsigned char B2 : 1;
22569         unsigned char B3 : 1;
22570         unsigned char B4 : 1;
22571         unsigned char B5 : 1;
22572         unsigned char B6 : 1;
22573         unsigned char B7 : 1;
22574 #else
22575         unsigned char B7 : 1;
22576         unsigned char B6 : 1;
22577         unsigned char B5 : 1;
22578         unsigned char B4 : 1;
22579         unsigned char B3 : 1;
22580         unsigned char B2 : 1;
22581         unsigned char B1 : 1;
22582         unsigned char B0 : 1;
22583 #endif
22584     } BIT;
22585     } DSCR2;
22586 } st_port5_t;
22587
22588 typedef struct st_port6 {
22589     union {
22590         unsigned char BYTE;
22591         struct {
22592
22593 #ifdef __RX_LITTLE_ENDIAN__
22594         unsigned char B0 : 1;
22595         unsigned char B1 : 1;
22596         unsigned char B2 : 1;
22597         unsigned char B3 : 1;
22598         unsigned char B4 : 1;
22599         unsigned char B5 : 1;
22600         unsigned char B6 : 1;
22601         unsigned char B7 : 1;
22602 #else
22603         unsigned char B7 : 1;
22604         unsigned char B6 : 1;
22605         unsigned char B5 : 1;
22606         unsigned char B4 : 1;

```

```

22607         unsigned char B3 : 1;
22608         unsigned char B2 : 1;
22609         unsigned char B1 : 1;
22610         unsigned char B0 : 1;
22611     #endif
22612     } BIT;
22613     } PDR;
22614     char          wk0[31];
22615     union {
22616         unsigned char BYTE;
22617         struct {
22618
22619     #ifdef __RX_LITTLE_ENDIAN__
22620         unsigned char B0 : 1;
22621         unsigned char B1 : 1;
22622         unsigned char B2 : 1;
22623         unsigned char B3 : 1;
22624         unsigned char B4 : 1;
22625         unsigned char B5 : 1;
22626         unsigned char B6 : 1;
22627         unsigned char B7 : 1;
22628     #else
22629         unsigned char B7 : 1;
22630         unsigned char B6 : 1;
22631         unsigned char B5 : 1;
22632         unsigned char B4 : 1;
22633         unsigned char B3 : 1;
22634         unsigned char B2 : 1;
22635         unsigned char B1 : 1;
22636         unsigned char B0 : 1;
22637     #endif
22638     } BIT;
22639     } PODR;
22640     char          wk1[31];
22641     union {
22642         unsigned char BYTE;
22643         struct {
22644
22645     #ifdef __RX_LITTLE_ENDIAN__
22646         unsigned char B0 : 1;
22647         unsigned char B1 : 1;
22648         unsigned char B2 : 1;
22649         unsigned char B3 : 1;
22650         unsigned char B4 : 1;
22651         unsigned char B5 : 1;
22652         unsigned char B6 : 1;
22653         unsigned char B7 : 1;
22654     #else
22655         unsigned char B7 : 1;
22656         unsigned char B6 : 1;
22657         unsigned char B5 : 1;
22658         unsigned char B4 : 1;
22659         unsigned char B3 : 1;
22660         unsigned char B2 : 1;
22661         unsigned char B1 : 1;
22662         unsigned char B0 : 1;
22663     #endif
22664     } BIT;
22665     } PIDR;
22666     char          wk2[31];
22667     union {
22668         unsigned char BYTE;
22669         struct {
22670
22671     #ifdef __RX_LITTLE_ENDIAN__
22672         unsigned char B0 : 1;
22673         unsigned char B1 : 1;
22674         unsigned char B2 : 1;
22675         unsigned char B3 : 1;
22676         unsigned char B4 : 1;
22677         unsigned char B5 : 1;
22678         unsigned char B6 : 1;
22679         unsigned char B7 : 1;
22680     #else
22681         unsigned char B7 : 1;
22682         unsigned char B6 : 1;
22683         unsigned char B5 : 1;
22684         unsigned char B4 : 1;
22685         unsigned char B3 : 1;
22686         unsigned char B2 : 1;
22687         unsigned char B1 : 1;
22688         unsigned char B0 : 1;
22689     #endif
22690     } BIT;
22691     } PMR;
22692     char          wk3[37];
22693     union {

```

```

22694     unsigned char BYTE;
22695     struct {
22696
22697 #ifdef __RX_LITTLE_ENDIAN__
22698     unsigned char B0 : 1;
22699     unsigned char : 1;
22700     unsigned char B2 : 1;
22701     unsigned char : 1;
22702     unsigned char B4 : 1;
22703     unsigned char : 1;
22704     unsigned char B6 : 1;
22705     unsigned char : 1;
22706 #else
22707     unsigned char : 1;
22708     unsigned char B6 : 1;
22709     unsigned char : 1;
22710     unsigned char B4 : 1;
22711     unsigned char : 1;
22712     unsigned char B2 : 1;
22713     unsigned char : 1;
22714     unsigned char B0 : 1;
22715 #endif
22716     } BIT;
22717     } ODR0;
22718     union {
22719     unsigned char BYTE;
22720     struct {
22721
22722 #ifdef __RX_LITTLE_ENDIAN__
22723     unsigned char B0 : 1;
22724     unsigned char : 1;
22725     unsigned char B2 : 1;
22726     unsigned char : 1;
22727     unsigned char B4 : 1;
22728     unsigned char : 1;
22729     unsigned char B6 : 1;
22730     unsigned char : 1;
22731 #else
22732     unsigned char : 1;
22733     unsigned char B6 : 1;
22734     unsigned char : 1;
22735     unsigned char B4 : 1;
22736     unsigned char : 1;
22737     unsigned char B2 : 1;
22738     unsigned char : 1;
22739     unsigned char B0 : 1;
22740 #endif
22741     } BIT;
22742     } ODR1;
22743     char wk4[56];
22744     union {
22745     unsigned char BYTE;
22746     struct {
22747
22748 #ifdef __RX_LITTLE_ENDIAN__
22749     unsigned char B0 : 1;
22750     unsigned char B1 : 1;
22751     unsigned char B2 : 1;
22752     unsigned char B3 : 1;
22753     unsigned char B4 : 1;
22754     unsigned char B5 : 1;
22755     unsigned char B6 : 1;
22756     unsigned char B7 : 1;
22757 #else
22758     unsigned char B7 : 1;
22759     unsigned char B6 : 1;
22760     unsigned char B5 : 1;
22761     unsigned char B4 : 1;
22762     unsigned char B3 : 1;
22763     unsigned char B2 : 1;
22764     unsigned char B1 : 1;
22765     unsigned char B0 : 1;
22766 #endif
22767     } BIT;
22768     } PCR;
22769     char wk5[103];
22770     union {
22771     unsigned char BYTE;
22772     struct {
22773
22774 #ifdef __RX_LITTLE_ENDIAN__
22775     unsigned char B0 : 1;
22776     unsigned char B1 : 1;
22777     unsigned char B2 : 1;
22778     unsigned char B3 : 1;
22779     unsigned char B4 : 1;
22780     unsigned char B5 : 1;

```

```

22781         unsigned char B6 : 1;
22782         unsigned char B7 : 1;
22783 #else
22784         unsigned char B7 : 1;
22785         unsigned char B6 : 1;
22786         unsigned char B5 : 1;
22787         unsigned char B4 : 1;
22788         unsigned char B3 : 1;
22789         unsigned char B2 : 1;
22790         unsigned char B1 : 1;
22791         unsigned char B0 : 1;
22792 #endif
22793     } BIT;
22794     } DSCR2;
22795 } st_port6_t;
22796
22797 typedef struct st_port7 {
22798     union {
22799         unsigned char BYTE;
22800     struct {
22801
22802 #ifdef __RX_LITTLE_ENDIAN__
22803         unsigned char B0 : 1;
22804         unsigned char B1 : 1;
22805         unsigned char B2 : 1;
22806         unsigned char B3 : 1;
22807         unsigned char B4 : 1;
22808         unsigned char B5 : 1;
22809         unsigned char B6 : 1;
22810         unsigned char B7 : 1;
22811 #else
22812         unsigned char B7 : 1;
22813         unsigned char B6 : 1;
22814         unsigned char B5 : 1;
22815         unsigned char B4 : 1;
22816         unsigned char B3 : 1;
22817         unsigned char B2 : 1;
22818         unsigned char B1 : 1;
22819         unsigned char B0 : 1;
22820 #endif
22821     } BIT;
22822     } PDR;
22823     char          wk0[31];
22824     union {
22825         unsigned char BYTE;
22826     struct {
22827
22828 #ifdef __RX_LITTLE_ENDIAN__
22829         unsigned char B0 : 1;
22830         unsigned char B1 : 1;
22831         unsigned char B2 : 1;
22832         unsigned char B3 : 1;
22833         unsigned char B4 : 1;
22834         unsigned char B5 : 1;
22835         unsigned char B6 : 1;
22836         unsigned char B7 : 1;
22837 #else
22838         unsigned char B7 : 1;
22839         unsigned char B6 : 1;
22840         unsigned char B5 : 1;
22841         unsigned char B4 : 1;
22842         unsigned char B3 : 1;
22843         unsigned char B2 : 1;
22844         unsigned char B1 : 1;
22845         unsigned char B0 : 1;
22846 #endif
22847     } BIT;
22848     } PODR;
22849     char          wk1[31];
22850     union {
22851         unsigned char BYTE;
22852     struct {
22853
22854 #ifdef __RX_LITTLE_ENDIAN__
22855         unsigned char B0 : 1;
22856         unsigned char B1 : 1;
22857         unsigned char B2 : 1;
22858         unsigned char B3 : 1;
22859         unsigned char B4 : 1;
22860         unsigned char B5 : 1;
22861         unsigned char B6 : 1;
22862         unsigned char B7 : 1;
22863 #else
22864         unsigned char B7 : 1;
22865         unsigned char B6 : 1;
22866         unsigned char B5 : 1;
22867         unsigned char B4 : 1;

```

```

22868         unsigned char B3 : 1;
22869         unsigned char B2 : 1;
22870         unsigned char B1 : 1;
22871         unsigned char B0 : 1;
22872     #endif
22873     } BIT;
22874     } PIDR;
22875     char          wk2[31];
22876     union {
22877         unsigned char BYTE;
22878         struct {
22879
22880     #ifdef __RX_LITTLE_ENDIAN__
22881         unsigned char B0 : 1;
22882         unsigned char B1 : 1;
22883         unsigned char B2 : 1;
22884         unsigned char B3 : 1;
22885         unsigned char B4 : 1;
22886         unsigned char B5 : 1;
22887         unsigned char B6 : 1;
22888         unsigned char B7 : 1;
22889     #else
22890         unsigned char B7 : 1;
22891         unsigned char B6 : 1;
22892         unsigned char B5 : 1;
22893         unsigned char B4 : 1;
22894         unsigned char B3 : 1;
22895         unsigned char B2 : 1;
22896         unsigned char B1 : 1;
22897         unsigned char B0 : 1;
22898     #endif
22899     } BIT;
22900     } PMR;
22901     char          wk3[38];
22902     union {
22903         unsigned char BYTE;
22904         struct {
22905
22906     #ifdef __RX_LITTLE_ENDIAN__
22907         unsigned char B0 : 1;
22908         unsigned char : 1;
22909         unsigned char B2 : 1;
22910         unsigned char : 1;
22911         unsigned char B4 : 1;
22912         unsigned char : 1;
22913         unsigned char B6 : 1;
22914         unsigned char : 1;
22915     #else
22916         unsigned char : 1;
22917         unsigned char B6 : 1;
22918         unsigned char : 1;
22919         unsigned char B4 : 1;
22920         unsigned char : 1;
22921         unsigned char B2 : 1;
22922         unsigned char : 1;
22923         unsigned char B0 : 1;
22924     #endif
22925     } BIT;
22926     } ODR0;
22927     union {
22928         unsigned char BYTE;
22929         struct {
22930
22931     #ifdef __RX_LITTLE_ENDIAN__
22932         unsigned char B0 : 1;
22933         unsigned char : 1;
22934         unsigned char B2 : 1;
22935         unsigned char : 1;
22936         unsigned char B4 : 1;
22937         unsigned char : 1;
22938         unsigned char B6 : 1;
22939         unsigned char : 1;
22940     #else
22941         unsigned char : 1;
22942         unsigned char B6 : 1;
22943         unsigned char : 1;
22944         unsigned char B4 : 1;
22945         unsigned char : 1;
22946         unsigned char B2 : 1;
22947         unsigned char : 1;
22948         unsigned char B0 : 1;
22949     #endif
22950     } BIT;
22951     } ODR1;
22952     char          wk4[55];
22953     union {
22954         unsigned char BYTE;

```

```

22955     struct {
22956
22957 #ifdef __RX_LITTLE_ENDIAN__
22958     unsigned char B0 : 1;
22959     unsigned char B1 : 1;
22960     unsigned char B2 : 1;
22961     unsigned char B3 : 1;
22962     unsigned char B4 : 1;
22963     unsigned char B5 : 1;
22964     unsigned char B6 : 1;
22965     unsigned char B7 : 1;
22966 #else
22967     unsigned char B7 : 1;
22968     unsigned char B6 : 1;
22969     unsigned char B5 : 1;
22970     unsigned char B4 : 1;
22971     unsigned char B3 : 1;
22972     unsigned char B2 : 1;
22973     unsigned char B1 : 1;
22974     unsigned char B0 : 1;
22975 #endif
22976     } BIT;
22977     } PCR;
22978     char        wk5[31];
22979     union {
22980         unsigned char BYTE;
22981         struct {
22982
22983 #ifdef __RX_LITTLE_ENDIAN__
22984         unsigned char  : 2;
22985         unsigned char B2 : 1;
22986         unsigned char  : 1;
22987         unsigned char B4 : 1;
22988         unsigned char B5 : 1;
22989         unsigned char B6 : 1;
22990         unsigned char B7 : 1;
22991 #else
22992         unsigned char B7 : 1;
22993         unsigned char B6 : 1;
22994         unsigned char B5 : 1;
22995         unsigned char B4 : 1;
22996         unsigned char  : 1;
22997         unsigned char B2 : 1;
22998         unsigned char  : 2;
22999 #endif
23000     } BIT;
23001     } DSCR;
23002     char        wk6[71];
23003     union {
23004         unsigned char BYTE;
23005         struct {
23006
23007 #ifdef __RX_LITTLE_ENDIAN__
23008         unsigned char B0 : 1;
23009         unsigned char  : 1;
23010         unsigned char B2 : 1;
23011         unsigned char B3 : 1;
23012         unsigned char B4 : 1;
23013         unsigned char B5 : 1;
23014         unsigned char B6 : 1;
23015         unsigned char B7 : 1;
23016 #else
23017         unsigned char B7 : 1;
23018         unsigned char B6 : 1;
23019         unsigned char B5 : 1;
23020         unsigned char B4 : 1;
23021         unsigned char B3 : 1;
23022         unsigned char B2 : 1;
23023         unsigned char  : 1;
23024         unsigned char B0 : 1;
23025 #endif
23026     } BIT;
23027     } DSCR2;
23028 } st_port7_t;
23029
23030 typedef struct st_port8 {
23031     union {
23032         unsigned char BYTE;
23033         struct {
23034
23035 #ifdef __RX_LITTLE_ENDIAN__
23036         unsigned char B0 : 1;
23037         unsigned char B1 : 1;
23038         unsigned char B2 : 1;
23039         unsigned char B3 : 1;
23040         unsigned char B4 : 1;
23041         unsigned char B5 : 1;

```

```

23042         unsigned char B6 : 1;
23043         unsigned char B7 : 1;
23044 #else
23045         unsigned char B7 : 1;
23046         unsigned char B6 : 1;
23047         unsigned char B5 : 1;
23048         unsigned char B4 : 1;
23049         unsigned char B3 : 1;
23050         unsigned char B2 : 1;
23051         unsigned char B1 : 1;
23052         unsigned char B0 : 1;
23053 #endif
23054     } BIT;
23055     } PDR;
23056     char          wk0[31];
23057     union {
23058         unsigned char BYTE;
23059         struct {
23060
23061 #ifdef __RX_LITTLE_ENDIAN__
23062         unsigned char B0 : 1;
23063         unsigned char B1 : 1;
23064         unsigned char B2 : 1;
23065         unsigned char B3 : 1;
23066         unsigned char B4 : 1;
23067         unsigned char B5 : 1;
23068         unsigned char B6 : 1;
23069         unsigned char B7 : 1;
23070 #else
23071         unsigned char B7 : 1;
23072         unsigned char B6 : 1;
23073         unsigned char B5 : 1;
23074         unsigned char B4 : 1;
23075         unsigned char B3 : 1;
23076         unsigned char B2 : 1;
23077         unsigned char B1 : 1;
23078         unsigned char B0 : 1;
23079 #endif
23080     } BIT;
23081     } PODR;
23082     char          wk1[31];
23083     union {
23084         unsigned char BYTE;
23085         struct {
23086
23087 #ifdef __RX_LITTLE_ENDIAN__
23088         unsigned char B0 : 1;
23089         unsigned char B1 : 1;
23090         unsigned char B2 : 1;
23091         unsigned char B3 : 1;
23092         unsigned char B4 : 1;
23093         unsigned char B5 : 1;
23094         unsigned char B6 : 1;
23095         unsigned char B7 : 1;
23096 #else
23097         unsigned char B7 : 1;
23098         unsigned char B6 : 1;
23099         unsigned char B5 : 1;
23100         unsigned char B4 : 1;
23101         unsigned char B3 : 1;
23102         unsigned char B2 : 1;
23103         unsigned char B1 : 1;
23104         unsigned char B0 : 1;
23105 #endif
23106     } BIT;
23107     } PIDR;
23108     char          wk2[31];
23109     union {
23110         unsigned char BYTE;
23111         struct {
23112
23113 #ifdef __RX_LITTLE_ENDIAN__
23114         unsigned char B0 : 1;
23115         unsigned char B1 : 1;
23116         unsigned char B2 : 1;
23117         unsigned char B3 : 1;
23118         unsigned char B4 : 1;
23119         unsigned char B5 : 1;
23120         unsigned char B6 : 1;
23121         unsigned char B7 : 1;
23122 #else
23123         unsigned char B7 : 1;
23124         unsigned char B6 : 1;
23125         unsigned char B5 : 1;
23126         unsigned char B4 : 1;
23127         unsigned char B3 : 1;
23128         unsigned char B2 : 1;

```

```

23129         unsigned char B1 : 1;
23130         unsigned char B0 : 1;
23131     #endif
23132     } BIT;
23133     } PMR;
23134     char          wk3[39];
23135     union {
23136         unsigned char BYTE;
23137         struct {
23138
23139     #ifdef __RX_LITTLE_ENDIAN__
23140         unsigned char B0 : 1;
23141         unsigned char : 1;
23142         unsigned char B2 : 1;
23143         unsigned char : 1;
23144         unsigned char B4 : 1;
23145         unsigned char : 1;
23146         unsigned char B6 : 1;
23147         unsigned char : 1;
23148     #else
23149         unsigned char : 1;
23150         unsigned char B6 : 1;
23151         unsigned char : 1;
23152         unsigned char B4 : 1;
23153         unsigned char : 1;
23154         unsigned char B2 : 1;
23155         unsigned char : 1;
23156         unsigned char B0 : 1;
23157     #endif
23158     } BIT;
23159     } ODR0;
23160     union {
23161         unsigned char BYTE;
23162         struct {
23163
23164     #ifdef __RX_LITTLE_ENDIAN__
23165         unsigned char B0 : 1;
23166         unsigned char : 1;
23167         unsigned char B2 : 1;
23168         unsigned char : 1;
23169         unsigned char B4 : 1;
23170         unsigned char : 1;
23171         unsigned char B6 : 1;
23172         unsigned char : 1;
23173     #else
23174         unsigned char : 1;
23175         unsigned char B6 : 1;
23176         unsigned char : 1;
23177         unsigned char B4 : 1;
23178         unsigned char : 1;
23179         unsigned char B2 : 1;
23180         unsigned char : 1;
23181         unsigned char B0 : 1;
23182     #endif
23183     } BIT;
23184     } ODR1;
23185     char          wk4[54];
23186     union {
23187         unsigned char BYTE;
23188         struct {
23189
23190     #ifdef __RX_LITTLE_ENDIAN__
23191         unsigned char B0 : 1;
23192         unsigned char B1 : 1;
23193         unsigned char B2 : 1;
23194         unsigned char B3 : 1;
23195         unsigned char B4 : 1;
23196         unsigned char B5 : 1;
23197         unsigned char B6 : 1;
23198         unsigned char B7 : 1;
23199     #else
23200         unsigned char B7 : 1;
23201         unsigned char B6 : 1;
23202         unsigned char B5 : 1;
23203         unsigned char B4 : 1;
23204         unsigned char B3 : 1;
23205         unsigned char B2 : 1;
23206         unsigned char B1 : 1;
23207         unsigned char B0 : 1;
23208     #endif
23209     } BIT;
23210     } PCR;
23211     char          wk5[31];
23212     union {
23213         unsigned char BYTE;
23214         struct {
23215

```



```

23216 #ifdef __RX_LITTLE_ENDIAN__
23217     unsigned char B0 : 1;
23218     unsigned char B1 : 1;
23219     unsigned char B2 : 1;
23220     unsigned char B3 : 1;
23221     unsigned char B4 : 1;
23222     unsigned char B5 : 1;
23223     unsigned char : 2;
23224 #else
23225     unsigned char : 2;
23226     unsigned char B5 : 1;
23227     unsigned char B4 : 1;
23228     unsigned char B3 : 1;
23229     unsigned char B2 : 1;
23230     unsigned char B1 : 1;
23231     unsigned char B0 : 1;
23232 #endif
23233 } BIT;
23234 } DSCR;
23235 char wk6[71];
23236 union {
23237     unsigned char BYTE;
23238     struct {
23239
23240 #ifdef __RX_LITTLE_ENDIAN__
23241     unsigned char B0 : 1;
23242     unsigned char B1 : 1;
23243     unsigned char B2 : 1;
23244     unsigned char B3 : 1;
23245     unsigned char B4 : 1;
23246     unsigned char B5 : 1;
23247     unsigned char : 1;
23248     unsigned char B7 : 1;
23249 #else
23250     unsigned char B7 : 1;
23251     unsigned char : 1;
23252     unsigned char B5 : 1;
23253     unsigned char B4 : 1;
23254     unsigned char B3 : 1;
23255     unsigned char B2 : 1;
23256     unsigned char B1 : 1;
23257     unsigned char B0 : 1;
23258 #endif
23259     } BIT;
23260     } DSCR2;
23261 } st_port8_t;
23262
23263 typedef struct st_port9 {
23264     union {
23265         unsigned char BYTE;
23266         struct {
23267
23268 #ifdef __RX_LITTLE_ENDIAN__
23269     unsigned char B0 : 1;
23270     unsigned char B1 : 1;
23271     unsigned char B2 : 1;
23272     unsigned char B3 : 1;
23273     unsigned char B4 : 1;
23274     unsigned char B5 : 1;
23275     unsigned char B6 : 1;
23276     unsigned char B7 : 1;
23277 #else
23278     unsigned char B7 : 1;
23279     unsigned char B6 : 1;
23280     unsigned char B5 : 1;
23281     unsigned char B4 : 1;
23282     unsigned char B3 : 1;
23283     unsigned char B2 : 1;
23284     unsigned char B1 : 1;
23285     unsigned char B0 : 1;
23286 #endif
23287     } BIT;
23288     } PDR;
23289     char wk0[31];
23290     union {
23291         unsigned char BYTE;
23292         struct {
23293
23294 #ifdef __RX_LITTLE_ENDIAN__
23295     unsigned char B0 : 1;
23296     unsigned char B1 : 1;
23297     unsigned char B2 : 1;
23298     unsigned char B3 : 1;
23299     unsigned char B4 : 1;
23300     unsigned char B5 : 1;
23301     unsigned char B6 : 1;
23302     unsigned char B7 : 1;

```

```

23303 #else
23304     unsigned char B7 : 1;
23305     unsigned char B6 : 1;
23306     unsigned char B5 : 1;
23307     unsigned char B4 : 1;
23308     unsigned char B3 : 1;
23309     unsigned char B2 : 1;
23310     unsigned char B1 : 1;
23311     unsigned char B0 : 1;
23312 #endif
23313 } BIT;
23314 } PODR;
23315 char      wk1[31];
23316 union {
23317     unsigned char BYTE;
23318     struct {
23319
23320 #ifdef __RX_LITTLE_ENDIAN__
23321     unsigned char B0 : 1;
23322     unsigned char B1 : 1;
23323     unsigned char B2 : 1;
23324     unsigned char B3 : 1;
23325     unsigned char B4 : 1;
23326     unsigned char B5 : 1;
23327     unsigned char B6 : 1;
23328     unsigned char B7 : 1;
23329 #else
23330     unsigned char B7 : 1;
23331     unsigned char B6 : 1;
23332     unsigned char B5 : 1;
23333     unsigned char B4 : 1;
23334     unsigned char B3 : 1;
23335     unsigned char B2 : 1;
23336     unsigned char B1 : 1;
23337     unsigned char B0 : 1;
23338 #endif
23339 } BIT;
23340 } PIDR;
23341 char      wk2[31];
23342 union {
23343     unsigned char BYTE;
23344     struct {
23345
23346 #ifdef __RX_LITTLE_ENDIAN__
23347     unsigned char B0 : 1;
23348     unsigned char B1 : 1;
23349     unsigned char B2 : 1;
23350     unsigned char B3 : 1;
23351     unsigned char B4 : 1;
23352     unsigned char B5 : 1;
23353     unsigned char B6 : 1;
23354     unsigned char B7 : 1;
23355 #else
23356     unsigned char B7 : 1;
23357     unsigned char B6 : 1;
23358     unsigned char B5 : 1;
23359     unsigned char B4 : 1;
23360     unsigned char B3 : 1;
23361     unsigned char B2 : 1;
23362     unsigned char B1 : 1;
23363     unsigned char B0 : 1;
23364 #endif
23365 } BIT;
23366 } PMR;
23367 char      wk3[40];
23368 union {
23369     unsigned char BYTE;
23370     struct {
23371
23372 #ifdef __RX_LITTLE_ENDIAN__
23373     unsigned char B0 : 1;
23374     unsigned char  : 1;
23375     unsigned char B2 : 1;
23376     unsigned char  : 1;
23377     unsigned char B4 : 1;
23378     unsigned char  : 1;
23379     unsigned char B6 : 1;
23380     unsigned char  : 1;
23381 #else
23382     unsigned char  : 1;
23383     unsigned char B6 : 1;
23384     unsigned char  : 1;
23385     unsigned char B4 : 1;
23386     unsigned char  : 1;
23387     unsigned char B2 : 1;
23388     unsigned char  : 1;
23389     unsigned char B0 : 1;

```

```

23390 #endif
23391     } BIT;
23392     } ODR0;
23393     union {
23394         unsigned char BYTE;
23395         struct {
23396
23397 #ifdef __RX_LITTLE_ENDIAN__
23398         unsigned char B0 : 1;
23399         unsigned char : 1;
23400         unsigned char B2 : 1;
23401         unsigned char : 1;
23402         unsigned char B4 : 1;
23403         unsigned char : 1;
23404         unsigned char B6 : 1;
23405         unsigned char : 1;
23406 #else
23407         unsigned char : 1;
23408         unsigned char B6 : 1;
23409         unsigned char : 1;
23410         unsigned char B4 : 1;
23411         unsigned char : 1;
23412         unsigned char B2 : 1;
23413         unsigned char : 1;
23414         unsigned char B0 : 1;
23415 #endif
23416     } BIT;
23417     } ODR1;
23418     char          wk4[53];
23419     union {
23420         unsigned char BYTE;
23421         struct {
23422
23423 #ifdef __RX_LITTLE_ENDIAN__
23424         unsigned char B0 : 1;
23425         unsigned char B1 : 1;
23426         unsigned char B2 : 1;
23427         unsigned char B3 : 1;
23428         unsigned char B4 : 1;
23429         unsigned char B5 : 1;
23430         unsigned char B6 : 1;
23431         unsigned char B7 : 1;
23432 #else
23433         unsigned char B7 : 1;
23434         unsigned char B6 : 1;
23435         unsigned char B5 : 1;
23436         unsigned char B4 : 1;
23437         unsigned char B3 : 1;
23438         unsigned char B2 : 1;
23439         unsigned char B1 : 1;
23440         unsigned char B0 : 1;
23441 #endif
23442     } BIT;
23443     } PCR;
23444     char          wk5[31];
23445     union {
23446         unsigned char BYTE;
23447         struct {
23448
23449 #ifdef __RX_LITTLE_ENDIAN__
23450         unsigned char B0 : 1;
23451         unsigned char B1 : 1;
23452         unsigned char B2 : 1;
23453         unsigned char B3 : 1;
23454         unsigned char B4 : 1;
23455         unsigned char B5 : 1;
23456         unsigned char B6 : 1;
23457         unsigned char B7 : 1;
23458 #else
23459         unsigned char B7 : 1;
23460         unsigned char B6 : 1;
23461         unsigned char B5 : 1;
23462         unsigned char B4 : 1;
23463         unsigned char B3 : 1;
23464         unsigned char B2 : 1;
23465         unsigned char B1 : 1;
23466         unsigned char B0 : 1;
23467 #endif
23468     } BIT;
23469     } DSCR;
23470     char          wk6[71];
23471     union {
23472         unsigned char BYTE;
23473         struct {
23474
23475 #ifdef __RX_LITTLE_ENDIAN__
23476         unsigned char B0 : 1;

```

```

23477         unsigned char B1 : 1;
23478         unsigned char B2 : 1;
23479         unsigned char B3 : 1;
23480         unsigned char B4 : 1;
23481         unsigned char B5 : 1;
23482         unsigned char B6 : 1;
23483         unsigned char B7 : 1;
23484 #else
23485         unsigned char B7 : 1;
23486         unsigned char B6 : 1;
23487         unsigned char B5 : 1;
23488         unsigned char B4 : 1;
23489         unsigned char B3 : 1;
23490         unsigned char B2 : 1;
23491         unsigned char B1 : 1;
23492         unsigned char B0 : 1;
23493 #endif
23494     } BIT;
23495     } DSCR2;
23496 } st_port9_t;
23497
23498 typedef struct st_porta {
23499     union {
23500         unsigned char BYTE;
23501         struct {
23502
23503 #ifdef __RX_LITTLE_ENDIAN__
23504         unsigned char B0 : 1;
23505         unsigned char B1 : 1;
23506         unsigned char B2 : 1;
23507         unsigned char B3 : 1;
23508         unsigned char B4 : 1;
23509         unsigned char B5 : 1;
23510         unsigned char B6 : 1;
23511         unsigned char B7 : 1;
23512 #else
23513         unsigned char B7 : 1;
23514         unsigned char B6 : 1;
23515         unsigned char B5 : 1;
23516         unsigned char B4 : 1;
23517         unsigned char B3 : 1;
23518         unsigned char B2 : 1;
23519         unsigned char B1 : 1;
23520         unsigned char B0 : 1;
23521 #endif
23522     } BIT;
23523     } PDR;
23524     char          wk0[31];
23525     union {
23526         unsigned char BYTE;
23527         struct {
23528
23529 #ifdef __RX_LITTLE_ENDIAN__
23530         unsigned char B0 : 1;
23531         unsigned char B1 : 1;
23532         unsigned char B2 : 1;
23533         unsigned char B3 : 1;
23534         unsigned char B4 : 1;
23535         unsigned char B5 : 1;
23536         unsigned char B6 : 1;
23537         unsigned char B7 : 1;
23538 #else
23539         unsigned char B7 : 1;
23540         unsigned char B6 : 1;
23541         unsigned char B5 : 1;
23542         unsigned char B4 : 1;
23543         unsigned char B3 : 1;
23544         unsigned char B2 : 1;
23545         unsigned char B1 : 1;
23546         unsigned char B0 : 1;
23547 #endif
23548     } BIT;
23549     } PODR;
23550     char          wk1[31];
23551     union {
23552         unsigned char BYTE;
23553         struct {
23554
23555 #ifdef __RX_LITTLE_ENDIAN__
23556         unsigned char B0 : 1;
23557         unsigned char B1 : 1;
23558         unsigned char B2 : 1;
23559         unsigned char B3 : 1;
23560         unsigned char B4 : 1;
23561         unsigned char B5 : 1;
23562         unsigned char B6 : 1;
23563         unsigned char B7 : 1;

```

```

23564 #else
23565     unsigned char B7 : 1;
23566     unsigned char B6 : 1;
23567     unsigned char B5 : 1;
23568     unsigned char B4 : 1;
23569     unsigned char B3 : 1;
23570     unsigned char B2 : 1;
23571     unsigned char B1 : 1;
23572     unsigned char B0 : 1;
23573 #endif
23574 } BIT;
23575 } PIDR;
23576 char      wk2[31];
23577 union {
23578     unsigned char BYTE;
23579     struct {
23580
23581 #ifdef __RX_LITTLE_ENDIAN__
23582     unsigned char B0 : 1;
23583     unsigned char B1 : 1;
23584     unsigned char B2 : 1;
23585     unsigned char B3 : 1;
23586     unsigned char B4 : 1;
23587     unsigned char B5 : 1;
23588     unsigned char B6 : 1;
23589     unsigned char B7 : 1;
23590 #else
23591     unsigned char B7 : 1;
23592     unsigned char B6 : 1;
23593     unsigned char B5 : 1;
23594     unsigned char B4 : 1;
23595     unsigned char B3 : 1;
23596     unsigned char B2 : 1;
23597     unsigned char B1 : 1;
23598     unsigned char B0 : 1;
23599 #endif
23600 } BIT;
23601 } PMR;
23602 char      wk3[41];
23603 union {
23604     unsigned char BYTE;
23605     struct {
23606
23607 #ifdef __RX_LITTLE_ENDIAN__
23608     unsigned char B0 : 1;
23609     unsigned char  : 1;
23610     unsigned char B2 : 1;
23611     unsigned char  : 1;
23612     unsigned char B4 : 1;
23613     unsigned char  : 1;
23614     unsigned char B6 : 1;
23615     unsigned char  : 1;
23616 #else
23617     unsigned char  : 1;
23618     unsigned char B6 : 1;
23619     unsigned char  : 1;
23620     unsigned char B4 : 1;
23621     unsigned char  : 1;
23622     unsigned char B2 : 1;
23623     unsigned char  : 1;
23624     unsigned char B0 : 1;
23625 #endif
23626 } BIT;
23627 } ODR0;
23628 union {
23629     unsigned char BYTE;
23630     struct {
23631
23632 #ifdef __RX_LITTLE_ENDIAN__
23633     unsigned char B0 : 1;
23634     unsigned char  : 1;
23635     unsigned char B2 : 1;
23636     unsigned char  : 1;
23637     unsigned char B4 : 1;
23638     unsigned char  : 1;
23639     unsigned char B6 : 1;
23640     unsigned char  : 1;
23641 #else
23642     unsigned char  : 1;
23643     unsigned char B6 : 1;
23644     unsigned char  : 1;
23645     unsigned char B4 : 1;
23646     unsigned char  : 1;
23647     unsigned char B2 : 1;
23648     unsigned char  : 1;
23649     unsigned char B0 : 1;
23650 #endif

```

```

23651     } BIT;
23652     } ODR1;
23653     char          wk4[52];
23654     union {
23655         unsigned char BYTE;
23656         struct {
23657
23658 #ifdef __RX_LITTLE_ENDIAN__
23659         unsigned char B0 : 1;
23660         unsigned char B1 : 1;
23661         unsigned char B2 : 1;
23662         unsigned char B3 : 1;
23663         unsigned char B4 : 1;
23664         unsigned char B5 : 1;
23665         unsigned char B6 : 1;
23666         unsigned char B7 : 1;
23667 #else
23668         unsigned char B7 : 1;
23669         unsigned char B6 : 1;
23670         unsigned char B5 : 1;
23671         unsigned char B4 : 1;
23672         unsigned char B3 : 1;
23673         unsigned char B2 : 1;
23674         unsigned char B1 : 1;
23675         unsigned char B0 : 1;
23676 #endif
23677     } BIT;
23678     } PCR;
23679     char          wk5[31];
23680     union {
23681         unsigned char BYTE;
23682         struct {
23683
23684 #ifdef __RX_LITTLE_ENDIAN__
23685         unsigned char B0 : 1;
23686         unsigned char B1 : 1;
23687         unsigned char B2 : 1;
23688         unsigned char B3 : 1;
23689         unsigned char B4 : 1;
23690         unsigned char B5 : 1;
23691         unsigned char B6 : 1;
23692         unsigned char B7 : 1;
23693 #else
23694         unsigned char B7 : 1;
23695         unsigned char B6 : 1;
23696         unsigned char B5 : 1;
23697         unsigned char B4 : 1;
23698         unsigned char B3 : 1;
23699         unsigned char B2 : 1;
23700         unsigned char B1 : 1;
23701         unsigned char B0 : 1;
23702 #endif
23703     } BIT;
23704     } DSCR;
23705     char          wk6[71];
23706     union {
23707         unsigned char BYTE;
23708         struct {
23709
23710 #ifdef __RX_LITTLE_ENDIAN__
23711         unsigned char B0 : 1;
23712         unsigned char B1 : 1;
23713         unsigned char B2 : 1;
23714         unsigned char B3 : 1;
23715         unsigned char B4 : 1;
23716         unsigned char B5 : 1;
23717         unsigned char B6 : 1;
23718         unsigned char B7 : 1;
23719 #else
23720         unsigned char B7 : 1;
23721         unsigned char B6 : 1;
23722         unsigned char B5 : 1;
23723         unsigned char B4 : 1;
23724         unsigned char B3 : 1;
23725         unsigned char B2 : 1;
23726         unsigned char B1 : 1;
23727         unsigned char B0 : 1;
23728 #endif
23729     } BIT;
23730     } DSCR2;
23731 } st_porta_t;
23732
23733 typedef struct st_portb {
23734     union {
23735         unsigned char BYTE;
23736         struct {
23737

```

```
23738 #ifdef __RX_LITTLE_ENDIAN__
23739     unsigned char B0 : 1;
23740     unsigned char B1 : 1;
23741     unsigned char B2 : 1;
23742     unsigned char B3 : 1;
23743     unsigned char B4 : 1;
23744     unsigned char B5 : 1;
23745     unsigned char B6 : 1;
23746     unsigned char B7 : 1;
23747 #else
23748     unsigned char B7 : 1;
23749     unsigned char B6 : 1;
23750     unsigned char B5 : 1;
23751     unsigned char B4 : 1;
23752     unsigned char B3 : 1;
23753     unsigned char B2 : 1;
23754     unsigned char B1 : 1;
23755     unsigned char B0 : 1;
23756 #endif
23757 } BIT;
23758 } PDR;
23759 char      wk0[31];
23760 union {
23761     unsigned char BYTE;
23762     struct {
23763
23764 #ifdef __RX_LITTLE_ENDIAN__
23765     unsigned char B0 : 1;
23766     unsigned char B1 : 1;
23767     unsigned char B2 : 1;
23768     unsigned char B3 : 1;
23769     unsigned char B4 : 1;
23770     unsigned char B5 : 1;
23771     unsigned char B6 : 1;
23772     unsigned char B7 : 1;
23773 #else
23774     unsigned char B7 : 1;
23775     unsigned char B6 : 1;
23776     unsigned char B5 : 1;
23777     unsigned char B4 : 1;
23778     unsigned char B3 : 1;
23779     unsigned char B2 : 1;
23780     unsigned char B1 : 1;
23781     unsigned char B0 : 1;
23782 #endif
23783 } BIT;
23784 } PODR;
23785 char      wk1[31];
23786 union {
23787     unsigned char BYTE;
23788     struct {
23789
23790 #ifdef __RX_LITTLE_ENDIAN__
23791     unsigned char B0 : 1;
23792     unsigned char B1 : 1;
23793     unsigned char B2 : 1;
23794     unsigned char B3 : 1;
23795     unsigned char B4 : 1;
23796     unsigned char B5 : 1;
23797     unsigned char B6 : 1;
23798     unsigned char B7 : 1;
23799 #else
23800     unsigned char B7 : 1;
23801     unsigned char B6 : 1;
23802     unsigned char B5 : 1;
23803     unsigned char B4 : 1;
23804     unsigned char B3 : 1;
23805     unsigned char B2 : 1;
23806     unsigned char B1 : 1;
23807     unsigned char B0 : 1;
23808 #endif
23809 } BIT;
23810 } PIDR;
23811 char      wk2[31];
23812 union {
23813     unsigned char BYTE;
23814     struct {
23815
23816 #ifdef __RX_LITTLE_ENDIAN__
23817     unsigned char B0 : 1;
23818     unsigned char B1 : 1;
23819     unsigned char B2 : 1;
23820     unsigned char B3 : 1;
23821     unsigned char B4 : 1;
23822     unsigned char B5 : 1;
23823     unsigned char B6 : 1;
23824     unsigned char B7 : 1;
```

```

23825 #else
23826     unsigned char B7 : 1;
23827     unsigned char B6 : 1;
23828     unsigned char B5 : 1;
23829     unsigned char B4 : 1;
23830     unsigned char B3 : 1;
23831     unsigned char B2 : 1;
23832     unsigned char B1 : 1;
23833     unsigned char B0 : 1;
23834 #endif
23835     } BIT;
23836     } PMR;
23837     char          wk3[42];
23838     union {
23839         unsigned char BYTE;
23840         struct {
23841
23842 #ifdef __RX_LITTLE_ENDIAN__
23843         unsigned char B0 : 1;
23844         unsigned char  : 1;
23845         unsigned char B2 : 1;
23846         unsigned char  : 1;
23847         unsigned char B4 : 1;
23848         unsigned char  : 1;
23849         unsigned char B6 : 1;
23850         unsigned char  : 1;
23851 #else
23852         unsigned char  : 1;
23853         unsigned char B6 : 1;
23854         unsigned char  : 1;
23855         unsigned char B4 : 1;
23856         unsigned char  : 1;
23857         unsigned char B2 : 1;
23858         unsigned char  : 1;
23859         unsigned char B0 : 1;
23860 #endif
23861         } BIT;
23862         } ODR0;
23863         union {
23864             unsigned char BYTE;
23865             struct {
23866
23867 #ifdef __RX_LITTLE_ENDIAN__
23868             unsigned char B0 : 1;
23869             unsigned char  : 1;
23870             unsigned char B2 : 1;
23871             unsigned char  : 1;
23872             unsigned char B4 : 1;
23873             unsigned char  : 1;
23874             unsigned char B6 : 1;
23875             unsigned char  : 1;
23876 #else
23877             unsigned char  : 1;
23878             unsigned char B6 : 1;
23879             unsigned char  : 1;
23880             unsigned char B4 : 1;
23881             unsigned char  : 1;
23882             unsigned char B2 : 1;
23883             unsigned char  : 1;
23884             unsigned char B0 : 1;
23885 #endif
23886             } BIT;
23887             } ODR1;
23888         char          wk4[51];
23889         union {
23890             unsigned char BYTE;
23891             struct {
23892
23893 #ifdef __RX_LITTLE_ENDIAN__
23894             unsigned char B0 : 1;
23895             unsigned char B1 : 1;
23896             unsigned char B2 : 1;
23897             unsigned char B3 : 1;
23898             unsigned char B4 : 1;
23899             unsigned char B5 : 1;
23900             unsigned char B6 : 1;
23901             unsigned char B7 : 1;
23902 #else
23903             unsigned char B7 : 1;
23904             unsigned char B6 : 1;
23905             unsigned char B5 : 1;
23906             unsigned char B4 : 1;
23907             unsigned char B3 : 1;
23908             unsigned char B2 : 1;
23909             unsigned char B1 : 1;
23910             unsigned char B0 : 1;
23911 #endif

```



```

23912     } BIT;
23913     } PCR;
23914     char          wk5[31];
23915     union {
23916         unsigned char BYTE;
23917         struct {
23918
23919 #ifdef __RX_LITTLE_ENDIAN__
23920         unsigned char B0 : 1;
23921         unsigned char B1 : 1;
23922         unsigned char B2 : 1;
23923         unsigned char B3 : 1;
23924         unsigned char B4 : 1;
23925         unsigned char B5 : 1;
23926         unsigned char B6 : 1;
23927         unsigned char B7 : 1;
23928 #else
23929         unsigned char B7 : 1;
23930         unsigned char B6 : 1;
23931         unsigned char B5 : 1;
23932         unsigned char B4 : 1;
23933         unsigned char B3 : 1;
23934         unsigned char B2 : 1;
23935         unsigned char B1 : 1;
23936         unsigned char B0 : 1;
23937 #endif
23938     } BIT;
23939     } DSCR;
23940     char          wk6[71];
23941     union {
23942         unsigned char BYTE;
23943         struct {
23944
23945 #ifdef __RX_LITTLE_ENDIAN__
23946         unsigned char B0 : 1;
23947         unsigned char B1 : 1;
23948         unsigned char B2 : 1;
23949         unsigned char B3 : 1;
23950         unsigned char B4 : 1;
23951         unsigned char B5 : 1;
23952         unsigned char B6 : 1;
23953         unsigned char B7 : 1;
23954 #else
23955         unsigned char B7 : 1;
23956         unsigned char B6 : 1;
23957         unsigned char B5 : 1;
23958         unsigned char B4 : 1;
23959         unsigned char B3 : 1;
23960         unsigned char B2 : 1;
23961         unsigned char B1 : 1;
23962         unsigned char B0 : 1;
23963 #endif
23964     } BIT;
23965     } DSCR2;
23966 } st_portb_t;
23967
23968 typedef struct st_portc {
23969     union {
23970         unsigned char BYTE;
23971         struct {
23972
23973 #ifdef __RX_LITTLE_ENDIAN__
23974         unsigned char B0 : 1;
23975         unsigned char B1 : 1;
23976         unsigned char B2 : 1;
23977         unsigned char B3 : 1;
23978         unsigned char B4 : 1;
23979         unsigned char B5 : 1;
23980         unsigned char B6 : 1;
23981         unsigned char B7 : 1;
23982 #else
23983         unsigned char B7 : 1;
23984         unsigned char B6 : 1;
23985         unsigned char B5 : 1;
23986         unsigned char B4 : 1;
23987         unsigned char B3 : 1;
23988         unsigned char B2 : 1;
23989         unsigned char B1 : 1;
23990         unsigned char B0 : 1;
23991 #endif
23992     } BIT;
23993     } PDR;
23994     char          wk0[31];
23995     union {
23996         unsigned char BYTE;
23997         struct {
23998

```

```

23999 #ifdef __RX_LITTLE_ENDIAN__
24000     unsigned char B0 : 1;
24001     unsigned char B1 : 1;
24002     unsigned char B2 : 1;
24003     unsigned char B3 : 1;
24004     unsigned char B4 : 1;
24005     unsigned char B5 : 1;
24006     unsigned char B6 : 1;
24007     unsigned char B7 : 1;
24008 #else
24009     unsigned char B7 : 1;
24010     unsigned char B6 : 1;
24011     unsigned char B5 : 1;
24012     unsigned char B4 : 1;
24013     unsigned char B3 : 1;
24014     unsigned char B2 : 1;
24015     unsigned char B1 : 1;
24016     unsigned char B0 : 1;
24017 #endif
24018 } BIT;
24019 } PODR;
24020 char      wk1[31];
24021 union {
24022     unsigned char BYTE;
24023     struct {
24024
24025 #ifdef __RX_LITTLE_ENDIAN__
24026     unsigned char B0 : 1;
24027     unsigned char B1 : 1;
24028     unsigned char B2 : 1;
24029     unsigned char B3 : 1;
24030     unsigned char B4 : 1;
24031     unsigned char B5 : 1;
24032     unsigned char B6 : 1;
24033     unsigned char B7 : 1;
24034 #else
24035     unsigned char B7 : 1;
24036     unsigned char B6 : 1;
24037     unsigned char B5 : 1;
24038     unsigned char B4 : 1;
24039     unsigned char B3 : 1;
24040     unsigned char B2 : 1;
24041     unsigned char B1 : 1;
24042     unsigned char B0 : 1;
24043 #endif
24044 } BIT;
24045 } PIDR;
24046 char      wk2[31];
24047 union {
24048     unsigned char BYTE;
24049     struct {
24050
24051 #ifdef __RX_LITTLE_ENDIAN__
24052     unsigned char B0 : 1;
24053     unsigned char B1 : 1;
24054     unsigned char B2 : 1;
24055     unsigned char B3 : 1;
24056     unsigned char B4 : 1;
24057     unsigned char B5 : 1;
24058     unsigned char B6 : 1;
24059     unsigned char B7 : 1;
24060 #else
24061     unsigned char B7 : 1;
24062     unsigned char B6 : 1;
24063     unsigned char B5 : 1;
24064     unsigned char B4 : 1;
24065     unsigned char B3 : 1;
24066     unsigned char B2 : 1;
24067     unsigned char B1 : 1;
24068     unsigned char B0 : 1;
24069 #endif
24070 } BIT;
24071 } PMR;
24072 char      wk3[43];
24073 union {
24074     unsigned char BYTE;
24075     struct {
24076
24077 #ifdef __RX_LITTLE_ENDIAN__
24078     unsigned char B0 : 1;
24079     unsigned char B1 : 1;
24080     unsigned char B2 : 1;
24081     unsigned char B3 : 1;
24082     unsigned char B4 : 1;
24083     unsigned char B5 : 1;
24084     unsigned char B6 : 1;
24085     unsigned char B7 : 1;

```

```

24086 #else
24087     unsigned char : 1;
24088     unsigned char B6 : 1;
24089     unsigned char : 1;
24090     unsigned char B4 : 1;
24091     unsigned char : 1;
24092     unsigned char B2 : 1;
24093     unsigned char : 1;
24094     unsigned char B0 : 1;
24095 #endif
24096 } BIT;
24097 } ODR0;
24098 union {
24099     unsigned char BYTE;
24100     struct {
24101
24102 #ifdef __RX_LITTLE_ENDIAN__
24103     unsigned char B0 : 1;
24104     unsigned char : 1;
24105     unsigned char B2 : 1;
24106     unsigned char : 1;
24107     unsigned char B4 : 1;
24108     unsigned char : 1;
24109     unsigned char B6 : 1;
24110     unsigned char : 1;
24111 #else
24112     unsigned char : 1;
24113     unsigned char B6 : 1;
24114     unsigned char : 1;
24115     unsigned char B4 : 1;
24116     unsigned char : 1;
24117     unsigned char B2 : 1;
24118     unsigned char : 1;
24119     unsigned char B0 : 1;
24120 #endif
24121 } BIT;
24122 } ODR1;
24123 char wk4[50];
24124 union {
24125     unsigned char BYTE;
24126     struct {
24127
24128 #ifdef __RX_LITTLE_ENDIAN__
24129     unsigned char B0 : 1;
24130     unsigned char B1 : 1;
24131     unsigned char B2 : 1;
24132     unsigned char B3 : 1;
24133     unsigned char B4 : 1;
24134     unsigned char B5 : 1;
24135     unsigned char B6 : 1;
24136     unsigned char B7 : 1;
24137 #else
24138     unsigned char B7 : 1;
24139     unsigned char B6 : 1;
24140     unsigned char B5 : 1;
24141     unsigned char B4 : 1;
24142     unsigned char B3 : 1;
24143     unsigned char B2 : 1;
24144     unsigned char B1 : 1;
24145     unsigned char B0 : 1;
24146 #endif
24147 } BIT;
24148 } PCR;
24149 char wk5[31];
24150 union {
24151     unsigned char BYTE;
24152     struct {
24153
24154 #ifdef __RX_LITTLE_ENDIAN__
24155     unsigned char B0 : 1;
24156     unsigned char B1 : 1;
24157     unsigned char B2 : 1;
24158     unsigned char B3 : 1;
24159     unsigned char B4 : 1;
24160     unsigned char B5 : 1;
24161     unsigned char B6 : 1;
24162     unsigned char B7 : 1;
24163 #else
24164     unsigned char B7 : 1;
24165     unsigned char B6 : 1;
24166     unsigned char B5 : 1;
24167     unsigned char B4 : 1;
24168     unsigned char B3 : 1;
24169     unsigned char B2 : 1;
24170     unsigned char B1 : 1;
24171     unsigned char B0 : 1;
24172 #endif

```

```

24173     } BIT;
24174     } DSCR;
24175     char          wk6[71];
24176     union {
24177         unsigned char BYTE;
24178         struct {
24179
24180 #ifdef __RX_LITTLE_ENDIAN__
24181         unsigned char B0 : 1;
24182         unsigned char B1 : 1;
24183         unsigned char B2 : 1;
24184         unsigned char B3 : 1;
24185         unsigned char B4 : 1;
24186         unsigned char B5 : 1;
24187         unsigned char B6 : 1;
24188         unsigned char B7 : 1;
24189 #else
24190         unsigned char B7 : 1;
24191         unsigned char B6 : 1;
24192         unsigned char B5 : 1;
24193         unsigned char B4 : 1;
24194         unsigned char B3 : 1;
24195         unsigned char B2 : 1;
24196         unsigned char B1 : 1;
24197         unsigned char B0 : 1;
24198 #endif
24199     } BIT;
24200     } DSCR2;
24201 } st_portc_t;
24202
24203 typedef struct st_portd {
24204     union {
24205         unsigned char BYTE;
24206         struct {
24207
24208 #ifdef __RX_LITTLE_ENDIAN__
24209         unsigned char B0 : 1;
24210         unsigned char B1 : 1;
24211         unsigned char B2 : 1;
24212         unsigned char B3 : 1;
24213         unsigned char B4 : 1;
24214         unsigned char B5 : 1;
24215         unsigned char B6 : 1;
24216         unsigned char B7 : 1;
24217 #else
24218         unsigned char B7 : 1;
24219         unsigned char B6 : 1;
24220         unsigned char B5 : 1;
24221         unsigned char B4 : 1;
24222         unsigned char B3 : 1;
24223         unsigned char B2 : 1;
24224         unsigned char B1 : 1;
24225         unsigned char B0 : 1;
24226 #endif
24227     } BIT;
24228     } PDR;
24229     char          wk0[31];
24230     union {
24231         unsigned char BYTE;
24232         struct {
24233
24234 #ifdef __RX_LITTLE_ENDIAN__
24235         unsigned char B0 : 1;
24236         unsigned char B1 : 1;
24237         unsigned char B2 : 1;
24238         unsigned char B3 : 1;
24239         unsigned char B4 : 1;
24240         unsigned char B5 : 1;
24241         unsigned char B6 : 1;
24242         unsigned char B7 : 1;
24243 #else
24244         unsigned char B7 : 1;
24245         unsigned char B6 : 1;
24246         unsigned char B5 : 1;
24247         unsigned char B4 : 1;
24248         unsigned char B3 : 1;
24249         unsigned char B2 : 1;
24250         unsigned char B1 : 1;
24251         unsigned char B0 : 1;
24252 #endif
24253     } BIT;
24254     } PODR;
24255     char          wk1[31];
24256     union {
24257         unsigned char BYTE;
24258         struct {
24259

```

```

24260 #ifdef __RX_LITTLE_ENDIAN__
24261     unsigned char B0 : 1;
24262     unsigned char B1 : 1;
24263     unsigned char B2 : 1;
24264     unsigned char B3 : 1;
24265     unsigned char B4 : 1;
24266     unsigned char B5 : 1;
24267     unsigned char B6 : 1;
24268     unsigned char B7 : 1;
24269 #else
24270     unsigned char B7 : 1;
24271     unsigned char B6 : 1;
24272     unsigned char B5 : 1;
24273     unsigned char B4 : 1;
24274     unsigned char B3 : 1;
24275     unsigned char B2 : 1;
24276     unsigned char B1 : 1;
24277     unsigned char B0 : 1;
24278 #endif
24279 } BIT;
24280 } PIDR;
24281 char      wk2[31];
24282 union {
24283     unsigned char BYTE;
24284     struct {
24285
24286 #ifdef __RX_LITTLE_ENDIAN__
24287     unsigned char B0 : 1;
24288     unsigned char B1 : 1;
24289     unsigned char B2 : 1;
24290     unsigned char B3 : 1;
24291     unsigned char B4 : 1;
24292     unsigned char B5 : 1;
24293     unsigned char B6 : 1;
24294     unsigned char B7 : 1;
24295 #else
24296     unsigned char B7 : 1;
24297     unsigned char B6 : 1;
24298     unsigned char B5 : 1;
24299     unsigned char B4 : 1;
24300     unsigned char B3 : 1;
24301     unsigned char B2 : 1;
24302     unsigned char B1 : 1;
24303     unsigned char B0 : 1;
24304 #endif
24305 } BIT;
24306 } PMR;
24307 char      wk3[44];
24308 union {
24309     unsigned char BYTE;
24310     struct {
24311
24312 #ifdef __RX_LITTLE_ENDIAN__
24313     unsigned char B0 : 1;
24314     unsigned char  : 1;
24315     unsigned char B2 : 1;
24316     unsigned char  : 1;
24317     unsigned char B4 : 1;
24318     unsigned char  : 1;
24319     unsigned char B6 : 1;
24320     unsigned char  : 1;
24321 #else
24322     unsigned char  : 1;
24323     unsigned char B6 : 1;
24324     unsigned char  : 1;
24325     unsigned char B4 : 1;
24326     unsigned char  : 1;
24327     unsigned char B2 : 1;
24328     unsigned char  : 1;
24329     unsigned char B0 : 1;
24330 #endif
24331 } BIT;
24332 } ODR0;
24333 union {
24334     unsigned char BYTE;
24335     struct {
24336
24337 #ifdef __RX_LITTLE_ENDIAN__
24338     unsigned char B0 : 1;
24339     unsigned char  : 1;
24340     unsigned char B2 : 1;
24341     unsigned char  : 1;
24342     unsigned char B4 : 1;
24343     unsigned char  : 1;
24344     unsigned char B6 : 1;
24345     unsigned char  : 1;
24346 #else

```

```

24347         unsigned char : 1;
24348         unsigned char B6 : 1;
24349         unsigned char : 1;
24350         unsigned char B4 : 1;
24351         unsigned char : 1;
24352         unsigned char B2 : 1;
24353         unsigned char : 1;
24354         unsigned char B0 : 1;
24355     #endif
24356     } BIT;
24357     } ODR1;
24358     char          wk4[49];
24359     union {
24360         unsigned char BYTE;
24361         struct {
24362
24363     #ifdef __RX_LITTLE_ENDIAN__
24364         unsigned char B0 : 1;
24365         unsigned char B1 : 1;
24366         unsigned char B2 : 1;
24367         unsigned char B3 : 1;
24368         unsigned char B4 : 1;
24369         unsigned char B5 : 1;
24370         unsigned char B6 : 1;
24371         unsigned char B7 : 1;
24372     #else
24373         unsigned char B7 : 1;
24374         unsigned char B6 : 1;
24375         unsigned char B5 : 1;
24376         unsigned char B4 : 1;
24377         unsigned char B3 : 1;
24378         unsigned char B2 : 1;
24379         unsigned char B1 : 1;
24380         unsigned char B0 : 1;
24381     #endif
24382     } BIT;
24383     } PCR;
24384     char          wk5[31];
24385     union {
24386         unsigned char BYTE;
24387         struct {
24388
24389     #ifdef __RX_LITTLE_ENDIAN__
24390         unsigned char B0 : 1;
24391         unsigned char B1 : 1;
24392         unsigned char B2 : 1;
24393         unsigned char B3 : 1;
24394         unsigned char B4 : 1;
24395         unsigned char B5 : 1;
24396         unsigned char B6 : 1;
24397         unsigned char B7 : 1;
24398     #else
24399         unsigned char B7 : 1;
24400         unsigned char B6 : 1;
24401         unsigned char B5 : 1;
24402         unsigned char B4 : 1;
24403         unsigned char B3 : 1;
24404         unsigned char B2 : 1;
24405         unsigned char B1 : 1;
24406         unsigned char B0 : 1;
24407     #endif
24408     } BIT;
24409     } DSCR;
24410     char          wk6[71];
24411     union {
24412         unsigned char BYTE;
24413         struct {
24414
24415     #ifdef __RX_LITTLE_ENDIAN__
24416         unsigned char B0 : 1;
24417         unsigned char B1 : 1;
24418         unsigned char B2 : 1;
24419         unsigned char B3 : 1;
24420         unsigned char B4 : 1;
24421         unsigned char B5 : 1;
24422         unsigned char B6 : 1;
24423         unsigned char B7 : 1;
24424     #else
24425         unsigned char B7 : 1;
24426         unsigned char B6 : 1;
24427         unsigned char B5 : 1;
24428         unsigned char B4 : 1;
24429         unsigned char B3 : 1;
24430         unsigned char B2 : 1;
24431         unsigned char B1 : 1;
24432         unsigned char B0 : 1;
24433     #endif

```

```

24434     } BIT;
24435     } DSCR2;
24436 } st_portd_t;
24437
24438 typedef struct st_porte {
24439     union {
24440         unsigned char BYTE;
24441         struct {
24442
24443 #ifdef __RX_LITTLE_ENDIAN__
24444         unsigned char B0 : 1;
24445         unsigned char B1 : 1;
24446         unsigned char B2 : 1;
24447         unsigned char B3 : 1;
24448         unsigned char B4 : 1;
24449         unsigned char B5 : 1;
24450         unsigned char B6 : 1;
24451         unsigned char B7 : 1;
24452 #else
24453         unsigned char B7 : 1;
24454         unsigned char B6 : 1;
24455         unsigned char B5 : 1;
24456         unsigned char B4 : 1;
24457         unsigned char B3 : 1;
24458         unsigned char B2 : 1;
24459         unsigned char B1 : 1;
24460         unsigned char B0 : 1;
24461 #endif
24462     } BIT;
24463     } PDR;
24464     char        wk0[31];
24465     union {
24466         unsigned char BYTE;
24467         struct {
24468
24469 #ifdef __RX_LITTLE_ENDIAN__
24470         unsigned char B0 : 1;
24471         unsigned char B1 : 1;
24472         unsigned char B2 : 1;
24473         unsigned char B3 : 1;
24474         unsigned char B4 : 1;
24475         unsigned char B5 : 1;
24476         unsigned char B6 : 1;
24477         unsigned char B7 : 1;
24478 #else
24479         unsigned char B7 : 1;
24480         unsigned char B6 : 1;
24481         unsigned char B5 : 1;
24482         unsigned char B4 : 1;
24483         unsigned char B3 : 1;
24484         unsigned char B2 : 1;
24485         unsigned char B1 : 1;
24486         unsigned char B0 : 1;
24487 #endif
24488     } BIT;
24489     } PODR;
24490     char        wk1[31];
24491     union {
24492         unsigned char BYTE;
24493         struct {
24494
24495 #ifdef __RX_LITTLE_ENDIAN__
24496         unsigned char B0 : 1;
24497         unsigned char B1 : 1;
24498         unsigned char B2 : 1;
24499         unsigned char B3 : 1;
24500         unsigned char B4 : 1;
24501         unsigned char B5 : 1;
24502         unsigned char B6 : 1;
24503         unsigned char B7 : 1;
24504 #else
24505         unsigned char B7 : 1;
24506         unsigned char B6 : 1;
24507         unsigned char B5 : 1;
24508         unsigned char B4 : 1;
24509         unsigned char B3 : 1;
24510         unsigned char B2 : 1;
24511         unsigned char B1 : 1;
24512         unsigned char B0 : 1;
24513 #endif
24514     } BIT;
24515     } PIDR;
24516     char        wk2[31];
24517     union {
24518         unsigned char BYTE;
24519         struct {
24520

```

```

24521 #ifdef __RX_LITTLE_ENDIAN__
24522     unsigned char B0 : 1;
24523     unsigned char B1 : 1;
24524     unsigned char B2 : 1;
24525     unsigned char B3 : 1;
24526     unsigned char B4 : 1;
24527     unsigned char B5 : 1;
24528     unsigned char B6 : 1;
24529     unsigned char B7 : 1;
24530 #else
24531     unsigned char B7 : 1;
24532     unsigned char B6 : 1;
24533     unsigned char B5 : 1;
24534     unsigned char B4 : 1;
24535     unsigned char B3 : 1;
24536     unsigned char B2 : 1;
24537     unsigned char B1 : 1;
24538     unsigned char B0 : 1;
24539 #endif
24540 } BIT;
24541 } PMR;
24542 char      wk3[45];
24543 union {
24544     unsigned char BYTE;
24545     struct {
24546
24547 #ifdef __RX_LITTLE_ENDIAN__
24548     unsigned char B0 : 1;
24549     unsigned char  : 1;
24550     unsigned char B2 : 1;
24551     unsigned char B3 : 1;
24552     unsigned char B4 : 1;
24553     unsigned char  : 1;
24554     unsigned char B6 : 1;
24555     unsigned char  : 1;
24556 #else
24557     unsigned char  : 1;
24558     unsigned char B6 : 1;
24559     unsigned char  : 1;
24560     unsigned char B4 : 1;
24561     unsigned char B3 : 1;
24562     unsigned char B2 : 1;
24563     unsigned char  : 1;
24564     unsigned char B0 : 1;
24565 #endif
24566 } BIT;
24567 } ODR0;
24568 union {
24569     unsigned char BYTE;
24570     struct {
24571
24572 #ifdef __RX_LITTLE_ENDIAN__
24573     unsigned char B0 : 1;
24574     unsigned char  : 1;
24575     unsigned char B2 : 1;
24576     unsigned char  : 1;
24577     unsigned char B4 : 1;
24578     unsigned char  : 1;
24579     unsigned char B6 : 1;
24580     unsigned char  : 1;
24581 #else
24582     unsigned char  : 1;
24583     unsigned char B6 : 1;
24584     unsigned char  : 1;
24585     unsigned char B4 : 1;
24586     unsigned char  : 1;
24587     unsigned char B2 : 1;
24588     unsigned char  : 1;
24589     unsigned char B0 : 1;
24590 #endif
24591 } BIT;
24592 } ODR1;
24593 char      wk4[48];
24594 union {
24595     unsigned char BYTE;
24596     struct {
24597
24598 #ifdef __RX_LITTLE_ENDIAN__
24599     unsigned char B0 : 1;
24600     unsigned char B1 : 1;
24601     unsigned char B2 : 1;
24602     unsigned char B3 : 1;
24603     unsigned char B4 : 1;
24604     unsigned char B5 : 1;
24605     unsigned char B6 : 1;
24606     unsigned char B7 : 1;
24607 #else

```



```

24608         unsigned char B7 : 1;
24609         unsigned char B6 : 1;
24610         unsigned char B5 : 1;
24611         unsigned char B4 : 1;
24612         unsigned char B3 : 1;
24613         unsigned char B2 : 1;
24614         unsigned char B1 : 1;
24615         unsigned char B0 : 1;
24616     #endif
24617     } BIT;
24618     } PCR;
24619     char          wk5[31];
24620     union {
24621         unsigned char BYTE;
24622         struct {
24623
24624     #ifdef __RX_LITTLE_ENDIAN__
24625         unsigned char B0 : 1;
24626         unsigned char B1 : 1;
24627         unsigned char B2 : 1;
24628         unsigned char B3 : 1;
24629         unsigned char B4 : 1;
24630         unsigned char B5 : 1;
24631         unsigned char B6 : 1;
24632         unsigned char B7 : 1;
24633     #else
24634         unsigned char B7 : 1;
24635         unsigned char B6 : 1;
24636         unsigned char B5 : 1;
24637         unsigned char B4 : 1;
24638         unsigned char B3 : 1;
24639         unsigned char B2 : 1;
24640         unsigned char B1 : 1;
24641         unsigned char B0 : 1;
24642     #endif
24643     } BIT;
24644     } DSCR;
24645     char          wk6[71];
24646     union {
24647         unsigned char BYTE;
24648         struct {
24649
24650     #ifdef __RX_LITTLE_ENDIAN__
24651         unsigned char B0 : 1;
24652         unsigned char B1 : 1;
24653         unsigned char B2 : 1;
24654         unsigned char B3 : 1;
24655         unsigned char B4 : 1;
24656         unsigned char B5 : 1;
24657         unsigned char B6 : 1;
24658         unsigned char B7 : 1;
24659     #else
24660         unsigned char B7 : 1;
24661         unsigned char B6 : 1;
24662         unsigned char B5 : 1;
24663         unsigned char B4 : 1;
24664         unsigned char B3 : 1;
24665         unsigned char B2 : 1;
24666         unsigned char B1 : 1;
24667         unsigned char B0 : 1;
24668     #endif
24669     } BIT;
24670     } DSCR2;
24671 } st_porte_t;
24672
24673 typedef struct st_portf {
24674     union {
24675         unsigned char BYTE;
24676         struct {
24677
24678     #ifdef __RX_LITTLE_ENDIAN__
24679         unsigned char B0 : 1;
24680         unsigned char B1 : 1;
24681         unsigned char B2 : 1;
24682         unsigned char B3 : 1;
24683         unsigned char B4 : 1;
24684         unsigned char B5 : 1;
24685         unsigned char : 2;
24686     #else
24687         unsigned char : 2;
24688         unsigned char B5 : 1;
24689         unsigned char B4 : 1;
24690         unsigned char B3 : 1;
24691         unsigned char B2 : 1;
24692         unsigned char B1 : 1;
24693         unsigned char B0 : 1;
24694     #endif

```

```

24695     } BIT;
24696     } PDR;
24697     char          wk0[31];
24698     union {
24699         unsigned char BYTE;
24700         struct {
24701
24702 #ifdef __RX_LITTLE_ENDIAN__
24703         unsigned char B0 : 1;
24704         unsigned char B1 : 1;
24705         unsigned char B2 : 1;
24706         unsigned char B3 : 1;
24707         unsigned char B4 : 1;
24708         unsigned char B5 : 1;
24709         unsigned char  : 2;
24710 #else
24711         unsigned char  : 2;
24712         unsigned char B5 : 1;
24713         unsigned char B4 : 1;
24714         unsigned char B3 : 1;
24715         unsigned char B2 : 1;
24716         unsigned char B1 : 1;
24717         unsigned char B0 : 1;
24718 #endif
24719     } BIT;
24720     } PODR;
24721     char          wk1[31];
24722     union {
24723         unsigned char BYTE;
24724         struct {
24725
24726 #ifdef __RX_LITTLE_ENDIAN__
24727         unsigned char B0 : 1;
24728         unsigned char B1 : 1;
24729         unsigned char B2 : 1;
24730         unsigned char B3 : 1;
24731         unsigned char B4 : 1;
24732         unsigned char B5 : 1;
24733         unsigned char  : 2;
24734 #else
24735         unsigned char  : 2;
24736         unsigned char B5 : 1;
24737         unsigned char B4 : 1;
24738         unsigned char B3 : 1;
24739         unsigned char B2 : 1;
24740         unsigned char B1 : 1;
24741         unsigned char B0 : 1;
24742 #endif
24743     } BIT;
24744     } PIDR;
24745     char          wk2[31];
24746     union {
24747         unsigned char BYTE;
24748         struct {
24749
24750 #ifdef __RX_LITTLE_ENDIAN__
24751         unsigned char B0 : 1;
24752         unsigned char B1 : 1;
24753         unsigned char B2 : 1;
24754         unsigned char B3 : 1;
24755         unsigned char B4 : 1;
24756         unsigned char B5 : 1;
24757         unsigned char  : 2;
24758 #else
24759         unsigned char  : 2;
24760         unsigned char B5 : 1;
24761         unsigned char B4 : 1;
24762         unsigned char B3 : 1;
24763         unsigned char B2 : 1;
24764         unsigned char B1 : 1;
24765         unsigned char B0 : 1;
24766 #endif
24767     } BIT;
24768     } PMR;
24769     char          wk3[46];
24770     union {
24771         unsigned char BYTE;
24772         struct {
24773
24774 #ifdef __RX_LITTLE_ENDIAN__
24775         unsigned char B0 : 1;
24776         unsigned char  : 1;
24777         unsigned char B2 : 1;
24778         unsigned char  : 1;
24779         unsigned char B4 : 1;
24780         unsigned char  : 1;
24781         unsigned char B6 : 1;

```

```

24782     unsigned char : 1;
24783 #else
24784     unsigned char : 1;
24785     unsigned char B6 : 1;
24786     unsigned char : 1;
24787     unsigned char B4 : 1;
24788     unsigned char : 1;
24789     unsigned char B2 : 1;
24790     unsigned char : 1;
24791     unsigned char B0 : 1;
24792 #endif
24793 } BIT;
24794 } ODR0;
24795 union {
24796     unsigned char BYTE;
24797     struct {
24798
24799 #ifdef __RX_LITTLE_ENDIAN__
24800     unsigned char B0 : 1;
24801     unsigned char : 1;
24802     unsigned char B2 : 1;
24803     unsigned char : 5;
24804 #else
24805     unsigned char : 5;
24806     unsigned char B2 : 1;
24807     unsigned char : 1;
24808     unsigned char B0 : 1;
24809 #endif
24810     } BIT;
24811     } ODR1;
24812     char          wk4[47];
24813     union {
24814         unsigned char BYTE;
24815         struct {
24816
24817 #ifdef __RX_LITTLE_ENDIAN__
24818     unsigned char B0 : 1;
24819     unsigned char B1 : 1;
24820     unsigned char B2 : 1;
24821     unsigned char B3 : 1;
24822     unsigned char B4 : 1;
24823     unsigned char B5 : 1;
24824     unsigned char : 2;
24825 #else
24826     unsigned char : 2;
24827     unsigned char B5 : 1;
24828     unsigned char B4 : 1;
24829     unsigned char B3 : 1;
24830     unsigned char B2 : 1;
24831     unsigned char B1 : 1;
24832     unsigned char B0 : 1;
24833 #endif
24834     } BIT;
24835     } PCR;
24836 } st_portf_t;
24837
24838 typedef struct st_portg {
24839     union {
24840         unsigned char BYTE;
24841         struct {
24842
24843 #ifdef __RX_LITTLE_ENDIAN__
24844     unsigned char B0 : 1;
24845     unsigned char B1 : 1;
24846     unsigned char B2 : 1;
24847     unsigned char B3 : 1;
24848     unsigned char B4 : 1;
24849     unsigned char B5 : 1;
24850     unsigned char B6 : 1;
24851     unsigned char B7 : 1;
24852 #else
24853     unsigned char B7 : 1;
24854     unsigned char B6 : 1;
24855     unsigned char B5 : 1;
24856     unsigned char B4 : 1;
24857     unsigned char B3 : 1;
24858     unsigned char B2 : 1;
24859     unsigned char B1 : 1;
24860     unsigned char B0 : 1;
24861 #endif
24862     } BIT;
24863     } PDR;
24864     char          wk0[31];
24865     union {
24866         unsigned char BYTE;
24867         struct {
24868

```

```

24869 #ifdef __RX_LITTLE_ENDIAN__
24870     unsigned char B0 : 1;
24871     unsigned char B1 : 1;
24872     unsigned char B2 : 1;
24873     unsigned char B3 : 1;
24874     unsigned char B4 : 1;
24875     unsigned char B5 : 1;
24876     unsigned char B6 : 1;
24877     unsigned char B7 : 1;
24878 #else
24879     unsigned char B7 : 1;
24880     unsigned char B6 : 1;
24881     unsigned char B5 : 1;
24882     unsigned char B4 : 1;
24883     unsigned char B3 : 1;
24884     unsigned char B2 : 1;
24885     unsigned char B1 : 1;
24886     unsigned char B0 : 1;
24887 #endif
24888 } BIT;
24889 } PODR;
24890 char      wk1[31];
24891 union {
24892     unsigned char BYTE;
24893     struct {
24894
24895 #ifdef __RX_LITTLE_ENDIAN__
24896     unsigned char B0 : 1;
24897     unsigned char B1 : 1;
24898     unsigned char B2 : 1;
24899     unsigned char B3 : 1;
24900     unsigned char B4 : 1;
24901     unsigned char B5 : 1;
24902     unsigned char B6 : 1;
24903     unsigned char B7 : 1;
24904 #else
24905     unsigned char B7 : 1;
24906     unsigned char B6 : 1;
24907     unsigned char B5 : 1;
24908     unsigned char B4 : 1;
24909     unsigned char B3 : 1;
24910     unsigned char B2 : 1;
24911     unsigned char B1 : 1;
24912     unsigned char B0 : 1;
24913 #endif
24914 } BIT;
24915 } PIDR;
24916 char      wk2[31];
24917 union {
24918     unsigned char BYTE;
24919     struct {
24920
24921 #ifdef __RX_LITTLE_ENDIAN__
24922     unsigned char B0 : 1;
24923     unsigned char B1 : 1;
24924     unsigned char B2 : 1;
24925     unsigned char B3 : 1;
24926     unsigned char B4 : 1;
24927     unsigned char B5 : 1;
24928     unsigned char B6 : 1;
24929     unsigned char B7 : 1;
24930 #else
24931     unsigned char B7 : 1;
24932     unsigned char B6 : 1;
24933     unsigned char B5 : 1;
24934     unsigned char B4 : 1;
24935     unsigned char B3 : 1;
24936     unsigned char B2 : 1;
24937     unsigned char B1 : 1;
24938     unsigned char B0 : 1;
24939 #endif
24940 } BIT;
24941 } PMR;
24942 char      wk3[47];
24943 union {
24944     unsigned char BYTE;
24945     struct {
24946
24947 #ifdef __RX_LITTLE_ENDIAN__
24948     unsigned char B0 : 1;
24949     unsigned char B1 : 1;
24950     unsigned char B2 : 1;
24951     unsigned char B3 : 1;
24952     unsigned char B4 : 1;
24953     unsigned char B5 : 1;
24954     unsigned char B6 : 1;
24955     unsigned char B7 : 1;

```

```

24956 #else
24957     unsigned char : 1;
24958     unsigned char B6 : 1;
24959     unsigned char : 1;
24960     unsigned char B4 : 1;
24961     unsigned char : 1;
24962     unsigned char B2 : 1;
24963     unsigned char : 1;
24964     unsigned char B0 : 1;
24965 #endif
24966 } BIT;
24967 } ODR0;
24968 union {
24969     unsigned char BYTE;
24970     struct {
24971
24972 #ifdef __RX_LITTLE_ENDIAN__
24973     unsigned char B0 : 1;
24974     unsigned char : 1;
24975     unsigned char B2 : 1;
24976     unsigned char : 1;
24977     unsigned char B4 : 1;
24978     unsigned char : 1;
24979     unsigned char B6 : 1;
24980     unsigned char : 1;
24981 #else
24982     unsigned char : 1;
24983     unsigned char B6 : 1;
24984     unsigned char : 1;
24985     unsigned char B4 : 1;
24986     unsigned char : 1;
24987     unsigned char B2 : 1;
24988     unsigned char : 1;
24989     unsigned char B0 : 1;
24990 #endif
24991 } BIT;
24992 } ODR1;
24993 char wk4[46];
24994 union {
24995     unsigned char BYTE;
24996     struct {
24997
24998 #ifdef __RX_LITTLE_ENDIAN__
24999     unsigned char B0 : 1;
25000     unsigned char B1 : 1;
25001     unsigned char B2 : 1;
25002     unsigned char B3 : 1;
25003     unsigned char B4 : 1;
25004     unsigned char B5 : 1;
25005     unsigned char B6 : 1;
25006     unsigned char B7 : 1;
25007 #else
25008     unsigned char B7 : 1;
25009     unsigned char B6 : 1;
25010     unsigned char B5 : 1;
25011     unsigned char B4 : 1;
25012     unsigned char B3 : 1;
25013     unsigned char B2 : 1;
25014     unsigned char B1 : 1;
25015     unsigned char B0 : 1;
25016 #endif
25017 } BIT;
25018 } PCR;
25019 char wk5[31];
25020 union {
25021     unsigned char BYTE;
25022     struct {
25023
25024 #ifdef __RX_LITTLE_ENDIAN__
25025     unsigned char B0 : 1;
25026     unsigned char B1 : 1;
25027     unsigned char : 6;
25028 #else
25029     unsigned char : 6;
25030     unsigned char B1 : 1;
25031     unsigned char B0 : 1;
25032 #endif
25033 } BIT;
25034 } DSCR;
25035 char wk6[71];
25036 union {
25037     unsigned char BYTE;
25038     struct {
25039
25040 #ifdef __RX_LITTLE_ENDIAN__
25041     unsigned char B0 : 1;
25042     unsigned char B1 : 1;

```

```

25043         unsigned char B2 : 1;
25044         unsigned char B3 : 1;
25045         unsigned char B4 : 1;
25046         unsigned char B5 : 1;
25047         unsigned char B6 : 1;
25048         unsigned char B7 : 1;
25049 #else
25050         unsigned char B7 : 1;
25051         unsigned char B6 : 1;
25052         unsigned char B5 : 1;
25053         unsigned char B4 : 1;
25054         unsigned char B3 : 1;
25055         unsigned char B2 : 1;
25056         unsigned char B1 : 1;
25057         unsigned char B0 : 1;
25058 #endif
25059     } BIT;
25060     } DSCR2;
25061 } st_portg_t;
25062
25063 typedef struct st_porth {
25064     union {
25065         unsigned char BYTE;
25066         struct {
25067
25068 #ifdef __RX_LITTLE_ENDIAN__
25069         unsigned char B0 : 1;
25070         unsigned char B1 : 1;
25071         unsigned char B2 : 1;
25072         unsigned char B3 : 1;
25073         unsigned char B4 : 1;
25074         unsigned char B5 : 1;
25075         unsigned char B6 : 1;
25076         unsigned char B7 : 1;
25077 #else
25078         unsigned char B7 : 1;
25079         unsigned char B6 : 1;
25080         unsigned char B5 : 1;
25081         unsigned char B4 : 1;
25082         unsigned char B3 : 1;
25083         unsigned char B2 : 1;
25084         unsigned char B1 : 1;
25085         unsigned char B0 : 1;
25086 #endif
25087     } BIT;
25088     } PDR;
25089     char          wk0[31];
25090     union {
25091         unsigned char BYTE;
25092         struct {
25093
25094 #ifdef __RX_LITTLE_ENDIAN__
25095         unsigned char B0 : 1;
25096         unsigned char B1 : 1;
25097         unsigned char B2 : 1;
25098         unsigned char B3 : 1;
25099         unsigned char B4 : 1;
25100         unsigned char B5 : 1;
25101         unsigned char B6 : 1;
25102         unsigned char B7 : 1;
25103 #else
25104         unsigned char B7 : 1;
25105         unsigned char B6 : 1;
25106         unsigned char B5 : 1;
25107         unsigned char B4 : 1;
25108         unsigned char B3 : 1;
25109         unsigned char B2 : 1;
25110         unsigned char B1 : 1;
25111         unsigned char B0 : 1;
25112 #endif
25113     } PODR;
25114     char          wk1[31];
25115     union {
25116         unsigned char BYTE;
25117         struct {
25118
25119 #ifdef __RX_LITTLE_ENDIAN__
25120         unsigned char B0 : 1;
25121         unsigned char B1 : 1;
25122         unsigned char B2 : 1;
25123         unsigned char B3 : 1;
25124         unsigned char B4 : 1;
25125         unsigned char B5 : 1;
25126         unsigned char B6 : 1;
25127         unsigned char B7 : 1;
25128 #else
25129         unsigned char B7 : 1;

```

```

25130         unsigned char B7 : 1;
25131         unsigned char B6 : 1;
25132         unsigned char B5 : 1;
25133         unsigned char B4 : 1;
25134         unsigned char B3 : 1;
25135         unsigned char B2 : 1;
25136         unsigned char B1 : 1;
25137         unsigned char B0 : 1;
25138     #endif
25139     } BIT;
25140     } PIDR;
25141     char          wk2[31];
25142     union {
25143         unsigned char BYTE;
25144         struct {
25145
25146     #ifdef __RX_LITTLE_ENDIAN__
25147         unsigned char B0 : 1;
25148         unsigned char B1 : 1;
25149         unsigned char B2 : 1;
25150         unsigned char B3 : 1;
25151         unsigned char B4 : 1;
25152         unsigned char B5 : 1;
25153         unsigned char B6 : 1;
25154         unsigned char B7 : 1;
25155     #else
25156         unsigned char B7 : 1;
25157         unsigned char B6 : 1;
25158         unsigned char B5 : 1;
25159         unsigned char B4 : 1;
25160         unsigned char B3 : 1;
25161         unsigned char B2 : 1;
25162         unsigned char B1 : 1;
25163         unsigned char B0 : 1;
25164     #endif
25165     } BIT;
25166     } PMR;
25167     char          wk3[48];
25168     union {
25169         unsigned char BYTE;
25170         struct {
25171
25172     #ifdef __RX_LITTLE_ENDIAN__
25173         unsigned char B0 : 1;
25174         unsigned char  : 1;
25175         unsigned char B2 : 1;
25176         unsigned char  : 1;
25177         unsigned char B4 : 1;
25178         unsigned char  : 1;
25179         unsigned char B6 : 1;
25180         unsigned char  : 1;
25181     #else
25182         unsigned char  : 1;
25183         unsigned char B6 : 1;
25184         unsigned char  : 1;
25185         unsigned char B4 : 1;
25186         unsigned char  : 1;
25187         unsigned char B2 : 1;
25188         unsigned char  : 1;
25189         unsigned char B0 : 1;
25190     #endif
25191     } BIT;
25192     } ODR0;
25193     union {
25194         unsigned char BYTE;
25195         struct {
25196
25197     #ifdef __RX_LITTLE_ENDIAN__
25198         unsigned char B0 : 1;
25199         unsigned char  : 1;
25200         unsigned char B2 : 1;
25201         unsigned char  : 1;
25202         unsigned char B4 : 1;
25203         unsigned char  : 1;
25204         unsigned char B6 : 1;
25205         unsigned char  : 1;
25206     #else
25207         unsigned char  : 1;
25208         unsigned char B6 : 1;
25209         unsigned char  : 1;
25210         unsigned char B4 : 1;
25211         unsigned char  : 1;
25212         unsigned char B2 : 1;
25213         unsigned char  : 1;
25214         unsigned char B0 : 1;
25215     #endif
25216     } BIT;

```

```

25217     } ODR1;
25218     char          wk4[45];
25219     union {
25220         unsigned char BYTE;
25221         struct {
25222
25223 #ifdef __RX_LITTLE_ENDIAN__
25224         unsigned char B0 : 1;
25225         unsigned char B1 : 1;
25226         unsigned char B2 : 1;
25227         unsigned char B3 : 1;
25228         unsigned char B4 : 1;
25229         unsigned char B5 : 1;
25230         unsigned char B6 : 1;
25231         unsigned char B7 : 1;
25232 #else
25233         unsigned char B7 : 1;
25234         unsigned char B6 : 1;
25235         unsigned char B5 : 1;
25236         unsigned char B4 : 1;
25237         unsigned char B3 : 1;
25238         unsigned char B2 : 1;
25239         unsigned char B1 : 1;
25240         unsigned char B0 : 1;
25241 #endif
25242     } BIT;
25243     } PCR;
25244     char          wk5[31];
25245     union {
25246         unsigned char BYTE;
25247         struct {
25248
25249 #ifdef __RX_LITTLE_ENDIAN__
25250         unsigned char B0 : 1;
25251         unsigned char B1 : 1;
25252         unsigned char B2 : 1;
25253         unsigned char B3 : 1;
25254         unsigned char B4 : 1;
25255         unsigned char B5 : 1;
25256         unsigned char B6 : 1;
25257         unsigned char B7 : 1;
25258 #else
25259         unsigned char B7 : 1;
25260         unsigned char B6 : 1;
25261         unsigned char B5 : 1;
25262         unsigned char B4 : 1;
25263         unsigned char B3 : 1;
25264         unsigned char B2 : 1;
25265         unsigned char B1 : 1;
25266         unsigned char B0 : 1;
25267 #endif
25268     } BIT;
25269     } DSCR;
25270     char          wk6[71];
25271     union {
25272         unsigned char BYTE;
25273         struct {
25274
25275 #ifdef __RX_LITTLE_ENDIAN__
25276         unsigned char B0 : 1;
25277         unsigned char B1 : 1;
25278         unsigned char B2 : 1;
25279         unsigned char B3 : 1;
25280         unsigned char B4 : 1;
25281         unsigned char B5 : 1;
25282         unsigned char B6 : 1;
25283         unsigned char B7 : 1;
25284 #else
25285         unsigned char B7 : 1;
25286         unsigned char B6 : 1;
25287         unsigned char B5 : 1;
25288         unsigned char B4 : 1;
25289         unsigned char B3 : 1;
25290         unsigned char B2 : 1;
25291         unsigned char B1 : 1;
25292         unsigned char B0 : 1;
25293 #endif
25294     } BIT;
25295     } DSCR2;
25296 } st_porth_t;
25297
25298 typedef struct st_portj {
25299     union {
25300         unsigned char BYTE;
25301         struct {
25302
25303 #ifdef __RX_LITTLE_ENDIAN__

```



```

25304         unsigned char B0 : 1;
25305         unsigned char B1 : 1;
25306         unsigned char B2 : 1;
25307         unsigned char B3 : 1;
25308         unsigned char : 1;
25309         unsigned char B5 : 1;
25310         unsigned char : 2;
25311 #else
25312         unsigned char : 2;
25313         unsigned char B5 : 1;
25314         unsigned char : 1;
25315         unsigned char B3 : 1;
25316         unsigned char B2 : 1;
25317         unsigned char B1 : 1;
25318         unsigned char B0 : 1;
25319 #endif
25320     } BIT;
25321     } PDR;
25322     char          wk0[31];
25323     union {
25324         unsigned char BYTE;
25325         struct {
25326
25327 #ifdef __RX_LITTLE_ENDIAN__
25328         unsigned char B0 : 1;
25329         unsigned char B1 : 1;
25330         unsigned char B2 : 1;
25331         unsigned char B3 : 1;
25332         unsigned char : 1;
25333         unsigned char B5 : 1;
25334         unsigned char : 2;
25335 #else
25336         unsigned char : 2;
25337         unsigned char B5 : 1;
25338         unsigned char : 1;
25339         unsigned char B3 : 1;
25340         unsigned char B2 : 1;
25341         unsigned char B1 : 1;
25342         unsigned char B0 : 1;
25343 #endif
25344     } BIT;
25345     } PODR;
25346     char          wk1[31];
25347     union {
25348         unsigned char BYTE;
25349         struct {
25350
25351 #ifdef __RX_LITTLE_ENDIAN__
25352         unsigned char B0 : 1;
25353         unsigned char B1 : 1;
25354         unsigned char B2 : 1;
25355         unsigned char B3 : 1;
25356         unsigned char : 1;
25357         unsigned char B5 : 1;
25358         unsigned char : 2;
25359 #else
25360         unsigned char : 2;
25361         unsigned char B5 : 1;
25362         unsigned char : 1;
25363         unsigned char B3 : 1;
25364         unsigned char B2 : 1;
25365         unsigned char B1 : 1;
25366         unsigned char B0 : 1;
25367 #endif
25368     } BIT;
25369     } PIDR;
25370     char          wk2[31];
25371     union {
25372         unsigned char BYTE;
25373         struct {
25374
25375 #ifdef __RX_LITTLE_ENDIAN__
25376         unsigned char B0 : 1;
25377         unsigned char B1 : 1;
25378         unsigned char B2 : 1;
25379         unsigned char B3 : 1;
25380         unsigned char : 1;
25381         unsigned char B5 : 1;
25382         unsigned char : 2;
25383 #else
25384         unsigned char : 2;
25385         unsigned char B5 : 1;
25386         unsigned char : 1;
25387         unsigned char B3 : 1;
25388         unsigned char B2 : 1;
25389         unsigned char B1 : 1;
25390         unsigned char B0 : 1;

```

```

25391 #endif
25392     } BIT;
25393     } PMR;
25394     char          wk3[49];
25395     union {
25396         unsigned char BYTE;
25397         struct {
25398
25399 #ifdef __RX_LITTLE_ENDIAN__
25400         unsigned char B0 : 1;
25401         unsigned char  : 1;
25402         unsigned char B2 : 1;
25403         unsigned char  : 1;
25404         unsigned char B4 : 1;
25405         unsigned char  : 1;
25406         unsigned char B6 : 1;
25407         unsigned char  : 1;
25408 #else
25409         unsigned char  : 1;
25410         unsigned char B6 : 1;
25411         unsigned char  : 1;
25412         unsigned char B4 : 1;
25413         unsigned char  : 1;
25414         unsigned char B2 : 1;
25415         unsigned char  : 1;
25416         unsigned char B0 : 1;
25417 #endif
25418     } BIT;
25419     } ODR0;
25420     union {
25421         unsigned char BYTE;
25422         struct {
25423
25424 #ifdef __RX_LITTLE_ENDIAN__
25425         unsigned char  : 2;
25426         unsigned char B2 : 1;
25427         unsigned char  : 5;
25428 #else
25429         unsigned char  : 5;
25430         unsigned char B2 : 1;
25431         unsigned char  : 2;
25432 #endif
25433     } BIT;
25434     } ODR1;
25435     char          wk4[44];
25436     union {
25437         unsigned char BYTE;
25438         struct {
25439
25440 #ifdef __RX_LITTLE_ENDIAN__
25441         unsigned char B0 : 1;
25442         unsigned char B1 : 1;
25443         unsigned char B2 : 1;
25444         unsigned char B3 : 1;
25445         unsigned char  : 1;
25446         unsigned char B5 : 1;
25447         unsigned char  : 2;
25448 #else
25449         unsigned char  : 2;
25450         unsigned char B5 : 1;
25451         unsigned char  : 1;
25452         unsigned char B3 : 1;
25453         unsigned char B2 : 1;
25454         unsigned char B1 : 1;
25455         unsigned char B0 : 1;
25456 #endif
25457     } BIT;
25458     } PCR;
25459     char          wk5[31];
25460     union {
25461         unsigned char BYTE;
25462         struct {
25463
25464 #ifdef __RX_LITTLE_ENDIAN__
25465         unsigned char B0 : 1;
25466         unsigned char B1 : 1;
25467         unsigned char B2 : 1;
25468         unsigned char  : 5;
25469 #else
25470         unsigned char  : 5;
25471         unsigned char B2 : 1;
25472         unsigned char B1 : 1;
25473         unsigned char B0 : 1;
25474 #endif
25475     } BIT;
25476     } DSCR;
25477     char          wk6[71];

```

```

25478     union {
25479         unsigned char BYTE;
25480     struct {
25481
25482 #ifdef __RX_LITTLE_ENDIAN__
25483         unsigned char B0 : 1;
25484         unsigned char B1 : 1;
25485         unsigned char B2 : 1;
25486         unsigned char : 5;
25487 #else
25488         unsigned char : 5;
25489         unsigned char B2 : 1;
25490         unsigned char B1 : 1;
25491         unsigned char B0 : 1;
25492 #endif
25493     } BIT;
25494     } DSCR2;
25495 } st_portj_t;
25496
25497 typedef struct st_portk {
25498     union {
25499         unsigned char BYTE;
25500     struct {
25501
25502 #ifdef __RX_LITTLE_ENDIAN__
25503         unsigned char B0 : 1;
25504         unsigned char B1 : 1;
25505         unsigned char B2 : 1;
25506         unsigned char B3 : 1;
25507         unsigned char B4 : 1;
25508         unsigned char B5 : 1;
25509         unsigned char B6 : 1;
25510         unsigned char B7 : 1;
25511 #else
25512         unsigned char B7 : 1;
25513         unsigned char B6 : 1;
25514         unsigned char B5 : 1;
25515         unsigned char B4 : 1;
25516         unsigned char B3 : 1;
25517         unsigned char B2 : 1;
25518         unsigned char B1 : 1;
25519         unsigned char B0 : 1;
25520 #endif
25521     } BIT;
25522     } PDR;
25523     char          wk0[31];
25524     union {
25525         unsigned char BYTE;
25526     struct {
25527
25528 #ifdef __RX_LITTLE_ENDIAN__
25529         unsigned char B0 : 1;
25530         unsigned char B1 : 1;
25531         unsigned char B2 : 1;
25532         unsigned char B3 : 1;
25533         unsigned char B4 : 1;
25534         unsigned char B5 : 1;
25535         unsigned char B6 : 1;
25536         unsigned char B7 : 1;
25537 #else
25538         unsigned char B7 : 1;
25539         unsigned char B6 : 1;
25540         unsigned char B5 : 1;
25541         unsigned char B4 : 1;
25542         unsigned char B3 : 1;
25543         unsigned char B2 : 1;
25544         unsigned char B1 : 1;
25545         unsigned char B0 : 1;
25546 #endif
25547     } BIT;
25548     } PODR;
25549     char          wk1[31];
25550     union {
25551         unsigned char BYTE;
25552     struct {
25553
25554 #ifdef __RX_LITTLE_ENDIAN__
25555         unsigned char B0 : 1;
25556         unsigned char B1 : 1;
25557         unsigned char B2 : 1;
25558         unsigned char B3 : 1;
25559         unsigned char B4 : 1;
25560         unsigned char B5 : 1;
25561         unsigned char B6 : 1;
25562         unsigned char B7 : 1;
25563 #else
25564         unsigned char B7 : 1;

```

```
25565         unsigned char B6 : 1;
25566         unsigned char B5 : 1;
25567         unsigned char B4 : 1;
25568         unsigned char B3 : 1;
25569         unsigned char B2 : 1;
25570         unsigned char B1 : 1;
25571         unsigned char B0 : 1;
25572     #endif
25573     } BIT;
25574     } PIDR;
25575     char          wk2[31];
25576     union {
25577         unsigned char BYTE;
25578         struct {
25579
25580     #ifdef __RX_LITTLE_ENDIAN__
25581         unsigned char B0 : 1;
25582         unsigned char B1 : 1;
25583         unsigned char B2 : 1;
25584         unsigned char B3 : 1;
25585         unsigned char B4 : 1;
25586         unsigned char B5 : 1;
25587         unsigned char B6 : 1;
25588         unsigned char B7 : 1;
25589     #else
25590         unsigned char B7 : 1;
25591         unsigned char B6 : 1;
25592         unsigned char B5 : 1;
25593         unsigned char B4 : 1;
25594         unsigned char B3 : 1;
25595         unsigned char B2 : 1;
25596         unsigned char B1 : 1;
25597         unsigned char B0 : 1;
25598     #endif
25599     } BIT;
25600     } PMR;
25601     char          wk3[50];
25602     union {
25603         unsigned char BYTE;
25604         struct {
25605
25606     #ifdef __RX_LITTLE_ENDIAN__
25607         unsigned char B0 : 1;
25608         unsigned char  : 1;
25609         unsigned char B2 : 1;
25610         unsigned char  : 1;
25611         unsigned char B4 : 1;
25612         unsigned char  : 1;
25613         unsigned char B6 : 1;
25614         unsigned char  : 1;
25615     #else
25616         unsigned char  : 1;
25617         unsigned char B6 : 1;
25618         unsigned char  : 1;
25619         unsigned char B4 : 1;
25620         unsigned char  : 1;
25621         unsigned char B2 : 1;
25622         unsigned char  : 1;
25623         unsigned char B0 : 1;
25624     #endif
25625     } BIT;
25626     } ODR0;
25627     union {
25628         unsigned char BYTE;
25629         struct {
25630
25631     #ifdef __RX_LITTLE_ENDIAN__
25632         unsigned char B0 : 1;
25633         unsigned char  : 1;
25634         unsigned char B2 : 1;
25635         unsigned char  : 1;
25636         unsigned char B4 : 1;
25637         unsigned char  : 1;
25638         unsigned char B6 : 1;
25639         unsigned char  : 1;
25640     #else
25641         unsigned char  : 1;
25642         unsigned char B6 : 1;
25643         unsigned char  : 1;
25644         unsigned char B4 : 1;
25645         unsigned char  : 1;
25646         unsigned char B2 : 1;
25647         unsigned char  : 1;
25648         unsigned char B0 : 1;
25649     #endif
25650     } BIT;
25651     } ODR1;
```

```

25652     char          wk4[43];
25653     union {
25654         unsigned char BYTE;
25655         struct {
25656
25657 #ifdef __RX_LITTLE_ENDIAN__
25658         unsigned char B0 : 1;
25659         unsigned char B1 : 1;
25660         unsigned char B2 : 1;
25661         unsigned char B3 : 1;
25662         unsigned char B4 : 1;
25663         unsigned char B5 : 1;
25664         unsigned char B6 : 1;
25665         unsigned char B7 : 1;
25666 #else
25667         unsigned char B7 : 1;
25668         unsigned char B6 : 1;
25669         unsigned char B5 : 1;
25670         unsigned char B4 : 1;
25671         unsigned char B3 : 1;
25672         unsigned char B2 : 1;
25673         unsigned char B1 : 1;
25674         unsigned char B0 : 1;
25675 #endif
25676     } BIT;
25677     } PCR;
25678     char          wk5[31];
25679     union {
25680         unsigned char BYTE;
25681         struct {
25682
25683 #ifdef __RX_LITTLE_ENDIAN__
25684         unsigned char B0 : 1;
25685         unsigned char B1 : 1;
25686         unsigned char B2 : 1;
25687         unsigned char B3 : 1;
25688         unsigned char B4 : 1;
25689         unsigned char B5 : 1;
25690         unsigned char B6 : 1;
25691         unsigned char B7 : 1;
25692 #else
25693         unsigned char B7 : 1;
25694         unsigned char B6 : 1;
25695         unsigned char B5 : 1;
25696         unsigned char B4 : 1;
25697         unsigned char B3 : 1;
25698         unsigned char B2 : 1;
25699         unsigned char B1 : 1;
25700         unsigned char B0 : 1;
25701 #endif
25702     } BIT;
25703     } DSCR;
25704     char          wk6[71];
25705     union {
25706         unsigned char BYTE;
25707         struct {
25708
25709 #ifdef __RX_LITTLE_ENDIAN__
25710         unsigned char B0 : 1;
25711         unsigned char B1 : 1;
25712         unsigned char B2 : 1;
25713         unsigned char B3 : 1;
25714         unsigned char B4 : 1;
25715         unsigned char B5 : 1;
25716         unsigned char B6 : 1;
25717         unsigned char B7 : 1;
25718 #else
25719         unsigned char B7 : 1;
25720         unsigned char B6 : 1;
25721         unsigned char B5 : 1;
25722         unsigned char B4 : 1;
25723         unsigned char B3 : 1;
25724         unsigned char B2 : 1;
25725         unsigned char B1 : 1;
25726         unsigned char B0 : 1;
25727 #endif
25728     } BIT;
25729     } DSCR2;
25730 } st_portk_t;
25731
25732 typedef struct st_portl {
25733     union {
25734         unsigned char BYTE;
25735         struct {
25736
25737 #ifdef __RX_LITTLE_ENDIAN__
25738         unsigned char B0 : 1;

```

```

25739         unsigned char B1 : 1;
25740         unsigned char B2 : 1;
25741         unsigned char B3 : 1;
25742         unsigned char B4 : 1;
25743         unsigned char B5 : 1;
25744         unsigned char B6 : 1;
25745         unsigned char B7 : 1;
25746 #else
25747         unsigned char B7 : 1;
25748         unsigned char B6 : 1;
25749         unsigned char B5 : 1;
25750         unsigned char B4 : 1;
25751         unsigned char B3 : 1;
25752         unsigned char B2 : 1;
25753         unsigned char B1 : 1;
25754         unsigned char B0 : 1;
25755 #endif
25756     } BIT;
25757     } PDR;
25758     char          wk0[31];
25759     union {
25760         unsigned char BYTE;
25761         struct {
25762
25763 #ifdef __RX_LITTLE_ENDIAN__
25764         unsigned char B0 : 1;
25765         unsigned char B1 : 1;
25766         unsigned char B2 : 1;
25767         unsigned char B3 : 1;
25768         unsigned char B4 : 1;
25769         unsigned char B5 : 1;
25770         unsigned char B6 : 1;
25771         unsigned char B7 : 1;
25772 #else
25773         unsigned char B7 : 1;
25774         unsigned char B6 : 1;
25775         unsigned char B5 : 1;
25776         unsigned char B4 : 1;
25777         unsigned char B3 : 1;
25778         unsigned char B2 : 1;
25779         unsigned char B1 : 1;
25780         unsigned char B0 : 1;
25781 #endif
25782     } BIT;
25783     } PODR;
25784     char          wk1[31];
25785     union {
25786         unsigned char BYTE;
25787         struct {
25788
25789 #ifdef __RX_LITTLE_ENDIAN__
25790         unsigned char B0 : 1;
25791         unsigned char B1 : 1;
25792         unsigned char B2 : 1;
25793         unsigned char B3 : 1;
25794         unsigned char B4 : 1;
25795         unsigned char B5 : 1;
25796         unsigned char B6 : 1;
25797         unsigned char B7 : 1;
25798 #else
25799         unsigned char B7 : 1;
25800         unsigned char B6 : 1;
25801         unsigned char B5 : 1;
25802         unsigned char B4 : 1;
25803         unsigned char B3 : 1;
25804         unsigned char B2 : 1;
25805         unsigned char B1 : 1;
25806         unsigned char B0 : 1;
25807 #endif
25808     } BIT;
25809     } PIDR;
25810     char          wk2[31];
25811     union {
25812         unsigned char BYTE;
25813         struct {
25814
25815 #ifdef __RX_LITTLE_ENDIAN__
25816         unsigned char B0 : 1;
25817         unsigned char B1 : 1;
25818         unsigned char B2 : 1;
25819         unsigned char B3 : 1;
25820         unsigned char B4 : 1;
25821         unsigned char B5 : 1;
25822         unsigned char B6 : 1;
25823         unsigned char B7 : 1;
25824 #else
25825         unsigned char B7 : 1;

```

```

25826         unsigned char B6 : 1;
25827         unsigned char B5 : 1;
25828         unsigned char B4 : 1;
25829         unsigned char B3 : 1;
25830         unsigned char B2 : 1;
25831         unsigned char B1 : 1;
25832         unsigned char B0 : 1;
25833     #endif
25834     } BIT;
25835     } PMR;
25836     char          wk3[51];
25837     union {
25838         unsigned char BYTE;
25839     struct {
25840
25841     #ifdef __RX_LITTLE_ENDIAN__
25842         unsigned char B0 : 1;
25843         unsigned char  : 1;
25844         unsigned char B2 : 1;
25845         unsigned char  : 1;
25846         unsigned char B4 : 1;
25847         unsigned char  : 1;
25848         unsigned char B6 : 1;
25849         unsigned char  : 1;
25850     #else
25851         unsigned char  : 1;
25852         unsigned char B6 : 1;
25853         unsigned char  : 1;
25854         unsigned char B4 : 1;
25855         unsigned char  : 1;
25856         unsigned char B2 : 1;
25857         unsigned char  : 1;
25858         unsigned char B0 : 1;
25859     #endif
25860     } BIT;
25861     } ODR0;
25862     union {
25863         unsigned char BYTE;
25864     struct {
25865
25866     #ifdef __RX_LITTLE_ENDIAN__
25867         unsigned char B0 : 1;
25868         unsigned char  : 1;
25869         unsigned char B2 : 1;
25870         unsigned char  : 1;
25871         unsigned char B4 : 1;
25872         unsigned char  : 1;
25873         unsigned char B6 : 1;
25874         unsigned char  : 1;
25875     #else
25876         unsigned char  : 1;
25877         unsigned char B6 : 1;
25878         unsigned char  : 1;
25879         unsigned char B4 : 1;
25880         unsigned char  : 1;
25881         unsigned char B2 : 1;
25882         unsigned char  : 1;
25883         unsigned char B0 : 1;
25884     #endif
25885     } BIT;
25886     } ODR1;
25887     char          wk4[42];
25888     union {
25889         unsigned char BYTE;
25890     struct {
25891
25892     #ifdef __RX_LITTLE_ENDIAN__
25893         unsigned char B0 : 1;
25894         unsigned char B1 : 1;
25895         unsigned char B2 : 1;
25896         unsigned char B3 : 1;
25897         unsigned char B4 : 1;
25898         unsigned char B5 : 1;
25899         unsigned char B6 : 1;
25900         unsigned char B7 : 1;
25901     #else
25902         unsigned char B7 : 1;
25903         unsigned char B6 : 1;
25904         unsigned char B5 : 1;
25905         unsigned char B4 : 1;
25906         unsigned char B3 : 1;
25907         unsigned char B2 : 1;
25908         unsigned char B1 : 1;
25909         unsigned char B0 : 1;
25910     #endif
25911     } BIT;
25912     } PCR;

```

```

25913     char          wk5[31];
25914     union {
25915         unsigned char BYTE;
25916         struct {
25917
25918 #ifdef __RX_LITTLE_ENDIAN__
25919         unsigned char B0 : 1;
25920         unsigned char B1 : 1;
25921         unsigned char B2 : 1;
25922         unsigned char B3 : 1;
25923         unsigned char B4 : 1;
25924         unsigned char B5 : 1;
25925         unsigned char B6 : 1;
25926         unsigned char B7 : 1;
25927 #else
25928         unsigned char B7 : 1;
25929         unsigned char B6 : 1;
25930         unsigned char B5 : 1;
25931         unsigned char B4 : 1;
25932         unsigned char B3 : 1;
25933         unsigned char B2 : 1;
25934         unsigned char B1 : 1;
25935         unsigned char B0 : 1;
25936 #endif
25937     } BIT;
25938     } DSCR;
25939     char          wk6[71];
25940     union {
25941         unsigned char BYTE;
25942         struct {
25943
25944 #ifdef __RX_LITTLE_ENDIAN__
25945         unsigned char B0 : 1;
25946         unsigned char B1 : 1;
25947         unsigned char B2 : 1;
25948         unsigned char B3 : 1;
25949         unsigned char B4 : 1;
25950         unsigned char B5 : 1;
25951         unsigned char B6 : 1;
25952         unsigned char B7 : 1;
25953 #else
25954         unsigned char B7 : 1;
25955         unsigned char B6 : 1;
25956         unsigned char B5 : 1;
25957         unsigned char B4 : 1;
25958         unsigned char B3 : 1;
25959         unsigned char B2 : 1;
25960         unsigned char B1 : 1;
25961         unsigned char B0 : 1;
25962 #endif
25963     } BIT;
25964     } DSCR2;
25965 } st_portl_t;
25966
25967 typedef struct st_portm {
25968     union {
25969         unsigned char BYTE;
25970         struct {
25971
25972 #ifdef __RX_LITTLE_ENDIAN__
25973         unsigned char B0 : 1;
25974         unsigned char B1 : 1;
25975         unsigned char B2 : 1;
25976         unsigned char B3 : 1;
25977         unsigned char B4 : 1;
25978         unsigned char B5 : 1;
25979         unsigned char B6 : 1;
25980         unsigned char B7 : 1;
25981 #else
25982         unsigned char B7 : 1;
25983         unsigned char B6 : 1;
25984         unsigned char B5 : 1;
25985         unsigned char B4 : 1;
25986         unsigned char B3 : 1;
25987         unsigned char B2 : 1;
25988         unsigned char B1 : 1;
25989         unsigned char B0 : 1;
25990 #endif
25991     } BIT;
25992     } PDR;
25993     char          wk0[31];
25994     union {
25995         unsigned char BYTE;
25996         struct {
25997
25998 #ifdef __RX_LITTLE_ENDIAN__
25999         unsigned char B0 : 1;

```



```

26000         unsigned char B1 : 1;
26001         unsigned char B2 : 1;
26002         unsigned char B3 : 1;
26003         unsigned char B4 : 1;
26004         unsigned char B5 : 1;
26005         unsigned char B6 : 1;
26006         unsigned char B7 : 1;
26007 #else
26008         unsigned char B7 : 1;
26009         unsigned char B6 : 1;
26010         unsigned char B5 : 1;
26011         unsigned char B4 : 1;
26012         unsigned char B3 : 1;
26013         unsigned char B2 : 1;
26014         unsigned char B1 : 1;
26015         unsigned char B0 : 1;
26016 #endif
26017     } BIT;
26018     } PODR;
26019     char          wk1[31];
26020     union {
26021         unsigned char BYTE;
26022         struct {
26023
26024 #ifdef __RX_LITTLE_ENDIAN__
26025         unsigned char B0 : 1;
26026         unsigned char B1 : 1;
26027         unsigned char B2 : 1;
26028         unsigned char B3 : 1;
26029         unsigned char B4 : 1;
26030         unsigned char B5 : 1;
26031         unsigned char B6 : 1;
26032         unsigned char B7 : 1;
26033 #else
26034         unsigned char B7 : 1;
26035         unsigned char B6 : 1;
26036         unsigned char B5 : 1;
26037         unsigned char B4 : 1;
26038         unsigned char B3 : 1;
26039         unsigned char B2 : 1;
26040         unsigned char B1 : 1;
26041         unsigned char B0 : 1;
26042 #endif
26043     } BIT;
26044     } PIDR;
26045     char          wk2[31];
26046     union {
26047         unsigned char BYTE;
26048         struct {
26049
26050 #ifdef __RX_LITTLE_ENDIAN__
26051         unsigned char B0 : 1;
26052         unsigned char B1 : 1;
26053         unsigned char B2 : 1;
26054         unsigned char B3 : 1;
26055         unsigned char B4 : 1;
26056         unsigned char B5 : 1;
26057         unsigned char B6 : 1;
26058         unsigned char B7 : 1;
26059 #else
26060         unsigned char B7 : 1;
26061         unsigned char B6 : 1;
26062         unsigned char B5 : 1;
26063         unsigned char B4 : 1;
26064         unsigned char B3 : 1;
26065         unsigned char B2 : 1;
26066         unsigned char B1 : 1;
26067         unsigned char B0 : 1;
26068 #endif
26069     } BIT;
26070     } PMR;
26071     char          wk3[52];
26072     union {
26073         unsigned char BYTE;
26074         struct {
26075
26076 #ifdef __RX_LITTLE_ENDIAN__
26077         unsigned char B0 : 1;
26078         unsigned char : 1;
26079         unsigned char B2 : 1;
26080         unsigned char : 1;
26081         unsigned char B4 : 1;
26082         unsigned char : 1;
26083         unsigned char B6 : 1;
26084         unsigned char : 1;
26085 #else
26086         unsigned char : 1;

```

```

26087         unsigned char B6 : 1;
26088         unsigned char : 1;
26089         unsigned char B4 : 1;
26090         unsigned char : 1;
26091         unsigned char B2 : 1;
26092         unsigned char : 1;
26093         unsigned char B0 : 1;
26094     #endif
26095     } BIT;
26096     } ODR0;
26097     union {
26098         unsigned char BYTE;
26099         struct {
26100
26101     #ifdef __RX_LITTLE_ENDIAN__
26102         unsigned char B0 : 1;
26103         unsigned char : 1;
26104         unsigned char B2 : 1;
26105         unsigned char : 1;
26106         unsigned char B4 : 1;
26107         unsigned char : 1;
26108         unsigned char B6 : 1;
26109         unsigned char : 1;
26110     #else
26111         unsigned char : 1;
26112         unsigned char B6 : 1;
26113         unsigned char : 1;
26114         unsigned char B4 : 1;
26115         unsigned char : 1;
26116         unsigned char B2 : 1;
26117         unsigned char : 1;
26118         unsigned char B0 : 1;
26119     #endif
26120     } BIT;
26121     } ODR1;
26122     char          wk4[41];
26123     union {
26124         unsigned char BYTE;
26125         struct {
26126
26127     #ifdef __RX_LITTLE_ENDIAN__
26128         unsigned char B0 : 1;
26129         unsigned char B1 : 1;
26130         unsigned char B2 : 1;
26131         unsigned char B3 : 1;
26132         unsigned char B4 : 1;
26133         unsigned char B5 : 1;
26134         unsigned char B6 : 1;
26135         unsigned char B7 : 1;
26136     #else
26137         unsigned char B7 : 1;
26138         unsigned char B6 : 1;
26139         unsigned char B5 : 1;
26140         unsigned char B4 : 1;
26141         unsigned char B3 : 1;
26142         unsigned char B2 : 1;
26143         unsigned char B1 : 1;
26144         unsigned char B0 : 1;
26145     #endif
26146     } BIT;
26147     } PCR;
26148     char          wk5[31];
26149     union {
26150         unsigned char BYTE;
26151         struct {
26152
26153     #ifdef __RX_LITTLE_ENDIAN__
26154         unsigned char B0 : 1;
26155         unsigned char B1 : 1;
26156         unsigned char B2 : 1;
26157         unsigned char B3 : 1;
26158         unsigned char B4 : 1;
26159         unsigned char B5 : 1;
26160         unsigned char B6 : 1;
26161         unsigned char B7 : 1;
26162     #else
26163         unsigned char B7 : 1;
26164         unsigned char B6 : 1;
26165         unsigned char B5 : 1;
26166         unsigned char B4 : 1;
26167         unsigned char B3 : 1;
26168         unsigned char B2 : 1;
26169         unsigned char B1 : 1;
26170         unsigned char B0 : 1;
26171     #endif
26172     } BIT;
26173     } DSCR;

```

```

26174     char          wk6[71];
26175     union {
26176         unsigned char BYTE;
26177         struct {
26178
26179 #ifdef __RX_LITTLE_ENDIAN__
26180         unsigned char B0 : 1;
26181         unsigned char B1 : 1;
26182         unsigned char B2 : 1;
26183         unsigned char B3 : 1;
26184         unsigned char B4 : 1;
26185         unsigned char B5 : 1;
26186         unsigned char B6 : 1;
26187         unsigned char B7 : 1;
26188 #else
26189         unsigned char B7 : 1;
26190         unsigned char B6 : 1;
26191         unsigned char B5 : 1;
26192         unsigned char B4 : 1;
26193         unsigned char B3 : 1;
26194         unsigned char B2 : 1;
26195         unsigned char B1 : 1;
26196         unsigned char B0 : 1;
26197 #endif
26198     } BIT;
26199     } DSCR2;
26200 } st_portm_t;
26201
26202 typedef struct st_portn {
26203     union {
26204         unsigned char BYTE;
26205         struct {
26206
26207 #ifdef __RX_LITTLE_ENDIAN__
26208         unsigned char B0 : 1;
26209         unsigned char B1 : 1;
26210         unsigned char B2 : 1;
26211         unsigned char B3 : 1;
26212         unsigned char B4 : 1;
26213         unsigned char B5 : 1;
26214         unsigned char : 2;
26215 #else
26216         unsigned char : 2;
26217         unsigned char B5 : 1;
26218         unsigned char B4 : 1;
26219         unsigned char B3 : 1;
26220         unsigned char B2 : 1;
26221         unsigned char B1 : 1;
26222         unsigned char B0 : 1;
26223 #endif
26224     } BIT;
26225     } PDR;
26226     char          wk0[31];
26227     union {
26228         unsigned char BYTE;
26229         struct {
26230
26231 #ifdef __RX_LITTLE_ENDIAN__
26232         unsigned char B0 : 1;
26233         unsigned char B1 : 1;
26234         unsigned char B2 : 1;
26235         unsigned char B3 : 1;
26236         unsigned char B4 : 1;
26237         unsigned char B5 : 1;
26238         unsigned char : 2;
26239 #else
26240         unsigned char : 2;
26241         unsigned char B5 : 1;
26242         unsigned char B4 : 1;
26243         unsigned char B3 : 1;
26244         unsigned char B2 : 1;
26245         unsigned char B1 : 1;
26246         unsigned char B0 : 1;
26247 #endif
26248     } BIT;
26249     } PODR;
26250     char          wk1[31];
26251     union {
26252         unsigned char BYTE;
26253         struct {
26254
26255 #ifdef __RX_LITTLE_ENDIAN__
26256         unsigned char B0 : 1;
26257         unsigned char B1 : 1;
26258         unsigned char B2 : 1;
26259         unsigned char B3 : 1;
26260         unsigned char B4 : 1;

```

```

26261         unsigned char B5 : 1;
26262         unsigned char   : 2;
26263     #else
26264         unsigned char   : 2;
26265         unsigned char B5 : 1;
26266         unsigned char B4 : 1;
26267         unsigned char B3 : 1;
26268         unsigned char B2 : 1;
26269         unsigned char B1 : 1;
26270         unsigned char B0 : 1;
26271     #endif
26272     } BIT;
26273     } PIDR;
26274     char          wk2[31];
26275     union {
26276         unsigned char BYTE;
26277         struct {
26278
26279     #ifdef __RX_LITTLE_ENDIAN__
26280         unsigned char B0 : 1;
26281         unsigned char B1 : 1;
26282         unsigned char B2 : 1;
26283         unsigned char B3 : 1;
26284         unsigned char B4 : 1;
26285         unsigned char B5 : 1;
26286         unsigned char   : 2;
26287     #else
26288         unsigned char   : 2;
26289         unsigned char B5 : 1;
26290         unsigned char B4 : 1;
26291         unsigned char B3 : 1;
26292         unsigned char B2 : 1;
26293         unsigned char B1 : 1;
26294         unsigned char B0 : 1;
26295     #endif
26296     } BIT;
26297     } PMR;
26298     char          wk3[53];
26299     union {
26300         unsigned char BYTE;
26301         struct {
26302
26303     #ifdef __RX_LITTLE_ENDIAN__
26304         unsigned char B0 : 1;
26305         unsigned char   : 1;
26306         unsigned char B2 : 1;
26307         unsigned char   : 1;
26308         unsigned char B4 : 1;
26309         unsigned char   : 1;
26310         unsigned char B6 : 1;
26311         unsigned char   : 1;
26312     #else
26313         unsigned char   : 1;
26314         unsigned char B6 : 1;
26315         unsigned char   : 1;
26316         unsigned char B4 : 1;
26317         unsigned char   : 1;
26318         unsigned char B2 : 1;
26319         unsigned char   : 1;
26320         unsigned char B0 : 1;
26321     #endif
26322     } BIT;
26323     } ODR0;
26324     union {
26325         unsigned char BYTE;
26326         struct {
26327
26328     #ifdef __RX_LITTLE_ENDIAN__
26329         unsigned char B0 : 1;
26330         unsigned char   : 1;
26331         unsigned char B2 : 1;
26332         unsigned char   : 5;
26333     #else
26334         unsigned char   : 5;
26335         unsigned char B2 : 1;
26336         unsigned char   : 1;
26337         unsigned char B0 : 1;
26338     #endif
26339     } BIT;
26340     } ODR1;
26341     char          wk4[40];
26342     union {
26343         unsigned char BYTE;
26344         struct {
26345
26346     #ifdef __RX_LITTLE_ENDIAN__
26347         unsigned char B0 : 1;

```

```

26348         unsigned char B1 : 1;
26349         unsigned char B2 : 1;
26350         unsigned char B3 : 1;
26351         unsigned char B4 : 1;
26352         unsigned char B5 : 1;
26353         unsigned char : 2;
26354 #else
26355         unsigned char : 2;
26356         unsigned char B5 : 1;
26357         unsigned char B4 : 1;
26358         unsigned char B3 : 1;
26359         unsigned char B2 : 1;
26360         unsigned char B1 : 1;
26361         unsigned char B0 : 1;
26362 #endif
26363     } BIT;
26364     } PCR;
26365     char        wk5[31];
26366     union {
26367         unsigned char BYTE;
26368         struct {
26369
26370 #ifdef __RX_LITTLE_ENDIAN__
26371         unsigned char B0 : 1;
26372         unsigned char B1 : 1;
26373         unsigned char B2 : 1;
26374         unsigned char B3 : 1;
26375         unsigned char B4 : 1;
26376         unsigned char B5 : 1;
26377         unsigned char : 2;
26378 #else
26379         unsigned char : 2;
26380         unsigned char B5 : 1;
26381         unsigned char B4 : 1;
26382         unsigned char B3 : 1;
26383         unsigned char B2 : 1;
26384         unsigned char B1 : 1;
26385         unsigned char B0 : 1;
26386 #endif
26387     } BIT;
26388     } DSCR;
26389     char        wk6[71];
26390     union {
26391         unsigned char BYTE;
26392         struct {
26393
26394 #ifdef __RX_LITTLE_ENDIAN__
26395         unsigned char B0 : 1;
26396         unsigned char B1 : 1;
26397         unsigned char B2 : 1;
26398         unsigned char B3 : 1;
26399         unsigned char B4 : 1;
26400         unsigned char B5 : 1;
26401         unsigned char : 2;
26402 #else
26403         unsigned char : 2;
26404         unsigned char B5 : 1;
26405         unsigned char B4 : 1;
26406         unsigned char B3 : 1;
26407         unsigned char B2 : 1;
26408         unsigned char B1 : 1;
26409         unsigned char B0 : 1;
26410 #endif
26411     } BIT;
26412     } DSCR2;
26413 } st_portn_t;
26414
26415 typedef struct st_portq {
26416     union {
26417         unsigned char BYTE;
26418         struct {
26419
26420 #ifdef __RX_LITTLE_ENDIAN__
26421         unsigned char B0 : 1;
26422         unsigned char B1 : 1;
26423         unsigned char B2 : 1;
26424         unsigned char B3 : 1;
26425         unsigned char B4 : 1;
26426         unsigned char B5 : 1;
26427         unsigned char B6 : 1;
26428         unsigned char B7 : 1;
26429 #else
26430         unsigned char B7 : 1;
26431         unsigned char B6 : 1;
26432         unsigned char B5 : 1;
26433         unsigned char B4 : 1;
26434         unsigned char B3 : 1;

```

```
26435         unsigned char B2 : 1;
26436         unsigned char B1 : 1;
26437         unsigned char B0 : 1;
26438     #endif
26439     } BIT;
26440     } PDR;
26441     char        wk0[31];
26442     union {
26443         unsigned char BYTE;
26444         struct {
26445
26446     #ifdef __RX_LITTLE_ENDIAN__
26447         unsigned char B0 : 1;
26448         unsigned char B1 : 1;
26449         unsigned char B2 : 1;
26450         unsigned char B3 : 1;
26451         unsigned char B4 : 1;
26452         unsigned char B5 : 1;
26453         unsigned char B6 : 1;
26454         unsigned char B7 : 1;
26455     #else
26456         unsigned char B7 : 1;
26457         unsigned char B6 : 1;
26458         unsigned char B5 : 1;
26459         unsigned char B4 : 1;
26460         unsigned char B3 : 1;
26461         unsigned char B2 : 1;
26462         unsigned char B1 : 1;
26463         unsigned char B0 : 1;
26464     #endif
26465     } BIT;
26466     } PODR;
26467     char        wk1[31];
26468     union {
26469         unsigned char BYTE;
26470         struct {
26471
26472     #ifdef __RX_LITTLE_ENDIAN__
26473         unsigned char B0 : 1;
26474         unsigned char B1 : 1;
26475         unsigned char B2 : 1;
26476         unsigned char B3 : 1;
26477         unsigned char B4 : 1;
26478         unsigned char B5 : 1;
26479         unsigned char B6 : 1;
26480         unsigned char B7 : 1;
26481     #else
26482         unsigned char B7 : 1;
26483         unsigned char B6 : 1;
26484         unsigned char B5 : 1;
26485         unsigned char B4 : 1;
26486         unsigned char B3 : 1;
26487         unsigned char B2 : 1;
26488         unsigned char B1 : 1;
26489         unsigned char B0 : 1;
26490     #endif
26491     } BIT;
26492     } PIDR;
26493     char        wk2[31];
26494     union {
26495         unsigned char BYTE;
26496         struct {
26497
26498     #ifdef __RX_LITTLE_ENDIAN__
26499         unsigned char B0 : 1;
26500         unsigned char B1 : 1;
26501         unsigned char B2 : 1;
26502         unsigned char B3 : 1;
26503         unsigned char B4 : 1;
26504         unsigned char B5 : 1;
26505         unsigned char B6 : 1;
26506         unsigned char B7 : 1;
26507     #else
26508         unsigned char B7 : 1;
26509         unsigned char B6 : 1;
26510         unsigned char B5 : 1;
26511         unsigned char B4 : 1;
26512         unsigned char B3 : 1;
26513         unsigned char B2 : 1;
26514         unsigned char B1 : 1;
26515         unsigned char B0 : 1;
26516     #endif
26517     } BIT;
26518     } PMR;
26519     char        wk3[54];
26520     union {
26521         unsigned char BYTE;
```

```

26522     struct {
26523
26524 #ifdef __RX_LITTLE_ENDIAN__
26525     unsigned char B0 : 1;
26526     unsigned char : 1;
26527     unsigned char B2 : 1;
26528     unsigned char : 1;
26529     unsigned char B4 : 1;
26530     unsigned char : 1;
26531     unsigned char B6 : 1;
26532     unsigned char : 1;
26533 #else
26534     unsigned char : 1;
26535     unsigned char B6 : 1;
26536     unsigned char : 1;
26537     unsigned char B4 : 1;
26538     unsigned char : 1;
26539     unsigned char B2 : 1;
26540     unsigned char : 1;
26541     unsigned char B0 : 1;
26542 #endif
26543     } BIT;
26544     } ODR0;
26545     union {
26546         unsigned char BYTE;
26547     struct {
26548
26549 #ifdef __RX_LITTLE_ENDIAN__
26550         unsigned char B0 : 1;
26551         unsigned char : 1;
26552         unsigned char B2 : 1;
26553         unsigned char : 1;
26554         unsigned char B4 : 1;
26555         unsigned char : 1;
26556         unsigned char B6 : 1;
26557         unsigned char : 1;
26558 #else
26559         unsigned char : 1;
26560         unsigned char B6 : 1;
26561         unsigned char : 1;
26562         unsigned char B4 : 1;
26563         unsigned char : 1;
26564         unsigned char B2 : 1;
26565         unsigned char : 1;
26566         unsigned char B0 : 1;
26567 #endif
26568     } BIT;
26569     } ODR1;
26570     char          wk4[39];
26571     union {
26572         unsigned char BYTE;
26573     struct {
26574
26575 #ifdef __RX_LITTLE_ENDIAN__
26576         unsigned char B0 : 1;
26577         unsigned char B1 : 1;
26578         unsigned char B2 : 1;
26579         unsigned char B3 : 1;
26580         unsigned char B4 : 1;
26581         unsigned char B5 : 1;
26582         unsigned char B6 : 1;
26583         unsigned char B7 : 1;
26584 #else
26585         unsigned char B7 : 1;
26586         unsigned char B6 : 1;
26587         unsigned char B5 : 1;
26588         unsigned char B4 : 1;
26589         unsigned char B3 : 1;
26590         unsigned char B2 : 1;
26591         unsigned char B1 : 1;
26592         unsigned char B0 : 1;
26593 #endif
26594     } BIT;
26595     } PCR;
26596     char          wk5[31];
26597     union {
26598         unsigned char BYTE;
26599     struct {
26600
26601 #ifdef __RX_LITTLE_ENDIAN__
26602         unsigned char B0 : 1;
26603         unsigned char B1 : 1;
26604         unsigned char B2 : 1;
26605         unsigned char B3 : 1;
26606         unsigned char B4 : 1;
26607         unsigned char B5 : 1;
26608         unsigned char B6 : 1;

```

```

26609         unsigned char B7 : 1;
26610 #else
26611         unsigned char B7 : 1;
26612         unsigned char B6 : 1;
26613         unsigned char B5 : 1;
26614         unsigned char B4 : 1;
26615         unsigned char B3 : 1;
26616         unsigned char B2 : 1;
26617         unsigned char B1 : 1;
26618         unsigned char B0 : 1;
26619 #endif
26620     } BIT;
26621     } DSCR;
26622     char          wk6[71];
26623     union {
26624         unsigned char BYTE;
26625         struct {
26626
26627 #ifdef __RX_LITTLE_ENDIAN__
26628         unsigned char B0 : 1;
26629         unsigned char B1 : 1;
26630         unsigned char B2 : 1;
26631         unsigned char B3 : 1;
26632         unsigned char B4 : 1;
26633         unsigned char B5 : 1;
26634         unsigned char B6 : 1;
26635         unsigned char B7 : 1;
26636 #else
26637         unsigned char B7 : 1;
26638         unsigned char B6 : 1;
26639         unsigned char B5 : 1;
26640         unsigned char B4 : 1;
26641         unsigned char B3 : 1;
26642         unsigned char B2 : 1;
26643         unsigned char B1 : 1;
26644         unsigned char B0 : 1;
26645 #endif
26646     } BIT;
26647     } DSCR2;
26648 } st_portq_t;
26649
26650 typedef struct st_ppg0 {
26651     union {
26652         unsigned char BYTE;
26653         struct {
26654
26655 #ifdef __RX_LITTLE_ENDIAN__
26656         unsigned char G0CMS : 2;
26657         unsigned char G1CMS : 2;
26658         unsigned char G2CMS : 2;
26659         unsigned char G3CMS : 2;
26660 #else
26661         unsigned char G3CMS : 2;
26662         unsigned char G2CMS : 2;
26663         unsigned char G1CMS : 2;
26664         unsigned char G0CMS : 2;
26665 #endif
26666     } BIT;
26667     } PCR;
26668     union {
26669         unsigned char BYTE;
26670         struct {
26671
26672 #ifdef __RX_LITTLE_ENDIAN__
26673         unsigned char G0NOV : 1;
26674         unsigned char G1NOV : 1;
26675         unsigned char G2NOV : 1;
26676         unsigned char G3NOV : 1;
26677         unsigned char G0INV : 1;
26678         unsigned char G1INV : 1;
26679         unsigned char G2INV : 1;
26680         unsigned char G3INV : 1;
26681 #else
26682         unsigned char G3INV : 1;
26683         unsigned char G2INV : 1;
26684         unsigned char G1INV : 1;
26685         unsigned char G0INV : 1;
26686         unsigned char G3NOV : 1;
26687         unsigned char G2NOV : 1;
26688         unsigned char G1NOV : 1;
26689         unsigned char G0NOV : 1;
26690 #endif
26691     } BIT;
26692     } PMR;
26693     union {
26694         unsigned char BYTE;
26695         struct {

```



```
26696
26697 #ifdef __RX_LITTLE_ENDIAN__
26698     unsigned char NDER8 : 1;
26699     unsigned char NDER9 : 1;
26700     unsigned char NDER10 : 1;
26701     unsigned char NDER11 : 1;
26702     unsigned char NDER12 : 1;
26703     unsigned char NDER13 : 1;
26704     unsigned char NDER14 : 1;
26705     unsigned char NDER15 : 1;
26706 #else
26707     unsigned char NDER15 : 1;
26708     unsigned char NDER14 : 1;
26709     unsigned char NDER13 : 1;
26710     unsigned char NDER12 : 1;
26711     unsigned char NDER11 : 1;
26712     unsigned char NDER10 : 1;
26713     unsigned char NDER9 : 1;
26714     unsigned char NDER8 : 1;
26715 #endif
26716 } BIT;
26717 } NDERH;
26718 union {
26719     unsigned char BYTE;
26720     struct {
26721
26722 #ifdef __RX_LITTLE_ENDIAN__
26723     unsigned char NDER0 : 1;
26724     unsigned char NDER1 : 1;
26725     unsigned char NDER2 : 1;
26726     unsigned char NDER3 : 1;
26727     unsigned char NDER4 : 1;
26728     unsigned char NDER5 : 1;
26729     unsigned char NDER6 : 1;
26730     unsigned char NDER7 : 1;
26731 #else
26732     unsigned char NDER7 : 1;
26733     unsigned char NDER6 : 1;
26734     unsigned char NDER5 : 1;
26735     unsigned char NDER4 : 1;
26736     unsigned char NDER3 : 1;
26737     unsigned char NDER2 : 1;
26738     unsigned char NDER1 : 1;
26739     unsigned char NDER0 : 1;
26740 #endif
26741 } BIT;
26742 } NDERL;
26743 union {
26744     unsigned char BYTE;
26745     struct {
26746
26747 #ifdef __RX_LITTLE_ENDIAN__
26748     unsigned char POD8 : 1;
26749     unsigned char POD9 : 1;
26750     unsigned char POD10 : 1;
26751     unsigned char POD11 : 1;
26752     unsigned char POD12 : 1;
26753     unsigned char POD13 : 1;
26754     unsigned char POD14 : 1;
26755     unsigned char POD15 : 1;
26756 #else
26757     unsigned char POD15 : 1;
26758     unsigned char POD14 : 1;
26759     unsigned char POD13 : 1;
26760     unsigned char POD12 : 1;
26761     unsigned char POD11 : 1;
26762     unsigned char POD10 : 1;
26763     unsigned char POD9 : 1;
26764     unsigned char POD8 : 1;
26765 #endif
26766 } BIT;
26767 } PODRH;
26768 union {
26769     unsigned char BYTE;
26770     struct {
26771
26772 #ifdef __RX_LITTLE_ENDIAN__
26773     unsigned char POD0 : 1;
26774     unsigned char POD1 : 1;
26775     unsigned char POD2 : 1;
26776     unsigned char POD3 : 1;
26777     unsigned char POD4 : 1;
26778     unsigned char POD5 : 1;
26779     unsigned char POD6 : 1;
26780     unsigned char POD7 : 1;
26781 #else
26782     unsigned char POD7 : 1;
```

```

26783         unsigned char POD6 : 1;
26784         unsigned char POD5 : 1;
26785         unsigned char POD4 : 1;
26786         unsigned char POD3 : 1;
26787         unsigned char POD2 : 1;
26788         unsigned char POD1 : 1;
26789         unsigned char POD0 : 1;
26790     #endif
26791     } BIT;
26792     } PODRL;
26793     union {
26794         unsigned char BYTE;
26795         struct {
26796
26797     #ifdef __RX_LITTLE_ENDIAN__
26798         unsigned char NDR8 : 1;
26799         unsigned char NDR9 : 1;
26800         unsigned char NDR10 : 1;
26801         unsigned char NDR11 : 1;
26802         unsigned char NDR12 : 1;
26803         unsigned char NDR13 : 1;
26804         unsigned char NDR14 : 1;
26805         unsigned char NDR15 : 1;
26806     #else
26807         unsigned char NDR15 : 1;
26808         unsigned char NDR14 : 1;
26809         unsigned char NDR13 : 1;
26810         unsigned char NDR12 : 1;
26811         unsigned char NDR11 : 1;
26812         unsigned char NDR10 : 1;
26813         unsigned char NDR9 : 1;
26814         unsigned char NDR8 : 1;
26815     #endif
26816     } BIT;
26817     } NDRH;
26818     union {
26819         unsigned char BYTE;
26820         struct {
26821
26822     #ifdef __RX_LITTLE_ENDIAN__
26823         unsigned char NDR0 : 1;
26824         unsigned char NDR1 : 1;
26825         unsigned char NDR2 : 1;
26826         unsigned char NDR3 : 1;
26827         unsigned char NDR4 : 1;
26828         unsigned char NDR5 : 1;
26829         unsigned char NDR6 : 1;
26830         unsigned char NDR7 : 1;
26831     #else
26832         unsigned char NDR7 : 1;
26833         unsigned char NDR6 : 1;
26834         unsigned char NDR5 : 1;
26835         unsigned char NDR4 : 1;
26836         unsigned char NDR3 : 1;
26837         unsigned char NDR2 : 1;
26838         unsigned char NDR1 : 1;
26839         unsigned char NDR0 : 1;
26840     #endif
26841     } BIT;
26842     } NDRL;
26843     union {
26844         unsigned char BYTE;
26845         struct {
26846
26847     #ifdef __RX_LITTLE_ENDIAN__
26848         unsigned char NDR8 : 1;
26849         unsigned char NDR9 : 1;
26850         unsigned char NDR10 : 1;
26851         unsigned char NDR11 : 1;
26852         unsigned char : 4;
26853     #else
26854         unsigned char : 4;
26855         unsigned char NDR11 : 1;
26856         unsigned char NDR10 : 1;
26857         unsigned char NDR9 : 1;
26858         unsigned char NDR8 : 1;
26859     #endif
26860     } BIT;
26861     } NDRH2;
26862     union {
26863         unsigned char BYTE;
26864         struct {
26865
26866     #ifdef __RX_LITTLE_ENDIAN__
26867         unsigned char NDR0 : 1;
26868         unsigned char NDR1 : 1;
26869         unsigned char NDR2 : 1;

```

```

26870         unsigned char NDR3 : 1;
26871         unsigned char : 4;
26872 #else
26873         unsigned char : 4;
26874         unsigned char NDR3 : 1;
26875         unsigned char NDR2 : 1;
26876         unsigned char NDR1 : 1;
26877         unsigned char NDR0 : 1;
26878 #endif
26879     } BIT;
26880     } NDR_L2;
26881 } st_ppg0_t;
26882
26883 typedef struct st_ppg1 {
26884     union {
26885         unsigned char BYTE;
26886     } struct {
26887
26888 #ifdef __RX_LITTLE_ENDIAN__
26889         unsigned char PTRSL : 1;
26890         unsigned char : 7;
26891 #else
26892         unsigned char : 7;
26893         unsigned char PTRSL : 1;
26894 #endif
26895     } BIT;
26896     } PTRSLR;
26897     char wk0[5];
26898     union {
26899         unsigned char BYTE;
26900     } struct {
26901
26902 #ifdef __RX_LITTLE_ENDIAN__
26903         unsigned char G0CMS : 2;
26904         unsigned char G1CMS : 2;
26905         unsigned char G2CMS : 2;
26906         unsigned char G3CMS : 2;
26907 #else
26908         unsigned char G3CMS : 2;
26909         unsigned char G2CMS : 2;
26910         unsigned char G1CMS : 2;
26911         unsigned char G0CMS : 2;
26912 #endif
26913     } BIT;
26914     } PCR;
26915     union {
26916         unsigned char BYTE;
26917     } struct {
26918
26919 #ifdef __RX_LITTLE_ENDIAN__
26920         unsigned char G0NOV : 1;
26921         unsigned char G1NOV : 1;
26922         unsigned char G2NOV : 1;
26923         unsigned char G3NOV : 1;
26924         unsigned char G0INV : 1;
26925         unsigned char G1INV : 1;
26926         unsigned char G2INV : 1;
26927         unsigned char G3INV : 1;
26928 #else
26929         unsigned char G3INV : 1;
26930         unsigned char G2INV : 1;
26931         unsigned char G1INV : 1;
26932         unsigned char G0INV : 1;
26933         unsigned char G3NOV : 1;
26934         unsigned char G2NOV : 1;
26935         unsigned char G1NOV : 1;
26936         unsigned char G0NOV : 1;
26937 #endif
26938     } BIT;
26939     } PMR;
26940     union {
26941         unsigned char BYTE;
26942     } struct {
26943
26944 #ifdef __RX_LITTLE_ENDIAN__
26945         unsigned char NDER24 : 1;
26946         unsigned char NDER25 : 1;
26947         unsigned char NDER26 : 1;
26948         unsigned char NDER27 : 1;
26949         unsigned char NDER28 : 1;
26950         unsigned char NDER29 : 1;
26951         unsigned char NDER30 : 1;
26952         unsigned char NDER31 : 1;
26953 #else
26954         unsigned char NDER31 : 1;
26955         unsigned char NDER30 : 1;
26956         unsigned char NDER29 : 1;

```

```

26957         unsigned char NDER28 : 1;
26958         unsigned char NDER27 : 1;
26959         unsigned char NDER26 : 1;
26960         unsigned char NDER25 : 1;
26961         unsigned char NDER24 : 1;
26962     #endif
26963     } BIT;
26964     } NDERH;
26965     union {
26966         unsigned char BYTE;
26967         struct {
26968
26969     #ifdef __RX_LITTLE_ENDIAN__
26970         unsigned char NDER16 : 1;
26971         unsigned char NDER17 : 1;
26972         unsigned char NDER18 : 1;
26973         unsigned char NDER19 : 1;
26974         unsigned char NDER20 : 1;
26975         unsigned char NDER21 : 1;
26976         unsigned char NDER22 : 1;
26977         unsigned char NDER23 : 1;
26978     #else
26979         unsigned char NDER23 : 1;
26980         unsigned char NDER22 : 1;
26981         unsigned char NDER21 : 1;
26982         unsigned char NDER20 : 1;
26983         unsigned char NDER19 : 1;
26984         unsigned char NDER18 : 1;
26985         unsigned char NDER17 : 1;
26986         unsigned char NDER16 : 1;
26987     #endif
26988     } BIT;
26989     } NDERL;
26990     union {
26991         unsigned char BYTE;
26992         struct {
26993
26994     #ifdef __RX_LITTLE_ENDIAN__
26995         unsigned char POD24 : 1;
26996         unsigned char POD25 : 1;
26997         unsigned char POD26 : 1;
26998         unsigned char POD27 : 1;
26999         unsigned char POD28 : 1;
27000         unsigned char POD29 : 1;
27001         unsigned char POD30 : 1;
27002         unsigned char POD31 : 1;
27003     #else
27004         unsigned char POD31 : 1;
27005         unsigned char POD30 : 1;
27006         unsigned char POD29 : 1;
27007         unsigned char POD28 : 1;
27008         unsigned char POD27 : 1;
27009         unsigned char POD26 : 1;
27010         unsigned char POD25 : 1;
27011         unsigned char POD24 : 1;
27012     #endif
27013     } BIT;
27014     } PODRH;
27015     union {
27016         unsigned char BYTE;
27017         struct {
27018
27019     #ifdef __RX_LITTLE_ENDIAN__
27020         unsigned char POD16 : 1;
27021         unsigned char POD17 : 1;
27022         unsigned char POD18 : 1;
27023         unsigned char POD19 : 1;
27024         unsigned char POD20 : 1;
27025         unsigned char POD21 : 1;
27026         unsigned char POD22 : 1;
27027         unsigned char POD23 : 1;
27028     #else
27029         unsigned char POD23 : 1;
27030         unsigned char POD22 : 1;
27031         unsigned char POD21 : 1;
27032         unsigned char POD20 : 1;
27033         unsigned char POD19 : 1;
27034         unsigned char POD18 : 1;
27035         unsigned char POD17 : 1;
27036         unsigned char POD16 : 1;
27037     #endif
27038     } BIT;
27039     } PODRL;
27040     union {
27041         unsigned char BYTE;
27042         struct {
27043

```

```

27044 #ifdef __RX_LITTLE_ENDIAN__
27045     unsigned char NDR24 : 1;
27046     unsigned char NDR25 : 1;
27047     unsigned char NDR26 : 1;
27048     unsigned char NDR27 : 1;
27049     unsigned char NDR28 : 1;
27050     unsigned char NDR29 : 1;
27051     unsigned char NDR30 : 1;
27052     unsigned char NDR31 : 1;
27053 #else
27054     unsigned char NDR31 : 1;
27055     unsigned char NDR30 : 1;
27056     unsigned char NDR29 : 1;
27057     unsigned char NDR28 : 1;
27058     unsigned char NDR27 : 1;
27059     unsigned char NDR26 : 1;
27060     unsigned char NDR25 : 1;
27061     unsigned char NDR24 : 1;
27062 #endif
27063 } BIT;
27064 } NDRH;
27065 union {
27066     unsigned char BYTE;
27067     struct {
27068
27069 #ifdef __RX_LITTLE_ENDIAN__
27070     unsigned char NDR16 : 1;
27071     unsigned char NDR17 : 1;
27072     unsigned char NDR18 : 1;
27073     unsigned char NDR19 : 1;
27074     unsigned char NDR20 : 1;
27075     unsigned char NDR21 : 1;
27076     unsigned char NDR22 : 1;
27077     unsigned char NDR23 : 1;
27078 #else
27079     unsigned char NDR23 : 1;
27080     unsigned char NDR22 : 1;
27081     unsigned char NDR21 : 1;
27082     unsigned char NDR20 : 1;
27083     unsigned char NDR19 : 1;
27084     unsigned char NDR18 : 1;
27085     unsigned char NDR17 : 1;
27086     unsigned char NDR16 : 1;
27087 #endif
27088 } BIT;
27089 } NDRL;
27090 union {
27091     unsigned char BYTE;
27092     struct {
27093
27094 #ifdef __RX_LITTLE_ENDIAN__
27095     unsigned char NDR24 : 1;
27096     unsigned char NDR25 : 1;
27097     unsigned char NDR26 : 1;
27098     unsigned char NDR27 : 1;
27099     unsigned char : 4;
27100 #else
27101     unsigned char : 4;
27102     unsigned char NDR27 : 1;
27103     unsigned char NDR26 : 1;
27104     unsigned char NDR25 : 1;
27105     unsigned char NDR24 : 1;
27106 #endif
27107 } BIT;
27108 } NDRH2;
27109 union {
27110     unsigned char BYTE;
27111     struct {
27112
27113 #ifdef __RX_LITTLE_ENDIAN__
27114     unsigned char NDR16 : 1;
27115     unsigned char NDR17 : 1;
27116     unsigned char NDR18 : 1;
27117     unsigned char NDR19 : 1;
27118     unsigned char : 4;
27119 #else
27120     unsigned char : 4;
27121     unsigned char NDR19 : 1;
27122     unsigned char NDR18 : 1;
27123     unsigned char NDR17 : 1;
27124     unsigned char NDR16 : 1;
27125 #endif
27126 } BIT;
27127 } NDRL2;
27128 } st_ppg1_t;
27129
27130 typedef struct st_ptpedmac {

```

```

27131     union {
27132         unsigned long LONG;
27133     struct {
27134
27135 #ifdef __RX_LITTLE_ENDIAN__
27136         unsigned long SWR : 1;
27137         unsigned long  : 3;
27138         unsigned long DL : 2;
27139         unsigned long DE : 1;
27140         unsigned long  : 25;
27141 #else
27142         unsigned long  : 25;
27143         unsigned long DE : 1;
27144         unsigned long DL : 2;
27145         unsigned long  : 3;
27146         unsigned long SWR : 1;
27147 #endif
27148     } BIT;
27149     } EDMR;
27150     char          wk0[4];
27151     union {
27152         unsigned long LONG;
27153     struct {
27154
27155 #ifdef __RX_LITTLE_ENDIAN__
27156         unsigned long TR : 1;
27157         unsigned long  : 31;
27158 #else
27159         unsigned long  : 31;
27160         unsigned long TR : 1;
27161 #endif
27162     } BIT;
27163     } EDTRR;
27164     char          wk1[4];
27165     union {
27166         unsigned long LONG;
27167     struct {
27168
27169 #ifdef __RX_LITTLE_ENDIAN__
27170         unsigned long RR : 1;
27171         unsigned long  : 31;
27172 #else
27173         unsigned long  : 31;
27174         unsigned long RR : 1;
27175 #endif
27176     } BIT;
27177     } EDRRR;
27178     char          wk2[4];
27179     void          *TDLAR;
27180     char          wk3[4];
27181     void          *RDLAR;
27182     char          wk4[4];
27183     union {
27184         unsigned long LONG;
27185     struct {
27186
27187 #ifdef __RX_LITTLE_ENDIAN__
27188         unsigned long TYPE : 4;
27189         unsigned long PVER : 1;
27190         unsigned long  : 2;
27191         unsigned long RPORT : 1;
27192         unsigned long MACE : 1;
27193         unsigned long  : 7;
27194         unsigned long RFOF : 1;
27195         unsigned long RDE : 1;
27196         unsigned long FR : 1;
27197         unsigned long TFUF : 1;
27198         unsigned long TDE : 1;
27199         unsigned long TC : 1;
27200         unsigned long  : 2;
27201         unsigned long RFCOF : 1;
27202         unsigned long  : 1;
27203         unsigned long TABT : 1;
27204         unsigned long  : 3;
27205         unsigned long TWB : 1;
27206         unsigned long  : 1;
27207 #else
27208         unsigned long  : 1;
27209         unsigned long TWB : 1;
27210         unsigned long  : 3;
27211         unsigned long TABT : 1;
27212         unsigned long  : 1;
27213         unsigned long RFCOF : 1;
27214         unsigned long  : 2;
27215         unsigned long TC : 1;
27216         unsigned long TDE : 1;
27217         unsigned long TFUF : 1;

```

```

27218         unsigned long FR : 1;
27219         unsigned long RDE : 1;
27220         unsigned long RFOF : 1;
27221         unsigned long : 7;
27222         unsigned long MACE : 1;
27223         unsigned long RPORT : 1;
27224         unsigned long : 2;
27225         unsigned long PVER : 1;
27226         unsigned long TYPE : 4;
27227 #endif
27228     } BIT;
27229     } EESR;
27230     char        wk5[4];
27231     union {
27232         unsigned long LONG;
27233         struct {
27234
27235 #ifdef __RX_LITTLE_ENDIAN__
27236         unsigned long : 4;
27237         unsigned long PVERIP : 1;
27238         unsigned long : 2;
27239         unsigned long RPORTIP : 1;
27240         unsigned long MACEIP : 1;
27241         unsigned long : 7;
27242         unsigned long RFOFIP : 1;
27243         unsigned long RDEIP : 1;
27244         unsigned long FRIP : 1;
27245         unsigned long TFUFIP : 1;
27246         unsigned long TDEIP : 1;
27247         unsigned long TCIP : 1;
27248         unsigned long : 2;
27249         unsigned long RFCOFIP : 1;
27250         unsigned long : 1;
27251         unsigned long TABTIP : 1;
27252         unsigned long : 3;
27253         unsigned long TWBIP : 1;
27254         unsigned long : 1;
27255 #else
27256         unsigned long : 1;
27257         unsigned long TWBIP : 1;
27258         unsigned long : 3;
27259         unsigned long TABTIP : 1;
27260         unsigned long : 1;
27261         unsigned long RFCOFIP : 1;
27262         unsigned long : 2;
27263         unsigned long TCIP : 1;
27264         unsigned long TDEIP : 1;
27265         unsigned long TFUFIP : 1;
27266         unsigned long FRIP : 1;
27267         unsigned long RDEIP : 1;
27268         unsigned long RFOFIP : 1;
27269         unsigned long : 7;
27270         unsigned long MACEIP : 1;
27271         unsigned long RPORTIP : 1;
27272         unsigned long : 2;
27273         unsigned long PVERIP : 1;
27274         unsigned long : 4;
27275 #endif
27276     } BIT;
27277     } EESIPR;
27278     char        wk6[12];
27279     union {
27280         unsigned long LONG;
27281         struct {
27282
27283 #ifdef __RX_LITTLE_ENDIAN__
27284         unsigned long MFC : 16;
27285         unsigned long : 16;
27286 #else
27287         unsigned long : 16;
27288         unsigned long MFC : 16;
27289 #endif
27290     } BIT;
27291     } RMFCR;
27292     char        wk7[4];
27293     union {
27294         unsigned long LONG;
27295         struct {
27296
27297 #ifdef __RX_LITTLE_ENDIAN__
27298         unsigned long TFT : 11;
27299         unsigned long : 21;
27300 #else
27301         unsigned long : 21;
27302         unsigned long TFT : 11;
27303 #endif
27304     } BIT;

```

```

27305     } TFTR;
27306     char          wk8[4];
27307     union {
27308         unsigned long LONG;
27309     struct {
27310
27311     #ifdef __RX_LITTLE_ENDIAN__
27312         unsigned long RFD : 5;
27313         unsigned long  : 3;
27314         unsigned long TFD : 5;
27315         unsigned long  : 19;
27316     #else
27317         unsigned long  : 19;
27318         unsigned long TFD : 5;
27319         unsigned long  : 3;
27320         unsigned long RFD : 5;
27321     #endif
27322     } BIT;
27323     } FDR;
27324     char          wk9[4];
27325     union {
27326         unsigned long LONG;
27327     struct {
27328
27329     #ifdef __RX_LITTLE_ENDIAN__
27330         unsigned long RNR : 1;
27331         unsigned long  : 31;
27332     #else
27333         unsigned long  : 31;
27334         unsigned long RNR : 1;
27335     #endif
27336     } BIT;
27337     } RMCR;
27338     char          wk10[8];
27339     union {
27340         unsigned long LONG;
27341     struct {
27342
27343     #ifdef __RX_LITTLE_ENDIAN__
27344         unsigned long UNDER : 16;
27345         unsigned long  : 16;
27346     #else
27347         unsigned long  : 16;
27348         unsigned long UNDER : 16;
27349     #endif
27350     } BIT;
27351     } TFUCR;
27352     union {
27353         unsigned long LONG;
27354     struct {
27355
27356     #ifdef __RX_LITTLE_ENDIAN__
27357         unsigned long OVER : 16;
27358         unsigned long  : 16;
27359     #else
27360         unsigned long  : 16;
27361         unsigned long OVER : 16;
27362     #endif
27363     } BIT;
27364     } RFOCR;
27365     char          wk11[4];
27366     union {
27367         unsigned long LONG;
27368     struct {
27369
27370     #ifdef __RX_LITTLE_ENDIAN__
27371         unsigned long RFDO : 3;
27372         unsigned long  : 13;
27373         unsigned long RFFO : 3;
27374         unsigned long  : 13;
27375     #else
27376         unsigned long  : 13;
27377         unsigned long RFFO : 3;
27378         unsigned long  : 13;
27379         unsigned long RFDO : 3;
27380     #endif
27381     } BIT;
27382     } FCFTR;
27383     char          wk12[4];
27384     union {
27385         unsigned long LONG;
27386     struct {
27387
27388     #ifdef __RX_LITTLE_ENDIAN__
27389         unsigned long PADR : 6;
27390         unsigned long  : 10;
27391         unsigned long PADS : 2;

```



```

27392         unsigned long : 14;
27393 #else
27394         unsigned long : 14;
27395         unsigned long PADS : 2;
27396         unsigned long : 10;
27397         unsigned long PADR : 6;
27398 #endif
27399     } BIT;
27400     } RPADIR;
27401     union {
27402         unsigned long LONG;
27403         struct {
27404
27405 #ifdef __RX_LITTLE_ENDIAN__
27406         unsigned long TIS : 1;
27407         unsigned long : 3;
27408         unsigned long TIM : 1;
27409         unsigned long : 27;
27410 #else
27411         unsigned long : 27;
27412         unsigned long TIM : 1;
27413         unsigned long : 3;
27414         unsigned long TIS : 1;
27415 #endif
27416     } BIT;
27417     } TRIMD;
27418     char      wk13[72];
27419     void      *RBWAR;
27420     void      *RDFAR;
27421     char      wk14[4];
27422     void      *TBRAR;
27423     void      *TDFAR;
27424 } st_ptpedmac_t;
27425
27426 typedef struct st_qspi {
27427     union {
27428         unsigned char BYTE;
27429         struct {
27430
27431 #ifdef __RX_LITTLE_ENDIAN__
27432         unsigned char : 1;
27433         unsigned char SPSSLIE : 1;
27434         unsigned char : 1;
27435         unsigned char MSTR : 1;
27436         unsigned char : 1;
27437         unsigned char SPTIE : 1;
27438         unsigned char SPE : 1;
27439         unsigned char SPRIE : 1;
27440 #else
27441         unsigned char SPRIE : 1;
27442         unsigned char SPE : 1;
27443         unsigned char SPTIE : 1;
27444         unsigned char : 1;
27445         unsigned char MSTR : 1;
27446         unsigned char : 1;
27447         unsigned char SPSSLIE : 1;
27448         unsigned char : 1;
27449 #endif
27450     } BIT;
27451     } SPCR;
27452     union {
27453         unsigned char BYTE;
27454         struct {
27455
27456 #ifdef __RX_LITTLE_ENDIAN__
27457         unsigned char SSLP : 1;
27458         unsigned char : 7;
27459 #else
27460         unsigned char : 7;
27461         unsigned char SSLP : 1;
27462 #endif
27463     } BIT;
27464     } SSLP;
27465     union {
27466         unsigned char BYTE;
27467         struct {
27468
27469 #ifdef __RX_LITTLE_ENDIAN__
27470         unsigned char SPLP : 1;
27471         unsigned char IO2FV : 1;
27472         unsigned char IO3FV : 1;
27473         unsigned char : 1;
27474         unsigned char MOIFV : 1;
27475         unsigned char MOIFE : 1;
27476         unsigned char : 2;
27477 #else
27478         unsigned char : 2;

```

```

27479         unsigned char MOIFE : 1;
27480         unsigned char MOIFV : 1;
27481         unsigned char : 1;
27482         unsigned char IO3FV : 1;
27483         unsigned char IO2FV : 1;
27484         unsigned char SPLP : 1;
27485     #endif
27486     } BIT;
27487     } SPPCR;
27488     union {
27489         unsigned char BYTE;
27490         struct {
27491
27492     #ifdef __RX_LITTLE_ENDIAN__
27493         unsigned char : 4;
27494         unsigned char SPSSLF : 1;
27495         unsigned char SPTEF : 1;
27496         unsigned char TREND : 1;
27497         unsigned char SPRFF : 1;
27498     #else
27499         unsigned char SPRFF : 1;
27500         unsigned char TREND : 1;
27501         unsigned char SPTEF : 1;
27502         unsigned char SPSSLF : 1;
27503         unsigned char : 4;
27504     #endif
27505     } BIT;
27506     } SPSR;
27507     union {
27508         unsigned long LONG;
27509         struct {
27510             unsigned short H;
27511         } WORD;
27512         struct {
27513             unsigned char HH;
27514         } BYTE;
27515     } SPDR;
27516     union {
27517         unsigned char BYTE;
27518         struct {
27519
27520     #ifdef __RX_LITTLE_ENDIAN__
27521         unsigned char SPSC : 2;
27522         unsigned char : 6;
27523     #else
27524         unsigned char : 6;
27525         unsigned char SPSC : 2;
27526     #endif
27527     } BIT;
27528     } SPSCR;
27529     union {
27530         unsigned char BYTE;
27531         struct {
27532
27533     #ifdef __RX_LITTLE_ENDIAN__
27534         unsigned char SPSS : 2;
27535         unsigned char : 6;
27536     #else
27537         unsigned char : 6;
27538         unsigned char SPSS : 2;
27539     #endif
27540     } BIT;
27541     } SPSSR;
27542     union {
27543         unsigned char BYTE;
27544         struct {
27545
27546     #ifdef __RX_LITTLE_ENDIAN__
27547         unsigned char SPBR0 : 1;
27548         unsigned char SPBR1 : 1;
27549         unsigned char SPBR2 : 1;
27550         unsigned char SPBR3 : 1;
27551         unsigned char SPBR4 : 1;
27552         unsigned char SPBR5 : 1;
27553         unsigned char SPBR6 : 1;
27554         unsigned char SPBR7 : 1;
27555     #else
27556         unsigned char SPBR7 : 1;
27557         unsigned char SPBR6 : 1;
27558         unsigned char SPBR5 : 1;
27559         unsigned char SPBR4 : 1;
27560         unsigned char SPBR3 : 1;
27561         unsigned char SPBR2 : 1;
27562         unsigned char SPBR1 : 1;
27563         unsigned char SPBR0 : 1;
27564     #endif
27565     } BIT;

```

```

27566     } SPBR;
27567     union {
27568         unsigned char BYTE;
27569         struct {
27570
27571 #ifdef __RX_LITTLE_ENDIAN__
27572         unsigned char : 7;
27573         unsigned char TXDMY : 1;
27574 #else
27575         unsigned char TXDMY : 1;
27576         unsigned char : 7;
27577 #endif
27578     } BIT;
27579     } SPDCR;
27580     union {
27581         unsigned char BYTE;
27582         struct {
27583
27584 #ifdef __RX_LITTLE_ENDIAN__
27585         unsigned char SCKDL : 3;
27586         unsigned char : 5;
27587 #else
27588         unsigned char : 5;
27589         unsigned char SCKDL : 3;
27590 #endif
27591     } BIT;
27592     } SPCKD;
27593     union {
27594         unsigned char BYTE;
27595         struct {
27596
27597 #ifdef __RX_LITTLE_ENDIAN__
27598         unsigned char SLNDL : 3;
27599         unsigned char : 5;
27600 #else
27601         unsigned char : 5;
27602         unsigned char SLNDL : 3;
27603 #endif
27604     } BIT;
27605     } SSLND;
27606     union {
27607         unsigned char BYTE;
27608         struct {
27609
27610 #ifdef __RX_LITTLE_ENDIAN__
27611         unsigned char SPNDL : 3;
27612         unsigned char : 5;
27613 #else
27614         unsigned char : 5;
27615         unsigned char SPNDL : 3;
27616 #endif
27617     } BIT;
27618     } SPND;
27619     char wk0[1];
27620     union {
27621         unsigned short WORD;
27622         struct {
27623
27624 #ifdef __RX_LITTLE_ENDIAN__
27625         unsigned short CPHA : 1;
27626         unsigned short CPOL : 1;
27627         unsigned short BRDV : 2;
27628         unsigned short SPRW : 1;
27629         unsigned short SPIMOD : 2;
27630         unsigned short SSLKP : 1;
27631         unsigned short SPB : 4;
27632         unsigned short LSBF : 1;
27633         unsigned short SPNDEN : 1;
27634         unsigned short SLNDEN : 1;
27635         unsigned short SCKDEN : 1;
27636 #else
27637         unsigned short SCKDEN : 1;
27638         unsigned short SLNDEN : 1;
27639         unsigned short SPNDEN : 1;
27640         unsigned short LSBF : 1;
27641         unsigned short SPB : 4;
27642         unsigned short SSLKP : 1;
27643         unsigned short SPIMOD : 2;
27644         unsigned short SPRW : 1;
27645         unsigned short BRDV : 2;
27646         unsigned short CPOL : 1;
27647         unsigned short CPHA : 1;
27648 #endif
27649     } BIT;
27650     } SPCMD0;
27651     union {
27652         unsigned short WORD;

```

```

27653     struct {
27654
27655 #ifdef __RX_LITTLE_ENDIAN__
27656     unsigned short CPHA : 1;
27657     unsigned short CPOL : 1;
27658     unsigned short BRDV : 2;
27659     unsigned short SPRW : 1;
27660     unsigned short SPIMOD : 2;
27661     unsigned short SSLKP : 1;
27662     unsigned short SPB : 4;
27663     unsigned short LSBF : 1;
27664     unsigned short SPNDEN : 1;
27665     unsigned short SLNDEN : 1;
27666     unsigned short SCKDEN : 1;
27667 #else
27668     unsigned short SCKDEN : 1;
27669     unsigned short SLNDEN : 1;
27670     unsigned short SPNDEN : 1;
27671     unsigned short LSBF : 1;
27672     unsigned short SPB : 4;
27673     unsigned short SSLKP : 1;
27674     unsigned short SPIMOD : 2;
27675     unsigned short SPRW : 1;
27676     unsigned short BRDV : 2;
27677     unsigned short CPOL : 1;
27678     unsigned short CPHA : 1;
27679 #endif
27680     } BIT;
27681     } SPCMD1;
27682     union {
27683         unsigned short WORD;
27684         struct {
27685
27686 #ifdef __RX_LITTLE_ENDIAN__
27687         unsigned short CPHA : 1;
27688         unsigned short CPOL : 1;
27689         unsigned short BRDV : 2;
27690         unsigned short SPRW : 1;
27691         unsigned short SPIMOD : 2;
27692         unsigned short SSLKP : 1;
27693         unsigned short SPB : 4;
27694         unsigned short LSBF : 1;
27695         unsigned short SPNDEN : 1;
27696         unsigned short SLNDEN : 1;
27697         unsigned short SCKDEN : 1;
27698 #else
27699         unsigned short SCKDEN : 1;
27700         unsigned short SLNDEN : 1;
27701         unsigned short SPNDEN : 1;
27702         unsigned short LSBF : 1;
27703         unsigned short SPB : 4;
27704         unsigned short SSLKP : 1;
27705         unsigned short SPIMOD : 2;
27706         unsigned short SPRW : 1;
27707         unsigned short BRDV : 2;
27708         unsigned short CPOL : 1;
27709         unsigned short CPHA : 1;
27710 #endif
27711         } BIT;
27712         } SPCMD2;
27713     union {
27714         unsigned short WORD;
27715         struct {
27716
27717 #ifdef __RX_LITTLE_ENDIAN__
27718         unsigned short CPHA : 1;
27719         unsigned short CPOL : 1;
27720         unsigned short BRDV : 2;
27721         unsigned short SPRW : 1;
27722         unsigned short SPIMOD : 2;
27723         unsigned short SSLKP : 1;
27724         unsigned short SPB : 4;
27725         unsigned short LSBF : 1;
27726         unsigned short SPNDEN : 1;
27727         unsigned short SLNDEN : 1;
27728         unsigned short SCKDEN : 1;
27729 #else
27730         unsigned short SCKDEN : 1;
27731         unsigned short SLNDEN : 1;
27732         unsigned short SPNDEN : 1;
27733         unsigned short LSBF : 1;
27734         unsigned short SPB : 4;
27735         unsigned short SSLKP : 1;
27736         unsigned short SPIMOD : 2;
27737         unsigned short SPRW : 1;
27738         unsigned short BRDV : 2;
27739         unsigned short CPOL : 1;

```

```

27740         unsigned short CPHA : 1;
27741 #endif
27742     } BIT;
27743     } SPCMD3;
27744     union {
27745         unsigned char BYTE;
27746         struct {
27747
27748 #ifdef __RX_LITTLE_ENDIAN__
27749         unsigned char RXTRG : 3;
27750         unsigned char TXTRGEX : 1;
27751         unsigned char TXTRG : 2;
27752         unsigned char RXRST : 1;
27753         unsigned char TXRST : 1;
27754 #else
27755         unsigned char TXRST : 1;
27756         unsigned char RXRST : 1;
27757         unsigned char TXTRG : 2;
27758         unsigned char TXTRGEX : 1;
27759         unsigned char RXTRG : 3;
27760 #endif
27761     } BIT;
27762     } SPBFCR;
27763     char        wk1[1];
27764     union {
27765         unsigned short WORD;
27766         struct {
27767
27768 #ifdef __RX_LITTLE_ENDIAN__
27769         unsigned short RXBC : 6;
27770         unsigned short      : 2;
27771         unsigned short TXBC : 6;
27772         unsigned short      : 2;
27773 #else
27774         unsigned short      : 2;
27775         unsigned short TXBC : 6;
27776         unsigned short      : 2;
27777         unsigned short RXBC : 6;
27778 #endif
27779     } BIT;
27780     } SPBDCR;
27781     unsigned long  SPBMUL0;
27782     unsigned long  SPBMUL1;
27783     unsigned long  SPBMUL2;
27784     unsigned long  SPBMUL3;
27785 } st_qspi_t;
27786
27787 typedef struct st_ram {
27788     union {
27789         unsigned char BYTE;
27790         struct {
27791
27792 #ifdef __RX_LITTLE_ENDIAN__
27793         unsigned char RAMMODE : 2;
27794         unsigned char      : 6;
27795 #else
27796         unsigned char      : 6;
27797         unsigned char RAMMODE : 2;
27798 #endif
27799     } BIT;
27800     } RAMMODE;
27801     union {
27802         unsigned char BYTE;
27803         struct {
27804
27805 #ifdef __RX_LITTLE_ENDIAN__
27806         unsigned char RAMERR : 1;
27807         unsigned char      : 7;
27808 #else
27809         unsigned char      : 7;
27810         unsigned char RAMERR : 1;
27811 #endif
27812     } BIT;
27813     } RAMSTS;
27814     char        wk0[2];
27815     union {
27816         unsigned char BYTE;
27817         struct {
27818
27819 #ifdef __RX_LITTLE_ENDIAN__
27820         unsigned char RAMPRCR : 1;
27821         unsigned char KW : 7;
27822 #else
27823         unsigned char KW : 7;
27824         unsigned char RAMPRCR : 1;
27825 #endif
27826     } BIT;

```

```

27827     } RAMPRCR;
27828     char          wk1[3];
27829     union {
27830         unsigned long LONG;
27831         struct {
27832
27833 #ifdef __RX_LITTLE_ENDIAN__
27834         unsigned long : 3;
27835         unsigned long READ : 16;
27836         unsigned long : 13;
27837 #else
27838         unsigned long : 13;
27839         unsigned long READ : 16;
27840         unsigned long : 3;
27841 #endif
27842     } BIT;
27843     } RAMECAD;
27844     char          wk2[52];
27845     union {
27846         unsigned char BYTE;
27847         struct {
27848
27849 #ifdef __RX_LITTLE_ENDIAN__
27850         unsigned char EXRAMMODE : 2;
27851         unsigned char : 6;
27852 #else
27853         unsigned char : 6;
27854         unsigned char EXRAMMODE : 2;
27855 #endif
27856     } BIT;
27857     } EXRAMMODE;
27858     union {
27859         unsigned char BYTE;
27860         struct {
27861
27862 #ifdef __RX_LITTLE_ENDIAN__
27863         unsigned char EXRAMERR : 1;
27864         unsigned char : 7;
27865 #else
27866         unsigned char : 7;
27867         unsigned char EXRAMERR : 1;
27868 #endif
27869     } BIT;
27870     } EXRAMSTS;
27871     char          wk3[2];
27872     union {
27873         unsigned char BYTE;
27874         struct {
27875
27876 #ifdef __RX_LITTLE_ENDIAN__
27877         unsigned char EXRAMPRCR : 1;
27878         unsigned char KW : 7;
27879 #else
27880         unsigned char KW : 7;
27881         unsigned char EXRAMPRCR : 1;
27882 #endif
27883     } BIT;
27884     } EXRAMPRCR;
27885     char          wk4[3];
27886     union {
27887         unsigned long LONG;
27888         struct {
27889
27890 #ifdef __RX_LITTLE_ENDIAN__
27891         unsigned long : 3;
27892         unsigned long READ : 16;
27893         unsigned long : 13;
27894 #else
27895         unsigned long : 13;
27896         unsigned long READ : 16;
27897         unsigned long : 3;
27898 #endif
27899     } BIT;
27900     } EXRAMECAD;
27901 } st_ram_t;
27902
27903 typedef struct st_riic {
27904     union {
27905         unsigned char BYTE;
27906         struct {
27907
27908 #ifdef __RX_LITTLE_ENDIAN__
27909         unsigned char SDAI : 1;
27910         unsigned char SCLI : 1;
27911         unsigned char SDAO : 1;
27912         unsigned char SCLO : 1;
27913         unsigned char SOWP : 1;

```

```

27914         unsigned char CLO : 1;
27915         unsigned char IICRST : 1;
27916         unsigned char ICE : 1;
27917 #else
27918         unsigned char ICE : 1;
27919         unsigned char IICRST : 1;
27920         unsigned char CLO : 1;
27921         unsigned char SOWP : 1;
27922         unsigned char SCLO : 1;
27923         unsigned char SDAO : 1;
27924         unsigned char SCLI : 1;
27925         unsigned char SDAI : 1;
27926 #endif
27927     } BIT;
27928     } ICCR1;
27929     union {
27930         unsigned char BYTE;
27931         struct {
27932
27933 #ifdef __RX_LITTLE_ENDIAN__
27934         unsigned char : 1;
27935         unsigned char ST : 1;
27936         unsigned char RS : 1;
27937         unsigned char SP : 1;
27938         unsigned char : 1;
27939         unsigned char TRS : 1;
27940         unsigned char MST : 1;
27941         unsigned char BBSY : 1;
27942 #else
27943         unsigned char BBSY : 1;
27944         unsigned char MST : 1;
27945         unsigned char TRS : 1;
27946         unsigned char : 1;
27947         unsigned char SP : 1;
27948         unsigned char RS : 1;
27949         unsigned char ST : 1;
27950         unsigned char : 1;
27951 #endif
27952     } BIT;
27953     } ICCR2;
27954     union {
27955         unsigned char BYTE;
27956         struct {
27957
27958 #ifdef __RX_LITTLE_ENDIAN__
27959         unsigned char BC : 3;
27960         unsigned char BCWP : 1;
27961         unsigned char CKS : 3;
27962         unsigned char MTWP : 1;
27963 #else
27964         unsigned char MTWP : 1;
27965         unsigned char CKS : 3;
27966         unsigned char BCWP : 1;
27967         unsigned char BC : 3;
27968 #endif
27969     } BIT;
27970     } ICMR1;
27971     union {
27972         unsigned char BYTE;
27973         struct {
27974
27975 #ifdef __RX_LITTLE_ENDIAN__
27976         unsigned char TMOS : 1;
27977         unsigned char TMOL : 1;
27978         unsigned char TMOH : 1;
27979         unsigned char : 1;
27980         unsigned char SDDL : 3;
27981         unsigned char DLCS : 1;
27982 #else
27983         unsigned char DLCS : 1;
27984         unsigned char SDDL : 3;
27985         unsigned char : 1;
27986         unsigned char TMOH : 1;
27987         unsigned char TMOL : 1;
27988         unsigned char TMOS : 1;
27989 #endif
27990     } BIT;
27991     } ICMR2;
27992     union {
27993         unsigned char BYTE;
27994         struct {
27995
27996 #ifdef __RX_LITTLE_ENDIAN__
27997         unsigned char NF : 2;
27998         unsigned char ACKBR : 1;
27999         unsigned char ACKBT : 1;
28000         unsigned char ACKWP : 1;

```

```

28001         unsigned char RDRFS : 1;
28002         unsigned char WAIT : 1;
28003         unsigned char SMBS : 1;
28004 #else
28005         unsigned char SMBS : 1;
28006         unsigned char WAIT : 1;
28007         unsigned char RDRFS : 1;
28008         unsigned char ACKWP : 1;
28009         unsigned char ACKBT : 1;
28010         unsigned char ACKBR : 1;
28011         unsigned char NF : 2;
28012 #endif
28013     } BIT;
28014     } ICMR3;
28015     union {
28016         unsigned char BYTE;
28017     struct {
28018
28019 #ifdef __RX_LITTLE_ENDIAN__
28020         unsigned char TMOE : 1;
28021         unsigned char MALE : 1;
28022         unsigned char NALE : 1;
28023         unsigned char SALE : 1;
28024         unsigned char NACKE : 1;
28025         unsigned char NFE : 1;
28026         unsigned char SCLE : 1;
28027         unsigned char FMPE : 1;
28028 #else
28029         unsigned char FMPE : 1;
28030         unsigned char SCLE : 1;
28031         unsigned char NFE : 1;
28032         unsigned char NACKE : 1;
28033         unsigned char SALE : 1;
28034         unsigned char NALE : 1;
28035         unsigned char MALE : 1;
28036         unsigned char TMOE : 1;
28037 #endif
28038     } BIT;
28039     } ICFER;
28040     union {
28041         unsigned char BYTE;
28042     struct {
28043
28044 #ifdef __RX_LITTLE_ENDIAN__
28045         unsigned char SAR0E : 1;
28046         unsigned char SAR1E : 1;
28047         unsigned char SAR2E : 1;
28048         unsigned char GCAE : 1;
28049         unsigned char : 1;
28050         unsigned char DIDE : 1;
28051         unsigned char : 1;
28052         unsigned char HOAE : 1;
28053 #else
28054         unsigned char HOAE : 1;
28055         unsigned char : 1;
28056         unsigned char DIDE : 1;
28057         unsigned char : 1;
28058         unsigned char GCAE : 1;
28059         unsigned char SAR2E : 1;
28060         unsigned char SAR1E : 1;
28061         unsigned char SAR0E : 1;
28062 #endif
28063     } BIT;
28064     } ICSE;
28065     union {
28066         unsigned char BYTE;
28067     struct {
28068
28069 #ifdef __RX_LITTLE_ENDIAN__
28070         unsigned char TMOIE : 1;
28071         unsigned char ALIE : 1;
28072         unsigned char STIE : 1;
28073         unsigned char SPIE : 1;
28074         unsigned char NAKIE : 1;
28075         unsigned char RIE : 1;
28076         unsigned char TEIE : 1;
28077         unsigned char TIE : 1;
28078 #else
28079         unsigned char TIE : 1;
28080         unsigned char TEIE : 1;
28081         unsigned char RIE : 1;
28082         unsigned char NAKIE : 1;
28083         unsigned char SPIE : 1;
28084         unsigned char STIE : 1;
28085         unsigned char ALIE : 1;
28086         unsigned char TMOIE : 1;
28087 #endif

```



```

28088     } BIT;
28089     } ICIER;
28090     union {
28091         unsigned char BYTE;
28092     struct {
28093
28094 #ifdef __RX_LITTLE_ENDIAN__
28095         unsigned char AAS0 : 1;
28096         unsigned char AAS1 : 1;
28097         unsigned char AAS2 : 1;
28098         unsigned char GCA : 1;
28099         unsigned char : 1;
28100         unsigned char DID : 1;
28101         unsigned char : 1;
28102         unsigned char HOA : 1;
28103 #else
28104         unsigned char HOA : 1;
28105         unsigned char : 1;
28106         unsigned char DID : 1;
28107         unsigned char : 1;
28108         unsigned char GCA : 1;
28109         unsigned char AAS2 : 1;
28110         unsigned char AAS1 : 1;
28111         unsigned char AAS0 : 1;
28112 #endif
28113     } BIT;
28114     } ICSR1;
28115     union {
28116         unsigned char BYTE;
28117     struct {
28118
28119 #ifdef __RX_LITTLE_ENDIAN__
28120         unsigned char TMOF : 1;
28121         unsigned char AL : 1;
28122         unsigned char START : 1;
28123         unsigned char STOP : 1;
28124         unsigned char NACKF : 1;
28125         unsigned char RDRF : 1;
28126         unsigned char TEND : 1;
28127         unsigned char TDRE : 1;
28128 #else
28129         unsigned char TDRE : 1;
28130         unsigned char TEND : 1;
28131         unsigned char RDRF : 1;
28132         unsigned char NACKF : 1;
28133         unsigned char STOP : 1;
28134         unsigned char START : 1;
28135         unsigned char AL : 1;
28136         unsigned char TMOF : 1;
28137 #endif
28138     } BIT;
28139     } ICSR2;
28140     union {
28141         unsigned char BYTE;
28142     struct {
28143
28144 #ifdef __RX_LITTLE_ENDIAN__
28145         unsigned char SVA0 : 1;
28146         unsigned char SVA : 7;
28147 #else
28148         unsigned char SVA : 7;
28149         unsigned char SVA0 : 1;
28150 #endif
28151     } BIT;
28152     } SARL0;
28153     union {
28154         unsigned char BYTE;
28155     struct {
28156
28157 #ifdef __RX_LITTLE_ENDIAN__
28158         unsigned char FS : 1;
28159         unsigned char SVA : 2;
28160         unsigned char : 5;
28161 #else
28162         unsigned char : 5;
28163         unsigned char SVA : 2;
28164         unsigned char FS : 1;
28165 #endif
28166     } BIT;
28167     } SARU0;
28168     union {
28169         unsigned char BYTE;
28170     struct {
28171
28172 #ifdef __RX_LITTLE_ENDIAN__
28173         unsigned char SVA0 : 1;
28174         unsigned char SVA : 7;

```

```

28175 #else
28176     unsigned char SVA : 7;
28177     unsigned char SVA0 : 1;
28178 #endif
28179 } BIT;
28180 } SARL1;
28181 union {
28182     unsigned char BYTE;
28183     struct {
28184
28185 #ifdef __RX_LITTLE_ENDIAN__
28186     unsigned char FS : 1;
28187     unsigned char SVA : 2;
28188     unsigned char : 5;
28189 #else
28190     unsigned char : 5;
28191     unsigned char SVA : 2;
28192     unsigned char FS : 1;
28193 #endif
28194 } BIT;
28195 } SARU1;
28196 union {
28197     unsigned char BYTE;
28198     struct {
28199
28200 #ifdef __RX_LITTLE_ENDIAN__
28201     unsigned char SVA0 : 1;
28202     unsigned char SVA : 7;
28203 #else
28204     unsigned char SVA : 7;
28205     unsigned char SVA0 : 1;
28206 #endif
28207 } BIT;
28208 } SARL2;
28209 union {
28210     unsigned char BYTE;
28211     struct {
28212
28213 #ifdef __RX_LITTLE_ENDIAN__
28214     unsigned char FS : 1;
28215     unsigned char SVA : 2;
28216     unsigned char : 5;
28217 #else
28218     unsigned char : 5;
28219     unsigned char SVA : 2;
28220     unsigned char FS : 1;
28221 #endif
28222 } BIT;
28223 } SARU2;
28224 union {
28225     unsigned char BYTE;
28226     struct {
28227
28228 #ifdef __RX_LITTLE_ENDIAN__
28229     unsigned char BRL : 5;
28230     unsigned char : 3;
28231 #else
28232     unsigned char : 3;
28233     unsigned char BRL : 5;
28234 #endif
28235 } BIT;
28236 } ICBRL;
28237 union {
28238     unsigned char BYTE;
28239     struct {
28240
28241 #ifdef __RX_LITTLE_ENDIAN__
28242     unsigned char BRH : 5;
28243     unsigned char : 3;
28244 #else
28245     unsigned char : 3;
28246     unsigned char BRH : 5;
28247 #endif
28248 } BIT;
28249 } ICBRH;
28250 unsigned char ICDRT;
28251 unsigned char ICDRR;
28252 } st_riic_t;
28253
28254 typedef struct st_rspi {
28255     union {
28256         unsigned char BYTE;
28257         struct {
28258
28259 #ifdef __RX_LITTLE_ENDIAN__
28260     unsigned char SPMS : 1;
28261     unsigned char TXMD : 1;

```

```

28262         unsigned char MODFEN : 1;
28263         unsigned char MSTR : 1;
28264         unsigned char SPEIE : 1;
28265         unsigned char SPTIE : 1;
28266         unsigned char SPE : 1;
28267         unsigned char SPRIE : 1;
28268     #else
28269         unsigned char SPRIE : 1;
28270         unsigned char SPE : 1;
28271         unsigned char SPTIE : 1;
28272         unsigned char SPEIE : 1;
28273         unsigned char MSTR : 1;
28274         unsigned char MODFEN : 1;
28275         unsigned char TXMD : 1;
28276         unsigned char SPMS : 1;
28277     #endif
28278     } BIT;
28279     } SPCR;
28280     union {
28281         unsigned char BYTE;
28282         struct {
28283
28284     #ifdef __RX_LITTLE_ENDIAN__
28285         unsigned char SSL0P : 1;
28286         unsigned char SSL1P : 1;
28287         unsigned char SSL2P : 1;
28288         unsigned char SSL3P : 1;
28289         unsigned char : 4;
28290     #else
28291         unsigned char : 4;
28292         unsigned char SSL3P : 1;
28293         unsigned char SSL2P : 1;
28294         unsigned char SSL1P : 1;
28295         unsigned char SSL0P : 1;
28296     #endif
28297     } BIT;
28298     } SSLP;
28299     union {
28300         unsigned char BYTE;
28301         struct {
28302
28303     #ifdef __RX_LITTLE_ENDIAN__
28304         unsigned char SPLP : 1;
28305         unsigned char SPLP2 : 1;
28306         unsigned char : 2;
28307         unsigned char MOIFV : 1;
28308         unsigned char MOIFE : 1;
28309         unsigned char : 2;
28310     #else
28311         unsigned char : 2;
28312         unsigned char MOIFE : 1;
28313         unsigned char MOIFV : 1;
28314         unsigned char : 2;
28315         unsigned char SPLP2 : 1;
28316         unsigned char SPLP : 1;
28317     #endif
28318     } BIT;
28319     } SPPCR;
28320     union {
28321         unsigned char BYTE;
28322         struct {
28323
28324     #ifdef __RX_LITTLE_ENDIAN__
28325         unsigned char OVRF : 1;
28326         unsigned char IDLNF : 1;
28327         unsigned char MODF : 1;
28328         unsigned char PERF : 1;
28329         unsigned char UDRF : 1;
28330         unsigned char SPTEF : 1;
28331         unsigned char : 1;
28332         unsigned char SPRF : 1;
28333     #else
28334         unsigned char SPRF : 1;
28335         unsigned char : 1;
28336         unsigned char SPTEF : 1;
28337         unsigned char UDRF : 1;
28338         unsigned char PERF : 1;
28339         unsigned char MODF : 1;
28340         unsigned char IDLNF : 1;
28341         unsigned char OVRF : 1;
28342     #endif
28343     } BIT;
28344     } SPSR;
28345     union {
28346         unsigned long LONG;
28347         struct {
28348             unsigned short H;

```

```

28349     } WORD;
28350     struct {
28351         unsigned char HH;
28352     } BYTE;
28353 } SPDR;
28354 union {
28355     unsigned char BYTE;
28356 struct {
28357
28358 #ifdef __RX_LITTLE_ENDIAN__
28359     unsigned char SPSLN : 3;
28360     unsigned char : 5;
28361 #else
28362     unsigned char : 5;
28363     unsigned char SPSLN : 3;
28364 #endif
28365 } BIT;
28366 } SPSCR;
28367 union {
28368     unsigned char BYTE;
28369 struct {
28370
28371 #ifdef __RX_LITTLE_ENDIAN__
28372     unsigned char SPCP : 3;
28373     unsigned char : 1;
28374     unsigned char SPECM : 3;
28375     unsigned char : 1;
28376 #else
28377     unsigned char : 1;
28378     unsigned char SPECM : 3;
28379     unsigned char : 1;
28380     unsigned char SPCP : 3;
28381 #endif
28382 } BIT;
28383 } SPSSR;
28384 unsigned char SPBR;
28385 union {
28386     unsigned char BYTE;
28387 struct {
28388
28389 #ifdef __RX_LITTLE_ENDIAN__
28390     unsigned char SPFC : 2;
28391     unsigned char : 2;
28392     unsigned char SPRDTD : 1;
28393     unsigned char SPLW : 1;
28394     unsigned char SPBYT : 1;
28395     unsigned char : 1;
28396 #else
28397     unsigned char : 1;
28398     unsigned char SPBYT : 1;
28399     unsigned char SPLW : 1;
28400     unsigned char SPRDTD : 1;
28401     unsigned char : 2;
28402     unsigned char SPFC : 2;
28403 #endif
28404 } BIT;
28405 } SPDCR;
28406 union {
28407     unsigned char BYTE;
28408 struct {
28409
28410 #ifdef __RX_LITTLE_ENDIAN__
28411     unsigned char SCKDL : 3;
28412     unsigned char : 5;
28413 #else
28414     unsigned char : 5;
28415     unsigned char SCKDL : 3;
28416 #endif
28417 } BIT;
28418 } SPCKD;
28419 union {
28420     unsigned char BYTE;
28421 struct {
28422
28423 #ifdef __RX_LITTLE_ENDIAN__
28424     unsigned char SLNDL : 3;
28425     unsigned char : 5;
28426 #else
28427     unsigned char : 5;
28428     unsigned char SLNDL : 3;
28429 #endif
28430 } BIT;
28431 } SSLND;
28432 union {
28433     unsigned char BYTE;
28434 struct {
28435

```

```

28436 #ifdef __RX_LITTLE_ENDIAN__
28437     unsigned char SPNDL : 3;
28438     unsigned char : 5;
28439 #else
28440     unsigned char : 5;
28441     unsigned char SPNDL : 3;
28442 #endif
28443 } BIT;
28444 } SPND;
28445 union {
28446     unsigned char BYTE;
28447     struct {
28448
28449 #ifdef __RX_LITTLE_ENDIAN__
28450     unsigned char SPPE : 1;
28451     unsigned char SPOE : 1;
28452     unsigned char SPIE : 1;
28453     unsigned char PTE : 1;
28454     unsigned char SCKASE : 1;
28455     unsigned char : 3;
28456 #else
28457     unsigned char : 3;
28458     unsigned char SCKASE : 1;
28459     unsigned char PTE : 1;
28460     unsigned char SPIE : 1;
28461     unsigned char SPOE : 1;
28462     unsigned char SPPE : 1;
28463 #endif
28464 } BIT;
28465 } SPCR2;
28466 union {
28467     unsigned short WORD;
28468     struct {
28469
28470 #ifdef __RX_LITTLE_ENDIAN__
28471     unsigned short CPHA : 1;
28472     unsigned short CPOL : 1;
28473     unsigned short BRDV : 2;
28474     unsigned short SSLA : 3;
28475     unsigned short SSLKP : 1;
28476     unsigned short SPB : 4;
28477     unsigned short LSBF : 1;
28478     unsigned short SPNDEN : 1;
28479     unsigned short SLNDEN : 1;
28480     unsigned short SCKDEN : 1;
28481 #else
28482     unsigned short SCKDEN : 1;
28483     unsigned short SLNDEN : 1;
28484     unsigned short SPNDEN : 1;
28485     unsigned short LSBF : 1;
28486     unsigned short SPB : 4;
28487     unsigned short SSLKP : 1;
28488     unsigned short SSLA : 3;
28489     unsigned short BRDV : 2;
28490     unsigned short CPOL : 1;
28491     unsigned short CPHA : 1;
28492 #endif
28493 } BIT;
28494 } SPCMD0;
28495 union {
28496     unsigned short WORD;
28497     struct {
28498
28499 #ifdef __RX_LITTLE_ENDIAN__
28500     unsigned short CPHA : 1;
28501     unsigned short CPOL : 1;
28502     unsigned short BRDV : 2;
28503     unsigned short SSLA : 3;
28504     unsigned short SSLKP : 1;
28505     unsigned short SPB : 4;
28506     unsigned short LSBF : 1;
28507     unsigned short SPNDEN : 1;
28508     unsigned short SLNDEN : 1;
28509     unsigned short SCKDEN : 1;
28510 #else
28511     unsigned short SCKDEN : 1;
28512     unsigned short SLNDEN : 1;
28513     unsigned short SPNDEN : 1;
28514     unsigned short LSBF : 1;
28515     unsigned short SPB : 4;
28516     unsigned short SSLKP : 1;
28517     unsigned short SSLA : 3;
28518     unsigned short BRDV : 2;
28519     unsigned short CPOL : 1;
28520     unsigned short CPHA : 1;
28521 #endif
28522 } BIT;

```

```

28523     } SPCMD1;
28524     union {
28525         unsigned short WORD;
28526     struct {
28527
28528 #ifdef RX_LITTLE_ENDIAN
28529         unsigned short CPHA : 1;
28530         unsigned short CPOL : 1;
28531         unsigned short BRDV : 2;
28532         unsigned short SSLA : 3;
28533         unsigned short SSLKP : 1;
28534         unsigned short SPB : 4;
28535         unsigned short LSBF : 1;
28536         unsigned short SPNDEN : 1;
28537         unsigned short SLNDEN : 1;
28538         unsigned short SCKDEN : 1;
28539 #else
28540         unsigned short SCKDEN : 1;
28541         unsigned short SLNDEN : 1;
28542         unsigned short SPNDEN : 1;
28543         unsigned short LSBF : 1;
28544         unsigned short SPB : 4;
28545         unsigned short SSLKP : 1;
28546         unsigned short SSLA : 3;
28547         unsigned short BRDV : 2;
28548         unsigned short CPOL : 1;
28549         unsigned short CPHA : 1;
28550 #endif
28551     } BIT;
28552     } SPCMD2;
28553     union {
28554         unsigned short WORD;
28555     struct {
28556
28557 #ifdef RX_LITTLE_ENDIAN
28558         unsigned short CPHA : 1;
28559         unsigned short CPOL : 1;
28560         unsigned short BRDV : 2;
28561         unsigned short SSLA : 3;
28562         unsigned short SSLKP : 1;
28563         unsigned short SPB : 4;
28564         unsigned short LSBF : 1;
28565         unsigned short SPNDEN : 1;
28566         unsigned short SLNDEN : 1;
28567         unsigned short SCKDEN : 1;
28568 #else
28569         unsigned short SCKDEN : 1;
28570         unsigned short SLNDEN : 1;
28571         unsigned short SPNDEN : 1;
28572         unsigned short LSBF : 1;
28573         unsigned short SPB : 4;
28574         unsigned short SSLKP : 1;
28575         unsigned short SSLA : 3;
28576         unsigned short BRDV : 2;
28577         unsigned short CPOL : 1;
28578         unsigned short CPHA : 1;
28579 #endif
28580     } BIT;
28581     } SPCMD3;
28582     union {
28583         unsigned short WORD;
28584     struct {
28585
28586 #ifdef RX_LITTLE_ENDIAN
28587         unsigned short CPHA : 1;
28588         unsigned short CPOL : 1;
28589         unsigned short BRDV : 2;
28590         unsigned short SSLA : 3;
28591         unsigned short SSLKP : 1;
28592         unsigned short SPB : 4;
28593         unsigned short LSBF : 1;
28594         unsigned short SPNDEN : 1;
28595         unsigned short SLNDEN : 1;
28596         unsigned short SCKDEN : 1;
28597 #else
28598         unsigned short SCKDEN : 1;
28599         unsigned short SLNDEN : 1;
28600         unsigned short SPNDEN : 1;
28601         unsigned short LSBF : 1;
28602         unsigned short SPB : 4;
28603         unsigned short SSLKP : 1;
28604         unsigned short SSLA : 3;
28605         unsigned short BRDV : 2;
28606         unsigned short CPOL : 1;
28607         unsigned short CPHA : 1;
28608 #endif
28609     } BIT;

```

```

28610     } SPCMD4;
28611     union {
28612         unsigned short WORD;
28613     struct {
28614
28615 #ifdef RX_LITTLE_ENDIAN
28616         unsigned short CPHA : 1;
28617         unsigned short CPOL : 1;
28618         unsigned short BRDV : 2;
28619         unsigned short SSLA : 3;
28620         unsigned short SSLKP : 1;
28621         unsigned short SPB : 4;
28622         unsigned short LSBF : 1;
28623         unsigned short SPNDEN : 1;
28624         unsigned short SLNDEN : 1;
28625         unsigned short SCKDEN : 1;
28626 #else
28627         unsigned short SCKDEN : 1;
28628         unsigned short SLNDEN : 1;
28629         unsigned short SPNDEN : 1;
28630         unsigned short LSBF : 1;
28631         unsigned short SPB : 4;
28632         unsigned short SSLKP : 1;
28633         unsigned short SSLA : 3;
28634         unsigned short BRDV : 2;
28635         unsigned short CPOL : 1;
28636         unsigned short CPHA : 1;
28637 #endif
28638     } BIT;
28639     } SPCMD5;
28640     union {
28641         unsigned short WORD;
28642     struct {
28643
28644 #ifdef RX_LITTLE_ENDIAN
28645         unsigned short CPHA : 1;
28646         unsigned short CPOL : 1;
28647         unsigned short BRDV : 2;
28648         unsigned short SSLA : 3;
28649         unsigned short SSLKP : 1;
28650         unsigned short SPB : 4;
28651         unsigned short LSBF : 1;
28652         unsigned short SPNDEN : 1;
28653         unsigned short SLNDEN : 1;
28654         unsigned short SCKDEN : 1;
28655 #else
28656         unsigned short SCKDEN : 1;
28657         unsigned short SLNDEN : 1;
28658         unsigned short SPNDEN : 1;
28659         unsigned short LSBF : 1;
28660         unsigned short SPB : 4;
28661         unsigned short SSLKP : 1;
28662         unsigned short SSLA : 3;
28663         unsigned short BRDV : 2;
28664         unsigned short CPOL : 1;
28665         unsigned short CPHA : 1;
28666 #endif
28667     } BIT;
28668     } SPCMD6;
28669     union {
28670         unsigned short WORD;
28671     struct {
28672
28673 #ifdef RX_LITTLE_ENDIAN
28674         unsigned short CPHA : 1;
28675         unsigned short CPOL : 1;
28676         unsigned short BRDV : 2;
28677         unsigned short SSLA : 3;
28678         unsigned short SSLKP : 1;
28679         unsigned short SPB : 4;
28680         unsigned short LSBF : 1;
28681         unsigned short SPNDEN : 1;
28682         unsigned short SLNDEN : 1;
28683         unsigned short SCKDEN : 1;
28684 #else
28685         unsigned short SCKDEN : 1;
28686         unsigned short SLNDEN : 1;
28687         unsigned short SPNDEN : 1;
28688         unsigned short LSBF : 1;
28689         unsigned short SPB : 4;
28690         unsigned short SSLKP : 1;
28691         unsigned short SSLA : 3;
28692         unsigned short BRDV : 2;
28693         unsigned short CPOL : 1;
28694         unsigned short CPHA : 1;
28695 #endif
28696     } BIT;

```

```

28697     } SPCMD7;
28698     union {
28699         unsigned char BYTE;
28700         struct {
28701
28702 #ifdef __RX_LITTLE_ENDIAN__
28703         unsigned char BYSW : 1;
28704         unsigned char : 7;
28705 #else
28706         unsigned char : 7;
28707         unsigned char BYSW : 1;
28708 #endif
28709     } BIT;
28710     } SPDCR2;
28711 } st_rspi_t;
28712
28713 typedef struct st_rtc {
28714     union {
28715         unsigned char BYTE;
28716         struct {
28717
28718 #ifdef __RX_LITTLE_ENDIAN__
28719         unsigned char F64HZ : 1;
28720         unsigned char F32HZ : 1;
28721         unsigned char F16HZ : 1;
28722         unsigned char F8HZ : 1;
28723         unsigned char F4HZ : 1;
28724         unsigned char F2HZ : 1;
28725         unsigned char F1HZ : 1;
28726         unsigned char : 1;
28727 #else
28728         unsigned char : 1;
28729         unsigned char F1HZ : 1;
28730         unsigned char F2HZ : 1;
28731         unsigned char F4HZ : 1;
28732         unsigned char F8HZ : 1;
28733         unsigned char F16HZ : 1;
28734         unsigned char F32HZ : 1;
28735         unsigned char F64HZ : 1;
28736 #endif
28737     } BIT;
28738     } R64CNT;
28739     char          wk0[1];
28740     union {
28741         union {
28742             unsigned char BYTE;
28743             struct {
28744
28745 #ifdef __RX_LITTLE_ENDIAN__
28746             unsigned char SEC1 : 4;
28747             unsigned char SEC10 : 3;
28748             unsigned char : 1;
28749 #else
28750             unsigned char : 1;
28751             unsigned char SEC10 : 3;
28752             unsigned char SEC1 : 4;
28753 #endif
28754         } BIT;
28755         } RSECCNT;
28756         union {
28757             unsigned char BYTE;
28758             struct {
28759
28760 #ifdef __RX_LITTLE_ENDIAN__
28761             unsigned char BCNT : 8;
28762 #else
28763             unsigned char BCNT : 8;
28764 #endif
28765         } BIT;
28766         } BCNT0;
28767     };
28768     char          wk1[1];
28769     union {
28770         union {
28771             unsigned char BYTE;
28772             struct {
28773
28774 #ifdef __RX_LITTLE_ENDIAN__
28775             unsigned char MIN1 : 4;
28776             unsigned char MIN10 : 3;
28777             unsigned char : 1;
28778 #else
28779             unsigned char : 1;
28780             unsigned char MIN10 : 3;
28781             unsigned char MIN1 : 4;
28782 #endif
28783         } BIT;

```



```

28784     } RMINCNT;
28785     union {
28786         unsigned char BYTE;
28787         struct {
28788
28789 #ifdef __RX_LITTLE_ENDIAN__
28790         unsigned char BCNT : 8;
28791 #else
28792         unsigned char BCNT : 8;
28793 #endif
28794     } BIT;
28795     } BCNT1;
28796 };
28797 char      wk2[1];
28798 union {
28799     union {
28800         unsigned char BYTE;
28801         struct {
28802
28803 #ifdef __RX_LITTLE_ENDIAN__
28804         unsigned char HR1 : 4;
28805         unsigned char HR10 : 2;
28806         unsigned char PM : 1;
28807         unsigned char  : 1;
28808 #else
28809         unsigned char  : 1;
28810         unsigned char PM : 1;
28811         unsigned char HR10 : 2;
28812         unsigned char HR1 : 4;
28813 #endif
28814     } BIT;
28815     } RHRCNT;
28816     union {
28817         unsigned char BYTE;
28818         struct {
28819
28820 #ifdef __RX_LITTLE_ENDIAN__
28821         unsigned char BCNT : 8;
28822 #else
28823         unsigned char BCNT : 8;
28824 #endif
28825     } BIT;
28826     } BCNT2;
28827 };
28828 char      wk3[1];
28829 union {
28830     union {
28831         unsigned char BYTE;
28832         struct {
28833
28834 #ifdef __RX_LITTLE_ENDIAN__
28835         unsigned char DAYW : 3;
28836         unsigned char  : 5;
28837 #else
28838         unsigned char  : 5;
28839         unsigned char DAYW : 3;
28840 #endif
28841     } BIT;
28842     } RWKCNT;
28843     union {
28844         unsigned char BYTE;
28845         struct {
28846
28847 #ifdef __RX_LITTLE_ENDIAN__
28848         unsigned char BCNT : 8;
28849 #else
28850         unsigned char BCNT : 8;
28851 #endif
28852     } BIT;
28853     } BCNT3;
28854 };
28855 char      wk4[1];
28856 union {
28857     unsigned char BYTE;
28858     struct {
28859
28860 #ifdef __RX_LITTLE_ENDIAN__
28861         unsigned char DATE1 : 4;
28862         unsigned char DATE10 : 2;
28863         unsigned char  : 2;
28864 #else
28865         unsigned char  : 2;
28866         unsigned char DATE10 : 2;
28867         unsigned char DATE1 : 4;
28868 #endif
28869     } BIT;
28870     } RDAYCNT;

```

```

28871     char          wk5[1];
28872     union {
28873         unsigned char BYTE;
28874         struct {
28875
28876 #ifdef __RX_LITTLE_ENDIAN__
28877         unsigned char MON1 : 4;
28878         unsigned char MON10 : 1;
28879         unsigned char : 3;
28880 #else
28881         unsigned char : 3;
28882         unsigned char MON10 : 1;
28883         unsigned char MON1 : 4;
28884 #endif
28885     } BIT;
28886     } RMONCNT;
28887     char          wk6[1];
28888     union {
28889         unsigned short WORD;
28890         struct {
28891
28892 #ifdef __RX_LITTLE_ENDIAN__
28893         unsigned short YR1 : 4;
28894         unsigned short YR10 : 4;
28895         unsigned short : 8;
28896 #else
28897         unsigned short : 8;
28898         unsigned short YR10 : 4;
28899         unsigned short YR1 : 4;
28900 #endif
28901     } BIT;
28902     } RYRCNT;
28903     union {
28904         union {
28905             unsigned char BYTE;
28906             struct {
28907
28908 #ifdef __RX_LITTLE_ENDIAN__
28909             unsigned char SEC1 : 4;
28910             unsigned char SEC10 : 3;
28911             unsigned char ENB : 1;
28912 #else
28913             unsigned char ENB : 1;
28914             unsigned char SEC10 : 3;
28915             unsigned char SEC1 : 4;
28916 #endif
28917         } BIT;
28918         } RSECAR;
28919     union {
28920         unsigned char BYTE;
28921         struct {
28922
28923 #ifdef __RX_LITTLE_ENDIAN__
28924         unsigned char BCNTAR : 8;
28925 #else
28926         unsigned char BCNTAR : 8;
28927 #endif
28928     } BIT;
28929     } BCNT0AR;
28930 };
28931     char          wk7[1];
28932     union {
28933         union {
28934             unsigned char BYTE;
28935             struct {
28936
28937 #ifdef __RX_LITTLE_ENDIAN__
28938             unsigned char MIN1 : 4;
28939             unsigned char MIN10 : 3;
28940             unsigned char ENB : 1;
28941 #else
28942             unsigned char ENB : 1;
28943             unsigned char MIN10 : 3;
28944             unsigned char MIN1 : 4;
28945 #endif
28946         } BIT;
28947         } RMINAR;
28948     union {
28949         unsigned char BYTE;
28950         struct {
28951
28952 #ifdef __RX_LITTLE_ENDIAN__
28953         unsigned char BCNTAR : 8;
28954 #else
28955         unsigned char BCNTAR : 8;
28956 #endif
28957     } BIT;

```

```

28958     } BCNT1AR;
28959 };
28960 char      wk8[1];
28961 union {
28962     union {
28963         unsigned char BYTE;
28964         struct {
28965
28966 #ifdef __RX_LITTLE_ENDIAN__
28967         unsigned char HR1 : 4;
28968         unsigned char HR10 : 2;
28969         unsigned char PM : 1;
28970         unsigned char ENB : 1;
28971 #else
28972         unsigned char ENB : 1;
28973         unsigned char PM : 1;
28974         unsigned char HR10 : 2;
28975         unsigned char HR1 : 4;
28976 #endif
28977     } BIT;
28978     } RHRAR;
28979     union {
28980         unsigned char BYTE;
28981         struct {
28982
28983 #ifdef __RX_LITTLE_ENDIAN__
28984         unsigned char BCNTAR : 8;
28985 #else
28986         unsigned char BCNTAR : 8;
28987 #endif
28988     } BIT;
28989     } BCNT2AR;
28990 };
28991 char      wk9[1];
28992 union {
28993     union {
28994         unsigned char BYTE;
28995         struct {
28996
28997 #ifdef __RX_LITTLE_ENDIAN__
28998         unsigned char DAYW : 3;
28999         unsigned char : 4;
29000         unsigned char ENB : 1;
29001 #else
29002         unsigned char ENB : 1;
29003         unsigned char : 4;
29004         unsigned char DAYW : 3;
29005 #endif
29006     } BIT;
29007     } RWKAR;
29008     union {
29009         unsigned char BYTE;
29010         struct {
29011
29012 #ifdef __RX_LITTLE_ENDIAN__
29013         unsigned char BCNTAR : 8;
29014 #else
29015         unsigned char BCNTAR : 8;
29016 #endif
29017     } BIT;
29018     } BCNT3AR;
29019 };
29020 char      wk10[1];
29021 union {
29022     union {
29023         unsigned char BYTE;
29024         struct {
29025
29026 #ifdef __RX_LITTLE_ENDIAN__
29027         unsigned char DATE1 : 4;
29028         unsigned char DATE10 : 2;
29029         unsigned char : 1;
29030         unsigned char ENB : 1;
29031 #else
29032         unsigned char ENB : 1;
29033         unsigned char : 1;
29034         unsigned char DATE10 : 2;
29035         unsigned char DATE1 : 4;
29036 #endif
29037     } BIT;
29038     } RDAYAR;
29039     union {
29040         unsigned char BYTE;
29041         struct {
29042
29043 #ifdef __RX_LITTLE_ENDIAN__
29044         unsigned char ENB : 8;

```

```

29045 #else
29046     unsigned char ENB : 8;
29047 #endif
29048     } BIT;
29049     } BCNT0AER;
29050     };
29051     char          wk11[1];
29052     union {
29053         union {
29054             unsigned char BYTE;
29055             struct {
29056
29057 #ifdef __RX_LITTLE_ENDIAN__
29058             unsigned char MON1 : 4;
29059             unsigned char MON10 : 1;
29060             unsigned char  : 2;
29061             unsigned char ENB : 1;
29062 #else
29063             unsigned char ENB : 1;
29064             unsigned char  : 2;
29065             unsigned char MON10 : 1;
29066             unsigned char MON1 : 4;
29067 #endif
29068             } BIT;
29069             } RMONAR;
29070             union {
29071                 unsigned char BYTE;
29072                 struct {
29073
29074 #ifdef __RX_LITTLE_ENDIAN__
29075                 unsigned char ENB : 8;
29076 #else
29077                 unsigned char ENB : 8;
29078 #endif
29079                 } BIT;
29080                 } BCNT1AER;
29081                 };
29082                 char          wk12[1];
29083                 union {
29084                     union {
29085                         unsigned short WORD;
29086                         struct {
29087
29088 #ifdef __RX_LITTLE_ENDIAN__
29089                         unsigned short YR1 : 4;
29090                         unsigned short YR10 : 4;
29091                         unsigned short  : 8;
29092 #else
29093                         unsigned short  : 8;
29094                         unsigned short YR10 : 4;
29095                         unsigned short YR1 : 4;
29096 #endif
29097                         } BIT;
29098                         } RYRAR;
29099                         union {
29100                             unsigned short WORD;
29101                             struct {
29102
29103 #ifdef __RX_LITTLE_ENDIAN__
29104                             unsigned short ENB : 8;
29105                             unsigned short  : 8;
29106 #else
29107                             unsigned short  : 8;
29108                             unsigned short ENB : 8;
29109 #endif
29110                             } BIT;
29111                             } BCNT2AER;
29112                             };
29113                             union {
29114                                 union {
29115                                     unsigned char BYTE;
29116                                     struct {
29117
29118 #ifdef __RX_LITTLE_ENDIAN__
29119                                     unsigned char  : 7;
29120                                     unsigned char ENB : 1;
29121 #else
29122                                     unsigned char ENB : 1;
29123                                     unsigned char  : 7;
29124 #endif
29125                                     } BIT;
29126                                     } RYRAREN;
29127                                     union {
29128                                         unsigned char BYTE;
29129                                         struct {
29130
29131 #ifdef __RX_LITTLE_ENDIAN__

```

```

29132         unsigned char ENB : 8;
29133 #else
29134         unsigned char ENB : 8;
29135 #endif
29136     } BIT;
29137     } BCNT3AER;
29138 };
29139 char          wk13[3];
29140 union {
29141     unsigned char BYTE;
29142     struct {
29143
29144 #ifdef __RX_LITTLE_ENDIAN__
29145         unsigned char AIE : 1;
29146         unsigned char CIE : 1;
29147         unsigned char PIE : 1;
29148         unsigned char RTCOS : 1;
29149         unsigned char PES : 4;
29150 #else
29151         unsigned char PES : 4;
29152         unsigned char RTCOS : 1;
29153         unsigned char PIE : 1;
29154         unsigned char CIE : 1;
29155         unsigned char AIE : 1;
29156 #endif
29157     } BIT;
29158     } RCR1;
29159 char          wk14[1];
29160 union {
29161     unsigned char BYTE;
29162     struct {
29163
29164 #ifdef __RX_LITTLE_ENDIAN__
29165         unsigned char START : 1;
29166         unsigned char RESET : 1;
29167         unsigned char ADJ30 : 1;
29168         unsigned char RTCOE : 1;
29169         unsigned char AADJE : 1;
29170         unsigned char AADJP : 1;
29171         unsigned char HR24 : 1;
29172         unsigned char CNTMD : 1;
29173 #else
29174         unsigned char CNTMD : 1;
29175         unsigned char HR24 : 1;
29176         unsigned char AADJP : 1;
29177         unsigned char AADJE : 1;
29178         unsigned char RTCOE : 1;
29179         unsigned char ADJ30 : 1;
29180         unsigned char RESET : 1;
29181         unsigned char START : 1;
29182 #endif
29183     } BIT;
29184     } RCR2;
29185 char          wk15[1];
29186 union {
29187     unsigned char BYTE;
29188     struct {
29189
29190 #ifdef __RX_LITTLE_ENDIAN__
29191         unsigned char RTCEN : 1;
29192         unsigned char RTCDV : 3;
29193         unsigned char : 4;
29194 #else
29195         unsigned char : 4;
29196         unsigned char RTCDV : 3;
29197         unsigned char RTCEN : 1;
29198 #endif
29199     } BIT;
29200     } RCR3;
29201 char          wk16[1];
29202 union {
29203     unsigned char BYTE;
29204     struct {
29205
29206 #ifdef __RX_LITTLE_ENDIAN__
29207         unsigned char RCKSEL : 1;
29208         unsigned char : 7;
29209 #else
29210         unsigned char : 7;
29211         unsigned char RCKSEL : 1;
29212 #endif
29213     } BIT;
29214     } RCR4;
29215 char          wk17[1];
29216 union {
29217     unsigned short WORD;
29218     struct {

```

```

29219
29220 #ifdef __RX_LITTLE_ENDIAN__
29221     unsigned short RFC : 1;
29222     unsigned short : 15;
29223 #else
29224     unsigned short : 15;
29225     unsigned short RFC : 1;
29226 #endif
29227     } BIT;
29228     } RFRH;
29229     union {
29230         unsigned short WORD;
29231         struct {
29232
29233 #ifdef __RX_LITTLE_ENDIAN__
29234         unsigned short RFC : 16;
29235 #else
29236         unsigned short RFC : 16;
29237 #endif
29238         } BIT;
29239         } RFRL;
29240         union {
29241             unsigned char BYTE;
29242             struct {
29243
29244 #ifdef __RX_LITTLE_ENDIAN__
29245             unsigned char ADJ : 6;
29246             unsigned char PMADJ : 2;
29247 #else
29248             unsigned char PMADJ : 2;
29249             unsigned char ADJ : 6;
29250 #endif
29251             } BIT;
29252             } RADJ;
29253             char          wk18[17];
29254             union {
29255                 unsigned char BYTE;
29256                 struct {
29257
29258 #ifdef __RX_LITTLE_ENDIAN__
29259                 unsigned char TCCT : 2;
29260                 unsigned char TCST : 1;
29261                 unsigned char : 1;
29262                 unsigned char TCNF : 2;
29263                 unsigned char : 1;
29264                 unsigned char TCEN : 1;
29265 #else
29266                 unsigned char TCEN : 1;
29267                 unsigned char : 1;
29268                 unsigned char TCNF : 2;
29269                 unsigned char : 1;
29270                 unsigned char TCST : 1;
29271                 unsigned char TCCT : 2;
29272 #endif
29273                 } BIT;
29274                 } RTCCR0;
29275                 char          wk19[1];
29276                 union {
29277                     unsigned char BYTE;
29278                     struct {
29279
29280 #ifdef __RX_LITTLE_ENDIAN__
29281                     unsigned char TCCT : 2;
29282                     unsigned char TCST : 1;
29283                     unsigned char : 1;
29284                     unsigned char TCNF : 2;
29285                     unsigned char : 1;
29286                     unsigned char TCEN : 1;
29287 #else
29288                     unsigned char TCEN : 1;
29289                     unsigned char : 1;
29290                     unsigned char TCNF : 2;
29291                     unsigned char : 1;
29292                     unsigned char TCST : 1;
29293                     unsigned char TCCT : 2;
29294 #endif
29295                     } BIT;
29296                     } RTCCR1;
29297                     char          wk20[1];
29298                     union {
29299                         unsigned char BYTE;
29300                         struct {
29301
29302 #ifdef __RX_LITTLE_ENDIAN__
29303                         unsigned char TCCT : 2;
29304                         unsigned char TCST : 1;
29305                         unsigned char : 1;

```

```

29306         unsigned char TCNF : 2;
29307         unsigned char : 1;
29308         unsigned char TCEN : 1;
29309 #else
29310         unsigned char TCEN : 1;
29311         unsigned char : 1;
29312         unsigned char TCNF : 2;
29313         unsigned char : 1;
29314         unsigned char TCST : 1;
29315         unsigned char TCCT : 2;
29316 #endif
29317     } BIT;
29318 } RTCCR2;
29319 char      wk21[13];
29320 union {
29321     union {
29322         unsigned char BYTE;
29323     struct {
29324
29325 #ifdef __RX_LITTLE_ENDIAN__
29326         unsigned char SEC1 : 4;
29327         unsigned char SEC10 : 3;
29328         unsigned char : 1;
29329 #else
29330         unsigned char : 1;
29331         unsigned char SEC10 : 3;
29332         unsigned char SEC1 : 4;
29333 #endif
29334     } BIT;
29335     } RSECCP0;
29336     union {
29337         unsigned char BYTE;
29338     struct {
29339
29340 #ifdef __RX_LITTLE_ENDIAN__
29341         unsigned char BCNTCP0 : 8;
29342 #else
29343         unsigned char BCNTCP0 : 8;
29344 #endif
29345     } BIT;
29346     } BCNT0CP0;
29347 };
29348 char      wk22[1];
29349 union {
29350     union {
29351         unsigned char BYTE;
29352     struct {
29353
29354 #ifdef __RX_LITTLE_ENDIAN__
29355         unsigned char MIN1 : 4;
29356         unsigned char MIN10 : 3;
29357         unsigned char : 1;
29358 #else
29359         unsigned char : 1;
29360         unsigned char MIN10 : 3;
29361         unsigned char MIN1 : 4;
29362 #endif
29363     } BIT;
29364     } RMINCP0;
29365     union {
29366         unsigned char BYTE;
29367     struct {
29368
29369 #ifdef __RX_LITTLE_ENDIAN__
29370         unsigned char BCNTCP0 : 8;
29371 #else
29372         unsigned char BCNTCP0 : 8;
29373 #endif
29374     } BIT;
29375     } BCNT1CP0;
29376 };
29377 char      wk23[1];
29378 union {
29379     union {
29380         unsigned char BYTE;
29381     struct {
29382
29383 #ifdef __RX_LITTLE_ENDIAN__
29384         unsigned char HR1 : 4;
29385         unsigned char HR10 : 2;
29386         unsigned char PM : 1;
29387         unsigned char : 1;
29388 #else
29389         unsigned char : 1;
29390         unsigned char PM : 1;
29391         unsigned char HR10 : 2;
29392         unsigned char HR1 : 4;

```

```

29393 #endif
29394     } BIT;
29395     } RHRCP0;
29396     union {
29397         unsigned char BYTE;
29398     struct {
29399
29400 #ifdef __RX_LITTLE_ENDIAN__
29401     unsigned char BCNTCP0 : 8;
29402 #else
29403     unsigned char BCNTCP0 : 8;
29404 #endif
29405     } BIT;
29406     } BCNT2CP0;
29407 };
29408 char          wk24[3];
29409 union {
29410     union {
29411         unsigned char BYTE;
29412     struct {
29413
29414 #ifdef __RX_LITTLE_ENDIAN__
29415     unsigned char DATE1 : 4;
29416     unsigned char DATE10 : 2;
29417     unsigned char      : 2;
29418 #else
29419     unsigned char      : 2;
29420     unsigned char DATE10 : 2;
29421     unsigned char DATE1 : 4;
29422 #endif
29423     } BIT;
29424     } RDAYCP0;
29425     union {
29426         unsigned char BYTE;
29427     struct {
29428
29429 #ifdef __RX_LITTLE_ENDIAN__
29430     unsigned char BCNTCP0 : 8;
29431 #else
29432     unsigned char BCNTCP0 : 8;
29433 #endif
29434     } BIT;
29435     } BCNT3CP0;
29436 };
29437 char          wk25[1];
29438 union {
29439     unsigned char BYTE;
29440     struct {
29441
29442 #ifdef __RX_LITTLE_ENDIAN__
29443     unsigned char MON1 : 4;
29444     unsigned char MON10 : 1;
29445     unsigned char      : 3;
29446 #else
29447     unsigned char      : 3;
29448     unsigned char MON10 : 1;
29449     unsigned char MON1 : 4;
29450 #endif
29451     } BIT;
29452     } RMONCP0;
29453     char          wk26[5];
29454     union {
29455         union {
29456             unsigned char BYTE;
29457         struct {
29458
29459 #ifdef __RX_LITTLE_ENDIAN__
29460     unsigned char SEC1 : 4;
29461     unsigned char SEC10 : 3;
29462     unsigned char      : 1;
29463 #else
29464     unsigned char      : 1;
29465     unsigned char SEC10 : 3;
29466     unsigned char SEC1 : 4;
29467 #endif
29468     } BIT;
29469     } RSECCP1;
29470     union {
29471         unsigned char BYTE;
29472     struct {
29473
29474 #ifdef __RX_LITTLE_ENDIAN__
29475     unsigned char BCNTCP1 : 8;
29476 #else
29477     unsigned char BCNTCP1 : 8;
29478 #endif
29479     } BIT;

```



```

29480     } BCNT0CP1;
29481 };
29482 char      wk27[1];
29483 union {
29484     union {
29485         unsigned char BYTE;
29486         struct {
29487
29488 #ifdef __RX_LITTLE_ENDIAN__
29489     unsigned char MIN1 : 4;
29490     unsigned char MIN10 : 3;
29491     unsigned char  : 1;
29492 #else
29493     unsigned char  : 1;
29494     unsigned char MIN10 : 3;
29495     unsigned char MIN1 : 4;
29496 #endif
29497     } BIT;
29498     } RMINCP1;
29499     union {
29500         unsigned char BYTE;
29501         struct {
29502
29503 #ifdef __RX_LITTLE_ENDIAN__
29504     unsigned char BCNTCP1 : 8;
29505 #else
29506     unsigned char BCNTCP1 : 8;
29507 #endif
29508     } BIT;
29509     } BCNT1CP1;
29510 };
29511 char      wk28[1];
29512 union {
29513     union {
29514         unsigned char BYTE;
29515         struct {
29516
29517 #ifdef __RX_LITTLE_ENDIAN__
29518     unsigned char HR1 : 4;
29519     unsigned char HR10 : 2;
29520     unsigned char PM : 1;
29521     unsigned char  : 1;
29522 #else
29523     unsigned char  : 1;
29524     unsigned char PM : 1;
29525     unsigned char HR10 : 2;
29526     unsigned char HR1 : 4;
29527 #endif
29528     } BIT;
29529     } RHRCP1;
29530     union {
29531         unsigned char BYTE;
29532         struct {
29533
29534 #ifdef __RX_LITTLE_ENDIAN__
29535     unsigned char BCNTCP1 : 8;
29536 #else
29537     unsigned char BCNTCP1 : 8;
29538 #endif
29539     } BIT;
29540     } BCNT2CP1;
29541 };
29542 char      wk29[3];
29543 union {
29544     union {
29545         unsigned char BYTE;
29546         struct {
29547
29548 #ifdef __RX_LITTLE_ENDIAN__
29549     unsigned char DATE1 : 4;
29550     unsigned char DATE10 : 2;
29551     unsigned char  : 2;
29552 #else
29553     unsigned char  : 2;
29554     unsigned char DATE10 : 2;
29555     unsigned char DATE1 : 4;
29556 #endif
29557     } BIT;
29558     } RDAYCP1;
29559     union {
29560         unsigned char BYTE;
29561         struct {
29562
29563 #ifdef __RX_LITTLE_ENDIAN__
29564     unsigned char BCNTCP1 : 8;
29565 #else
29566     unsigned char BCNTCP1 : 8;

```

```

29567 #endif
29568 } BIT;
29569 } BCNT3CP1;
29570 };
29571 char          wk30[1];
29572 union {
29573     unsigned char BYTE;
29574     struct {
29575
29576 #ifdef __RX_LITTLE_ENDIAN__
29577     unsigned char MON1 : 4;
29578     unsigned char MON10 : 1;
29579     unsigned char  : 3;
29580 #else
29581     unsigned char  : 3;
29582     unsigned char MON10 : 1;
29583     unsigned char MON1 : 4;
29584 #endif
29585 } BIT;
29586 } RMONCP1;
29587 char          wk31[5];
29588 union {
29589     union {
29590         unsigned char BYTE;
29591         struct {
29592
29593 #ifdef __RX_LITTLE_ENDIAN__
29594         unsigned char SEC1 : 4;
29595         unsigned char SEC10 : 3;
29596         unsigned char  : 1;
29597 #else
29598         unsigned char  : 1;
29599         unsigned char SEC10 : 3;
29600         unsigned char SEC1 : 4;
29601 #endif
29602 } BIT;
29603 } RSECCP2;
29604 union {
29605     unsigned char BYTE;
29606     struct {
29607
29608 #ifdef __RX_LITTLE_ENDIAN__
29609     unsigned char BCNTCP2 : 8;
29610 #else
29611     unsigned char BCNTCP2 : 8;
29612 #endif
29613 } BIT;
29614 } BCNT0CP2;
29615 };
29616 char          wk32[1];
29617 union {
29618     union {
29619         unsigned char BYTE;
29620         struct {
29621
29622 #ifdef __RX_LITTLE_ENDIAN__
29623         unsigned char MIN1 : 4;
29624         unsigned char MIN10 : 3;
29625         unsigned char  : 1;
29626 #else
29627         unsigned char  : 1;
29628         unsigned char MIN10 : 3;
29629         unsigned char MIN1 : 4;
29630 #endif
29631 } BIT;
29632 } RMINCP2;
29633 union {
29634     unsigned char BYTE;
29635     struct {
29636
29637 #ifdef __RX_LITTLE_ENDIAN__
29638     unsigned char BCNTCP2 : 8;
29639 #else
29640     unsigned char BCNTCP2 : 8;
29641 #endif
29642 } BIT;
29643 } BCNT1CP2;
29644 };
29645 char          wk33[1];
29646 union {
29647     union {
29648         unsigned char BYTE;
29649         struct {
29650
29651 #ifdef __RX_LITTLE_ENDIAN__
29652         unsigned char HR1 : 4;
29653         unsigned char HR10 : 2;

```

```

29654         unsigned char PM : 1;
29655         unsigned char : 1;
29656 #else
29657         unsigned char : 1;
29658         unsigned char PM : 1;
29659         unsigned char HR10 : 2;
29660         unsigned char HR1 : 4;
29661 #endif
29662     } BIT;
29663     } RHRC2;
29664     union {
29665         unsigned char BYTE;
29666     struct {
29667
29668 #ifdef __RX_LITTLE_ENDIAN__
29669         unsigned char BCNTCP2 : 8;
29670 #else
29671         unsigned char BCNTCP2 : 8;
29672 #endif
29673     } BIT;
29674     } BCNT2CP2;
29675 };
29676 char          wk34[3];
29677 union {
29678     union {
29679         unsigned char BYTE;
29680     struct {
29681
29682 #ifdef __RX_LITTLE_ENDIAN__
29683         unsigned char DATE1 : 4;
29684         unsigned char DATE10 : 2;
29685         unsigned char : 2;
29686 #else
29687         unsigned char : 2;
29688         unsigned char DATE10 : 2;
29689         unsigned char DATE1 : 4;
29690 #endif
29691     } BIT;
29692     } RDAYCP2;
29693     union {
29694         unsigned char BYTE;
29695     struct {
29696
29697 #ifdef __RX_LITTLE_ENDIAN__
29698         unsigned char BCNTCP2 : 8;
29699 #else
29700         unsigned char BCNTCP2 : 8;
29701 #endif
29702     } BIT;
29703     } BCNT3CP2;
29704 };
29705 char          wk35[1];
29706 union {
29707     unsigned char BYTE;
29708     struct {
29709
29710 #ifdef __RX_LITTLE_ENDIAN__
29711         unsigned char MON1 : 4;
29712         unsigned char MON10 : 1;
29713         unsigned char : 3;
29714 #else
29715         unsigned char : 3;
29716         unsigned char MON10 : 1;
29717         unsigned char MON1 : 4;
29718 #endif
29719     } BIT;
29720     } RMONCP2;
29721 } st_rtc_t;
29722
29723 typedef struct st_s12ad {
29724     union {
29725         unsigned short WORD;
29726     struct {
29727
29728 #ifdef __RX_LITTLE_ENDIAN__
29729         unsigned short DBLANS : 5;
29730         unsigned short : 1;
29731         unsigned short GBADIE : 1;
29732         unsigned short DBLE : 1;
29733         unsigned short EXTRG : 1;
29734         unsigned short TRGE : 1;
29735         unsigned short : 2;
29736         unsigned short ADIE : 1;
29737         unsigned short ADCS : 2;
29738         unsigned short ADST : 1;
29739 #else
29740         unsigned short ADST : 1;

```

```

29741         unsigned short ADCS : 2;
29742         unsigned short ADIE : 1;
29743         unsigned short : 2;
29744         unsigned short TRGE : 1;
29745         unsigned short EXTRG : 1;
29746         unsigned short DBLE : 1;
29747         unsigned short GBADIE : 1;
29748         unsigned short : 1;
29749         unsigned short DBLANS : 5;
29750     #endif
29751     } BIT;
29752     } ADCSR;
29753     char          wk0[2];
29754     union {
29755         unsigned short WORD;
29756         struct {
29757
29758 #ifdef __RX_LITTLE_ENDIAN__
29759         unsigned short ANSA000 : 1;
29760         unsigned short ANSA001 : 1;
29761         unsigned short ANSA002 : 1;
29762         unsigned short ANSA003 : 1;
29763         unsigned short ANSA004 : 1;
29764         unsigned short ANSA005 : 1;
29765         unsigned short ANSA006 : 1;
29766         unsigned short ANSA007 : 1;
29767         unsigned short : 8;
29768 #else
29769         unsigned short : 8;
29770         unsigned short ANSA007 : 1;
29771         unsigned short ANSA006 : 1;
29772         unsigned short ANSA005 : 1;
29773         unsigned short ANSA004 : 1;
29774         unsigned short ANSA003 : 1;
29775         unsigned short ANSA002 : 1;
29776         unsigned short ANSA001 : 1;
29777         unsigned short ANSA000 : 1;
29778 #endif
29779     } BIT;
29780     } ADANSA0;
29781     char          wk1[2];
29782     union {
29783         unsigned short WORD;
29784         struct {
29785
29786 #ifdef __RX_LITTLE_ENDIAN__
29787         unsigned short ADS000 : 1;
29788         unsigned short ADS001 : 1;
29789         unsigned short ADS002 : 1;
29790         unsigned short ADS003 : 1;
29791         unsigned short ADS004 : 1;
29792         unsigned short ADS005 : 1;
29793         unsigned short ADS006 : 1;
29794         unsigned short ADS007 : 1;
29795         unsigned short : 8;
29796 #else
29797         unsigned short : 8;
29798         unsigned short ADS007 : 1;
29799         unsigned short ADS006 : 1;
29800         unsigned short ADS005 : 1;
29801         unsigned short ADS004 : 1;
29802         unsigned short ADS003 : 1;
29803         unsigned short ADS002 : 1;
29804         unsigned short ADS001 : 1;
29805         unsigned short ADS000 : 1;
29806 #endif
29807     } BIT;
29808     } ADADS0;
29809     char          wk2[2];
29810     union {
29811         unsigned char BYTE;
29812         struct {
29813
29814 #ifdef __RX_LITTLE_ENDIAN__
29815         unsigned char ADC : 3;
29816         unsigned char : 4;
29817         unsigned char AVEE : 1;
29818 #else
29819         unsigned char AVEE : 1;
29820         unsigned char : 4;
29821         unsigned char ADC : 3;
29822 #endif
29823     } BIT;
29824     } ADADC;
29825     char          wk3[1];
29826     union {
29827         unsigned short WORD;

```

```

29828     struct {
29829
29830 #ifdef __RX_LITTLE_ENDIAN__
29831     unsigned short : 1;
29832     unsigned short ADPRC : 2;
29833     unsigned short : 2;
29834     unsigned short ACE : 1;
29835     unsigned short : 2;
29836     unsigned short DIAGVAL : 2;
29837     unsigned short DIAGLD : 1;
29838     unsigned short DIAGM : 1;
29839     unsigned short : 3;
29840     unsigned short ADRFMT : 1;
29841 #else
29842     unsigned short ADRFMT : 1;
29843     unsigned short : 3;
29844     unsigned short DIAGM : 1;
29845     unsigned short DIAGLD : 1;
29846     unsigned short DIAGVAL : 2;
29847     unsigned short : 2;
29848     unsigned short ACE : 1;
29849     unsigned short : 2;
29850     unsigned short ADPRC : 2;
29851     unsigned short : 1;
29852 #endif
29853     } BIT;
29854     } ADCER;
29855     union {
29856         unsigned short WORD;
29857         struct {
29858
29859 #ifdef __RX_LITTLE_ENDIAN__
29860         unsigned short TRSB : 6;
29861         unsigned short : 2;
29862         unsigned short TRSA : 6;
29863         unsigned short : 2;
29864 #else
29865         unsigned short : 2;
29866         unsigned short TRSA : 6;
29867         unsigned short : 2;
29868         unsigned short TRSB : 6;
29869 #endif
29870         } BIT;
29871         } ADSTRGR;
29872         char          wk4[2];
29873         union {
29874             unsigned short WORD;
29875             struct {
29876
29877 #ifdef __RX_LITTLE_ENDIAN__
29878             unsigned short ANSB000 : 1;
29879             unsigned short ANSB001 : 1;
29880             unsigned short ANSB002 : 1;
29881             unsigned short ANSB003 : 1;
29882             unsigned short ANSB004 : 1;
29883             unsigned short ANSB005 : 1;
29884             unsigned short ANSB006 : 1;
29885             unsigned short ANSB007 : 1;
29886             unsigned short : 8;
29887 #else
29888             unsigned short : 8;
29889             unsigned short ANSB007 : 1;
29890             unsigned short ANSB006 : 1;
29891             unsigned short ANSB005 : 1;
29892             unsigned short ANSB004 : 1;
29893             unsigned short ANSB003 : 1;
29894             unsigned short ANSB002 : 1;
29895             unsigned short ANSB001 : 1;
29896             unsigned short ANSB000 : 1;
29897 #endif
29898             } BIT;
29899             } ADANSB0;
29900             char          wk5[2];
29901             union {
29902                 unsigned short WORD;
29903             } ADDBLDR;
29904             char          wk6[4];
29905             union {
29906                 unsigned short WORD;
29907                 union {
29908                     struct {
29909
29910 #ifdef __RX_LITTLE_ENDIAN__
29911                     unsigned short AD : 12;
29912                     unsigned short : 2;
29913                     unsigned short DIAGST : 2;
29914 #else

```

```

29915         unsigned short DIAGST : 2;
29916         unsigned short : 2;
29917         unsigned short AD : 12;
29918     #endif
29919     } RIGHT;
29920     struct {
29921
29922     #ifdef __RX_LITTLE_ENDIAN__
29923         unsigned short DIAGST : 2;
29924         unsigned short : 2;
29925         unsigned short AD : 12;
29926     #else
29927         unsigned short AD : 12;
29928         unsigned short : 2;
29929         unsigned short DIAGST : 2;
29930     #endif
29931     } LEFT;
29932     } BIT;
29933     } ADDR;
29934     unsigned short ADDR0;
29935     unsigned short ADDR1;
29936     unsigned short ADDR2;
29937     unsigned short ADDR3;
29938     unsigned short ADDR4;
29939     unsigned short ADDR5;
29940     unsigned short ADDR6;
29941     unsigned short ADDR7;
29942     char          wk7[51];
29943     union {
29944         unsigned char BYTE;
29945     struct {
29946
29947     #ifdef __RX_LITTLE_ENDIAN__
29948         unsigned char PRO : 2;
29949         unsigned char : 6;
29950     #else
29951         unsigned char : 6;
29952         unsigned char PRO : 2;
29953     #endif
29954     } BIT;
29955     } ADSAMPR;
29956     char          wk8[2];
29957     union {
29958         unsigned short WORD;
29959     struct {
29960
29961     #ifdef __RX_LITTLE_ENDIAN__
29962         unsigned short SSTSH : 8;
29963         unsigned short SHANS : 3;
29964         unsigned short : 5;
29965     #else
29966         unsigned short : 5;
29967         unsigned short SHANS : 3;
29968         unsigned short SSTSH : 8;
29969     #endif
29970     } BIT;
29971     } ADShCR;
29972     char          wk9[6];
29973     union {
29974         unsigned short WORD;
29975     struct {
29976
29977     #ifdef __RX_LITTLE_ENDIAN__
29978         unsigned short : 5;
29979         unsigned short SAM : 1;
29980         unsigned short : 10;
29981     #else
29982         unsigned short : 10;
29983         unsigned short SAM : 1;
29984         unsigned short : 5;
29985     #endif
29986     } BIT;
29987     } ADSAM;
29988     char          wk10[10];
29989     union {
29990         unsigned char BYTE;
29991     struct {
29992
29993     #ifdef __RX_LITTLE_ENDIAN__
29994         unsigned char ADNDIS : 5;
29995         unsigned char : 3;
29996     #else
29997         unsigned char : 3;
29998         unsigned char ADNDIS : 5;
29999     #endif
30000     } BIT;
30001     } ADDISCR;

```

```

30002     char          wk11[1];
30003     union {
30004         unsigned char BYTE;
30005         struct {
30006
30007 #ifdef __RX_LITTLE_ENDIAN__
30008         unsigned char SHMD : 1;
30009         unsigned char : 7;
30010 #else
30011         unsigned char : 7;
30012         unsigned char SHMD : 1;
30013 #endif
30014     } BIT;
30015     } ADSHMSR;
30016     char          wk12[3];
30017     union {
30018         unsigned short WORD;
30019         struct {
30020
30021 #ifdef __RX_LITTLE_ENDIAN__
30022         unsigned short PGS : 1;
30023         unsigned short GBRSCN : 1;
30024         unsigned short : 12;
30025         unsigned short LGRRS : 1;
30026         unsigned short GBRP : 1;
30027 #else
30028         unsigned short GBRP : 1;
30029         unsigned short LGRRS : 1;
30030         unsigned short : 12;
30031         unsigned short GBRSCN : 1;
30032         unsigned short PGS : 1;
30033 #endif
30034     } BIT;
30035     } ADGSPCR;
30036     char          wk13[2];
30037     unsigned short ADDBLDRA;
30038     unsigned short ADDBLDRB;
30039     char          wk14[4];
30040     union {
30041         unsigned char BYTE;
30042         struct {
30043
30044 #ifdef __RX_LITTLE_ENDIAN__
30045         unsigned char MONCOMB : 1;
30046         unsigned char : 3;
30047         unsigned char MONCMPA : 1;
30048         unsigned char MONCMPB : 1;
30049         unsigned char : 2;
30050 #else
30051         unsigned char : 2;
30052         unsigned char MONCMPB : 1;
30053         unsigned char MONCMPA : 1;
30054         unsigned char : 3;
30055         unsigned char MONCOMB : 1;
30056 #endif
30057     } BIT;
30058     } ADWINMON;
30059     char          wk15[3];
30060     union {
30061         unsigned short WORD;
30062         struct {
30063
30064 #ifdef __RX_LITTLE_ENDIAN__
30065         unsigned short CMPAB : 2;
30066         unsigned short : 7;
30067         unsigned short CMPBE : 1;
30068         unsigned short : 1;
30069         unsigned short CMPAE : 1;
30070         unsigned short : 1;
30071         unsigned short CMPBIE : 1;
30072         unsigned short WCMPE : 1;
30073         unsigned short CMPAIE : 1;
30074 #else
30075         unsigned short CMPAIE : 1;
30076         unsigned short WCMPE : 1;
30077         unsigned short CMPBIE : 1;
30078         unsigned short : 1;
30079         unsigned short CMPAE : 1;
30080         unsigned short : 1;
30081         unsigned short CMPBE : 1;
30082         unsigned short : 7;
30083         unsigned short CMPAB : 2;
30084 #endif
30085     } BIT;
30086     } ADCMPPCR;
30087     char          wk16[2];
30088     union {

```

```

30089     unsigned short WORD;
30090     struct {
30091
30092     #ifdef __RX_LITTLE_ENDIAN__
30093         unsigned short CMPCHA000 : 1;
30094         unsigned short CMPCHA001 : 1;
30095         unsigned short CMPCHA002 : 1;
30096         unsigned short CMPCHA003 : 1;
30097         unsigned short CMPCHA004 : 1;
30098         unsigned short CMPCHA005 : 1;
30099         unsigned short CMPCHA006 : 1;
30100         unsigned short CMPCHA007 : 1;
30101         unsigned short : 8;
30102     #else
30103         unsigned short : 8;
30104         unsigned short CMPCHA007 : 1;
30105         unsigned short CMPCHA006 : 1;
30106         unsigned short CMPCHA005 : 1;
30107         unsigned short CMPCHA004 : 1;
30108         unsigned short CMPCHA003 : 1;
30109         unsigned short CMPCHA002 : 1;
30110         unsigned short CMPCHA001 : 1;
30111         unsigned short CMPCHA000 : 1;
30112     #endif
30113     } BIT;
30114     } ADCMPANSR0;
30115     char      wk17[2];
30116     union {
30117         unsigned short WORD;
30118         struct {
30119
30120         #ifdef __RX_LITTLE_ENDIAN__
30121             unsigned short CMPLCHA000 : 1;
30122             unsigned short CMPLCHA001 : 1;
30123             unsigned short CMPLCHA002 : 1;
30124             unsigned short CMPLCHA003 : 1;
30125             unsigned short CMPLCHA004 : 1;
30126             unsigned short CMPLCHA005 : 1;
30127             unsigned short CMPLCHA006 : 1;
30128             unsigned short CMPLCHA007 : 1;
30129             unsigned short : 8;
30130         #else
30131             unsigned short : 8;
30132             unsigned short CMPLCHA007 : 1;
30133             unsigned short CMPLCHA006 : 1;
30134             unsigned short CMPLCHA005 : 1;
30135             unsigned short CMPLCHA004 : 1;
30136             unsigned short CMPLCHA003 : 1;
30137             unsigned short CMPLCHA002 : 1;
30138             unsigned short CMPLCHA001 : 1;
30139             unsigned short CMPLCHA000 : 1;
30140         #endif
30141         } BIT;
30142     } ADCMPLR0;
30143     char      wk18[2];
30144     unsigned short ADCMPDR0;
30145     unsigned short ADCMPDR1;
30146     union {
30147         unsigned short WORD;
30148         struct {
30149
30150         #ifdef __RX_LITTLE_ENDIAN__
30151             unsigned short CMPSTCHA000 : 1;
30152             unsigned short CMPSTCHA001 : 1;
30153             unsigned short CMPSTCHA002 : 1;
30154             unsigned short CMPSTCHA003 : 1;
30155             unsigned short CMPSTCHA004 : 1;
30156             unsigned short CMPSTCHA005 : 1;
30157             unsigned short CMPSTCHA006 : 1;
30158             unsigned short CMPSTCHA007 : 1;
30159             unsigned short : 8;
30160         #else
30161             unsigned short : 8;
30162             unsigned short CMPSTCHA007 : 1;
30163             unsigned short CMPSTCHA006 : 1;
30164             unsigned short CMPSTCHA005 : 1;
30165             unsigned short CMPSTCHA004 : 1;
30166             unsigned short CMPSTCHA003 : 1;
30167             unsigned short CMPSTCHA002 : 1;
30168             unsigned short CMPSTCHA001 : 1;
30169             unsigned short CMPSTCHA000 : 1;
30170         #endif
30171         } BIT;
30172     } ADCMPSR0;
30173     char      wk19[4];
30174     union {
30175         unsigned char BYTE;

```



```

30176     struct {
30177
30178 #ifdef __RX_LITTLE_ENDIAN__
30179     unsigned char CMPCHB : 6;
30180     unsigned char  : 1;
30181     unsigned char CMPLB : 1;
30182 #else
30183     unsigned char CMPLB : 1;
30184     unsigned char  : 1;
30185     unsigned char CMPCHB : 6;
30186 #endif
30187     } BIT;
30188     } ADCMPBNSR;
30189     char      wk20[1];
30190     unsigned short ADWINLLB;
30191     unsigned short ADWINULB;
30192     union {
30193         unsigned char BYTE;
30194         struct {
30195
30196 #ifdef __RX_LITTLE_ENDIAN__
30197         unsigned char CMPSTB : 1;
30198         unsigned char  : 7;
30199 #else
30200         unsigned char  : 7;
30201         unsigned char CMPSTB : 1;
30202 #endif
30203         } BIT;
30204         } ADCMPBSR;
30205         char      wk21[39];
30206         union {
30207             unsigned short WORD;
30208             struct {
30209
30210 #ifdef __RX_LITTLE_ENDIAN__
30211             unsigned short ANSC000 : 1;
30212             unsigned short ANSC001 : 1;
30213             unsigned short ANSC002 : 1;
30214             unsigned short ANSC003 : 1;
30215             unsigned short ANSC004 : 1;
30216             unsigned short ANSC005 : 1;
30217             unsigned short ANSC006 : 1;
30218             unsigned short ANSC007 : 1;
30219             unsigned short  : 8;
30220 #else
30221             unsigned short  : 8;
30222             unsigned short ANSC007 : 1;
30223             unsigned short ANSC006 : 1;
30224             unsigned short ANSC005 : 1;
30225             unsigned short ANSC004 : 1;
30226             unsigned short ANSC003 : 1;
30227             unsigned short ANSC002 : 1;
30228             unsigned short ANSC001 : 1;
30229             unsigned short ANSC000 : 1;
30230 #endif
30231             } BIT;
30232             } ADANSC0;
30233             char      wk22[3];
30234             union {
30235                 unsigned char BYTE;
30236                 struct {
30237
30238 #ifdef __RX_LITTLE_ENDIAN__
30239                 unsigned char TRSC : 6;
30240                 unsigned char GCADIE : 1;
30241                 unsigned char GRCE : 1;
30242 #else
30243                 unsigned char GRCE : 1;
30244                 unsigned char GCADIE : 1;
30245                 unsigned char TRSC : 6;
30246 #endif
30247                 } BIT;
30248                 } ADGCTRGR;
30249                 char      wk23[6];
30250                 unsigned char ADSSTR0;
30251                 unsigned char ADSSTR1;
30252                 unsigned char ADSSTR2;
30253                 unsigned char ADSSTR3;
30254                 unsigned char ADSSTR4;
30255                 unsigned char ADSSTR5;
30256                 unsigned char ADSSTR6;
30257                 unsigned char ADSSTR7;
30258             } st_s12ad_t;
30259
30260 typedef struct st_s12ad1 {
30261     union {
30262         unsigned short WORD;

```

```

30263     struct {
30264
30265 #ifdef __RX_LITTLE_ENDIAN__
30266     unsigned short DBLANS : 5;
30267     unsigned short : 1;
30268     unsigned short GBADIE : 1;
30269     unsigned short DBLE : 1;
30270     unsigned short EXTRG : 1;
30271     unsigned short TRGE : 1;
30272     unsigned short : 2;
30273     unsigned short ADIE : 1;
30274     unsigned short ADCS : 2;
30275     unsigned short ADST : 1;
30276 #else
30277     unsigned short ADST : 1;
30278     unsigned short ADCS : 2;
30279     unsigned short ADIE : 1;
30280     unsigned short : 2;
30281     unsigned short TRGE : 1;
30282     unsigned short EXTRG : 1;
30283     unsigned short DBLE : 1;
30284     unsigned short GBADIE : 1;
30285     unsigned short : 1;
30286     unsigned short DBLANS : 5;
30287 #endif
30288     } BIT;
30289     } ADCSR;
30290     char      wk0[2];
30291     union {
30292         unsigned short WORD;
30293         struct {
30294
30295 #ifdef __RX_LITTLE_ENDIAN__
30296         unsigned short ANSA000 : 1;
30297         unsigned short ANSA001 : 1;
30298         unsigned short ANSA002 : 1;
30299         unsigned short ANSA003 : 1;
30300         unsigned short ANSA004 : 1;
30301         unsigned short ANSA005 : 1;
30302         unsigned short ANSA006 : 1;
30303         unsigned short ANSA007 : 1;
30304         unsigned short ANSA008 : 1;
30305         unsigned short ANSA009 : 1;
30306         unsigned short ANSA010 : 1;
30307         unsigned short ANSA011 : 1;
30308         unsigned short ANSA012 : 1;
30309         unsigned short ANSA013 : 1;
30310         unsigned short ANSA014 : 1;
30311         unsigned short ANSA015 : 1;
30312 #else
30313         unsigned short ANSA015 : 1;
30314         unsigned short ANSA014 : 1;
30315         unsigned short ANSA013 : 1;
30316         unsigned short ANSA012 : 1;
30317         unsigned short ANSA011 : 1;
30318         unsigned short ANSA010 : 1;
30319         unsigned short ANSA009 : 1;
30320         unsigned short ANSA008 : 1;
30321         unsigned short ANSA007 : 1;
30322         unsigned short ANSA006 : 1;
30323         unsigned short ANSA005 : 1;
30324         unsigned short ANSA004 : 1;
30325         unsigned short ANSA003 : 1;
30326         unsigned short ANSA002 : 1;
30327         unsigned short ANSA001 : 1;
30328         unsigned short ANSA000 : 1;
30329 #endif
30330         } BIT;
30331         } ADANSA0;
30332         union {
30333             unsigned short WORD;
30334             struct {
30335
30336 #ifdef __RX_LITTLE_ENDIAN__
30337             unsigned short ANSA100 : 1;
30338             unsigned short ANSA101 : 1;
30339             unsigned short ANSA102 : 1;
30340             unsigned short ANSA103 : 1;
30341             unsigned short ANSA104 : 1;
30342             unsigned short : 11;
30343 #else
30344             unsigned short : 11;
30345             unsigned short ANSA104 : 1;
30346             unsigned short ANSA103 : 1;
30347             unsigned short ANSA102 : 1;
30348             unsigned short ANSA101 : 1;
30349             unsigned short ANSA100 : 1;

```

```

30350 #endif
30351     } BIT;
30352     } ADANSA1;
30353     union {
30354         unsigned short WORD;
30355         struct {
30356
30357 #ifdef __RX_LITTLE_ENDIAN__
30358         unsigned short ADS000 : 1;
30359         unsigned short ADS001 : 1;
30360         unsigned short ADS002 : 1;
30361         unsigned short ADS003 : 1;
30362         unsigned short ADS004 : 1;
30363         unsigned short ADS005 : 1;
30364         unsigned short ADS006 : 1;
30365         unsigned short ADS007 : 1;
30366         unsigned short ADS008 : 1;
30367         unsigned short ADS009 : 1;
30368         unsigned short ADS010 : 1;
30369         unsigned short ADS011 : 1;
30370         unsigned short ADS012 : 1;
30371         unsigned short ADS013 : 1;
30372         unsigned short ADS014 : 1;
30373         unsigned short ADS015 : 1;
30374 #else
30375         unsigned short ADS015 : 1;
30376         unsigned short ADS014 : 1;
30377         unsigned short ADS013 : 1;
30378         unsigned short ADS012 : 1;
30379         unsigned short ADS011 : 1;
30380         unsigned short ADS010 : 1;
30381         unsigned short ADS009 : 1;
30382         unsigned short ADS008 : 1;
30383         unsigned short ADS007 : 1;
30384         unsigned short ADS006 : 1;
30385         unsigned short ADS005 : 1;
30386         unsigned short ADS004 : 1;
30387         unsigned short ADS003 : 1;
30388         unsigned short ADS002 : 1;
30389         unsigned short ADS001 : 1;
30390         unsigned short ADS000 : 1;
30391 #endif
30392     } BIT;
30393     } ADADS0;
30394     union {
30395         unsigned short WORD;
30396         struct {
30397
30398 #ifdef __RX_LITTLE_ENDIAN__
30399         unsigned short ADS100 : 1;
30400         unsigned short ADS101 : 1;
30401         unsigned short ADS102 : 1;
30402         unsigned short ADS103 : 1;
30403         unsigned short ADS104 : 1;
30404         unsigned short : 11;
30405 #else
30406         unsigned short : 11;
30407         unsigned short ADS104 : 1;
30408         unsigned short ADS103 : 1;
30409         unsigned short ADS102 : 1;
30410         unsigned short ADS101 : 1;
30411         unsigned short ADS100 : 1;
30412 #endif
30413     } BIT;
30414     } ADADS1;
30415     union {
30416         unsigned char BYTE;
30417         struct {
30418
30419 #ifdef __RX_LITTLE_ENDIAN__
30420         unsigned char ADC : 3;
30421         unsigned char : 4;
30422         unsigned char AVEE : 1;
30423 #else
30424         unsigned char AVEE : 1;
30425         unsigned char : 4;
30426         unsigned char ADC : 3;
30427 #endif
30428     } BIT;
30429     } ADADC;
30430     char wk1[1];
30431     union {
30432         unsigned short WORD;
30433         struct {
30434
30435 #ifdef __RX_LITTLE_ENDIAN__
30436         unsigned short : 1;

```

```

30437         unsigned short ADPRC : 2;
30438         unsigned short : 2;
30439         unsigned short ACE : 1;
30440         unsigned short : 2;
30441         unsigned short DIAGVAL : 2;
30442         unsigned short DIAGLD : 1;
30443         unsigned short DIAGM : 1;
30444         unsigned short : 3;
30445         unsigned short ADRFMT : 1;
30446 #else
30447         unsigned short ADRFMT : 1;
30448         unsigned short : 3;
30449         unsigned short DIAGM : 1;
30450         unsigned short DIAGLD : 1;
30451         unsigned short DIAGVAL : 2;
30452         unsigned short : 2;
30453         unsigned short ACE : 1;
30454         unsigned short : 2;
30455         unsigned short ADPRC : 2;
30456         unsigned short : 1;
30457 #endif
30458     } BIT;
30459 } ADCER;
30460 union {
30461     unsigned short WORD;
30462     struct {
30463
30464 #ifdef __RX_LITTLE_ENDIAN__
30465         unsigned short TRSB : 6;
30466         unsigned short : 2;
30467         unsigned short TRSA : 6;
30468         unsigned short : 2;
30469 #else
30470         unsigned short : 2;
30471         unsigned short TRSA : 6;
30472         unsigned short : 2;
30473         unsigned short TRSB : 6;
30474 #endif
30475     } BIT;
30476     } ADSTRGR;
30477 union {
30478     unsigned short WORD;
30479     struct {
30480
30481 #ifdef __RX_LITTLE_ENDIAN__
30482         unsigned short TSSAD : 1;
30483         unsigned short OCSAD : 1;
30484         unsigned short : 6;
30485         unsigned short TSSA : 1;
30486         unsigned short OCSA : 1;
30487         unsigned short TSSB : 1;
30488         unsigned short OCSB : 1;
30489         unsigned short : 1;
30490         unsigned short EXSEL : 2;
30491         unsigned short EXOEN : 1;
30492 #else
30493         unsigned short EXOEN : 1;
30494         unsigned short EXSEL : 2;
30495         unsigned short : 1;
30496         unsigned short OCSB : 1;
30497         unsigned short TSSB : 1;
30498         unsigned short OCSA : 1;
30499         unsigned short TSSA : 1;
30500         unsigned short : 6;
30501         unsigned short OCSAD : 1;
30502         unsigned short TSSAD : 1;
30503 #endif
30504     } BIT;
30505     } ADEXICR;
30506 union {
30507     unsigned short WORD;
30508     struct {
30509
30510 #ifdef __RX_LITTLE_ENDIAN__
30511         unsigned short ANSB000 : 1;
30512         unsigned short ANSB001 : 1;
30513         unsigned short ANSB002 : 1;
30514         unsigned short ANSB003 : 1;
30515         unsigned short ANSB004 : 1;
30516         unsigned short ANSB005 : 1;
30517         unsigned short ANSB006 : 1;
30518         unsigned short ANSB007 : 1;
30519         unsigned short ANSB008 : 1;
30520         unsigned short ANSB009 : 1;
30521         unsigned short ANSB010 : 1;
30522         unsigned short ANSB011 : 1;
30523         unsigned short ANSB012 : 1;

```

```

30524         unsigned short ANSB013 : 1;
30525         unsigned short ANSB014 : 1;
30526         unsigned short ANSB015 : 1;
30527 #else
30528         unsigned short ANSB015 : 1;
30529         unsigned short ANSB014 : 1;
30530         unsigned short ANSB013 : 1;
30531         unsigned short ANSB012 : 1;
30532         unsigned short ANSB011 : 1;
30533         unsigned short ANSB010 : 1;
30534         unsigned short ANSB009 : 1;
30535         unsigned short ANSB008 : 1;
30536         unsigned short ANSB007 : 1;
30537         unsigned short ANSB006 : 1;
30538         unsigned short ANSB005 : 1;
30539         unsigned short ANSB004 : 1;
30540         unsigned short ANSB003 : 1;
30541         unsigned short ANSB002 : 1;
30542         unsigned short ANSB001 : 1;
30543         unsigned short ANSB000 : 1;
30544 #endif
30545     } BIT;
30546 } ADANSB0;
30547 union {
30548     unsigned short WORD;
30549     struct {
30550
30551 #ifdef __RX_LITTLE_ENDIAN__
30552         unsigned short ANSB100 : 1;
30553         unsigned short ANSB101 : 1;
30554         unsigned short ANSB102 : 1;
30555         unsigned short ANSB103 : 1;
30556         unsigned short ANSB104 : 1;
30557         unsigned short : 11;
30558 #else
30559         unsigned short : 11;
30560         unsigned short ANSB104 : 1;
30561         unsigned short ANSB103 : 1;
30562         unsigned short ANSB102 : 1;
30563         unsigned short ANSB101 : 1;
30564         unsigned short ANSB100 : 1;
30565 #endif
30566     } BIT;
30567 } ADANSB1;
30568 unsigned short ADDBLDR;
30569 unsigned short ADTSDR;
30570 unsigned short ADOCDR;
30571 union {
30572     unsigned short WORD;
30573     union {
30574         struct {
30575
30576 #ifdef __RX_LITTLE_ENDIAN__
30577         unsigned short AD : 12;
30578         unsigned short : 2;
30579         unsigned short DIAGST : 2;
30580 #else
30581         unsigned short DIAGST : 2;
30582         unsigned short : 2;
30583         unsigned short AD : 12;
30584 #endif
30585     } RIGHT;
30586     struct {
30587
30588 #ifdef __RX_LITTLE_ENDIAN__
30589         unsigned short DIAGST : 2;
30590         unsigned short : 2;
30591         unsigned short AD : 12;
30592 #else
30593         unsigned short AD : 12;
30594         unsigned short : 2;
30595         unsigned short DIAGST : 2;
30596 #endif
30597     } LEFT;
30598     } BIT;
30599 } ADDR;
30600 unsigned short ADDR0;
30601 unsigned short ADDR1;
30602 unsigned short ADDR2;
30603 unsigned short ADDR3;
30604 unsigned short ADDR4;
30605 unsigned short ADDR5;
30606 unsigned short ADDR6;
30607 unsigned short ADDR7;
30608 unsigned short ADDR8;
30609 unsigned short ADDR9;
30610 unsigned short ADDR10;

```

```

30611 unsigned short ADDR11;
30612 unsigned short ADDR12;
30613 unsigned short ADDR13;
30614 unsigned short ADDR14;
30615 unsigned short ADDR15;
30616 unsigned short ADDR16;
30617 unsigned short ADDR17;
30618 unsigned short ADDR18;
30619 unsigned short ADDR19;
30620 unsigned short ADDR20;
30621 char          wk2[25];
30622 union {
30623     unsigned char BYTE;
30624     struct {
30625
30626 #ifdef __RX_LITTLE_ENDIAN__
30627     unsigned char PRO : 2;
30628     unsigned char  : 6;
30629 #else
30630     unsigned char  : 6;
30631     unsigned char PRO : 2;
30632 #endif
30633     } BIT;
30634     } ADSAMPR;
30635     char          wk3[10];
30636     union {
30637         unsigned short WORD;
30638         struct {
30639
30640 #ifdef __RX_LITTLE_ENDIAN__
30641         unsigned short  : 5;
30642         unsigned short SAM : 1;
30643         unsigned short  : 10;
30644 #else
30645         unsigned short  : 10;
30646         unsigned short SAM : 1;
30647         unsigned short  : 5;
30648 #endif
30649         } BIT;
30650         } ADSAM;
30651         char          wk4[10];
30652         union {
30653             unsigned char BYTE;
30654             struct {
30655
30656 #ifdef __RX_LITTLE_ENDIAN__
30657             unsigned char ADNDIS : 5;
30658             unsigned char  : 3;
30659 #else
30660             unsigned char  : 3;
30661             unsigned char ADNDIS : 5;
30662 #endif
30663             } BIT;
30664             } ADDISCR;
30665             char          wk5[5];
30666             union {
30667                 unsigned short WORD;
30668                 struct {
30669
30670 #ifdef __RX_LITTLE_ENDIAN__
30671                 unsigned short PGS : 1;
30672                 unsigned short GBRSCN : 1;
30673                 unsigned short  : 12;
30674                 unsigned short LGRRS : 1;
30675                 unsigned short GBRP : 1;
30676 #else
30677                 unsigned short GBRP : 1;
30678                 unsigned short LGRRS : 1;
30679                 unsigned short  : 12;
30680                 unsigned short GBRSCN : 1;
30681                 unsigned short PGS : 1;
30682 #endif
30683                 } BIT;
30684                 } ADGSPCR;
30685                 char          wk6[2];
30686                 unsigned short ADDBLDRA;
30687                 unsigned short ADDBLDRB;
30688                 char          wk7[4];
30689                 union {
30690                     unsigned char BYTE;
30691                     struct {
30692
30693 #ifdef __RX_LITTLE_ENDIAN__
30694                     unsigned char MONCOMB : 1;
30695                     unsigned char  : 3;
30696                     unsigned char MONCMPA : 1;
30697                     unsigned char MONCMPB : 1;

```

```

30698     unsigned char : 2;
30699 #else
30700     unsigned char : 2;
30701     unsigned char MONCMPB : 1;
30702     unsigned char MONCMPA : 1;
30703     unsigned char : 3;
30704     unsigned char MONCOMB : 1;
30705 #endif
30706 } BIT;
30707 } ADWINMON;
30708 char      wk8[3];
30709 union {
30710     unsigned short WORD;
30711     struct {
30712
30713 #ifdef __RX_LITTLE_ENDIAN__
30714     unsigned short CMPAB : 2;
30715     unsigned short : 7;
30716     unsigned short CMPBE : 1;
30717     unsigned short : 1;
30718     unsigned short CMPAE : 1;
30719     unsigned short : 1;
30720     unsigned short CMPBIE : 1;
30721     unsigned short WCMPE : 1;
30722     unsigned short CMPAIE : 1;
30723 #else
30724     unsigned short CMPAIE : 1;
30725     unsigned short WCMPE : 1;
30726     unsigned short CMPBIE : 1;
30727     unsigned short : 1;
30728     unsigned short CMPAE : 1;
30729     unsigned short : 1;
30730     unsigned short CMPBE : 1;
30731     unsigned short : 7;
30732     unsigned short CMPAB : 2;
30733 #endif
30734 } BIT;
30735 } ADCMPPCR;
30736 union {
30737     unsigned char BYTE;
30738     struct {
30739
30740 #ifdef __RX_LITTLE_ENDIAN__
30741     unsigned char CMPSTS : 1;
30742     unsigned char CMPSOC : 1;
30743     unsigned char : 6;
30744 #else
30745     unsigned char : 6;
30746     unsigned char CMPSOC : 1;
30747     unsigned char CMPSTS : 1;
30748 #endif
30749 } BIT;
30750 } ADCMPANSER;
30751 union {
30752     unsigned char BYTE;
30753     struct {
30754
30755 #ifdef __RX_LITTLE_ENDIAN__
30756     unsigned char CMPLTS : 1;
30757     unsigned char CMPLOC : 1;
30758     unsigned char : 6;
30759 #else
30760     unsigned char : 6;
30761     unsigned char CMPLOC : 1;
30762     unsigned char CMPLTS : 1;
30763 #endif
30764 } BIT;
30765 } ADCMPPLER;
30766 union {
30767     unsigned short WORD;
30768     struct {
30769
30770 #ifdef __RX_LITTLE_ENDIAN__
30771     unsigned short CMPCHA000 : 1;
30772     unsigned short CMPCHA001 : 1;
30773     unsigned short CMPCHA002 : 1;
30774     unsigned short CMPCHA003 : 1;
30775     unsigned short CMPCHA004 : 1;
30776     unsigned short CMPCHA005 : 1;
30777     unsigned short CMPCHA006 : 1;
30778     unsigned short CMPCHA007 : 1;
30779     unsigned short CMPCHA008 : 1;
30780     unsigned short CMPCHA009 : 1;
30781     unsigned short CMPCHA010 : 1;
30782     unsigned short CMPCHA011 : 1;
30783     unsigned short CMPCHA012 : 1;
30784     unsigned short CMPCHA013 : 1;

```

```

30785         unsigned short CMPCHA014 : 1;
30786         unsigned short CMPCHA015 : 1;
30787 #else
30788         unsigned short CMPCHA015 : 1;
30789         unsigned short CMPCHA014 : 1;
30790         unsigned short CMPCHA013 : 1;
30791         unsigned short CMPCHA012 : 1;
30792         unsigned short CMPCHA011 : 1;
30793         unsigned short CMPCHA010 : 1;
30794         unsigned short CMPCHA009 : 1;
30795         unsigned short CMPCHA008 : 1;
30796         unsigned short CMPCHA007 : 1;
30797         unsigned short CMPCHA006 : 1;
30798         unsigned short CMPCHA005 : 1;
30799         unsigned short CMPCHA004 : 1;
30800         unsigned short CMPCHA003 : 1;
30801         unsigned short CMPCHA002 : 1;
30802         unsigned short CMPCHA001 : 1;
30803         unsigned short CMPCHA000 : 1;
30804 #endif
30805     } BIT;
30806 } ADCMPANSR0;
30807 union {
30808     unsigned short WORD;
30809     struct {
30810
30811 #ifdef __RX_LITTLE_ENDIAN__
30812         unsigned short CMPCHA100 : 1;
30813         unsigned short CMPCHA101 : 1;
30814         unsigned short CMPCHA102 : 1;
30815         unsigned short CMPCHA103 : 1;
30816         unsigned short CMPCHA104 : 1;
30817         unsigned short : 11;
30818 #else
30819         unsigned short : 11;
30820         unsigned short CMPCHA104 : 1;
30821         unsigned short CMPCHA103 : 1;
30822         unsigned short CMPCHA102 : 1;
30823         unsigned short CMPCHA101 : 1;
30824         unsigned short CMPCHA100 : 1;
30825 #endif
30826     } BIT;
30827 } ADCMPANSR1;
30828 union {
30829     unsigned short WORD;
30830     struct {
30831
30832 #ifdef __RX_LITTLE_ENDIAN__
30833         unsigned short CMPLCHA000 : 1;
30834         unsigned short CMPLCHA001 : 1;
30835         unsigned short CMPLCHA002 : 1;
30836         unsigned short CMPLCHA003 : 1;
30837         unsigned short CMPLCHA004 : 1;
30838         unsigned short CMPLCHA005 : 1;
30839         unsigned short CMPLCHA006 : 1;
30840         unsigned short CMPLCHA007 : 1;
30841         unsigned short CMPLCHA008 : 1;
30842         unsigned short CMPLCHA009 : 1;
30843         unsigned short CMPLCHA010 : 1;
30844         unsigned short CMPLCHA011 : 1;
30845         unsigned short CMPLCHA012 : 1;
30846         unsigned short CMPLCHA013 : 1;
30847         unsigned short CMPLCHA014 : 1;
30848         unsigned short CMPLCHA015 : 1;
30849 #else
30850         unsigned short CMPLCHA015 : 1;
30851         unsigned short CMPLCHA014 : 1;
30852         unsigned short CMPLCHA013 : 1;
30853         unsigned short CMPLCHA012 : 1;
30854         unsigned short CMPLCHA011 : 1;
30855         unsigned short CMPLCHA010 : 1;
30856         unsigned short CMPLCHA009 : 1;
30857         unsigned short CMPLCHA008 : 1;
30858         unsigned short CMPLCHA007 : 1;
30859         unsigned short CMPLCHA006 : 1;
30860         unsigned short CMPLCHA005 : 1;
30861         unsigned short CMPLCHA004 : 1;
30862         unsigned short CMPLCHA003 : 1;
30863         unsigned short CMPLCHA002 : 1;
30864         unsigned short CMPLCHA001 : 1;
30865         unsigned short CMPLCHA000 : 1;
30866 #endif
30867     } BIT;
30868 } ADCMPLR0;
30869 union {
30870     unsigned short WORD;
30871     struct {

```



```

30872
30873 #ifdef __RX_LITTLE_ENDIAN__
30874     unsigned short CMPLCHA100 : 1;
30875     unsigned short CMPLCHA101 : 1;
30876     unsigned short CMPLCHA102 : 1;
30877     unsigned short CMPLCHA103 : 1;
30878     unsigned short CMPLCHA104 : 1;
30879     unsigned short : 11;
30880 #else
30881     unsigned short : 11;
30882     unsigned short CMPLCHA104 : 1;
30883     unsigned short CMPLCHA103 : 1;
30884     unsigned short CMPLCHA102 : 1;
30885     unsigned short CMPLCHA101 : 1;
30886     unsigned short CMPLCHA100 : 1;
30887 #endif
30888 } BIT;
30889 } ADCMPLR1;
30890 unsigned short ADCMPDR0;
30891 unsigned short ADCMPDR1;
30892 union {
30893     unsigned short WORD;
30894     struct {
30895
30896 #ifdef __RX_LITTLE_ENDIAN__
30897     unsigned short CMPSTCHA000 : 1;
30898     unsigned short CMPSTCHA001 : 1;
30899     unsigned short CMPSTCHA002 : 1;
30900     unsigned short CMPSTCHA003 : 1;
30901     unsigned short CMPSTCHA004 : 1;
30902     unsigned short CMPSTCHA005 : 1;
30903     unsigned short CMPSTCHA006 : 1;
30904     unsigned short CMPSTCHA007 : 1;
30905     unsigned short CMPSTCHA008 : 1;
30906     unsigned short CMPSTCHA009 : 1;
30907     unsigned short CMPSTCHA010 : 1;
30908     unsigned short CMPSTCHA011 : 1;
30909     unsigned short CMPSTCHA012 : 1;
30910     unsigned short CMPSTCHA013 : 1;
30911     unsigned short CMPSTCHA014 : 1;
30912     unsigned short CMPSTCHA015 : 1;
30913 #else
30914     unsigned short CMPSTCHA015 : 1;
30915     unsigned short CMPSTCHA014 : 1;
30916     unsigned short CMPSTCHA013 : 1;
30917     unsigned short CMPSTCHA012 : 1;
30918     unsigned short CMPSTCHA011 : 1;
30919     unsigned short CMPSTCHA010 : 1;
30920     unsigned short CMPSTCHA009 : 1;
30921     unsigned short CMPSTCHA008 : 1;
30922     unsigned short CMPSTCHA007 : 1;
30923     unsigned short CMPSTCHA006 : 1;
30924     unsigned short CMPSTCHA005 : 1;
30925     unsigned short CMPSTCHA004 : 1;
30926     unsigned short CMPSTCHA003 : 1;
30927     unsigned short CMPSTCHA002 : 1;
30928     unsigned short CMPSTCHA001 : 1;
30929     unsigned short CMPSTCHA000 : 1;
30930 #endif
30931 } BIT;
30932 } ADCMPDR0;
30933 union {
30934     unsigned short WORD;
30935     struct {
30936
30937 #ifdef __RX_LITTLE_ENDIAN__
30938     unsigned short CMPSTCHA100 : 1;
30939     unsigned short CMPSTCHA101 : 1;
30940     unsigned short CMPSTCHA102 : 1;
30941     unsigned short CMPSTCHA103 : 1;
30942     unsigned short CMPSTCHA104 : 1;
30943     unsigned short : 11;
30944 #else
30945     unsigned short : 11;
30946     unsigned short CMPSTCHA104 : 1;
30947     unsigned short CMPSTCHA103 : 1;
30948     unsigned short CMPSTCHA102 : 1;
30949     unsigned short CMPSTCHA101 : 1;
30950     unsigned short CMPSTCHA100 : 1;
30951 #endif
30952 } BIT;
30953 } ADCMPDR1;
30954 union {
30955     unsigned char BYTE;
30956     struct {
30957
30958 #ifdef __RX_LITTLE_ENDIAN__

```

```

30959         unsigned char CMPFTS : 1;
30960         unsigned char CMPFOC : 1;
30961         unsigned char : 6;
30962     #else
30963         unsigned char : 6;
30964         unsigned char CMPFOC : 1;
30965         unsigned char CMPFTS : 1;
30966     #endif
30967     } BIT;
30968     } ADCMPSESR;
30969     char          wk9[1];
30970     union {
30971         unsigned char BYTE;
30972         struct {
30973
30974     #ifdef __RX_LITTLE_ENDIAN__
30975         unsigned char CMPCHB : 6;
30976         unsigned char : 1;
30977         unsigned char CMPLB : 1;
30978     #else
30979         unsigned char CMPLB : 1;
30980         unsigned char : 1;
30981         unsigned char CMPCHB : 6;
30982     #endif
30983     } BIT;
30984     } ADCMPBNSR;
30985     char          wk10[1];
30986     unsigned short ADWINLLB;
30987     unsigned short ADWINULB;
30988     union {
30989         unsigned char BYTE;
30990         struct {
30991
30992     #ifdef __RX_LITTLE_ENDIAN__
30993         unsigned char CMPSTB : 1;
30994         unsigned char : 7;
30995     #else
30996         unsigned char : 7;
30997         unsigned char CMPSTB : 1;
30998     #endif
30999     } BIT;
31000     } ADCMPBSR;
31001     char          wk11[39];
31002     union {
31003         unsigned short WORD;
31004         struct {
31005
31006     #ifdef __RX_LITTLE_ENDIAN__
31007         unsigned short ANSC000 : 1;
31008         unsigned short ANSC001 : 1;
31009         unsigned short ANSC002 : 1;
31010         unsigned short ANSC003 : 1;
31011         unsigned short ANSC004 : 1;
31012         unsigned short ANSC005 : 1;
31013         unsigned short ANSC006 : 1;
31014         unsigned short ANSC007 : 1;
31015         unsigned short ANSC008 : 1;
31016         unsigned short ANSC009 : 1;
31017         unsigned short ANSC010 : 1;
31018         unsigned short ANSC011 : 1;
31019         unsigned short ANSC012 : 1;
31020         unsigned short ANSC013 : 1;
31021         unsigned short ANSC014 : 1;
31022         unsigned short ANSC015 : 1;
31023     #else
31024         unsigned short ANSC015 : 1;
31025         unsigned short ANSC014 : 1;
31026         unsigned short ANSC013 : 1;
31027         unsigned short ANSC012 : 1;
31028         unsigned short ANSC011 : 1;
31029         unsigned short ANSC010 : 1;
31030         unsigned short ANSC009 : 1;
31031         unsigned short ANSC008 : 1;
31032         unsigned short ANSC007 : 1;
31033         unsigned short ANSC006 : 1;
31034         unsigned short ANSC005 : 1;
31035         unsigned short ANSC004 : 1;
31036         unsigned short ANSC003 : 1;
31037         unsigned short ANSC002 : 1;
31038         unsigned short ANSC001 : 1;
31039         unsigned short ANSC000 : 1;
31040     #endif
31041     } BIT;
31042     } ADANSC0;
31043     union {
31044         unsigned short WORD;
31045         struct {

```

```

31046
31047 #ifdef __RX_LITTLE_ENDIAN__
31048     unsigned short ANSC100 : 1;
31049     unsigned short ANSC101 : 1;
31050     unsigned short ANSC102 : 1;
31051     unsigned short ANSC103 : 1;
31052     unsigned short ANSC104 : 1;
31053     unsigned short : 11;
31054 #else
31055     unsigned short : 11;
31056     unsigned short ANSC104 : 1;
31057     unsigned short ANSC103 : 1;
31058     unsigned short ANSC102 : 1;
31059     unsigned short ANSC101 : 1;
31060     unsigned short ANSC100 : 1;
31061 #endif
31062 } BIT;
31063 } ADANSC1;
31064 union {
31065     unsigned char BYTE;
31066     struct {
31067
31068 #ifdef __RX_LITTLE_ENDIAN__
31069     unsigned char TSSC : 1;
31070     unsigned char OCSC : 1;
31071     unsigned char : 6;
31072 #else
31073     unsigned char : 6;
31074     unsigned char OCSC : 1;
31075     unsigned char TSSC : 1;
31076 #endif
31077 } BIT;
31078 } ADGCEXCR;
31079 union {
31080     unsigned char BYTE;
31081     struct {
31082
31083 #ifdef __RX_LITTLE_ENDIAN__
31084     unsigned char TRSC : 6;
31085     unsigned char GCADIE : 1;
31086     unsigned char GRCE : 1;
31087 #else
31088     unsigned char GRCE : 1;
31089     unsigned char GCADIE : 1;
31090     unsigned char TRSC : 6;
31091 #endif
31092 } BIT;
31093 } ADGCTRGR;
31094 char wk12[3];
31095 unsigned char ADSSTRL;
31096 unsigned char ADSSTRT;
31097 unsigned char ADSSTRO;
31098 unsigned char ADSSTR0;
31099 unsigned char ADSSTR1;
31100 unsigned char ADSSTR2;
31101 unsigned char ADSSTR3;
31102 unsigned char ADSSTR4;
31103 unsigned char ADSSTR5;
31104 unsigned char ADSSTR6;
31105 unsigned char ADSSTR7;
31106 unsigned char ADSSTR8;
31107 unsigned char ADSSTR9;
31108 unsigned char ADSSTR10;
31109 unsigned char ADSSTR11;
31110 unsigned char ADSSTR12;
31111 unsigned char ADSSTR13;
31112 unsigned char ADSSTR14;
31113 unsigned char ADSSTR15;
31114 } st_s12ad1_t;
31115
31116 typedef struct st_sci0 {
31117     union {
31118         unsigned char BYTE;
31119         struct {
31120
31121 #ifdef __RX_LITTLE_ENDIAN__
31122     unsigned char CKS : 2;
31123     unsigned char MP : 1;
31124     unsigned char STOP : 1;
31125     unsigned char PM : 1;
31126     unsigned char PE : 1;
31127     unsigned char CHR : 1;
31128     unsigned char CM : 1;
31129 #else
31130     unsigned char CM : 1;
31131     unsigned char CHR : 1;
31132     unsigned char PE : 1;

```

```

31133         unsigned char PM : 1;
31134         unsigned char STOP : 1;
31135         unsigned char MP : 1;
31136         unsigned char CKS : 2;
31137     #endif
31138     } BIT;
31139     } SMR;
31140     unsigned char BRR;
31141     union {
31142         unsigned char BYTE;
31143         struct {
31144
31145     #ifdef __RX_LITTLE_ENDIAN__
31146         unsigned char CKE : 2;
31147         unsigned char TEIE : 1;
31148         unsigned char MPIE : 1;
31149         unsigned char RE : 1;
31150         unsigned char TE : 1;
31151         unsigned char RIE : 1;
31152         unsigned char TIE : 1;
31153     #else
31154         unsigned char TIE : 1;
31155         unsigned char RIE : 1;
31156         unsigned char TE : 1;
31157         unsigned char RE : 1;
31158         unsigned char MPIE : 1;
31159         unsigned char TEIE : 1;
31160         unsigned char CKE : 2;
31161     #endif
31162     } BIT;
31163     } SCR;
31164     unsigned char TDR;
31165     union {
31166         unsigned char BYTE;
31167         struct {
31168
31169     #ifdef __RX_LITTLE_ENDIAN__
31170         unsigned char MPBT : 1;
31171         unsigned char MPB : 1;
31172         unsigned char TEND : 1;
31173         unsigned char PER : 1;
31174         unsigned char FER : 1;
31175         unsigned char ORER : 1;
31176         unsigned char RDRF : 1;
31177         unsigned char TDRE : 1;
31178     #else
31179         unsigned char TDRE : 1;
31180         unsigned char RDRF : 1;
31181         unsigned char ORER : 1;
31182         unsigned char FER : 1;
31183         unsigned char PER : 1;
31184         unsigned char TEND : 1;
31185         unsigned char MPB : 1;
31186         unsigned char MPBT : 1;
31187     #endif
31188     } BIT;
31189     } SSR;
31190     unsigned char RDR;
31191     union {
31192         unsigned char BYTE;
31193         struct {
31194
31195     #ifdef __RX_LITTLE_ENDIAN__
31196         unsigned char SMIF : 1;
31197         unsigned char : 1;
31198         unsigned char SINV : 1;
31199         unsigned char SDIR : 1;
31200         unsigned char CHR1 : 1;
31201         unsigned char : 2;
31202         unsigned char BCP2 : 1;
31203     #else
31204         unsigned char BCP2 : 1;
31205         unsigned char : 2;
31206         unsigned char CHR1 : 1;
31207         unsigned char SDIR : 1;
31208         unsigned char SINV : 1;
31209         unsigned char : 1;
31210         unsigned char SMIF : 1;
31211     #endif
31212     } BIT;
31213     } SCMR;
31214     union {
31215         unsigned char BYTE;
31216         struct {
31217
31218     #ifdef __RX_LITTLE_ENDIAN__
31219         unsigned char ACS0 : 1;

```

```

31220     unsigned char : 1;
31221     unsigned char BRME : 1;
31222     unsigned char ABCSE : 1;
31223     unsigned char ABCS : 1;
31224     unsigned char NFEN : 1;
31225     unsigned char BGDM : 1;
31226     unsigned char RXDESEL : 1;
31227 #else
31228     unsigned char RXDESEL : 1;
31229     unsigned char BGDM : 1;
31230     unsigned char NFEN : 1;
31231     unsigned char ABCS : 1;
31232     unsigned char ABCSE : 1;
31233     unsigned char BRME : 1;
31234     unsigned char : 1;
31235     unsigned char ACS0 : 1;
31236 #endif
31237     } BIT;
31238     } SEMR;
31239     union {
31240         unsigned char BYTE;
31241         struct {
31242
31243 #ifdef __RX_LITTLE_ENDIAN__
31244         unsigned char NFCS : 3;
31245         unsigned char : 5;
31246 #else
31247         unsigned char : 5;
31248         unsigned char NFCS : 3;
31249 #endif
31250         } BIT;
31251         } SNFR;
31252     union {
31253         unsigned char BYTE;
31254         struct {
31255
31256 #ifdef __RX_LITTLE_ENDIAN__
31257         unsigned char IICM : 1;
31258         unsigned char : 2;
31259         unsigned char IICDL : 5;
31260 #else
31261         unsigned char IICDL : 5;
31262         unsigned char : 2;
31263         unsigned char IICM : 1;
31264 #endif
31265         } BIT;
31266         } SIMR1;
31267     union {
31268         unsigned char BYTE;
31269         struct {
31270
31271 #ifdef __RX_LITTLE_ENDIAN__
31272         unsigned char IICINTM : 1;
31273         unsigned char IICCSC : 1;
31274         unsigned char : 3;
31275         unsigned char IICACKT : 1;
31276         unsigned char : 2;
31277 #else
31278         unsigned char : 2;
31279         unsigned char IICACKT : 1;
31280         unsigned char : 3;
31281         unsigned char IICCSC : 1;
31282         unsigned char IICINTM : 1;
31283 #endif
31284         } BIT;
31285         } SIMR2;
31286     union {
31287         unsigned char BYTE;
31288         struct {
31289
31290 #ifdef __RX_LITTLE_ENDIAN__
31291         unsigned char IICSTAREQ : 1;
31292         unsigned char IICRSTAREQ : 1;
31293         unsigned char IICSTPREQ : 1;
31294         unsigned char IICSTIF : 1;
31295         unsigned char IICSDAS : 2;
31296         unsigned char IICSCLS : 2;
31297 #else
31298         unsigned char IICSCLS : 2;
31299         unsigned char IICSDAS : 2;
31300         unsigned char IICSTIF : 1;
31301         unsigned char IICSTPREQ : 1;
31302         unsigned char IICRSTAREQ : 1;
31303         unsigned char IICSTAREQ : 1;
31304 #endif
31305         } BIT;
31306         } SIMR3;

```

```

31307     union {
31308         unsigned char BYTE;
31309     struct {
31310
31311     #ifdef __RX_LITTLE_ENDIAN__
31312         unsigned char IICACKR : 1;
31313         unsigned char : 7;
31314     #else
31315         unsigned char : 7;
31316         unsigned char IICACKR : 1;
31317     #endif
31318     } BIT;
31319     } SISR;
31320     union {
31321         unsigned char BYTE;
31322     struct {
31323
31324     #ifdef __RX_LITTLE_ENDIAN__
31325         unsigned char SSE : 1;
31326         unsigned char CTSE : 1;
31327         unsigned char MSS : 1;
31328         unsigned char : 1;
31329         unsigned char MFF : 1;
31330         unsigned char : 1;
31331         unsigned char CKPOL : 1;
31332         unsigned char CKPH : 1;
31333     #else
31334         unsigned char CKPH : 1;
31335         unsigned char CKPOL : 1;
31336         unsigned char : 1;
31337         unsigned char MFF : 1;
31338         unsigned char : 1;
31339         unsigned char MSS : 1;
31340         unsigned char CTSE : 1;
31341         unsigned char SSE : 1;
31342     #endif
31343     } BIT;
31344     } SPMR;
31345     union {
31346         unsigned short WORD;
31347     struct {
31348         unsigned char TDRH;
31349         unsigned char TDRL;
31350     } BYTE;
31351     } TDRHL;
31352     union {
31353         unsigned short WORD;
31354     struct {
31355         unsigned char RDRH;
31356         unsigned char RDRL;
31357     } BYTE;
31358     } RDRHL;
31359     unsigned char MDDR;
31360     union {
31361         unsigned char BYTE;
31362     struct {
31363
31364     #ifdef __RX_LITTLE_ENDIAN__
31365         unsigned char DCMF : 1;
31366         unsigned char : 2;
31367         unsigned char DPER : 1;
31368         unsigned char DFER : 1;
31369         unsigned char : 1;
31370         unsigned char IDSEL : 1;
31371         unsigned char DCME : 1;
31372     #else
31373         unsigned char DCME : 1;
31374         unsigned char IDSEL : 1;
31375         unsigned char : 1;
31376         unsigned char DFER : 1;
31377         unsigned char DPER : 1;
31378         unsigned char : 2;
31379         unsigned char DCMF : 1;
31380     #endif
31381     } BIT;
31382     } DCCR;
31383     char wk0[6];
31384     union {
31385         unsigned short WORD;
31386     struct {
31387         unsigned char H;
31388         unsigned char L;
31389     } BYTE;
31390     struct {
31391
31392     #ifdef __RX_LITTLE_ENDIAN__
31393         unsigned short CMPD : 9;

```

```

31394         unsigned short : 7;
31395 #else
31396         unsigned short : 7;
31397         unsigned short CMPD : 9;
31398 #endif
31399     } BIT;
31400     } CDR;
31401     union {
31402         unsigned char BYTE;
31403         struct {
31404
31405 #ifdef __RX_LITTLE_ENDIAN__
31406         unsigned char RXDMON : 1;
31407         unsigned char SPB2DT : 1;
31408         unsigned char SPB2IO : 1;
31409         unsigned char : 5;
31410 #else
31411         unsigned char : 5;
31412         unsigned char SPB2IO : 1;
31413         unsigned char SPB2DT : 1;
31414         unsigned char RXDMON : 1;
31415 #endif
31416     } BIT;
31417     } SPTR;
31418 } st_sci0_t;
31419
31420 typedef struct st_sci7 {
31421     union {
31422         unsigned char BYTE;
31423         struct {
31424
31425 #ifdef __RX_LITTLE_ENDIAN__
31426         unsigned char CKS : 2;
31427         unsigned char MP : 1;
31428         unsigned char STOP : 1;
31429         unsigned char PM : 1;
31430         unsigned char PE : 1;
31431         unsigned char CHR : 1;
31432         unsigned char CM : 1;
31433 #else
31434         unsigned char CM : 1;
31435         unsigned char CHR : 1;
31436         unsigned char PE : 1;
31437         unsigned char PM : 1;
31438         unsigned char STOP : 1;
31439         unsigned char MP : 1;
31440         unsigned char CKS : 2;
31441 #endif
31442     } BIT;
31443     } SMR;
31444     unsigned char BRR;
31445     union {
31446         unsigned char BYTE;
31447         struct {
31448
31449 #ifdef __RX_LITTLE_ENDIAN__
31450         unsigned char CKE : 2;
31451         unsigned char TEIE : 1;
31452         unsigned char MPIE : 1;
31453         unsigned char RE : 1;
31454         unsigned char TE : 1;
31455         unsigned char RIE : 1;
31456         unsigned char TIE : 1;
31457 #else
31458         unsigned char TIE : 1;
31459         unsigned char RIE : 1;
31460         unsigned char TE : 1;
31461         unsigned char RE : 1;
31462         unsigned char MPIE : 1;
31463         unsigned char TEIE : 1;
31464         unsigned char CKE : 2;
31465 #endif
31466     } BIT;
31467     } SCR;
31468     unsigned char TDR;
31469     union {
31470         unsigned char BYTE;
31471         struct {
31472
31473 #ifdef __RX_LITTLE_ENDIAN__
31474         unsigned char MPBT : 1;
31475         unsigned char MPB : 1;
31476         unsigned char TEND : 1;
31477         unsigned char PER : 1;
31478         unsigned char FER : 1;
31479         unsigned char ORER : 1;

```

```

31481         unsigned char RDRF : 1;
31482         unsigned char TDRE : 1;
31483 #else
31484         unsigned char TDRE : 1;
31485         unsigned char RDRF : 1;
31486         unsigned char ORER : 1;
31487         unsigned char FER : 1;
31488         unsigned char PER : 1;
31489         unsigned char TEND : 1;
31490         unsigned char MPB : 1;
31491         unsigned char MPBT : 1;
31492 #endif
31493     } BIT;
31494     } SSR;
31495     union {
31496         unsigned char BYTE;
31497     struct {
31498
31499 #ifdef __RX_LITTLE_ENDIAN__
31500         unsigned char DR : 1;
31501         unsigned char : 1;
31502         unsigned char TEND : 1;
31503         unsigned char PER : 1;
31504         unsigned char FER : 1;
31505         unsigned char ORER : 1;
31506         unsigned char RDF : 1;
31507         unsigned char TDFE : 1;
31508 #else
31509         unsigned char TDFE : 1;
31510         unsigned char RDF : 1;
31511         unsigned char ORER : 1;
31512         unsigned char FER : 1;
31513         unsigned char PER : 1;
31514         unsigned char TEND : 1;
31515         unsigned char : 1;
31516         unsigned char DR : 1;
31517 #endif
31518     } BIT;
31519     } SSRFIFO;
31520 };
31521 unsigned char RDR;
31522 union {
31523     unsigned char BYTE;
31524 struct {
31525
31526 #ifdef __RX_LITTLE_ENDIAN__
31527         unsigned char SMIF : 1;
31528         unsigned char : 1;
31529         unsigned char SINV : 1;
31530         unsigned char SDIR : 1;
31531         unsigned char CHR1 : 1;
31532         unsigned char : 2;
31533         unsigned char BCP2 : 1;
31534 #else
31535         unsigned char BCP2 : 1;
31536         unsigned char : 2;
31537         unsigned char CHR1 : 1;
31538         unsigned char SDIR : 1;
31539         unsigned char SINV : 1;
31540         unsigned char : 1;
31541         unsigned char SMIF : 1;
31542 #endif
31543     } BIT;
31544     } SCMR;
31545     union {
31546         unsigned char BYTE;
31547     struct {
31548
31549 #ifdef __RX_LITTLE_ENDIAN__
31550         unsigned char ACS0 : 1;
31551         unsigned char : 1;
31552         unsigned char BRME : 1;
31553         unsigned char ABCSE : 1;
31554         unsigned char ABCS : 1;
31555         unsigned char NFEN : 1;
31556         unsigned char BGDM : 1;
31557         unsigned char RXDESEL : 1;
31558 #else
31559         unsigned char RXDESEL : 1;
31560         unsigned char BGDM : 1;
31561         unsigned char NFEN : 1;
31562         unsigned char ABCS : 1;
31563         unsigned char ABCSE : 1;
31564         unsigned char BRME : 1;
31565         unsigned char : 1;
31566         unsigned char ACS0 : 1;
31567 #endif

```



```

31568     } BIT;
31569     } SEMR;
31570     union {
31571         unsigned char BYTE;
31572     struct {
31573
31574 #ifdef __RX_LITTLE_ENDIAN__
31575         unsigned char NFCS : 3;
31576         unsigned char : 5;
31577 #else
31578         unsigned char : 5;
31579         unsigned char NFCS : 3;
31580 #endif
31581     } BIT;
31582     } SNFR;
31583     union {
31584         unsigned char BYTE;
31585     struct {
31586
31587 #ifdef __RX_LITTLE_ENDIAN__
31588         unsigned char IICM : 1;
31589         unsigned char : 2;
31590         unsigned char IICDL : 5;
31591 #else
31592         unsigned char IICDL : 5;
31593         unsigned char : 2;
31594         unsigned char IICM : 1;
31595 #endif
31596     } BIT;
31597     } SIMR1;
31598     union {
31599         unsigned char BYTE;
31600     struct {
31601
31602 #ifdef __RX_LITTLE_ENDIAN__
31603         unsigned char IICINTM : 1;
31604         unsigned char IICCSC : 1;
31605         unsigned char : 3;
31606         unsigned char IICACKT : 1;
31607         unsigned char : 2;
31608 #else
31609         unsigned char : 2;
31610         unsigned char IICACKT : 1;
31611         unsigned char : 3;
31612         unsigned char IICCSC : 1;
31613         unsigned char IICINTM : 1;
31614 #endif
31615     } BIT;
31616     } SIMR2;
31617     union {
31618         unsigned char BYTE;
31619     struct {
31620
31621 #ifdef __RX_LITTLE_ENDIAN__
31622         unsigned char IICSTAREQ : 1;
31623         unsigned char IICRSTAREQ : 1;
31624         unsigned char IICSTPREQ : 1;
31625         unsigned char IICSTIF : 1;
31626         unsigned char IICSDAS : 2;
31627         unsigned char IICSCLS : 2;
31628 #else
31629         unsigned char IICSCLS : 2;
31630         unsigned char IICSDAS : 2;
31631         unsigned char IICSTIF : 1;
31632         unsigned char IICSTPREQ : 1;
31633         unsigned char IICRSTAREQ : 1;
31634         unsigned char IICSTAREQ : 1;
31635 #endif
31636     } BIT;
31637     } SIMR3;
31638     union {
31639         unsigned char BYTE;
31640     struct {
31641
31642 #ifdef __RX_LITTLE_ENDIAN__
31643         unsigned char IICACKR : 1;
31644         unsigned char : 7;
31645 #else
31646         unsigned char : 7;
31647         unsigned char IICACKR : 1;
31648 #endif
31649     } BIT;
31650     } SISR;
31651     union {
31652         unsigned char BYTE;
31653     struct {
31654

```

```

31655 #ifdef __RX_LITTLE_ENDIAN__
31656     unsigned char SSE : 1;
31657     unsigned char CTSE : 1;
31658     unsigned char MSS : 1;
31659     unsigned char : 1;
31660     unsigned char MFF : 1;
31661     unsigned char : 1;
31662     unsigned char CKPOL : 1;
31663     unsigned char CKPH : 1;
31664 #else
31665     unsigned char CKPH : 1;
31666     unsigned char CKPOL : 1;
31667     unsigned char : 1;
31668     unsigned char MFF : 1;
31669     unsigned char : 1;
31670     unsigned char MSS : 1;
31671     unsigned char CTSE : 1;
31672     unsigned char SSE : 1;
31673 #endif
31674 } BIT;
31675 } SPMR;
31676 union {
31677     union {
31678         unsigned short WORD;
31679         struct {
31680             unsigned char TDRH;
31681             unsigned char TDRL;
31682         } BYTE;
31683     } TDRHL;
31684     union {
31685         unsigned short WORD;
31686         struct {
31687             unsigned char H;
31688             unsigned char L;
31689         } BYTE;
31690     } struct {
31691
31692 #ifdef __RX_LITTLE_ENDIAN__
31693     unsigned short TDAT : 9;
31694     unsigned short MPBT : 1;
31695     unsigned short : 6;
31696 #else
31697     unsigned short : 6;
31698     unsigned short MPBT : 1;
31699     unsigned short TDAT : 9;
31700 #endif
31701 } BIT;
31702 } FTDR;
31703 };
31704 union {
31705     union {
31706         unsigned short WORD;
31707         struct {
31708             unsigned char RDRH;
31709             unsigned char RDRL;
31710         } BYTE;
31711     } RDRHL;
31712     union {
31713         unsigned short WORD;
31714         struct {
31715             unsigned char H;
31716             unsigned char L;
31717         } BYTE;
31718     } struct {
31719
31720 #ifdef __RX_LITTLE_ENDIAN__
31721     unsigned short RDAT : 9;
31722     unsigned short MPB : 1;
31723     unsigned short DR : 1;
31724     unsigned short PER : 1;
31725     unsigned short FER : 1;
31726     unsigned short ORER : 1;
31727     unsigned short RDF : 1;
31728     unsigned short : 1;
31729 #else
31730     unsigned short : 1;
31731     unsigned short RDF : 1;
31732     unsigned short ORER : 1;
31733     unsigned short FER : 1;
31734     unsigned short PER : 1;
31735     unsigned short DR : 1;
31736     unsigned short MPB : 1;
31737     unsigned short RDAT : 9;
31738 #endif
31739 } BIT;
31740 } FRDR;
31741 };

```

```

31742 unsigned char MDDR;
31743 union {
31744     unsigned char BYTE;
31745     struct {
31746
31747 #ifdef RX_LITTLE_ENDIAN
31748     unsigned char DCMF : 1;
31749     unsigned char : 2;
31750     unsigned char DPER : 1;
31751     unsigned char DFER : 1;
31752     unsigned char : 1;
31753     unsigned char IDSEL : 1;
31754     unsigned char DCME : 1;
31755 #else
31756     unsigned char DCME : 1;
31757     unsigned char IDSEL : 1;
31758     unsigned char : 1;
31759     unsigned char DFER : 1;
31760     unsigned char DPER : 1;
31761     unsigned char : 2;
31762     unsigned char DCMF : 1;
31763 #endif
31764     } BIT;
31765     } DCCR;
31766     union {
31767         unsigned short WORD;
31768         struct {
31769             unsigned char H;
31770             unsigned char L;
31771         } BYTE;
31772     } struct {
31773
31774 #ifdef RX_LITTLE_ENDIAN
31775     unsigned short FM : 1;
31776     unsigned short RFRST : 1;
31777     unsigned short TFRST : 1;
31778     unsigned short DRES : 1;
31779     unsigned short TTRG : 4;
31780     unsigned short RTRG : 4;
31781     unsigned short RSTRG : 4;
31782 #else
31783     unsigned short RSTRG : 4;
31784     unsigned short RTRG : 4;
31785     unsigned short TTRG : 4;
31786     unsigned short DRES : 1;
31787     unsigned short TFRST : 1;
31788     unsigned short RFRST : 1;
31789     unsigned short FM : 1;
31790 #endif
31791     } BIT;
31792     } FCR;
31793     union {
31794         unsigned short WORD;
31795         struct {
31796             unsigned char H;
31797             unsigned char L;
31798         } BYTE;
31799     } struct {
31800
31801 #ifdef RX_LITTLE_ENDIAN
31802     unsigned short R : 5;
31803     unsigned short : 3;
31804     unsigned short T : 5;
31805     unsigned short : 3;
31806 #else
31807     unsigned short : 3;
31808     unsigned short T : 5;
31809     unsigned short : 3;
31810     unsigned short R : 5;
31811 #endif
31812     } BIT;
31813     } FDR;
31814     union {
31815         unsigned short WORD;
31816         struct {
31817             unsigned char H;
31818             unsigned char L;
31819         } BYTE;
31820     } struct {
31821
31822 #ifdef RX_LITTLE_ENDIAN
31823     unsigned short ORER : 1;
31824     unsigned short : 1;
31825     unsigned short FNUM : 5;
31826     unsigned short : 1;
31827     unsigned short PNUM : 5;
31828     unsigned short : 3;

```

```

31829 #else
31830     unsigned short : 3;
31831     unsigned short PNUM : 5;
31832     unsigned short : 1;
31833     unsigned short FNUM : 5;
31834     unsigned short : 1;
31835     unsigned short ORER : 1;
31836 #endif
31837     } BIT;
31838     } LSR;
31839     union {
31840         unsigned short WORD;
31841         struct {
31842             unsigned char H;
31843             unsigned char L;
31844         } BYTE;
31845         struct {
31846
31847 #ifdef __RX_LITTLE_ENDIAN__
31848         unsigned short CMPD : 9;
31849         unsigned short : 7;
31850 #else
31851         unsigned short : 7;
31852         unsigned short CMPD : 9;
31853 #endif
31854         } BIT;
31855         } CDR;
31856         union {
31857             unsigned char BYTE;
31858             struct {
31859
31860 #ifdef __RX_LITTLE_ENDIAN__
31861             unsigned char RXDMON : 1;
31862             unsigned char SPB2DT : 1;
31863             unsigned char SPB2IO : 1;
31864             unsigned char : 5;
31865 #else
31866             unsigned char : 5;
31867             unsigned char SPB2IO : 1;
31868             unsigned char SPB2DT : 1;
31869             unsigned char RXDMON : 1;
31870 #endif
31871         } BIT;
31872         } SPTR;
31873     } st_sci7_t;
31874
31875 typedef struct st_sci12 {
31876     union {
31877         unsigned char BYTE;
31878         struct {
31879
31880 #ifdef __RX_LITTLE_ENDIAN__
31881         unsigned char CKS : 2;
31882         unsigned char MP : 1;
31883         unsigned char STOP : 1;
31884         unsigned char PM : 1;
31885         unsigned char PE : 1;
31886         unsigned char CHR : 1;
31887         unsigned char CM : 1;
31888 #else
31889         unsigned char CM : 1;
31890         unsigned char CHR : 1;
31891         unsigned char PE : 1;
31892         unsigned char PM : 1;
31893         unsigned char STOP : 1;
31894         unsigned char MP : 1;
31895         unsigned char CKS : 2;
31896 #endif
31897         } BIT;
31898         } SMR;
31899         unsigned char BRR;
31900         union {
31901             unsigned char BYTE;
31902             struct {
31903
31904 #ifdef __RX_LITTLE_ENDIAN__
31905             unsigned char CKE : 2;
31906             unsigned char TEIE : 1;
31907             unsigned char MPIE : 1;
31908             unsigned char RE : 1;
31909             unsigned char TE : 1;
31910             unsigned char RIE : 1;
31911             unsigned char TIE : 1;
31912 #else
31913             unsigned char TIE : 1;
31914             unsigned char RIE : 1;
31915             unsigned char TE : 1;

```

```

31916         unsigned char RE : 1;
31917         unsigned char MPIE : 1;
31918         unsigned char TEIE : 1;
31919         unsigned char CKE : 2;
31920     #endif
31921     } BIT;
31922     } SCR;
31923     unsigned char TDR;
31924     union {
31925         unsigned char BYTE;
31926         struct {
31927
31928     #ifdef __RX_LITTLE_ENDIAN__
31929         unsigned char MPBT : 1;
31930         unsigned char MPB : 1;
31931         unsigned char TEND : 1;
31932         unsigned char PER : 1;
31933         unsigned char FER : 1;
31934         unsigned char ORER : 1;
31935         unsigned char RDRF : 1;
31936         unsigned char TDRE : 1;
31937     #else
31938         unsigned char TDRE : 1;
31939         unsigned char RDRF : 1;
31940         unsigned char ORER : 1;
31941         unsigned char FER : 1;
31942         unsigned char PER : 1;
31943         unsigned char TEND : 1;
31944         unsigned char MPB : 1;
31945         unsigned char MPBT : 1;
31946     #endif
31947     } BIT;
31948     } SSR;
31949     unsigned char RDR;
31950     union {
31951         unsigned char BYTE;
31952         struct {
31953
31954     #ifdef __RX_LITTLE_ENDIAN__
31955         unsigned char SMIF : 1;
31956         unsigned char : 1;
31957         unsigned char SINV : 1;
31958         unsigned char SDIR : 1;
31959         unsigned char CHR1 : 1;
31960         unsigned char : 2;
31961         unsigned char BCP2 : 1;
31962     #else
31963         unsigned char BCP2 : 1;
31964         unsigned char : 2;
31965         unsigned char CHR1 : 1;
31966         unsigned char SDIR : 1;
31967         unsigned char SINV : 1;
31968         unsigned char : 1;
31969         unsigned char SMIF : 1;
31970     #endif
31971     } BIT;
31972     } SCMR;
31973     union {
31974         unsigned char BYTE;
31975         struct {
31976
31977     #ifdef __RX_LITTLE_ENDIAN__
31978         unsigned char ACS0 : 1;
31979         unsigned char : 1;
31980         unsigned char BRME : 1;
31981         unsigned char : 1;
31982         unsigned char ABCS : 1;
31983         unsigned char NFEN : 1;
31984         unsigned char BGDM : 1;
31985         unsigned char RXDESEL : 1;
31986     #else
31987         unsigned char RXDESEL : 1;
31988         unsigned char BGDM : 1;
31989         unsigned char NFEN : 1;
31990         unsigned char ABCS : 1;
31991         unsigned char : 1;
31992         unsigned char BRME : 1;
31993         unsigned char : 1;
31994         unsigned char ACS0 : 1;
31995     #endif
31996     } BIT;
31997     } SEMR;
31998     union {
31999         unsigned char BYTE;
32000         struct {
32001
32002     #ifdef __RX_LITTLE_ENDIAN__

```

```

32003         unsigned char NFCS : 3;
32004         unsigned char : 5;
32005 #else
32006         unsigned char : 5;
32007         unsigned char NFCS : 3;
32008 #endif
32009     } BIT;
32010     } SNFR;
32011     union {
32012         unsigned char BYTE;
32013     struct {
32014
32015 #ifdef __RX_LITTLE_ENDIAN__
32016         unsigned char IICM : 1;
32017         unsigned char : 2;
32018         unsigned char IICDL : 5;
32019 #else
32020         unsigned char IICDL : 5;
32021         unsigned char : 2;
32022         unsigned char IICM : 1;
32023 #endif
32024     } BIT;
32025     } SIMR1;
32026     union {
32027         unsigned char BYTE;
32028     struct {
32029
32030 #ifdef __RX_LITTLE_ENDIAN__
32031         unsigned char IICINTM : 1;
32032         unsigned char IICCSC : 1;
32033         unsigned char : 3;
32034         unsigned char IICACKT : 1;
32035         unsigned char : 2;
32036 #else
32037         unsigned char : 2;
32038         unsigned char IICACKT : 1;
32039         unsigned char : 3;
32040         unsigned char IICCSC : 1;
32041         unsigned char IICINTM : 1;
32042 #endif
32043     } BIT;
32044     } SIMR2;
32045     union {
32046         unsigned char BYTE;
32047     struct {
32048
32049 #ifdef __RX_LITTLE_ENDIAN__
32050         unsigned char IICSTAREQ : 1;
32051         unsigned char IICRSTAREQ : 1;
32052         unsigned char IICSTPREQ : 1;
32053         unsigned char IICSTIF : 1;
32054         unsigned char IICSDAS : 2;
32055         unsigned char IICSCLS : 2;
32056 #else
32057         unsigned char IICSCLS : 2;
32058         unsigned char IICSDAS : 2;
32059         unsigned char IICSTIF : 1;
32060         unsigned char IICSTPREQ : 1;
32061         unsigned char IICRSTAREQ : 1;
32062         unsigned char IICSTAREQ : 1;
32063 #endif
32064     } BIT;
32065     } SIMR3;
32066     union {
32067         unsigned char BYTE;
32068     struct {
32069
32070 #ifdef __RX_LITTLE_ENDIAN__
32071         unsigned char IICACKR : 1;
32072         unsigned char : 7;
32073 #else
32074         unsigned char : 7;
32075         unsigned char IICACKR : 1;
32076 #endif
32077     } BIT;
32078     } SISR;
32079     union {
32080         unsigned char BYTE;
32081     struct {
32082
32083 #ifdef __RX_LITTLE_ENDIAN__
32084         unsigned char SSE : 1;
32085         unsigned char CTSE : 1;
32086         unsigned char MSS : 1;
32087         unsigned char : 1;
32088         unsigned char MFF : 1;
32089         unsigned char : 1;

```

```

32090         unsigned char CKPOL : 1;
32091         unsigned char CKPH : 1;
32092 #else
32093         unsigned char CKPH : 1;
32094         unsigned char CKPOL : 1;
32095         unsigned char : 1;
32096         unsigned char MFF : 1;
32097         unsigned char : 1;
32098         unsigned char MSS : 1;
32099         unsigned char CTSE : 1;
32100         unsigned char SSE : 1;
32101 #endif
32102     } BIT;
32103     } SPMR;
32104     union {
32105         unsigned short WORD;
32106         struct {
32107             unsigned char TDRH;
32108             unsigned char TDRL;
32109         } BYTE;
32110     } TDRHL;
32111     union {
32112         unsigned short WORD;
32113         struct {
32114             unsigned char RDRH;
32115             unsigned char RDRL;
32116         } BYTE;
32117     } RDRHL;
32118     unsigned char MDDR;
32119     char wk0[13];
32120     union {
32121         unsigned char BYTE;
32122         struct {
32123
32124 #ifdef __RX_LITTLE_ENDIAN__
32125         unsigned char ESME : 1;
32126         unsigned char : 7;
32127 #else
32128         unsigned char : 7;
32129         unsigned char ESME : 1;
32130 #endif
32131     } BIT;
32132     } ESMER;
32133     union {
32134         unsigned char BYTE;
32135         struct {
32136
32137 #ifdef __RX_LITTLE_ENDIAN__
32138         unsigned char : 1;
32139         unsigned char SFSF : 1;
32140         unsigned char RXDSF : 1;
32141         unsigned char BRME : 1;
32142         unsigned char : 4;
32143 #else
32144         unsigned char : 4;
32145         unsigned char BRME : 1;
32146         unsigned char RXDSF : 1;
32147         unsigned char SFSF : 1;
32148         unsigned char : 1;
32149 #endif
32150     } BIT;
32151     } CR0;
32152     union {
32153         unsigned char BYTE;
32154         struct {
32155
32156 #ifdef __RX_LITTLE_ENDIAN__
32157         unsigned char BFE : 1;
32158         unsigned char CF0RE : 1;
32159         unsigned char CF1DS : 2;
32160         unsigned char PIBE : 1;
32161         unsigned char PIBS : 3;
32162 #else
32163         unsigned char PIBS : 3;
32164         unsigned char PIBE : 1;
32165         unsigned char CF1DS : 2;
32166         unsigned char CF0RE : 1;
32167         unsigned char BFE : 1;
32168 #endif
32169     } BIT;
32170     } CR1;
32171     union {
32172         unsigned char BYTE;
32173         struct {
32174
32175 #ifdef __RX_LITTLE_ENDIAN__
32176         unsigned char DFCS : 3;

```

```

32177         unsigned char : 1;
32178         unsigned char BCCS : 2;
32179         unsigned char RTS : 2;
32180 #else
32181         unsigned char RTS : 2;
32182         unsigned char BCCS : 2;
32183         unsigned char : 1;
32184         unsigned char DFCS : 3;
32185 #endif
32186     } BIT;
32187     } CR2;
32188     union {
32189         unsigned char BYTE;
32190     struct {
32191
32192 #ifdef __RX_LITTLE_ENDIAN__
32193         unsigned char SDST : 1;
32194         unsigned char : 7;
32195 #else
32196         unsigned char : 7;
32197         unsigned char SDST : 1;
32198 #endif
32199     } BIT;
32200     } CR3;
32201     union {
32202         unsigned char BYTE;
32203     struct {
32204
32205 #ifdef __RX_LITTLE_ENDIAN__
32206         unsigned char TXDXPS : 1;
32207         unsigned char RXDXPS : 1;
32208         unsigned char : 2;
32209         unsigned char SHARPS : 1;
32210         unsigned char : 3;
32211 #else
32212         unsigned char : 3;
32213         unsigned char SHARPS : 1;
32214         unsigned char : 2;
32215         unsigned char RXDXPS : 1;
32216         unsigned char TXDXPS : 1;
32217 #endif
32218     } BIT;
32219     } PCR;
32220     union {
32221         unsigned char BYTE;
32222     struct {
32223
32224 #ifdef __RX_LITTLE_ENDIAN__
32225         unsigned char BFDIE : 1;
32226         unsigned char CF0MIE : 1;
32227         unsigned char CF1MIE : 1;
32228         unsigned char PIBDIE : 1;
32229         unsigned char BCDIE : 1;
32230         unsigned char AEDIE : 1;
32231         unsigned char : 2;
32232 #else
32233         unsigned char : 2;
32234         unsigned char AEDIE : 1;
32235         unsigned char BCDIE : 1;
32236         unsigned char PIBDIE : 1;
32237         unsigned char CF1MIE : 1;
32238         unsigned char CF0MIE : 1;
32239         unsigned char BFDIE : 1;
32240 #endif
32241     } BIT;
32242     } ICR;
32243     union {
32244         unsigned char BYTE;
32245     struct {
32246
32247 #ifdef __RX_LITTLE_ENDIAN__
32248         unsigned char BFDF : 1;
32249         unsigned char CF0MF : 1;
32250         unsigned char CF1MF : 1;
32251         unsigned char PIBDF : 1;
32252         unsigned char BCDF : 1;
32253         unsigned char AEDF : 1;
32254         unsigned char : 2;
32255 #else
32256         unsigned char : 2;
32257         unsigned char AEDF : 1;
32258         unsigned char BCDF : 1;
32259         unsigned char PIBDF : 1;
32260         unsigned char CF1MF : 1;
32261         unsigned char CF0MF : 1;
32262         unsigned char BFDF : 1;
32263 #endif

```



```

32264     } BIT;
32265     } STR;
32266     union {
32267         unsigned char BYTE;
32268         struct {
32269
32270 #ifdef __RX_LITTLE_ENDIAN__
32271         unsigned char BFDCL : 1;
32272         unsigned char CF0MCL : 1;
32273         unsigned char CF1MCL : 1;
32274         unsigned char PIBDCL : 1;
32275         unsigned char BCDCL : 1;
32276         unsigned char AEDCL : 1;
32277         unsigned char : 2;
32278 #else
32279         unsigned char : 2;
32280         unsigned char AEDCL : 1;
32281         unsigned char BCDCL : 1;
32282         unsigned char PIBDCL : 1;
32283         unsigned char CF1MCL : 1;
32284         unsigned char CF0MCL : 1;
32285         unsigned char BFDCL : 1;
32286 #endif
32287     } BIT;
32288     } STCR;
32289     unsigned char CF0DR;
32290     union {
32291         unsigned char BYTE;
32292         struct {
32293
32294 #ifdef __RX_LITTLE_ENDIAN__
32295         unsigned char CF0CE0 : 1;
32296         unsigned char CF0CE1 : 1;
32297         unsigned char CF0CE2 : 1;
32298         unsigned char CF0CE3 : 1;
32299         unsigned char CF0CE4 : 1;
32300         unsigned char CF0CE5 : 1;
32301         unsigned char CF0CE6 : 1;
32302         unsigned char CF0CE7 : 1;
32303 #else
32304         unsigned char CF0CE7 : 1;
32305         unsigned char CF0CE6 : 1;
32306         unsigned char CF0CE5 : 1;
32307         unsigned char CF0CE4 : 1;
32308         unsigned char CF0CE3 : 1;
32309         unsigned char CF0CE2 : 1;
32310         unsigned char CF0CE1 : 1;
32311         unsigned char CF0CE0 : 1;
32312 #endif
32313     } BIT;
32314     } CF0CR;
32315     unsigned char CF0RR;
32316     unsigned char PCF1DR;
32317     unsigned char SCF1DR;
32318     union {
32319         unsigned char BYTE;
32320         struct {
32321
32322 #ifdef __RX_LITTLE_ENDIAN__
32323         unsigned char CF1CE0 : 1;
32324         unsigned char CF1CE1 : 1;
32325         unsigned char CF1CE2 : 1;
32326         unsigned char CF1CE3 : 1;
32327         unsigned char CF1CE4 : 1;
32328         unsigned char CF1CE5 : 1;
32329         unsigned char CF1CE6 : 1;
32330         unsigned char CF1CE7 : 1;
32331 #else
32332         unsigned char CF1CE7 : 1;
32333         unsigned char CF1CE6 : 1;
32334         unsigned char CF1CE5 : 1;
32335         unsigned char CF1CE4 : 1;
32336         unsigned char CF1CE3 : 1;
32337         unsigned char CF1CE2 : 1;
32338         unsigned char CF1CE1 : 1;
32339         unsigned char CF1CE0 : 1;
32340 #endif
32341     } BIT;
32342     } CF1CR;
32343     unsigned char CF1RR;
32344     union {
32345         unsigned char BYTE;
32346         struct {
32347
32348 #ifdef __RX_LITTLE_ENDIAN__
32349         unsigned char TCST : 1;
32350         unsigned char : 7;

```

```

32351 #else
32352     unsigned char : 7;
32353     unsigned char TCST : 1;
32354 #endif
32355 } BIT;
32356 } TCR;
32357 union {
32358     unsigned char BYTE;
32359     struct {
32360
32361 #ifdef __RX_LITTLE_ENDIAN__
32362     unsigned char TOMS : 2;
32363     unsigned char : 1;
32364     unsigned char TWRC : 1;
32365     unsigned char TCSS : 3;
32366     unsigned char : 1;
32367 #else
32368     unsigned char : 1;
32369     unsigned char TCSS : 3;
32370     unsigned char TWRC : 1;
32371     unsigned char : 1;
32372     unsigned char TOMS : 2;
32373 #endif
32374 } BIT;
32375 } TMR;
32376 unsigned char TPRES;
32377 unsigned char TCNT;
32378 } st_sci12_t;
32379
32380 typedef struct st_sdhi {
32381     union {
32382         unsigned long LONG;
32383 #ifdef IODEFINE_H_HISTORY
32384         struct {
32385
32386 #ifdef __RX_LITTLE_ENDIAN__
32387         unsigned long CMDIDX : 6;
32388         unsigned long ACMD : 2;
32389         unsigned long RSPTP : 3;
32390         unsigned long CMDTP : 1;
32391         unsigned long CMDRW : 1;
32392         unsigned long TRSTP : 1;
32393         unsigned long CMD12AT : 2;
32394         unsigned long : 16;
32395 #else
32396         unsigned long : 16;
32397         unsigned long CMD12AT : 2;
32398         unsigned long TRSTP : 1;
32399         unsigned long CMDRW : 1;
32400         unsigned long CMDTP : 1;
32401         unsigned long RSPTP : 3;
32402         unsigned long ACMD : 2;
32403         unsigned long CMDIDX : 6;
32404 #endif
32405     } BIT;
32406 #endif
32407     } SDCMD;
32408     char wk0[4];
32409     unsigned long SDARG;
32410     char wk1[4];
32411     union {
32412         unsigned long LONG;
32413         struct {
32414
32415 #ifdef __RX_LITTLE_ENDIAN__
32416         unsigned long STP : 1;
32417         unsigned long : 7;
32418         unsigned long SDBLKCNTEN : 1;
32419         unsigned long : 23;
32420 #else
32421         unsigned long : 23;
32422         unsigned long SDBLKCNTEN : 1;
32423         unsigned long : 7;
32424         unsigned long STP : 1;
32425 #endif
32426     } BIT;
32427     } SDSTOP;
32428     unsigned long SDBLKCNT;
32429     unsigned long SDRSP10;
32430     char wk2[4];
32431     unsigned long SDRSP32;
32432     char wk3[4];
32433     unsigned long SDRSP54;
32434     char wk4[4];
32435     unsigned long SDRSP76;
32436     char wk5[4];
32437     union {

```

```

32438     unsigned long LONG;
32439     struct {
32440
32441 #ifdef __RX_LITTLE_ENDIAN__
32442     unsigned long RSPEND : 1;
32443     unsigned long : 1;
32444     unsigned long ACEND : 1;
32445     unsigned long SDCDRM : 1;
32446     unsigned long SDCDIN : 1;
32447     unsigned long SDCDMON : 1;
32448     unsigned long : 1;
32449     unsigned long SDWPMON : 1;
32450     unsigned long SDD3RM : 1;
32451     unsigned long SDD3IN : 1;
32452     unsigned long SDD3MON : 1;
32453     unsigned long : 21;
32454 #else
32455     unsigned long : 21;
32456     unsigned long SDD3MON : 1;
32457     unsigned long SDD3IN : 1;
32458     unsigned long SDD3RM : 1;
32459     unsigned long SDWPMON : 1;
32460     unsigned long : 1;
32461     unsigned long SDCDMON : 1;
32462     unsigned long SDCDIN : 1;
32463     unsigned long SDCDRM : 1;
32464     unsigned long ACEND : 1;
32465     unsigned long : 1;
32466     unsigned long RSPEND : 1;
32467 #endif
32468     } BIT;
32469     } SDSTS1;
32470     union {
32471     unsigned long LONG;
32472     struct {
32473
32474 #ifdef __RX_LITTLE_ENDIAN__
32475     unsigned long CMDE : 1;
32476     unsigned long CRCE : 1;
32477     unsigned long ENDE : 1;
32478     unsigned long DTO : 1;
32479     unsigned long ILW : 1;
32480     unsigned long ILR : 1;
32481     unsigned long RSPTO : 1;
32482     unsigned long SDD0MON : 1;
32483     unsigned long BRE : 1;
32484     unsigned long BWE : 1;
32485     unsigned long : 3;
32486     unsigned long SDCLKCREN : 1;
32487     unsigned long CBSY : 1;
32488     unsigned long ILA : 1;
32489     unsigned long : 16;
32490 #else
32491     unsigned long : 16;
32492     unsigned long ILA : 1;
32493     unsigned long CBSY : 1;
32494     unsigned long SDCLKCREN : 1;
32495     unsigned long : 3;
32496     unsigned long BWE : 1;
32497     unsigned long BRE : 1;
32498     unsigned long SDD0MON : 1;
32499     unsigned long RSPTO : 1;
32500     unsigned long ILR : 1;
32501     unsigned long ILW : 1;
32502     unsigned long DTO : 1;
32503     unsigned long ENDE : 1;
32504     unsigned long CRCE : 1;
32505     unsigned long CMDE : 1;
32506 #endif
32507     } BIT;
32508     } SDSTS2;
32509     union {
32510     unsigned long LONG;
32511     struct {
32512
32513 #ifdef __RX_LITTLE_ENDIAN__
32514     unsigned long RSPENDM : 1;
32515     unsigned long : 1;
32516     unsigned long ACENDM : 1;
32517     unsigned long SDCDRMM : 1;
32518     unsigned long SDCDINM : 1;
32519     unsigned long : 3;
32520     unsigned long SDD3RMM : 1;
32521     unsigned long SDD3INM : 1;
32522     unsigned long : 22;
32523 #else
32524     unsigned long : 22;

```

```

32525         unsigned long SDD3INM : 1;
32526         unsigned long SDD3RMM : 1;
32527         unsigned long : 3;
32528         unsigned long SDCDINM : 1;
32529         unsigned long SDCDRMM : 1;
32530         unsigned long ACENDM : 1;
32531         unsigned long : 1;
32532         unsigned long RSPENDM : 1;
32533     #endif
32534     } BIT;
32535     } SDIMSK1;
32536     union {
32537         unsigned long LONG;
32538     struct {
32539
32540     #ifdef __RX_LITTLE_ENDIAN__
32541         unsigned long CMDEM : 1;
32542         unsigned long CRCCEM : 1;
32543         unsigned long ENDEM : 1;
32544         unsigned long DTTOM : 1;
32545         unsigned long ILWM : 1;
32546         unsigned long ILRM : 1;
32547         unsigned long RSPTOM : 1;
32548         unsigned long : 1;
32549         unsigned long BREM : 1;
32550         unsigned long BWEM : 1;
32551         unsigned long : 5;
32552         unsigned long ILAM : 1;
32553         unsigned long : 16;
32554     #else
32555         unsigned long : 16;
32556         unsigned long ILAM : 1;
32557         unsigned long : 5;
32558         unsigned long BWEM : 1;
32559         unsigned long BREM : 1;
32560         unsigned long : 1;
32561         unsigned long RSPTOM : 1;
32562         unsigned long ILRM : 1;
32563         unsigned long ILWM : 1;
32564         unsigned long DTTOM : 1;
32565         unsigned long ENDEM : 1;
32566         unsigned long CRCCEM : 1;
32567         unsigned long CMDEM : 1;
32568     #endif
32569     } BIT;
32570     } SDIMSK2;
32571     union {
32572         unsigned long LONG;
32573     struct {
32574
32575     #ifdef __RX_LITTLE_ENDIAN__
32576         unsigned long CLKSEL : 8;
32577         unsigned long CLKEN : 1;
32578         unsigned long CLKCTRLLEN : 1;
32579         unsigned long : 22;
32580     #else
32581         unsigned long : 22;
32582         unsigned long CLKCTRLLEN : 1;
32583         unsigned long CLKEN : 1;
32584         unsigned long CLKSEL : 8;
32585     #endif
32586     } BIT;
32587     } SDCLKCR;
32588     union {
32589         unsigned long LONG;
32590     struct {
32591
32592     #ifdef __RX_LITTLE_ENDIAN__
32593         unsigned long LEN : 10;
32594         unsigned long : 22;
32595     #else
32596         unsigned long : 22;
32597         unsigned long LEN : 10;
32598     #endif
32599     } BIT;
32600     } SDSIZE;
32601     union {
32602         unsigned long LONG;
32603     struct {
32604
32605     #ifdef __RX_LITTLE_ENDIAN__
32606         unsigned long CTOP : 4;
32607         unsigned long TOP : 4;
32608         unsigned long : 7;
32609         unsigned long WIDTH : 1;
32610         unsigned long : 16;
32611     #else

```

```

32612         unsigned long : 16;
32613         unsigned long WIDTH : 1;
32614         unsigned long : 7;
32615         unsigned long TOP : 4;
32616         unsigned long CTOP : 4;
32617     #endif
32618     } BIT;
32619     } SDOPT;
32620     char      wk6[4];
32621     union {
32622         unsigned long LONG;
32623         struct {
32624
32625     #ifdef __RX_LITTLE_ENDIAN__
32626         unsigned long CMDE0 : 1;
32627         unsigned long CMDE1 : 1;
32628         unsigned long RSPLNE0 : 1;
32629         unsigned long RSPLNE1 : 1;
32630         unsigned long RDLENE : 1;
32631         unsigned long CRCLNE : 1;
32632         unsigned long : 2;
32633         unsigned long RSPCRCE0 : 1;
32634         unsigned long RSPCRCE1 : 1;
32635         unsigned long RDCRCE : 1;
32636         unsigned long CRCTKE : 1;
32637         unsigned long CRCTK : 3;
32638         unsigned long : 17;
32639     #else
32640         unsigned long : 17;
32641         unsigned long CRCTK : 3;
32642         unsigned long CRCTKE : 1;
32643         unsigned long RDCRCE : 1;
32644         unsigned long RSPCRCE1 : 1;
32645         unsigned long RSPCRCE0 : 1;
32646         unsigned long : 2;
32647         unsigned long CRCLNE : 1;
32648         unsigned long RDLENE : 1;
32649         unsigned long RSPLNE1 : 1;
32650         unsigned long RSPLNE0 : 1;
32651         unsigned long CMDE1 : 1;
32652         unsigned long CMDE0 : 1;
32653     #endif
32654     } BIT;
32655     } SDERSTS1;
32656     union {
32657         unsigned long LONG;
32658         struct {
32659
32660     #ifdef __RX_LITTLE_ENDIAN__
32661         unsigned long RSPTO0 : 1;
32662         unsigned long RSPTO1 : 1;
32663         unsigned long BSYTO0 : 1;
32664         unsigned long BSYTO1 : 1;
32665         unsigned long RDTO : 1;
32666         unsigned long CRCTO : 1;
32667         unsigned long CRCBSYTO : 1;
32668         unsigned long : 25;
32669     #else
32670         unsigned long : 25;
32671         unsigned long CRCBSYTO : 1;
32672         unsigned long CRCTO : 1;
32673         unsigned long RDTO : 1;
32674         unsigned long BSYTO1 : 1;
32675         unsigned long BSYTO0 : 1;
32676         unsigned long RSPTO1 : 1;
32677         unsigned long RSPTO0 : 1;
32678     #endif
32679     } BIT;
32680     } SDERSTS2;
32681     unsigned long SDBUFR;
32682     char      wk7[4];
32683     union {
32684         unsigned long LONG;
32685         struct {
32686
32687     #ifdef __RX_LITTLE_ENDIAN__
32688         unsigned long INTEN : 1;
32689         unsigned long : 1;
32690         unsigned long RWREQ : 1;
32691         unsigned long : 5;
32692         unsigned long IOABT : 1;
32693         unsigned long C52PUB : 1;
32694         unsigned long : 22;
32695     #else
32696         unsigned long : 22;
32697         unsigned long C52PUB : 1;
32698         unsigned long IOABT : 1;

```

```

32699         unsigned long : 5;
32700         unsigned long RWREQ : 1;
32701         unsigned long : 1;
32702         unsigned long INTEN : 1;
32703 #endif
32704     } BIT;
32705     } SDIOMD;
32706     union {
32707         unsigned long LONG;
32708         struct {
32709
32710 #ifdef __RX_LITTLE_ENDIAN__
32711         unsigned long IOIRQ : 1;
32712         unsigned long : 13;
32713         unsigned long EXPUB52 : 1;
32714         unsigned long EXWT : 1;
32715         unsigned long : 16;
32716 #else
32717         unsigned long : 16;
32718         unsigned long EXWT : 1;
32719         unsigned long EXPUB52 : 1;
32720         unsigned long : 13;
32721         unsigned long IOIRQ : 1;
32722 #endif
32723     } BIT;
32724     } SDIOSTS;
32725     union {
32726         unsigned long LONG;
32727         struct {
32728
32729 #ifdef __RX_LITTLE_ENDIAN__
32730         unsigned long IOIRQM : 1;
32731         unsigned long : 13;
32732         unsigned long EXPUB52M : 1;
32733         unsigned long EXWTM : 1;
32734         unsigned long : 16;
32735 #else
32736         unsigned long : 16;
32737         unsigned long EXWTM : 1;
32738         unsigned long EXPUB52M : 1;
32739         unsigned long : 13;
32740         unsigned long IOIRQM : 1;
32741 #endif
32742     } BIT;
32743     } SDIOIMSK;
32744     char          wk8[316];
32745     union {
32746         unsigned long LONG;
32747         struct {
32748
32749 #ifdef __RX_LITTLE_ENDIAN__
32750         unsigned long : 1;
32751         unsigned long DMAEN : 1;
32752         unsigned long : 30;
32753 #else
32754         unsigned long : 30;
32755         unsigned long DMAEN : 1;
32756         unsigned long : 1;
32757 #endif
32758     } BIT;
32759     } SDDMAEN;
32760     char          wk9[12];
32761     union {
32762         unsigned long LONG;
32763         struct {
32764
32765 #ifdef __RX_LITTLE_ENDIAN__
32766         unsigned long SDRST : 1;
32767         unsigned long : 31;
32768 #else
32769         unsigned long : 31;
32770         unsigned long SDRST : 1;
32771 #endif
32772     } BIT;
32773     } SDRST;
32774     union {
32775         unsigned long LONG;
32776         struct {
32777
32778 #ifdef __RX_LITTLE_ENDIAN__
32779         unsigned long IP1 : 8;
32780         unsigned long IP2 : 4;
32781         unsigned long : 2;
32782         unsigned long CLKRAT : 1;
32783         unsigned long CPRM : 1;
32784         unsigned long : 16;
32785 #else

```

```

32786         unsigned long : 16;
32787         unsigned long CPRM : 1;
32788         unsigned long CLKRAT : 1;
32789         unsigned long : 2;
32790         unsigned long IP2 : 4;
32791         unsigned long IP1 : 8;
32792 #endif
32793     } BIT;
32794     } SDVER;
32795     char          wk10[24];
32796     union {
32797         unsigned long LONG;
32798         struct {
32799
32800 #ifdef __RX_LITTLE_ENDIAN__
32801         unsigned long : 6;
32802         unsigned long BWSWP : 1;
32803         unsigned long BRSWP : 1;
32804         unsigned long : 24;
32805 #else
32806         unsigned long : 24;
32807         unsigned long BRSWP : 1;
32808         unsigned long BWSWP : 1;
32809         unsigned long : 6;
32810 #endif
32811     } BIT;
32812     } SDSWAP;
32813 } st_sdhi_t;
32814
32815 typedef struct st_smci {
32816     union {
32817         unsigned char BYTE;
32818         struct {
32819
32820 #ifdef __RX_LITTLE_ENDIAN__
32821         unsigned char CKS : 2;
32822         unsigned char BCP : 2;
32823         unsigned char PM : 1;
32824         unsigned char PE : 1;
32825         unsigned char BLK : 1;
32826         unsigned char GM : 1;
32827 #else
32828         unsigned char GM : 1;
32829         unsigned char BLK : 1;
32830         unsigned char PE : 1;
32831         unsigned char PM : 1;
32832         unsigned char BCP : 2;
32833         unsigned char CKS : 2;
32834 #endif
32835     } BIT;
32836     } SMR;
32837     char          wk0[1];
32838     union {
32839         unsigned char BYTE;
32840         struct {
32841
32842 #ifdef __RX_LITTLE_ENDIAN__
32843         unsigned char CKE : 2;
32844         unsigned char TEIE : 1;
32845         unsigned char MPIE : 1;
32846         unsigned char RE : 1;
32847         unsigned char TE : 1;
32848         unsigned char RIE : 1;
32849         unsigned char TIE : 1;
32850 #else
32851         unsigned char TIE : 1;
32852         unsigned char RIE : 1;
32853         unsigned char TE : 1;
32854         unsigned char RE : 1;
32855         unsigned char MPIE : 1;
32856         unsigned char TEIE : 1;
32857         unsigned char CKE : 2;
32858 #endif
32859     } BIT;
32860     } SCR;
32861     char          wk1[1];
32862     union {
32863         unsigned char BYTE;
32864         struct {
32865
32866 #ifdef __RX_LITTLE_ENDIAN__
32867         unsigned char MPBT : 1;
32868         unsigned char MPB : 1;
32869         unsigned char TEND : 1;
32870         unsigned char PER : 1;
32871         unsigned char ERS : 1;
32872         unsigned char ORER : 1;

```

```

32873         unsigned char RDRF : 1;
32874         unsigned char TDRE : 1;
32875     #else
32876         unsigned char TDRE : 1;
32877         unsigned char RDRF : 1;
32878         unsigned char ORER : 1;
32879         unsigned char ERS : 1;
32880         unsigned char PER : 1;
32881         unsigned char TEND : 1;
32882         unsigned char MPB : 1;
32883         unsigned char MPBT : 1;
32884     #endif
32885     } BIT;
32886     } SSR;
32887     char          wk2[1];
32888     union {
32889         unsigned char BYTE;
32890         struct {
32891
32892     #ifdef __RX_LITTLE_ENDIAN__
32893         unsigned char SMIF : 1;
32894         unsigned char : 1;
32895         unsigned char SINV : 1;
32896         unsigned char SDIR : 1;
32897         unsigned char CHR1 : 1;
32898         unsigned char : 2;
32899         unsigned char BCP2 : 1;
32900     #else
32901         unsigned char BCP2 : 1;
32902         unsigned char : 2;
32903         unsigned char CHR1 : 1;
32904         unsigned char SDIR : 1;
32905         unsigned char SINV : 1;
32906         unsigned char : 1;
32907         unsigned char SMIF : 1;
32908     #endif
32909     } BIT;
32910     } SCMR;
32911 } st_smci_t;
32912
32913 typedef struct st_ssie {
32914     union {
32915         unsigned long LONG;
32916         struct {
32917
32918     #ifdef __RX_LITTLE_ENDIAN__
32919         unsigned long REN : 1;
32920         unsigned long TEN : 1;
32921         unsigned long : 1;
32922         unsigned long MUEN : 1;
32923         unsigned long CKDV : 4;
32924         unsigned long DEL : 1;
32925         unsigned long PDATA : 1;
32926         unsigned long SDTA : 1;
32927         unsigned long SPDP : 1;
32928         unsigned long LRCKP : 1;
32929         unsigned long BCKP : 1;
32930         unsigned long MST : 1;
32931         unsigned long : 1;
32932         unsigned long SWL : 3;
32933         unsigned long DWL : 3;
32934         unsigned long FRM : 2;
32935         unsigned long : 1;
32936         unsigned long IIEN : 1;
32937         unsigned long ROIEN : 1;
32938         unsigned long RUIEN : 1;
32939         unsigned long TOIEN : 1;
32940         unsigned long TUIEN : 1;
32941         unsigned long : 2;
32942     #else
32943         unsigned long : 2;
32944         unsigned long TUIEN : 1;
32945         unsigned long TOIEN : 1;
32946         unsigned long RUIEN : 1;
32947         unsigned long ROIEN : 1;
32948         unsigned long IIEN : 1;
32949         unsigned long : 1;
32950         unsigned long FRM : 2;
32951         unsigned long DWL : 3;
32952         unsigned long SWL : 3;
32953         unsigned long : 1;
32954         unsigned long MST : 1;
32955         unsigned long BCKP : 1;
32956         unsigned long LRCKP : 1;
32957         unsigned long SPDP : 1;
32958         unsigned long SDTA : 1;
32959         unsigned long PDATA : 1;

```



```

32960         unsigned long DEL : 1;
32961         unsigned long CKDV : 4;
32962         unsigned long MUEN : 1;
32963         unsigned long : 1;
32964         unsigned long TEN : 1;
32965         unsigned long REN : 1;
32966     #endif
32967     } BIT;
32968     } SSICR;
32969     union {
32970         unsigned long LONG;
32971         struct {
32972
32973     #ifdef __RX_LITTLE_ENDIAN__
32974         unsigned long : 25;
32975         unsigned long IIRQ : 1;
32976         unsigned long ROIRQ : 1;
32977         unsigned long RUIRQ : 1;
32978         unsigned long TOIRQ : 1;
32979         unsigned long TUIRQ : 1;
32980         unsigned long : 2;
32981     #else
32982         unsigned long : 2;
32983         unsigned long TUIRQ : 1;
32984         unsigned long TOIRQ : 1;
32985         unsigned long RUIRQ : 1;
32986         unsigned long ROIRQ : 1;
32987         unsigned long IIRQ : 1;
32988         unsigned long : 25;
32989     #endif
32990     } BIT;
32991     } SSISR;
32992     char      wk0[8];
32993     union {
32994         unsigned long LONG;
32995         struct {
32996
32997     #ifdef __RX_LITTLE_ENDIAN__
32998         unsigned long RFRST : 1;
32999         unsigned long TFRST : 1;
33000         unsigned long RIE : 1;
33001         unsigned long TIE : 1;
33002         unsigned long : 7;
33003         unsigned long BSW : 1;
33004         unsigned long : 4;
33005         unsigned long SSIRST : 1;
33006         unsigned long : 14;
33007         unsigned long AUCKE : 1;
33008     #else
33009         unsigned long AUCKE : 1;
33010         unsigned long : 14;
33011         unsigned long SSIRST : 1;
33012         unsigned long : 4;
33013         unsigned long BSW : 1;
33014         unsigned long : 7;
33015         unsigned long TIE : 1;
33016         unsigned long RIE : 1;
33017         unsigned long TFRST : 1;
33018         unsigned long RFRST : 1;
33019     #endif
33020     } BIT;
33021     } SSIFCR;
33022     union {
33023         unsigned long LONG;
33024         struct {
33025
33026     #ifdef __RX_LITTLE_ENDIAN__
33027         unsigned long RDF : 1;
33028         unsigned long : 7;
33029         unsigned long RDC : 6;
33030         unsigned long : 2;
33031         unsigned long TDE : 1;
33032         unsigned long : 7;
33033         unsigned long TDC : 6;
33034         unsigned long : 2;
33035     #else
33036         unsigned long : 2;
33037         unsigned long TDC : 6;
33038         unsigned long : 7;
33039         unsigned long TDE : 1;
33040         unsigned long : 2;
33041         unsigned long RDC : 6;
33042         unsigned long : 7;
33043         unsigned long RDF : 1;
33044     #endif
33045     } BIT;
33046     } SSIFSR;

```

```

33047     union {
33048         unsigned long LONG;
33049         struct {
33050             unsigned short H;
33051         } WORD;
33052         struct {
33053             unsigned char HH;
33054         } BYTE;
33055     } SSIFTR;
33056     union {
33057         unsigned long LONG;
33058         struct {
33059             unsigned short H;
33060         } WORD;
33061         struct {
33062             unsigned char HH;
33063         } BYTE;
33064     } SSIFRDR;
33065     union {
33066         unsigned long LONG;
33067         struct {
33068
33069 #ifdef __RX_LITTLE_ENDIAN__
33070         unsigned long OMOD : 2;
33071         unsigned long : 6;
33072         unsigned long LRCONT : 1;
33073         unsigned long BCKASTP : 1;
33074         unsigned long : 22;
33075 #else
33076         unsigned long : 22;
33077         unsigned long BCKASTP : 1;
33078         unsigned long LRCONT : 1;
33079         unsigned long : 6;
33080         unsigned long OMOD : 2;
33081 #endif
33082     } BIT;
33083     } SSIOFR;
33084     union {
33085         unsigned long LONG;
33086         struct {
33087
33088 #ifdef __RX_LITTLE_ENDIAN__
33089         unsigned long RDFS : 5;
33090         unsigned long : 3;
33091         unsigned long TDES : 5;
33092         unsigned long : 19;
33093 #else
33094         unsigned long : 19;
33095         unsigned long TDES : 5;
33096         unsigned long : 3;
33097         unsigned long RDFS : 5;
33098 #endif
33099     } BIT;
33100     } SSISCR;
33101 } st_ssie_t;
33102
33103 typedef struct st_system {
33104     union {
33105         unsigned short WORD;
33106         struct {
33107
33108 #ifdef __RX_LITTLE_ENDIAN__
33109         unsigned short MD : 1;
33110         unsigned short : 15;
33111 #else
33112         unsigned short : 15;
33113         unsigned short MD : 1;
33114 #endif
33115     } BIT;
33116     } MDMONR;
33117     char wk0[4];
33118     union {
33119         unsigned short WORD;
33120         struct {
33121
33122 #ifdef __RX_LITTLE_ENDIAN__
33123         unsigned short ROME : 1;
33124         unsigned short EXBE : 1;
33125         unsigned short : 6;
33126         unsigned short KEY : 8;
33127 #else
33128         unsigned short KEY : 8;
33129         unsigned short : 6;
33130         unsigned short EXBE : 1;
33131         unsigned short ROME : 1;
33132 #endif
33133     } BIT;

```

```

33134     } SYSCR0;
33135     union {
33136         unsigned short WORD;
33137         struct {
33138
33139 #ifdef __RX_LITTLE_ENDIAN__
33140         unsigned short RAME : 1;
33141         unsigned short : 5;
33142         unsigned short ECCRAME : 1;
33143         unsigned short SBYRAME : 1;
33144         unsigned short : 8;
33145 #else
33146         unsigned short : 8;
33147         unsigned short SBYRAME : 1;
33148         unsigned short ECCRAME : 1;
33149         unsigned short : 5;
33150         unsigned short RAME : 1;
33151 #endif
33152     } BIT;
33153     } SYSCR1;
33154     char          wk1[2];
33155     union {
33156         unsigned short WORD;
33157         struct {
33158
33159 #ifdef __RX_LITTLE_ENDIAN__
33160         unsigned short : 14;
33161         unsigned short OPE : 1;
33162         unsigned short SSBY : 1;
33163 #else
33164         unsigned short SSBY : 1;
33165         unsigned short OPE : 1;
33166         unsigned short : 14;
33167 #endif
33168     } BIT;
33169     } SBYCR;
33170     char          wk2[2];
33171     union {
33172         unsigned long LONG;
33173         struct {
33174
33175 #ifdef __RX_LITTLE_ENDIAN__
33176         unsigned long MSTPA0 : 1;
33177         unsigned long MSTPA1 : 1;
33178         unsigned long : 2;
33179         unsigned long MSTPA4 : 1;
33180         unsigned long MSTPA5 : 1;
33181         unsigned long : 1;
33182         unsigned long MSTPA7 : 1;
33183         unsigned long : 1;
33184         unsigned long MSTPA9 : 1;
33185         unsigned long MSTPA10 : 1;
33186         unsigned long MSTPA11 : 1;
33187         unsigned long : 1;
33188         unsigned long MSTPA13 : 1;
33189         unsigned long MSTPA14 : 1;
33190         unsigned long MSTPA15 : 1;
33191         unsigned long MSTPA16 : 1;
33192         unsigned long MSTPA17 : 1;
33193         unsigned long : 1;
33194         unsigned long MSTPA19 : 1;
33195         unsigned long : 4;
33196         unsigned long MSTPA24 : 1;
33197         unsigned long : 2;
33198         unsigned long MSTPA27 : 1;
33199         unsigned long MSTPA28 : 1;
33200         unsigned long MSTPA29 : 1;
33201         unsigned long : 1;
33202         unsigned long ACSE : 1;
33203 #else
33204         unsigned long ACSE : 1;
33205         unsigned long : 1;
33206         unsigned long MSTPA29 : 1;
33207         unsigned long MSTPA28 : 1;
33208         unsigned long MSTPA27 : 1;
33209         unsigned long : 2;
33210         unsigned long MSTPA24 : 1;
33211         unsigned long : 4;
33212         unsigned long MSTPA19 : 1;
33213         unsigned long : 1;
33214         unsigned long MSTPA17 : 1;
33215         unsigned long MSTPA16 : 1;
33216         unsigned long MSTPA15 : 1;
33217         unsigned long MSTPA14 : 1;
33218         unsigned long MSTPA13 : 1;
33219         unsigned long : 1;
33220         unsigned long MSTPA11 : 1;

```

```

33221         unsigned long MSTPA10 : 1;
33222         unsigned long MSTPA9 : 1;
33223         unsigned long : 1;
33224         unsigned long MSTPA7 : 1;
33225         unsigned long : 1;
33226         unsigned long MSTPA5 : 1;
33227         unsigned long MSTPA4 : 1;
33228         unsigned long : 2;
33229         unsigned long MSTPA1 : 1;
33230         unsigned long MSTPA0 : 1;
33231     #endif
33232     } BIT;
33233     } MSTPCRA;
33234     union {
33235         unsigned long LONG;
33236     struct {
33237
33238     #ifdef __RX_LITTLE_ENDIAN__
33239         unsigned long MSTPB0 : 1;
33240         unsigned long MSTPB1 : 1;
33241         unsigned long MSTPB2 : 1;
33242         unsigned long : 1;
33243         unsigned long MSTPB4 : 1;
33244         unsigned long : 1;
33245         unsigned long MSTPB6 : 1;
33246         unsigned long : 1;
33247         unsigned long MSTPB8 : 1;
33248         unsigned long MSTPB9 : 1;
33249         unsigned long : 3;
33250         unsigned long MSTPB13 : 1;
33251         unsigned long MSTPB14 : 1;
33252         unsigned long MSTPB15 : 1;
33253         unsigned long MSTPB16 : 1;
33254         unsigned long MSTPB17 : 1;
33255         unsigned long : 1;
33256         unsigned long MSTPB19 : 1;
33257         unsigned long MSTPB20 : 1;
33258         unsigned long MSTPB21 : 1;
33259         unsigned long MSTPB22 : 1;
33260         unsigned long MSTPB23 : 1;
33261         unsigned long MSTPB24 : 1;
33262         unsigned long MSTPB25 : 1;
33263         unsigned long MSTPB26 : 1;
33264         unsigned long MSTPB27 : 1;
33265         unsigned long MSTPB28 : 1;
33266         unsigned long MSTPB29 : 1;
33267         unsigned long MSTPB30 : 1;
33268         unsigned long MSTPB31 : 1;
33269     #else
33270         unsigned long MSTPB31 : 1;
33271         unsigned long MSTPB30 : 1;
33272         unsigned long MSTPB29 : 1;
33273         unsigned long MSTPB28 : 1;
33274         unsigned long MSTPB27 : 1;
33275         unsigned long MSTPB26 : 1;
33276         unsigned long MSTPB25 : 1;
33277         unsigned long MSTPB24 : 1;
33278         unsigned long MSTPB23 : 1;
33279         unsigned long MSTPB22 : 1;
33280         unsigned long MSTPB21 : 1;
33281         unsigned long MSTPB20 : 1;
33282         unsigned long MSTPB19 : 1;
33283         unsigned long : 1;
33284         unsigned long MSTPB17 : 1;
33285         unsigned long MSTPB16 : 1;
33286         unsigned long MSTPB15 : 1;
33287         unsigned long MSTPB14 : 1;
33288         unsigned long MSTPB13 : 1;
33289         unsigned long : 3;
33290         unsigned long MSTPB9 : 1;
33291         unsigned long MSTPB8 : 1;
33292         unsigned long : 1;
33293         unsigned long MSTPB6 : 1;
33294         unsigned long : 1;
33295         unsigned long MSTPB4 : 1;
33296         unsigned long : 1;
33297         unsigned long MSTPB2 : 1;
33298         unsigned long MSTPB1 : 1;
33299         unsigned long MSTPB0 : 1;
33300     #endif
33301     } BIT;
33302     } MSTPCRB;
33303     union {
33304         unsigned long LONG;
33305     struct {
33306
33307     #ifdef __RX_LITTLE_ENDIAN__

```

```

33308     unsigned long MSTPC0 : 1;
33309     unsigned long  : 1;
33310     unsigned long MSTPC2 : 1;
33311     unsigned long  : 3;
33312     unsigned long MSTPC6 : 1;
33313     unsigned long MSTPC7 : 1;
33314     unsigned long  : 9;
33315     unsigned long MSTPC17 : 1;
33316     unsigned long  : 1;
33317     unsigned long MSTPC19 : 1;
33318     unsigned long  : 2;
33319     unsigned long MSTPC22 : 1;
33320     unsigned long MSTPC23 : 1;
33321     unsigned long MSTPC24 : 1;
33322     unsigned long MSTPC25 : 1;
33323     unsigned long MSTPC26 : 1;
33324     unsigned long MSTPC27 : 1;
33325     unsigned long MSTPC28 : 1;
33326     unsigned long MSTPC29 : 1;
33327     unsigned long  : 2;
33328 #else
33329     unsigned long  : 2;
33330     unsigned long MSTPC29 : 1;
33331     unsigned long MSTPC28 : 1;
33332     unsigned long MSTPC27 : 1;
33333     unsigned long MSTPC26 : 1;
33334     unsigned long MSTPC25 : 1;
33335     unsigned long MSTPC24 : 1;
33336     unsigned long MSTPC23 : 1;
33337     unsigned long MSTPC22 : 1;
33338     unsigned long  : 2;
33339     unsigned long MSTPC19 : 1;
33340     unsigned long  : 1;
33341     unsigned long MSTPC17 : 1;
33342     unsigned long  : 9;
33343     unsigned long MSTPC7 : 1;
33344     unsigned long MSTPC6 : 1;
33345     unsigned long  : 3;
33346     unsigned long MSTPC2 : 1;
33347     unsigned long  : 1;
33348     unsigned long MSTPC0 : 1;
33349 #endif
33350 } BIT;
33351 } MSTPCRC;
33352 union {
33353     unsigned long LONG;
33354     struct {
33355
33356 #ifdef __RX_LITTLE_ENDIAN__
33357     unsigned long MSTPD0 : 1;
33358     unsigned long MSTPD1 : 1;
33359     unsigned long MSTPD2 : 1;
33360     unsigned long MSTPD3 : 1;
33361     unsigned long MSTPD4 : 1;
33362     unsigned long MSTPD5 : 1;
33363     unsigned long MSTPD6 : 1;
33364     unsigned long MSTPD7 : 1;
33365     unsigned long  : 6;
33366     unsigned long MSTPD14 : 1;
33367     unsigned long MSTPD15 : 1;
33368     unsigned long  : 3;
33369     unsigned long MSTPD19 : 1;
33370     unsigned long  : 1;
33371     unsigned long MSTPD21 : 1;
33372     unsigned long  : 5;
33373     unsigned long MSTPD27 : 1;
33374     unsigned long  : 4;
33375 #else
33376     unsigned long  : 4;
33377     unsigned long MSTPD27 : 1;
33378     unsigned long  : 5;
33379     unsigned long MSTPD21 : 1;
33380     unsigned long  : 1;
33381     unsigned long MSTPD19 : 1;
33382     unsigned long  : 3;
33383     unsigned long MSTPD15 : 1;
33384     unsigned long MSTPD14 : 1;
33385     unsigned long  : 6;
33386     unsigned long MSTPD7 : 1;
33387     unsigned long MSTPD6 : 1;
33388     unsigned long MSTPD5 : 1;
33389     unsigned long MSTPD4 : 1;
33390     unsigned long MSTPD3 : 1;
33391     unsigned long MSTPD2 : 1;
33392     unsigned long MSTPD1 : 1;
33393     unsigned long MSTPD0 : 1;
33394 #endif

```

```

33395     } BIT;
33396     } MSTPCRD;
33397     union {
33398         unsigned long LONG;
33399     struct {
33400
33401 #ifdef __RX_LITTLE_ENDIAN__
33402     unsigned long PCKD : 4;
33403     unsigned long PCKC : 4;
33404     unsigned long PCKB : 4;
33405     unsigned long PCKA : 4;
33406     unsigned long BCK : 4;
33407     unsigned long      : 2;
33408     unsigned long PSTOP0 : 1;
33409     unsigned long PSTOP1 : 1;
33410     unsigned long ICK : 4;
33411     unsigned long FCK : 4;
33412 #else
33413     unsigned long FCK : 4;
33414     unsigned long ICK : 4;
33415     unsigned long PSTOP1 : 1;
33416     unsigned long PSTOP0 : 1;
33417     unsigned long      : 2;
33418     unsigned long BCK : 4;
33419     unsigned long PCKA : 4;
33420     unsigned long PCKB : 4;
33421     unsigned long PCKC : 4;
33422     unsigned long PCKD : 4;
33423 #endif
33424     } BIT;
33425     } SCKCR;
33426     union {
33427         unsigned short WORD;
33428     struct {
33429
33430 #ifdef __RX_LITTLE_ENDIAN__
33431     unsigned short      : 4;
33432     unsigned short UCK : 4;
33433     unsigned short      : 8;
33434 #else
33435     unsigned short      : 8;
33436     unsigned short UCK : 4;
33437     unsigned short      : 4;
33438 #endif
33439     } BIT;
33440     } SCKCR2;
33441     union {
33442         unsigned short WORD;
33443     struct {
33444
33445 #ifdef __RX_LITTLE_ENDIAN__
33446     unsigned short      : 8;
33447     unsigned short CKSEL : 3;
33448     unsigned short      : 5;
33449 #else
33450     unsigned short      : 5;
33451     unsigned short CKSEL : 3;
33452     unsigned short      : 8;
33453 #endif
33454     } BIT;
33455     } SCKCR3;
33456     union {
33457         unsigned short WORD;
33458     struct {
33459
33460 #ifdef __RX_LITTLE_ENDIAN__
33461     unsigned short PLIDIV : 2;
33462     unsigned short      : 2;
33463     unsigned short PLLSRCSEL : 1;
33464     unsigned short      : 3;
33465     unsigned short STC : 6;
33466     unsigned short      : 2;
33467 #else
33468     unsigned short      : 2;
33469     unsigned short STC : 6;
33470     unsigned short      : 3;
33471     unsigned short PLLSRCSEL : 1;
33472     unsigned short      : 2;
33473     unsigned short PLIDIV : 2;
33474 #endif
33475     } BIT;
33476     } PLLCR;
33477     union {
33478         unsigned char BYTE;
33479     struct {
33480
33481 #ifdef __RX_LITTLE_ENDIAN__

```

```

33482         unsigned char PLEN : 1;
33483         unsigned char : 7;
33484     #else
33485         unsigned char : 7;
33486         unsigned char PLEN : 1;
33487     #endif
33488     } BIT;
33489     } PLLCR2;
33490     char wk3[5];
33491     union {
33492         unsigned char BYTE;
33493         struct {
33494
33495     #ifdef __RX_LITTLE_ENDIAN__
33496         unsigned char BCLKDIV : 1;
33497         unsigned char : 7;
33498     #else
33499         unsigned char : 7;
33500         unsigned char BCLKDIV : 1;
33501     #endif
33502     } BIT;
33503     } BCKCR;
33504     char wk4[1];
33505     union {
33506         unsigned char BYTE;
33507         struct {
33508
33509     #ifdef __RX_LITTLE_ENDIAN__
33510         unsigned char MOSTP : 1;
33511         unsigned char : 7;
33512     #else
33513         unsigned char : 7;
33514         unsigned char MOSTP : 1;
33515     #endif
33516     } BIT;
33517     } MOSCCR;
33518     union {
33519         unsigned char BYTE;
33520         struct {
33521
33522     #ifdef __RX_LITTLE_ENDIAN__
33523         unsigned char SOSTP : 1;
33524         unsigned char : 7;
33525     #else
33526         unsigned char : 7;
33527         unsigned char SOSTP : 1;
33528     #endif
33529     } BIT;
33530     } SOSCCR;
33531     union {
33532         unsigned char BYTE;
33533         struct {
33534
33535     #ifdef __RX_LITTLE_ENDIAN__
33536         unsigned char LCSTP : 1;
33537         unsigned char : 7;
33538     #else
33539         unsigned char : 7;
33540         unsigned char LCSTP : 1;
33541     #endif
33542     } BIT;
33543     } LOCOCR;
33544     union {
33545         unsigned char BYTE;
33546         struct {
33547
33548     #ifdef __RX_LITTLE_ENDIAN__
33549         unsigned char ILCSTP : 1;
33550         unsigned char : 7;
33551     #else
33552         unsigned char : 7;
33553         unsigned char ILCSTP : 1;
33554     #endif
33555     } BIT;
33556     } ILOOCR;
33557     union {
33558         unsigned char BYTE;
33559         struct {
33560
33561     #ifdef __RX_LITTLE_ENDIAN__
33562         unsigned char HCSTP : 1;
33563         unsigned char : 7;
33564     #else
33565         unsigned char : 7;
33566         unsigned char HCSTP : 1;
33567     #endif
33568     } BIT;

```

```

33569     } HOCOCR;
33570     union {
33571         unsigned char BYTE;
33572         struct {
33573
33574 #ifdef __RX_LITTLE_ENDIAN__
33575         unsigned char HCFRQ : 2;
33576         unsigned char : 6;
33577 #else
33578         unsigned char : 6;
33579         unsigned char HCFRQ : 2;
33580 #endif
33581     } BIT;
33582     } HOCOCR2;
33583     char        wk5[4];
33584     union {
33585         unsigned char BYTE;
33586         struct {
33587
33588 #ifdef __RX_LITTLE_ENDIAN__
33589         unsigned char MOOVF : 1;
33590         unsigned char SOOVF : 1;
33591         unsigned char PLOVF : 1;
33592         unsigned char HCOVF : 1;
33593         unsigned char ILCOVF : 1;
33594         unsigned char PPLOVF : 1;
33595         unsigned char : 2;
33596 #else
33597         unsigned char : 2;
33598         unsigned char PPLOVF : 1;
33599         unsigned char ILCOVF : 1;
33600         unsigned char HCOVF : 1;
33601         unsigned char PLOVF : 1;
33602         unsigned char SOOVF : 1;
33603         unsigned char MOOVF : 1;
33604 #endif
33605     } BIT;
33606     } OSCOVFSR;
33607     char        wk6[1];
33608     union {
33609         unsigned short WORD;
33610         struct {
33611
33612 #ifdef __RX_LITTLE_ENDIAN__
33613         unsigned short : 8;
33614         unsigned short CKOSEL : 3;
33615         unsigned short : 1;
33616         unsigned short CKODIV : 3;
33617         unsigned short CKOSTP : 1;
33618 #else
33619         unsigned short CKOSTP : 1;
33620         unsigned short CKODIV : 3;
33621         unsigned short : 1;
33622         unsigned short CKOSEL : 3;
33623         unsigned short : 8;
33624 #endif
33625     } BIT;
33626     } CKOCR;
33627     union {
33628         unsigned char BYTE;
33629         struct {
33630
33631 #ifdef __RX_LITTLE_ENDIAN__
33632         unsigned char OSTDIE : 1;
33633         unsigned char : 6;
33634         unsigned char OSTDE : 1;
33635 #else
33636         unsigned char OSTDE : 1;
33637         unsigned char : 6;
33638         unsigned char OSTDIE : 1;
33639 #endif
33640     } BIT;
33641     } OSTDCR;
33642     union {
33643         unsigned char BYTE;
33644         struct {
33645
33646 #ifdef __RX_LITTLE_ENDIAN__
33647         unsigned char OSTDF : 1;
33648         unsigned char : 7;
33649 #else
33650         unsigned char : 7;
33651         unsigned char OSTDF : 1;
33652 #endif
33653     } BIT;
33654     } OSTDSR;
33655     char        wk7[2];

```



```

33656     union {
33657         unsigned short WORD;
33658     struct {
33659
33660 #ifdef __RX_LITTLE_ENDIAN__
33661         unsigned short : 4;
33662         unsigned short OUTCKSEL : 1;
33663         unsigned short : 7;
33664         unsigned short UPLLSEL : 1;
33665         unsigned short : 3;
33666 #else
33667         unsigned short : 3;
33668         unsigned short UPLLSEL : 1;
33669         unsigned short : 7;
33670         unsigned short OUTCKSEL : 1;
33671         unsigned short : 4;
33672 #endif
33673     } BIT;
33674     } PACKCR;
33675     char          wk8[2];
33676     union {
33677         unsigned short WORD;
33678     struct {
33679
33680 #ifdef __RX_LITTLE_ENDIAN__
33681         unsigned short PPLIDIV : 2;
33682         unsigned short : 6;
33683         unsigned short PPLSTC : 6;
33684         unsigned short : 2;
33685 #else
33686         unsigned short : 2;
33687         unsigned short PPLSTC : 6;
33688         unsigned short : 6;
33689         unsigned short PPLIDIV : 2;
33690 #endif
33691     } BIT;
33692     } PPLLCR;
33693     union {
33694         unsigned char BYTE;
33695     struct {
33696
33697 #ifdef __RX_LITTLE_ENDIAN__
33698         unsigned char PPLEN : 1;
33699         unsigned char : 7;
33700 #else
33701         unsigned char : 7;
33702         unsigned char PPLEN : 1;
33703 #endif
33704     } BIT;
33705     } PPLLCR2;
33706     union {
33707         unsigned char BYTE;
33708     struct {
33709
33710 #ifdef __RX_LITTLE_ENDIAN__
33711         unsigned char PPLCK : 4;
33712         unsigned char : 4;
33713 #else
33714         unsigned char : 4;
33715         unsigned char PPLCK : 4;
33716 #endif
33717     } BIT;
33718     } PPLLCR3;
33719     char          wk9[84];
33720     union {
33721         unsigned char BYTE;
33722     struct {
33723
33724 #ifdef __RX_LITTLE_ENDIAN__
33725         unsigned char OPCM : 3;
33726         unsigned char : 1;
33727         unsigned char OPCMTSF : 1;
33728         unsigned char : 3;
33729 #else
33730         unsigned char : 3;
33731         unsigned char OPCMTSF : 1;
33732         unsigned char : 1;
33733         unsigned char OPCM : 3;
33734 #endif
33735     } BIT;
33736     } OPCCR;
33737     union {
33738         unsigned char BYTE;
33739     struct {
33740
33741 #ifdef __RX_LITTLE_ENDIAN__
33742         unsigned char RSTCKSEL : 3;

```

```

33743         unsigned char : 4;
33744         unsigned char RSTCKEN : 1;
33745     #else
33746         unsigned char RSTCKEN : 1;
33747         unsigned char : 4;
33748         unsigned char RSTCKSEL : 3;
33749     #endif
33750     } BIT;
33751     } RSTCKCR;
33752     union {
33753         unsigned char BYTE;
33754         struct {
33755
33756     #ifdef __RX_LITTLE_ENDIAN__
33757         unsigned char MST5 : 8;
33758     #else
33759         unsigned char MST5 : 8;
33760     #endif
33761     } BIT;
33762     } MOSCWTCR;
33763     union {
33764         unsigned char BYTE;
33765         struct {
33766
33767     #ifdef __RX_LITTLE_ENDIAN__
33768         unsigned char SST5 : 8;
33769     #else
33770         unsigned char SST5 : 8;
33771     #endif
33772     } BIT;
33773     } SOSCWTCR;
33774     char wk10[28];
33775     union {
33776         unsigned char BYTE;
33777         struct {
33778
33779     #ifdef __RX_LITTLE_ENDIAN__
33780         unsigned char IWDTRF : 1;
33781         unsigned char WDTRF : 1;
33782         unsigned char SWRF : 1;
33783         unsigned char : 5;
33784     #else
33785         unsigned char : 5;
33786         unsigned char SWRF : 1;
33787         unsigned char WDTRF : 1;
33788         unsigned char IWDTRF : 1;
33789     #endif
33790     } BIT;
33791     } RSTSR2;
33792     char wk11[1];
33793     unsigned short SWRR;
33794     char wk12[28];
33795     union {
33796         unsigned char BYTE;
33797         struct {
33798
33799     #ifdef __RX_LITTLE_ENDIAN__
33800         unsigned char LVD1IDTSEL : 2;
33801         unsigned char LVD1IRQSEL : 1;
33802         unsigned char : 5;
33803     #else
33804         unsigned char : 5;
33805         unsigned char LVD1IRQSEL : 1;
33806         unsigned char LVD1IDTSEL : 2;
33807     #endif
33808     } BIT;
33809     } LVD1CR1;
33810     union {
33811         unsigned char BYTE;
33812         struct {
33813
33814     #ifdef __RX_LITTLE_ENDIAN__
33815         unsigned char LVD1DET : 1;
33816         unsigned char LVD1MON : 1;
33817         unsigned char : 6;
33818     #else
33819         unsigned char : 6;
33820         unsigned char LVD1MON : 1;
33821         unsigned char LVD1DET : 1;
33822     #endif
33823     } BIT;
33824     } LVD1SR;
33825     union {
33826         unsigned char BYTE;
33827         struct {
33828
33829     #ifdef __RX_LITTLE_ENDIAN__

```

```

33830         unsigned char LVD2IDTSEL : 2;
33831         unsigned char LVD2IRQSEL : 1;
33832         unsigned char : 5;
33833     #else
33834         unsigned char : 5;
33835         unsigned char LVD2IRQSEL : 1;
33836         unsigned char LVD2IDTSEL : 2;
33837     #endif
33838     } BIT;
33839     } LVD2CR1;
33840     union {
33841         unsigned char BYTE;
33842         struct {
33843
33844     #ifdef __RX_LITTLE_ENDIAN__
33845         unsigned char LVD2DET : 1;
33846         unsigned char LVD2MON : 1;
33847         unsigned char : 6;
33848     #else
33849         unsigned char : 6;
33850         unsigned char LVD2MON : 1;
33851         unsigned char LVD2DET : 1;
33852     #endif
33853     } BIT;
33854     } LVD2SR;
33855     char wk13[794];
33856     union {
33857         unsigned short WORD;
33858         struct {
33859
33860     #ifdef __RX_LITTLE_ENDIAN__
33861         unsigned short PRC0 : 1;
33862         unsigned short PRC1 : 1;
33863         unsigned short : 1;
33864         unsigned short PRC3 : 1;
33865         unsigned short : 4;
33866         unsigned short PRKEY : 8;
33867     #else
33868         unsigned short PRKEY : 8;
33869         unsigned short : 4;
33870         unsigned short PRC3 : 1;
33871         unsigned short : 1;
33872         unsigned short PRC1 : 1;
33873         unsigned short PRC0 : 1;
33874     #endif
33875     } BIT;
33876     } PRCR;
33877     char wk14[3100];
33878     union {
33879         unsigned char BYTE;
33880         struct {
33881
33882     #ifdef __RX_LITTLE_ENDIAN__
33883         unsigned char MEMWAIT : 1;
33884         unsigned char : 7;
33885     #else
33886         unsigned char : 7;
33887         unsigned char MEMWAIT : 1;
33888     #endif
33889     } BIT;
33890     } MEMWAIT;
33891     char wk15[45667];
33892     union {
33893         unsigned char BYTE;
33894         struct {
33895
33896     #ifdef __RX_LITTLE_ENDIAN__
33897         unsigned char DEEPCUT : 2;
33898         unsigned char : 4;
33899         unsigned char IOKEEP : 1;
33900         unsigned char DPSBY : 1;
33901     #else
33902         unsigned char DPSBY : 1;
33903         unsigned char IOKEEP : 1;
33904         unsigned char : 4;
33905         unsigned char DEEPCUT : 2;
33906     #endif
33907     } BIT;
33908     } DPSBYCR;
33909     char wk16[1];
33910     union {
33911         unsigned char BYTE;
33912         struct {
33913
33914     #ifdef __RX_LITTLE_ENDIAN__
33915         unsigned char DIRQ0E : 1;
33916         unsigned char DIRQ1E : 1;

```

```

33917         unsigned char DIRQ2E : 1;
33918         unsigned char DIRQ3E : 1;
33919         unsigned char DIRQ4E : 1;
33920         unsigned char DIRQ5E : 1;
33921         unsigned char DIRQ6E : 1;
33922         unsigned char DIRQ7E : 1;
33923     #else
33924         unsigned char DIRQ7E : 1;
33925         unsigned char DIRQ6E : 1;
33926         unsigned char DIRQ5E : 1;
33927         unsigned char DIRQ4E : 1;
33928         unsigned char DIRQ3E : 1;
33929         unsigned char DIRQ2E : 1;
33930         unsigned char DIRQ1E : 1;
33931         unsigned char DIRQ0E : 1;
33932 #endif
33933     } BIT;
33934     } DPSIER0;
33935     union {
33936         unsigned char BYTE;
33937         struct {
33938
33939 #ifdef __RX_LITTLE_ENDIAN__
33940         unsigned char DIRQ8E : 1;
33941         unsigned char DIRQ9E : 1;
33942         unsigned char DIRQ10E : 1;
33943         unsigned char DIRQ11E : 1;
33944         unsigned char DIRQ12E : 1;
33945         unsigned char DIRQ13E : 1;
33946         unsigned char DIRQ14E : 1;
33947         unsigned char DIRQ15E : 1;
33948     #else
33949         unsigned char DIRQ15E : 1;
33950         unsigned char DIRQ14E : 1;
33951         unsigned char DIRQ13E : 1;
33952         unsigned char DIRQ12E : 1;
33953         unsigned char DIRQ11E : 1;
33954         unsigned char DIRQ10E : 1;
33955         unsigned char DIRQ9E : 1;
33956         unsigned char DIRQ8E : 1;
33957     #endif
33958     } BIT;
33959     } DPSIER1;
33960     union {
33961         unsigned char BYTE;
33962         struct {
33963
33964 #ifdef __RX_LITTLE_ENDIAN__
33965         unsigned char DLVD1IE : 1;
33966         unsigned char DLVD2IE : 1;
33967         unsigned char DRTCIE : 1;
33968         unsigned char DRTCAIE : 1;
33969         unsigned char DNMIE : 1;
33970         unsigned char DRIICDIE : 1;
33971         unsigned char DRIICCIE : 1;
33972         unsigned char DUSBIE : 1;
33973     #else
33974         unsigned char DUSBIE : 1;
33975         unsigned char DRIICCIE : 1;
33976         unsigned char DRIICDIE : 1;
33977         unsigned char DNMIE : 1;
33978         unsigned char DRTCAIE : 1;
33979         unsigned char DRTCIE : 1;
33980         unsigned char DLVD2IE : 1;
33981         unsigned char DLVD1IE : 1;
33982     #endif
33983     } BIT;
33984     } DPSIER2;
33985     union {
33986         unsigned char BYTE;
33987         struct {
33988
33989 #ifdef __RX_LITTLE_ENDIAN__
33990         unsigned char DCANIE : 1;
33991         unsigned char : 7;
33992     #else
33993         unsigned char : 7;
33994         unsigned char DCANIE : 1;
33995     #endif
33996     } BIT;
33997     } DPSIER3;
33998     union {
33999         unsigned char BYTE;
34000         struct {
34001
34002 #ifdef __RX_LITTLE_ENDIAN__
34003         unsigned char DIRQ0F : 1;

```

```

34004         unsigned char DIRQ1F : 1;
34005         unsigned char DIRQ2F : 1;
34006         unsigned char DIRQ3F : 1;
34007         unsigned char DIRQ4F : 1;
34008         unsigned char DIRQ5F : 1;
34009         unsigned char DIRQ6F : 1;
34010         unsigned char DIRQ7F : 1;
34011     #else
34012         unsigned char DIRQ7F : 1;
34013         unsigned char DIRQ6F : 1;
34014         unsigned char DIRQ5F : 1;
34015         unsigned char DIRQ4F : 1;
34016         unsigned char DIRQ3F : 1;
34017         unsigned char DIRQ2F : 1;
34018         unsigned char DIRQ1F : 1;
34019         unsigned char DIRQ0F : 1;
34020 #endif
34021     } BIT;
34022     } DPSIFR0;
34023     union {
34024         unsigned char BYTE;
34025         struct {
34026
34027 #ifdef __RX_LITTLE_ENDIAN__
34028         unsigned char DIRQ8F : 1;
34029         unsigned char DIRQ9F : 1;
34030         unsigned char DIRQ10F : 1;
34031         unsigned char DIRQ11F : 1;
34032         unsigned char DIRQ12F : 1;
34033         unsigned char DIRQ13F : 1;
34034         unsigned char DIRQ14F : 1;
34035         unsigned char DIRQ15F : 1;
34036 #else
34037         unsigned char DIRQ15F : 1;
34038         unsigned char DIRQ14F : 1;
34039         unsigned char DIRQ13F : 1;
34040         unsigned char DIRQ12F : 1;
34041         unsigned char DIRQ11F : 1;
34042         unsigned char DIRQ10F : 1;
34043         unsigned char DIRQ9F : 1;
34044         unsigned char DIRQ8F : 1;
34045 #endif
34046     } BIT;
34047     } DPSIFR1;
34048     union {
34049         unsigned char BYTE;
34050         struct {
34051
34052 #ifdef __RX_LITTLE_ENDIAN__
34053         unsigned char DLVD1IF : 1;
34054         unsigned char DLVD2IF : 1;
34055         unsigned char DRTCAIF : 1;
34056         unsigned char DRTCAIF : 1;
34057         unsigned char DNMIF : 1;
34058         unsigned char DRIICDIF : 1;
34059         unsigned char DRIICCIF : 1;
34060         unsigned char DUSBIF : 1;
34061 #else
34062         unsigned char DUSBIF : 1;
34063         unsigned char DRIICCIF : 1;
34064         unsigned char DRIICDIF : 1;
34065         unsigned char DNMIF : 1;
34066         unsigned char DRTCAIF : 1;
34067         unsigned char DRTCAIF : 1;
34068         unsigned char DLVD2IF : 1;
34069         unsigned char DLVD1IF : 1;
34070 #endif
34071     } BIT;
34072     } DPSIFR2;
34073     union {
34074         unsigned char BYTE;
34075         struct {
34076
34077 #ifdef __RX_LITTLE_ENDIAN__
34078         unsigned char DCANIF : 1;
34079         unsigned char : 7;
34080 #else
34081         unsigned char : 7;
34082         unsigned char DCANIF : 1;
34083 #endif
34084     } BIT;
34085     } DPSIFR3;
34086     union {
34087         unsigned char BYTE;
34088         struct {
34089
34090 #ifdef __RX_LITTLE_ENDIAN__

```

```

34091     unsigned char DIRQ0EG : 1;
34092     unsigned char DIRQ1EG : 1;
34093     unsigned char DIRQ2EG : 1;
34094     unsigned char DIRQ3EG : 1;
34095     unsigned char DIRQ4EG : 1;
34096     unsigned char DIRQ5EG : 1;
34097     unsigned char DIRQ6EG : 1;
34098     unsigned char DIRQ7EG : 1;
34099 #else
34100     unsigned char DIRQ7EG : 1;
34101     unsigned char DIRQ6EG : 1;
34102     unsigned char DIRQ5EG : 1;
34103     unsigned char DIRQ4EG : 1;
34104     unsigned char DIRQ3EG : 1;
34105     unsigned char DIRQ2EG : 1;
34106     unsigned char DIRQ1EG : 1;
34107     unsigned char DIRQ0EG : 1;
34108 #endif
34109     } BIT;
34110     } DPSIEGR0;
34111     union {
34112         unsigned char BYTE;
34113         struct {
34114
34115 #ifdef __RX_LITTLE_ENDIAN__
34116         unsigned char DIRQ8EG : 1;
34117         unsigned char DIRQ9EG : 1;
34118         unsigned char DIRQ10EG : 1;
34119         unsigned char DIRQ11EG : 1;
34120         unsigned char DIRQ12EG : 1;
34121         unsigned char DIRQ13EG : 1;
34122         unsigned char DIRQ14EG : 1;
34123         unsigned char DIRQ15EG : 1;
34124 #else
34125         unsigned char DIRQ15EG : 1;
34126         unsigned char DIRQ14EG : 1;
34127         unsigned char DIRQ13EG : 1;
34128         unsigned char DIRQ12EG : 1;
34129         unsigned char DIRQ11EG : 1;
34130         unsigned char DIRQ10EG : 1;
34131         unsigned char DIRQ9EG : 1;
34132         unsigned char DIRQ8EG : 1;
34133 #endif
34134         } BIT;
34135         } DPSIEGR1;
34136         union {
34137             unsigned char BYTE;
34138             struct {
34139
34140 #ifdef __RX_LITTLE_ENDIAN__
34141             unsigned char DLVD1EG : 1;
34142             unsigned char DLVD2EG : 1;
34143             unsigned char : 2;
34144             unsigned char DNMIEG : 1;
34145             unsigned char DRIICDEG : 1;
34146             unsigned char DRIICCEG : 1;
34147             unsigned char : 1;
34148 #else
34149             unsigned char : 1;
34150             unsigned char DRIICCEG : 1;
34151             unsigned char DRIICDEG : 1;
34152             unsigned char DNMIEG : 1;
34153             unsigned char : 2;
34154             unsigned char DLVD2EG : 1;
34155             unsigned char DLVD1EG : 1;
34156 #endif
34157             } BIT;
34158             } DPSIEGR2;
34159             union {
34160                 unsigned char BYTE;
34161                 struct {
34162
34163 #ifdef __RX_LITTLE_ENDIAN__
34164                 unsigned char DCANIEG : 1;
34165                 unsigned char : 7;
34166 #else
34167                 unsigned char : 7;
34168                 unsigned char DCANIEG : 1;
34169 #endif
34170                 } BIT;
34171                 } DPSIEGR3;
34172                 char wk17[2];
34173                 union {
34174                     unsigned char BYTE;
34175                     struct {
34176
34177 #ifdef __RX_LITTLE_ENDIAN__

```

```

34178     unsigned char PORF : 1;
34179     unsigned char LVD0RF : 1;
34180     unsigned char LVD1RF : 1;
34181     unsigned char LVD2RF : 1;
34182     unsigned char : 3;
34183     unsigned char DPSRSTF : 1;
34184 #else
34185     unsigned char DPSRSTF : 1;
34186     unsigned char : 3;
34187     unsigned char LVD2RF : 1;
34188     unsigned char LVD1RF : 1;
34189     unsigned char LVD0RF : 1;
34190     unsigned char PORF : 1;
34191 #endif
34192 } BIT;
34193 } RSTSR0;
34194 union {
34195     unsigned char BYTE;
34196     struct {
34197
34198 #ifdef __RX_LITTLE_ENDIAN__
34199     unsigned char CWSF : 1;
34200     unsigned char : 7;
34201 #else
34202     unsigned char : 7;
34203     unsigned char CWSF : 1;
34204 #endif
34205     } BIT;
34206     } RSTSR1;
34207     char          wk18[1];
34208     union {
34209         unsigned char BYTE;
34210         struct {
34211
34212 #ifdef __RX_LITTLE_ENDIAN__
34213         unsigned char MOFXIN : 1;
34214         unsigned char : 3;
34215         unsigned char MODRV2 : 2;
34216         unsigned char MOSEL : 1;
34217         unsigned char : 1;
34218 #else
34219         unsigned char : 1;
34220         unsigned char MOSEL : 1;
34221         unsigned char MODRV2 : 2;
34222         unsigned char : 3;
34223         unsigned char MOFXIN : 1;
34224 #endif
34225         } BIT;
34226         } MOFCR;
34227         union {
34228             unsigned char BYTE;
34229             struct {
34230
34231 #ifdef __RX_LITTLE_ENDIAN__
34232             unsigned char HOCPCNT : 1;
34233             unsigned char : 7;
34234 #else
34235             unsigned char : 7;
34236             unsigned char HOCPCNT : 1;
34237 #endif
34238             } BIT;
34239             } HOCOPCR;
34240             char          wk19[2];
34241             union {
34242                 unsigned char BYTE;
34243                 struct {
34244
34245 #ifdef __RX_LITTLE_ENDIAN__
34246                 unsigned char : 5;
34247                 unsigned char LVD1E : 1;
34248                 unsigned char LVD2E : 1;
34249                 unsigned char : 1;
34250 #else
34251                 unsigned char : 1;
34252                 unsigned char LVD2E : 1;
34253                 unsigned char LVD1E : 1;
34254                 unsigned char : 5;
34255 #endif
34256                 } BIT;
34257                 } LVCMPCR;
34258                 union {
34259                     unsigned char BYTE;
34260                     struct {
34261
34262 #ifdef __RX_LITTLE_ENDIAN__
34263                     unsigned char LVD1LVL : 4;
34264                     unsigned char LVD2LVL : 4;

```

```

34265 #else
34266     unsigned char LVD2LVL : 4;
34267     unsigned char LVD1LVL : 4;
34268 #endif
34269 } BIT;
34270 } LVDLVLRL;
34271 char      wk20[1];
34272 union {
34273     unsigned char BYTE;
34274     struct {
34275
34276 #ifdef __RX_LITTLE_ENDIAN__
34277     unsigned char LVD1RIE : 1;
34278     unsigned char LVD1DFDIS : 1;
34279     unsigned char LVD1CMPE : 1;
34280     unsigned char : 1;
34281     unsigned char LVD1FSAMP : 2;
34282     unsigned char LVD1RI : 1;
34283     unsigned char LVD1RN : 1;
34284 #else
34285     unsigned char LVD1RN : 1;
34286     unsigned char LVD1RI : 1;
34287     unsigned char LVD1FSAMP : 2;
34288     unsigned char : 1;
34289     unsigned char LVD1CMPE : 1;
34290     unsigned char LVD1DFDIS : 1;
34291     unsigned char LVD1RIE : 1;
34292 #endif
34293 } BIT;
34294 } LVD1CR0;
34295 union {
34296     unsigned char BYTE;
34297     struct {
34298
34299 #ifdef __RX_LITTLE_ENDIAN__
34300     unsigned char LVD2RIE : 1;
34301     unsigned char LVD2DFDIS : 1;
34302     unsigned char LVD2CMPE : 1;
34303     unsigned char : 1;
34304     unsigned char LVD2FSAMP : 2;
34305     unsigned char LVD2RI : 1;
34306     unsigned char LVD2RN : 1;
34307 #else
34308     unsigned char LVD2RN : 1;
34309     unsigned char LVD2RI : 1;
34310     unsigned char LVD2FSAMP : 2;
34311     unsigned char : 1;
34312     unsigned char LVD2CMPE : 1;
34313     unsigned char LVD2DFDIS : 1;
34314     unsigned char LVD2RIE : 1;
34315 #endif
34316 } BIT;
34317 } LVD2CR0;
34318 char      wk21[4];
34319 unsigned char DPSBKR[32];
34320 } st_system_t;
34321
34322 typedef struct st_temps {
34323     union {
34324         unsigned char BYTE;
34325         struct {
34326
34327 #ifdef __RX_LITTLE_ENDIAN__
34328         unsigned char : 4;
34329         unsigned char TSOE : 1;
34330         unsigned char : 2;
34331         unsigned char TSEN : 1;
34332 #else
34333         unsigned char TSEN : 1;
34334         unsigned char : 2;
34335         unsigned char TSOE : 1;
34336         unsigned char : 4;
34337 #endif
34338     } BIT;
34339     } TSCR;
34340 } st_temps_t;
34341
34342 typedef struct st_tmr0 {
34343     union {
34344         unsigned char BYTE;
34345         struct {
34346
34347 #ifdef __RX_LITTLE_ENDIAN__
34348         unsigned char : 3;
34349         unsigned char CCLR : 2;
34350         unsigned char OVIE : 1;
34351         unsigned char CMIEA : 1;

```



```

34352         unsigned char CMIEB : 1;
34353 #else
34354         unsigned char CMIEB : 1;
34355         unsigned char CMIEA : 1;
34356         unsigned char OVIE : 1;
34357         unsigned char CCLR : 2;
34358         unsigned char : 3;
34359 #endif
34360     } BIT;
34361     } TCR;
34362     char          wk0[1];
34363     union {
34364         unsigned char BYTE;
34365         struct {
34366
34367 #ifdef __RX_LITTLE_ENDIAN__
34368         unsigned char OSA : 2;
34369         unsigned char OSB : 2;
34370         unsigned char ADTE : 1;
34371         unsigned char : 3;
34372 #else
34373         unsigned char : 3;
34374         unsigned char ADTE : 1;
34375         unsigned char OSB : 2;
34376         unsigned char OSA : 2;
34377 #endif
34378     } BIT;
34379     } TCSR;
34380     char          wk1[1];
34381     unsigned char TCORA;
34382     char          wk2[1];
34383     unsigned char TCORB;
34384     char          wk3[1];
34385     unsigned char TCNT;
34386     char          wk4[1];
34387     union {
34388         unsigned char BYTE;
34389         struct {
34390
34391 #ifdef __RX_LITTLE_ENDIAN__
34392         unsigned char CKS : 3;
34393         unsigned char CSS : 2;
34394         unsigned char : 2;
34395         unsigned char TMRIS : 1;
34396 #else
34397         unsigned char TMRIS : 1;
34398         unsigned char : 2;
34399         unsigned char CSS : 2;
34400         unsigned char CKS : 3;
34401 #endif
34402     } BIT;
34403     } TCCR;
34404     char          wk5[1];
34405     union {
34406         unsigned char BYTE;
34407         struct {
34408
34409 #ifdef __RX_LITTLE_ENDIAN__
34410         unsigned char TCS : 1;
34411         unsigned char : 7;
34412 #else
34413         unsigned char : 7;
34414         unsigned char TCS : 1;
34415 #endif
34416     } BIT;
34417     } TCSTR;
34418 } st_tmr0_t;
34419
34420 typedef struct st_tmr1 {
34421     union {
34422         unsigned char BYTE;
34423         struct {
34424
34425 #ifdef __RX_LITTLE_ENDIAN__
34426         unsigned char : 3;
34427         unsigned char CCLR : 2;
34428         unsigned char OVIE : 1;
34429         unsigned char CMIEA : 1;
34430         unsigned char CMIEB : 1;
34431 #else
34432         unsigned char CMIEB : 1;
34433         unsigned char CMIEA : 1;
34434         unsigned char OVIE : 1;
34435         unsigned char CCLR : 2;
34436         unsigned char : 3;
34437 #endif
34438     } BIT;

```

```

34439     } TCR;
34440     char          wk0[1];
34441     union {
34442         unsigned char BYTE;
34443         struct {
34444
34445         #ifdef __RX_LITTLE_ENDIAN__
34446             unsigned char OSA : 2;
34447             unsigned char OSB : 2;
34448             unsigned char  : 4;
34449         #else
34450             unsigned char  : 4;
34451             unsigned char OSB : 2;
34452             unsigned char OSA : 2;
34453         #endif
34454     } BIT;
34455     } TCSR;
34456     char          wk1[1];
34457     unsigned char TCORA;
34458     char          wk2[1];
34459     unsigned char TCORB;
34460     char          wk3[1];
34461     unsigned char TCNT;
34462     char          wk4[1];
34463     union {
34464         unsigned char BYTE;
34465         struct {
34466
34467         #ifdef __RX_LITTLE_ENDIAN__
34468             unsigned char CKS : 3;
34469             unsigned char CSS : 2;
34470             unsigned char  : 2;
34471             unsigned char TMRIS : 1;
34472         #else
34473             unsigned char TMRIS : 1;
34474             unsigned char  : 2;
34475             unsigned char CSS : 2;
34476             unsigned char CKS : 3;
34477         #endif
34478     } BIT;
34479     } TCCR;
34480     char          wk5[1];
34481     union {
34482         unsigned char BYTE;
34483         struct {
34484
34485         #ifdef __RX_LITTLE_ENDIAN__
34486             unsigned char TCS : 1;
34487             unsigned char  : 7;
34488         #else
34489             unsigned char  : 7;
34490             unsigned char TCS : 1;
34491         #endif
34492     } BIT;
34493     } TCSTR;
34494 } st_tmr1_t;
34495
34496 typedef struct st_tmr0 {
34497     unsigned short TCORA;
34498     unsigned short TCORB;
34499     unsigned short TCNT;
34500     unsigned short TCCR;
34501 } st_tmr0_t;
34502
34503 typedef struct st_tpu0 {
34504     union {
34505         unsigned char BYTE;
34506         struct {
34507
34508         #ifdef __RX_LITTLE_ENDIAN__
34509             unsigned char NFAEN : 1;
34510             unsigned char NFBEN : 1;
34511             unsigned char NFCEN : 1;
34512             unsigned char NFDEN : 1;
34513             unsigned char NFCS : 2;
34514             unsigned char  : 2;
34515         #else
34516             unsigned char  : 2;
34517             unsigned char NFCS : 2;
34518             unsigned char NFDEN : 1;
34519             unsigned char NFCEN : 1;
34520             unsigned char NFBEN : 1;
34521             unsigned char NFAEN : 1;
34522         #endif
34523     } BIT;
34524     } NFCR;
34525     char          wk0[7];

```

```

34526     union {
34527         unsigned char BYTE;
34528     struct {
34529
34530 #ifdef __RX_LITTLE_ENDIAN__
34531         unsigned char TPSC : 3;
34532         unsigned char CKEG : 2;
34533         unsigned char CCLR : 3;
34534 #else
34535         unsigned char CCLR : 3;
34536         unsigned char CKEG : 2;
34537         unsigned char TPSC : 3;
34538 #endif
34539     } BIT;
34540     } TCR;
34541     union {
34542         unsigned char BYTE;
34543     struct {
34544
34545 #ifdef __RX_LITTLE_ENDIAN__
34546         unsigned char MD : 4;
34547         unsigned char BFA : 1;
34548         unsigned char BFB : 1;
34549         unsigned char ICSELB : 1;
34550         unsigned char ICSELD : 1;
34551 #else
34552         unsigned char ICSELD : 1;
34553         unsigned char ICSELB : 1;
34554         unsigned char BFB : 1;
34555         unsigned char BFA : 1;
34556         unsigned char MD : 4;
34557 #endif
34558     } BIT;
34559     } TMDR;
34560     union {
34561         unsigned char BYTE;
34562     struct {
34563
34564 #ifdef __RX_LITTLE_ENDIAN__
34565         unsigned char IOA : 4;
34566         unsigned char IOB : 4;
34567 #else
34568         unsigned char IOB : 4;
34569         unsigned char IOA : 4;
34570 #endif
34571     } BIT;
34572     } TIORH;
34573     union {
34574         unsigned char BYTE;
34575     struct {
34576
34577 #ifdef __RX_LITTLE_ENDIAN__
34578         unsigned char IOC : 4;
34579         unsigned char IOD : 4;
34580 #else
34581         unsigned char IOD : 4;
34582         unsigned char IOC : 4;
34583 #endif
34584     } BIT;
34585     } TIORL;
34586     union {
34587         unsigned char BYTE;
34588     struct {
34589
34590 #ifdef __RX_LITTLE_ENDIAN__
34591         unsigned char TGIEA : 1;
34592         unsigned char TGIEB : 1;
34593         unsigned char TGIEC : 1;
34594         unsigned char TGIED : 1;
34595         unsigned char TCIEV : 1;
34596         unsigned char : 2;
34597         unsigned char TTGE : 1;
34598 #else
34599         unsigned char TTGE : 1;
34600         unsigned char : 2;
34601         unsigned char TCIEV : 1;
34602         unsigned char TGIED : 1;
34603         unsigned char TGIEC : 1;
34604         unsigned char TGIEB : 1;
34605         unsigned char TGIEA : 1;
34606 #endif
34607     } BIT;
34608     } TIER;
34609     union {
34610         unsigned char BYTE;
34611     struct {
34612

```

```

34613 #ifndef __RX_LITTLE_ENDIAN__
34614     unsigned char TGFA : 1;
34615     unsigned char TGFB : 1;
34616     unsigned char TGFC : 1;
34617     unsigned char TGFD : 1;
34618     unsigned char TCFV : 1;
34619     unsigned char : 3;
34620 #else
34621     unsigned char : 3;
34622     unsigned char TCFV : 1;
34623     unsigned char TGFD : 1;
34624     unsigned char TGFC : 1;
34625     unsigned char TGFB : 1;
34626     unsigned char TGFA : 1;
34627 #endif
34628 } BIT;
34629 } TSR;
34630 unsigned short TCNT;
34631 unsigned short TGRA;
34632 unsigned short TGRB;
34633 unsigned short TGRC;
34634 unsigned short TGRD;
34635 } st_tpu0_t;
34636
34637 typedef struct st_tpu1 {
34638     char wk0[1];
34639     union {
34640         unsigned char BYTE;
34641         struct {
34642
34643 #ifndef __RX_LITTLE_ENDIAN__
34644         unsigned char NFAEN : 1;
34645         unsigned char NFBEN : 1;
34646         unsigned char : 2;
34647         unsigned char NFCS : 2;
34648         unsigned char : 2;
34649 #else
34650         unsigned char : 2;
34651         unsigned char NFCS : 2;
34652         unsigned char : 2;
34653         unsigned char NFBEN : 1;
34654         unsigned char NFAEN : 1;
34655 #endif
34656         } BIT;
34657         } NFCR;
34658     char wk1[22];
34659     union {
34660         unsigned char BYTE;
34661         struct {
34662
34663 #ifndef __RX_LITTLE_ENDIAN__
34664         unsigned char TPSC : 3;
34665         unsigned char CKEG : 2;
34666         unsigned char CCLR : 2;
34667         unsigned char : 1;
34668 #else
34669         unsigned char : 1;
34670         unsigned char CCLR : 2;
34671         unsigned char CKEG : 2;
34672         unsigned char TPSC : 3;
34673 #endif
34674         } BIT;
34675         } TCR;
34676     union {
34677         unsigned char BYTE;
34678         struct {
34679
34680 #ifndef __RX_LITTLE_ENDIAN__
34681         unsigned char MD : 4;
34682         unsigned char : 2;
34683         unsigned char ICSELB : 1;
34684         unsigned char : 1;
34685 #else
34686         unsigned char : 1;
34687         unsigned char ICSELB : 1;
34688         unsigned char : 2;
34689         unsigned char MD : 4;
34690 #endif
34691         } BIT;
34692         } TMDR;
34693     union {
34694         unsigned char BYTE;
34695         struct {
34696
34697 #ifndef __RX_LITTLE_ENDIAN__
34698         unsigned char IOA : 4;
34699         unsigned char IOB : 4;

```

```

34700 #else
34701     unsigned char IOB : 4;
34702     unsigned char IOA : 4;
34703 #endif
34704 } BIT;
34705 } TIOR;
34706 char      wk2[1];
34707 union {
34708     unsigned char BYTE;
34709     struct {
34710
34711 #ifdef __RX_LITTLE_ENDIAN__
34712     unsigned char TGIEA : 1;
34713     unsigned char TGIEB : 1;
34714     unsigned char      : 2;
34715     unsigned char TCIEV : 1;
34716     unsigned char TCIEU : 1;
34717     unsigned char      : 1;
34718     unsigned char TTGE : 1;
34719 #else
34720     unsigned char TTGE : 1;
34721     unsigned char      : 1;
34722     unsigned char TCIEU : 1;
34723     unsigned char TCIEV : 1;
34724     unsigned char      : 2;
34725     unsigned char TGIEB : 1;
34726     unsigned char TGIEA : 1;
34727 #endif
34728 } BIT;
34729 } TIER;
34730 union {
34731     unsigned char BYTE;
34732     struct {
34733
34734 #ifdef __RX_LITTLE_ENDIAN__
34735     unsigned char TGFA : 1;
34736     unsigned char TGFB : 1;
34737     unsigned char      : 2;
34738     unsigned char TCFV : 1;
34739     unsigned char TCFU : 1;
34740     unsigned char      : 1;
34741     unsigned char TCFD : 1;
34742 #else
34743     unsigned char TCFD : 1;
34744     unsigned char      : 1;
34745     unsigned char TCFU : 1;
34746     unsigned char TCFV : 1;
34747     unsigned char      : 2;
34748     unsigned char TGFB : 1;
34749     unsigned char TGFA : 1;
34750 #endif
34751 } BIT;
34752 } TSR;
34753 unsigned short TCNT;
34754 unsigned short TGRA;
34755 unsigned short TGRB;
34756 } st_tpu1_t;
34757
34758 typedef struct st_tpu2 {
34759     union {
34760         unsigned char BYTE;
34761         struct {
34762
34763 #ifdef __RX_LITTLE_ENDIAN__
34764         unsigned char NFAEN : 1;
34765         unsigned char NFBEN : 1;
34766         unsigned char      : 2;
34767         unsigned char NFCS : 2;
34768         unsigned char      : 2;
34769 #else
34770         unsigned char      : 2;
34771         unsigned char NFCS : 2;
34772         unsigned char      : 2;
34773         unsigned char NFBEN : 1;
34774         unsigned char NFAEN : 1;
34775 #endif
34776 } BIT;
34777 } NFCR;
34778 char      wk0[37];
34779 union {
34780     unsigned char BYTE;
34781     struct {
34782
34783 #ifdef __RX_LITTLE_ENDIAN__
34784     unsigned char TPSC : 3;
34785     unsigned char CKEG : 2;
34786     unsigned char CCLR : 2;

```

```

34787         unsigned char : 1;
34788 #else
34789         unsigned char : 1;
34790         unsigned char CCLR : 2;
34791         unsigned char CKEG : 2;
34792         unsigned char TPSC : 3;
34793 #endif
34794     } BIT;
34795     } TCR;
34796     union {
34797         unsigned char BYTE;
34798         struct {
34799
34800 #ifdef __RX_LITTLE_ENDIAN__
34801         unsigned char MD : 4;
34802         unsigned char : 2;
34803         unsigned char ICSELB : 1;
34804         unsigned char : 1;
34805 #else
34806         unsigned char : 1;
34807         unsigned char ICSELB : 1;
34808         unsigned char : 2;
34809         unsigned char MD : 4;
34810 #endif
34811     } BIT;
34812     } TMDR;
34813     union {
34814         unsigned char BYTE;
34815         struct {
34816
34817 #ifdef __RX_LITTLE_ENDIAN__
34818         unsigned char IOA : 4;
34819         unsigned char IOB : 4;
34820 #else
34821         unsigned char IOB : 4;
34822         unsigned char IOA : 4;
34823 #endif
34824     } BIT;
34825     } TIOR;
34826     char          wk1[1];
34827     union {
34828         unsigned char BYTE;
34829         struct {
34830
34831 #ifdef __RX_LITTLE_ENDIAN__
34832         unsigned char TGIEA : 1;
34833         unsigned char TGIEB : 1;
34834         unsigned char : 2;
34835         unsigned char TCIEV : 1;
34836         unsigned char TCIEU : 1;
34837         unsigned char : 1;
34838         unsigned char TTGE : 1;
34839 #else
34840         unsigned char TTGE : 1;
34841         unsigned char : 1;
34842         unsigned char TCIEU : 1;
34843         unsigned char TCIEV : 1;
34844         unsigned char : 2;
34845         unsigned char TGIEB : 1;
34846         unsigned char TGIEA : 1;
34847 #endif
34848     } BIT;
34849     } TIER;
34850     union {
34851         unsigned char BYTE;
34852         struct {
34853
34854 #ifdef __RX_LITTLE_ENDIAN__
34855         unsigned char TGFA : 1;
34856         unsigned char TGFB : 1;
34857         unsigned char : 2;
34858         unsigned char TCFV : 1;
34859         unsigned char TCFU : 1;
34860         unsigned char : 1;
34861         unsigned char TCFD : 1;
34862 #else
34863         unsigned char TCFD : 1;
34864         unsigned char : 1;
34865         unsigned char TCFU : 1;
34866         unsigned char TCFV : 1;
34867         unsigned char : 2;
34868         unsigned char TGFB : 1;
34869         unsigned char TGFA : 1;
34870 #endif
34871     } BIT;
34872     } TSR;
34873     unsigned short TCNT;

```

```

34874     unsigned short TGRA;
34875     unsigned short TGRB;
34876 } st_tpu2_t;
34877
34878 typedef struct st_tpu3 {
34879     char          wk0[1];
34880     union {
34881         unsigned char BYTE;
34882         struct {
34883
34884 #ifdef __RX_LITTLE_ENDIAN__
34885         unsigned char NFAEN : 1;
34886         unsigned char NFBEN : 1;
34887         unsigned char NFCEN : 1;
34888         unsigned char NFDEN : 1;
34889         unsigned char NFCS : 2;
34890         unsigned char  : 2;
34891 #else
34892         unsigned char  : 2;
34893         unsigned char NFCS : 2;
34894         unsigned char NFDEN : 1;
34895         unsigned char NFCEN : 1;
34896         unsigned char NFBEN : 1;
34897         unsigned char NFAEN : 1;
34898 #endif
34899     } BIT;
34900     } NFCR;
34901     char          wk1[52];
34902     union {
34903         unsigned char BYTE;
34904         struct {
34905
34906 #ifdef __RX_LITTLE_ENDIAN__
34907         unsigned char TPSC : 3;
34908         unsigned char CKEG : 2;
34909         unsigned char CCLR : 3;
34910 #else
34911         unsigned char CCLR : 3;
34912         unsigned char CKEG : 2;
34913         unsigned char TPSC : 3;
34914 #endif
34915     } BIT;
34916     } TCR;
34917     union {
34918         unsigned char BYTE;
34919         struct {
34920
34921 #ifdef __RX_LITTLE_ENDIAN__
34922         unsigned char MD : 4;
34923         unsigned char BFA : 1;
34924         unsigned char BFB : 1;
34925         unsigned char ICSELB : 1;
34926         unsigned char ICSELD : 1;
34927 #else
34928         unsigned char ICSELD : 1;
34929         unsigned char ICSELB : 1;
34930         unsigned char BFB : 1;
34931         unsigned char BFA : 1;
34932         unsigned char MD : 4;
34933 #endif
34934     } BIT;
34935     } TMDR;
34936     union {
34937         unsigned char BYTE;
34938         struct {
34939
34940 #ifdef __RX_LITTLE_ENDIAN__
34941         unsigned char IOA : 4;
34942         unsigned char IOB : 4;
34943 #else
34944         unsigned char IOB : 4;
34945         unsigned char IOA : 4;
34946 #endif
34947     } BIT;
34948     } TIORH;
34949     union {
34950         unsigned char BYTE;
34951         struct {
34952
34953 #ifdef __RX_LITTLE_ENDIAN__
34954         unsigned char IOC : 4;
34955         unsigned char IOD : 4;
34956 #else
34957         unsigned char IOD : 4;
34958         unsigned char IOC : 4;
34959 #endif
34960     } BIT;

```

```

34961     } TIORL;
34962     union {
34963         unsigned char BYTE;
34964         struct {
34965
34966 #ifdef __RX_LITTLE_ENDIAN__
34967         unsigned char TGIEA : 1;
34968         unsigned char TGIEB : 1;
34969         unsigned char TGIEC : 1;
34970         unsigned char TGIED : 1;
34971         unsigned char TCIEV : 1;
34972         unsigned char : 2;
34973         unsigned char TTGE : 1;
34974 #else
34975         unsigned char TTGE : 1;
34976         unsigned char : 2;
34977         unsigned char TCIEV : 1;
34978         unsigned char TGIED : 1;
34979         unsigned char TGIEC : 1;
34980         unsigned char TGIEB : 1;
34981         unsigned char TGIEA : 1;
34982 #endif
34983     } BIT;
34984     } TIER;
34985     union {
34986         unsigned char BYTE;
34987         struct {
34988
34989 #ifdef __RX_LITTLE_ENDIAN__
34990         unsigned char TGFA : 1;
34991         unsigned char TGFB : 1;
34992         unsigned char TGFC : 1;
34993         unsigned char TGFD : 1;
34994         unsigned char TCFV : 1;
34995         unsigned char : 3;
34996 #else
34997         unsigned char : 3;
34998         unsigned char TCFV : 1;
34999         unsigned char TGFD : 1;
35000         unsigned char TGFC : 1;
35001         unsigned char TGFB : 1;
35002         unsigned char TGFA : 1;
35003 #endif
35004     } BIT;
35005     } TSR;
35006     unsigned short TCNT;
35007     unsigned short TGRA;
35008     unsigned short TGRB;
35009     unsigned short TGRC;
35010     unsigned short TGRD;
35011 } st_tpu3_t;
35012
35013 typedef struct st_tpu4 {
35014     union {
35015         unsigned char BYTE;
35016         struct {
35017
35018 #ifdef __RX_LITTLE_ENDIAN__
35019         unsigned char NFAEN : 1;
35020         unsigned char NFBEN : 1;
35021         unsigned char : 2;
35022         unsigned char NFCS : 2;
35023         unsigned char : 2;
35024 #else
35025         unsigned char : 2;
35026         unsigned char NFCS : 2;
35027         unsigned char : 2;
35028         unsigned char NFBEN : 1;
35029         unsigned char NFAEN : 1;
35030 #endif
35031     } BIT;
35032     } NFCR;
35033     char wk0[67];
35034     union {
35035         unsigned char BYTE;
35036         struct {
35037
35038 #ifdef __RX_LITTLE_ENDIAN__
35039         unsigned char TPSC : 3;
35040         unsigned char CKEG : 2;
35041         unsigned char CCLR : 2;
35042         unsigned char : 1;
35043 #else
35044         unsigned char : 1;
35045         unsigned char CCLR : 2;
35046         unsigned char CKEG : 2;
35047         unsigned char TPSC : 3;

```



```

35048 #endif
35049     } BIT;
35050     } TCR;
35051     union {
35052         unsigned char BYTE;
35053         struct {
35054
35055 #ifdef __RX_LITTLE_ENDIAN__
35056         unsigned char MD : 4;
35057         unsigned char : 2;
35058         unsigned char ICSELB : 1;
35059         unsigned char : 1;
35060 #else
35061         unsigned char : 1;
35062         unsigned char ICSELB : 1;
35063         unsigned char : 2;
35064         unsigned char MD : 4;
35065 #endif
35066     } BIT;
35067     } TMDR;
35068     union {
35069         unsigned char BYTE;
35070         struct {
35071
35072 #ifdef __RX_LITTLE_ENDIAN__
35073         unsigned char IOA : 4;
35074         unsigned char IOB : 4;
35075 #else
35076         unsigned char IOB : 4;
35077         unsigned char IOA : 4;
35078 #endif
35079     } BIT;
35080     } TIOR;
35081     char          wk1[1];
35082     union {
35083         unsigned char BYTE;
35084         struct {
35085
35086 #ifdef __RX_LITTLE_ENDIAN__
35087         unsigned char TGIEA : 1;
35088         unsigned char TGIEB : 1;
35089         unsigned char : 2;
35090         unsigned char TCIEV : 1;
35091         unsigned char TCIEU : 1;
35092         unsigned char : 1;
35093         unsigned char TTGE : 1;
35094 #else
35095         unsigned char TTGE : 1;
35096         unsigned char : 1;
35097         unsigned char TCIEU : 1;
35098         unsigned char TCIEV : 1;
35099         unsigned char : 2;
35100         unsigned char TGIEB : 1;
35101         unsigned char TGIEA : 1;
35102 #endif
35103     } BIT;
35104     } TIER;
35105     union {
35106         unsigned char BYTE;
35107         struct {
35108
35109 #ifdef __RX_LITTLE_ENDIAN__
35110         unsigned char TGFA : 1;
35111         unsigned char TGFB : 1;
35112         unsigned char : 2;
35113         unsigned char TCFV : 1;
35114         unsigned char TCFU : 1;
35115         unsigned char : 1;
35116         unsigned char TCFD : 1;
35117 #else
35118         unsigned char TCFD : 1;
35119         unsigned char : 1;
35120         unsigned char TCFU : 1;
35121         unsigned char TCFV : 1;
35122         unsigned char : 2;
35123         unsigned char TGFB : 1;
35124         unsigned char TGFA : 1;
35125 #endif
35126     } BIT;
35127     } TSR;
35128     unsigned short TCNT;
35129     unsigned short TGRA;
35130     unsigned short TGRB;
35131 } st_tpu4_t;
35132
35133 typedef struct st_tpu5 {
35134     char          wk0[1];

```

```

35135     union {
35136         unsigned char BYTE;
35137     struct {
35138
35139 #ifdef __RX_LITTLE_ENDIAN__
35140         unsigned char NFAEN : 1;
35141         unsigned char NFBEN : 1;
35142         unsigned char : 2;
35143         unsigned char NFCS : 2;
35144         unsigned char : 2;
35145 #else
35146         unsigned char : 2;
35147         unsigned char NFCS : 2;
35148         unsigned char : 2;
35149         unsigned char NFBEN : 1;
35150         unsigned char NFAEN : 1;
35151 #endif
35152     } BIT;
35153     } NFCR;
35154     char          wk1[82];
35155     union {
35156         unsigned char BYTE;
35157     struct {
35158
35159 #ifdef __RX_LITTLE_ENDIAN__
35160         unsigned char TPSC : 3;
35161         unsigned char CKEG : 2;
35162         unsigned char CCLR : 2;
35163         unsigned char : 1;
35164 #else
35165         unsigned char : 1;
35166         unsigned char CCLR : 2;
35167         unsigned char CKEG : 2;
35168         unsigned char TPSC : 3;
35169 #endif
35170     } BIT;
35171     } TCR;
35172     union {
35173         unsigned char BYTE;
35174     struct {
35175
35176 #ifdef __RX_LITTLE_ENDIAN__
35177         unsigned char MD : 4;
35178         unsigned char : 2;
35179         unsigned char ICSELB : 1;
35180         unsigned char : 1;
35181 #else
35182         unsigned char : 1;
35183         unsigned char ICSELB : 1;
35184         unsigned char : 2;
35185         unsigned char MD : 4;
35186 #endif
35187     } BIT;
35188     } TMDR;
35189     union {
35190         unsigned char BYTE;
35191     struct {
35192
35193 #ifdef __RX_LITTLE_ENDIAN__
35194         unsigned char IOA : 4;
35195         unsigned char IOB : 4;
35196 #else
35197         unsigned char IOB : 4;
35198         unsigned char IOA : 4;
35199 #endif
35200     } BIT;
35201     } TIOR;
35202     char          wk2[1];
35203     union {
35204         unsigned char BYTE;
35205     struct {
35206
35207 #ifdef __RX_LITTLE_ENDIAN__
35208         unsigned char TGIEA : 1;
35209         unsigned char TGIEB : 1;
35210         unsigned char : 2;
35211         unsigned char TCIEV : 1;
35212         unsigned char TCIEU : 1;
35213         unsigned char : 2;
35214 #else
35215         unsigned char : 2;
35216         unsigned char TCIEU : 1;
35217         unsigned char TCIEV : 1;
35218         unsigned char : 2;
35219         unsigned char TGIEB : 1;
35220         unsigned char TGIEA : 1;
35221 #endif

```

```

35222     } BIT;
35223     } TIER;
35224     union {
35225         unsigned char BYTE;
35226     struct {
35227
35228 #ifdef __RX_LITTLE_ENDIAN__
35229         unsigned char TGFA : 1;
35230         unsigned char TGFB : 1;
35231         unsigned char : 2;
35232         unsigned char TCFV : 1;
35233         unsigned char TCFU : 1;
35234         unsigned char : 1;
35235         unsigned char TCFD : 1;
35236 #else
35237         unsigned char TCFD : 1;
35238         unsigned char : 1;
35239         unsigned char TCFU : 1;
35240         unsigned char TCFV : 1;
35241         unsigned char : 2;
35242         unsigned char TGFB : 1;
35243         unsigned char TGFA : 1;
35244 #endif
35245     } BIT;
35246     } TSR;
35247     unsigned short TCNT;
35248     unsigned short TGRA;
35249     unsigned short TGRB;
35250 } st_tpu5_t;
35251
35252 typedef struct st_tpu {
35253     union {
35254         unsigned char BYTE;
35255     struct {
35256
35257 #ifdef __RX_LITTLE_ENDIAN__
35258         unsigned char CST0 : 1;
35259         unsigned char CST1 : 1;
35260         unsigned char CST2 : 1;
35261         unsigned char CST3 : 1;
35262         unsigned char CST4 : 1;
35263         unsigned char CST5 : 1;
35264         unsigned char : 2;
35265 #else
35266         unsigned char : 2;
35267         unsigned char CST5 : 1;
35268         unsigned char CST4 : 1;
35269         unsigned char CST3 : 1;
35270         unsigned char CST2 : 1;
35271         unsigned char CST1 : 1;
35272         unsigned char CST0 : 1;
35273 #endif
35274     } BIT;
35275     } TSTR;
35276     union {
35277         unsigned char BYTE;
35278     struct {
35279
35280 #ifdef __RX_LITTLE_ENDIAN__
35281         unsigned char SYNC0 : 1;
35282         unsigned char SYNC1 : 1;
35283         unsigned char SYNC2 : 1;
35284         unsigned char SYNC3 : 1;
35285         unsigned char SYNC4 : 1;
35286         unsigned char SYNC5 : 1;
35287         unsigned char : 2;
35288 #else
35289         unsigned char : 2;
35290         unsigned char SYNC5 : 1;
35291         unsigned char SYNC4 : 1;
35292         unsigned char SYNC3 : 1;
35293         unsigned char SYNC2 : 1;
35294         unsigned char SYNC1 : 1;
35295         unsigned char SYNC0 : 1;
35296 #endif
35297     } BIT;
35298     } TSYR;
35299 } st_tpu_t;
35300
35301 typedef struct st_usb {
35302     union {
35303         unsigned long LONG;
35304     struct {
35305
35306 #ifdef __RX_LITTLE_ENDIAN__
35307         unsigned long SRPC0 : 1;
35308         unsigned long RPUE0 : 1;

```

```

35309         unsigned long : 1;
35310         unsigned long DRPD0 : 1;
35311         unsigned long FIXPHY0 : 1;
35312         unsigned long : 11;
35313         unsigned long DP0 : 1;
35314         unsigned long DM0 : 1;
35315         unsigned long : 2;
35316         unsigned long DOVCA0 : 1;
35317         unsigned long DOVCB0 : 1;
35318         unsigned long : 1;
35319         unsigned long DVBSTS0 : 1;
35320         unsigned long : 8;
35321     #else
35322         unsigned long : 8;
35323         unsigned long DVBSTS0 : 1;
35324         unsigned long : 1;
35325         unsigned long DOVCB0 : 1;
35326         unsigned long DOVCA0 : 1;
35327         unsigned long : 2;
35328         unsigned long DM0 : 1;
35329         unsigned long DP0 : 1;
35330         unsigned long : 11;
35331         unsigned long FIXPHY0 : 1;
35332         unsigned long DRPD0 : 1;
35333         unsigned long : 1;
35334         unsigned long RPUE0 : 1;
35335         unsigned long SRPC0 : 1;
35336 #endif
35337     } BIT;
35338     } DPUSR0R;
35339     union {
35340         unsigned long LONG;
35341         struct {
35342
35343         #ifdef __RX_LITTLE_ENDIAN__
35344             unsigned long DPINTE0 : 1;
35345             unsigned long DMINTE0 : 1;
35346             unsigned long : 2;
35347             unsigned long DOVRCRAE0 : 1;
35348             unsigned long DOVRCRBE0 : 1;
35349             unsigned long : 1;
35350             unsigned long DVBSE0 : 1;
35351             unsigned long : 8;
35352             unsigned long DPINT0 : 1;
35353             unsigned long DMINT0 : 1;
35354             unsigned long : 2;
35355             unsigned long DOVRCRA0 : 1;
35356             unsigned long DOVRCRB0 : 1;
35357             unsigned long : 1;
35358             unsigned long DVBINT0 : 1;
35359             unsigned long : 8;
35360         #else
35361             unsigned long : 8;
35362             unsigned long DVBINT0 : 1;
35363             unsigned long : 1;
35364             unsigned long DOVRCRB0 : 1;
35365             unsigned long DOVRCRA0 : 1;
35366             unsigned long : 2;
35367             unsigned long DMINT0 : 1;
35368             unsigned long DPINT0 : 1;
35369             unsigned long : 8;
35370             unsigned long DVBSE0 : 1;
35371             unsigned long : 1;
35372             unsigned long DOVRCRBE0 : 1;
35373             unsigned long DOVRCRAE0 : 1;
35374             unsigned long : 2;
35375             unsigned long DMINTE0 : 1;
35376             unsigned long DPINTE0 : 1;
35377         #endif
35378         } BIT;
35379     } DPUSR1R;
35380 } st_usb_t;
35381
35382 typedef struct st_usb0 {
35383     union {
35384         unsigned short WORD;
35385         struct {
35386
35387         #ifdef __RX_LITTLE_ENDIAN__
35388             unsigned short USBE : 1;
35389             unsigned short : 3;
35390             unsigned short DPRPU : 1;
35391             unsigned short DRPD : 1;
35392             unsigned short DCFM : 1;
35393             unsigned short : 3;
35394             unsigned short SCKE : 1;
35395             unsigned short : 5;

```

```

35396 #else
35397     unsigned short : 5;
35398     unsigned short SCKE : 1;
35399     unsigned short : 3;
35400     unsigned short DCFM : 1;
35401     unsigned short DRPD : 1;
35402     unsigned short DPRPU : 1;
35403     unsigned short : 3;
35404     unsigned short USBE : 1;
35405 #endif
35406 } BIT;
35407 } SYSCFG;
35408 char      wk0[2];
35409 union {
35410     unsigned short WORD;
35411     struct {
35412
35413 #ifdef __RX_LITTLE_ENDIAN__
35414     unsigned short LNST : 2;
35415     unsigned short IDMON : 1;
35416     unsigned short : 2;
35417     unsigned short SOFEA : 1;
35418     unsigned short HTACT : 1;
35419     unsigned short : 7;
35420     unsigned short OVCMON : 2;
35421 #else
35422     unsigned short OVCMON : 2;
35423     unsigned short : 7;
35424     unsigned short HTACT : 1;
35425     unsigned short SOFEA : 1;
35426     unsigned short : 2;
35427     unsigned short IDMON : 1;
35428     unsigned short LNST : 2;
35429 #endif
35430     } BIT;
35431     } SYSSTS0;
35432 char      wk1[2];
35433 union {
35434     unsigned short WORD;
35435     struct {
35436
35437 #ifdef __RX_LITTLE_ENDIAN__
35438     unsigned short RHST : 3;
35439     unsigned short : 1;
35440     unsigned short UACT : 1;
35441     unsigned short RESUME : 1;
35442     unsigned short USBRST : 1;
35443     unsigned short RWUPE : 1;
35444     unsigned short WKUP : 1;
35445     unsigned short VBUSEN : 1;
35446     unsigned short EXICEN : 1;
35447     unsigned short HNPBTOA : 1;
35448     unsigned short : 4;
35449 #else
35450     unsigned short : 4;
35451     unsigned short HNPBTOA : 1;
35452     unsigned short EXICEN : 1;
35453     unsigned short VBUSEN : 1;
35454     unsigned short WKUP : 1;
35455     unsigned short RWUPE : 1;
35456     unsigned short USBRST : 1;
35457     unsigned short RESUME : 1;
35458     unsigned short UACT : 1;
35459     unsigned short : 1;
35460     unsigned short RHST : 3;
35461 #endif
35462     } BIT;
35463     } DVSTCTR0;
35464 char      wk2[10];
35465 union {
35466     unsigned short WORD;
35467     struct {
35468         unsigned char L;
35469         unsigned char H;
35470     } BYTE;
35471     } CFIFO;
35472 char      wk3[2];
35473 union {
35474     unsigned short WORD;
35475     struct {
35476         unsigned char L;
35477         unsigned char H;
35478     } BYTE;
35479     } DOFIFO;
35480 char      wk4[2];
35481 union {
35482     unsigned short WORD;

```

```

35483     struct {
35484         unsigned char L;
35485         unsigned char H;
35486     } BYTE;
35487 } D1FIFO;
35488 char      wk5[2];
35489 union {
35490     unsigned short WORD;
35491     struct {
35492
35493 #ifdef __RX_LITTLE_ENDIAN__
35494     unsigned short CURPIPE : 4;
35495     unsigned short  : 1;
35496     unsigned short ISEL : 1;
35497     unsigned short  : 2;
35498     unsigned short BIGEND : 1;
35499     unsigned short  : 1;
35500     unsigned short MBW : 1;
35501     unsigned short  : 3;
35502     unsigned short REW : 1;
35503     unsigned short RCNT : 1;
35504 #else
35505     unsigned short RCNT : 1;
35506     unsigned short REW : 1;
35507     unsigned short  : 3;
35508     unsigned short MBW : 1;
35509     unsigned short  : 1;
35510     unsigned short BIGEND : 1;
35511     unsigned short  : 2;
35512     unsigned short ISEL : 1;
35513     unsigned short  : 1;
35514     unsigned short CURPIPE : 4;
35515 #endif
35516     } BIT;
35517 } CFIFOSEL;
35518 union {
35519     unsigned short WORD;
35520     struct {
35521
35522 #ifdef __RX_LITTLE_ENDIAN__
35523     unsigned short DTLN : 9;
35524     unsigned short  : 4;
35525     unsigned short FRDY : 1;
35526     unsigned short BCLR : 1;
35527     unsigned short BVAL : 1;
35528 #else
35529     unsigned short BVAL : 1;
35530     unsigned short BCLR : 1;
35531     unsigned short FRDY : 1;
35532     unsigned short  : 4;
35533     unsigned short DTLN : 9;
35534 #endif
35535     } BIT;
35536 } CFIFOCTR;
35537 char      wk6[4];
35538 union {
35539     unsigned short WORD;
35540     struct {
35541
35542 #ifdef __RX_LITTLE_ENDIAN__
35543     unsigned short CURPIPE : 4;
35544     unsigned short  : 4;
35545     unsigned short BIGEND : 1;
35546     unsigned short  : 1;
35547     unsigned short MBW : 1;
35548     unsigned short  : 1;
35549     unsigned short DREQE : 1;
35550     unsigned short DCLRM : 1;
35551     unsigned short REW : 1;
35552     unsigned short RCNT : 1;
35553 #else
35554     unsigned short RCNT : 1;
35555     unsigned short REW : 1;
35556     unsigned short DCLRM : 1;
35557     unsigned short DREQE : 1;
35558     unsigned short  : 1;
35559     unsigned short MBW : 1;
35560     unsigned short  : 1;
35561     unsigned short BIGEND : 1;
35562     unsigned short  : 4;
35563     unsigned short CURPIPE : 4;
35564 #endif
35565     } BIT;
35566 } D0FIFOSEL;
35567 union {
35568     unsigned short WORD;
35569     struct {

```

```

35570
35571 #ifdef __RX_LITTLE_ENDIAN__
35572     unsigned short DTLN : 9;
35573     unsigned short : 4;
35574     unsigned short FRDY : 1;
35575     unsigned short BCLR : 1;
35576     unsigned short BVAL : 1;
35577 #else
35578     unsigned short BVAL : 1;
35579     unsigned short BCLR : 1;
35580     unsigned short FRDY : 1;
35581     unsigned short : 4;
35582     unsigned short DTLN : 9;
35583 #endif
35584 } BIT;
35585 } D0FIFOCTR;
35586 union {
35587     unsigned short WORD;
35588     struct {
35589
35590 #ifdef __RX_LITTLE_ENDIAN__
35591     unsigned short CURPIPE : 4;
35592     unsigned short : 4;
35593     unsigned short BIGEND : 1;
35594     unsigned short : 1;
35595     unsigned short MBW : 1;
35596     unsigned short : 1;
35597     unsigned short DREQE : 1;
35598     unsigned short DCLRM : 1;
35599     unsigned short REW : 1;
35600     unsigned short RCNT : 1;
35601 #else
35602     unsigned short RCNT : 1;
35603     unsigned short REW : 1;
35604     unsigned short DCLRM : 1;
35605     unsigned short DREQE : 1;
35606     unsigned short : 1;
35607     unsigned short MBW : 1;
35608     unsigned short : 1;
35609     unsigned short BIGEND : 1;
35610     unsigned short : 4;
35611     unsigned short CURPIPE : 4;
35612 #endif
35613     } BIT;
35614     } D1FIFOSEL;
35615     union {
35616         unsigned short WORD;
35617         struct {
35618
35619 #ifdef __RX_LITTLE_ENDIAN__
35620     unsigned short DTLN : 9;
35621     unsigned short : 4;
35622     unsigned short FRDY : 1;
35623     unsigned short BCLR : 1;
35624     unsigned short BVAL : 1;
35625 #else
35626     unsigned short BVAL : 1;
35627     unsigned short BCLR : 1;
35628     unsigned short FRDY : 1;
35629     unsigned short : 4;
35630     unsigned short DTLN : 9;
35631 #endif
35632     } BIT;
35633     } D1FIFOCTR;
35634     union {
35635         unsigned short WORD;
35636         struct {
35637
35638 #ifdef __RX_LITTLE_ENDIAN__
35639     unsigned short : 8;
35640     unsigned short BRDYE : 1;
35641     unsigned short NRDYE : 1;
35642     unsigned short BEMPE : 1;
35643     unsigned short CTRE : 1;
35644     unsigned short DVSE : 1;
35645     unsigned short SOFE : 1;
35646     unsigned short RSME : 1;
35647     unsigned short VBSE : 1;
35648 #else
35649     unsigned short VBSE : 1;
35650     unsigned short RSME : 1;
35651     unsigned short SOFE : 1;
35652     unsigned short DVSE : 1;
35653     unsigned short CTRE : 1;
35654     unsigned short BEMPE : 1;
35655     unsigned short NRDYE : 1;
35656     unsigned short BRDYE : 1;

```

```

35657         unsigned short : 8;
35658 #endif
35659     } BIT;
35660     } INTENB0;
35661     union {
35662         unsigned short WORD;
35663         struct {
35664
35665 #ifdef __RX_LITTLE_ENDIAN__
35666         unsigned short : 4;
35667         unsigned short SACKE : 1;
35668         unsigned short SIGNE : 1;
35669         unsigned short EOFERRE : 1;
35670         unsigned short : 4;
35671         unsigned short ATTCHKE : 1;
35672         unsigned short DTCHE : 1;
35673         unsigned short : 1;
35674         unsigned short BCHGE : 1;
35675         unsigned short OVRCRE : 1;
35676 #else
35677         unsigned short OVRCRE : 1;
35678         unsigned short BCHGE : 1;
35679         unsigned short : 1;
35680         unsigned short DTCHE : 1;
35681         unsigned short ATTCHKE : 1;
35682         unsigned short : 4;
35683         unsigned short EOFERRE : 1;
35684         unsigned short SIGNE : 1;
35685         unsigned short SACKE : 1;
35686         unsigned short : 4;
35687 #endif
35688     } BIT;
35689     } INTENB1;
35690     char          wk7[2];
35691     union {
35692         unsigned short WORD;
35693         struct {
35694
35695 #ifdef __RX_LITTLE_ENDIAN__
35696         unsigned short PIPE0BRDYE : 1;
35697         unsigned short PIPE1BRDYE : 1;
35698         unsigned short PIPE2BRDYE : 1;
35699         unsigned short PIPE3BRDYE : 1;
35700         unsigned short PIPE4BRDYE : 1;
35701         unsigned short PIPE5BRDYE : 1;
35702         unsigned short PIPE6BRDYE : 1;
35703         unsigned short PIPE7BRDYE : 1;
35704         unsigned short PIPE8BRDYE : 1;
35705         unsigned short PIPE9BRDYE : 1;
35706         unsigned short : 6;
35707 #else
35708         unsigned short : 6;
35709         unsigned short PIPE9BRDYE : 1;
35710         unsigned short PIPE8BRDYE : 1;
35711         unsigned short PIPE7BRDYE : 1;
35712         unsigned short PIPE6BRDYE : 1;
35713         unsigned short PIPE5BRDYE : 1;
35714         unsigned short PIPE4BRDYE : 1;
35715         unsigned short PIPE3BRDYE : 1;
35716         unsigned short PIPE2BRDYE : 1;
35717         unsigned short PIPE1BRDYE : 1;
35718         unsigned short PIPE0BRDYE : 1;
35719 #endif
35720     } BIT;
35721     } BRDYENB;
35722     union {
35723         unsigned short WORD;
35724         struct {
35725
35726 #ifdef __RX_LITTLE_ENDIAN__
35727         unsigned short PIPE0NRDYE : 1;
35728         unsigned short PIPE1NRDYE : 1;
35729         unsigned short PIPE2NRDYE : 1;
35730         unsigned short PIPE3NRDYE : 1;
35731         unsigned short PIPE4NRDYE : 1;
35732         unsigned short PIPE5NRDYE : 1;
35733         unsigned short PIPE6NRDYE : 1;
35734         unsigned short PIPE7NRDYE : 1;
35735         unsigned short PIPE8NRDYE : 1;
35736         unsigned short PIPE9NRDYE : 1;
35737         unsigned short : 6;
35738 #else
35739         unsigned short : 6;
35740         unsigned short PIPE9NRDYE : 1;
35741         unsigned short PIPE8NRDYE : 1;
35742         unsigned short PIPE7NRDYE : 1;
35743         unsigned short PIPE6NRDYE : 1;

```



```

35744         unsigned short PIPE5NRDYE : 1;
35745         unsigned short PIPE4NRDYE : 1;
35746         unsigned short PIPE3NRDYE : 1;
35747         unsigned short PIPE2NRDYE : 1;
35748         unsigned short PIPE1NRDYE : 1;
35749         unsigned short PIPE0NRDYE : 1;
35750     #endif
35751     } BIT;
35752     } NRDYENB;
35753     union {
35754         unsigned short WORD;
35755         struct {
35756
35757     #ifdef __RX_LITTLE_ENDIAN__
35758         unsigned short PIPE0BEMPE : 1;
35759         unsigned short PIPE1BEMPE : 1;
35760         unsigned short PIPE2BEMPE : 1;
35761         unsigned short PIPE3BEMPE : 1;
35762         unsigned short PIPE4BEMPE : 1;
35763         unsigned short PIPE5BEMPE : 1;
35764         unsigned short PIPE6BEMPE : 1;
35765         unsigned short PIPE7BEMPE : 1;
35766         unsigned short PIPE8BEMPE : 1;
35767         unsigned short PIPE9BEMPE : 1;
35768         unsigned short : 6;
35769     #else
35770         unsigned short : 6;
35771         unsigned short PIPE9BEMPE : 1;
35772         unsigned short PIPE8BEMPE : 1;
35773         unsigned short PIPE7BEMPE : 1;
35774         unsigned short PIPE6BEMPE : 1;
35775         unsigned short PIPE5BEMPE : 1;
35776         unsigned short PIPE4BEMPE : 1;
35777         unsigned short PIPE3BEMPE : 1;
35778         unsigned short PIPE2BEMPE : 1;
35779         unsigned short PIPE1BEMPE : 1;
35780         unsigned short PIPE0BEMPE : 1;
35781     #endif
35782     } BIT;
35783     } BEMPENB;
35784     union {
35785         unsigned short WORD;
35786         struct {
35787
35788     #ifdef __RX_LITTLE_ENDIAN__
35789         unsigned short : 4;
35790         unsigned short EDGESTS : 1;
35791         unsigned short : 1;
35792         unsigned short BRDYM : 1;
35793         unsigned short : 1;
35794         unsigned short TRNENSEL : 1;
35795         unsigned short : 7;
35796     #else
35797         unsigned short : 7;
35798         unsigned short TRNENSEL : 1;
35799         unsigned short : 1;
35800         unsigned short BRDYM : 1;
35801         unsigned short : 1;
35802         unsigned short EDGESTS : 1;
35803         unsigned short : 4;
35804     #endif
35805     } BIT;
35806     } SOFCFG;
35807     char          wk8[2];
35808     union {
35809         unsigned short WORD;
35810         struct {
35811
35812     #ifdef __RX_LITTLE_ENDIAN__
35813         unsigned short CTSQ : 3;
35814         unsigned short VALID : 1;
35815         unsigned short DVSQ : 3;
35816         unsigned short VBSTS : 1;
35817         unsigned short BRDY : 1;
35818         unsigned short NRDY : 1;
35819         unsigned short BEMP : 1;
35820         unsigned short CTRT : 1;
35821         unsigned short DVST : 1;
35822         unsigned short SOFR : 1;
35823         unsigned short RESM : 1;
35824         unsigned short VBINT : 1;
35825     #else
35826         unsigned short VBINT : 1;
35827         unsigned short RESM : 1;
35828         unsigned short SOFR : 1;
35829         unsigned short DVST : 1;
35830         unsigned short CTRT : 1;

```

```

35831         unsigned short BEMP : 1;
35832         unsigned short NRDY : 1;
35833         unsigned short BRDY : 1;
35834         unsigned short VBSTS : 1;
35835         unsigned short DVSQ : 3;
35836         unsigned short VALID : 1;
35837         unsigned short CTSQ : 3;
35838     #endif
35839     } BIT;
35840     } INTSTS0;
35841     union {
35842         unsigned short WORD;
35843         struct {
35844
35845     #ifdef __RX_LITTLE_ENDIAN__
35846         unsigned short : 4;
35847         unsigned short SACK : 1;
35848         unsigned short SIGN : 1;
35849         unsigned short EOFERR : 1;
35850         unsigned short : 4;
35851         unsigned short ATTCH : 1;
35852         unsigned short DTCH : 1;
35853         unsigned short : 1;
35854         unsigned short BCHG : 1;
35855         unsigned short OVRCCR : 1;
35856     #else
35857         unsigned short OVRCCR : 1;
35858         unsigned short BCHG : 1;
35859         unsigned short : 1;
35860         unsigned short DTCH : 1;
35861         unsigned short ATTCH : 1;
35862         unsigned short : 4;
35863         unsigned short EOFERR : 1;
35864         unsigned short SIGN : 1;
35865         unsigned short SACK : 1;
35866         unsigned short : 4;
35867     #endif
35868     } BIT;
35869     } INTSTS1;
35870     char          wk9[2];
35871     union {
35872         unsigned short WORD;
35873         struct {
35874
35875     #ifdef __RX_LITTLE_ENDIAN__
35876         unsigned short PIPE0BRDY : 1;
35877         unsigned short PIPE1BRDY : 1;
35878         unsigned short PIPE2BRDY : 1;
35879         unsigned short PIPE3BRDY : 1;
35880         unsigned short PIPE4BRDY : 1;
35881         unsigned short PIPE5BRDY : 1;
35882         unsigned short PIPE6BRDY : 1;
35883         unsigned short PIPE7BRDY : 1;
35884         unsigned short PIPE8BRDY : 1;
35885         unsigned short PIPE9BRDY : 1;
35886         unsigned short : 6;
35887     #else
35888         unsigned short : 6;
35889         unsigned short PIPE9BRDY : 1;
35890         unsigned short PIPE8BRDY : 1;
35891         unsigned short PIPE7BRDY : 1;
35892         unsigned short PIPE6BRDY : 1;
35893         unsigned short PIPE5BRDY : 1;
35894         unsigned short PIPE4BRDY : 1;
35895         unsigned short PIPE3BRDY : 1;
35896         unsigned short PIPE2BRDY : 1;
35897         unsigned short PIPE1BRDY : 1;
35898         unsigned short PIPE0BRDY : 1;
35899     #endif
35900     } BIT;
35901     } BRDYSTS;
35902     union {
35903         unsigned short WORD;
35904         struct {
35905
35906     #ifdef __RX_LITTLE_ENDIAN__
35907         unsigned short PIPE0NRDY : 1;
35908         unsigned short PIPE1NRDY : 1;
35909         unsigned short PIPE2NRDY : 1;
35910         unsigned short PIPE3NRDY : 1;
35911         unsigned short PIPE4NRDY : 1;
35912         unsigned short PIPE5NRDY : 1;
35913         unsigned short PIPE6NRDY : 1;
35914         unsigned short PIPE7NRDY : 1;
35915         unsigned short PIPE8NRDY : 1;
35916         unsigned short PIPE9NRDY : 1;
35917         unsigned short : 6;

```

```

35918 #else
35919     unsigned short : 6;
35920     unsigned short PIPE9NRDY : 1;
35921     unsigned short PIPE8NRDY : 1;
35922     unsigned short PIPE7NRDY : 1;
35923     unsigned short PIPE6NRDY : 1;
35924     unsigned short PIPE5NRDY : 1;
35925     unsigned short PIPE4NRDY : 1;
35926     unsigned short PIPE3NRDY : 1;
35927     unsigned short PIPE2NRDY : 1;
35928     unsigned short PIPE1NRDY : 1;
35929     unsigned short PIPE0NRDY : 1;
35930 #endif
35931     } BIT;
35932     } NRDYSTS;
35933     union {
35934         unsigned short WORD;
35935         struct {
35936
35937 #ifdef __RX_LITTLE_ENDIAN__
35938         unsigned short PIPE0BEMP : 1;
35939         unsigned short PIPE1BEMP : 1;
35940         unsigned short PIPE2BEMP : 1;
35941         unsigned short PIPE3BEMP : 1;
35942         unsigned short PIPE4BEMP : 1;
35943         unsigned short PIPE5BEMP : 1;
35944         unsigned short PIPE6BEMP : 1;
35945         unsigned short PIPE7BEMP : 1;
35946         unsigned short PIPE8BEMP : 1;
35947         unsigned short PIPE9BEMP : 1;
35948         unsigned short : 6;
35949 #else
35950         unsigned short : 6;
35951         unsigned short PIPE9BEMP : 1;
35952         unsigned short PIPE8BEMP : 1;
35953         unsigned short PIPE7BEMP : 1;
35954         unsigned short PIPE6BEMP : 1;
35955         unsigned short PIPE5BEMP : 1;
35956         unsigned short PIPE4BEMP : 1;
35957         unsigned short PIPE3BEMP : 1;
35958         unsigned short PIPE2BEMP : 1;
35959         unsigned short PIPE1BEMP : 1;
35960         unsigned short PIPE0BEMP : 1;
35961 #endif
35962     } BIT;
35963     } BEMPSTS;
35964     union {
35965         unsigned short WORD;
35966         struct {
35967
35968 #ifdef __RX_LITTLE_ENDIAN__
35969         unsigned short FRNM : 11;
35970         unsigned short : 3;
35971         unsigned short CRCE : 1;
35972         unsigned short OVRN : 1;
35973 #else
35974         unsigned short OVRN : 1;
35975         unsigned short CRCE : 1;
35976         unsigned short : 3;
35977         unsigned short FRNM : 11;
35978 #endif
35979     } BIT;
35980     } FRMNUM;
35981     union {
35982         unsigned short WORD;
35983         struct {
35984
35985 #ifdef __RX_LITTLE_ENDIAN__
35986         unsigned short : 15;
35987         unsigned short DVCHG : 1;
35988 #else
35989         unsigned short DVCHG : 1;
35990         unsigned short : 15;
35991 #endif
35992     } BIT;
35993     } DVCHGR;
35994     union {
35995         unsigned short WORD;
35996         struct {
35997
35998 #ifdef __RX_LITTLE_ENDIAN__
35999         unsigned short USBADDR : 7;
36000         unsigned short : 1;
36001         unsigned short STSRECOV : 4;
36002         unsigned short : 4;
36003 #else
36004         unsigned short : 4;

```

```

36005         unsigned short STSRECOV : 4;
36006         unsigned short : 1;
36007         unsigned short USBADDR : 7;
36008 #endif
36009     } BIT;
36010     } USBADDR;
36011     char        wk10[2];
36012     union {
36013         unsigned short WORD;
36014         struct {
36015
36016 #ifdef __RX_LITTLE_ENDIAN__
36017         unsigned short BMREQUESTTYPE : 8;
36018         unsigned short BREQUEST : 8;
36019 #else
36020         unsigned short BREQUEST : 8;
36021         unsigned short BMREQUESTTYPE : 8;
36022 #endif
36023     } BIT;
36024     } USBREQ;
36025     unsigned short USBVAL;
36026     unsigned short USBINDX;
36027     unsigned short USBLENG;
36028     union {
36029         unsigned short WORD;
36030         struct {
36031
36032 #ifdef __RX_LITTLE_ENDIAN__
36033         unsigned short : 4;
36034         unsigned short DIR : 1;
36035         unsigned short : 2;
36036         unsigned short SHTNAK : 1;
36037         unsigned short : 8;
36038 #else
36039         unsigned short : 8;
36040         unsigned short SHTNAK : 1;
36041         unsigned short : 2;
36042         unsigned short DIR : 1;
36043         unsigned short : 4;
36044 #endif
36045     } BIT;
36046     } DCPCFG;
36047     union {
36048         unsigned short WORD;
36049         struct {
36050
36051 #ifdef __RX_LITTLE_ENDIAN__
36052         unsigned short MXPS : 7;
36053         unsigned short : 5;
36054         unsigned short DEVSEL : 4;
36055 #else
36056         unsigned short DEVSEL : 4;
36057         unsigned short : 5;
36058         unsigned short MXPS : 7;
36059 #endif
36060     } BIT;
36061     } DCPMAXP;
36062     union {
36063         unsigned short WORD;
36064         struct {
36065
36066 #ifdef __RX_LITTLE_ENDIAN__
36067         unsigned short PID : 2;
36068         unsigned short CCPL : 1;
36069         unsigned short : 2;
36070         unsigned short PBUSY : 1;
36071         unsigned short SQMON : 1;
36072         unsigned short SQSET : 1;
36073         unsigned short SQCLR : 1;
36074         unsigned short : 2;
36075         unsigned short SUREQCLR : 1;
36076         unsigned short : 2;
36077         unsigned short SUREQ : 1;
36078         unsigned short BSTS : 1;
36079 #else
36080         unsigned short BSTS : 1;
36081         unsigned short SUREQ : 1;
36082         unsigned short : 2;
36083         unsigned short SUREQCLR : 1;
36084         unsigned short : 2;
36085         unsigned short SQCLR : 1;
36086         unsigned short SQSET : 1;
36087         unsigned short SQMON : 1;
36088         unsigned short PBUSY : 1;
36089         unsigned short : 2;
36090         unsigned short CCPL : 1;
36091         unsigned short PID : 2;

```

```

36092 #endif
36093     } BIT;
36094     } DCPCTR;
36095     char          wk11[2];
36096     union {
36097         unsigned short WORD;
36098         struct {
36099
36100 #ifdef __RX_LITTLE_ENDIAN__
36101         unsigned short PIPESEL : 4;
36102         unsigned short : 12;
36103 #else
36104         unsigned short : 12;
36105         unsigned short PIPESEL : 4;
36106 #endif
36107     } BIT;
36108     } PIPESEL;
36109     char          wk12[2];
36110     union {
36111         unsigned short WORD;
36112         struct {
36113
36114 #ifdef __RX_LITTLE_ENDIAN__
36115         unsigned short EPNUM : 4;
36116         unsigned short DIR : 1;
36117         unsigned short : 2;
36118         unsigned short SHTNAK : 1;
36119         unsigned short : 1;
36120         unsigned short DBLB : 1;
36121         unsigned short BFRE : 1;
36122         unsigned short : 3;
36123         unsigned short TYPE : 2;
36124 #else
36125         unsigned short TYPE : 2;
36126         unsigned short : 3;
36127         unsigned short BFRE : 1;
36128         unsigned short DBLB : 1;
36129         unsigned short : 1;
36130         unsigned short SHTNAK : 1;
36131         unsigned short : 2;
36132         unsigned short DIR : 1;
36133         unsigned short EPNUM : 4;
36134 #endif
36135     } BIT;
36136     } PIPECFG;
36137     char          wk13[2];
36138     union {
36139         unsigned short WORD;
36140         struct {
36141
36142 #ifdef __RX_LITTLE_ENDIAN__
36143         unsigned short MXPS : 9;
36144         unsigned short : 3;
36145         unsigned short DEVSEL : 4;
36146 #else
36147         unsigned short DEVSEL : 4;
36148         unsigned short : 3;
36149         unsigned short MXPS : 9;
36150 #endif
36151     } BIT;
36152     } PIPEMAXP;
36153     union {
36154         unsigned short WORD;
36155         struct {
36156
36157 #ifdef __RX_LITTLE_ENDIAN__
36158         unsigned short IITV : 3;
36159         unsigned short : 9;
36160         unsigned short IFIS : 1;
36161         unsigned short : 3;
36162 #else
36163         unsigned short : 3;
36164         unsigned short IFIS : 1;
36165         unsigned short : 9;
36166         unsigned short IITV : 3;
36167 #endif
36168     } BIT;
36169     } PIPEPERI;
36170     union {
36171         unsigned short WORD;
36172         struct {
36173
36174 #ifdef __RX_LITTLE_ENDIAN__
36175         unsigned short PID : 2;
36176         unsigned short : 3;
36177         unsigned short PBUSY : 1;
36178         unsigned short SQMON : 1;

```

```

36179         unsigned short SQSET : 1;
36180         unsigned short SQCLR : 1;
36181         unsigned short ACLRM : 1;
36182         unsigned short ATREPM : 1;
36183         unsigned short : 3;
36184         unsigned short INBUFM : 1;
36185         unsigned short BSTS : 1;
36186 #else
36187         unsigned short BSTS : 1;
36188         unsigned short INBUFM : 1;
36189         unsigned short : 3;
36190         unsigned short ATREPM : 1;
36191         unsigned short ACLRM : 1;
36192         unsigned short SQCLR : 1;
36193         unsigned short SQSET : 1;
36194         unsigned short SQMON : 1;
36195         unsigned short PBUSY : 1;
36196         unsigned short : 3;
36197         unsigned short PID : 2;
36198 #endif
36199     } BIT;
36200 } PIPE1CTR;
36201 union {
36202     unsigned short WORD;
36203     struct {
36204
36205 #ifdef __RX_LITTLE_ENDIAN__
36206         unsigned short PID : 2;
36207         unsigned short : 3;
36208         unsigned short PBUSY : 1;
36209         unsigned short SQMON : 1;
36210         unsigned short SQSET : 1;
36211         unsigned short SQCLR : 1;
36212         unsigned short ACLRM : 1;
36213         unsigned short ATREPM : 1;
36214         unsigned short : 3;
36215         unsigned short INBUFM : 1;
36216         unsigned short BSTS : 1;
36217 #else
36218         unsigned short BSTS : 1;
36219         unsigned short INBUFM : 1;
36220         unsigned short : 3;
36221         unsigned short ATREPM : 1;
36222         unsigned short ACLRM : 1;
36223         unsigned short SQCLR : 1;
36224         unsigned short SQSET : 1;
36225         unsigned short SQMON : 1;
36226         unsigned short PBUSY : 1;
36227         unsigned short : 3;
36228         unsigned short PID : 2;
36229 #endif
36230     } BIT;
36231 } PIPE2CTR;
36232 union {
36233     unsigned short WORD;
36234     struct {
36235
36236 #ifdef __RX_LITTLE_ENDIAN__
36237         unsigned short PID : 2;
36238         unsigned short : 3;
36239         unsigned short PBUSY : 1;
36240         unsigned short SQMON : 1;
36241         unsigned short SQSET : 1;
36242         unsigned short SQCLR : 1;
36243         unsigned short ACLRM : 1;
36244         unsigned short ATREPM : 1;
36245         unsigned short : 3;
36246         unsigned short INBUFM : 1;
36247         unsigned short BSTS : 1;
36248 #else
36249         unsigned short BSTS : 1;
36250         unsigned short INBUFM : 1;
36251         unsigned short : 3;
36252         unsigned short ATREPM : 1;
36253         unsigned short ACLRM : 1;
36254         unsigned short SQCLR : 1;
36255         unsigned short SQSET : 1;
36256         unsigned short SQMON : 1;
36257         unsigned short PBUSY : 1;
36258         unsigned short : 3;
36259         unsigned short PID : 2;
36260 #endif
36261     } BIT;
36262 } PIPE3CTR;
36263 union {
36264     unsigned short WORD;
36265     struct {

```

```

36266
36267 #ifdef __RX_LITTLE_ENDIAN__
36268     unsigned short PID : 2;
36269     unsigned short : 3;
36270     unsigned short PBUSY : 1;
36271     unsigned short SQMON : 1;
36272     unsigned short SQSET : 1;
36273     unsigned short SQCLR : 1;
36274     unsigned short ACLRM : 1;
36275     unsigned short ATREPM : 1;
36276     unsigned short : 3;
36277     unsigned short INBUFM : 1;
36278     unsigned short BSTS : 1;
36279 #else
36280     unsigned short BSTS : 1;
36281     unsigned short INBUFM : 1;
36282     unsigned short : 3;
36283     unsigned short ATREPM : 1;
36284     unsigned short ACLRM : 1;
36285     unsigned short SQCLR : 1;
36286     unsigned short SQSET : 1;
36287     unsigned short SQMON : 1;
36288     unsigned short PBUSY : 1;
36289     unsigned short : 3;
36290     unsigned short PID : 2;
36291 #endif
36292 } BIT;
36293 } PIPE4CTR;
36294 union {
36295     unsigned short WORD;
36296     struct {
36297
36298 #ifdef __RX_LITTLE_ENDIAN__
36299     unsigned short PID : 2;
36300     unsigned short : 3;
36301     unsigned short PBUSY : 1;
36302     unsigned short SQMON : 1;
36303     unsigned short SQSET : 1;
36304     unsigned short SQCLR : 1;
36305     unsigned short ACLRM : 1;
36306     unsigned short ATREPM : 1;
36307     unsigned short : 3;
36308     unsigned short INBUFM : 1;
36309     unsigned short BSTS : 1;
36310 #else
36311     unsigned short BSTS : 1;
36312     unsigned short INBUFM : 1;
36313     unsigned short : 3;
36314     unsigned short ATREPM : 1;
36315     unsigned short ACLRM : 1;
36316     unsigned short SQCLR : 1;
36317     unsigned short SQSET : 1;
36318     unsigned short SQMON : 1;
36319     unsigned short PBUSY : 1;
36320     unsigned short : 3;
36321     unsigned short PID : 2;
36322 #endif
36323     } BIT;
36324     } PIPE5CTR;
36325     union {
36326         unsigned short WORD;
36327         struct {
36328
36329 #ifdef __RX_LITTLE_ENDIAN__
36330     unsigned short PID : 2;
36331     unsigned short : 3;
36332     unsigned short PBUSY : 1;
36333     unsigned short SQMON : 1;
36334     unsigned short SQSET : 1;
36335     unsigned short SQCLR : 1;
36336     unsigned short ACLRM : 1;
36337     unsigned short : 5;
36338     unsigned short BSTS : 1;
36339 #else
36340     unsigned short BSTS : 1;
36341     unsigned short : 5;
36342     unsigned short ACLRM : 1;
36343     unsigned short SQCLR : 1;
36344     unsigned short SQSET : 1;
36345     unsigned short SQMON : 1;
36346     unsigned short PBUSY : 1;
36347     unsigned short : 3;
36348     unsigned short PID : 2;
36349 #endif
36350     } BIT;
36351     } PIPE6CTR;
36352     union {

```

```

36353     unsigned short WORD;
36354     struct {
36355
36356 #ifdef __RX_LITTLE_ENDIAN__
36357     unsigned short PID : 2;
36358     unsigned short : 3;
36359     unsigned short PBUSY : 1;
36360     unsigned short SQMON : 1;
36361     unsigned short SQSET : 1;
36362     unsigned short SQCLR : 1;
36363     unsigned short ACLRM : 1;
36364     unsigned short : 5;
36365     unsigned short BSTS : 1;
36366 #else
36367     unsigned short BSTS : 1;
36368     unsigned short : 5;
36369     unsigned short ACLRM : 1;
36370     unsigned short SQCLR : 1;
36371     unsigned short SQSET : 1;
36372     unsigned short SQMON : 1;
36373     unsigned short PBUSY : 1;
36374     unsigned short : 3;
36375     unsigned short PID : 2;
36376 #endif
36377     } BIT;
36378     } PIPE7CTR;
36379     union {
36380     unsigned short WORD;
36381     struct {
36382
36383 #ifdef __RX_LITTLE_ENDIAN__
36384     unsigned short PID : 2;
36385     unsigned short : 3;
36386     unsigned short PBUSY : 1;
36387     unsigned short SQMON : 1;
36388     unsigned short SQSET : 1;
36389     unsigned short SQCLR : 1;
36390     unsigned short ACLRM : 1;
36391     unsigned short : 5;
36392     unsigned short BSTS : 1;
36393 #else
36394     unsigned short BSTS : 1;
36395     unsigned short : 5;
36396     unsigned short ACLRM : 1;
36397     unsigned short SQCLR : 1;
36398     unsigned short SQSET : 1;
36399     unsigned short SQMON : 1;
36400     unsigned short PBUSY : 1;
36401     unsigned short : 3;
36402     unsigned short PID : 2;
36403 #endif
36404     } BIT;
36405     } PIPE8CTR;
36406     union {
36407     unsigned short WORD;
36408     struct {
36409
36410 #ifdef __RX_LITTLE_ENDIAN__
36411     unsigned short PID : 2;
36412     unsigned short : 3;
36413     unsigned short PBUSY : 1;
36414     unsigned short SQMON : 1;
36415     unsigned short SQSET : 1;
36416     unsigned short SQCLR : 1;
36417     unsigned short ACLRM : 1;
36418     unsigned short : 5;
36419     unsigned short BSTS : 1;
36420 #else
36421     unsigned short BSTS : 1;
36422     unsigned short : 5;
36423     unsigned short ACLRM : 1;
36424     unsigned short SQCLR : 1;
36425     unsigned short SQSET : 1;
36426     unsigned short SQMON : 1;
36427     unsigned short PBUSY : 1;
36428     unsigned short : 3;
36429     unsigned short PID : 2;
36430 #endif
36431     } BIT;
36432     } PIPE9CTR;
36433     char          wk14[14];
36434     union {
36435     unsigned short WORD;
36436     struct {
36437
36438 #ifdef __RX_LITTLE_ENDIAN__
36439     unsigned short : 8;

```



```

36440         unsigned short TRCLR : 1;
36441         unsigned short TRENB : 1;
36442         unsigned short : 6;
36443 #else
36444         unsigned short : 6;
36445         unsigned short TRENB : 1;
36446         unsigned short TRCLR : 1;
36447         unsigned short : 8;
36448 #endif
36449     } BIT;
36450     } PIPE1TRE;
36451     unsigned short PIPE1TRN;
36452     union {
36453         unsigned short WORD;
36454         struct {
36455
36456 #ifdef __RX_LITTLE_ENDIAN__
36457         unsigned short : 8;
36458         unsigned short TRCLR : 1;
36459         unsigned short TRENB : 1;
36460         unsigned short : 6;
36461 #else
36462         unsigned short : 6;
36463         unsigned short TRENB : 1;
36464         unsigned short TRCLR : 1;
36465         unsigned short : 8;
36466 #endif
36467     } BIT;
36468     } PIPE2TRE;
36469     unsigned short PIPE2TRN;
36470     union {
36471         unsigned short WORD;
36472         struct {
36473
36474 #ifdef __RX_LITTLE_ENDIAN__
36475         unsigned short : 8;
36476         unsigned short TRCLR : 1;
36477         unsigned short TRENB : 1;
36478         unsigned short : 6;
36479 #else
36480         unsigned short : 6;
36481         unsigned short TRENB : 1;
36482         unsigned short TRCLR : 1;
36483         unsigned short : 8;
36484 #endif
36485     } BIT;
36486     } PIPE3TRE;
36487     unsigned short PIPE3TRN;
36488     union {
36489         unsigned short WORD;
36490         struct {
36491
36492 #ifdef __RX_LITTLE_ENDIAN__
36493         unsigned short : 8;
36494         unsigned short TRCLR : 1;
36495         unsigned short TRENB : 1;
36496         unsigned short : 6;
36497 #else
36498         unsigned short : 6;
36499         unsigned short TRENB : 1;
36500         unsigned short TRCLR : 1;
36501         unsigned short : 8;
36502 #endif
36503     } BIT;
36504     } PIPE4TRE;
36505     unsigned short PIPE4TRN;
36506     union {
36507         unsigned short WORD;
36508         struct {
36509
36510 #ifdef __RX_LITTLE_ENDIAN__
36511         unsigned short : 8;
36512         unsigned short TRCLR : 1;
36513         unsigned short TRENB : 1;
36514         unsigned short : 6;
36515 #else
36516         unsigned short : 6;
36517         unsigned short TRENB : 1;
36518         unsigned short TRCLR : 1;
36519         unsigned short : 8;
36520 #endif
36521     } BIT;
36522     } PIPE5TRE;
36523     unsigned short PIPE5TRN;
36524     char wk15[44];
36525     union {
36526         unsigned short WORD;

```

```

36527     struct {
36528
36529 #ifdef __RX_LITTLE_ENDIAN__
36530     unsigned short : 6;
36531     unsigned short USBSPD : 2;
36532     unsigned short : 8;
36533 #else
36534     unsigned short : 8;
36535     unsigned short USBSPD : 2;
36536     unsigned short : 6;
36537 #endif
36538     } BIT;
36539     } DEVADD0;
36540     union {
36541         unsigned short WORD;
36542     struct {
36543
36544 #ifdef __RX_LITTLE_ENDIAN__
36545     unsigned short : 6;
36546     unsigned short USBSPD : 2;
36547     unsigned short : 8;
36548 #else
36549     unsigned short : 8;
36550     unsigned short USBSPD : 2;
36551     unsigned short : 6;
36552 #endif
36553     } BIT;
36554     } DEVADD1;
36555     union {
36556         unsigned short WORD;
36557     struct {
36558
36559 #ifdef __RX_LITTLE_ENDIAN__
36560     unsigned short : 6;
36561     unsigned short USBSPD : 2;
36562     unsigned short : 8;
36563 #else
36564     unsigned short : 8;
36565     unsigned short USBSPD : 2;
36566     unsigned short : 6;
36567 #endif
36568     } BIT;
36569     } DEVADD2;
36570     union {
36571         unsigned short WORD;
36572     struct {
36573
36574 #ifdef __RX_LITTLE_ENDIAN__
36575     unsigned short : 6;
36576     unsigned short USBSPD : 2;
36577     unsigned short : 8;
36578 #else
36579     unsigned short : 8;
36580     unsigned short USBSPD : 2;
36581     unsigned short : 6;
36582 #endif
36583     } BIT;
36584     } DEVADD3;
36585     union {
36586         unsigned short WORD;
36587     struct {
36588
36589 #ifdef __RX_LITTLE_ENDIAN__
36590     unsigned short : 6;
36591     unsigned short USBSPD : 2;
36592     unsigned short : 8;
36593 #else
36594     unsigned short : 8;
36595     unsigned short USBSPD : 2;
36596     unsigned short : 6;
36597 #endif
36598     } BIT;
36599     } DEVADD4;
36600     union {
36601         unsigned short WORD;
36602     struct {
36603
36604 #ifdef __RX_LITTLE_ENDIAN__
36605     unsigned short : 6;
36606     unsigned short USBSPD : 2;
36607     unsigned short : 8;
36608 #else
36609     unsigned short : 8;
36610     unsigned short USBSPD : 2;
36611     unsigned short : 6;
36612 #endif
36613     } BIT;

```

```

36614     } DEVADD5;
36615     char      wk16[20];
36616     union {
36617         unsigned long LONG;
36618         struct {
36619
36620 #ifdef __RX_LITTLE_ENDIAN__
36621         unsigned long SLEWR00 : 1;
36622         unsigned long SLEWR01 : 1;
36623         unsigned long SLEWF00 : 1;
36624         unsigned long SLEWF01 : 1;
36625         unsigned long      : 28;
36626 #else
36627         unsigned long      : 28;
36628         unsigned long SLEWF01 : 1;
36629         unsigned long SLEWF00 : 1;
36630         unsigned long SLEWR01 : 1;
36631         unsigned long SLEWR00 : 1;
36632 #endif
36633         } BIT;
36634         } PHYSLEW;
36635 } st_usb0_t;
36636
36637 typedef struct st_wdt {
36638     unsigned char WDTRR;
36639     char      wk0[1];
36640     union {
36641         unsigned short WORD;
36642         struct {
36643
36644 #ifdef __RX_LITTLE_ENDIAN__
36645         unsigned short TOPS : 2;
36646         unsigned short      : 2;
36647         unsigned short CKS : 4;
36648         unsigned short RPES : 2;
36649         unsigned short      : 2;
36650         unsigned short RPSS : 2;
36651         unsigned short      : 2;
36652 #else
36653         unsigned short      : 2;
36654         unsigned short RPSS : 2;
36655         unsigned short      : 2;
36656         unsigned short RPES : 2;
36657         unsigned short CKS : 4;
36658         unsigned short      : 2;
36659         unsigned short TOPS : 2;
36660 #endif
36661         } BIT;
36662         } WDTCR;
36663     union {
36664         unsigned short WORD;
36665         struct {
36666
36667 #ifdef __RX_LITTLE_ENDIAN__
36668         unsigned short CNTVAL : 14;
36669         unsigned short UNDFE : 1;
36670         unsigned short REFEF : 1;
36671 #else
36672         unsigned short REFEF : 1;
36673         unsigned short UNDFE : 1;
36674         unsigned short CNTVAL : 14;
36675 #endif
36676         } BIT;
36677         } WDTSR;
36678     union {
36679         unsigned char BYTE;
36680         struct {
36681
36682 #ifdef __RX_LITTLE_ENDIAN__
36683         unsigned char      : 7;
36684         unsigned char RSTIRQS : 1;
36685 #else
36686         unsigned char RSTIRQS : 1;
36687         unsigned char      : 7;
36688 #endif
36689         } BIT;
36690         } WDTRCR;
36691 } st_wdt_t;
36692
36693 typedef struct st_flashconst {
36694     unsigned long UIDR0;
36695     unsigned long UIDR1;
36696     unsigned long UIDR2;
36697     unsigned long UIDR3;
36698 } st_flashconst_t;
36699
36700 typedef struct st_tempsconst {

```

```

36701     unsigned long  TSCDR;
36702 } st_tempsconst_t;
36703
36704
36705 #pragma pack()
36706
36707 #endif
36708

```

6.5 pwm_test_fit/linker.ld File Reference

6.6 linker.ld

[Go to the documentation of this file.](#)

```

00001 /*
00002  * gpio_test/linker.ld -- Linker script for GPIO breakout board test.
00003  *
00004  * Same memory map as usb_test: 512 KB internal SRAM, 2 MB internal ROM.
00005  * Includes Renesas-syntax sections (P, B, D, C) needed by ThreadX RXv3 port.
00006  */
00007
00008 MEMORY
00009 {
00010     RAM : ORIGIN = 0x00000004, LENGTH = 0x7FFFC /* 512 KB - 4 bytes */
00011     ROM : ORIGIN = 0xFFE00000, LENGTH = 0x200000 /* 2 MB */
00012 }
00013
00014 SECTIONS
00015 {
00016     /* Code -- explicit ROM base so section VMA is anchored correctly. */
00017     .text 0xFFE00000 : AT(0xFFE00000)
00018     {
00019         *(.text*)
00020         *(P)
00021         *(P_1)
00022         *(.rodata*)
00023         *(C)
00024         *(C_1)
00025         *(C_2)
00026         etext = .;
00027     } > ROM
00028
00029     /*
00030     * Relocatable vector table -- startup.S loads INTB with this address.
00031     * Must be 4-byte aligned; only vectors 27 (SWINT) and 28 (CMT0) are
00032     * used, but allocate 256 entries (1024 bytes) for safety.
00033     */
00034     .rvecors ALIGN(4) :
00035     {
00036         __rvecors_start = .;
00037         KEEP(*( .rvecors))
00038         __rvecors_end = .;
00039     } > ROM
00040
00041     /*
00042     * Initialised data -- LMA stays in ROM, VMA in RAM.
00043     * startup.S copies __data..edata from __mdata on boot.
00044     */
00045     __mdata = .;
00046     .data : AT(__mdata)
00047     {
00048         __data = .;
00049         *(.data*)
00050         *(D)
00051         *(D_1)
00052         *(D_2)
00053         __edata = .;
00054     } > RAM
00055
00056     /* BSS -- zeroed by startup.S */
00057     .bss :
00058     {
00059         __bss = .;
00060         *(.bss*)
00061         *(COMMON)
00062         *(B)
00063         *(B_1)
00064         *(B_2)

```

```

00065     _ebss = .;
00066     . = ALIGN(4);
00067     _end = .;
00068 } > RAM AT>RAM
00069
00070 /*
00071  * Stacks -- USP grows down from top of RAM, ISP 4 KB below that.
00072  */
00073 _ustack = ORIGIN(RAM) + LENGTH(RAM);
00074 _istack = _ustack - 0x1000;
00075
00076 /*
00077  * Exception vector table at fixed hardware address 0xFFFFF80.
00078  * 32 entries -- all unused.
00079  */
00080 .exvectors 0xFFFFF80 : AT(0xFFFFF80)
00081 {
00082     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00083     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00084     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00085     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00086     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00087     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00088     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00089     LONG(0xFFFFFFFF); LONG(0xFFFFFFFF); LONG(0xFFFFFFFF);
00090 } > ROM
00091
00092 /* Fixed reset vector at 0xFFFFF8C */
00093 .fvectors 0xFFFFF8C : AT(0xFFFFF8C)
00094 {
00095     KEEP(*(.fvectors))
00096 } > ROM
00097 }

```

6.7 pwm_test_fit/main.c File Reference


20 kHz PWM on GPTW0 using Renesas [iodefine.h](#) register structs.

```
#include <stdbool.h>
```

```
#include <stdint.h>
```

```
#include "iodefine.h"
```

Include dependency graph for main.c:



Enumerations

- enum {
 [k_pwm_pcka_hz](#) = 96000000U , [k_pwm_freq_hz](#) = 20000U , [k_pwm_period_cnt](#) = 4800U ,
 [k_pwm_gtpr](#) = 4799U ,
 [k_pwm_duty_50pct](#) = 2400U , [k_duty_step](#) = 48U , [k_duty_hold_loops](#) = 40000U ,
 [k_psel_gptw](#) = 0x14U }

Functions

- void `clock_init` (void)
- static void `delay_loops` (uint32_t n)
- static void `release_gptw_from_module_stop` (void)
- static void `route_gtioc0_to_p23_p17` (void)
- static void `configure_gptw0_pwm_20khz` (void)
- static void `run_pwm_sweep_forever` (void)
- int `main` (void)
- void `_tx_thread_context_save` (void)
- void `_tx_thread_context_restore` (void)
- void `cmt0_isr` (void)

6.7.1 Detailed Description

20 kHz PWM on GPTW0 using Renesas [iodefine.h](#) register structs.

Note

NOT NEEDED FOR PRODUCTION (kept as an alternate-style reference). The STAR `libs/rx_hal/src/rx_gptw.c` HAL now produces clean 20 kHz PWM on P17/P23 after the 2026-04-19 HAL fixes (`VERIFICATION_LOG.md`). Use `pwm_test_hal/` (HAL) or `motor_spin_test/` (motor lib) for the real path; they go through our verified `libs/` code. This FIT-style variant is kept only as a reference to Renesas' [iodefine.h](#) layout for future diagnostic work.

"FIT-style" bring-up using the authoritative Renesas BSP register definitions from `r_bsp/r_bsp_vx.xx/r_bsp/mcu/rx72n`

That header is the same one every Renesas FIT driver builds against (the public `rx-driver-package` has NO dedicated GPTW FIT driver – the only code in the whole package that writes GPTW registers is `r_aerpoint_rx`, and it does so through this same `iodefine` with statements like `MSTP(GPTW) = 0`; `GPTW1.GTCR.LONG = ...`; `R_MPC_Write(...)`; so that is the "reference driver" pattern we mimic here.

6.7.1.0.1 Pin map (Tom's PCB breakout -> GPTW0)

- Tom header pin 34 -> P23 / GTIOC0A (scope Ch2, blue, "IN2")
- Tom header pin 38 -> P17 / GTIOC0B (scope Ch1, orange, "IN1")

6.7.1.0.2 Clocking (`clock.c`)

- HOCO 16 MHz x 12 = 192 MHz PLL
- ICLK 96 MHz, PCKA 96 MHz (GPTW source)

6.7.1.0.3 PWM

- Saw-wave mode (GTCR.MD = 000)
- Period = 96 MHz / 20 kHz = 4800 counts -> GTPR = 4799
- GTIOCA / GTIOCB driven with complementary duty for scope verification

SPDX-License-Identifier: MIT

Copyright

Copyright (c) 2026 Locked Inc.

Definition in file [main.c](#).

6.7.2 Enumeration Type Documentation

6.7.2.1 anonymous enum

anonymous enum

Enumerator

k_pwm_pcka_hz	
k_pwm_freq_hz	
k_pwm_period_cnt	
k_pwm_gtpr	
k_pwm_duty_50pct	
k_duty_step	
k_duty_hold_loops	
k_psel_gptw	

Definition at line 54 of file [main.c](#).

```

00054  {
00055      k_pwm_pcka_hz    = 96000000U,
00056      k_pwm_freq_hz   = 20000U,
00057      k_pwm_period_cnt = 4800U,          /* PCKA / freq */
00058      k_pwm_gtpr      = 4799U,         /* period - 1 */
00059      k_pwm_duty_50pct = 2400U,
00060      k_duty_step      = 48U,
00061      k_duty_hold_loops = 40000U,
00062
00063      /* PSEL value for GPTW alternate function on Port 1 / Port 2 pins.
00064       * Matches the PSEL used by r_aeropoint_rx's GPTW pin init (0x1E there is
00065       * Port D specific; 0x14 is the documented GTIOCA/B select for the P1x
00066       * and P2x pins in the RX72N MPC tables -- same value used by STAR's
00067       * rx_gptw.c HAL and by pwm_test/main.c today). */
00068      k_psel_gptw      = 0x14U,
00069  };

```

6.7.3 Function Documentation

6.7.3.1 `__tx_thread_context_restore()`

```
void __tx_thread_context_restore (
    void )
```

Definition at line 234 of file [main.c](#).

```
00234 {}
```

6.7.3.2 `__tx_thread_context_save()`

```
void __tx_thread_context_save (
    void )
```

Definition at line 233 of file [main.c](#).

```
00233 {}
```

6.7.3.3 `clock_init()`

```
void clock_init (
    void ) [extern]
```


Definition at line 33 of file [clock.c](#).

```
00034 {
00035     volatile uint16_t * const prcr = (volatile uint16_t *)&SYSTEM.PRCR.WORD;
00036     volatile uint8_t * const memwait = (volatile uint8_t *)MEMWAIT_ADDR;
00037     volatile uint16_t * const packcr = (volatile uint16_t *)PACKCR_ADDR;
00038
00039     /* Unlock PRC0 (clock) + PRC1 (module stop). */
00040     *prcr = PRCR_KEY_UNLOCK_PRC0_PRC1;
00041
00042     /* Start HOCO. */
00043     SYSTEM.HOCOCR.BYTE = 0x00U;
00044     while (SYSTEM.OSCOVFSR.BIT.HCOVF == 0U) { __asm__ volatile("nop"); }
00045
00046     /* PLL: HOCO 16 MHz / 1 * 12 = 192 MHz (PLIDIV=00, PLLSRCSEL=1, STC=23). */
00047     SYSTEM.PLLCR.WORD = 0x1710U;
00048     SYSTEM.PLLCR2.BYTE = 0x00U;
00049     while (SYSTEM.OSCOVFSR.BIT.PLOVF == 0U) { __asm__ volatile("nop"); }
00050
00051     /* MEMWAIT = 1 (required for ICLK > 120 MHz; harmless for us). */
00052     *memwait = 0x01U;
00053
00054     /* SCKCR: FCK=/4, ICK=/2, PSTOP1=1, PSTOP0=1, BCK=/4,
00055      *      PCKA=/2 (96 MHz), PCKB=/4 (48 MHz), PCKC=/2, PCKD=/2. */
00056     SYSTEM.SCKCR.LONG = 0x21C21211U;
00057
00058     /* UPLLSEL = 0 : route UCLK divider input from main PLL. */
00059     *packcr = 0x0000U;
00060
00061     /* SCKCR2: UCK = /4 (48 MHz), bits [3:0] reserved = 1. */
00062     SYSTEM.SCKCR2.WORD = 0x0031U;
00063
00064     /* SCKCR3: select PLL as system clock source. */
00065     SYSTEM.SCKCR3.WORD = 0x0400U;
00066
00067     /* Relock PRCR. */
00068     *prcr = PRCR_KEY_LOCK;
00069 }
```

References [MEMWAIT_ADDR](#), [PACKCR_ADDR](#), [PRCR_KEY_LOCK](#), [PRCR_KEY_UNLOCK_PRC0_PRC1](#), and [SYSTEM](#).

Referenced by [main\(\)](#).

Here is the caller graph for this function:



6.7.3.4 cmt0_isr()

```
void cmt0_isr (
    void )
```

Definition at line 235 of file [main.c](#).

```
00235 {}
```

6.7.3.5 configure_gptw0_pwm_20khz()

```
void configure_gptw0_pwm_20khz (
    void ) [static]
```


Definition at line 127 of file [main.c](#).

```
00128 {
00129     /* Unlock GPTW0 write protection. PRKEY=0xA5, WP bits cleared. */
00130     GPTW0.GTWP.LONG = 0x0000A500U;
00131
00132     /* Stop counter before configuring. GTCR.CST = 0 halts the counter. */
00133     GPTW0.GTCR.LONG = 0x00000000U;
00134
00135     /* Force count direction = up (UD=1) with UDF=1 to accept the write.
00136      * Without UDF, the UD bit write is ignored per the hardware manual. */
00137     GPTW0.GTUDDTYC.LONG = 0x00000003U;
00138
00139     /* Clear counter. */
00140     GPTW0.GTCNT = 0U;
00141
00142     /* Period: 4799 -> 20 kHz at 96 MHz PCKA. */
00143     GPTW0.GTPR = (uint32_t)k_pwm_gtpr;
00144     GPTW0.GTPBR = (uint32_t)k_pwm_gtpr;
00145
00146     /* Initial 50% duty on both channels for scope visibility.
00147      * GTCCRB = period - GTCCRA produces a mirror-image waveform on B. */
00148     GPTW0.GTCCRA = (uint32_t)k_pwm_duty_50pct;
00149     GPTW0.GTCCRB = (uint32_t)(k_pwm_period_cnt - k_pwm_duty_50pct);
00150
00151     /* GTIOR configuration using iodefinition bitfields.
00152      *
00153      * Per RX72N HW manual 26.2.14:
00154      *   GTIOA/GTIOB = 0b01001 (0x09):
00155      *   - Initial output LOW
00156      *   - Low at compare match with GTCCRA/B while counting up
00157      *   - High at cycle end (GTCNT reaches GTPR)
00158      *   -> produces an active-high sawtooth PWM pulse of width GTCCRx.
00159      *   OAE / OBE = 1 to actually drive the pad.
00160      *
00161      * Everything else zeroed (no dead time, no noise filter, no force-low). */
00162     GPTW0.GTIOR.LONG = 0U;
00163     GPTW0.GTIOR.BIT.GTIOA = 0x09U;
00164     GPTW0.GTIOR.BIT.OAE = 1U;
00165     GPTW0.GTIOR.BIT.GTIOB = 0x09U;
00166     GPTW0.GTIOR.BIT.OBE = 1U;
00167
00168     /* Enable single-buffer operation on GTCCRA/B and GTPR so writes
00169      * propagate on the next cycle boundary without glitching. Matches the
00170      * STAR HAL's tested configuration. */
00171     GPTW0.GTBER.LONG = 0x00050005U;
00172
00173     /* Select sawtooth PWM mode (MD=000), PCKA/1 (TPCS=0000), start (CST=1). */
00174     GPTW0.GTCR.BIT.MD = 0U;
00175     GPTW0.GTCR.BIT.TPCS = 0U;
00176     GPTW0.GTCR.BIT.CST = 1U;
00177
00178     /* Lock GPTW0 write protection. */
00179     GPTW0.GTWP.LONG = 0x0000A501U;
00180 }
```

References [GPTW0](#), [k_pwm_duty_50pct](#), [k_pwm_gtpr](#), and [k_pwm_period_cnt](#).

Referenced by [main\(\)](#).

Here is the caller graph for this function:



6.7.3.6 delay_loops()


```
void delay_loops (
    uint32_t n)  [inline], [static]
```

Definition at line 71 of file [main.c](#).

```
00072 {
00073     for (volatile uint32_t i = 0U; i < n; ++i) {
00074         __asm__ volatile("nop");
00075     }
00076 }
```

Referenced by [run_pwm_sweep_forever\(\)](#).

Here is the caller graph for this function:



6.7.3.7 main()


```
int main (
    void )
```

Definition at line 218 of file [main.c](#).

```
00219 {
00220     clock_init();
00221     release_gptw_from_module_stop();
00222     route_gtioc0_to_p23_p17();
00223     configure_gptw0_pwm_20khz();
00224     run_pwm_sweep_forever();
00225     return 0;
00226 }
```

References [clock_init\(\)](#), [configure_gptw0_pwm_20khz\(\)](#), [release_gptw_from_module_stop\(\)](#), [route_gtioc0_to_p23_p17\(\)](#), and [run_pwm_sweep_forever\(\)](#).

Here is the call graph for this function:



6.7.3.8 release_gptw_from_module_stop()

```
void release_gptw_from_module_stop (
    void ) [static]
```


Definition at line 85 of file [main.c](#).

```
00086 {
00087     /* Unlock PRC1 (module stop protection) via PRCR.
00088      * PRCR requires the key 0xA5 in the upper byte. */
00089     SYSTEM.PRCR.WORD = 0xA502U; /* PRKEY=0xA5, PRC1=1 */
00090     MSTP(GPTW) = 0U;           /* Expands to SYSTEM.MSTPCRA.BIT.MSTPA7 = 0 */
00091     SYSTEM.PRCR.WORD = 0xA500U; /* Re-lock */
00092 }
```

References [MSTP](#), and [SYSTEM](#).

Referenced by [main\(\)](#).

Here is the caller graph for this function:



6.7.3.9 route_gtioc0_to_p23_p17()

```
void route_gtioc0_to_p23_p17 (
    void ) [static]
```


Definition at line 100 of file [main.c](#).

```
00101 {
00102     /* Unlock MPC PFS writes: clear B0WI, then set PFSWE. */
00103     MPC.PWPR.BIT.B0WI = 0U;
00104     MPC.PWPR.BIT.PFSWE = 1U;
00105
00106     /* PSEL = 0x14 selects GPTW alternate function. */
00107     MPC.P23PFS.BYTE = (uint8_t)k_psel_gptw; /* P23 -> GTIOC0A */
00108     MPC.P17PFS.BYTE = (uint8_t)k_psel_gptw; /* P17 -> GTIOC0B */
00109
00110     /* Re-lock PFS writes. */
00111     MPC.PWPR.BIT.PFSWE = 0U;
00112     MPC.PWPR.BIT.B0WI = 1U;
00113
00114     /* Switch the pads to peripheral mode so the GPTW output drives the pin.
00115      * We deliberately leave PDR alone -- the peripheral-mode pad is driven
00116      * by GTIOChA/B's OAE/OBE bits from GTIOR. */
00117     PORT2.PMR.BIT.B3 = 1U; /* P23 */
00118     PORT1.PMR.BIT.B7 = 1U; /* P17 */
00119 }
```

References [k_psel_gptw](#), [MPC](#), [PORT1](#), and [PORT2](#).

Referenced by [main\(\)](#).

Here is the caller graph for this function:



6.7.3.10 run_pwm_sweep_forever()

```
void run_pwm_sweep_forever (
    void ) [static]
```

Definition at line 183 of file [main.c](#).

```
00184 {
00185     /* PA7 heartbeat LED so we can see firmware is alive even if PWM is dead. */
00186     PORTA.PDR.BIT.B7 = 1U;
00187     PORTA.PODR.BIT.B7 = 0U;
00188
00189     uint32_t duty = 0U;
00190     uint32_t direction = 1U;
00191
00192     for (;;) {
00193         /* Buffered write -- propagates on next cycle boundary via GTCCRC. */
00194         GPTW0.GTCCRA = duty;
00195         GPTW0.GTCCRB = (uint32_t)k_pwm_period_cnt - duty;
00196
00197         PORTA.PODR.BIT.B7 ^= 1U;
00198
00199         delay_loops(k_duty_hold_loops);
00200
00201         if (direction != 0U) {
00202             duty += (uint32_t)k_duty_step;
00203             if (duty >= (uint32_t)k_pwm_period_cnt) {
00204                 duty = (uint32_t)k_pwm_period_cnt;
00205                 direction = 0U;
00206             }
00207         } else {
00208             if (duty <= (uint32_t)k_duty_step) {
00209                 duty = 0U;
00210                 direction = 1U;
00211             } else {
00212                 duty -= (uint32_t)k_duty_step;
00213             }
00214         }
00215     }
00216 }
```


References [delay_loops\(\)](#), [GPTW0](#), [k_duty_hold_loops](#), [k_duty_step](#), [k_pwm_period_cnt](#), and [PORTA](#).

Referenced by [main\(\)](#).

Here is the call graph for this function:



Here is the caller graph for this function:



6.8 main.c

[Go to the documentation of this file.](#)

```
00001 /**
00002  * @file main.c
00003  * @brief 20 kHz PWM on GPTW0 using Renesas iodef.h register structs.
00004  *
00005  * @note **NOT NEEDED FOR PRODUCTION** (kept as an alternate-style reference).
00006  *       The STAR libs/rx_hal/src/rx_gptw.c HAL now produces clean 20 kHz PWM
```

```

00007 *      on P17/P23 after the 2026-04-19 HAL fixes (VERIFICATION_LOG.md).
00008 *      Use pwm_test_hal/ (HAL) or motor_spin_test/ (motor lib) for the real
00009 *      path; they go through our verified libs/ code. This FIT-style
00010 *      variant is kept only as a reference to Renesas' iodefne.h layout
00011 *      for future diagnostic work.
00012 *
00013 * @details
00014 * "FIT-style" bring-up using the authoritative Renesas BSP register
00015 * definitions from
00016 * r_bsp/r_bsp_vx.xx/r_bsp/mcu/rx72n/register_access/gnuc/iodefne.h
00017 *
00018 * That header is the same one every Renesas FIT driver builds against (the
00019 * public rx-driver-package has NO dedicated GPTW FIT driver -- the only code
00020 * in the whole package that writes GPTW registers is r_aerpoint_rx, and it
00021 * does so through this same iodefne with statements like
00022 * MSTP(GPTW) = 0;
00023 * GPTW1.GTCR.LONG = ...;
00024 * R_MPC_Write(...);
00025 * so that is the "reference driver" pattern we mimic here.
00026 *
00027 * ### Pin map (Tom's PCB breakout -> GPTW0)
00028 * - Tom header pin 34 -> P23 / GTIOC0A (scope Ch2, blue, "IN2")
00029 * - Tom header pin 38 -> P17 / GTIOC0B (scope Ch1, orange,"IN1")
00030 *
00031 * ### Clocking (clock.c)
00032 * - HOCO 16 MHz x 12 = 192 MHz PLL
00033 * - ICLK 96 MHz, PCKA 96 MHz (GPTW source)
00034 *
00035 * ### PWM
00036 * - Saw-wave mode (GTCR.MD = 000)
00037 * - Period = 96 MHz / 20 kHz = 4800 counts -> GTPR = 4799
00038 * - GTIOCA / GTIOCB driven with complementary duty for scope verification
00039 *
00040 * SPDX-License-Identifier: MIT
00041 * @copyright Copyright (c) 2026 Locked Inc.
00042 */
00043
00044 #include <stdbool.h>
00045 #include <stdint.h>
00046
00047 #include "iodefne.h"
00048
00049 extern void clock_init(void);
00050
00051 /* -----
00052 * PWM configuration
00053 * ----- */
00054 enum {
00055     k_pwm_pcka_hz    = 96000000U,
00056     k_pwm_freq_hz    = 20000U,
00057     k_pwm_period_cnt = 4800U,          /* PCKA / freq */
00058     k_pwm_gtpwr      = 4799U,          /* period - 1 */
00059     k_pwm_duty_50pct = 2400U,
00060     k_duty_step       = 48U,
00061     k_duty_hold_loops = 40000U,
00062
00063     /* PSEL value for GPTW alternate function on Port 1 / Port 2 pins.
00064      * Matches the PSEL used by r_aerpoint_rx's GPTW pin init (0x1E there is
00065      * Port D specific; 0x14 is the documented GTIOCnA/B select for the P1x
00066      * and P2x pins in the RX72N MPC tables -- same value used by STAR's
00067      * rx_gptw.c HAL and by pwm_test/main.c today). */
00068     k_psel_gptw      = 0x14U,
00069 };
00070
00071 static inline void delay_loops(uint32_t n)
00072 {
00073     for (volatile uint32_t i = 0U; i < n; ++i) {
00074         __asm__ volatile("nop");
00075     }
00076 }
00077
00078 /* -----
00079 * Step 1: Release GPTW from module stop via MSTPCRA.MSTPA7.
00080 *
00081 * iodefne.h provides the canonical MSTP(GPTW) macro which resolves to
00082 * SYSTEM.MSTPCRA.BIT.MSTPA7 on RX72N. Writing 0 wakes the module.
00083 * This is the exact sequence used by r_aerpoint_rx's hardware init.
00084 * ----- */
00085 static void release_gptw_from_module_stop(void)
00086 {
00087     /* Unlock PRC1 (module stop protection) via PRCR.
00088      * PRCR requires the key 0xA5 in the upper byte. */
00089     SYSTEM.PRCR.WORD = 0xA502U; /* PRKEY=0xA5, PRC1=1 */
00090     MSTP(GPTW) = 0U; /* Expands to SYSTEM.MSTPCRA.BIT.MSTPA7 = 0 */
00091     SYSTEM.PRCR.WORD = 0xA500U; /* Re-lock */
00092 }
00093

```

```

00094 /* -----
00095 * Step 2: Route GTIOC0A -> P23, GTIOC0B -> P17 via MPC.
00096 *
00097 * Equivalent to what r_mpc_rx would do via R_MPC_Write() -- same register
00098 * sequence, direct. Port 1 / Port 2 pins route GPTW signals with PSEL=0x14.
00099 * ----- */
00100 static void route_gtioc0_to_p23_p17(void)
00101 {
00102     /* Unlock MPC PFS writes: clear B0WI, then set PFSWE. */
00103     MPC.PWPR.BIT.B0WI = 0U;
00104     MPC.PWPR.BIT.PFSWE = 1U;
00105
00106     /* PSEL = 0x14 selects GPTW alternate function. */
00107     MPC.P23PFS.BYTE = (uint8_t)k_psel_gptw; /* P23 -> GTIOC0A */
00108     MPC.P17PFS.BYTE = (uint8_t)k_psel_gptw; /* P17 -> GTIOC0B */
00109
00110     /* Re-lock PFS writes. */
00111     MPC.PWPR.BIT.PFSWE = 0U;
00112     MPC.PWPR.BIT.B0WI = 1U;
00113
00114     /* Switch the pads to peripheral mode so the GPTW output drives the pin.
00115     * We deliberately leave PDR alone -- the peripheral-mode pad is driven
00116     * by GTIOCnA/B's OAE/OBE bits from GTIOR. */
00117     PORT2.PMR.BIT.B3 = 1U; /* P23 */
00118     PORT1.PMR.BIT.B7 = 1U; /* P17 */
00119 }
00120
00121 /* -----
00122 * Step 3: Configure GPTW0 as a 20 kHz saw-PWM with complementary A/B.
00123 *
00124 * All register writes use iodefne.h bitfields. Addresses / bit positions
00125 * come straight from the Renesas BSP header so we cannot mistype offsets.
00126 * ----- */
00127 static void configure_gptw0_pwm_20khz(void)
00128 {
00129     /* Unlock GPTW0 write protection. PRKEY=0xA5, WP bits cleared. */
00130     GPTW0.GTWP.LONG = 0x0000A500U;
00131
00132     /* Stop counter before configuring. GTCR.CST = 0 halts the counter. */
00133     GPTW0.GTCR.LONG = 0x00000000U;
00134
00135     /* Force count direction = up (UD=1) with UDF=1 to accept the write.
00136     * Without UDF, the UD bit write is ignored per the hardware manual. */
00137     GPTW0.GTUDDTYC.LONG = 0x00000003U;
00138
00139     /* Clear counter. */
00140     GPTW0.GTCNT = 0U;
00141
00142     /* Period: 4799 -> 20 kHz at 96 MHz PCKA. */
00143     GPTW0.GTPR = (uint32_t)k_pwm_gtptr;
00144     GPTW0.GTPBR = (uint32_t)k_pwm_gtptr;
00145
00146     /* Initial 50% duty on both channels for scope visibility.
00147     * GTCCRB = period - GTCCRA produces a mirror-image waveform on B. */
00148     GPTW0.GTCCRA = (uint32_t)k_pwm_duty_50pct;
00149     GPTW0.GTCCRB = (uint32_t)(k_pwm_period_cnt - k_pwm_duty_50pct);
00150
00151     /* GTIOR configuration using iodefne bitfields.
00152     *
00153     * Per RX72N HW manual 26.2.14:
00154     *   GTIOA/GTIOB = 0b01001 (0x09):
00155     *   - Initial output LOW
00156     *   - Low at compare match with GTCCRA/B while counting up
00157     *   - High at cycle end (GTCNT reaches GTPR)
00158     *   -> produces an active-high sawtooth PWM pulse of width GTCCRx.
00159     *   OAE / OBE = 1 to actually drive the pad.
00160     *
00161     * Everything else zeroed (no dead time, no noise filter, no force-low). */
00162     GPTW0.GTIOR.LONG = 0U;
00163     GPTW0.GTIOR.BIT.GTIOA = 0x09U;
00164     GPTW0.GTIOR.BIT.OAE = 1U;
00165     GPTW0.GTIOR.BIT.GTIOB = 0x09U;
00166     GPTW0.GTIOR.BIT.OBE = 1U;
00167
00168     /* Enable single-buffer operation on GTCCRA/B and GTPR so writes
00169     * propagate on the next cycle boundary without glitching. Matches the
00170     * STAR HAL's tested configuration. */
00171     GPTW0.GTBER.LONG = 0x00050005U;
00172
00173     /* Select sawtooth PWM mode (MD=000), PCKA/1 (TPCS=0000), start (CST=1). */
00174     GPTW0.GTCR.BIT.MD = 0U;
00175     GPTW0.GTCR.BIT.TPCS = 0U;
00176     GPTW0.GTCR.BIT.CST = 1U;
00177
00178     /* Lock GPTW0 write protection. */
00179     GPTW0.GTWP.LONG = 0x0000A501U;
00180 }

```

```

00181
00182 /* Sweep GTCCRA/B in a triangle so the scope sees a 0..100..0% envelope. */
00183 static void run_pwm_sweep_forever(void)
00184 {
00185     /* PA7 heartbeat LED so we can see firmware is alive even if PWM is dead. */
00186     PORTA.PDR.BIT.B7 = 1U;
00187     PORTA.PODR.BIT.B7 = 0U;
00188
00189     uint32_t duty = 0U;
00190     uint32_t direction = 1U;
00191
00192     for (;;) {
00193         /* Buffered write -- propagates on next cycle boundary via GTCCRC. */
00194         GPTW0.GTCCRA = duty;
00195         GPTW0.GTCCRB = (uint32_t)k_pwm_period_cnt - duty;
00196
00197         PORTA.PODR.BIT.B7 ^= 1U;
00198
00199         delay_loops(k_duty_hold_loops);
00200
00201         if (direction != 0U) {
00202             duty += (uint32_t)k_duty_step;
00203             if (duty >= (uint32_t)k_pwm_period_cnt) {
00204                 duty = (uint32_t)k_pwm_period_cnt;
00205                 direction = 0U;
00206             }
00207         } else {
00208             if (duty <= (uint32_t)k_duty_step) {
00209                 duty = 0U;
00210                 direction = 1U;
00211             } else {
00212                 duty -= (uint32_t)k_duty_step;
00213             }
00214         }
00215     }
00216 }
00217
00218 int main(void)
00219 {
00220     clock_init();
00221     release_gptw_from_module_stop();
00222     route_gtioc0_to_p23_p17();
00223     configure_gptw0_pwm_20khz();
00224     run_pwm_sweep_forever();
00225     return 0;
00226 }
00227
00228 /* -----
00229 * Stubs for symbols referenced by vectors.S (ThreadX ISRs, CMT0) that this
00230 * minimal firmware doesn't use. Prevents linker errors without dragging in
00231 * the full ThreadX library or a real CMT0 driver.
00232 * ----- */
00233 void _tx_thread_context_save(void) {}
00234 void _tx_thread_context_restore(void) {}
00235 void cmt0_isr(void) {}

```

