View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53624	[21KTPM2.11] General	major	always	2024-08-27 18:38	2024-08-27 18:38

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test plan successfully created without start date

Description: start date can be deleting before adding test plan

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click Add Test Plan, field in valid inputs. then click create
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In body, delete start date field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53623	[21KTPM2.11] General	major	always	2024-08-27 18:37	2024-08-27 18:37

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test plan successfully updated without description

Description: description can be deleting before adding test plan

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click Add Test Plan, field in valid inputs. then click create
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In body, delete description field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53622	[21KTPM2.11] General	major	always	2024-08-27 18:35	2024-08-27 18:35

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - The response is not correct

Description: The response is "message": "Release created successfully.",
"testPlanId": 2385

instead of
"message": "Test Plan created successfully.",
"testPlanId": 2385

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click Add Test Plan, field in valid inputs. then click create
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53621	[21KTPM2.11] General	major	always	2024-08-27 18:33	2024-08-27 18:33

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Release successfully updated without end date

Description: End date can be deleting before updating

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click a release, then click the arrow, choose the edit icon, field in valid inputs then click edit
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In Body, delete end date field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53620	[21KTPM2.11] General	major	always	2024-08-27 18:32	2024-08-27 18:32

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Release successfully updated without start date

Description: start date can be deleted before updating

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click a release, then click the arrow, choose the edit icon, field in valid inputs then click edit
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In Body, delete start date field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53619	[21KTPM2.11] General	major	always	2024-08-27 18:31	2024-08-27 18:31

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Release successfully updating with invalid name

Description: Name can have "" when updating

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click a release, then click the arrow, choose the edit icon, field in valid inputs then click edit
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In Body, set name to ""
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53618	[21KTPM2.11] General	major	always	2024-08-27 18:29	2024-08-27 18:29

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Release successfully updated without name

Description: Name can have "" when updating

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click a release, then click the arrow, choose the edit icon, field in valid inputs then click edit
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In Body, delete name field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53617	[21KTPM2.11] General	major	always	2024-08-27 18:26	2024-08-27 18:26

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Release successfully created without start date

Description: Start date can have "" when creating

Steps To Reproduce: Pre: Set network throttling latency to 60000
login as john_doe

1. Click on Displayed project, choose Release Field
2. Open Devtools, choose the network configged in Precondition
3. Click Add Release, field in valid inputs then click create
4. In tab network, select the new request appearing, right click, and copy its cUrl
5. Open Postman, choose import and paste the cUrl
6. In body, delete start date field
7. Click Send Request

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53419	[21KTPM2.11] General	feature	always	2024-08-24 21:17	2024-08-24 21:17

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case type is not validated before update

Description: Test case type can have a space-only value (i.e " ") when updating

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/1/testCases/1 [^]) and set request type to "PUT"
3. Input valid values and type = " " in body
4. Click the send button

Additional Information: Updating without a required field should be in PATCH method not PUT

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53418	[21KTPM2.11] General	feature	always	2024-08-24 21:15	2024-08-24 21:17

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case updated even when type is not provided

Description: Test case updated even when type is not provided

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/1/testCases/1 [^]) and set request type to "PUT"
3. Input valid values without priority type in body
4. Click the send button

Additional Information: Updating without a required field should be in PATCH method not PUT

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53417	[21KTPM2.11] General	feature	always	2024-08-24 21:13	2024-08-24 21:15

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case updated even when priority is not provided

Description: Test case updated even when priority is not provided

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/1/testCases/1 [^]) and set request type to "PUT"
3. Input valid values without priority field in body
4. Click the send button

Additional Information: Updating without a required field should be in PATCH method not PUT

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53416	[21KTPM2.11] General	feature	always	2024-08-24 21:12	2024-08-24 21:13

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case updated even when name is not provided

Description: Test case updated even when name is not provided

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/1/testCases/1 [^]) and set request type to "PUT"
3. Input valid values without name field in body
4. Click the send button

Additional Information: Updating without a required field should be in PATCH method not PUT

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53414	[21KTPM2.11] General	feature	always	2024-08-24 20:58	2024-08-24 21:12

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not validate module when create with invalid module

Description: Test case does not validate module when create with invalid module, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values with moduleId = -1 in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53411	[21KTPM2.11] General	feature	always	2024-08-24 20:55	2024-08-24 20:58

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not validate test plan when create with invalid test plan

Description: Test case does not validate test plan when create with invalid test plan, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values with testPlanId = -1 in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53410	[21KTPM2.11] General	feature	always	2024-08-24 20:53	2024-08-24 20:55

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not validate name when create with invalid name

Description: Test case does not validate name when create with invalid name, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values with name = "" in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53407	[21KTPM2.11] General	feature	always	2024-08-24 20:51	2024-08-24 20:53

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not require priority when create without priority

Description: Test case does not require priority when create without priority , instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values without priority field in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53404	[21KTPM2.11] General	feature	always	2024-08-24 20:50	2024-08-24 20:51

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not require type when create without type

Description: Test case does not require type when create without type , instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values without type field in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53402	[21KTPM2.11] General	feature	always	2024-08-24 20:49	2024-08-24 20:50

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not require module when create without module

Description: Test case does not require module when create without module, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values without moduleId field in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53395	[21KTPM2.11] General	feature	always	2024-08-24 20:12	2024-08-24 20:49

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not require test plan when create without test plan

Description: Test case does not require test plan when create without test plan, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values without testPlanId field in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53394	[21KTPM2.11] General	feature	always	2024-08-24 20:10	2024-08-24 20:12

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case does not require name when create without name

Description: Test case does not require name when create without name, instead it display error

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values without name field in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
53393	[21KTPM2.11] General	feature	always	2024-08-24 20:07	2024-08-24 20:10

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	assigned	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Final - Backend - Test case cannot be created with valid input

Description: Test case cannot be created with valid input

Steps To Reproduce:
1. Open Postman and create a login request with username "tomr"
2. Create new request, enter url (https://testingproject-ff89.onrender.com/api/projects/19/testCases [^]) and set request type to "POST"
3. Input valid values in body
4. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52115	[21KTPM2.11] General	major	always	2024-07-09 13:53	2024-07-14 07:53

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: [Frontend] A new Test Plan is successfully created, and display in the dashboard

Description:
Environment: windows 10 or above
Expected Result: the new test plan will be displayed in dashboard
Actual Result: there are no test plans in dashboard

Steps To Reproduce:
"1. Click on displayed project
2. Click on Test Plan Field
3. Click on Add Test Plan
4. Fill the Name with validate data
5. Fill the Description with validate data
6. Fill the start and end date. The end date must come after the start date
7. Click on add Test Plan"

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52114	[21KTPM2.11] General	major	always	2024-07-09 13:51	2024-07-14 07:52

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	feedback	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: [Frontend] A new Test Case is successfully created, and display in the dashboard

Description:
Environment: windows 10 or above
Expected Result: the new test case will be displayed in dashboard
Actual Result: there are no testcase in dashboard

Steps To Reproduce:
1. Click on displayed project
2. Click on Test Case Field
3. Click on Add Test Case
4. Fill the Name with validate data
5. Fill the Description with validate data
6. Select any available Type
7. Select any available Priority
8. Click on Add Test Case

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52102	[21KTPM2.11] General	major	always	2024-07-09 12:10	2024-07-14 05:18

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new project is not successfully created using the POST method with valid data

Description:
User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project?page=1 [^]

Expected Result:
Project is created successfully
Actual Result:
Response code:404
Response message:Not Found

Steps To Reproduce:
1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : "POST"
- Parameter file : username: janna, pass_word: 123123
4. Add Create Project Request:
- URL: (https://testingproject-ff89.onrender.com/project [^])
- Method: "POST".
- Parameter file : name : test1

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52107	[21KTPM2.11] General	minor	always	2024-07-09 12:36	2024-07-14 05:17

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new release is not successfully updated using the PUT/PATCH method with valid/ invalid data

Description:
User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project/4/release [^]

Expected Result:
Release is updated successfully, and a success response is returned / Error message indicating that the release does not exis
Actual Result:
Response code:404
Response message:Not Found

Steps To Reproduce:
1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : ""POST"
- Parameter file : username: janna, pass_word: 123123
4. Add Release Request:
- URL: (https://testingproject-ff89.onrender.com/project/4/release [^]) 4 is projectID
- Method: "GET"
- Parameter File: name: 'update1',
  startDate: '2024-06-01',
  endDate: 2024-06-30',
  Release Description: "Release Description"

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52106	[21KTPM2.11] General	feature	always	2024-07-09 12:30	2024-07-14 05:15

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Full-stack] The update project feature in UI has not been developed yet.

Description: User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project?page=1 [^] [^] [^]

Expected Result:
Appropriate validation messages are displayed for invalid fields
All projects are updated successfully within acceptable response time
Actual Result:
The update feature in UI has not been developed yet.

Steps To Reproduce:

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52105	[21KTPM2.11] General	feature	always	2024-07-09 12:27	2024-07-14 05:15

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new project is successfully deleted using the DELETE method with a non-existent project.

Description: User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project?page=1 [^] [^] [^]

Expected Result:
Error message indicating that the project does not exist
Actual Result:
Project is deleted successfully

Steps To Reproduce: 1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : "POST"
- Parameter file : username: janna, pass_word: 123123
3. Add Create Project Request:
- URL: (https://testingproject-ff89.onrender.com/project/999 [^]) 999 is projectID, but it does not currently exist
- Method: "DELETE".

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52104	[21KTPM2.11] General	feature	always	2024-07-09 12:17	2024-07-14 05:10

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new project is not successfully updated using the PUT/PATCH method with valid data.

Description:
User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project?page=1 [^] [^]

Expected Result:
Project is updated successfully, and a success response is returned
Actual Result:
The update feature in UI has not been developed yet.

Steps To Reproduce:
1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : "POST"
- Parameter file : username: janna, pass_word: 123123
3. Add Create Project Request:
- URL: (https://testingproject-ff89.onrender.com/project/4 [^]) 4 is projectID
- Method: "PUT".
- Parameter file : name : update1

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52103	[21KTPM2.11] General	major	always	2024-07-09 12:12	2024-07-14 05:08

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new project is not successfully created using the POST method with invalid data

Description:
User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project?page=1 [^]

Expected Result:
Error message indicating that the project name is required
Actual Result:
Response code:404
Response message:Not Found

Steps To Reproduce:
1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : "POST"
- Parameter file : username: janna, pass_word: 123123
4. Add Create Project Request:
- URL: (https://testingproject-ff89.onrender.com/project [^])
- Method: "POST".
- Parameter file : name : ""

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52093	[21KTPM2.11] General	feature	always	2024-07-08 21:39	2024-07-14 05:03

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Frontend - Edit User feature still assign the user information with invalid role

Description: Edit User feature still assign the user information without choosing a role

Steps To Reproduce:
1. Navigate to https://testingproject-ff89.onrender.com/project/:id/dashboard [^]
2. Choose Edit Users button
3. Input valid username but don't choose role
4. Click Assign

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52109	[21KTPM2.11] General	feature	always	2024-07-09 12:43	2024-07-14 05:03

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Full-stack] The update release feature in UI has not been developed yet.

Description: User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project/release [^]

Expected Result:
Appropriate validation messages are displayed for invalid fields
Actual Result:
The update feature in UI has not been developed yet.

Steps To Reproduce:
1. Select the release you want to update
2. Attempt to update a release via the GUI with invalid data

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52092	[21KTPM2.11] General	feature	always	2024-07-08 21:34	2024-07-14 02:54

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Backend - The selected Module is not updated using PUT/PATCH method with valid input

Description: The selected Module is not updated using PUT or PATCH method with valid input, instead it create a new Requirement

Steps To Reproduce:
1. Open Postman and create a login request with username "ak1"
2. Create a new request
3. Enter url (https://testingproject-ff89.onrender.com/api/projects/65/modules/:id [^]) and set request type to "PUT" or "PATCH"
4. Input valid name in body
5. Click the send button

The id of url must be the id of a module in project

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52108	[21KTPM2.11] General	minor	always	2024-07-09 12:40	2024-07-14 02:52

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - [Back-end] A new release is successfully deleted using the DELETE method with a non-existent project.

Description:
User is authenticated (Login with username "janna")
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/project/4/release [^]

Expected Result:
Error message indicating that the release does not exist
Actual Result:
Release is deleted successfully, and a success response is returned

Steps To Reproduce:
1. Open JMeter
2. Creating Project API Test. (Add -> Threads (Users) -> Thread Group.
)
3. Add Login Request:
- URL : https://testingproject-ff89.onrender.com/api/auth/login [^]
- Method : ""POST"
- Parameter file : username: janna, pass_word: 123123
4. Add Release Request:
- URL: (https://testingproject-ff89.onrender.com/project/4/release [^]) 4 is projectID
- Method: "DELETE"
- Parameter File: name: '',
  startDate: '2024-06-01',
  endDate: 2024-06-30',
  Release Description: "Release Description"

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52113	[21KTPM2.11] General	major	always	2024-07-09 13:46	2024-07-14 00:13

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: [Backend] A new Test Case is successfully created

Description:
Environment: windows 10 or above
Expected Result: the new test case will be saved and the response return the data of new one
Actual Result: cannot create

Steps To Reproduce:
1. Open Postman and create new request after login with username "john_doe"
2. Create URL, e.g. http://localhost:5000/project/52/test_case [^] and set method to POST or PUT
3. Add Bearer Token for Header
4. In body, select any type of request you want, e.g. raw, type json. And add argument for the request
4. Click Send

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52112	[21KTPM2.11] General	major	always	2024-07-09 13:41	2024-07-13 21:38

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: [Backend] A new Test Plan is successfully created

Description: Environment: windows 10 or above
Expected Result: the new test plan will be saved and the response return the data of new one
Actual Result: cannot create

Steps To Reproduce: "1. Open Postman and create new request after login with username "john_doe"
2. Create URL, e.g. http://localhost:5000/project/52/test_plan [^] and set method to POST or PUT
3. Add Bearer Token for Header
4. In body, select any type of request you want, e.g. raw, type json. And add argument for the request
4. Click Send"

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52094	[21KTPM2.11] General	feature	always	2024-07-08 21:43	2024-07-13 21:17

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Frontend - A new requirement is created with invalid input

Description: A new requirement is created with invalid input

Steps To Reproduce:
1. Login and a choose a project as a manager
2. Navigate to https://testingproject-ff89.onrender.com/project/:id/requirement [^]
3. Input valid name, description but with releaseId = id (id of any release that is not in the project, or an invalid id)
4. Click Create

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52090	[21KTPM2.11] General	feature	always	2024-07-08 21:16	2024-07-13 21:14

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Backend - The selected Requirement is not updated using PUT/PATCH method with valid input

Description: The selected Requirement is not updated using PUT or PATCH method with valid input, instead it create a new Requirement

Steps To Reproduce:
1. Open Postman and create a login request with username "ak1"
2. Create a new request
3. Enter url (https://testingproject-ff89.onrender.com/api/projects/65/requirements/:id [^]) and set request type to "PUT" or "PATCH"
4. Input valid releaseId, name, description in body
5. Click the send button

The id of url must be the id of a requirement in project

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52091	[21KTPM2.11] General	feature	always	2024-07-08 21:30	2024-07-13 21:12

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Backend - A new Module is not created using POST method with valid input

Description: A new Module is not created using POST method with valid input

Steps To Reproduce:
1. Open Postman and create a login request with username "ak1"
2. Create a new request
3. Enter url (https://testingproject-ff89.onrender.com/api/projects/65/modules [^]) and set request type to "POST"
4. Input valid name in body
5. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
52089	[21KTPM2.11] General	feature	always	2024-07-08 21:08	2024-07-13 21:08

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Release 2 - Backend - A new Requirement is not created using POST method with valid input

Description: A new Requirement is not created using POST method with valid input

Steps To Reproduce:
1. Open Postman and create a login request with username "ak1"
2. Create a new request
3. Enter url (https://testingproject-ff89.onrender.com/api/projects/65/requirements [^]) and set request type to "POST"
4. Input valid releaseId, name, description in body
5. Click the send button

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
51853	[21KTPM2.11] General	major	always	2024-06-18 10:07	2024-06-28 00:34

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	open
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: A refresh token issued for one client can be used to refresh tokens for a different client.

Description: Environment: Windows 11 / Postman 10.24

Expected result: Receive error message and access token is not refreshed
Actual result: Access token is granted

Steps To Reproduce:
1. Open Postman
2. Create a new POST request
3. Enter url (https://testingproject-ff89.onrender.com/api/auth/refreshToken [^])
4. In header tab, add a key named "Cookie" with value "refreshToken=<token>" (replace <token> with other user's refresh token)
5. Click the send button

Additional Information: To get other user's access token, create a sign in request then go to cookie tab in response to get access token

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
51886	[21KTPM2.11] General	major	always	2024-06-18 10:20	2024-06-23 22:43

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120285	**OS:**	
Priority:	urgent	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Verify that new-created "Project" is loaded and display all the objects inside

Description: Environment: Windows 10 or above

Expected output: Dashboard Page of new Project will display with all objects inside

Actual output: Browser log error: Cannot GET /dashboard.html

Steps To Reproduce:
1. Click on New Project to create a project
2. Enter validate name to Project Name.
3. Click on the created project

Expected output: Dashboard Page of new Project will display with all objects inside

Actual output: Browser log error: Cannot GET /dashboard.html

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
51835	[21KTPM2.11] General	minor	always	2024-06-18 09:54	2024-06-23 15:59

Reporter:	21KTPM2.11.21127699	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Password register length error

Description: Minimum password length is too short. Minimum length must be 8 characters
Test environment:
- Platform: Macbook Air 13 - macOS13.3
- Server: https://testingproject-ff89.onrender.com/signup [^]

Expected Result:
1. Disallows the user to proceed and
2. The Error message indicating password must meet length requirement be displayed

Actual Result:
User is registered successfully

Steps To Reproduce: Steps:
1. Click the "Sign Up" button on the Home Page.
2. Enter a valid Full Name.
3. Enter a unique username "abc1234".
4. Enter the short password : "123".
5. Enter confirm password.
6. Click the "Submit" button.

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
51851	[21KTPM2.11] General	major	always	2024-06-18 10:07	2024-06-23 15:34

Reporter:	21KTPM2.11.21127365	**Platform:**	
Assigned To:	21TN.05.21120365	**OS:**	
Priority:	high	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Log Error on changing project URL name to a non-created one.

Description:
Environment: windows 10 or above
Expected Result: Announce for user that the project does not exist
Actual Result: Display a blank project

Steps To Reproduce:
1. Select Project 1
2. On the URL bar, at the project/1, change the name of project to a non-created name. For e.g. project/a
Expected Result: announce for user that The project does not exist
Actual Result: Display a blank project

Additional Information:

Attached Files:

View Issue Details

ID:	Category:	Severity:	Reproducibility:	Date Submitted:	Last Update:
51888	[21KTPM2.11] General	major	always	2024-06-18 10:21	2024-06-21 20:51

Reporter:	21KTPM2.11.21127360	**Platform:**	
Assigned To:	21TN.05.21120139	**OS:**	
Priority:	normal	**OS Version:**	
Status:	resolved	**Product Version:**	
Product Build:		**Resolution:**	fixed
Projection:	none		
ETA:	none	**Fixed in Version:**	
		Target Version:	

Summary: Can access API end point when using another user's access token

Description: Environment: Windows 11 / Postman 10.24

Expected result: Redirect to login page
Actual result: Access granted

Steps To Reproduce:
1. Open Postman
2. Create a new POST request
3. Enter url (https://testingproject-ff89.onrender.com/project [^])
4. In header tab, add a key named "Cookie" with value "accessToken=<token>" (replace <token> with other user's access token)
5. Click the send button

Additional Information: To get other user's access token, create a sign in request then go to cookie tab in response to get access token

Attached Files: