Test Automation Report

1. Automation Testing Process

Test Case: 21127360-Domain Testing.xlsx
Test Software: Katalon
Automation Test Setup:

- **Step 1:** Creating Test Case using Record Web feature. After recording, save the script.



- **Step 2:** Assign variables to test case

Add Comment | Add Issue

Add | Delete | Clear | Move up | Move down

No.	Name	Type	Default value	Description	Masked
1	Name	String	" "		☐
2	Priority	String	""		☐
3	Description	String	""		☐
4	Testrun	String	""		☐
5	Output	String	""		☐

Manual | Script | Variables | Variables (Script mode) | Data Binding | Integration | Properties

- **Step 3:** Configure script for test case. Here, we bind the previous variables to the script and add condition statement (if statement) to verify the test case based on the variables

Add | Recent keywords | Delete | Move up | Move down | Edit tags | Set default view | Add to test suite | View Test Run History

Item	Object	Input	Output	Description
1 - Open Browser		""		
2 - Navigate To Url		"https://testingproject-ff89.or		
3 - Click	a_Getting Started			
4 - Set Text	input_Username_username	"john_doe"		
5 - Set Encrypted Text	input_Password_password	"CSt51UwWECc="		
6 - Click	button_Login			
7 - Click	div_Renamed ProjectOvervie			
8 - Click	span_Issues			
9 - Click	div_New Issue			
10 - Set Text	input_Name_name	Name		
11 - Select Option By Va	select_Priority. low m	Priority; true		
12 - Set Text	textarea_Description_descript	Description		
13 - Select Option By Va	select_Test Run. Test Rur	Testrun; true		
14 - Click	button_Create			
15 - If Statement		Name == ""		
16 - If Statement		Name == " "		
17 - If Statement		Priority == ""		
18 - If Statement		Testrun == ""		
19 - If Statement		Output == "Error"		
20 - Close Browser				

- **Step 4:** Create a test suite to run multiple test cases based on input data (data driven) and add created test case to test suite



- **Step 5:** Create data file for test suite, we need to create an excel file first and then import the file to data file

	A	B	C	D	E	F
1	**Name**	**Priority**	**Description**	**Testrun**	**Output**	
2	Issue 1	medium	Description	25	Success	
3	Issue	medium	Description	25	Success	
4	1	medium	Description	25	Success	
5		medium	Description	25	Name test plan required	
6		medium	Description	25	Name test plan required	
7	a	medium	Description	25	Success	
8	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaa	medium	Description	25	Success	
9	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaa	medium	Description	25	Error	
10	Issue		Description	25	Priority required	



No.	Name	Priority	Description	Testrun	Output
1	Issue 1	medium	Description	25	Success
2	Issue	medium	Description	25	Success
3	1	medium	Description	25	Success
4		medium	Description	25	Name test plan required
5		medium	Description	25	Name test plan required
6	a	medium	Description	25	Success
7	aaaaaaaaaaaaaaaaaaaaa...	medium	Description	25	Success
8	aaaaaaaaaaaaaaaaaaaaa...	medium	Description	25	Error
9	Issue		Description	25	Priority required
10	Issue	medium	Description	25	Success
11	Issue	medium		25	Success
12	Issue	medium	Description	25	Success
13	Issue	medium	Description		Test run required
14	Issue	medium	Description	25	Success

- **Step 6:** Add test data to test suite and configure data binding based on test data column



No.	ID	Description	Flakiness (%)	Latest Run	Avg.Duration	Run
1	Test Cases/Add Issue		13.33		20s	

No.	ID	Data Iteration	Type
1	Data Files/Test Data for Issue	All	One

No.	Name	Default va...	Type	Test Data	Value
1	Name	' '	Data Column	1 - Data Files/Test Data fc	Name
2	Priority	"	Data Column	1 - Data Files/Test Data fc	Priority
3	Description	"	Data Column	1 - Data Files/Test Data fc	Description
4	Testrun	"	Data Column	1 - Data Files/Test Data fc	Testrun
5	Output	"	Data Column	1 - Data Files/Test Data fc	Output

- **Step 7:** Repeat step 1 to 6 with other test cases
- **Step 8:** Create a test suite collection to run all test suites, add all created test suites and configure to run multiple instances for best performance. Moreover, we can configure it to run on Chrome, Microsoft Edge,...



No.	ID	Run with	Run Configuration	Profile	Run
1	Test Suites/Test Suite for Add Comment	Chrome		default	
2	Test Suites/Test Suite for Add Issue	Chrome		default	
3	Test Suites/Test Suite for Add Test Run	Chrome		default	

- **Step 9:** View report





Automation Test Video: https://youtu.be/JJJyf9Ewb1w

2. Test Results

a. Add Test Run

ID	Test case	Input		Expected Output	Actual Output	Pass or Fail
		Name	Test case			
1	Name contains alphanumeric characters	"Test run 1"	Test Case A	Success	Success	P
2	Name contains alphabetic characters	"Test run"	Test Case A	Success	Success	P
3	Name contains numeric characters	"1"	Test Case A	Success	Success	P
4	Name contains only spaces	" "	Test Case A	Error	Success	F
5	Name is empty	""	Test Case A	Name is required	Name is required	P
6	Minimum name length (1)	"a"	Test Case A	Success	Success	P
7	Maximum name length (255)	"a" x 255	Test Case A	Success	Success	P
8	Exceed name length (256)	"a" x 256	Test Case A	Error	Error	P
9	Test case is not chosen	"Test run"		Test case is required	Test case is required	P
10	Test case is chosen	"Test run"	Test Case A	Success	Success	P

b. Add Issue

ID	Test case	Input				Expected Output	Actual Output	Pass or Fail
		Name	Priority	Description	Test Run			
1	Name contains alphanumeric characters	"Issue 1"	medium	"Description"	Test Run 1	Success	Success	P
2	Name contains alphabetic characters	"Issue"	medium	"Description"	Test Run 1	Success	Success	P
3	Name contains numeric characters	"1"	medium	"Description"	Test Run 1	Success	Success	P
4	Name contains only spaces	" "	medium	"Description"	Test Run 1	Name test plan required	Name test plan required	P
5	Name is empty	""	medium	"Description"	Test Run 1	Name test plan required	Name test plan required	P
6	Minimum name length (1)	"a"	medium	"Description"	Test Run 1	Success	Success	P
7	Maximum name length (255)	"a" x 255	medium	"Description"	Test Run 1	Success	Success	P
8	Exceed name length (256)	"a" x 256	medium	"Description"	Test Run 1	Error	Error	P
9	Priority is not chosen	"Issue"		"Description"	Test Run 1	Priority required	Priority required	P
10	Priority is chosen	"Issue"	medium	"Description"	Test Run 1	Success	Success	P
11	Desciption is empty	"Issue"	medium	""	Test Run 1	Success	Success	P
12	Desciption is not empty	"Issue"	medium	"Description"	Test Run 1	Success	Success	P
13	Test run is not chosen	"Issue"	medium	"Description"		Test run required	Test run required	P
14	Test run is chosen	"Issue"	medium	"Description"	Test Run 1	Success	Success	P

c. Add Comment

ID	Test case	Input	Expected Output	Actual Output	Pass or Fail
		Comment			
1	Comment contains alphanumeric characters	"This is a comment 1"	Success	Success	P
2	Comment contains alphabetic characters	"This is a comment"	Success	Success	P
3	Comment contains numeric characters	"12345"	Success	Success	P
4	Comment contains only spaces	" "	Comment required	Comment required	P
5	Comment is empty	""	Comment required	Comment required	P
6	Minimum comment length (1)	"c"	Success	Success	P
7	Long comment length (>= 1000)	"a" x 1000	Success	Success	P
8	Non-ascii comment	"Bình luận"	Success	Success	P
9	Comment is a HTML tag	"<a>Comment</a>"	Success	Success	P
10	Comment is a script	"<script>alert("Comment")</script>"	Success	Success	P