
E64106369黄炭溪.

1. Use Gaussian elimination and pivoting technique to solve

$$1.19x_1 + 2.11x_2 - 100x_3 + x_4 = 1.12$$


$$14.2x_1 - 0.112x_2 + 12.2x_3 - x_4 = 3.44$$

$$100x_2 - 99.9x_3 + x_4 = 2.15$$



2. Find the inverse of the matrix A where

$$A = \begin{bmatrix} 4 & 1 & -1 & 0 \\ 1 & 3 & -1 & 0 \\ -1 & -1 & 6 & 2 \\ 0 & 0 & 2 & 5 \end{bmatrix}$$



3. Use Crout factorization for a tri-diagonal system to solve the problem

$$\begin{bmatrix} 3 & -1 & 0 & 0 \\ -1 & 3 & -1 & 0 \\ 0 & -1 & 3 & -1 \\ 0 & 0 & -1 & 3 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix} = \begin{bmatrix} 2 \\ 3 \\ 4 \\ 1 \end{bmatrix}.$$

$$\langle u_{y} = \frac{\partial u_{y}}{\partial v_{y}} = -$$

X2 = 884

X3= 959

X4= 55 H