



Hadoop HDFS / HDFS-10377

CacheReplicationMonitor shutdown log message should use INFO level.

Details

Type:	Improvement	Status:	CLOSED
Priority:	Major	Resolution:	Fixed
Affects Version/s:	2.6.5	Fix Version/s:	2.6.5
Component/s:	logging, namenode		
Labels:	newbie		
Target Version/s:	2.6.5		

Description

HDFS-7258 changed some log messages to DEBUG level from INFO. DEBUG level is good for frequently logged messages, but the shutdown message is logged once and should be INFO level the same as the startup.

Attachments

HDFS-10377.001.patch	0.9 kB	07/May/16 09:16
----------------------	--------	-----------------

Issue Links


is broken by
HDFS-7258 CacheReplicationMonitor rescan schedule log should use DEBUG level instead of INFO level

Activity

Konstantin Shvachko created issue - 06/May/16 21:15		
Konstantin Shvachko made changes - 06/May/16 21:16		
Field	Original Value	New Value
Link		This issue is broken by HDFS-7258 [HDFS-7258]
Yiqun Lin made changes - 07/May/16 09:13		
Assignee		Yiqun Lin [linyiqun]
Yiqun Lin made changes - 07/May/16 09:16		
Status	Open [1]	Patch Available [10002]
Yiqun Lin made changes - 07/May/16 09:16		
Attachment		HDFS-10377.001.patch [12802808]
Colin McCabe made changes - 10/May/16 18:23		
Fix Version/s		2.6.5 [12334690]
Target Version/s		2.6.5 [12334690]
Resolution		Fixed [1]
Status	Patch Available [10002]	Resolved [5]
Sangjin Lee made changes - 11/Oct/16 23:18		
Status	Resolved [5]	Closed [6]

▼ People

Assignee:

 Yiqun Lin

Reporter:

 Konstantin Shvachko

Votes:

 0 Vote for this issue

Watchers:

 5 Start watching this issue

▼ Dates

Created:

06/May/16 21:15

Updated:

11/Oct/16 23:18

Resolved:

10/May/16 18:23