Test Run Report

Test Run Overview

Started	22 Jul 2022, 10:06:35
Ended	22 Jul 2022, 10:06:52
Duration (mm:ss)	00:16.291

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)

0 Failed (0%)

0 Skipped (0%)

● Passed ● Failed ● Skipped

Test Case Summary

📁 tests	● successful
📁 API Tests	● successful
📁 Create Cases	● successful
📄 Create Case and Update Owner.testcase	● successful

🖥 Create Case and Update Owner.testcase

Summary

Started	22 Jul 2022, 10:06:35
Ended	22 Jul 2022, 10:06:52
Duration (mm:ss)	00:16.290
Outcome	🟢 successful

Output

● **Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)**   ⓘ 10:06:35(00:00.035)

   ⓘ Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

   ✷ Connection details. Connection name: SysAdmin_Lydse_VAVET_DTCSQA, result name: SysAdmin_Lydse_VAVET_DTCSQA, result scope: Test, urlString: sf:user=lydse.gedge@va-vet.dtcsqa;password={password};securityToken={securityToken};environment=OTHER;apiLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;userLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;webBaseUrl=https://va-vet--dtcsqa.my.salesforce.com;lightningMode=true, environment: <default>, userName: lydse.gedge@va-vet.dtcsqa, password: [supplied] securityToken: [supplied]

   ✷ Create object id log file.

   ✷ Opening Partner connection

   ✷ Opening SOAP connection

   ✷ Opening Metadata connection

   ⓘ Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

   ⓘ Loading data from Parameter Value Source ...

   ⓘ Loading Parameter Value Source row 1:

   ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 2:

   ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Subject = null

   ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 3:

   ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Subject = null

   ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 4:

   ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Subject = null

   ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loaded 4 rows from Parameter Value Source.

● **Read File for Creating Cases**   ⓘ 10:06:38(00:02.791)

   ⓘ Loading data from Parameter Value Source ...

   ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 4 rows from Parameter Value Source.

● **Set Values: count**　　　　　　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:38(00:02.839)
　　ⓘ Setting value count to 2

　　✷ Configuration: ValueScope:Test

　　ⓘ Successfully set count to 2

● **For Each: {SourceData}=>Row**　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:38(00:02.855)
　ⓘ Start of iteration 1 of 4.

　● **Iteration 1**　　　　　　　　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:39(00:03.158)

　　● **Create Object: Case=>CaseId**　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:39(00:03.162)
　　　ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

　　　ⓘ Setting fields:

　　　ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Administrative

　　　ⓘ =Field=> AccountId = 0013R000005QOntQAG

　　　ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:06 for Admin

　　　🗐 Case created successfully. Object Id: 5003R000002Mk34QAC, Result Name: CaseId

　　　ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mk34QAC

　　● **SOQL Query: select cern__RecordTypeDeveloperName__c from Case=>CaseRows**　　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:41(00:05.762)
　　　ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select cern__RecordTypeDeveloperName__c from Case

　　　ⓘ Query successful. Row Count: 1.

　　● **Case Record Type = VCC_Administrative**　　　　　　　　　　　　　　　ⓘ 10:06:41(00:06.093)

　　● **Switch: CaseRows.cern__RecordTypeDeveloperName__c**　　　　　　　　ⓘ 10:06:41(00:06.127)

　　　⚠ **Case: VCC_Administrative**　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:42(00:06.164)
　　　　ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

　　　⚠ **Case: VCC_Pharmacy**　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:06:42(00:06.201)
　　　　ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:06:42(00:06.234)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitrual_Clinic_Visit

⚠ Case: VCC_Clinical_Triage   ⓘ 10:06:42(00:06.271)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

● SOQL Query: select Subject from Case=>CaseRows   ⓘ 10:06:42(00:06.284)

ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select Subject from Case

ⓘ Query successful. Row Count: 1.

● Case Subject = Creating case as Admin on 07/22/2022 10:06 for Admin   ⓘ 10:06:42(00:06.644)

● SOQL Query: select CaseNumber from Case=>CaseRows   ⓘ 10:06:42(00:06.676)

ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber from Case

ⓘ Query successful. Row Count: 1.

● Case Number = 00032386   ⓘ 10:06:42(00:07.032)

ⓘ Start of iteration 2 of 4.

● Iteration 2   ⓘ 10:06:43(00:07.314)

● Create Object: Case=>CaseId   ⓘ 10:06:43(00:07.318)

ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

ⓘ Setting fields:

ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Pharmacy

ⓘ =Field=> AccountId = 0013R000005QOntQAG

ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:06 for Pharm

▤ Case created successfully. Object Id: 5003R000002Mk39QAC, Result Name: CaseId

ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mk39QAC

● SOQL Query: select cern__RecordTypeDeveloperName__c from Case=>CaseRows   ⓘ 10:06:44(00:08.903)

ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select cern__RecordTypeDeveloperName__c from Case

ⓘ Query successful. Row Count: 2.

● Case Record Type = VCC_Pharmacy   ⓘ 10:06:45(00:09.229)

● Switch: CaseRows.cern__RecordTypeDeveloperName__c   ⓘ 10:06:45(00:09.293)

⚠ Case: VCC_Administrative   ⓘ 10:06:45(00:09.329)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy   ⓘ 10:06:45(00:09.369)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:06:45(00:09.408)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitrual_Clinic_Visit

⚠ Case: VCC_Clinical_Triage   ⓘ 10:06:45(00:09.448)

ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

● SOQL Query: select Subject from Case=>CaseRows   ⓘ 10:06:45(00:09.464)

ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select Subject from Case

ⓘ Query successful. Row Count: 2.

● Case Subject = Creating case as Admin on 07/22/2022 10:06 for Pharm   ⓘ 10:06:45(00:09.798)

● SOQL Query: select CaseNumber from Case=>CaseRows   ⓘ 10:06:45(00:09.858)

ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber from Case

ⓘ Query successful. Row Count: 2.

● Case Number = 00032387   ⓘ 10:06:45(00:10.001)

ⓘ Start of iteration 3 of 4.

● Iteration 3   ⓘ 10:06:46(00:10.301)

   ● Create Object: Case=>CaseId   ⓘ 10:06:46(00:10.305)

       ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

       ⓘ Setting fields:

       ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Vitrual_Clinic_Visit

       ⓘ =Field=> AccountId = 0013R000005QOntQAG

       ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:06 for MP

       📄 Case created successfully. Object Id: 5003R000002Mk3EQAS, Result Name: CaseId

       ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mk3EQAS

   ● SOQL Query: select cern__RecordTypeDeveloperName__c from Case=>CaseRows   ⓘ 10:06:47(00:11.735)

       ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select cern__RecordTypeDeveloperName__c from Case

       ⓘ Query successful. Row Count: 3.

   ● Case Record Type = VCC_Pharmacy   ⓘ 10:06:47(00:12.070)

   ● Switch: CaseRows.cern__RecordTypeDeveloperName__c   ⓘ 10:06:48(00:12.165)

     ⚠ Case: VCC_Administrative   ⓘ 10:06:48(00:12.204)

        ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

     ⚠ Case: VCC_Pharmacy   ⓘ 10:06:48(00:12.241)

        ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

     ⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:06:48(00:12.278)

        ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitrual_Clinic_Visit

     ⚠ Case: VCC_Clinical_Triage   ⓘ 10:06:48(00:12.318)

        ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

   ● SOQL Query: select Subject from Case=>CaseRows   ⓘ 10:06:48(00:12.331)

       ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select Subject from Case

       ⓘ Query successful. Row Count: 3.

   ● Case Subject = Creating case as Admin on 07/22/2022 10:06 for Pharm   ⓘ 10:06:48(00:12.805)

   ● SOQL Query: select CaseNumber from Case=>CaseRows   ⓘ 10:06:48(00:12.854)

       ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber from Case

       ⓘ Query successful. Row Count: 3.

   ● Case Number = 00032387   ⓘ 10:06:49(00:13.202)

ⓘ Start of iteration 4 of 4.

● Iteration 4   ⓘ 10:06:49(00:13.497)

   ● Create Object: Case=>CaseId   ⓘ 10:06:49(00:13.502)

       ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

       ⓘ Setting fields:

       ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Clinical_Triage

       ⓘ =Field=> AccountId = 0013R000005QOntQAG

       ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:06 for RN

       📄 Case created successfully. Object Id: 5003R000002Mk3JQAS, Result Name: CaseId

       ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mk3JQAS

   ● SOQL Query: select cern__RecordTypeDeveloperName__c from Case=>CaseRows   ⓘ 10:06:50(00:14.840)

       ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select cern__RecordTypeDeveloperName__c from Case

ⓘ Query successful. Row Count: 4.

● Case Record Type = VCC_Clinical_Triage   ⓘ 10:06:51(00:15.170)

● Switch: CaseRows.cern__RecordTypeDeveloperName__c   ⓘ 10:06:51(00:15.261)

  ⚠ Case: VCC_Administrative   ⓘ 10:06:51(00:15.302)

    ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

  ⚠ Case: VCC_Pharmacy   ⓘ 10:06:51(00:15.343)

    ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

  ⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:06:51(00:15.384)

    ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitrual_Clinic_Visit

  ⚠ Case: VCC_Clinical_Triage   ⓘ 10:06:51(00:15.427)

    ⓘ Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

● SOQL Query: select Subject from Case=>CaseRows   ⓘ 10:06:51(00:15.439)

  ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select Subject from Case

  ⓘ Query successful. Row Count: 4.

● Case Subject = Creating case as Admin on 07/22/2022 10:06 for RN   ⓘ 10:06:51(00:15.842)

● SOQL Query: select CaseNumber from Case=>CaseRows   ⓘ 10:06:51(00:15.901)

  ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber from Case

  ⓘ Query successful. Row Count: 4.

● Case Number = 00032389   ⓘ 10:06:52(00:16.240)

ⓘ Reached the end of the List.

ⓘ Handling managed resource. Name: SysAdmin_Lydse_VAVET_DTCSQA

✳ Closing Salesforce Connection because it is no longer being used. Name: SysAdmin_Lydse_VAVET_DTCSQA

✳ Shutting down Soap Connections. logFilePath: SysAdmin_Lydse_VAVET_DTCSQA-objectids.log

ⓘ Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA