Test Run Report




Test Run Overview

Started 22 Jul 2022, 10:26:35 Ended 22 Jul 2022, 10:26:49

Duration (mm:ss) 00:13.609

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



Create Case and Update Owner.testcase

Summary

Started 22 Jul 2022, 10:26:35 Ended 22 Jul 2022, 10:26:49

Duration (mm:ss) 00:13.608
Outcome successful

Output

Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)

0 10:26:35(00:00.040)

- ① Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
- Connection details. Connection name: SysAdmin_Lydse_VAVET_DTCSQA, result name: SysAdmin_Lydse_VAVET_DTCSQA, result scope: Test, urlString: sf:user=lydse.gedge@va-vet.dtcsqa:password={password};securityToken={securityToken};environment=OTHER;apiLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;userLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;lightningMode=true, environment: <default>, userName: lydse.gedge@va-vet.dtcsqa, password: [supplied] securityToken: [supplied]
- Create object id log file.
- Opening Partner connection
- *Opening SOAP connection
- Opening Metadata connection
- Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- 1 ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- i) ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Loading Parameter Value Source row 3:
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 4:
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- i ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 4 rows from Parameter Value Source.

Read File for Creating Cases

0 10:26:39(00:03.091)

- 1 Loading data from Parameter Value Source ...
- 1 Loading Parameter Value Source row 1:

```
1 ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> Subject = PrimitiveValueImpl [ value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-11
   🛈 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    Loading Parameter Value Source row 2:

   ① ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   ① ==Column=> UltimateOwner = PrimitiveValueImpl [ value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Pharmacy, valueId=nuIl, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loading Parameter Value Source row 3:
   1 ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   1 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loading Parameter Value Source row 4:
   ① ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   1 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loaded 4 rows from Parameter Value Source.
    Set Values: count
                                                                                                                        0 10:26:39(00:03.144)

 Setting value count to 2

        Configuration: ValueScope:Test
       (i) Successfully set count to 2
For Each: {SourceData}=>Row
                                                                                                                        0 10:26:39(00:03.163)
   ① Start of iteration 1 of 4.
                                                                                                                        0 10:26:39(00:03.470)
    Iteration 1
                                                                                                                        0 10:26:39(00:03.476)
          Create Object: Case=>CaseId
           ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
           Setting fields:
           I = Field => cern__RecordTypeDeveloperName__c = VCC_Administrative
           i =Field=> AccountId = 0013R000005QOntQAG
           1 = Field => Subject = Creating case as Admin on 07/22/2022 10:26 for Admin
           Case created successfully. Object Id: 5003R000002Mn8bQAC, Result Name: CaseId
           ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mn8bQAC
        SOQL Query: select CaseNumber, Subject,
                                                                                                                        0 10:26:42(00:06.274)
        cern__RecordTypeDeveloperName__c from Case=>CaseRows
           ① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
           cern__RecordTypeDeveloperName__c from Case

    Query successful. Row Count: 1.

        Case Number = 00032394
                                                                                                                        0 10:26:42(00:06.622)
        Case Subject = Creating case as Admin on 07/22/2022 10:26 for
                                                                                                                        0 10:26:42(00:06.675)
       Admin
        Case Record Type = VCC_Administrative
                                                                                                                         0 10:26:42(00:06.717)

 Start of iteration 2 of 4.

                                                                                                                        0 10:26:42(00:07.011)
    Iteration 2
                                                                                                                         0 10:26:42(00:07.014)
        Create Object: Case=>CaseId
```

```
1 Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
       Setting fields:

    =Field=> cern__RecordTypeDeveloperName__c = VCC_Pharmacy

       i =Field=> AccountId = 0013R000005QOntQAG
       1 = Field=> Subject = Creating case as Admin on 07/22/2022 10:26 for Pharm
       Case created successfully. Object Id: 5003R000002MnBuQAK, Result Name: CaseId
       ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MnBuQAK
    SOQL Query: select CaseNumber, Subject,
                                                                                                               0 10:26:44(00:08.547)
    cern__RecordTypeDeveloperName__c from Case=>CaseRows
       1 Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case
       (i) Query successful. Row Count: 2.
                                                                                                                0 10:26:44(00:08.893)
    Case Number = 00032395
      Case Subject = Creating case as Admin on 07/22/2022 10:26 for
                                                                                                                0 10:26:44(00:08.946)
   Pharm
                                                                                                                0 10:26:44(00:08.987)
    Case Record Type = VCC_Pharmacy

 Start of iteration 3 of 4.

                                                                                                               0 10:26:45(00:09.284)
Iteration 3
                                                                                                               0 10:26:45(00:09.288)
    Create Object: Case=>CaseId
       ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
       Setting fields:
       i =Field=> cern__RecordTypeDeveloperName__c = VCC_Vitrual_Clinic_Visit
       1 =Field=> AccountId = 0013R000005QOntQAG
       1 = Field => Subject = Creating case as Admin on 07/22/2022 10:26 for MP
       Case created successfully. Object Id: 5003R000002MnBzQAK, Result Name: CaseId
       ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MnBzQAK
    SOQL Query: select CaseNumber, Subject,
                                                                                                               0 10:26:46(00:10.905)
    cern_RecordTypeDeveloperName_c from Case=>CaseRows
       1 Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case

    Query successful. Row Count: 3.

    Case Number = 00032396
                                                                                                                0 10:26:47(00:11.232)
    Case Subject = Creating case as Admin on 07/22/2022 10:26 for
                                                                                                               0 10:26:47(00:11.295)
   MP
                                                                                                                0 10:26:47(00:11.332)
    Case Record Type = VCC_Vitrual_Clinic_Visit
① Start of iteration 4 of 4.
                                                                                                               0 10:26:47(00:11.609)
Iteration 4
                                                                                                               0 10:26:47(00:11.612)
    Create Object: Case=>CaseId
       ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
       1 = Field => cern__RecordTypeDeveloperName__c = VCC_Clinical_Triage
       i =Field=> AccountId = 0013R000005QOntQAG
       i =Field=> Subject = Creating case as Admin on 07/22/2022 10:26 for RN
       Case created successfully. Object Id: 5003R000002MnC9QAK, Result Name: CaseId
       1 Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MnC9QAK
    SOQL Query: select CaseNumber, Subject,
                                                                                                               0 10:26:49(00:13.094)
   cern__RecordTypeDeveloperName__c from Case=>CaseRows
       ① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case
       (i) Query successful. Row Count: 4.
```

- Case Number = 00032396
- Case Subject = Creating case as Admin on 07/22/2022 10:26 for MP

0 10:26:49(00:13.526)

0 10:26:49(00:13.414)

0 10:26:49(00:13.564)

- Case Record Type = VCC_Vitrual_Clinic_Visit
- (i) Reached the end of the List.
- ① Handling managed resource. Name: SysAdmin_Lydse_VAVET_DTCSQA
- ❖ Closing Salesforce Connection because it is no longer being used. Name: SysAdmin_Lydse_VAVET_DTCSQA
- * Shutting down Soap Connections. logFilePath: SysAdmin_Lydse_VAVET_DTCSQA-objectids.log
- ① Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA