

Test Run Report




Test Run Overview

Started 22 Jul 2022, 10:30:17
Ended 22 Jul 2022, 10:30:30
Duration (mm:ss) 00:13.394

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

- tests
 - API Tests
 - Create Cases
 - Create Case and Update Owner.testcase

- successful
- successful
- successful
- successful

Create Case and Update Owner.testcase

Summary

Started 22 Jul 2022, 10:30:17
Ended 22 Jul 2022, 10:30:30
Duration (mm:ss) 00:13.393
Outcome ● successful

Output

- **Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)** ⌚ 10:30:17(00:00.041)
 - ⓘ Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
 - ⚙ Connection details. Connection name: SysAdmin_Lydse_VAVET_DTCSQA, result name: SysAdmin_Lydse_VAVET_DTCSQA, result scope: Test, urlString: sf:user=lydse.gedge@va-vet.dtcsga;password={password};securityToken={securityToken};environment=OTHER;apiLoginUrl=https://va-vet-dtcsga.my.salesforce.com;userLoginUrl=https://va-vet-dtcsga.my.salesforce.com;webBaseUrl=https://va-vet-dtcsga.my.salesforce.com;lightningMode=true, environment: <default>, userName: lydse.gedge@va-vet.dtcsga, password: [supplied] securityToken: [supplied]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - ⓘ Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
 - ⓘ Loading data from Parameter Value Source ...
 - ⓘ Loading Parameter Value Source row 1:
 - ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ Loading Parameter Value Source row 2:
 - ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> Subject = null
 - ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ Loading Parameter Value Source row 3:
 - ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> Subject = null
 - ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitruual_Clinic_Visit, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ Loading Parameter Value Source row 4:
 - ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> Subject = null
 - ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ⓘ Loaded 4 rows from Parameter Value Source.
 - **Read File for Creating Cases** ⌚ 10:30:20(00:03.198)
 - ⓘ Loading data from Parameter Value Source ...
 - ⓘ Loading Parameter Value Source row 1:

① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 2:

① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Subject = null

① ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 3:

① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Subject = null

① ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitruual_Clinic_Visit, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 4:

① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Subject = null

① ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valuelid=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loaded 4 rows from Parameter Value Source.

● Set Values: count

⌚ 10:30:20(00:03.246)

① Setting value count to 2

⚙ Configuration: ValueScope:Test

① Successfully set count to 2

● For Each: {SourceData}=>Row

⌚ 10:30:20(00:03.259)

① Start of iteration 1 of 4.

● Iteration 1

⌚ 10:30:21(00:03.409)

● Create Object: Case=>Caseld

⌚ 10:30:21(00:03.413)

① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

① Setting fields:

① =Field=> cern__RecordTypeDeveloperName__c = VCC_Administrative

① =Field=> AccountId = 0013R000005QOntQAG

① =Field=> Subject = Creating case as Admin on 07/22/2022 10:30 for Admin

📄 Case created successfully. Object Id: 5003R000002MoFYQA0, Result Name: Caseld

① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MoFYQA0

● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows

⌚ 10:30:23(00:06.029)

① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

① Query successful. Row Count: 1.

● Case Number = 00032398

⌚ 10:30:24(00:06.419)

● Case Subject = Creating case as Admin on 07/22/2022 10:30 for Admin

⌚ 10:30:24(00:06.457)

● Case Record Type = VCC_Administrative

⌚ 10:30:24(00:06.497)



● Switch: CaseRows.cern__RecordTypeDeveloperName__c



⌚ 10:30:24(00:06.536)



⚠ Case: VCC_Administrative


⌚ 10:30:24(00:06.572)


① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative



 **Case: VCC_Pharmacy** ⌚ 10:30:24(00:06.610)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy


 **Case: VCC_Vitruual_Clinic_Visit** ⌚ 10:30:24(00:06.646)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitruual_Clinic_Visit


 **Case: VCC_Clinical_Triage** ⌚ 10:30:24(00:06.685)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage


 Start of iteration 2 of 4.


 **Iteration 2** ⌚ 10:30:24(00:06.787)


 **Create Object: Case=>Caseld** ⌚ 10:30:24(00:06.789)
 Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3


 Setting fields:



 =Field=> cern__RecordTypeDeveloperName__c = VCC_Pharmacy


 =Field=> AccountId = 0013R000005QOntQAG


 =Field=> Subject = Creating case as Admin on 07/22/2022 10:30 for Pharm


 Case created successfully. Object Id: 5003R000002MoFZQA0, Result Name: Caseld


 Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MoFZQA0


 **SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows** ⌚ 10:30:25(00:07.956)
 Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case



 Query successful. Row Count: 2.



 **Case Number = 00032398** ⌚ 10:30:25(00:08.292)



 **Case Subject = Creating case as Admin on 07/22/2022 10:30 for Admin** ⌚ 10:30:25(00:08.354)



 **Case Record Type = VCC_Administrative** ⌚ 10:30:25(00:08.394)


 **Switch: CaseRows.cern__RecordTypeDeveloperName__c** ⌚ 10:30:26(00:08.451)


 **Case: VCC_Administrative** ⌚ 10:30:26(00:08.533)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative



 **Case: VCC_Pharmacy** ⌚ 10:30:26(00:08.571)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy


 **Case: VCC_Vitruual_Clinic_Visit** ⌚ 10:30:26(00:08.608)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitruual_Clinic_Visit


 **Case: VCC_Clinical_Triage** ⌚ 10:30:26(00:08.646)
 Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage


 Start of iteration 3 of 4.


 **Iteration 3** ⌚ 10:30:26(00:08.747)


 **Create Object: Case=>Caseld** ⌚ 10:30:26(00:08.750)
 Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3


 Setting fields:


 =Field=> cern__RecordTypeDeveloperName__c = VCC_Vitruual_Clinic_Visit

 =Field=> AccountId = 0013R000005QOntQAG

 =Field=> Subject = Creating case as Admin on 07/22/2022 10:30 for MP

 Case created successfully. Object Id: 5003R000002MoFdQAK, Result Name: Caseld

 Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MoFdQAK

 **SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows** ⌚ 10:30:27(00:10.338)

① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

① Query successful. Row Count: 3.

● Case Number = 00032400 ① 10:30:28(00:10.851)

● Case Subject = Creating case as Admin on 07/22/2022 10:30 for ① 10:30:28(00:10.900)

MP

● Case Record Type = VCC_Vitruual_Clinic_Visit ① 10:30:28(00:10.942)

● Switch: CaseRows.cern__RecordTypeDeveloperName__c ① 10:30:28(00:10.981)

⚠ Case: VCC_Administrative ① 10:30:28(00:11.022)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy ① 10:30:28(00:11.061)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

⚠ Case: VCC_Vitruual_Clinic_Visit ① 10:30:28(00:11.098)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitruual_Clinic_Visit

⚠ Case: VCC_Clinical_Triage ① 10:30:28(00:11.139)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

① Start of iteration 4 of 4.

● Iteration 4 ① 10:30:28(00:11.249)

● Create Object: Case=>Caseld ① 10:30:28(00:11.252)

① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

① Setting fields:

① =Field=> cern__RecordTypeDeveloperName__c = VCC_Clinical_Triage

① =Field=> AccountId = 0013R000005QOntQAG

① =Field=> Subject = Creating case as Admin on 07/22/2022 10:30 for RN

📄 Case created successfully. Object Id: 5003R000002MolwQAK, Result Name: Caseld

① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MolwQAK

● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows ① 10:30:30(00:12.749)

① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

① Query successful. Row Count: 4.

● Case Number = 00032401 ① 10:30:30(00:13.090)

● Case Subject = Creating case as Admin on 07/22/2022 10:30 for ① 10:30:30(00:13.143)

RN

● Case Record Type = VCC_Clinical_Triage ① 10:30:30(00:13.185)

● Switch: CaseRows.cern__RecordTypeDeveloperName__c ① 10:30:30(00:13.223)

⚠ Case: VCC_Administrative ① 10:30:30(00:13.253)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy ① 10:30:30(00:13.299)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Pharmacy

⚠ Case: VCC_Vitruual_Clinic_Visit ① 10:30:30(00:13.338)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Vitruual_Clinic_Visit

⚠ Case: VCC_Clinical_Triage ① 10:30:30(00:13.378)

① Skipping because the values don't match. Switch Value: CaseRows.cern__RecordTypeDeveloperName__c, Value: VCC_Clinical_Triage

① Reached the end of the List.

① Handling managed resource. Name: SysAdmin_Lydse_VAVET_DTCSQA

✳ Closing Salesforce Connection because it is no longer being used. Name: SysAdmin_Lydse_VAVET_DTCSQA

⚙ Shutting down Soap Connections. logFilePath: SysAdmin_Lydse_VAVET_DTCSQA-objectids.log

ℹ Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA