Test Run Report

Test Run Overview

Started	23 Jun 2022, 10:31:26
Ended	23 Jun 2022, 10:31:33
Duration (mm:ss)	00:07.404

Test Results Summary

Passed	0
Failed	1
Skipped	0

1 Failed (100%)

0 Skipped (0%)
0 Passed (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📁 tests   ● failed

   📄 Create VA Identity Record.testcase   ● failed

● Failed to create Object. Error Messages: Salesforce Contact Id: id value of incorrect type: 0013R000005MO9AQAW

● Failed to create Object. Error Messages: Salesforce Contact Id: id value of incorrect type: 0013R000005MO9AQAW

Summary

Started	23 Jun 2022, 10:31:26
Ended	23 Jun 2022, 10:31:33
Duration (mm:ss)	00:07.403
Outcome	🔴 failed

Output

● Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)　　　　　　　⏱ 10:31:26(00:00.089)

　ⓘ Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

　ⓘ Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

　ⓘ Loading data from Parameter Value Source ...

　ⓘ Loading Parameter Value Source row 1:

　ⓘ ==Column=> SalesforceContactID = PrimitiveValueImpl [value: 0013R000005MO9AQAW, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> FirstName = PrimitiveValueImpl [value: Hello, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> LastName = PrimitiveValueImpl [value: Kitty, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> ICN = PrimitiveValueImpl [value: 123456, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> GenderAtBirth = PrimitiveValueImpl [value: Female, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> Gender = PrimitiveValueImpl [value: Female, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> DateOfBirth = PrimitiveValueImpl [value: 2000-12-31, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> SSN = PrimitiveValueImpl [value: 111223333, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ Loading Parameter Value Source row 2:

　ⓘ ==Column=> SalesforceContactID = PrimitiveValueImpl [value: Joe Gold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> FirstName = PrimitiveValueImpl [value: Joe, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> LastName = PrimitiveValueImpl [value: Gold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> ICN = PrimitiveValueImpl [value: 222333, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> GenderAtBirth = PrimitiveValueImpl [value: Male, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> Gender = PrimitiveValueImpl [value: Male, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> DateOfBirth = PrimitiveValueImpl [value: 2002-02-01, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> SSN = PrimitiveValueImpl [value: 333221111, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ Loaded 2 rows from Parameter Value Source.

● Read Excel File (VA Identity Records)　　　　　　　⏱ 10:31:29(00:03.264)

　ⓘ Loading data from Parameter Value Source ...

　ⓘ Loading Parameter Value Source row 1:

　ⓘ ==Column=> SalesforceContactID = PrimitiveValueImpl [value: 0013R000005MO9AQAW, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> FirstName = PrimitiveValueImpl [value: Hello, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> LastName = PrimitiveValueImpl [value: Kitty, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> ICN = PrimitiveValueImpl [value: 123456, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> GenderAtBirth = PrimitiveValueImpl [value: Female, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> Gender = PrimitiveValueImpl [value: Female, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> DateOfBirth = PrimitiveValueImpl [value: 2000-12-31, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

　ⓘ ==Column=> SSN = PrimitiveValueImpl [value: 111223333, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> SalesforceContactID = PrimitiveValueImpl [value: Joe Gold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> FirstName = PrimitiveValueImpl [value: Joe, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> LastName = PrimitiveValueImpl [value: Gold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ICN = PrimitiveValueImpl [value: 222333, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> GenderAtBirth = PrimitiveValueImpl [value: Male, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Gender = PrimitiveValueImpl [value: Male, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> DateOfBirth = PrimitiveValueImpl [value: 2002-02-01, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> SSN = PrimitiveValueImpl [value: 333221111, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 2 rows from Parameter Value Source.

● **Set Values: SalesforceContactID** ⓘ 10:31:29(00.03.323)
   ⓘ Setting value SalesforceContactID to 0013R000005MO9AQAW

   ⓘ Successfully set SalesforceContactID to 0013R000005MO9AQAW

● **Set Values: FirstName** ⓘ 10:31:29(00.03.335)
   ⓘ Setting value FirstName to Hello

   ⓘ Successfully set FirstName to Hello

● **Set Values: LastName** ⓘ 10:31:29(00.03.359)
   ⓘ Setting value LastName to Kitty

   ⓘ Successfully set LastName to Kitty

● **Set Values: ICN** ⓘ 10:31:29(00.03.383)
   ⓘ Setting value ICN to 123456

   ⓘ Successfully set ICN to 123456

● **Set Values: Gender** ⓘ 10:31:29(00.03.407)
   ⓘ Setting value Gender to Female

   ⓘ Successfully set Gender to Female

● **Set Values: GenderAtBirth** ⓘ 10:31:29(00.03.442)
   ⓘ Setting value GenderAtBirth to Female

   ⓘ Successfully set GenderAtBirth to Female

● **Set Values: DateOfBirth** ⓘ 10:31:29(00.03.467)
   ⓘ Setting value DateOfBirth to 2001-01-01

   ⓘ Successfully set DateOfBirth to 2001-01-01

● **For Each: {VAIdentityRecordFromFile}=>Row** ⓘ 10:31:29(00.03.497)
ⓘ Start of iteration 1 of 2.

● **Iteration 1** ⓘ 10:31:29(00.03.567)

● **Create Object: VA_Identity__c=>VAIdentityId** ⓘ 10:31:29(00.03.569)
   ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: VA_Identity__c, field count: 7

   ⓘ Setting fields:

   ⓘ =Field=> Date_of_Birth__c = 2001-01-01

   ⓘ =Field=> ICN__c = <null>

   ⓘ =Field=> First_Name__c = Hello

   ⓘ =Field=> Gender__c = <null>

   ⓘ =Field=> Gender_at_Birth__c = <null>

   ⓘ =Field=> Salesforce_Contact_Id__c = 0013R000005MO9AQAW

   ⓘ =Field=> Last_Name__c = Kitty

   ● Failed to create Object. Error Messages: Salesforce Contact Id: id value of incorrect type: 0013R000005MO9AQAW

● **Set Values: Header.VAIdentityId** ⓘ 10:31:31(00.05.264)
   ⓘ Setting value Header.VAIdentityId to <null>

ⓘ Successfully set Header.VAIdentityId to <null>

● Write: {Header}=>templates/VAIdentityRecordIDs.xlsx   ⓞ 10:31:32(00:06.044)

ⓘ Writing to URL templates/VAIdentityRecordIDs.xlsx

ⓘ Start of Excel Write. WorkbookPath: templates/VAIdentityRecordIDs.xlsx, excludeCols: [none]

ⓘ Workbook location: C:\Users\LydseGedge\Provar\VAHC\VAHC\templates\VAIdentityRecordIDs.xlsx

ⓘ Writing data to excel sheet: Sheet0

ⓘ Got NamedValueList: NamedValueListValueImpl [valueCount: 1, valueId=5000000000002, createdUpdateSeq=27, updatedUpdateSeq=28, values: [[id: 5000000000003,entryName: VAIdentityId,entryId: null]]]

ⓘ Completed writing data to excel sheet: Sheet0

ⓘ Start of iteration 2 of 2.

● Iteration 2   ⓞ 10:31:32(00:06.576)

● Create Object: VA_Identity__c=>VAIdentityId   ⓞ 10:31:32(00:06.580)

ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: VA_Identity__c, field count: 7

ⓘ Setting fields:

ⓘ =Field=> Date_of_Birth__c = 2001-01-01

ⓘ =Field=> ICN__c = <null>

ⓘ =Field=> First_Name__c = Hello

ⓘ =Field=> Gender__c = <null>

ⓘ =Field=> Gender_at_Birth__c = <null>

ⓘ =Field=> Salesforce_Contact_Id__c = 0013R000005MO9AQAW

ⓘ =Field=> Last_Name__c = Kitty

● Failed to create Object. Error Messages: Salesforce Contact Id: id value of incorrect type: 0013R000005MO9AQAW

● Set Values: Header.VAIdentityId   ⓞ 10:31:33(00:07.277)

ⓘ Setting value Header.VAIdentityId to <null>

ⓘ Successfully set Header.VAIdentityId to <null>

● Write: {Header}=>templates/VAIdentityRecordIDs.xlsx   ⓞ 10:31:33(00:07.333)

ⓘ Writing to URL templates/VAIdentityRecordIDs.xlsx

ⓘ Start of Excel Write. WorkbookPath: templates/VAIdentityRecordIDs.xlsx, excludeCols: [none]

ⓘ Workbook location: C:\Users\LydseGedge\Provar\VAHC\VAHC\templates\VAIdentityRecordIDs.xlsx

ⓘ Writing data to excel sheet: Sheet0

ⓘ Got NamedValueList: NamedValueListValueImpl [valueCount: 1, valueId=5000000000002, createdUpdateSeq=27, updatedUpdateSeq=36, values: [[id: 5000000000004,entryName: VAIdentityId,entryId: null]]]

ⓘ Completed writing data to excel sheet: Sheet0

ⓘ Reached the end of the List.

ⓘ Handling managed resource. Name: SysAdmin_Lydse_VAVET_DTCSQA

ⓘ Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA