Test Run Report

Test Run Overview

Started	22 Jul 2022, 10:32:07
Ended	22 Jul 2022, 10:32:20
Duration (mm:ss)	00:13.602

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

tests	successful
API Tests	successful
Create Cases	successful
Create Case and Update Owner.testcase	successful

Create Case and Update Owner.testcase

Summary

Started	22 Jul 2022, 10:32:07
Ended	22 Jul 2022, 10:32:20
Duration (mm:ss)	00:13.601
Outcome	● successful

Output

● Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)   ⓘ 10:32:07(00:00.031)

ⓘ Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

✳ Connection details. Connection name: SysAdmin_Lydse_VAVET_DTCSQA, result name: SysAdmin_Lydse_VAVET_DTCSQA, result scope: Test, urlString: sf:user=lydse.gedge@va-vet.dtcsqa;password={password};securityToken={securityToken};environment=OTHER;apiLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;userLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;webBaseUrl=https://va-vet--dtcsqa.my.salesforce.com;lightningMode=true, environment: <default>, userName: lydse.gedge@va-vet.dtcsqa, password: [supplied] securityToken: [supplied]

✳ Create object id log file.

✳ Opening Partner connection

✳ Opening SOAP connection

✳ Opening Metadata connection

ⓘ Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 4 rows from Parameter Value Source.

● Read File for Creating Cases   ⓘ 10:32:10(00:02.936)

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Subject = null

ⓘ ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 4 rows from Parameter Value Source.

● Set Values: count   ⓘ 10:32:10(00:02.981)
    ⓘ Setting value count to 2

    ✸ Configuration: ValueScope:Test

    ⓘ Successfully set count to 2

● For Each: {SourceData}=>Row   ⓘ 10:32:10(00:02.994)
    ⓘ Start of iteration 1 of 4.

  ● Iteration 1   ⓘ 10:32:10(00:03.183)

    ● Create Object: Case=>CaseId   ⓘ 10:32:10(00:03.190)
       ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

       ⓘ Setting fields:

       ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Administrative

       ⓘ =Field=> AccountId = 0013R000005QOntQAG

       ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:32 for Admin

       🗒 Case created successfully. Object Id: 5003R000002MomDQAS, Result Name: CaseId

       ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MomDQAS

    ● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows   ⓘ 10:32:12(00:05.699)
       ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

       ⓘ Query successful. Row Count: 5.

    ● Case Number = 00032401   ⓘ 10:32:13(00:06.103)
    ● Case Subject = Creating case as Admin on 07/22/2022 10:30 for RN   ⓘ 10:32:13(00:06.178)

    ● Case Record Type = VCC_Clinical_Triage   ⓘ 10:32:13(00:06.221)
    ● Switch: VCC_Clinical_Triage   ⓘ 10:32:13(00:06.259)
      ⚠ Case: VCC_Administrative   ⓘ 10:32:13(00:06.299)
         ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy ⓘ 10:32:13(00:06.338)
  ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Pharmacy

⚠ Case: VCC_Vitrual_Clinic_Visit ⓘ 10:32:13(00:06.377)
  ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Vitrual_Clinic_Visit

● Case: VCC_Clinical_Triage ⓘ 10:32:13(00:06.417)
  ⓘ Processing because the values match. Switch Value: VCC_Clinical_Triage, Value: VCC_Clinical_Triage

  ● It is Clinical Triage ⓘ 10:32:13(00:06.431)

ⓘ Start of iteration 2 of 4.

● Iteration 2 ⓘ 10:32:13(00:06.565)

  ● Create Object: Case=>CaseId ⓘ 10:32:13(00:06.568)
    ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

    ⓘ Setting fields:

    ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Pharmacy

    ⓘ =Field=> AccountId = 0013R000005QOntQAG

    ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:32 for Pharm

    📋 Case created successfully. Object Id: 5003R000002MomIQAS, Result Name: CaseId

    ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MomIQAS

  ● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows ⓘ 10:32:15(00:08.280)
    ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

    ⓘ Query successful. Row Count: 6.

  ● Case Number = 00032401 ⓘ 10:32:15(00:08.630)
  ● Case Subject = Creating case as Admin on 07/22/2022 10:30 for RN ⓘ 10:32:15(00:08.673)
  ● Case Record Type = VCC_Clinical_Triage ⓘ 10:32:15(00:08.711)
  ● Switch: VCC_Clinical_Triage ⓘ 10:32:15(00:08.750)
    ⚠ Case: VCC_Administrative ⓘ 10:32:15(00:08.788)
      ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Administrative

    ⚠ Case: VCC_Pharmacy ⓘ 10:32:16(00:08.853)
      ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Pharmacy

    ⚠ Case: VCC_Vitrual_Clinic_Visit ⓘ 10:32:16(00:08.891)
      ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Vitrual_Clinic_Visit

    ● Case: VCC_Clinical_Triage ⓘ 10:32:16(00:08.928)
      ⓘ Processing because the values match. Switch Value: VCC_Clinical_Triage, Value: VCC_Clinical_Triage

      ● It is Clinical Triage ⓘ 10:32:16(00:08.954)

ⓘ Start of iteration 3 of 4.

● Iteration 3 ⓘ 10:32:16(00:09.072)

  ● Create Object: Case=>CaseId ⓘ 10:32:16(00:09.074)
    ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

    ⓘ Setting fields:

    ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Vitrual_Clinic_Visit

    ⓘ =Field=> AccountId = 0013R000005QOntQAG

    ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:32 for MP

    📋 Case created successfully. Object Id: 5003R000002MopbQAC, Result Name: CaseId

    ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MopbQAC

  ● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows ⓘ 10:32:17(00:10.455)
    ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

ⓘ Query successful. Row Count: 7.

● Case Number = 00032401   ⓘ 10:32:17(00:10.804)

● Case Subject = Creating case as Admin on 07/22/2022 10:30 for RN   ⓘ 10:32:18(00:10.849)

● Case Record Type = VCC_Clinical_Triage   ⓘ 10:32:18(00:10.889)

● Switch: VCC_Clinical_Triage   ⓘ 10:32:18(00:10.930)

⚠ Case: VCC_Administrative   ⓘ 10:32:18(00:10.971)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy   ⓘ 10:32:18(00:11.011)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Pharmacy

⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:32:18(00:11.056)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Vitrual_Clinic_Visit

● Case: VCC_Clinical_Triage   ⓘ 10:32:18(00:11.097)
    ⓘ Processing because the values match. Switch Value: VCC_Clinical_Triage, Value: VCC_Clinical_Triage

● It is Clinical Triage   ⓘ 10:32:18(00:11.150)

ⓘ Start of iteration 4 of 4.

● Iteration 4   ⓘ 10:32:18(00:11.269)

● Create Object: Case=>CaseId   ⓘ 10:32:18(00:11.271)
    ⓘ Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3

    ⓘ Setting fields:

    ⓘ =Field=> cern__RecordTypeDeveloperName__c = VCC_Clinical_Triage

    ⓘ =Field=> AccountId = 0013R000005QOntQAG

    ⓘ =Field=> Subject = Creating case as Admin on 07/22/2022 10:32 for RN

    🗎 Case created successfully. Object Id: 5003R000002MopgQAC, Result Name: CaseId

    ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MopgQAC

● SOQL Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case=>CaseRows   ⓘ 10:32:20(00:12.970)
    ⓘ Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject, cern__RecordTypeDeveloperName__c from Case

    ⓘ Query successful. Row Count: 8.

● Case Number = 00032401   ⓘ 10:32:20(00:13.296)

● Case Subject = Creating case as Admin on 07/22/2022 10:30 for RN   ⓘ 10:32:20(00:13.345)

● Case Record Type = VCC_Clinical_Triage   ⓘ 10:32:20(00:13.389)

● Switch: VCC_Clinical_Triage   ⓘ 10:32:20(00:13.425)

⚠ Case: VCC_Administrative   ⓘ 10:32:20(00:13.457)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Administrative

⚠ Case: VCC_Pharmacy   ⓘ 10:32:20(00:13.483)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Pharmacy

⚠ Case: VCC_Vitrual_Clinic_Visit   ⓘ 10:32:20(00:13.516)
    ⓘ Skipping because the values don't match. Switch Value: VCC_Clinical_Triage, Value: VCC_Vitrual_Clinic_Visit

● Case: VCC_Clinical_Triage   ⓘ 10:32:20(00:13.541)
    ⓘ Processing because the values match. Switch Value: VCC_Clinical_Triage, Value: VCC_Clinical_Triage

● It is Clinical Triage   ⓘ 10:32:20(00:13.576)

ⓘ Reached the end of the List.

ⓘ Handling managed resource. Name: SysAdmin_Lydse_VAVET_DTCSQA

✸ Closing Salesforce Connection because it is no longer being used. Name: SysAdmin_Lydse_VAVET_DTCSQA

✸ Shutting down Soap Connections. logFilePath: SysAdmin_Lydse_VAVET_DTCSQA-objectids.log

ⓘ Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA