Test Run Report




Test Run Overview

Started 22 Jul 2022, 10:22:04 Ended 22 Jul 2022, 10:22:19


Duration (mm:ss) 00:14.873

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



Create Case and Update Owner.testcase

Summary

Started 22 Jul 2022, 10:22:04 Ended 22 Jul 2022, 10:22:19

Duration (mm:ss) 00:14.872
Outcome successful

Output

Salesforce Connect: SysAdmin_Lydse_VAVET_DTCSQA (Test)

0 10:22:04(00:00.022)

- ① Connecting to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
- Connection details. Connection name: SysAdmin_Lydse_VAVET_DTCSQA, result name: SysAdmin_Lydse_VAVET_DTCSQA, result scope: Test, urlString: sf:user=lydse.gedge@va-vet.dtcsqa:password={password};securityToken={securityToken};environment=OTHER;apiLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;userLoginUrl=https://va-vet--dtcsqa.my.salesforce.com;lightningMode=true, environment: <default>, userName: lydse.gedge@va-vet.dtcsqa, password: [supplied] securityToken: [supplied]
- Create object id log file.
- Opening Partner connection
- Opening SOAP connection
- Opening Metadata connection
- Successfully connected to Salesforce as SysAdmin_Lydse_VAVET_DTCSQA
- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Subject = PrimitiveValueImpl [value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> UltimateOwner = PrimitiveValueImpl [value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- i) ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Pharmacy, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Loading Parameter Value Source row 3:
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 4:
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- i ==Column=> Subject = null
- 1 ==Column=> UltimateOwner = PrimitiveValueImpl [value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> RecordType = PrimitiveValueImpl [value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 4 rows from Parameter Value Source.

Read File for Creating Cases

0 10:22:07(00:03.125)

- ① Loading data from Parameter Value Source ...
- ① Loading Parameter Value Source row 1:

```
1 ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> Subject = PrimitiveValueImpl [ value: Creating case with API in Provar as Admin on, valueId=null, createdUpdateSeq=-1,
   🛈 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: Admin, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Administrative, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loading Parameter Value Source row 2:
   ① ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   🛈 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: Pharm, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Pharmacy, valueId=nuIl, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loading Parameter Value Source row 3:
   1 ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R000005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   1 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: MP, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Vitrual_Clinic_Visit, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loading Parameter Value Source row 4:
   ① ==Column=> AccountID = PrimitiveValueImpl [ value: 0013R00005QOntQAG, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   i ==Column=> Subject = null
   1 ==Column=> UltimateOwner = PrimitiveValueImpl [ value: RN, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> RecordType = PrimitiveValueImpl [ value: VCC_Clinical_Triage, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    Loaded 4 rows from Parameter Value Source.

    Set Values: count
                                                                                                                         0 10:22:07(00:03.183)

 Setting value count to 2

        Configuration: ValueScope:Test
       (i) Successfully set count to 2
For Each: {SourceData}=>Row
                                                                                                                         0 10:22:07(00:03.202)
   ① Start of iteration 1 of 4.
                                                                                                                         0 10:22:08(00:03.457)
    Iteration 1
                                                                                                                         0 10:22:08(00:03.460)
          Create Object: Case=>CaseId
           ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
           Setting fields:
           I = Field => cern__RecordTypeDeveloperName__c = VCC_Administrative
           i =Field=> AccountId = 0013R000005QOntQAG
           1 = Field => Subject = Creating case as Admin on 07/22/2022 10:22 for Admin
           Case created successfully. Object Id: 5003R000002Mlp4QAC, Result Name: CaseId
           ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mlp4QAC
        SOQL Query: select CaseNumber, Subject,
                                                                                                                         0 10:22:11(00:06.232)
        cern__RecordTypeDeveloperName__c from Case=>CaseRows
           ① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
           cern__RecordTypeDeveloperName__c from Case

    Query successful. Row Count: 1.

        00032390
                                                                                                                         0 10:22:11(00:06.601)
        Creating case as Admin on 07/22/2022 10:22 for Admin
                                                                                                                         0 10:22:11(00:06.657)
                                                                                                                         0 10:22:11(00:06.692)
        VCC_Administrative
   ① Start of iteration 2 of 4.
                                                                                                                         0 10:22:11(00:06.947)
    Iteration 2
                                                                                                                         @ 10:22:11(00:06.951)
        Create Object: Case=>CaseId
           ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
```

```
i =Field=> cern__RecordTypeDeveloperName__c = VCC_Pharmacy
       1 =Field=> AccountId = 0013R000005QOntQAG
       1 =Field=> Subject = Creating case as Admin on 07/22/2022 10:22 for Pharm
        Case created successfully. Object Id: 5003R000002Mk2lQAC, Result Name: CaseId
       Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002Mk2IQAC
    SOQL Query: select CaseNumber, Subject,
                                                                                                               @ 10:22:13(00:08.607)
   cern_RecordTypeDeveloperName_c from Case=>CaseRows
       1 Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case
       (1) Query successful. Row Count: 2.
                                                                                                               0 10:22:13(00:08.948)
    00032391
                                                                                                               0 10:22:13(00:09.047)
    Creating case as Admin on 07/22/2022 10:22 for Pharm
    VCC Pharmacy
                                                                                                               0 10:22:13(00:09.087)
① Start of iteration 3 of 4.
                                                                                                               0 10:22:15(00:10.403)
Iteration 3
                                                                                                               0 10:22:15(00:10 407)
    Create Object: Case=>CaseId
       ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
       Setting fields:
       ① =Field=> cern__RecordTypeDeveloperName__c = VCC_Vitrual_Clinic_Visit
       i =Field=> AccountId = 0013R000005QOntQAG
       (i) =Field=> Subject = Creating case as Admin on 07/22/2022 10:22 for MP
       Case created successfully. Object Id: 5003R000002MIsNQAS, Result Name: CaseId
       1 Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MIsNQAS
    SOQL Query: select CaseNumber, Subject,
                                                                                                               0 10:22:16(00:12.146)
   cern__RecordTypeDeveloperName__c from Case=>CaseRows
       ① Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case
       (i) Query successful. Row Count: 3.
    00032391
                                                                                                               0 10:22:17(00:12.471)
                                                                                                               0 10:22:17(00:12.526)
    Creating case as Admin on 07/22/2022 10:22 for Pharm
                                                                                                               0 10:22:17(00:12.569)
    VCC Pharmacv
① Start of iteration 4 of 4.
Iteration 4
                                                                                                               0 10:22:17(00:13.035)
                                                                                                               0 10:22:17(00:13.039)
    Create Object: Case=>CaseId
       ① Creating a new Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Name: Case, field count: 3
       Setting fields:
       1 = Field => cern__RecordTypeDeveloperName__c = VCC_Clinical_Triage
       i =Field=> AccountId = 0013R000005QOntQAG
       1 = Field => Subject = Creating case as Admin on 07/22/2022 10:22 for RN
       Case created successfully. Object Id: 5003R000002MlsSQAS, Result Name: CaseId
       ① Logging Salesforce Object Id for clean up. Object Name: Case, id: 5003R000002MIsSQAS
    SOQL Query: select CaseNumber, Subject,
                                                                                                               0 10:22:19(00:14.400)
   cern_RecordTypeDeveloperName_c from Case=>CaseRows
       1 Reading a Salesforce object. Connection Name: SysAdmin_Lydse_VAVET_DTCSQA, Query: select CaseNumber, Subject,
       cern__RecordTypeDeveloperName__c from Case
       (i) Query successful. Row Count: 4.
    00032393
                                                                                                               0 10:22:19(00:14.729)
    Creating case as Admin on 07/22/2022 10:22 for RN
                                                                                                               0 10:22:19(00:14.787)
```

0 10:22:19(00:14.827)

(i) Setting fields:

VCC_Clinical_Triage

- i Reached the end of the List.
- $\textcircled{1} \ \mathsf{Handling} \ \mathsf{managed} \ \mathsf{resource}. \ \mathsf{Name:} \ \mathsf{SysAdmin_Lydse_VAVET_DTCSQA}$
- ❖ Closing Salesforce Connection because it is no longer being used. Name: SysAdmin_Lydse_VAVET_DTCSQA
- *Shutting down Soap Connections. logFilePath: SysAdmin_Lydse_VAVET_DTCSQA-objectids.log
- ① Salesforce Connection handled successfully. Name: SysAdmin_Lydse_VAVET_DTCSQA