Name: LOGANANTHAN D

Email id: loga.nanthan.d@gmail.com

Data analytics Trainee

Task 3: Operation Analytics and Investigating Metric Spike

Analysis done on the following points:-

Case Study 1 : Job Data

A. Number of jobs reviewed: Amount of jobs reviewed over time.

Your task: Calculate the number of jobs reviewed per hour per day for November 2020?

B. Throughput: It is the no. of events happening per second.

Your task: Let's say the above metric is called throughput. Calculate 7 day rolling average of throughput? For throughput, do you prefer daily metric or 7-day rolling and why?

C. Percentage share of each language: Share of each language for different contents. Your task: Calculate the percentage share of each language in the last 30 days?

D. Duplicate rows: Rows that have the same value present in them.

Your task: Let's say you see some duplicate rows in the data. How will you display duplicates from the table?

Software used: MySQL Workbench 8.0 CE

Case Study 2: Investigating metric spike

A. User Engagement: To measure the activeness of a user. Measuring if the user finds quality in a product/service.

Your task: Calculate the weekly user engagement?

- **B.** User Growth: Amount of users growing over time for a product. Your task: Calculate the user growth for product?
- **C.** Weekly Retention: Users getting retained weekly after signing-up for a product. Your task: Calculate the weekly retention of users-sign up cohort?
- **D.** Weekly Engagement: To measure the activeness of a user. Measuring if the user finds quality in a product/service weekly.

Your task: Calculate the weekly engagement per device?

E. Email Engagement: Users engaging with the email service. **Your task:** Calculate the email engagement metrics?

<u>Software Used</u>: MySQL Workbench 8.0 CE Number of jobs reviewed: Amount of jobs reviewed over time.

Calculate the number of jobs reviewed per hour per day for November 2020?

To find the number of jobs reviewed per hour per day of November 2020:

- 1. We will use the data from **job_id** columns of the job_data table.
- 2. Then we will divide the total count of job_id (distinct and non-distinct) by (30 days * 24 hours) for finding the number of jobs reviewed per day

Program/Query (non_distinct_job_id):

select

count(job_id)/(30*24) as number_of_jobs_reviewed_per_day_non_distinct from job_data;



number_of_jobs_reviewed_per_day_non_distinct

0.0111

Number of jobs reviewed: Amount of jobs reviewed over time.

Calculate the number of jobs reviewed per hour per day for November 2020?

number_of_jobs_reviewed_per_day_distinct 0.0083

Program/Query (distinct_job_id):

select

count(distinct job_id)/(30*24) as number_of_jobs_reviewed_per_day_distinct from job_data;

Output /Result

Throughput: It is the no. of events happening per second.

Let's say the above metric is called throughput. Calculate 7 day rolling average of throughput? For throughput, do you prefer daily metric or 7-day rolling and why?

For calculating the throughput we will be using the 7-day rolling because 7-day rolling gives us the average for all the days right from day 1 to day 7 Whereas daily metric gives us average for only that particular day itself.

For calculating the 7-day rolling daily metric average of throughput:-

- We will be first taking the count of job_id(distinct and non-distinct) and ordering them w.r.t ds (date of interview)
- 2. Then by using the ROW function we will be considering the rows between 6 preceding rows and the current row
- 3. Then we will be taking the average of the jobs_reviewed
 Throughput">Throughput: It is the no. of events happening per second.

Let's say the above metric is called throughput. Calculate 7 day rolling average of throughput? For throughput, do you prefer daily metric or 7-day rolling and why?

Program/Query (distinct_job_id):

```
SELECT ds as date_of_review, jobs_reviewed, AVG(jobs_reviewed)
OVER(ORDER BY ds ROWS BETWEEN 6 PRECEDING AND CURRENT ROW) AS
throughput_7_rolling_average
FROM
(
SELECT ds, COUNT( DISTINCT job_id) AS jobs_reviewed
FROM job_data
GROUP BY ds ORDER BY ds
) a;
```



Output /Result	date_of_review		throughput_7_rolling_average	
Throughput: It	25-11-2020 26-11-2020		1	is the no. of events
happening	27-11-2020	1	1	per second.
	28-11-2020	2	1.25	
Let's say the throughput.	29-11-2020	1	1.2	above metric is called
	30-11-2020	2		Calculate 7 day rolling
iiiioogiipoi.				calculate / day folling

average of throughput? For throughput, do you prefer daily metric or 7-day rolling and why?

```
Program/Query (non_distinct_job_id):
```

```
SELECT ds as date_of_review, jobs_reviewed, AVG(jobs_reviewed)
OVER(ORDER BY ds ROWS BETWEEN 6 PRECEDING AND CURRENT ROW) AS
throughput_7_rolling_average_non_distinct_job_id FROM
(
```

SELECT ds, COUNT(job_id) AS jobs_reviewed FROM job_data
GROUP BY ds ORDER BY ds
) a;

Output /Result

date_of_review	jobs_reviewed	throughput_7_rolling_average_non_distinct_job_id
25-11-2020	1	1
26-11-2020	1	1
27-11-2020	1	1
28-11-2020	2	1.25
29-11-2020	1	1.2
30-11-2020	2	1.3333

<u>Percentage share of each language:</u> Share of each language for different contents.

Calculate the percentage share of each language?

To calculate the percentage share of each language (distinct and nondistinct):-

- We will first divide the total number of languages (distinct/non-distinct) by the total number of rows presents in the table
- 2. Then we will do the grouping based on the languages.

```
Program/Query (non_distinct_language):
select
```

```
job_data.job_id, job_data.language,
count(job_data.language) as total_of_each_language,
((count(job_data.language)/(select count(*) from job_data))*100) as
percentage_share_of_each_language
```

from job_data group by job_data.language;


<u>Percentage share of each language:</u> Share of each language for different contents

Calculate the percentage share of each language?



job_id	language	total_of_each_language	percentage_share_of_each_language
2	1 English	1	12.5
2	22 Arabic	1	12.5
2	23 Persian	3	37.5
2	5 Hindi	1	12.5
1	.1 French	1	12.5
2	10 Italian	1	12.5

Output /Result



<u>Percentage share of each language:</u> Share of each language for different contents.

Calculate the percentage share of each language?

Program/Query (distinct_language): select

job_data.job_id, job_data.language, count(distinct job_data.language) as total_of_each_language, ((count(job_data.language)/(select count(*) from job_data))*100) as percentage_share_of_each_distinct_language


from job_data
group by job_data.language;

<u>Percentage share of each language:</u> Share of each language for different contents.

Calculate the percentage share of each language?

job_id	language	total_of_each_language	percentage_share_of_each_distinct_language
22	Arabic	1	12.5
21	English	1	12.5
11	French	1	12.5
25	Hindi	1	12.5
20	Italian	1	12.5
23	Persian	1	37.5

Output /Result



Duplicate rows: Rows that have the same value present in them.

Let's say you see some duplicate rows in the data. How will you display duplicates from the table?

To view the duplicate rows having the same value we will:1. First decide in which do we need to find the duplicate row values

- 2. After deciding the column(parameter) we will use the ROW_NUMBER function to find the row numbers having the same value
- 3. Then we will portioning the ROW_NUMBER function over the column (parameter) that we decided i.e. job_id
- 4. Then using the WHERE function we will find the row_num having value greater than 1 i.e. row_num > 1 based on the occurrence of the job_id in the table.

Duplicate rows: Rows that have the same value present in them.

Let's say you see some duplicate rows in the data. How will you display duplicates from the table?

```
Program/Query:

SELECT *
FROM
(
SELECT *, ROW_NUMBER()OVER(PARTITION BY job_id) AS row_num
FROM job_data
) a
```

WHERE row_num>1;

Output /Result ds job_id actor_idevent languagetime_spentorg row_num 28-11-2020 23 1005 transfer Persian 22 D 2 26-11-2020 23 1004 skip Persian 56 A 3

GitHub Link for Query of Case Study 1:

<u>Trainity Data Analytics Trainee/Trainity Data Analytics Trainee task 3.sql at main ADVAIT135/Trainity Data Analytics Trainee (github.com)</u>

<u>User Engagement:</u> To measure the activeness of a user. Measuring if the user finds quality in a product/service.

Your task: Calculate the weekly user engagement?

To find the weekly user engagement:-

- We will extract the week from the occurred_at column of the events table using the EXTRACT function and WEEK function
- 2. Then we will be counting the number of distinct user_id from the events table
- Then we will use the GROUP BY function to group the output w.r.t week from occurred_at

Program/Query:

SELECT extract (week from occurred_at) as week_number, count(distinct user_id) as number_of_users
FROM tutorial.yammer_events group by week_number;

<u>User Engagement:</u> To measure the activeness of a user. Measuring if the user finds quality in a product/service.

Your task: Calculate the weekly user engagement?

week_number number_of_users



<u>User Engagement:</u> To measure the activeness of a user. Measuring if the user finds quality in a product/service.

Your task: Calculate the weekly user engagement?

Output /Result



User Growth: Amount of users growing over time for a product.

Your task: Calculate the user growth for product?

User Growth = Number of active users per week

To find the user growth (number of active users per week):-

- First we will the extract the year and week for the occurred_at column of the users table using the extract, year and week functions
- 2. Then we will group the extracted week and year on the basis of year and week number
- 3. Then we ordered the result on the basis of year and week number
- 4. Then we will find the cumm_active_users using the SUM, OVER and ROW function between unbounded preceding and current row

Your task: Calculate the user growth for product?

User Growth = Number of active users per week


User Growth: Amount of users growing over time for a product.

```
Program/Query:
select
year num,
week num,
 num_active_users,
 SUM(num_active_users)OVER(ORDER BY year_num, week_num ROWS BETWEEN
UNBOUNDED PRECEDING AND CURRENT ROW) AS cum_active_users
from
select
extract (year from a.activated_at) as year_num,
 extract (week from a.activated_at) as week_num,
 count(distinct user id) as num active users
from
tutorial.yammer_users a
WHERE
state = 'active'
group by year_num,week_num
order by year_num, week_num
) a;
```

User Growth: Amount of users growing over time for a product.

Your task: Calculate the user growth for product?
User Growth = Number of active users per week

User Growth: Amount of users growing over time for a product.



User Growth: Amount of users growing over time for a product.

Output /Result

2013	43	97	2375	2014	35	266	9381
2013	44	92	2467				

User Growth: Amount of users growing over time for a product.

Your task: Calculate the user growth for product?
User Growth = Number of active users per week

Program/Query:

select count(*) from tutorial.yammer_users where state = 'active';

Output /Result

count

9381

Hence, there are in total 9381 active users from 1st week of 2013 to the 35th week of 2014

Weekly Retention: Users getting retained weekly after signing-up for a product.

Your task: Calculate the weekly retention of users-sign up cohort?

The weekly retention of users-sign up cohort can be calculated by two means i.e. either by specifying the week number (18 to 35) or for the entire column of occurred_at of the events table.

- Firstly we will extract the week from occurred_at column using the extract, week
 functions
- 2. Then, we will select out those rows in which event_type = 'signup_flow' and event_name = 'complete_signup'
- 3. If finding for a spectifc week we will spectify the week number using the **extract** function
- 4. Then using the left join we will join the two tables on the basis of user_id where event_type = 'engagement'
- 5. Then we will use the **Group By** function to group the output table on the basis of user_id
- Then we will use the Order By function to order the result table on the basis of user_id

Weekly Retention: Users getting retained weekly after signing-up for a product.

```
Program/Query(Without Specifying the week number):
SELECT
distinct user id,
COUNT(user_id),
SUM(CASE WHEN retention_week = 1 Then 1 Else 0 END) as per_week_retention
FROM
SELECT
a.user id,
a.signup_week,
b.engagement_week,
b.engagement_week - a.signup_week as retention_week
FROM
(SELECT distinct user_id, extract(week from occurred_at) as signup_week from tutorial.yammer_events
WHERE event_type = 'signup_flow'
and event_name = 'complete_signup'
)a
LEFT JOIN
(SELECT distinct user id, extract (week from occurred at) as engagement week FROM tutorial.yammer events
where event_type = 'engagement'
)b
on a.user_id = b.user_id
)d
```

Weekly Retention: Users getting retained weekly after signing-up for a product.

group by user_id order by user_id;

Weekly Retention: Users getting retained weekly after signing-up for a product.

Your task: Calculate the weekly retention of users-sign up cohort?

Weekly Retention: Users getting retained weekly after signing-up for a product.

Your task: Calculate the weekly retention of users-sign up cohort?

Output /Result (Without Specifying week

<u>number)</u>
Link for the saved result

<u>Trainity task 3 case stuy 2 question c.csv - Google Drive</u>

Weekly Retention: Users getting retained weekly after signing-up for a product.

Your task: Calculate the weekly retention of users-sign up cohort?

Weekly Retention: Users getting retained weekly after signing-up for a product.

Program/Query(Specifying the week number as 18):

SELECT distinct user_id,

Weekly Retention: Users getting retained weekly after signing-up for a product.

```
COUNT(user_id),
SUM(CASE WHEN retention_week = 1 Then 1 Else 0 END) as per_week_retention
FROM
(
```

Weekly Retention: Users getting retained weekly after signing-up for a product.

SELECT a.user_id, a.signup_week,

Weekly Retention: Users getting retained weekly after signing-up for a product.

b.engagement_week,
b.engagement_week - a.signup_week as retention_week
FROM

Weekly Retention: Users getting retained weekly after signing-up for a product.

(SELECT distinct user_id, extract(week from occurred_at) as signup_week from tutorial.yammer_events

Weekly Retention: Users getting retained weekly after signing-up for a product.

WHERE event_type = 'signup_flow' and event_name = 'complete_signup' and extract(week from occurred_at) = 18)a

Weekly Retention: Users getting retained weekly after signing-up for a product.

LEFT JOIN

(SELECT distinct user_id, extract (week from occurred_at) as engagement_week FROM tutorial.yammer_events where event_type = 'engagement'

Weekly Retention: Users getting retained weekly after signing-up for a product.

```
)b on a.user_id =
b.user_id
)
)d
```

Weekly Retention: Users getting retained weekly after signing-up for a product.

group by user_id order by user_id;

Weekly Retention: Users getting retained weekly after signing-up for a product.

Your task: Calculate the weekly retention of users-sign up cohort?

Output /Result

(Specifying week Trainity task 3 case stuy 2 question c 18 week.csv number

as 18) - Google Drive

Weekly Engagement: To measure the activeness of a user. Measuring if the user finds quality in a product/service weekly.

Your task: Calculate the weekly engagement per device?

To find the weekly user engagement per device:-

- Firstly we will extract the year_num and week_num from the occurred_at column
 of the events table using the extract, year and week function
- Then we will select those rows where event_type = 'engagement' using the WHERE clause
- 3. Then by using the **Group By** and **Order By** function we will group and order the result on the basis of year_num, week_num and device

Weekly Engagement: To measure the activeness of a user. Measuring if the user finds quality in a product/service weekly.

Your task: Calculate the weekly engagement per device?

Program/Query:

```
SELECT extract(year from occurred_at) as year_num, extract(week from occurred_at) as week_num, device, COUNT(distinct user_id) as no_of_users FROM tutorial.yammer_events where event_type = 'engagement' GROUP by 1,2,3 order by 1,2,3;
```



Engagement:

Output /Result question D weekly user engagement per device.csv - Google Drive


Investigating Metric Spike

Users engaging with the email service. Your task: Calculate the email engagement metrics?

To find the email engagement metrics (rate) of users:-

- We will first categorize the action on the basis of email_sent, email_opened and email_clicked using the CASE, WHEN, THEN functions
- Then we select the sum of category of email_opened divide by the sum of the category of email_sent and multiply the result by 100.0 and name is as email_opening_rate

- Then we select the sum of category of email_clicked divide by the sum of the category of email_sent and multiply the result by 100.0 and name is as email_clicking_rate
- 4. email_sent = ('sent_weekly_digest','sent_reengagement_email')
- 5. email_opened = 'email_open'
- 6. email_clicked = 'email_clickthrough'



Program/Query: **SELECT** 100.0*SUM(CASE when email_cat = 'email_opened' then 1 else 0 end)/SUM(CASE when email_cat = 'email_sent' then 1 else 0 end) as email_opening_rate, 100.0*SUM(CASE when email_cat = 'email_clicked' then 1 else 0 end)/SUM(CASE when email_cat = 'email_sent' then 1 else 0 end) as email_clicking_rate FROM **SELECT** CASE WHEN action in ('sent_weekly_digest', 'sent_reengagement_email') then 'email sent' WHEN action in ('email_open') then 'email_opened' WHEN action in ('email_clickthrough') then 'email_clicked' end as email cat from tutorial.yammer_emails) a;

Investigating Metric Spike



Engagement:

Users engaging with the email service.
Your task: Calculate the email engagement metrics?

Output /Result Question E email_engagement_metrics.csv - Google Drive

Hence, all the questions given as part of Trainity Data Analytics Trainee Task 3: Operation Analytics and Investigating Metric Spike have been provided with answers along with graphs.

In this task all the basic as well as advanced concepts related to SQL in Data Analytics have been implemented using the MySQL workbench 8.0 CE

Case Study 1 Link for GitHub and Google Drive

<u>Trainity Data Analytics Trainee/Trainity Data Analytics Trainee task 3.sql at main ADVAIT135/Trainity Data Analytics Trainee (github.com)</u>

Trainity Data Analytics Trainee task 3.sql - Google Drive

Case Study 2 Link for GitHub and Google Drive



Engagement:

<u>Trainity Data Analytics Trainee/task3 case sudy 2 Investigating Metric Spike</u>
<u>.sql at main · ADVAIT135/Trainity Data Analytics Trainee (github.com)</u>

task3 case sudy 2 Investigating Metric Spike.sql - Google Drive