

Website Vulnerability Scanner Report

✓ <https://eaf8614e.majestic1.pages.dev/>

! The Light Website Scanner didn't check for critical issues like SQLi, XSS, Command Injection, XXE, etc.
[Upgrade to run Deep scans with 40+ tests](#) and detect more vulnerabilities.

Summary

Overall risk level:

Low

Risk ratings:

Critical:	0
High:	0
Medium:	0
Low:	3
Info:	0

Scan information:

Start time:	Jun 07, 2026 / 21:37:57 UTC+0530
Finish time:	Jun 07, 2026 / 21:38:15 UTC+0530
Scan duration:	18 sec
Tests performed:	40
Scan status:	Finished

Findings

Missing security header: Strict-Transport-Security

port 443/tcp

CONFIRMED

URL	Evidence
https://eaf8614e.majestic1.pages.dev/	Response headers do not include the HTTP Strict-Transport-Security header Request / Response

Details

Risk description:

The risk is that lack of this header permits an attacker to force a victim user to initiate a clear-text HTTP connection to the server, thus opening the possibility to eavesdrop on the network traffic and extract sensitive information (e.g. session cookies).

Recommendation:

The Strict-Transport-Security HTTP header should be sent with each HTTPS response. The syntax is as follows:

```
Strict-Transport-Security: max-age=<seconds>[; includeSubDomains]
```

The parameter `max-age` gives the time frame for requirement of HTTPS in seconds and should be chosen quite high, e.g. several months. A value below 7776000 is considered as too low by this scanner check.

The flag `includeSubDomains` defines that the policy applies also for sub domains of the sender of the response.

Classification:

CWE : [CWE-693](#)

OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)

OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)

OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Missing security header: Content-Security-Policy

port 443/tcp

CONFIRMED

URL	Evidence
https://eaf8614e.majestic1.pages.dev/	Response does not include the HTTP Content-Security-Policy security header or meta tag Request / Response

▼ Details

Risk description:

The risk is that if the target application is vulnerable to XSS, lack of this header makes it easily exploitable by attackers.

Recommendation:

Configure the Content-Security-Header to be sent with each HTTP response in order to apply the specific policies needed by the application.

References:

https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html
<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Content-Security-Policy>

Classification:

CWE : [CWE-1021](#)
OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)
OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)
OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

 Server software and technology found
port 443/tcp

UNCONFIRMED 

Software / Version	Category
 Google Font API	Font scripts
 HTTP/3	Miscellaneous
 React	JavaScript frameworks
 React Router 7.17.0	JavaScript frameworks
 Cloudflare	CDN
 reCAPTCHA	Security
 HSTS	Security

▼ Details

Risk description:

The risk is that an attacker could use this information to mount specific attacks against the identified software type and version.

Recommendation:

We recommend you to eliminate the information which permits the identification of software platform, technology, server and operating system: HTTP server headers, HTML meta information, etc.

References:

https://owasp.org/www-project-web-security-testing-guide/stable/4-Web_Application_Security_Testing/01-Information_Gathering/02-Fingerprint_Web_Server.html

Classification:

CWE : [CWE-200](#)
OWASP Top 10 - 2017 : [A6 - Security Misconfiguration](#)
OWASP Top 10 - 2021 : [A5 - Security Misconfiguration](#)
OWASP Top 10 - 2025 : [A02 - Security Misconfiguration](#)

Scan coverage information

List of tests performed (40)

Port 443

- ✓ Scanned for missing HTTP header - Content Security Policy
- ✓ Scanned for missing HTTP header - Strict-Transport-Security
- ✓ Scanned for website technologies
- ✓ Scanned for version-based vulnerabilities of server-side software
- ✓ Scanned for client access policies

- ✓ Scanned for robots.txt file
- ✓ Scanned for absence of the security.txt file
- ✓ Scanned for use of untrusted certificates
- ✓ Scanned for enabled HTTP debug methods
- ✓ Scanned for enabled HTTP OPTIONS method
- ✓ Scanned for secure communication
- ✓ Scanned for directory listing
- ✓ Scanned for passwords submitted unencrypted
- ✓ Scanned for error messages
- ✓ Scanned for debug messages
- ✓ Scanned for code comments
- ✓ Scanned for missing HTTP header - X-Content-Type-Options
- ✓ Scanned for missing HTTP header - Referrer
- ✓ Scanned for passwords submitted in URLs
- ✓ Scanned for domain too loose set for cookies
- ✓ Scanned for mixed content between HTTP and HTTPS
- ✓ Scanned for cross domain file inclusion
- ✓ Scanned for internal error code
- ✓ Scanned for HttpOnly flag of cookie
- ✓ Scanned for Secure flag of cookie
- ✓ Scanned for login interfaces
- ✓ Scanned for secure password submission
- ✓ Scanned for sensitive data
- ✓ Scanned for unsafe HTTP header Content Security Policy
- ✓ Scanned for OpenAPI files
- ✓ Scanned for file upload
- ✓ Scanned for SQL statement in request parameter
- ✓ Scanned for password returned in later response
- ✓ Scanned for Path Disclosure
- ✓ Scanned for Session Token in URL
- ✓ Scanned for API endpoints
- ✓ Scanned for emails
- ✓ Scanned for missing HTTP header - Rate Limit
- ✓ Scanned for PEM-encoded private key material
- ✓ Scanned for partial PEM-encoded private key material

Scan parameters

target:	https://eaf8614e.majestic1.pages.dev/
scan_type:	Light
authentication:	False

Scan stats

Unique Injection Points Detected:	1
URLs spidered:	3
Total number of HTTP requests:	15
Average time until a response was received:	34ms